

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 June 2001 (14.06.2001)

PCT

(10) International Publication Number  
**WO 01/41799 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 39/00**,  
39/12

MN 55902 (US). **GREY, Howard, M.** [US/US]; 1461  
Caminito Batea, La Jolla, CA 92037 (US).

(21) International Application Number: PCT/US00/33549

(74) Agents: **LOCKYER, Jean, M.** et al.; Townsend and  
Townsend and Crew LLP, Two Embarcadero Center,  
Eighth Floor, San Francisco, CA 94111-3834 (US).

(22) International Filing Date:  
11 December 2000 (11.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/172,705 10 December 1999 (10.12.1999) US  
09/641,528 15 August 2000 (15.08.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **SETTE, Alessan-**  
**dro** [IT/US]; 5551 Linda Rosa Avenue, La Jolla, CA  
92037 (US). **SIDNEY, John** [US/US]; 4218 Corte de  
la Siena, San Diego, CA 92130 (US). **SOUTHWOOD,**  
**Scott** [US/US]; 10679 Strathmore Drive, Santee, CA  
92071 (US). **CHESNUT, Robert** [US/US]; 1473 Kings  
Cross Drive, Cardiff-by-the-Sea, CA 92007 (US). **CELIS,**  
**Esteban** [US/US]; 3683 Wright Road S.W., Rochester,

**Published:**

- *With international search report.*
- *Before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments.*

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

(54) Title: INDUCING CELLULAR IMMUNE RESPONSES TO HUMAN PAPILLOMAVIRUS USING PEPTIDE AND NU-  
CLEIC ACID COMPOSITIONS

(57) Abstract: This invention uses our knowledge of the mechanisms by which antigen is recognized by T cells to identify and  
prepare human papillomavirus (HPV) epitopes, and to develop epitope-based vaccines directed towards HPV. More specifically, this  
application communicates our discovery of pharmaceutical compositions and methods of use in the prevention and treatment of HPV  
infection.



WO 01/41799 A1

5

## INDUCING CELLULAR IMMUNE RESPONSES TO HUMAN PAPILLOMAVIRUS USING PEPTIDE AND NUCLEIC ACID COMPOSITIONS

### I. BACKGROUND OF THE INVENTION

10 Human papillomavirus (HPV) is a member of the papillomaviridae, a group of small DNA viruses that infect a variety of higher vertebrates. More than 80 types of HPVs have been identified. Of these, more than 30 can infect the genital tract. Some types, generally types 6 and 11, may cause genital warts, which are typically benign and rarely develop into cancer. Other strains of HPV, "cancer-associated", or "high-risk" types, can more frequently lead to the development of cancer. The primary  
15 mode of transmission of these strains of HPV is through sexual contact.

The main manifestations of the genital warts are cauliflower-like condylomata acuminata that usually involve moist surfaces; keratotic and smooth papular warts, usually on dry surfaces; and subclinical "flat" warts, which are found on any mucosal or cutaneous surface (Handsfield, H., *Am. J. Med.* 102(5A):16-20, 1997). These warts are typically benign but are a source of inter-individual spread of the  
20 virus (Ponten, J. & Guo, Z., *Cancer Surv.* 32:201-29, 1998). At least three HPV strains associated with genital warts have been identified: type 6a (see, e.g., Hofmann, K.J., *et al.*, *Virology* 209(2):506-518, 1995), type 6b (see, e.g., Hofmann *et al.*, *supra*) and type 11 (see, e.g., Dartmann, K. *et al.*, *Virology* 151(1):124-130, 1986).

Cancer-associated HPVs have been linked with cancer in both men and women; they  
25 include, but are not limited to, HPV-16, HPV-18, HPV-31, HPV-45, HPV-33 and HPV-56. Other HPV strains, including types 6 and 11 as well as others, e.g., HPV-5 and HPV-8, are less frequently associated with cancer. The high risk types are typically associated with the development of cervical carcinoma and premalignant lesions of the cervix in women, but are also associated with similar malignant and  
30 premalignant lesions at other anatomic sites within the lower genital or anogenital tract. These lesions include neoplasia of the vagina, vulva, perineum, the penis, and the anus. HPV infection has also been associated with respiratory tract papillomas, and rarely, cancer, as well as abnormal growth or neoplasia in other epithelial tissues. See, e.g. *VIROLOGY*, 2<sup>ND</sup> ED, Fields *et al.*, Eds. Raven Press, New York, 1990, Chapters 58 and 59, for a review of HPV association with cancer.

The HPV genome consists of three functional regions, the early region, the late region,  
35 and the "long control region". The early region gene products control viral replication, transcription and cellular transformation. They include the HPV E1 and E2 proteins, which play a role in HPV DNA replication, and the E6 and E7 oncoproteins, which are involved in the control of cellular proliferation. The late region include the genes that encode the structural proteins L1 and L2, which are the major and minor capsid proteins, respectively. The "long control region" contains such sequences as enhancer and promoter  
40 regulatory regions.

HPV expresses different proteins at different stages of the infection, for example early, as well as late, proteins. Even in latent infections, however, early proteins are often expressed and are therefore useful targets for vaccine-based therapies. For example, high-grade dysplasia and cervical squamous cell carcinoma continue to express E6 and E7, which therefore can be targeted to treat disease at both early and late stages of infection.

Treatment for HPV infection is often unsatisfactory because of persistence of virus after treatment and recurrence of clinically apparent disease is common. The treatment may require frequent visits to clinics and is not directed at elimination of the virus but at clearing warts. Because of persistence of virus after treatment, recurrence of clinically apparent disease is common.

Thus, a need exists for an efficacious vaccine to both prevent and treat HPV infection and to treat cancer that is associated with HPV infection. Effective HPV vaccines would be a significant advance in the control of sexually transmissible infections and could also protect against clinical disease, particularly cancers such as cervical cancer. (see, e.g., Rowen, P. & Lacey, C., *Dermatologic Clinics* 16(4):835-838, 1998).

Virus-specific, human leukocyte antigen (HLA) class I-restricted cytotoxic T lymphocytes (CTL) are known to play a major role in the prevention and clearance of virus infections *in vivo* (Oldstone *et al.*, *Nature* 321:239, 1989; Jamieson *et al.*, *J. Virol.* 61:3930, 1987; Yap *et al.*, *Nature* 273:238, 1978; Lukacher *et al.*, *J. Exp. Med.* 160:814, 1994; McMichael *et al.*, *N. Engl. J. Med.* 309:13, 1983; Sethi *et al.*, *J. Gen. Virol.* 64:443, 1983; Watari *et al.*, *J. Exp. Med.* 165:459, 1987; Yasukawa *et al.*, *J. Immunol.* 143:2051, 1989; Tigges *et al.*, *J. Virol.* 66:1622, 1993; Reddenhase *et al.*, *J. Virol.* 55:263, 1985; Quinnan *et al.*, *N. Engl. J. Med.* 307:6, 1982). HLA class I molecules are expressed on the surface of almost all nucleated cells. Following intracellular processing of antigens, epitopes from the antigens are presented as a complex with the HLA class I molecules on the surface of such cells. CTL recognize the peptide-HLA class I complex, which then results in the destruction of the cell bearing the HLA-peptide complex directly by the CTL and/or via the activation of non-destructive mechanisms e.g., the production of interferon, that inhibit viral replication.

Virus-specific T helper lymphocytes are also known to be critical for maintaining effective immunity in chronic viral infections. Historically, HTL responses were viewed as primarily supporting the expansion of specific CTL and B cell populations; however, more recent data indicate that HTL may directly contribute to the control of virus replication. For example, a decline in CD4<sup>+</sup> T cells and a corresponding loss in HTL function characterize infection with HIV (Lane *et al.*, *New Engl. J. Med.* 313:79, 1985). Furthermore, studies in HIV infected patients have also shown that there is an inverse relationship between virus-specific HTL responses and viral load, suggesting that HTL plays a role in viremia (see, e.g., Rosenberg *et al.*, *Science* 278:1447, 1997).

The development of vaccines with prophylactic and therapeutic efficacy against HPV is ongoing. Early vaccine development was hampered by the inability to culture HPV. With the introduction of cloning techniques and protein expression, however, some attempts have been made to stimulate humoral and CTL response to HPV (See, e.g., Rowen, P. & Lacey, C., *Dermatologic Clinics* 16(4):835-838 (1998)). Studies to date, however, have been inconclusive.

Activation of T helper cells and cytotoxic lymphocytes (CTLs) in the development of vaccines has also been analyzed. Lehtinen, M., *et al.* for instance, has shown that some peptides from the E2 protein of HPV type 16 activate T helper cells and CTLs (*Biochem. Biophys. Res. Commun.* 209(2):541-6 (1995). Similarly, Tarpey *et al.* has shown that some peptides from HPV type 11 E7 protein can stimulate human HPV-specific CTLs *in vitro* (*Immunology* 81:222-227 (1994)) and Borysiewicz *et al.* have reported a recombinant vaccinia virus expressing HPV 16 and HPV 17 E6 and E7 that stimulated CTL responses in at least one patient (*Lancet* 347:1347-1357, 1996).

The epitope approach, as we have described, allows the incorporation of various antibody, CTL and HTL epitopes, from various proteins, in a single vaccine composition. Such a composition may simultaneously target multiple dominant and subdominant epitopes and thereby be used to achieve effective immunization in a diverse population.

The information provided in this section is intended to disclose the presently understood state of the art as of the filing date of the present application. Information is included in this section which was generated subsequent to the priority date of this application. Accordingly, information in this section is not intended, in any way, to delineate the priority date for the invention.

## II. SUMMARY OF THE INVENTION

This invention applies our knowledge of the mechanisms by which antigen is recognized by T cells, for example, to develop epitope-based vaccines directed towards HPV. More specifically, this application communicates our discovery of specific epitope pharmaceutical compositions and methods of use in the prevention and treatment of HPV infection.

Upon development of appropriate technology, the use of epitope-based vaccines has several advantages over current vaccines, particularly when compared to the use of whole antigens in vaccine compositions. There is evidence that the immune response to whole antigens is directed largely toward variable regions of the antigen, allowing for immune escape due to mutations. The epitopes for inclusion in an epitope-based vaccine may be selected from conserved regions of viral or tumor-associated antigens, which thereby reduces the likelihood of escape mutants. Furthermore, immunosuppressive epitopes that may be present in whole antigens can be avoided with the use of epitope-based vaccines.

An additional advantage of an epitope-based vaccine approach is the ability to combine selected epitopes (CTL and HTL), and further, to modify the composition of the epitopes, achieving, for example, enhanced immunogenicity. Accordingly, the immune response can be modulated, as appropriate, for the target disease. Similar engineering of the response is not possible with traditional approaches.

Another major benefit of epitope-based immune-stimulating vaccines is their safety. The possible pathological side effects caused by infectious agents or whole protein antigens, which might have their own intrinsic biological activity, is eliminated.

An epitope-based vaccine also provides the ability to direct and focus an immune response to multiple selected antigens from the same pathogen. Thus, patient-by-patient variability in the immune response to a particular pathogen may be alleviated by inclusion of epitopes from multiple antigens from the pathogen in a vaccine composition. In the case of HPV, epitopes derived from multiple strains may also be included. A "pathogen" may be an infectious agent or a tumor associated molecule.

One of the most formidable obstacles to the development of broadly efficacious epitope-based immunotherapeutics, however, has been the extreme polymorphism of HLA molecules. To date, effective non-genetically biased coverage of a population has been a task of considerable complexity; such coverage has required that epitopes be used that are specific for HLA molecules corresponding to each individual HLA allele. Impractically large numbers of epitopes would therefore have to be used in order to cover ethnically diverse populations. Thus, there has existed a need for peptide epitopes that are bound by multiple HLA antigen molecules for use in epitope-based vaccines. The greater the number of HLA antigen molecules bound, the greater the breadth of population coverage by the vaccine.

Furthermore, as described herein in greater detail, a need has existed to modulate peptide binding properties, *e.g.*, so that peptides that are able to bind to multiple HLA antigens do so with an affinity that will stimulate an immune response. Identification of epitopes restricted by more than one HLA allele at an affinity that correlates with immunogenicity is important to provide thorough population coverage, and to allow the elicitation of responses of sufficient vigor to prevent or clear an infection in a diverse segment of the population. Such a response can also target a broad array of epitopes. The technology disclosed herein provides for such favored immune responses.

In a preferred embodiment, epitopes for inclusion in vaccine compositions of the invention are selected by a process whereby protein sequences of known antigens are evaluated for the presence of motif or supermotif-bearing epitopes. Peptides corresponding to a motif- or supermotif-bearing epitope are then synthesized and tested for the ability to bind to the HLA molecule that recognizes the selected motif. Those peptides that bind at an intermediate or high affinity *i.e.*, an  $IC_{50}$  (or a  $K_D$  value) of 500 nM or less for HLA class I molecules or an  $IC_{50}$  of 1000 nM or less for HLA class II molecules, are further evaluated for their ability to induce a CTL or HTL response. Immunogenic peptide epitopes are selected for inclusion in vaccine compositions.

Supermotif-bearing peptides may additionally be tested for the ability to bind to multiple alleles within the HLA supertype family. Moreover, peptide epitopes may be analogued to modify binding affinity and/or the ability to bind to multiple alleles within an HLA supertype.

The invention also includes embodiments comprising methods for monitoring or evaluating an immune response to HPV in a patient having a known HLA-type. Such methods comprise incubating a T lymphocyte sample from the patient with a peptide composition comprising an HPV epitope that has an amino acid sequence described in Tables VII to Table XX which binds the product of at least one HLA allele present in the patient, and detecting for the presence of a T lymphocyte that binds to the peptide. A CTL peptide epitope may, for example, be used as a component of a tetrameric complex for this type of analysis.

An alternative modality for defining the peptide epitopes in accordance with the invention is to recite the physical properties, such as length; primary structure; or charge, which are correlated with binding to a particular allele-specific HLA molecule or group of allele-specific HLA molecules. A further modality for defining peptide epitopes is to recite the physical properties of an HLA binding pocket, or properties shared by several allele-specific HLA binding pockets (*e.g.* pocket configuration and charge distribution) and reciting that the peptide epitope fits and binds to the pocket or pockets.

As will be apparent from the discussion below, other methods and embodiments are also contemplated. Further, novel synthetic peptides produced by any of the methods described herein are also part of the invention.

### 5 III. DETAILED DESCRIPTION OF THE INVENTION

The peptides and corresponding nucleic acid compositions of the present invention are useful for stimulating an immune response to HPV by stimulating the production of CTL or HTL responses. The peptide epitopes, which are derived directly or indirectly from native HPV protein amino acid sequences, are able to bind to HLA molecules and stimulate an immune response to HPV. The complete  
10 sequence of the HPV proteins to be analyzed can be obtained from Genbank. Epitopes and analogs thereof can also be readily determined from sequence information that may subsequently be discovered for heretofore unknown variants of HPV, as will be clear from the disclosure provided below.

The epitopes of the invention have been identified in a number of ways, as will be discussed below. Also discussed in greater detail is that analog peptides have been derived and the binding  
15 activity for HLA molecules modulated by modifying specific amino acid residues to create peptide analogs exhibiting altered immunogenicity. Further, the present invention provides compositions and combinations of compositions that enable epitope-based vaccines that are capable of interacting with HLA molecules encoded by various genetic alleles to provide broader population coverage than prior vaccines.

#### 20 III.A. Definitions

The invention can be better understood with reference to the following definitions, which are listed alphabetically:

A "computer" or "computer system" generally includes: a processor; at least one information storage/retrieval apparatus such as, for example, a hard drive, a disk drive or a tape drive; at  
25 least one input apparatus such as, for example, a keyboard, a mouse, a touch screen, or a microphone; and display structure. Additionally, the computer may include a communication channel in communication with a network. Such a computer may include more or less than what is listed above.

A "construct" as used herein generally denotes a composition that does not occur in nature. A construct can be produced by synthetic technologies, *e.g.*, recombinant DNA preparation and  
30 expression or chemical synthetic techniques for nucleic or amino acids. A construct can also be produced by the addition or affiliation of one material with another such that the result is not found in nature in that form.

"Cross-reactive binding" indicates that a peptide is bound by more than one HLA molecule; a synonym is degenerate binding.

A "cryptic epitope" elicits a response by immunization with an isolated peptide, but the response is not cross-reactive *in vitro* when intact whole protein which comprises the epitope is used as an  
35 antigen.

A "dominant epitope" is an epitope that induces an immune response upon immunization with a whole native antigen (see, *e.g.*, Sercarz, *et al.*, *Annu. Rev. Immunol.* 11:729-766, 1993). Such a  
40 response is cross-reactive *in vitro* with an isolated peptide epitope.

With regard to a particular amino acid sequence, an "epitope" is a set of amino acid residues which is involved in recognition by a particular immunoglobulin, or in the context of T cells, those residues necessary for recognition by T cell receptor proteins and/or Major Histocompatibility Complex (MHC) receptors. In an immune system setting, *in vivo* or *in vitro*, an epitope is the collective features of a molecule, such as primary, secondary and tertiary peptide structure, and charge, that together form a site recognized by an immunoglobulin, T cell receptor or HLA molecule. Throughout this disclosure epitope and peptide are often used interchangeably. It is to be appreciated, however, that isolated or purified protein or peptide molecules larger than and comprising an epitope of the invention are still within the bounds of the invention.

"Human Leukocyte Antigen" or "HLA" is a human class I or class II Major Histocompatibility Complex (MHC) protein (*see, e.g., Stites, et al., IMMUNOLOGY*, 8<sup>TH</sup> ED., Lange Publishing, Los Altos, CA (1994)).

An "HLA supertype or family", as used herein, describes sets of HLA molecules grouped on the basis of shared peptide-binding specificities. HLA class I molecules that share somewhat similar binding affinity for peptides bearing certain amino acid motifs are grouped into HLA superotypes. The terms HLA superfamily, HLA supertype family, HLA family, and HLA xx-like molecules (where xx denotes a particular HLA type), are synonyms.

Throughout this disclosure, results are expressed in terms of "IC<sub>50</sub>'s." IC<sub>50</sub> is the concentration of peptide in a binding assay at which 50% inhibition of binding of a reference peptide is observed. Given the conditions in which the assays are run (*i.e., limiting HLA proteins and labeled peptide concentrations*), these values approximate K<sub>D</sub> values. Assays for determining binding are described in detail, *e.g., in PCT publications WO 94/20127 and WO 94/03205*. It should be noted that IC<sub>50</sub> values can change, often dramatically, if the assay conditions are varied, and depending on the particular reagents used (*e.g., HLA preparation, etc.*). For example, excessive concentrations of HLA molecules will increase the apparent measured IC<sub>50</sub> of a given ligand.

Alternatively, binding is expressed relative to a reference peptide. Although as a particular assay becomes more, or less, sensitive, the IC<sub>50</sub>'s of the peptides tested may change somewhat, the binding relative to the reference peptide will not significantly change. For example, in an assay run under conditions such that the IC<sub>50</sub> of the reference peptide increases 10-fold, the IC<sub>50</sub> values of the test peptides will also shift approximately 10-fold. Therefore, to avoid ambiguities, the assessment of whether a peptide is a good, intermediate, weak, or negative binder is generally based on its IC<sub>50</sub>, relative to the IC<sub>50</sub> of a standard peptide.

Binding may also be determined using other assay systems including those using: live cells (*e.g., Ceppellini et al., Nature 339:392, 1989; Christnick et al., Nature 352:67, 1991; Busch et al., Int. Immunol. 2:443, 1990; Hill et al., J. Immunol. 147:189, 1991; del Guercio et al., J. Immunol. 154:685, 1995*), cell free systems using detergent lysates (*e.g., Cerundolo et al., J. Immunol. 21:2069, 1991*), immobilized purified MHC (*e.g., Hill et al., J. Immunol. 152, 2890, 1994; Marshall et al., J. Immunol. 152:4946, 1994*), ELISA systems (*e.g., Reay et al., EMBO J. 11:2829, 1992*), surface plasmon resonance (*e.g., Khilko et al., J. Biol. Chem. 268:15425, 1993*); high flux soluble phase assays (*Hammer et al., J. Exp. Med. 180:2353, 1994*), and measurement of class I MHC stabilization or assembly (*e.g., Ljunggren et al.,*

*Nature* 346:476, 1990; Schumacher *et al.*, *Cell* 62:563, 1990; Townsend *et al.*, *Cell* 62:285, 1990; Parker *et al.*, *J. Immunol.* 149:1896, 1992).

As used herein, "high affinity" with respect to HLA class I molecules is defined as binding with an  $IC_{50}$ , or  $K_D$  value, of 50 nM or less; "intermediate affinity" is binding with an  $IC_{50}$  or  $K_D$  value of between about 50 and about 500 nM. "High affinity" with respect to binding to HLA class II molecules is defined as binding with an  $IC_{50}$  or  $K_D$  value of 100 nM or less; "intermediate affinity" is binding with an  $IC_{50}$  or  $K_D$  value of between about 100 and about 1000 nM.

The terms "identical" or percent "identity," in the context of two or more peptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues that are the same, when compared and aligned for maximum correspondence over a comparison window, as measured using a sequence comparison algorithm or by manual alignment and visual inspection.

An "immunogenic peptide" or "peptide epitope" is a peptide that comprises an allele-specific motif or supermotif such that the peptide will bind an HLA molecule and induce a CTL and/or HTL response. Thus, immunogenic peptides of the invention are capable of binding to an appropriate HLA molecule and thereafter inducing a cytotoxic T cell response, or a helper T cell response, to the antigen from which the immunogenic peptide is derived.

The phrases "isolated" or "biologically pure" refer to material which is substantially or essentially free from components which normally accompany the material as it is found in its native state. Thus, isolated peptides in accordance with the invention preferably do not contain materials normally associated with the peptides in their *in situ* environment.

"Link" or "join" refers to any method known in the art for functionally connecting peptides, including, without limitation, recombinant fusion, covalent bonding, disulfide bonding, ionic bonding, hydrogen bonding, and electrostatic bonding.

"Major Histocompatibility Complex" or "MHC" is a cluster of genes that plays a role in control of the cellular interactions responsible for physiologic immune responses. In humans, the MHC complex is also known as the HLA complex. For a detailed description of the MHC and HLA complexes, see, Paul, *FUNDAMENTAL IMMUNOLOGY*, 3<sup>RD</sup> ED., Raven Press, New York, 1993.

The term "motif" refers to the pattern of residues in a peptide of defined length, usually a peptide of from about 8 to about 13 amino acids for a class I HLA motif and from about 6 to about 25 amino acids for a class II HLA motif, which is recognized by a particular HLA molecule. Peptide motifs are typically different for each protein encoded by each human HLA allele and differ in the pattern of the primary and secondary anchor residues.

A "negative binding residue" or "deleterious residue" is an amino acid which, if present at certain positions (typically not primary anchor positions) in a peptide epitope, results in decreased binding affinity of the peptide for the peptide's corresponding HLA molecule.

A "non-native" sequence or "construct" refers to a sequence that is not found in nature, *i.e.*, is "non-naturally occurring". Such sequences include, *e.g.*, peptides that are lipidated or otherwise modified, and polyepitopic compositions that contain epitopes that are not contiguous in a native protein sequence.

The term "peptide" is used interchangeably with "oligopeptide" in the present specification to designate a series of residues, typically L-amino acids, connected one to the other, typically by peptide bonds between the  $\alpha$ -amino and carboxyl groups of adjacent amino acids. The preferred CTL-inducing peptides of the invention are 13 residues or less in length and usually consist of between about 8 and about 11 residues, preferably 9 or 10 residues. The preferred HTL-inducing oligopeptides are less than about 50 residues in length and usually consist of between about 6 and about 30 residues, more usually between about 12 and 25, and often between about 15 and 20 residues.

It is to be appreciated that protein or peptide molecules that comprise an epitope of the invention as well as additional amino acid(s) are within the bounds of the invention. In certain embodiments, there is a limitation on the length of a peptide of the invention which is not otherwise a construct as defined herein. An embodiment that is length-limited occurs when the protein/peptide comprising an epitope of the invention comprises a region (*i.e.*, a contiguous series of amino acids) having 100% identity with a native sequence. In order to avoid a recited definition of epitope from reading, *e.g.*, on whole natural molecules, the length of any region that has 100% identity with a native peptide sequence is limited. Thus, for a peptide comprising an epitope of the invention and a region with 100% identity with a native peptide sequence (and which is not otherwise a construct), the region with 100% identity to a native sequence generally has a length of: less than or equal to 600 amino acids, often less than or equal to 500 amino acids, often less than or equal to 400 amino acids, often less than or equal to 250 amino acids, often less than or equal to 100 amino acids, often less than or equal to 85 amino acids, often less than or equal to 75 amino acids, often less than or equal to 65 amino acids, and often less than or equal to 50 amino acids. In certain embodiments, an "epitope" of the invention which is not a construct is comprised by a peptide having a region with less than 51 amino acids that has 100% identity to a native peptide sequence, in any increment of (50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5) down to 5 amino acids.

Certain peptide or protein sequences longer than 600 amino acids are within the scope of the invention. Such longer sequences are within the scope of the invention so long as they do not comprise any contiguous sequence of more than 600 amino acids that have 100% identity with a native peptide sequence, or if longer than 600 amino acids, they are a construct. For any peptide that has five contiguous residues or less that correspond to a native sequence, there is no limitation on the maximal length of that peptide in order to fall within the scope of the invention. It is presently preferred that a CTL epitope of the invention be less than 600 residues long in any increment down to eight amino acid residues.

"Pharmaceutically acceptable" refers to a non-toxic, inert, and/or physiologically compatible composition.

A "pharmaceutical excipient" comprises a material such as an adjuvant, a carrier, pH-adjusting and buffering agents, tonicity adjusting agents, wetting agents, preservative, and the like.

A "primary anchor residue" is an amino acid at a specific position along a peptide sequence which is understood to provide a contact point between the immunogenic peptide and the HLA molecule. One to three, usually two, primary anchor residues within a peptide of defined length generally defines a "motif" for an immunogenic peptide. These residues are understood to fit in close contact with peptide binding grooves of an HLA molecule, with their side chains buried in specific pockets of the

binding grooves themselves. In one embodiment, for example, the primary anchor residues are located at position 2 (from the amino terminal position) and at the carboxyl terminal position of a 9-residue peptide epitope in accordance with the invention. The primary anchor positions for each motif and supermotif are set forth in Table 1. For example, analog peptides can be created by altering the presence or absence of particular residues in these primary anchor positions. Such analogs are used to modulate the binding affinity of a peptide comprising a particular motif or supermotif.

"Promiscuous recognition" is where a distinct peptide is recognized by the same T cell clone in the context of various HLA molecules. Promiscuous recognition or binding is synonymous with cross-reactive binding.

A "protective immune response" or "therapeutic immune response" refers to a CTL and/or an HTL response to an antigen derived from an infectious agent or a tumor antigen, which prevents or at least partially arrests disease symptoms or progression. The immune response may also include an antibody response which has been facilitated by the stimulation of helper T cells.

The term "residue" refers to an amino acid or amino acid mimetic incorporated into an oligopeptide by an amide bond or amide bond mimetic.

A "secondary anchor residue" is an amino acid at a position other than a primary anchor position in a peptide which may influence peptide binding. A secondary anchor residue occurs at a significantly higher frequency amongst bound peptides than would be expected by random distribution of amino acids at one position. The secondary anchor residues are said to occur at "secondary anchor positions." A secondary anchor residue can be identified as a residue which is present at a higher frequency among high or intermediate affinity binding peptides, or a residue otherwise associated with high or intermediate affinity binding. For example, analog peptides can be created by altering the presence or absence of particular residues in these secondary anchor positions. Such analogs are used to finely modulate the binding affinity of a peptide comprising a particular motif or supermotif.

A "subdominant epitope" is an epitope which evokes little or no response upon immunization with whole antigens which comprise the epitope, but for which a response can be obtained by immunization with an isolated peptide, and this response (unlike the case of cryptic epitopes) is detected when whole protein is used to recall the response *in vitro* or *in vivo*.

A "supermotif" is a peptide binding specificity shared by HLA molecules encoded by two or more HLA alleles. Preferably, a supermotif-bearing peptide is recognized with high or intermediate affinity (as defined herein) by two or more HLA antigens.

"Synthetic peptide" refers to a peptide that is man-made using such methods as chemical synthesis or recombinant DNA technology.

As used herein, a "vaccine" is a composition that contains one or more peptides of the invention. There are numerous embodiments of vaccines in accordance with the invention, such as by a cocktail of one or more peptides; one or more epitopes of the invention comprised by a polyepitopic peptide; or nucleic acids that encode such peptides or polypeptides, *e.g.*, a minigene that encodes a polyepitopic peptide. The "one or more peptides" can include any whole unit integer from 1-150, *e.g.*, at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120, 125,

130, 135, 140, 145, or 150 or more peptides of the invention. The peptides or polypeptides can optionally be modified, such as by lipidation, addition of targeting or other sequences. HLA class I-binding peptides of the invention can be admixed with, or linked to, HLA class II-binding peptides, to facilitate activation of both cytotoxic T lymphocytes and helper T lymphocytes. Vaccines can also comprise peptide-pulsed antigen presenting cells, e.g., dendritic cells.

The nomenclature used to describe peptide compounds follows the conventional practice wherein the amino group is presented to the left (the N-terminus) and the carboxyl group to the right (the C-terminus) of each amino acid residue. When amino acid residue positions are referred to in a peptide epitope they are numbered in an amino to carboxyl direction with position one being the position closest to the amino terminal end of the epitope, or the peptide or protein of which it may be a part. In the formulae representing selected specific embodiments of the present invention, the amino- and carboxyl-terminal groups, although not specifically shown, are in the form they would assume at physiologic pH values, unless otherwise specified. In the amino acid structure formulae, each residue is generally represented by standard three letter or single letter designations. The L-form of an amino acid residue is represented by a capital single letter or a capital first letter of a three-letter symbol, and the D-form for those amino acids having D-forms is represented by a lower case single letter or a lower case three letter symbol. Glycine has no asymmetric carbon atom and is simply referred to as "Gly" or G. The amino acid sequences of peptides set forth herein are generally designated using the standard single letter symbol. (A, Alanine; C, Cysteine; D, Aspartic Acid; E, Glutamic Acid; F, Phenylalanine; G, Glycine; H, Histidine; I, Isoleucine; K, Lysine; L, Leucine; M, Methionine; N, Asparagine; P, Proline; Q, Glutamine; R, Arginine; S, Serine; T, Threonine; V, Valine; W, Tryptophan; and Y, Tyrosine.) In addition to these symbols, "B" in the single letter abbreviations used herein designates  $\alpha$ -amino butyric acid.

### III.B. Stimulation of CTL and HTL responses

The mechanism by which T cells recognize antigens has been delineated during the past ten years. Based on our understanding of the immune system we have developed efficacious peptide epitope vaccine compositions that can induce a therapeutic or prophylactic immune response to HPV in a broad population. For an understanding of the value and efficacy of the claimed compositions, a brief review of immunology-related technology is provided.

A complex of an HLA molecule and a peptidic antigen acts as the ligand recognized by HLA-restricted T cells (Buus, S. *et al.*, *Cell* 47:1071, 1986; Babbitt, B. P. *et al.*, *Nature* 317:359, 1985; Townsend, A. and Bodmer, H., *Annu. Rev. Immunol.* 7:601, 1989; Germain, R. N., *Annu. Rev. Immunol.* 11:403, 1993). Through the study of single amino acid substituted antigen analogs and the sequencing of endogenously bound, naturally processed peptides, critical residues that correspond to motifs required for specific binding to HLA antigen molecules have been identified and are described herein and are set forth in Tables I, II, and III (see also, e.g., Southwood, *et al.*, *J. Immunol.* 160:3363, 1998; Rammensee, *et al.*, *Immunogenetics* 41:178, 1995; Rammensee *et al.*, SYFPEITHI, access via web at : <http://134.2.96.221/scripts.hlaserver.dll/home.htm>; Sette, A. and Sidney, J. *Curr. Opin. Immunol.* 10:478, 1998; Engelhard, V. H., *Curr. Opin. Immunol.* 6:13, 1994; Sette, A. and Grey, H. M., *Curr. Opin. Immunol.* 4:79, 1992; Sinigaglia, F. and Hammer, J. *Curr. Biol.* 6:52, 1994; Ruppert *et al.*, *Cell* 74:929-937, 1993;

Kondo *et al.*, *J. Immunol.* 155:4307-4312, 1995; Sidney *et al.*, *J. Immunol.* 157:3480-3490, 1996; Sidney *et al.*, *Human Immunol.* 45:79-93, 1996; Sette, A. and Sidney, J. *Immunogenetics* 1999 Nov;50(3-4):201-12, Review).

Furthermore, x-ray crystallographic analysis of HLA-peptide complexes has revealed  
 5 pockets within the peptide binding cleft of HLA molecules which accommodate, in an allele-specific mode, residues borne by peptide ligands; these residues in turn determine the HLA binding capacity of the peptides in which they are present. (See, e.g., Madden, D.R. *Annu. Rev. Immunol.* 13:587, 1995; Smith, *et al.*, *Immunity* 4:203, 1996; Fremont *et al.*, *Immunity* 8:305, 1998; Stern *et al.*, *Structure* 2:245, 1994; Jones, E.Y. *Curr. Opin. Immunol.* 9:75, 1997; Brown, J. H. *et al.*, *Nature* 364:33, 1993; Guo, H. C. *et al.*, *Proc.*  
 10 *Natl. Acad. Sci. USA* 90:8053, 1993; Guo, H. C. *et al.*, *Nature* 360:364, 1992; Silver, M. L. *et al.*, *Nature* 360:367, 1992; Matsumura, M. *et al.*, *Science* 257:927, 1992; Madden *et al.*, *Cell* 70:1035, 1992; Fremont, D. H. *et al.*, *Science* 257:919, 1992; Saper, M. A., Bjorkman, P. J. and Wiley, D. C., *J. Mol. Biol.* 219:277, 1991.)

Accordingly, the definition of class I and class II allele-specific HLA binding motifs, or  
 15 class I or class II supermotifs allows identification of regions within a protein that have the potential of binding particular HLA antigen(s).

The present inventors have found that the correlation of binding affinity with immunogenicity, which is disclosed herein, is an important factor to be considered when evaluating candidate peptides. Thus, by a combination of motif searches and HLA-peptide binding assays, candidates  
 20 for epitope-based vaccines have been identified. After determining their binding affinity, additional confirmatory work can be performed to select, amongst these vaccine candidates, epitopes with preferred characteristics in terms of population coverage, antigenicity, and immunogenicity.

Various strategies can be utilized to evaluate immunogenicity, including:

1) Evaluation of primary T cell cultures from normal individuals (*see, e.g.*, Wentworth, P. A. *et al.*, *Mol. Immunol.* 32:603, 1995; Celis, E. *et al.*, *Proc. Natl. Acad. Sci. USA* 91:2105, 1994; Tsai, V. *et al.*, *J. Immunol.* 158:1796, 1997; Kawashima, I. *et al.*, *Human Immunol.* 59:1, 1998); This procedure involves the stimulation of peripheral blood lymphocytes (PBL) from normal subjects with a test peptide in the presence of antigen presenting cells *in vitro* over a period of several weeks. T cells specific for the peptide become activated during this time and are detected using, e.g., a lymphokine- or <sup>51</sup>Cr-release assay  
 30 involving peptide sensitized target cells.

2) Immunization of HLA transgenic mice (*see, e.g.*, Wentworth, P. A. *et al.*, *J. Immunol.* 26:97, 1996; Wentworth, P. A. *et al.*, *Int. Immunol.* 8:651, 1996; Alexander, J. *et al.*, *J. Immunol.* 159:4753, 1997); In this method, peptides in incomplete Freund's adjuvant are administered subcutaneously to HLA transgenic mice. Several weeks following immunization, splenocytes are removed and cultured *in vitro* in  
 35 the presence of test peptide for approximately one week. Peptide-specific T cells are detected using, e.g., a <sup>51</sup>Cr-release assay involving peptide sensitized target cells and target cells expressing endogenously generated antigen.

3) Demonstration of recall T cell responses from immune individuals who have effectively been vaccinated, recovered from infection, and/or from chronically infected patients (*see, e.g.*,  
 40 Rehmann, B. *et al.*, *J. Exp. Med.* 181:1047, 1995; Doolan, D. L. *et al.*, *Immunity* 7:97, 1997; Bertoni, R.

*et al.*, *J. Clin. Invest.* 100:503, 1997; Threlkeld, S. C. *et al.*, *J. Immunol.* 159:1648, 1997; Diepolder, H. M. *et al.*, *J. Virol.* 71:6011, 1997); In applying this strategy, recall responses are detected by culturing PBL from subjects that have been naturally exposed to the antigen, for instance through infection, and thus have generated an immune response "naturally", or from patients who were vaccinated against the infection.

5 PBL from subjects are cultured *in vitro* for 1-2 weeks in the presence of test peptide plus antigen presenting cells (APC) to allow activation of "memory" T cells, as compared to "naive" T cells. At the end of the culture period, T cell activity is detected using assays for T cell activity including  $^{51}\text{Cr}$  release involving peptide-sensitized targets, T cell proliferation, or lymphokine release.

10 The following describes the peptide epitopes and corresponding nucleic acids of the invention.

### III.C. Binding Affinity of Peptide Epitopes for HLA Molecules

As indicated herein, the large degree of HLA polymorphism is an important factor to be taken into account with the epitope-based approach to vaccine development. To address this factor, epitope

15 selection encompassing identification of peptides capable of binding at high or intermediate affinity to multiple HLA molecules is preferably utilized, most preferably these epitopes bind at high or intermediate affinity to two or more allele-specific HLA molecules.

CTL-inducing peptides of interest for vaccine compositions preferably include those that have an  $\text{IC}_{50}$  or binding affinity value for class I HLA molecules of 500 nM or better (*i.e.*, the value is  $\leq 500$  nM). HTL-inducing peptides preferably include those that have an  $\text{IC}_{50}$  or binding affinity value for class II HLA molecules of 1000 nM or better, (*i.e.*, the value is  $\leq 1,000$  nM). For example, peptide binding is assessed by testing the capacity of a candidate peptide to bind to a purified HLA molecule *in vitro*.

20 Peptides exhibiting high or intermediate affinity are then considered for further analysis. Selected peptides are tested on other members of the supertype family. In preferred embodiments, peptides that exhibit cross-reactive binding are then used in cellular screening analyses or vaccines.

As disclosed herein, higher HLA binding affinity is correlated with greater immunogenicity. Greater immunogenicity can be manifested in several different ways. Immunogenicity corresponds to whether an immune response is elicited at all, and to the vigor of any particular response, as well as to the extent of a population in which a response is elicited. For example, a peptide might elicit an

30 immune response in a diverse array of the population, yet in no instance produce a vigorous response. In accordance with these principles, close to 90% of high binding peptides have been found to be immunogenic, as contrasted with about 50% of the peptides which bind with intermediate affinity. Moreover, higher binding affinity peptides lead to more vigorous immunogenic responses. As a result, less peptide is required to elicit a similar biological effect if a high affinity binding peptide is used. Thus, in

35 preferred embodiments of the invention, high affinity binding epitopes are particularly useful.

The relationship between binding affinity for HLA class I molecules and immunogenicity of discrete peptide epitopes on bound antigens has been determined for the first time in the art by the present inventors. The correlation between binding affinity and immunogenicity was analyzed in two different experimental approaches (*see, e.g.*, Sette, *et al.*, *J. Immunol.* 153:5586-5592, 1994). In the first

40 approach, the immunogenicity of potential epitopes ranging in HLA binding affinity over a 10,000-fold

range was analyzed in HLA-A\*0201 transgenic mice. In the second approach, the antigenicity of approximately 100 different hepatitis B virus (HBV)-derived potential epitopes, all carrying A\*0201 binding motifs, was assessed by using PBL from acute hepatitis patients. Pursuant to these approaches, it was determined that an affinity threshold value of approximately 500 nM (preferably 50 nM or less) determines the capacity of a peptide epitope to elicit a CTL response. These data are true for class I binding affinity measurements for naturally processed peptides and for synthesized T cell epitopes. These data also indicate the important role of determinant selection in the shaping of T cell responses (*see, e.g., Schaeffer et al. Proc. Natl. Acad. Sci. USA 86:4649-4653, 1989*).

An affinity threshold associated with immunogenicity in the context of HLA class II DR molecules has also been delineated (*see, e.g., Southwood et al. J. Immunology 160:3363-3373, 1998, and co-pending U.S.S.N. 09/009,953 filed 1/21/98*). In order to define a biologically significant threshold of DR binding affinity, a database of the binding affinities of 32 DR-restricted epitopes for their restricting element (*i.e., the HLA molecule that binds the motif*) was compiled. In approximately half of the cases (15 of 32 epitopes), DR restriction was associated with high binding affinities, *i.e.* binding affinity values of 100 nM or less. In the other half of the cases (16 of 32), DR restriction was associated with intermediate affinity (binding affinity values in the 100-1000 nM range). In only one of 32 cases was DR restriction associated with an IC<sub>50</sub> of 1000 nM or greater. Thus, 1000 nM can be defined as an affinity threshold associated with immunogenicity in the context of DR molecules.

In the case of tumor-associated antigens (TAAs), many CTL peptide epitopes that have been shown to induce CTL that lyse peptide-pulsed target cells and tumor cell targets endogenously expressing the epitope exhibit binding affinity or IC<sub>50</sub> values of 200 nM or less. In a study that evaluated the association of binding affinity and immunogenicity of a small set of such TAA epitopes, 100% (10/10) of the high binders, *i.e.,* peptide epitopes binding at an affinity of 50 nM or less, were immunogenic and 80% (8/10) of them elicited CTLs that specifically recognized tumor cells. In the 51 to 200 nM range, very similar figures were obtained. With respect to analog peptides, CTL inductions positive for wildtype peptide and tumor cells were noted for 86% (6/7) and 71% (5/7) of the peptides, respectively. In the 201-500 nM range, most peptides (4/5 wildtype) were positive for induction of CTL recognizing wildtype peptide, but tumor recognition was not detected.

The binding affinity of peptides for HLA molecules can be determined as described in Example 1, below.

### III.D. Peptide Epitope Binding Motifs and Supermotifs

Through the study of single amino acid substituted antigen analogs and the sequencing of endogenously bound, naturally processed peptides, critical residues required for allele-specific binding to HLA molecules have been identified. The presence of these residues correlates with binding affinity for HLA molecules. The identification of motifs and/or supermotifs that correlate with high and intermediate affinity binding is an important issue with respect to the identification of immunogenic peptide epitopes for the inclusion in a vaccine. Kast *et al. (J. Immunol. 152:3904-3912, 1994)* have shown that motif-bearing peptides account for 90% of the epitopes that bind to allele-specific HLA class I molecules. In this study all possible peptides of 9 amino acids in length and overlapping by eight amino acids (240 peptides), which

cover the entire sequence of the E6 and E7 proteins of human papillomavirus type 16, were evaluated for binding to five allele-specific HLA molecules that are expressed at high frequency among different ethnic groups. This unbiased set of peptides allowed an evaluation of the predictive value of HLA class I motifs. From the set of 240 peptides, 22 peptides were identified that bound to an allele-specific HLA molecule with high or intermediate affinity. Of these 22 peptides, 20 (*i.e.* 91%) were motif-bearing. Thus, this study demonstrates the value of motifs for the identification of peptide epitopes for inclusion in a vaccine: application of motif-based identification techniques will identify about 90% of the potential epitopes in a target antigen protein sequence.

Such peptide epitopes are identified in the Tables described below.

Peptides of the present invention may also comprise epitopes that bind to MHC class II DR molecules. A greater degree of heterogeneity in both size and binding frame position of the motif, relative to the N and C termini of the peptide, exists for class II peptide ligands. This increased heterogeneity of HLA class II peptide ligands is due to the structure of the binding groove of the HLA class II molecule which, unlike its class I counterpart, is open at both ends. Crystallographic analysis of HLA class II DRB\*0101-peptide complexes showed that the major energy of binding is contributed by peptide residues complexed with complementary pockets on the DRB\*0101 molecules. An important anchor residue engages the deepest hydrophobic pocket (*see, e.g.*, Madden, D.R. *Ann. Rev. Immunol.* 13:587, 1995) and is referred to as position 1 (P1). P1 may represent the N-terminal residue of a class II binding peptide epitope, but more typically is flanked towards the N-terminus by one or more residues. Other studies have also pointed to an important role for the peptide residue in the 6<sup>th</sup> position towards the C-terminus, relative to P1, for binding to various DR molecules.

In the past few years evidence has accumulated to demonstrate that a large fraction of HLA class I and class II molecules can be classified into a relatively few supertypes, each characterized by largely overlapping peptide binding repertoires, and consensus structures of the main peptide binding pockets. Thus, peptides of the present invention are identified by any one of several HLA-specific amino acid motifs (*see, e.g.*, Tables I-III), or if the presence of the motif corresponds to the ability to bind several allele-specific HLA antigens, a supermotif. The HLA molecules that bind to peptides that possess a particular amino acid supermotif are collectively referred to as an HLA "supertype."

The peptide motifs and supermotifs described below, and summarized in Tables I-III, provide guidance for the identification and use of peptide epitopes in accordance with the invention.

Examples of peptide epitopes bearing a respective supermotif or motif are included in Tables as designated in the description of each motif or supermotif below. The Tables include a binding affinity ratio listing for some of the peptide epitopes. The ratio may be converted to IC<sub>50</sub> by using the following formula: IC<sub>50</sub> of the standard peptide/ratio = IC<sub>50</sub> of the test peptide (*i.e.*, the peptide epitope).

The IC<sub>50</sub> values of standard peptides used to determine binding affinities for Class I peptides are shown in Table IV. The IC<sub>50</sub> values of standard peptides used to determine binding affinities for Class II peptides are shown in Table V. For example, where an HLA-A2.1 motif-bearing peptide shows a relative binding ratio of 0.01 for HLA-A\*0201, the IC<sub>50</sub> value is 500 nM, and where an HLA-A2.1 motif-bearing peptide shows a relative binding ratio of 0.1 for HLA-A\*0201, the IC<sub>50</sub> value is 50 nM.

The peptides used as standards for the binding assays described herein are examples of standards; alternative standard peptides can also be used when performing binding studies.

To obtain the peptide epitope sequences listed in Tables VII-XX, protein sequence data for HPV types 6a, 6b, 11a, 16, 18, 31, 33, 45, and 56 were evaluated for the presence of the designated supermotif or motif. Seven HPV structural and regulatory proteins, E1, E2, E5, E6, E7, L1 and L2 were included in the analysis. E4 was also included in the evaluation of some of the strains. Peptide epitopes can additionally be evaluated on the basis of their conservancy (*i.e.*, the amount of variance) among the available protein sequences for each HPV antigen.

In the Tables, motif- and/or supermotif-bearing amino acids sequences identified in the indicated HPV strains are designated by position number and length of the epitope with reference to the HPV sequences and numbering provided below. For each sequence, the four columns provide the following information: column 1 indicates the HPV strain; column 2 indicates the HPV protein in which the motif-bearing sequence is found, *e.g.*, E1, E2, E4, E5, E6, E7, L1, or L2; column 3 indicates the length of the epitope, or in the case of HLA Class II epitopes, the length of the core sequence; and column 4 designates the amino acid position in the HPV protein sequence that corresponds to the first amino acid residue of the epitope. For those sections of the Tables that include only three columns, corresponding to columns 2, 3, and 4, the HPV strain is indicated in the heading at the top of the page. For example, the first peptide epitope listed in Table VII, *i.e.*, the HLA-A1 supermotif, for HPV 16, protein E1 is a sequence of 10 residues in length starting at position 206. Accordingly, the amino acid sequence of the epitope is AMLAKFKELY.

For HPV strain 11, the number and position listed for protein E5 refers to either the HPV11 E5a or HPV11 E5b sequence set out below. Because the epitope must include the designated motif or supermotif, *e.g.*, HLA-A2, it can readily be determined whether the sequence refers to HPV11 E5a or E5b by checking the amino acid sequences of both E5a and E5b and selecting the sequence that conforms to the motif listed in Table I.

#### HPV STRAINS AND AMINO ACID SEQUENCES OF HPV PROTEINS

##### HPV6A E1

1	MADDSGTENEGSGCTGWMVEAIVQHPTGTQISDDEDEEVEDSGYDMVDFIDDSNITHNS	60
30	LEAQALFNREQADTHYATVQDLKRKYLGSYPVSPINTIAEAVESEISPRLDIAIKLTRQPK	120
	KVKRRLFQTRELTDSGYGYSEVEAGTGTQVEKHGVPENGGDGQEKDTGRDIEGEEHTEAE	180
	APTNSVREHAGTAGILELLKCKDLRAALLGKFKECFGLSFIDLIRPFKSDKTTCADWVVA	240
	GFGIHHSISEAFQKLIIEPLSLYAHIQWLTNAWGMVLLVLVRFKVNKSRSTVARTLATLLN	300
	IPDNQMLIEPPKIQSGVAALYWFRTGISNASTVIGEAPWITRQTVIEHGLADSQFKLTE	360
35	MVQWAYDNDICEESEIAFEYAQRGDFDSNARAFNLNSNMQAKYVKDCATMCRHYKHAEMRK	420
	MSIKQWIKHRGSKIEGTGNWKPIVQFLRHQNIIEFIPFLSKFKLWLHGTPKKNCIAIVGPP	480
	DTGKSYFCMSLISFLGGTVISHVNSSSHFWLQPLVDAKVALLDDATQPCWIYMDTYMRNL	540
	LDGNPMSIDRKHKALTLIKCPPLLVTNSNIDITKEEKYKYLHTRVTTFTFPNPFPPDRNGN	600
	AVYELSNANWKCFERLSSSLDIQDSEDEEDGSNSQAFRCVPGTVVRTL	649

HPV6A E2

1 MEAIAKRLDACQEQLLELYEENSTDNLNGHVLHWKCMRHESVLLYKAKQMGLSHIGMQVVP 60  
 PLKVSEAKGHNAIEMQMHLSELLKTEYSMEPWTLOQTSYEMWQTPPKRCFKKRGKTVEVK 120  
 FDGCANNTMDYVWVTDVYVQDTSWVKVHSMVDAKGIYYTCGQFKTYVNFVKEAEKYGS 180  
 5 TKQWEVCYGSTVICSPASVSSTTQEVSIPESTTYTPAQTSTPVSSSTQEDAVQTPPRKRA 240  
 RGVQQSPCNALCVAHIGPVDSGNHNLTNNHDQHQRNNSNSSATPIVQFQGESNCLKCF 300  
 RYRLNDKHRHLFDLISSTWHWASPKAPHKHAIVTVTYHSEEQRQQFLNVVKIPPTIRHKL 360  
 GFMSLHLL 368

10 HPV6A E4

1 MAAQLYVLLHLYLALHKKYPFLNLLHTPPHRPPPLCPQAPRKTQCKRRENEHEESNSHL 60  
 ATPCVWPTLDPWTVETTTSSLTITSTKEGTTVTVQLRL 99

HPV6A E5

15 1 MEVVPVQIAAGTTSTLILPVIIAFVVCVFSIILIVWISDFIVYTSVLVLTLLLYLLLWLL 60  
 LTTPLQFFLLTLLVCYCPALYIHYYIVNTQQ 91

HPV6A E6

1 MESANASTSATTIDQLCKTFNLSMHTLQINCVFCKNALTTAEIYSYAYKQLKVLFRGGYP 60  
 20 YAACACCLEFHGKINQYRHFYAGYATTVEEETKQDILDVLIRCYLCHKPLCEVEKVKHI 120  
 LTKARFIKLNCTWKGRCLHCWTTTCMEDMLP 150

HPV6A E7

1 MHGRHVTLKDIVLDLQPPDPVGLHCYEQLVDSSSEDEVDEVDGQDSQPLKQHFQIVTCCCG 60  
 25 CDSNVRLVVQCTETDIREVQQLLLGLTLDIVCPICAPKT 98

HPV6A L1

1 MWRPSDSTVYVPPNPVSKVVATDAYVTRTNIFYHASSRLLAVGHPYFSIKRANKTVVP 60  
 KVSGYQYRVFKVVLDPNKFALPDSSLFDPPTQRLVWACTGLEVGRGQPLGVGVSGHPFL 120  
 30 NKYDDVENS GSGGNPGQDNRVNVGMDYKQTQLCMVGCAPPLGEHWGKGKQCTNTPVQAGD 180  
 CPPLELITSVIQDGMVDTGFGAMNFADLQTNKSDVPIDICGTTCKYPDYLQMAADPYGD 240  
 RLFFFLRKEQMFAHFNRAGEVGEFVPDTLIIKSGNRTSVGSSIVNTPSGSLVSSEA 300  
 QLFNKPYWLQKAQGHNNGICWGNQLFVTVDVTRSTNMTLCASVTTSSSTYTNNDYKEYMR 360  
 HVEEYDLQFIFQLCSITLSAEVMAYIHTMNPVLEDWNFGLSPPPNGTLEDTRYVQSQA 420  
 35 ITCQKPTPEKEKPDYPKNLSFEVNLKEKFSSELDQYPLGRKFLLQSGYRGRSSIRTGVK 480  
 RPAVSKASAAPKRKRAKTKR 500

HPV6A L2

1 MAHSRRARRKRSATQLYQTCKLTGTCPPDVIPKVEHNTIADQILKWGSLGVFFGGLGIG 60  
 40 TGSGTGGRGTGYVPLGTSAPKSITSGPMARPPVVVEPVAPSDPSIVSLIEESAIINAGAPE 120  
 IVPFAHGGFTITSETTTTTPAILDVSVTSHTTTTIFRNPVFTEPSVTQPQPPVEANGHILI 180

SAPTITSHPIEEIPLDTFVISSSDSGPTSSTPVPGTAPRPRVGLYSRALHQVQVTDPAFL 240  
 STPQRLITYDNPVYEGEDVSVQFSHDSIHNAPDEAFMDIIRLHRPAIASRRGLVRYSRIG 300  
 QRGSMHTRSGKHIGARIHYFYDISPIAQAAEEIEMHPLVAAQDDTFDIYAESFEPDINPT 360  
 QHPVTNISDTYLTSTPNTVTQPWGNTTVPLSSIPNDLFLQSGPDITFPTAPMGTPFSPVT 420  
 5 ALPTGPVFITGSGFYLHPAWYFARKRRKRIPLFFSDVAA 459

HPV6B E1

1 MADDSGTENEGSGCTGWFVMEAIVQHPTGTQISDDEDEEVEDSGYDMVDFIDDSNITHNS 60  
 LEAQALFNREQADTHYATVQDLKRKYLGSYPVSPINTIAEAVESEISPRLDAIKLTRQPK 120  
 10 KVKRRLFQTRELTDSGYGYSEVEAGTGTQVEKHGVPENGGDGQEKDTRDIEGEEHTEAE 180  
 APTNSVREHAGTAGILELLKCKDLRAALLGKFKECFGLSFIDLIRPFKSDKTTCLDWVVA 240  
 GFGIHHSISEAFQKLIPLSLYAHIQWLTNAWGMVLLVLLRFKVNKSRSTVARTLATLLN 300  
 IPENQMLIEPPKIQSGVAALYWFRTGISNASTVIGEAPWITRQTVIEHGLADSQFKLTE 360  
 MVQWAYDNDICEESEIAFEYAQRGDFDSNARAFNSNMQAKYVKDCATMCRHYKHAEMRK 420  
 15 MSIKQWIKHRGSKIEGTGNWKPIVQFLRHQNIEFIPFLTCKFLWLHGTTPKKNCIAIVGPP 480  
 DTGKSYFCMSLISFLGGTVISHVNSSSHFWLQPLVDAKVALDDATQPCWIYMDTYMRNL 540  
 LDGNPMSIDRKHKALTLIKCPPLLVTNSIDITKEDKYKYLHTRVTTFTFPNPFPPDRNGN 600  
 AVYELSNNTNWKCFERLSSSLDIQDSEDEEDGSNSQAFRCVPGTVVRTL 649

20 HPV6B E2

1 MEAIAKRLDACQEQLLELYEENSTDHLKHVLHWKCMRHESVLLYKAKQMGLSHIGMQVVP 60  
 PLKVSEAKGHNAIEMQMHLLESLLRTEYSMEPWTLQETS YEMWQT PPKRCFKKRGKTVEVK 120  
 FDGCANNTMDYVWTDVYVQDNDTWVKVHSMVDAKGIYYTCGQFKTYVNFVKEAEKYGS 180  
 TKHWEVCYGSTVICSPASVSSTTQEVSIPESTTYTPAQTSTLVSSSTKEDAVQTPPRKRA 240  
 25 RGVQQSPCNALCVAHIGPVDSGNHNLTNNHDQHQRNNSNSSATPIVQFQGESNCLKCF 300  
 RYRLNDRHRHFLDLISSTWHWASSKAPHKHAIVTVTYDSEQRQQFLDVVKIPPTISHKL 360  
 GFMSLHLL 368

HPV6B E4

30 1 MGAPNIGKYVMAAQLYVLLHLYLALHKKYPFLNLLHTPPHRPPPLCPQAPRKTQCKRRLG 60  
 NEHEESNSPLATPCVWPTLDPWTVETTTSSLTITTSTKDGTTVTVQLRL 109

HPV6B E5A

1 MEVVPVQIAAGTTSTFILPVIIAFVVCFSIILIVWISEFIVYTSVLVLTLLLYLLLWLL 60  
 35 LTTPLQFFLLTLLVCYCPALYIHYYIVTTQQ 91

HPV6B E5B

1 MMLTCQFNDGDTWLGLWLLCAFIVGMLGLLLHYRAVQGDKHTKCKKCNKHNCNDDYVTM 60  
 HYTTDGDYIYMN 72

40

HPV6B E6

1 MESANASTSATTIDQLCKTFNLSMHTLQINCVFCKNALTTAEIYSYAYKHLKVLFRGGYP 60  
 YAACACCLEFHGKINQYRHFYAGYATTVEEETKQDILDVLRICYLCHKPLCEVEKVKHI 120  
 LTKARFIKLNCTWKGRCLHCWTTTCMEDMLP 150

5

HPV6B E7

1 MHGRHVTCLKDIVLDLQPPDPVGLHCYEQLVDSSSEDEVDEVDGQDSQPLKQHFQIVTCCCG 60  
 CDSNVRLVVQCTETDIREVQQLLLGTLNIVCPICAPKT 98

10 HPV6A L1

1 MWRPSDSTVYVPPPNPVSKVVATDAYVTRTNIFYHASSRLLAVGHPYFSIKRANKTVVP 60  
 KVSGYQYRVFKVVLDPNKFALPDSSLFDPPTQRLVWACTGLEVGRGQPLGVGVSGHPFL 120  
 NKYDDVENS GSGGNPGQDNRVNVGMDYKQTQLCMVGCAPPLGEHWGKGKQCTNTPVQAGD 180  
 CPPLELITSVIQDGMVDTGFGAMNFADLQTNKSDVPIDICGTTCKYPDYLQMAADPYGD 240  
 15 RLFFFLRKEQM FARHFFNRAGEVGEVPD TLIIKSGNRTSVGSSIVNTPSGSLVSSEA 300  
 QLFNKPYWLQKAQGHNNGICWGNQLFVTVD TTRSTNMTLCASVTTSSSTYTNSDYKEYMR 360  
 HVEEYDLQFIFQLCSITLSAEVMAYIHTMNPVLEDWNFGLSPPPNGTLED TYRYVQSQA 420  
 ITCQKPTPEKEKPDYPKNLSFWEVNLKEKFSSELDQYPLGRKFLQSGYRGRSSIRTGVK 480  
 RPAVSKASAAPKRKRKRAKTKR 500

20

HPV6B L2

1 MAHSRARRRRKRASATQLYQTCCKLTGTCPDVPKVEHNTIADQILKWGSLGVFFGGLGIG 60  
 TGSGTGGRGTGYVPLQTS AKPSITSGPMARPPVVVEPVAPSDPSIVSLIEESAIINAGAPE 120  
 IVPPAHGGFTITSETTTT PAILDVSVTSHTTTTSIFRNPVFTEPSVTQPQPVEANGHILI 180  
 25 SAPTVTSHPIEEIPLDTFVSSSDSGPTSSTPVPGTAPRPRVGLYSRALHQVQVTDPAFL 240  
 STPQRLITYDNPVYEGEDVSVQFSHDSIHNAPDEAFMDIIRLHRPAIASRRGLVRYSRIG 300  
 QRGSMHTRSGKHIGARIHYFYDISPIAQAAEEIEMHPLVAAQDDTFDIYAESFEPGINPT 360  
 QHPVTNISDTYLTSTPNTVTQPWGNTTVPLSLPNDLFLQSGPDITFPTAPMGTPFPSPVTP 420  
 ALPTGPVFITGSGFYLHPAWYFARKRRKRIPLFSDVAA 453

30

HPV11 E1

1 MADDSGTENEGSGCTGWFMEAVEHTTGTQISEDEEEVEDSGYDMVDFIDDRHITQNS 60  
 VEAQALFN RQEA DAHYATVQDLKRKYL GSPYVSPISNVANAVESEISPRLDAIKLTTPK 120  
 KVKRRLFETRELTD SGYGYSEVEAATQVEKHGDPENGGDGQERDTGRDIEGEGVEHREAE 180  
 35 AVDDSTREHADTSGILELLKCKDIRSTLHGKFKDCFGLSFVDLIRPFKSDRTTCADWVVA 240  
 GFGIHHSIADAFQK LIEPLSLYAHIQWLTNAWGMVLLVLIRFKVNKS RCTVARTLGTLN 300  
 IPENHMLIEPPKIQSGVRALYWFR TGISNASTVIGEAP EWITRQTVIEHSLADSQFKLTE 360  
 MVQWAYDNDICEESEIAFEYAQRGDFDSNARAF LNSNMQAKYVKDCAIMCRHYKHAEMKK 420  
 MSIKQWIKYRGTKVDSVGNWKPIVQFLRHQNI EFIPFLSKLKLWLHGTPKKNCIAIVGPP 480  
 40 DTGKSCFCMSLIKFLGGTVISYVNSCSHFWLQPLTDAKVALLD DATQPCWTYMDTYMRNL 540  
 LDGNPMSIDRKHRALT LKCPPLLVT SNIDISKEEKYKYLHSRVTTFTFPNPFPPDRNGN 600

AVYELSDANWKCFERLSSSLDIEDSEDEEDGSNSQAFRCVPGSVVRTL 649

HPV11 E2

1 MEAIAKRLDACQDQLLELYEENSIDIHKHIMHWKCIRLESVLLHKAKQMGLSHIGLQVVP 60  
 5 PLTVSETKGHNAIEMQMHLLESLAKTQYGVEPWTLQDTSYEMWLTPPKRCFKKQGNTVEVK 120  
 FDGCEDNVMEYVWVWTHIYLQDNDSDWKVTSSVDAKGIYYTCGQFKTYVNFNKEAQKYGS 180  
 TNHWEVCYGSTVICSPASVSSTVREVSIAEPTTYTPAQTAPTVSACTTEDGVSAPPRKR 240  
 ARGPSTNNTLCVANIRSVDSSTINNIVTDNYNKHQRRNNCHSAATPIVQLQGDSNCLKCFR 300  
 YRLNDKYKHLFELASSTWHWASPEAPHKNAIVTLTYSSEEQRQQFLNSVKIPPTIRHKVG 360  
 10 FMSLHLL 367

HPV11 E4

1 MVVPIIGKYVMAAQLYVLLHLYLALYEKYPLLNLHTPPHRPPPLQCPPAPRKTACRRRL 60  
 GSEHVDRPLTTPCVWPTSDPWTQSTTSSLTITTSTKEGTTVTVQLRL 108

15

HPV11 E5A

1 MEVVPVQIAAATTTTLILPVVIAFAVCILSIVLIILISDFVVYTSVLVLTLLLYLLLWLL 60  
 LTTPLQFFLLTLCVCYFPAFYIHIYIVQTQQ 91

20 HPV11 E5B

1 MVMLTCHLNDGDTWLFLWLFTAFVAVLGLLLLHYRAVHGTEKTKCAKCKSNRNTTVDYV 60  
 YMSHGDNGDYVYMN 74

HPV11 E6

25 1 MESKDASTSATSIDQLCKTFNLSLHTLQIQCVFCRNALTTAEIYAYAYKNLKVWRDNFP 60  
 FAACACCLELQGKINQYRHFNYAAYAPTVEEETNEDILKVLIRCYLCHKPLCEIEKLKHI 120  
 LGKARFIKLNNQWKGRCLHCWTTCCMEDLLP 150

HPV11 E7

30 1 MHGRLVTLKDIVLDLQPPDPVGLHCYEQLEDSSSEDEVKVDKQDAQPLTQHYQILTCCCG 60  
 CDSNVRLVVECTDGDIRQLQDLLLLGTLNIVCPICAPKP 98

HPV11 L1

1 MWRPSDSTVYVPPPNPVSKVVATDAYVKRTNIFYHASSRLLAVGHPYYSIKKVNKTVP 60  
 35 KVSGYQYRVFKVVLDPNKFALPDSSSLFDPPTQRLVWACTGLEVGRGQPLGVGVSGHPLL 120  
 NKYDDVENSAGGYGGNPGQDNRVNVGMDYKQTQLCMVGCAPPLGEHWGKGTQCSNTSVQNG 180  
 DCPPLELITSVIQDGMVDTGFGAMNFADLQTNKSDVPLDICGTVCKYPDYLMADPYG 240  
 DRLFFYLKKEQMFARHFFNRAGTVGEPVPDDLKVGNNRSSVASSIYVHTPSGSLVSSE 300  
 AOLFNKPYWLQKAQGHNNGICWGNHLFVTVVDTTSTNMTLCASVSKSATYTNNDYKEYM 360  
 40 RHVEEFDLQFIFQLCSITLSAEVMAYIHTMNPVLEDWNFGLSPPPNGTLEDYRYVQSQ 420  
 AITCQKPTPEKEKQDPYKDMSFWEVNLKEKFSSELDQFPLGRKFLLQSGYRGRTSARTGI 480

KRPAVSKPSTAPKRKRTKTKK 501

HPV11 L2

1 MKPRARRRKRASATQLYQTCKATGTCPPDVIPKVEHTTIADQILKWGSLGVFFGGLGIGT 60  
 5 GAGSGGRAGYIPLGSSPKPAITGGPAARPPVLVEPVAPSDPSIVSLIEESAIINAGAPEV 120  
 VPPTQGGFTITSSESTTPAILDVSVTNHTTTSVFQNPLFTEPSVIQPPVEASGHILIS 180  
 APTITSQHVEDIPLDTFVSSSDSGPTSSTPLPRAFPRRPRVGLYSRALQQVQVTDPAFLS 240  
 TPQRLVTYDNPVYEGEDVSLQFTHESIHNAPDEAFMDIIRLHRPAITSRRGLVRFSTRIGQ 300  
 RGSMYTRSGQHIGARIHYFQDISPVTQAAEEIELHPLVAAENDTFDIYAEPFDPIPDVQ 360  
 10 HSVTQSYLTSTPNTLSQSWGNTTVPLSIPSDWVQSGPDITFPTASMGTFPSPVTPALPT 420  
 GPVFITGSDFYLHPTWYFARRRRKRIPLFFTDVAA 455

HPV16 E1

1 MADPAGTNGEETGTCNGWFYVEAVVEKKTGDAISDDENENDSDTGEDLVDFIVNDNDYLT 60  
 15 QAETETAHALFTAQEAQHRDAVQVLKRKYLVSPLSDISGCDNNISPRLKAICIEKQSR 120  
 AAKRRLFESEDSGYGNTEVETQQMLQVEGRHETETPCSQYSGSGGGCSQYSSGSGGEGV 180  
 SERHTICQTPLTNILNVLKTSNAKAAMLAKFKELYGVSFSELVRPFKSNKSTCCDWCI 240  
 FGLTPSIADSIKTLQYCLYLHIQSLACSWGMMVLLLVRYKCGKNRETIEKLLSKLLCV 300  
 SPMCMMEIEPKLRSTAAALYWKYTGISNISEVYGDTPEWIQRQTVLQHSFNDCTFELSQM 360  
 20 VQWAYDNDIVDDSEIAYKYAQLADTNSNASAFKSNQAKIVKDCATMCRHYKRAEKKQM 420  
 SMSQWIKYRCRDVDDGGDWKQIVMFLRYQGVFMSFLTALKRFLQGIPKKNCILLYGAAN 480  
 TGKSLFGMSLMKFLQGSVICFVNSKSHFWLQPLADAKIGMLDDATVPCWNYIDDNLRLNAL 540  
 DGNLVSMVDVKHRPLVQLKCPPLLITSNINAGTDSRWPYLHNRLVVFTFPNEFPFDENGNP 600  
 VYELNDKNWKSFFSRTWSRLSLHEDEDKENDGDSLPTFKCVSGQNTNTL 649

25

HPV16 E2 Accession number W2WLHS

1 METLCQRLNVCQDKILTHYENDSTDLRDHIDYWKHMRLECAIYYKAREMGFKHINHQVVP 60  
 TLAVSKNKALQAIELQLTLETIYNSQYSNEKWTLDQVSLEVYLTAPTGCICKHGYTVEVQ 120  
 FDGDICNTMHYTNWTHIYICEEASVTVEGQVDYGYLYVHEGIRTYFVQFKDDAEKYSK 180  
 30 NKVWEVHAGGQVILCPTS FSSNEVSSPEIIRQH LANHPAATHTKAVALGTEETQTTIQR 240  
 PRSEPDTGNPCHTTKLLHRDSVDSAPILTA FNSSHKGRINCNSNTTPIVHLKGDANTLKC 300  
 LRYRFKKHCTLYTAVSSTWHWTGHNVKHKSIAIVTLTYDSEWQRDQFLSQVKIPKTITVST 360  
 GFMSI 365

35 HPV16 E5 Accession number W5WLHS

1 MTNLDTASTTLLACFLLCFCVLLCVCLLIRPLLSVSTYTSLLIILVLLWITAASAFRCF 60  
 IVYIIFVYIPLFLIHTHARFLIT 83

HPV16 E6

40 1 MHQKRTAMFQDPQERPRKLPQLCTELQTTIHDIILECVYCKQQLLRREVYDFAFRDLCIV 60  
 YRDGNPYAVCDKCLKFYISKISEYRHYCYSLYGTTLEQQYNKPLCDLLIRCINCQKPLCPE 120

EKQRHLDDKKQRFHNIRGRWTGRCMSCCRSSRTRRETQL 158

HPV16 E7

1 MHGDTPTLHEYMLDLQPETTDLYCYEQLNDSSEEEDEIDGPAGQAEPDRAHYNIVTFCCK 60  
5 CDSTLRRLCVQSTHVDIRTLEDLLMGTGIVCPICSQKP 98

HPV16 L1 Accession number AAD33259

1 MQVTFIYILVITCYENDVNVYHIFQMSLWLPSEATVYLPPVPVSKVSTDEYVARTNIY 60  
YHAGTSRLLAVGHPYFPIKKPMNNKILVPKVSGLQYRVFRIHLDPNKFDPDTSFYNDP 120  
10 TQRLVWACVGVEVGRGQPLGVGISGHPLLNKLDLTENASAYAANAGVDNRECISMDYKQT 180  
QLCLIGCKPPIGEHWGKGSPTNVAVNPGDPPLELINTVIQDGMVDTGFGAMDFTTLQ 240  
ANKSEVPLDICTSICKYPDYIKMVSEPYGDSLFFYLRRQMFVRHLFNRAVGENVPDD 300  
LYIKGSGSTANLASSNYFPTPSGSMVTSDAQIFNKPYWLQRAQGHNNGICWGNQLFVTVV 360  
DTTRSTNMSLCAAISTSETTYKNTNFKEYLRHGEEYDLQFIFQLCKITLTADVMTYIHS 420  
15 NSTILEDWNFGLQPPPGGTLEDYRFVTSQAIACQKHTPPAPKEDPLKKYTFWEVNLKEK 480  
FSADLDQFPLGRKFLLQAGLKAKPKFTLGKRKATPTTSSTSTAKRKKRKL 531

HPV16 L2 Accession number AAD33258

1 MRHKRSARKTKRASATQLYKTCKQAGTCPPDIIPKVEGKTIADQILQYGSMSGVFFGGLGI 60  
20 GTGSGTGGRTGYIPLGTRPPTATDTLAPVRPPLTVDPVGPSPSIVSLVEETSFDAGAP 120  
TSVPSIPPDVSGFSITTSTDTTPAILDINNTVTTVTTHNNPTFTDPSVLQPPTPAETGGH 180  
FTLSSSTISTHNYEEIPMDTFIVSTNPNTVTSSTPIPGSRPVARLGLYSRTTQQVKVDP 240  
AFITTPTKLITYDNPAYEGIDVDNTLYFSSNDNSINIAPDPDFLDIVALHRPALTSRRTG 300  
IRYSRIGNKQTLRTRSGKSIGAKVHYYYDFSTIDSAAEIELQTITPSTYTTTSHAALPTS 360  
25 INNGLYDIYADDFITDTSTTPVPSVPSTSLGYIPANTTIPFGGAYNIPLVSGPDIPINI 420  
TDQAPSLIPVPGSPQYTIADAGDFYLHPSYYMLRKRRKRLPYFFSDVSLAA 473

HPV18 E1

1 MADPEGTDGEGTGCNGWFYVQAIVDKKTGDVISDDDEDENATDTGSDMVDFIDTQGTFC EQ 60  
30 AELETAQALFHAQEVHNDQVLHVLKRKFAGGSTENSPLGERLEVDTLSPLRQEISLNS 120  
GQKKAKRRLFTISDSGYGCSEVEATQIQVTTNGEHGGNVCSGGSTEADNNGGTEGNSSV 180  
DGTSDNSNIENVNPQCTIAQLKDLLKVNKQGAMLAVFKDITYGLSFTDLVRNFKSDKTTC 240  
TDWVTAIFGVNPTIAEGFKTLIQPFILYAHIQCLDCKWGVILALLRYKCGKSRLTVAKG 300  
LSTLLHVPETCMLIQPPKLRSSVAALYWYRTGISNISEVMGDTPEWQRLTIHQHIDDS 360  
35 NFDLSEMVQWAFDNELTDESMAFEYALLADSNSNAAFLKSNCQAKYLKDCATMCKHYR 420  
RAQKRQMNMSQWIRFRCSKIDEGGDWRPIVQFLRYQQIEFITFLGALKSFLKGTTPKKNCL 480  
VFCGPANTGKSYFGMSFIHQGAVISFVNSTSHFWLEPLTDTKVAMLDATTTCWTFYFD 540  
TYMRNALDGNPISIDRKHKPLIQLKCPPILLTTNIHPAKDNRWPYLESRITVFEFPNAFP 600  
FDKNGNPVYEINDKNWKCFERTWSRLDLHEEEEDADTEGNPFGTFKLRAQONHRPL 657

40

HPV18 E2      Accession number W2WL18

1 MQTPKETLSERLSCVQDKIIDHYENDSKDIDSQIQYWQLIRWENAIFFAAREHGIQTLNH 60  
 QVVPAYNISKSKAHKAIELQMALQGLAQSRKTEDWTLQDTCEELWNTTEPTHCFKKGQT 120  
 VQVYFDGNKDCNMTYVAWDSVYYMTDAGTWDKTATCVSHRGLYYVKEGYNTFYIEFKSEC 180  
 5 EKYGNTGTWEVHFGNNVIDCNDSDMCSTSDDTVSATQLVKQLQHTPSPYSSTVSVGTAKTY 240  
 GQTSAAATPGHCGLAEQHCGPVNPLLGAATPTGNNKRRKLCSGNTTPIIHLKGDNRSLK 300  
 CLRYRLRKHSDDHYRDISSTWHWTGAGNEKTGILTVTYHSETQRTKFLNTVAIPDSVQILV 360  
 GYMTM 365

10 HPV18 E5      Accession number W5WL18

1 MLSLIFLFCFCVCMYVCHVPLLPVCMCAAWLVFVYIVVITSPATAFTVYVFCFLLP 60  
 MLLLHIHAILSLQ 73

HPV18 E6

15 1 MARFEDPTRRPYKLPDLCTELNTSLQDIEITCVYCKTVLELTEVFEFAFKDLFVVYRDSI 60  
 PHAACHKCIDFYSRIREL RHYSDSVYGDITLEKLTNTGLYNLLIRCLRCQKPLNPAEKL RH 120  
 LNEKRRFHNIAGHYRGQCHSCCNRARQERLQRRRETQV 158

HPV18 E7

20 1 MHGPKATLQDIVLHLEPQNEIPVDLLCHEQLSDSEEENDEIDGVNHQHLPARRAEPQRHT 60  
 MLMCMCKCEARIKLVVLESSADDLRAFQQLFLNTLSFVCPWCASQQ 105

HPV18 L1      Accession number CAA28671

1 MCLYTRVLILHYHLLPLYGPLYHPRPLPLHSILVYMVHIIICGHYIILFLRNVNVFPPIFL 60  
 25 QMALWRPSDNTVYLPSPSVARVNTDDYVTPTSIFYHAGSSRLLTGPNPYFRVPAGGGNK 120  
 QDIPKVSAYQYRVFRVQLPDPNKFGLPDTSIYNPETQRLVWACAGVEIGRGQPLGVGLSG 180  
 HPFYNKLDDESSHAATSNVSEDVRDNVSVDYKQTQLCILGCAPAIGEHWAKGTACKSRP 240  
 LSQGDCCPPELKNVTLEDGDMVDTGYGAMDFSTLQDTKCEVPLDICQSICKYPDYLOMSA 300  
 DPYGDSMFFCLRREQLFARHFWNRAGTMGDTVPSLYIKGTGMPASPGSCVYSPSPSGSI 360  
 30 VTSDSQLFNKPYWLHKAQGHNNVCWHNQLFVTVVDTPSTNLITICASTQSPVPGQYDAT 420  
 KFKQYSRHVEEYDLQFIFQLCTITLTADVMSYIHSMNSSILEDWNFGVPPPTTSLVDY 480  
 RFVQSVAITCQKDAAPAENKDPYDKLFWNVDLKEKFSLDLDQYPLGRKFLVQAGLRRKP 540  
 TIGPRKRSAPSATTSSKPAKRVRVRARK 568

35 HPV18 L2      Accession number P2WL18

1 MVSHRAARRKRASVTDLYKTCKQSGTCCPDVVPKVEGTTLADKILQWSSLGIFLGGIG 60  
 TGSGTGGRGTGYIPLGGRSNTVVDVGPTRPVIEPVGPTDPSIVTLIEDSSVVTSGAPRP 120  
 TFTGTSGFDITSAGTTTTPAVLDITPSSTSVSISTTNFTNPAFSDPSIIEVPQTGEVAGNV 180  
 FVGTPTSNGTHYEEIPLQTFASSGTGEEPISSTPLPTVRRVAGPRLYSRAYQQVSVANPE 240  
 40 FLTRPSSLITYDNPAFEPVDTTLTFDPRSDVPDSDFMDIIRLHRPALTSRRGTVRFSRLG 300  
 QRATMFTRSQTIGARVHFYHDISPIAPSPEYIELQPLVSATEDNDLFDIYADDMDPAVP 360

VPSRSTTSFAFFKYSPTISSASSYSNVTVPLTSSWDVPVYTGPDITLPSTTSVWPVIVSPT 420  
 APASTQYIGIHGTHYYLWPLYFIPKKRKRVPYFFADGFVAA 462

HPV31 E1 Accession number W1WL31

5 1 MADPAGTDGEGTGCNGWFYVEAVIDRQTGDNISEDEDSSDTGEDMVDFIDNCNVYNNQ 60  
 AEAETAQALFHAQEAEEHAEAVQVLKRKYVGSPLSDISSCVDYNISPRKKAICIENNSKT 120  
 AKRRLFELPDSGYGNTETVETQQMVQVEEQQTTLSCNGSDGTHSERENETPTRNILQVLKT 180  
 SNGKAAMLGKFKELYGVSMELIRPFQSNKSTCTDWCVAAFGVTGTVAEGFKTLQPYCL 240  
 YCHLQSLACSWGVMVLMMLVRFKCAKNRITIEKLLKLLCISTNCMLIQPPKLRSTAAALY 300  
 10 WYRTGMSNISDVYGETPEWIERQTVLQHSFNDTTFDLSQMVQWAYDNDVMDDEIAYKYA 360  
 QLADSDSNACAFKSNQAKIVKDCGTMCRRHYKRAEKQMSMGQWIKSRCDKVSDEGDWR 420  
 DIVKFLRYQQIEFVSFLSALKLFLKGVPKKNCILIHGAPNTGKSYFGMSLISFLQGCIIIS 480  
 YANSKSHFWLQPLADAKIGMLDDATTPCWHYIDNYLRNALDGNPVSIDVKHKALMQLKCP 540  
 PLLITSNINAGKDDRWPYLHSRLVVFTFPNPFDFDKNGNPVYELSDKNWKSFFSRTWCRL 600  
 15 NLHEEDKENDGDSFSTFKCVSQNIRTL 629

HPV31 E2 Accession number W2WL31

1 METLSQRLNVCQDKILEHYENDSKRLCDHIDYWKHIRLECVLAMYKAREMGIHSINHQVVP 60  
 ALSVSKAKALQAIELQMMLETLNNTTEYKNEDWTMQQTSLELYLTAPTGCLKKHGYTVEVQ 120  
 20 FDGDVHNTMHYTNWKFIYLCIDGQCTVVEGQVNCNGIYYVHEGHITYFVNFTEEAKKYGT 180  
 GKKWEVHAGGQVIVFPESVFSSDEISFAGIVTKLPTANNTTTSNSKTCALGTSEGVRRAT 240  
 TSTKRPRTEPEHRNTHHPNKLRLGDSVDSVNCGVISAACTNQTRAVSCPATTPIIHLKG 300  
 DANILKCLRYRLSKYKQLYEQVSSSTWHWTCTDGKHKNIAIVTLTYISTSQRDDFLNTVKIP 360  
 NTVSVSTGYMTI 372

25

HPV31 E5 Accession number W5WL31

1 MIELNISTVSIVLCFLLCFCVLLFVCLVIRPLVLSVSVYATLLLLLIVILWVIATSPLRCF 60  
 CIYVVFIIYIPLFVIHTHASFLSQQ 84

30 HPV31 E6 Accession number W6WL31

1 MFKNPAERPRKLHELSSALEIPYDELRLNCVYCKQLTETEVLDFAFTDLTIVYRDDTPH 60  
 GVCTKCLRFYSKVSEFRWYRYSVYGTTELEKLTNKGICDLLIRCITCQRPLCPEEKQRHLD 120  
 KKKRFHNIGGRWTGRCIACWRRPRTETQV 149

35 HPV31 E7 Accession number W7WL31

1 MRGETPTLQDYVLDLQPEATDLHCYEQLPDSSDEEDVIDSPAGQAEPDTSNYNIVTFCCQ 60  
 CKSTLRCLCVQSTQVDIRILQELLMGSFGIVCPNCSTRL 98

HPV31 L1 Accession number P1WL31

40 1 MSLWRPSEATVYLPPVPVSKVSTDEYVTRTNIYYHAGSARLLTVGHPYYSIPKSDNPKK 60  
 IVPKVSGLQYRVFRVRLPDPNKFPGPDTSFYNPETQRLVWACVGLVGRGQPLGVGISG 120

HPLLNKFDDTENSRYAGGPGTDNRECISMDYKQTQLCLLGCKPPIGEHWGKGSPCSNNA 180  
 ITPGDCPPLELKNSVIQDGMVDTGFGAMDFTALQDTKSNVPLDICNSICKYPDYLKMVA 240  
 EPGDITLFFYLREQMFVRHFFNRSRGTGVSPTDLYIKSGSGSTATLANSTYFPTPSGSM 300  
 VTSDAQIFNKPWYMQRAQGHNNIGICWGNQLFVTVVDTRSTNMSVCAAIANSDDTFKSSN 360  
 5 FKEYLRHGEEFDLQFIFQLCKITLSADIMTYIHSMNPAILEDWNFGLTTPPSGSLED TYR 420  
 FVTSQAITCQKTAPQKPKEDPFKDYVFEVNLKEKFSADLDQFPLGRKFLLQAGYRARP 480  
 FKAGKRSAPSASTTTPAKRKKTKK 504.

HPV31 L2 Accession number P2WL31

10 1 MRSKRSTKRTKRASATQLYQTCKAAGTCPSDVIPKIEHTTIADQILRYGSMGVFFGGLGI 60  
 GSGSGTGGRGTGYVPLSTRPSTVSEASIPRPPVSIDPVGPLDPSIVSLVEESGIVDVGAP 120  
 APIPHPTTSGFDIATTADTTPAILDVTSTHENPTFTDPSVLQPPTPAETSGHLLLS 180  
 SSISTHNYEEIPMDTFIVSTNNENITSSTPIPGVRRPARLGLYSKATQQVKVIDPTFLSA 240  
 PKQLITYENPAYETVNAEESLYFSNTSHNIAPDPDFLDIALHRPALTSRRNTVRYSLG 300  
 15 NKQTLRTRSGATIGARVHYDYDISSINPAGESIEMQPLGASATTTSTLNDGLYDIYADTD 360  
 FTVDTPATHNVSPSTAVQSTSASVAYPTNTTVPLSTGFDIPIFSGPDVPIEHAPTQVFP 420  
 FPLAPTTQVSIFVDGGDFYLHPSYYMLKRRRKRVSYFFTDVSVAA 466

HPV45 E1 Accession number S36563

20 1 MADPEGTDGEGTGCNGWFFVETIVEKKTGDVISDDDEDETATDTGSDMVDFIDTQLSICEQ 60  
 AEQETAQALFHAQEVQNDQVLHLLKRFAGGSKENSPLGEQLSVDTDLSRLQEISLNS 120  
 GHKKAKRRLFTISDSGYGCSEVEAAEQVTVMNTAENGGSVHSTQSSGGDSSDNAENVP 180  
 HCSITELKELLQASNKKAAMLAVFKDIYGLSFTDLVRNFKSDKTTCTDWVMAIFGVNPTV 240  
 AEGFKTLIKPATLYAHIQCLDCKWGVLLIALLLRYKCGKNRLTVAKGLSTLLHVPETCMLI 300  
 25 EPPKLRSSVAALYWYRTGISNISEVSGDTPEWIQLRTIIQHGIIDSNFDLSDMVQWAFDN 360  
 DLTDSDMAFQYAQLADCNSNAAFLKSNCQAKYLKDCAVMCRHYKRAQKRQMNMSQWIK 420  
 YRCSKIDEGGDWRPIVQFLRYQGVFISFLRALKEFLKGTTPKKNCILLYGPANTGKSYFG 480  
 MSFIHFLQGAIISFVNSNSHFLEPLADTKVAMLDATHCWTYFDNYMRNALDGNPISI 540  
 DRKHKPLLQLKCPPILLTSNIDPAKDNKWPYLESRVTVFTFPHAFPPDKNGNPVYEINDK 600  
 30 NWKCFERTWSRLDLHEDDEDADTEGIPFGTFKCVTGQNTPL 643

HPV45 E2 Accession number S36564

MKMQTPKESLSERLSALQDKILDHYENDSKDINSQISYWQLIRLENAILFTAREHGITKL 60  
 NHQVPPPINISKSKAHKAIELQMAKGLAQSKYNNEEWTLQDTCEELWNTEPSQCFFKGG 120  
 35 KTVHVYFDGNKDNMNYVWDSIYYITETGIWDKTAACVSYWGVYIYIKDGDTTYVQFKS 180  
 ECEKYGNSNTWEVQYGGNVIDCNDSCSTSDDTVSATQIVRQLQHASTSTPKTASVGTPK 240  
 PHIQT PATKRPRQCGLTEQHHGRVNTHVHNPLLCSSTSNNKRRKVCSGNTTPIIHLKGDK 300  
 NSLKCLRYRLRKYADHYSEISSTWHWTGCKNTGILTVTYNSEVQRNTFLDVVTIPNSVQ 360  
 ISVGYMTI 368

40

HPV45 E6      Accession number CAB44706

1 MARFDDPTQRPYKLPDLCTELNTSLQDVSIACVYCKATLERTEVYQFAFKDLFIVYRDCI 60  
 AYAACHKCIDFYSRIRELRYYSNSVYGETLEKITNTELYNLLIRCLRCQKPLNPAEKRRH 120  
 LKDKRRFHSIAGQYRGQCNTCCDQARQERLRRRRETQV 158

5

HPV45 E7      Accession number CAB44707

1 MHGPRATLQEIVLHLEPQNELDPVDLLCYEQLSESEEEENDEADGVSHAQLPARRAEPQRH 60  
 KILCVCKCDGRIELTVESSADDLRTLQQLFLSTLSFVCPWCATNQ 106

10 HPV45 L1      Accession number CAB44705

1 MAHNIIYGHGIIIFLKNVNVFPIFLQMALWRPSDSTVYLPPPSVARVVNTDDYVSRTSIF 60  
 YHAGSSRLLTGVNPFYFRVVPSPGAGNKQAVPKVSAYQYRVFRVALPDPNKFGLPDSTIYNP 120  
 ETQRLVWACVGMEIGRGQPLGIGLSGHPFYKNLDDTESAHAATAVITQDVRDNVSVDYKQ 180  
 TQLCILGCVPAIGEHWAKGTLCKPAQLQPGDCPPELKNITIEDGDMVDTGYGAMDFSTL 240  
 QDTKCEVPLDICQSICKYPDYQLMSADPYGDSMFFCLRREQLFARHFWNRAGVMGDTVPT 300  
 DLYIKGTSANMRETPGSCVYSPSPSGSITTSDSQLFNKPYWLHKAQGHNNGICWHNQLFV 360  
 TVVDTTRSTNLTLCASTQNPVPNTYDPTKFKHYSRHEEYDLQFIFQLCTITLTAEVMSY 420  
 IHSMNSSILENWNFGVPPPTTSLVDTYRFVQSVAVTCQKDTTPPEKQDPYDKLKFVTVD 480  
 LKEKFSSDLQYPLGRKFLVQAGLRRRPTIGPRKRPAASTSTASRPKRVIRRSKK 536

20

HPV45 L2      Accession number S36565

1 MVSHRAARRKRASATDLYRTCKQSGTCPPDVINKVEGTTLADKILQWSSLGIFLGGLGIG 60  
 TGSGSGGRTGYVPLGGRSNTVVDVGPTRPPVIEPVGPTDPSIVTLVEDSSVVASGAPVP 120  
 TFTGTSGFEITSSGTTTPAVLDITPTVDSVSISSTSFNTPAFSDPSIIEVPQTGEVSGNI 180  
 FVGTPTSGSHGYEEIPLQTFASSGSGTEPISSTPLPTVRRVRGPRLYSRANQQVRVSTSQ 240  
 FLTHPSSLVTFDNPAYEPLDTTSLFEPTSNVPDSDFMDIIRLHRPALSSRRGTVRFSRLG 300  
 QRATMFTRSGKQIGGRVHFYHDISPIAATEEIELQPLISATNDSDLFDVYADFPFPASTT 360  
 PSTIHKSFYTPKYSLTMPSTAASSYSNVTVPLTSAWDVPIYTGPDIILPSHTPMWPSTSP 420  
 TNASTTTYIGIHGTQYYLWPWYYYFPPKKRKRIPIYFFADGFVAA 463

30

HPV33 E1      Accession number W1WL33

1 MADPEGTNGAGMGCTGWFEVEAVIERRTGDNISEDEDEDETADDSGTDLLEFIDDSMENSIIQ 60  
 ADTEAARALFNIQEGEDDLNAVCAKLRKFAACSQSAEDVVDRAANPCRTSINKNKECTY 120  
 RKRKIDELEDSEGYGNTEVETQQMVQQVESQNGDTNLNDESSGVGDDSEVSCETNVDSC 180  
 NVTLQEISNVLHSSNTKANILYKFKEAYGISFMELVRPFKSDKTSCTDWCITGYGISPSV 240  
 AESLKVLIKQHSYTHLQCLTCDRGIIILLIRFRCSKNRLTVAKLMSNLLSIPETCMVI 300  
 EPPKLRSTCALYWFRTAMSNIQVQGTTPWIDRLTVLQHSFNDNIFDLSEMVQWAYDN 360  
 ELTDDSDIAYYYAQLADSNNSNAAFLKSNSQAKIVKDCGIMCRHYKKAERKMSIGQWIIQ 420  
 SRCEKTNDGGNWRPIVQLRLRYQNIETAFGLGAFKKFLKGIPKSCMLICGPANTGKSYFG 480  
 MSLIQFLKGCVISCVNSKSHFWLQPLSDAKIGMIDDVTPISTYIDDMRNALDGNESIS 540  
 DVKHRALVQLKCPPLLLTSNTNAGTDSRWPYLHSRLTVFEFKNPFPDENGPNVYAINDE 600

40

NWKSFFSRTWCKLDLIEEDKENHGGNISTFKCSAGENTRSLRS 644

HPV33 E2 Accession number W2WL33

1 MEEISARLNAVQEKILDLYEADKTDLPSQIEHWKLIRMECALLYTAKQMGFSLCHQVVP 60  
 5 SLLASKTKAFQVIELQMALETLSKSQYSTSQWTLQOTSLEVWLCEPPKCFKKQGETVTVQ 120  
 YDNDKKNTMDYTNWGEIYIIEDTCTMTVGKVDYIGMYIHNCEKVYFKYFKEDAAYSK 180  
 TQMWEVHVGGQVIVCPTSISSNQISTTETADIQTDNDNRPPQAAAKRRRPADTTDTAQPL 240  
 TKLFCADPALDNRTARTATNCTNKQRTVCSSNVAPIVHLKGESNSLKCLRYRLKPYKELY 300  
 SSMSTWHWTS DNKNSKNGIVTVTFVTEQQQOMFLGTVKIPPTVQISTGFMTL 353

10

HPV33 E5 Accession number W5WL33

1 MIFVFLVLCFILFLCLSLLLRPLILSISTYAWLLVLVLLLVFVGSPLKIFFCYLLFLYLP 60  
 MMCINFHAQHMTQQE 75

15 HPV33 E6 Accession number W6WL33

1 MFQDTEEKPRTLHDLCALETTIHNIQLQCVECKPLQRSEVYDFAFADLTVVYREGNPF 60  
 GICKLCLRFLSKISEYRHYNSVYGNLTQTVKKPLNEILIRCIICQRPLCPQEKKRHVD 120  
 LNKRFHNISGRWAGRCAACWRSRRRETAL 149

20 HPV33 E7 Accession number W7WL33

1 MRGHKPTLKEYVLDLYPEPTDLYCYEQLSDSSDEDEGLDRPDGQAQPATADYYIVTCCHT 60  
 CNTTVRLCVNSTASDLRTIQQLMGTVNIVCPTCAQQ 97

HPV33 L1 Accession number P1WL33

25 1 MSVWRPSEATVYLPPVPVSKVSTDEYVSRTSIYYYAGSSRLAVGHPYFSIKNPTNAKK 60  
 LLVPKVSGLQYRVFRVRLPDPNKFGFPDTSFYNPDTQRLVWACVGLEIGRGQPLGVGISG 120  
 HPLLNKFFDDTETGNKYPGQPGADNRECLSMYKQTQLCLLGCKPPTGEHWGKGVACTNAA 180  
 PANDCPPELINTIIEDGDMVDTGFGCMDFKTLQANKSDVPIDICGSTCKYPDYLKMTSE 240  
 PYGDSLFFFLRREQMFVRHFFNRAGTLGEAVPDDLYIKSGTTASIQSSAFFPTPSGSMV 300  
 30 TSESQFLNKPYWLQRAQGHNGICWGNQVFVTVVDTTRSTNMTLCTQVTSdstyknENFK 360  
 EYIRHVEEYDLQFVFLCKVTLTAEVMTYIHAMNPDILEDWQFGLTPPPSASLQDtyRFV 420  
 TSQAITCQKTVPPEKEDPLGKYTFWEVDLKEKFSADLDQFPLGRKFLLQAGLKAKPKLK 480  
 RAAPTSTRTSSAKRKKVKK 499

35 HPV33 L2 Accession number P2WL33

1 MRHKRSTRKRASATQLYQTCKATGTCPPDVIPKVEGSTIADQILKYGSLGVFFGGLGIG 60  
 TGSGSGGRTGYVPIGTDPTAAIPLQPIRPVTVDTVGPLDSSIVSLIEETSFIAGAPA 120  
 PSIPTPSGFDVTTSDTTPAIINVSSVGESSIQTISTHLNPTFTEPSVLHPPAPAEASGH 180  
 FIFSSPTVSTQSYENIPMDTFVVDSSNVTSSTPIGSRPVARLGLYSRNTQQVKVVDP 240  
 40 AFLTSPHKLITYDNPAFESFDPEDTLQFQHSIDISPAPDPDFLDIIALHRPAITSRRHTVR 300  
 FSRVGQKATLKRSGKQIGARIHYQDLSPIVPLDHTVPNEQYELQPLHDTSTSSYSIND 360

GLYDVYADDVDNVHTPMQHSYSTFATTRTSNVSIPLNTGFDTPVMSGPDIPSPLFPTSSP 420  
FVPISPPFFPFDITIVVDGADFLHPSYFILRRRRKRFPYFFTDVRVAA 467

HPV56 E2 Accession number S36581

5 1 MVPCLQVCKAKACSAIEVQIALESSTTIYNNEEWTLRDTCEELWLTEPKKCFKKEGQHI 60  
EVWFDGSKNNCMQYVAWKYIYYNGDCGWQKVCSGVDYRGIYYVHDGHKTYTDFEQEAKK 120  
FGCKNIWEVHMENESIYCPDSVSSTCRYNVSPVETVNEYNTHKTTTTSTSVGNQDAAVS 180  
HRPGKRPRLRESEFSSRESHAKCVTTTHTHISDTNDTSRSRSINNNNHPGDKTTPVVHL 240  
KGEPNRLKCCRYRFQYKTLFVDVTSTYHWTSTDNKNYSIITIIYKDETQRNSFLSHVKI 300  
10 PVVYRLVWDK 310

HPV56 E6 Accession number W6WL56

1 MEPQFNNPQERPRSLHHLSEVLEIPLIDLRLSCVYCKKELTRAEVYNFACTELKLVRDD 60  
FPYAVCRVCLLFYSKVRKYRYDYDSVYGATLESITKKQLCDLLIRCYRCQSPLTPEEKQL 120  
15 HCDRKRFRFLIAHGWGTGSLGCWRQTSREPRESTV 155

HPV56 E7 Accession number S36580

1 MHGKVPTLQDVVLELTPQTEIDLQCNEQLDSSSEDEDEVDHLQERPQARQAKQHTCYL 60  
IHVPCCECKFVVQLDIQSTKEDLRVVQQLMGALTVTCPLCASSN 105  
20

HPV56 L1 Accession number S38563

1 MMLPMYIYRDPPLHYGLCIFLDVGAVNVFPIFLQMATWRPSENKVYLPPTPVSKVVATD 60  
SYVKRTSIFYHAGSSRL LAVGHPYYSVTKDNTKTNIKVSAYQYRVFRVRLPDPNKFGLP 120  
DTNIYNPDQERLVWACVGLVGRGQPLGAGLSGHPLFNRLDDTESSNLANNVIEDSRDN 180  
25 ISVDGKQTQLCIVGCTPAMGEHWTKGAVCKSTQVTTGDCPPLALINTPIEDGDMIDTGFG 240  
AMDFKVLQESKAEVPLDIVQSTCKYPDYLKMSADAYGDSMWFYLRREQLFARHYFN RAGK 300  
VGETIPAELYLKGSNGREPPSSSVYVATPSGSMITSEAQLFNKPYWLQRAQGHNNGICWG 360  
NQLFVTVDTTTRSTNMTISTATEQLSKYDARKINQYLRHVEEYELQFVFQLCKITLSAEV 420  
MAYLHNMNANLLEDWNIGLSPPVATSLEDKYRYVRSTAITCQREQPPTEKQDPLAKYKFW 480  
30 DVNLQDSFSTDLDQFPLGRKFLMQLGTRSKPAVATSKKRSAPTSTSTPAKRKR 534

HPV56 L2 Accession number S36582

1 MVAHRATRRKRASATQLYKTCKLSGTCPEDVNVNIEQKTWADKILQWGS LFTYFGGLGIG 60  
TGTGSGGRAGYVPLGSRPSTIVDVTPARPPIVVESVGPTDPSIVTLVEESSVIESGAGIP 120  
35 NFTGSGGFEITSSSTTTPAVLDITPTSSTVHVSSTHITNPLFIDPPVIEAPQTGEVSGNI 180  
LISTPTSGIHSYEEIPMQTFVHVGSGTEPISSTPIPGFRRIAAPRLYRKAFQQVKVTDPA 240  
FLDRPATLV SADNPLFEGTDTSLAFSPSGVAPDPDFMNIVALHRPAFTTRRGGVRF SRLG 300  
RKATIQTTRGTQIGARVHYYYDISPIAQAEIEMQPLL SANNSFDGLYDIYANIDDEAPG 360  
LSSQSVATPSAHLPIKPSTLSFASNTTNVTAPLGNVWETPFYSGPDIVLPTGPSTWPFVP 420  
40 QSPYDVTHDVYIQGSSFALWPVYFFRRRRRRKRIPYFFADGDVAA 464

**HLA Class I Motifs Indicative of CTL Inducing Peptide Epitopes:**

The primary anchor residues of the HLA class I peptide epitope supermotifs and motifs delineated below are summarized in Table I. The HLA class I motifs set out in Table I(a) are those most particularly relevant to the invention claimed here. Primary and secondary anchor positions are summarized in Table II. Allele-specific HLA molecules that comprise HLA class I supertype families are listed in Table VI. In some cases, peptide epitopes may be listed in both a motif and a supermotif Table. The relationship of a particular motif and respective supermotif is indicated in the description of the individual motifs.

**10 III.D.1. HLA-A1 supermotif**

The HLA-A1 supermotif is characterized by the presence in peptide ligands of a small (T or S) or hydrophobic (L, I, V, or M) primary anchor residue in position 2, and an aromatic (Y, F, or W) primary anchor residue at the C-terminal position of the epitope. The corresponding family of HLA molecules that bind to the A1 supermotif (*i.e.*, the HLA-A1 supertype) is comprised of at least A\*0101, A\*2601, A\*2602, A\*2501, and A\*3201 (*see, e.g.*, DiBrino, M. *et al.*, *J. Immunol.* 151:5930, 1993; DiBrino, M. *et al.*, *J. Immunol.* 152:620, 1994; Kondo, A. *et al.*, *Immunogenetics* 45:249, 1997). Other allele-specific HLA molecules predicted to be members of the A1 superfamily are shown in Table VI. Peptides binding to each of the individual HLA proteins can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

Representative peptide epitopes that comprise the A1 supermotif are set forth in Table VII.

**III.D.2. HLA-A2 supermotif**

Primary anchor specificities for allele-specific HLA-A2.1 molecules (*see, e.g.*, Falk *et al.*, *Nature* 351:290-296, 1991; Hunt *et al.*, *Science* 255:1261-1263, 1992; Parker *et al.*, *J. Immunol.* 149:3580-3587, 1992; Ruppert *et al.*, *Cell* 74:929-937, 1993) and cross-reactive binding among HLA-A2 and -A28 molecules have been described. (*See, e.g.*, Fruci *et al.*, *Human Immunol.* 38:187-192, 1993; Tanigaki *et al.*, *Human Immunol.* 39:155-162, 1994; Del Guercio *et al.*, *J. Immunol.* 154:685-693, 1995; Kast *et al.*, *J. Immunol.* 152:3904-3912, 1994 for reviews of relevant data.) These primary anchor residues define the HLA-A2 supermotif; which presence in peptide ligands corresponds to the ability to bind several different HLA-A2 and -A28 molecules. The HLA-A2 supermotif comprises peptide ligands with L, I, V, M, A, T, or Q as a primary anchor residue at position 2 and L, I, V, M, A, or T as a primary anchor residue at the C-terminal position of the epitope.

The corresponding family of HLA molecules (*i.e.*, the HLA-A2 supertype that binds these peptides) is comprised of at least: A\*0201, A\*0202, A\*0203, A\*0204, A\*0205, A\*0206, A\*0207, A\*0209, A\*0214, A\*6802, and A\*6901. Other allele-specific HLA molecules predicted to be members of the A2 superfamily are shown in Table VI. As explained in detail below, binding to each of the individual allele-specific HLA molecules can be modulated by substitutions at the primary anchor and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

Representative peptide epitopes that comprise an A2 supermotif are set forth in Table VIII. The motifs comprising the primary anchor residues V, A, T, or Q at position 2 and L, I, V, A, or T at the C-terminal position are those most particularly relevant to the invention claimed herein.

### 5 III.D.3. HLA-A3 supermotif

The HLA-A3 supermotif is characterized by the presence in peptide ligands of A, L, I, V, M, S, or, T as a primary anchor at position 2, and a positively charged residue, R or K, at the C-terminal position of the epitope, e.g., in position 9 of 9-mers (*see, e.g., Sidney et al., Hum. Immunol.* 45:79, 1996). Exemplary members of the corresponding family of HLA molecules (the HLA-A3 supertype) that bind the  
 10 A3 supermotif include at least A\*0301, A\*1101, A\*3101, A\*3301, and A\*6801. Other allele-specific HLA molecules predicted to be members of the A3 supertype are shown in Table VI. As explained in detail below, peptide binding to each of the individual allele-specific HLA proteins can be modulated by substitutions of amino acids at the primary and/or secondary anchor positions of the peptide, preferably choosing respective residues specified for the supermotif.

15 Representative peptide epitopes that comprise the A3 supermotif are set forth in Table IX.

### III.D.4. HLA-A24 supermotif

The HLA-A24 supermotif is characterized by the presence in peptide ligands of an aromatic (F, W, or Y) or hydrophobic aliphatic (L, I, V, M, or T) residue as a primary anchor in position 2,  
 20 and Y, F, W, L, I, or M as primary anchor at the C-terminal position of the epitope (*see, e.g., Sette and Sidney, Immunogenetics* 1999 Nov;50(3-4):201-12, Review). The corresponding family of HLA molecules that bind to the A24 supermotif (*i.e., the A24 supertype*) includes at least A\*2402, A\*3001, and A\*2301. Other allele-specific HLA molecules predicted to be members of the A24 supertype are shown in Table VI. Peptide binding to each of the allele-specific HLA molecules can be modulated by substitutions at primary  
 25 and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

Representative peptide epitopes that comprise the A24 supermotif are set forth in Table X.

### III.D.5. HLA-B7 supermotif

30 The HLA-B7 supermotif is characterized by peptides bearing proline in position 2 as a primary anchor, and a hydrophobic or aliphatic amino acid (L, I, V, M, A, F, W, or Y) as the primary anchor at the C-terminal position of the epitope. The corresponding family of HLA molecules that bind the B7 supermotif (*i.e., the HLA-B7 supertype*) is comprised of at least twenty six HLA-B proteins including:  
 35 B\*0702, B\*0703, B\*0704, B\*0705, B\*1508, B\*3501, B\*3502, B\*3503, B\*3504, B\*3505, B\*3506, B\*3507, B\*3508, B\*5101, B\*5102, B\*5103, B\*5104, B\*5105, B\*5301, B\*5401, B\*5501, B\*5502, B\*5601, B\*5602, B\*6701, and B\*7801 (*see, e.g., Sidney, et al., J. Immunol.* 154:247, 1995; Barber, *et al., Curr. Biol.* 5:179, 1995; Hill, *et al., Nature* 360:434, 1992; Rammensee, *et al., Immunogenetics* 41:178, 1995 for reviews of relevant data). Other allele-specific HLA molecules predicted to be members of the B7 supertype are shown in Table VI. As explained in detail below, peptide binding to each of the individual

allele-specific HLA proteins can be modulated by substitutions at the primary and/or secondary anchor positions of the peptide, preferably choosing respective residues specified for the supermotif.

Representative peptide epitopes that comprise the B7 supermotif are set forth in Table XI.

#### 5 III.D.6. HLA-B27 supermotif

The HLA-B27 supermotif is characterized by the presence in peptide ligands of a positively charged (R, H, or K) residue as a primary anchor at position 2, and a hydrophobic (F, Y, L, W, M, I, A, or V) residue as a primary anchor at the C-terminal position of the epitope (*see, e.g., Sidney and Sette, Immunogenetics 1999 Nov;50(3-4):201-12, Review*). Exemplary members of the corresponding family of HLA molecules that bind to the B27 supermotif (*i.e., the B27 supertype*) include at least B\*1401, B\*1402, B\*1509, B\*2702, B\*2703, B\*2704, B\*2705, B\*2706, B\*3801, B\*3901, B\*3902, and B\*7301. Other allele-specific HLA molecules predicted to be members of the B27 supertype are shown in Table VI. Peptide binding to each of the allele-specific HLA molecules can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

15 Representative peptide epitopes that comprise the B27 supermotif are set forth in Table XII.

#### III.D.7. HLA-B44 supermotif

The HLA-B44 supermotif is characterized by the presence in peptide ligands of negatively-charged (D or E) residues as a primary anchor in position 2, and hydrophobic residues (F, W, Y, L, I, M, V, or A) as a primary anchor at the C-terminal position of the epitope (*see, e.g., Sidney et al., Immunol. Today 17:261, 1996*). Exemplary members of the corresponding family of HLA molecules that bind to the B44 supermotif (*i.e., the B44 supertype*) include at least: B\*1801, B\*1802, B\*3701, B\*4001, B\*4002, B\*4006, B\*4402, B\*4403, and B\*4006. Peptide binding to each of the allele-specific HLA molecules can be modulated by substitutions at primary and/or secondary anchor positions; preferably choosing respective residues specified for the supermotif.

#### III.D.8. HLA-B58 supermotif

The HLA-B58 supermotif is characterized by the presence in peptide ligands of a small aliphatic residue (A, S, or T) as a primary anchor residue at position 2, and an aromatic or hydrophobic residue (F, W, Y, L, I, V, M, or A) as a primary anchor residue at the C-terminal position of the epitope (*see, e.g., Sidney and Sette, Immunogenetics 1999 Nov;50(3-4):201-12, Review*). Exemplary members of the corresponding family of HLA molecules that bind to the B58 supermotif (*i.e., the B58 supertype*) include at least: B\*1516, B\*1517, B\*5701, B\*5702, and B\*5801. Other allele-specific HLA molecules predicted to be members of the B58 supertype are shown in Table VI. Peptide binding to each of the allele-specific HLA molecules can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

35 Representative peptide epitopes that comprise the B58 supermotif are set forth in Table XIII.

**III.D.9. HLA-B62 supermotif**

The HLA-B62 supermotif is characterized by the presence in peptide ligands of the polar aliphatic residue Q or a hydrophobic aliphatic residue (L, V, M, I, or P) as a primary anchor in position 2, and a hydrophobic residue (F, W, Y, M, I, V, L, or A) as a primary anchor at the C-terminal position of the epitope (*see, e.g.,* Sidney and Sette, *Immunogenetics* 1999 Nov;50(3-4):201-12, Review). Exemplary members of the corresponding family of HLA molecules that bind to the B62 supermotif (*i.e.,* the B62 supertype) include at least: B\*1501, B\*1502, B\*1513, and B5201. Other allele-specific HLA molecules predicted to be members of the B62 supertype are shown in Table VI. Peptide binding to each of the allele-specific HLA molecules can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

Representative peptide epitopes that comprise the B62 supermotif are set forth in Table XIV.

**III.D.10. HLA-A1 motif**

The HLA-A1 motif is characterized by the presence in peptide ligands of T, S, or M as a primary anchor residue at position 2 and the presence of Y as a primary anchor residue at the C-terminal position of the epitope. An alternative allele-specific A1 motif is characterized by a primary anchor residue at position 3 rather than position 2. This motif is characterized by the presence of D, E, A, or S as a primary anchor residue in position 3, and a Y as a primary anchor residue at the C-terminal position of the epitope (*see, e.g.,* DiBrino *et al.*, *J. Immunol.*; 152:620, 1994; Kondo *et al.*, *Immunogenetics* 45:249, 1997; and Kubo *et al.*, *J. Immunol.* 152:3913, 1994 for reviews of relevant data). Peptide binding to HLA A1 can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the motif.

Representative peptide epitopes that comprise either A1 motif are set forth in Table XV.

Those epitopes comprising T, S, or M at position 2 and Y at the C-terminal position are also included in the listing of HLA-A1 supermotif-bearing peptides listed in Table VII, as these residues are a subset of the A1 supermotif primary anchors.

**III.D.11. HLA-A\*0201 motif**

An HLA-A2\*0201 motif was determined to be characterized by the presence in peptide ligands of L or M as a primary anchor residue in position 2, and L or V as a primary anchor residue at the C-terminal position of a 9-residue peptide (*see, e.g.,* Falk *et al.*, *Nature* 351:290-296, 1991) and was further found to comprise an I at position 2 and I or A at the C-terminal position of a nine amino acid peptide (*see, e.g.,* Hunt *et al.*, *Science* 255:1261-1263, March 6, 1992; Parker *et al.*, *J. Immunol.* 149:3580-3587, 1992).

The A\*0201 allele-specific motif has also been defined by the present inventors to additionally comprise V, A, T, or Q as a primary anchor residue at position 2, and M or T as a primary anchor residue at the C-terminal position of the epitope (*see, e.g.,* Kast *et al.*, *J. Immunol.* 152:3904-3912, 1994). Thus, the HLA-A\*0201 motif comprises peptide ligands with L, I, V, M, A, T, or Q as primary anchor residues at position 2 and L, I, V, M, A, or T as a primary anchor residue at the C-terminal position of the epitope. The preferred and tolerated residues that characterize the primary anchor positions of the HLA-A\*0201 motif

are identical to the residues describing the A2 supermotif. (For reviews of relevant data, *see, e.g.*, Del Guercio *et al.*, *J. Immunol.* 154:685-693, 1995; Ruppert *et al.*, *Cell* 74:929-937, 1993; Sidney *et al.*, *Immunol. Today* 17:261-266, 1996; Sette and Sidney, *Curr. Opin. in Immunol.* 10:478-482, 1998).

Secondary anchor residues that characterize the A\*0201 motif have additionally been defined (*see, e.g.*, Ruppert *et al.*, *Cell* 74:929-937, 1993). These are shown in Table II. Peptide binding to HLA-A\*0201 molecules can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the motif.

Representative peptide epitopes that comprise an A\*0201 motif are set forth in Table VIII. The A\*0201 motifs comprising the primary anchor residues V, A, T, or Q at position 2 and L, I, V, A, or T at the C-terminal position are those most particularly relevant to the invention claimed herein.

### III.D.12. HLA-A3 motif

The HLA-A3 motif is characterized by the presence in peptide ligands of L, M, V, I, S, A, T, F, C, G, or D as a primary anchor residue at position 2, and the presence of K, Y, R, H, F, or A as a primary anchor residue at the C-terminal position of the epitope (*see, e.g.*, DiBrino *et al.*, *Proc. Natl. Acad. Sci USA* 90:1508, 1993; and Kubo *et al.*, *J. Immunol.* 152:3913-3924, 1994). Peptide binding to HLA-A3 can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the motif.

Representative peptide epitopes that comprise the A3 motif are set forth in Table XVI. Those epitopes that also comprise the A3 supermotif are also listed in Table IX. The A3 supermotif primary anchor residues comprise a subset of the A3- and A11-allele specific motif primary anchor residues.

### III.D.13. HLA-A11 motif

The HLA-A11 motif is characterized by the presence in peptide ligands of V, T, M, L, I, S, A, G, N, C, D, or F as a primary anchor residue in position 2, and K, R, Y, or H as a primary anchor residue at the C-terminal position of the epitope (*see, e.g.*, Zhang *et al.*, *Proc. Natl. Acad. Sci USA* 90:2217-2221, 1993; and Kubo *et al.*, *J. Immunol.* 152:3913-3924, 1994). Peptide binding to HLA-A11 can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the motif.

Representative peptide epitopes that comprise the A11 motif are set forth in Table XVII; peptide epitopes comprising the A3 allele-specific motif are also present in this Table because of the extensive overlap between the A3 and A11 motif primary anchor specificities. Further, those peptide epitopes that comprise the A3 supermotif are also listed in Table IX.

### III.D.14. HLA-A24 motif

The HLA-A24 motif is characterized by the presence in peptide ligands of Y, F, W, or M as a primary anchor residue in position 2, and F, L, I, or W as a primary anchor residue at the C-terminal position of the epitope (*see, e.g.*, Kondo *et al.*, *J. Immunol.* 155:4307-4312, 1995; and Kubo *et al.*, *J. Immunol.* 152:3913-3924, 1994). Peptide binding to HLA-A24 molecules can be modulated by

substitutions at primary and/or secondary anchor positions; preferably choosing respective residues specified for the motif.

Representative peptide epitopes that comprise the A24 motif are set forth in Table XVIII. These epitopes are also listed in Table X, which sets forth HLA-A24-supermotif-bearing peptides, as the primary anchor residues characterizing the A24 allele-specific motif comprise a subset of the A24 supermotif primary anchor residues.

#### Motifs Indicative of Class II HTL Inducing Peptide Epitopes

The primary and secondary anchor residues of the HLA class II peptide epitope supermotifs and motifs delineated below are summarized in Table III.

#### **III.D.15. HLA DR-1-4-7 supermotif**

Motifs have also been identified for peptides that bind to three common HLA class II allele-specific HLA molecules: HLA DRB1\*0401, DRB1\*0101, and DRB1\*0701 (*see, e.g.,* the review by Southwood *et al. J. Immunology* 160:3363-3373,1998). Collectively, the common residues from these motifs delineate the HLA DR-1-4-7 supermotif. Peptides that bind to these DR molecules carry a supermotif characterized by a large aromatic or hydrophobic residue (Y, F, W, L, I, V, or M) as a primary anchor residue in position 1, and a small, non-charged residue (S, T, C, A, P, V, I, L, or M) as a primary anchor residue in position 6 of a 9-mer core region. Allele-specific secondary effects and secondary anchors for each of these HLA types have also been identified (Southwood *et al., supra*). These are set forth in Table III. Peptide binding to HLA- DRB1\*0401, DRB1\*0101, and/or DRB1\*0701 can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the supermotif.

Representative 9-mer epitopes comprising the DR-1-4-7 supermotif, wherein position 1 of the supermotif is at position 1 of the nine-residue core, are set forth in Table XIX. Exemplary epitopes of 15 amino acids in length that comprises the nine residue core include the three residues on either side that flank the nine residue core. HTL epitopes that comprise the core sequences can also be of lengths other than 15 amino acids, *supra*. Accordingly, epitopes of the invention include sequences that typically comprise the nine residue core plus 1, 2, 3 (as in the exemplary 15-mer), 4, or 5 flanking residues on either side of the nine residue core.

#### **III.D.16. HLA DR3 motifs**

Two alternative motifs (*i.e.,* submotifs) characterize peptide epitopes that bind to HLA-DR3 molecules (*see, e.g.,* Geluk *et al., J. Immunol.* 152:5742, 1994). In the first motif (submotif DR3A) a large, hydrophobic residue (L, I, V, M, F, or Y) is present in anchor position 1 of a 9-mer core, and D is present as an anchor at position 4, towards the carboxyl terminus of the epitope. As in other class II motifs, core position 1 may or may not occupy the peptide N-terminal position.

The alternative DR3 submotif provides for lack of the large, hydrophobic residue at anchor position 1, and/or lack of the negatively charged or amide-like anchor residue at position 4, by the presence of a positive charge at position 6 towards the carboxyl terminus of the epitope. Thus, for the

alternative allele-specific DR3 motif (submotif DR3B): L, I, V, M, F, Y, A, or Y is present at anchor position 1; D, N, Q, E, S, or T is present at anchor position 4; and K, R, or H is present at anchor position 6. Peptide binding to HLA-DR3 can be modulated by substitutions at primary and/or secondary anchor positions, preferably choosing respective residues specified for the motif.

5 Representative 9-mer epitopes corresponding to a nine residue sequence comprising the DR3a and DR3b submotifs (wherein position 1 of the motif is at position 1 of the nine residue core) are set forth in Table XXa and b. Exemplary epitopes of 15 amino acids in length that comprises the nine residue core include the three residues on either side that flank the nine residue core. HTL epitopes that comprises the cores sequences can also be of lengths other than 15 amino acids, *supra*. Accordingly, epitopes of the  
10 invention include sequences that typically comprise the nine residue core plus 1, 2, 3 (as in the exemplary 15-mer), 4, or 5 flanking residues on either side of the nine residue core..

Each of the HLA class I or class II epitopes set out in the Tables herein are deemed singly to be an inventive aspect of this application. Further, it is also an inventive aspect of this application that each epitope may be used in combination with any other epitope.

15

### III.E. Enhancing Population Coverage of the Vaccine

Vaccines that have broad population coverage are preferred because they are more commercially viable and generally applicable to the most people. Broad population coverage can be obtained using the peptides of the invention (and nucleic acid compositions that encode such peptides)  
20 through selecting peptide epitopes that bind to HLA alleles which, when considered in total, are present in most of the population. The Table below lists the overall frequencies of the HLA class I supertypes in various ethnicities (section a) and the combined population coverage achieved by the A2-, A3-, and B7-supertypes (section b). The A2-, A3-, and B7 supertypes are each present on the average of over 40% in each of these five major ethnic groups. Coverage in excess of 80% is achieved with a combination of these  
25 supermotifs. These results suggest that effective and non-ethnically biased population coverage is achieved upon use of a limited number of cross-reactive peptides. Although the population coverage reached with these three main peptide specificities is high, coverage can be expanded to reach 95% population coverage and above, and more easily achieve truly multispecific responses upon use of additional supermotif or allele-specific motif bearing peptides.

30 The B44-, A1-, and A24-supertypes are each present, on average, in a range from 25% to 40% in these major ethnic populations (section a). While less prevalent overall, the B27-, B58-, and B62 supertypes are each present with a frequency >25% in at least one major ethnic group (section a). In section b, the Table summarizes the estimated prevalence of combinations of HLA supertypes that have been identified in five major ethnic groups. The incremental coverage obtained by the inclusion of A1-, A24-,  
35 and B44-supertypes to the A2, A3, and B7 coverage and coverage obtained with all of the supertypes described herein, is shown.

The data presented herein, together with the previous definition of the A2-, A3-, and B7-supertypes, indicates that all antigens, with the possible exception of A29, B8, and B46, can be classified into a total of nine HLA supertypes. By including epitopes from the six most frequent supertypes, an  
40 average population coverage of 99% is obtained for five major ethnic groups.

## Population coverage with combined HLA Supertypes

HLA-SUPERTYPES	PHENOTYPIC FREQUENCY					
	Caucasian	North American Black	Japanese	Chinese	Hispanic	Average
<b>a. Individual Supertypes</b>						
A2	45.8	39.0	42.4	45.9	43.0	43.2
A3	37.5	42.1	45.8	52.7	43.1	44.2
B7	43.2	55.1	57.1	43.0	49.3	49.5
A1	47.1	16.1	21.8	14.7	26.3	25.2
A24	23.9	38.9	58.6	40.1	38.3	40.0
B44	43.0	21.2	42.9	39.1	39.0	37.0
B27	28.4	26.1	13.3	13.9	35.3	23.4
B62	12.6	4.8	36.5	25.4	11.1	18.1
B58	10.0	25.1	1.6	9.0	5.9	10.3
<b>b. Combined Supertypes</b>						
A2, A3, B7	84.3	86.8	89.5	89.8	86.8	87.4
A2, A3, B7, A24, B44, A1	99.5	98.1	100.0	99.5	99.4	99.3
A2, A3, B7, A24, B44, A1, B27, B62, B58	99.9	99.6	100.0	99.8	99.9	99.8

## III.F. Immune Response-Stimulating Peptide Analogs

- 5 In general, CTL and HTL responses to whole antigens are not directed against all possible epitopes. Rather, they are restricted to a few "immunodominant" determinants (Zinkernagel, *et al.*, *Adv. Immunol.* 27:5159, 1979; Bennink, *et al.*, *J. Exp. Med.* 168:1935-1939, 1988; Rawle, *et al.*, *J. Immunol.* 146:3977-3984, 1991). It has been recognized that immunodominance (Benacerraf, *et al.*, *Science* 175:273-279, 1972) could be explained by either the ability of a given epitope to selectively bind a particular HLA
- 10 protein (determinant selection theory) (Vitiello, *et al.*, *J. Immunol.* 131:1635, 1983); Rosenthal, *et al.*, *Nature* 267:156-158, 1977), or to be selectively recognized by the existing TCR (T cell receptor) specificities (repertoire theory) (Klein, J., *IMMUNOLOGY, THE SCIENCE OF SELF/NONSELF DISCRIMINATION*, John Wiley & Sons, New York, pp. 270-310, 1982). It has been demonstrated that additional factors, mostly linked to processing events, can also play a key role in dictating, beyond strict immunogenicity,
- 15 which of the many potential determinants will be presented as immunodominant (Sercarz, *et al.*, *Annu. Rev. Immunol.* 11:729-766, 1993).

The concept of dominance and subdominance is relevant to immunotherapy of both infectious diseases and cancer. For example, in the course of chronic viral disease, recruitment of subdominant epitopes can be important for successful clearance of the infection, especially if dominant

20 CTL or HTL specificities have been inactivated by functional tolerance, suppression, mutation of viruses and other mechanisms (Franco, *et al.*, *Curr. Opin. Immunol.* 7:524-531, 1995). In the case of cancer and tumor antigens, CTLs recognizing at least some of the highest binding affinity peptides might be functionally inactivated. Lower binding affinity peptides are preferentially recognized at these times, and may therefore be preferred in therapeutic or prophylactic anti-cancer vaccines.

- 25 In particular, it has been noted that a significant number of epitopes derived from known non-viral tumor associated antigens (TAA) bind HLA class I with intermediate affinity ( $IC_{50}$  in the 50-500

nM range). For example, it has been found that 8 of 15 known TAA peptides recognized by tumor infiltrating lymphocytes (TIL) or CTL bound in the 50-500 nM range. (These data are in contrast with estimates that 90% of known viral antigens were bound by HLA class I molecules with IC<sub>50</sub> of 50 nM or less, while only approximately 10% bound in the 50-500 nM range (Sette, *et al.*, *J. Immunol.*, 153:558-5592, 1994). In the cancer setting this phenomenon is probably due to elimination or functional inhibition of the CTL recognizing several of the highest binding peptides, presumably because of T cell tolerization events.

Without intending to be bound by theory, it is believed that because T cells to dominant epitopes may have been clonally deleted, selecting subdominant epitopes may allow existing T cells to be recruited, which will then lead to a therapeutic or prophylactic response. However, the binding of HLA molecules to subdominant epitopes is often less vigorous than to dominant ones. Accordingly, there is a need to be able to modulate the binding affinity of particular immunogenic epitopes for one or more HLA molecules, and thereby to modulate the immune response elicited by the peptide, for example to prepare analog peptides which elicit a more vigorous response. This ability would greatly enhance the usefulness of peptide epitope-based vaccines and therapeutic agents.

Although peptides with suitable cross-reactivity among all alleles of a superfamily are identified by the screening procedures described above, cross-reactivity is not always as complete as possible, and in certain cases procedures to increase cross-reactivity of peptides can be useful; moreover, such procedures can also be used to modify other properties of the peptides such as binding affinity or peptide stability. Having established the general rules that govern cross-reactivity of peptides for HLA alleles within a given motif or supermotif, modification (*i.e.*, analoging) of the structure of peptides of particular interest in order to achieve broader (or otherwise modified) HLA binding capacity can be performed. More specifically, peptides which exhibit the broadest cross-reactivity patterns, can be produced in accordance with the teachings herein. The present concepts related to analog generation are set forth in greater detail in co-pending U.S.S.N. 09/226,775 filed 1/6/99.

In brief, the strategy employed utilizes the motifs or supermotifs which correlate with binding to certain HLA molecules. The motifs or supermotifs are defined by having primary anchors, and in many cases secondary anchors. Analog peptides can be created by substituting amino acid residues at primary anchor, secondary anchor, or at primary and secondary anchor positions. Generally, analogs are made for peptides that already bear a motif or supermotif. Preferred secondary anchor residues of supermotifs and motifs that have been defined for HLA class I and class II binding peptides are shown in Tables II and III, respectively.

For a number of the motifs or supermotifs in accordance with the invention, residues are defined which are deleterious to binding to allele-specific HLA molecules or members of HLA supertypes that bind the respective motif or supermotif (Tables II and III). Accordingly, removal of such residues that are detrimental to binding can be performed in accordance with the present invention. For example, in the case of the A3 supertype, when all peptides that have such deleterious residues are removed from the population of peptides used in the analysis, the incidence of cross-reactivity increased from 22% to 37% (*see, e.g.*, Sidney, J. *et al.*, *Hu. Immunol.* 45:79, 1996). Thus, one strategy to improve the cross-reactivity of peptides within a given supermotif is simply to delete one or more of the deleterious residues present

within a peptide and substitute a small "neutral" residue such as Ala (that may not influence T cell recognition of the peptide). An enhanced likelihood of cross-reactivity is expected if, together with elimination of detrimental residues within a peptide, "preferred" residues associated with high affinity binding to an allele-specific HLA molecule or to multiple HLA molecules within a superfamily are inserted.

5 To ensure that an analog peptide, when used as a vaccine, actually elicits a CTL response to the native epitope *in vivo* (or, in the case of class II epitopes, elicits helper T cells that cross-react with the wild type peptides), the analog peptide may be used to immunize T cells *in vitro* from individuals of the appropriate HLA allele. Thereafter, the immunized cells' capacity to induce lysis of wild type peptide sensitized target cells is evaluated. It will be desirable to use as antigen presenting cells, cells that have  
10 been either infected, or transfected with the appropriate genes, or, in the case of class II epitopes only, cells that have been pulsed with whole protein antigens, to establish whether endogenously produced antigen is also recognized by the relevant T cells.

Another embodiment of the invention is to create analogs of weak binding peptides, to thereby ensure adequate numbers of cross-reactive cellular binders. Class I binding peptides exhibiting  
15 binding affinities of 500-5000 nM, and carrying an acceptable but suboptimal primary anchor residue at one or both positions can be "fixed" by substituting preferred anchor residues in accordance with the respective supertype. The analog peptides can then be tested for crossbinding activity.

Another embodiment for generating effective peptide analogs involves the substitution of residues that have an adverse impact on peptide stability or solubility in, *e.g.*, a liquid environment. This  
20 substitution may occur at any position of the peptide epitope. For example, a cysteine (C) can be substituted out in favor of  $\alpha$ -amino butyric acid. Due to its chemical nature, cysteine has the propensity to form disulfide bridges and sufficiently alter the peptide structurally so as to reduce binding capacity. Substituting  $\alpha$ -amino butyric acid for C not only alleviates this problem, but actually improves binding and crossbinding capability in certain instances (*see, e.g.*, the review by Sette *et al.*, In: Persistent Viral  
25 Infections, Eds. R. Ahmed and I. Chen, John Wiley & Sons, England, 1999). Substitution of cysteine with  $\alpha$ -amino butyric acid may occur at any residue of a peptide epitope, *i.e.* at either anchor or non-anchor positions.

### 30 III.G. Computer Screening of Protein Sequences from Disease-Related Antigens for Supermotif- or Motif-Bearing Peptides

In order to identify supermotif- or motif-bearing epitopes in a target antigen, a native protein sequence, *e.g.*, a tumor-associated antigen, or sequences from an infectious organism, or a donor tissue for transplantation, is screened using a means for computing, such as an intellectual calculation or a computer, to determine the presence of a supermotif or motif within the sequence. The information  
35 obtained from the analysis of native peptide can be used directly to evaluate the status of the native peptide or may be utilized subsequently to generate the peptide epitope.

Computer programs that allow the rapid screening of protein sequences for the occurrence of the subject supermotifs or motifs are encompassed by the present invention; as are programs that permit the generation of analog peptides. These programs are implemented to analyze any identified amino acid  
40 sequence or operate on an unknown sequence and simultaneously determine the sequence and identify

motif-bearing epitopes thereof; analogs can be simultaneously determined as well. Generally, the identified sequences will be from a pathogenic organism or a tumor-associated peptide. For example, the target molecules considered herein include, without limitation, the E1, E2, E4, E5a, E5b, E6, E7, L1 and L2 proteins of HPV.

In cases where the sequences of multiple variants of the same target protein are available, potential peptide epitopes can also be selected on the basis of their conservancy. For example, a criterion for conservancy may define that the entire sequence of an HLA class I binding peptide or the entire 9-mer core of a class II binding peptide, be conserved in a designated percentage, of the sequences evaluated for a specific protein antigen.

To target a broad population that may be infected with a number of different strains, it is preferable to include in vaccine compositions epitopes that are representative of HPV antigen sequences from different HPV strains. As appreciated by those in the art, regions with greater or lesser degrees of conservancy among HPV strains can be employed as appropriate for a given antigenic target.

It is important that the selection criteria utilized for prediction of peptide binding are as accurate as possible, to correlate most efficiently with actual binding. Prediction of peptides that bind, for example, to HLA-A\*0201, on the basis of the presence of the appropriate primary anchors, is positive at about a 30% rate (*see, e.g.,* Ruppert, J. *et al. Cell* 74:929, 1993). However, by extensively analyzing peptide-HLA binding data disclosed herein, data in related patent applications, and data in the art, the present inventors have developed a number of allele-specific polynomial algorithms that dramatically increase the predictive value over identification on the basis of the presence of primary anchor residues alone. These algorithms take into account not only the presence or absence of primary anchors, but also consider the positive or deleterious presence of secondary anchor residues (to account for the impact of different amino acids at different positions). The algorithms are essentially based on the premise that the overall affinity (or  $\Delta G$ ) of peptide-HLA interactions can be approximated as a linear polynomial function of the type:

$$\Delta G = a_{1i} \times a_{2i} \times a_{3i} \dots \times a_{ni}$$

where  $a_{ji}$  is a coefficient that represents the effect of the presence of a given amino acid ( $j$ ) at a given position ( $i$ ) along the sequence of a peptide of  $n$  amino acids. An important assumption of this method is that the effects at each position are essentially independent of each other. This assumption is justified by studies that demonstrated that peptides are bound to HLA molecules and recognized by T cells in essentially an extended conformation. Derivation of specific algorithm coefficients has been described, for example, in Gulukota, K. *et al., J. Mol. Biol.* 267:1258, 1997.

Additional methods to identify preferred peptide sequences, which also make use of specific motifs, include the use of neural networks and molecular modeling programs (*see, e.g.,* Milik *et al., Nature Biotechnology* 16:753, 1998; Altuvia *et al., Hum. Immunol.* 58:1, 1997; Altuvia *et al., J. Mol. Biol.* 249:244, 1995; Buus, S. *Curr. Opin. Immunol.* 11:209-213, 1999; Brusic, V. *et al., Bioinformatics* 14:121-130, 1998; Parker *et al., J. Immunol.* 152:163, 1993; Meister *et al., Vaccine* 13:581, 1995; Hammer *et al., J. Exp. Med.* 180:2353, 1994; Sturniolo *et al., Nature Biotechnol.* 17:555 1999).

For example, it has been shown that in sets of A\*0201 motif-bearing peptides containing at least one preferred secondary anchor residue while avoiding the presence of any deleterious secondary

anchor residues, 69% of the peptides will bind A\*0201 with an  $IC_{50}$  less than 500 nM (Ruppert, J. *et al. Cell* 74:929, 1993). These algorithms are also flexible in that cut-off scores may be adjusted to select sets of peptides with greater or lower predicted binding properties, as desired.

In utilizing computer screening to identify peptide epitopes, a protein sequence or translated sequence may be analyzed using software developed to search for motifs, for example the "FINDPATTERNS" program (Devereux, *et al. Nucl. Acids Res.* 12:387-395, 1984) or MotifSearch 1.4 software program (D. Brown, San Diego, CA) to identify potential peptide sequences containing appropriate HLA binding motifs. The identified peptides can be scored using customized polynomial algorithms to predict their capacity to bind specific HLA class I or class II alleles. As appreciated by one of ordinary skill in the art, a large array of computer programming software and hardware options are available in the relevant art which can be employed to implement the motifs of the invention in order to evaluate (e.g., without limitation, to identify epitopes, identify epitope concentration per peptide length, or to generate analogs) known or unknown peptide sequences.

In accordance with the procedures described above, HPV peptide epitopes that are able to bind HLA supertype groups or allele-specific HLA molecules have been identified (Tables VII-XX).

### III.H. Preparation of Peptide Epitopes

Peptides in accordance with the invention can be prepared synthetically, by recombinant DNA technology or chemical synthesis, or from natural sources such as native tumors or pathogenic organisms. Peptide epitopes may be synthesized individually or as polyepitopic peptides. Although the peptide will preferably be substantially free of other naturally occurring host cell proteins and fragments thereof, in some embodiments the peptides may be synthetically conjugated to native fragments or particles.

The peptides in accordance with the invention can be a variety of lengths, and either in their neutral (uncharged) forms or in forms which are salts. The peptides in accordance with the invention are either free of modifications such as glycosylation, side chain oxidation, or phosphorylation; or they contain these modifications, subject to the condition that modifications do not destroy the biological activity of the peptides as described herein.

When possible, it may be desirable to optimize HLA class I binding epitopes of the invention, such as can be used in a polyepitopic construct, to a length of about 8 to about 13 amino acid residues, often 8 to 11, preferably 9 to 10. HLA class II binding peptide epitopes of the invention may be optimized to a length of about 6 to about 30 amino acids in length, preferably to between about 13 and about 20 residues. Preferably, the peptide epitopes are commensurate in size with endogenously processed pathogen-derived peptides or tumor cell peptides that are bound to the relevant HLA molecules, however, the identification and preparation of peptides that comprise epitopes of the invention can also be carried out using the techniques described herein.

In alternative embodiments, epitopes of the invention can be linked as a polyepitopic peptide, or as a minigene that encodes a polyepitopic peptide.

In another embodiment, it is preferred to identify native peptide regions that contain a high concentration of class I and/or class II epitopes. Such a sequence is generally selected on the basis that it contains the greatest number of epitopes per amino acid length. It is to be appreciated that epitopes can

be present in a nested or overlapping manner, e.g. a 10 amino acid long peptide could contain two 9 amino acid long epitopes and one 10 amino acid long epitope; upon intracellular processing, each epitope can be exposed and bound by an HLA molecule upon administration of such a peptide. This larger, preferably multi-epitopic, peptide can be generated synthetically, recombinantly, or via cleavage from the native source.

The peptides of the invention can be prepared in a wide variety of ways. For the preferred relatively short size, the peptides can be synthesized in solution or on a solid support in accordance with conventional techniques. Various automatic synthesizers are commercially available and can be used in accordance with known protocols. (See, for example, Stewart & Young, SOLID PHASE PEPTIDE SYNTHESIS, 2D. ED., Pierce Chemical Co., 1984). Further, individual peptide epitopes can be joined using chemical ligation to produce larger peptides that are still within the bounds of the invention.

Alternatively, recombinant DNA technology can be employed wherein a nucleotide sequence which encodes an immunogenic peptide of interest is inserted into an expression vector, transformed or transfected into an appropriate host cell and cultivated under conditions suitable for expression. These procedures are generally known in the art, as described generally in Sambrook *et al.*, MOLECULAR CLONING, A LABORATORY MANUAL, Cold Spring Harbor Press, Cold Spring Harbor, New York (1989). Thus, recombinant polypeptides which comprise one or more peptide sequences of the invention can be used to present the appropriate T cell epitope.

The nucleotide coding sequence for peptide epitopes of the preferred lengths contemplated herein can be synthesized by chemical techniques, for example, the phosphotriester method of Matteucci, *et al.*, *J. Am. Chem. Soc.* 103:3185 (1981). Peptide analogs can be made simply by substituting the appropriate and desired nucleic acid base(s) for those that encode the native peptide sequence; exemplary nucleic acid substitutions are those that encode an amino acid defined by the motifs/super motifs herein. The coding sequence can then be provided with appropriate linkers and ligated into expression vectors commonly available in the art, and the vectors used to transform suitable hosts to produce the desired fusion protein. A number of such vectors and suitable host systems are now available. For expression of the fusion proteins, the coding sequence will be provided with operably linked start and stop codons, promoter and terminator regions and usually a replication system to provide an expression vector for expression in the desired cellular host. For example, promoter sequences compatible with bacterial hosts are provided in plasmids containing convenient restriction sites for insertion of the desired coding sequence. The resulting expression vectors are transformed into suitable bacterial hosts. Of course, yeast, insect or mammalian cell hosts may also be used, employing suitable vectors and control sequences.

### III.I. Assays to Detect T-Cell Responses

Once HLA binding peptides are identified, they can be tested for the ability to elicit a T-cell response. The preparation and evaluation of motif-bearing peptides are described in PCT publications WO 94/20127 and WO 94/03205. Briefly, peptides comprising epitopes from a particular antigen are synthesized and tested for their ability to bind to the appropriate HLA proteins. These assays may involve evaluating the binding of a peptide of the invention to purified HLA class I molecules in relation to the binding of a radioiodinated reference peptide. Alternatively, cells expressing empty class I molecules (*i.e.*

lacking peptide therein) may be evaluated for peptide binding by immunofluorescent staining and flow microfluorimetry. Other assays that may be used to evaluate peptide binding include peptide-dependent class I assembly assays and/or the inhibition of CTL recognition by peptide competition. Those peptides that bind to the class I molecule, typically with an affinity of 500 nM or less, are further evaluated for their ability to serve as targets for CTLs derived from infected or immunized individuals, as well as for their capacity to induce primary *in vitro* or *in vivo* CTL responses that can give rise to CTL populations capable of reacting with selected target cells associated with a disease.

Analogous assays are used for evaluation of HLA class II binding peptides. HLA class II motif-bearing peptides that are shown to bind, typically at an affinity of 1000 nM or less, are further evaluated for the ability to stimulate HTL responses.

Conventional assays utilized to detect T cell responses include proliferation assays, lymphokine secretion assays, direct cytotoxicity assays, and limiting dilution assays. For example, antigen-presenting cells that have been incubated with a peptide can be assayed for the ability to induce CTL responses in responder cell populations. Antigen-presenting cells can be normal cells such as peripheral blood mononuclear cells or dendritic cells. Alternatively, mutant non-human mammalian cell lines that are deficient in their ability to load class I molecules with internally processed peptides and that have been transfected with the appropriate human class I gene, may be used to test for the capacity of the peptide to induce *in vitro* primary CTL responses.

Peripheral blood mononuclear cells (PBMCs) may be used as the responder cell source of CTL precursors. The appropriate antigen-presenting cells are incubated with peptide, after which the peptide-loaded antigen-presenting cells are then incubated with the responder cell population under optimized culture conditions. Positive CTL activation can be determined by assaying the culture for the presence of CTLs that kill radio-labeled target cells, both specific peptide-pulsed targets as well as target cells expressing endogenously processed forms of the antigen from which the peptide sequence was derived.

Additionally, a method has been devised which allows direct quantification of antigen-specific T cells by staining with Fluorescein-labelled HLA tetrameric complexes (Altman, J. D. *et al.*, *Proc. Natl. Acad. Sci. USA* 90:10330, 1993; Altman, J. D. *et al.*, *Science* 274:94, 1996). Other relatively recent technical developments include staining for intracellular lymphokines, and interferon release assays or ELISPOT assays. Tetramer staining, intracellular lymphokine staining and ELISPOT assays all appear to be at least 10-fold more sensitive than more conventional assays (Lalvani, A. *et al.*, *J. Exp. Med.* 186:859, 1997; Dunbar, P. R. *et al.*, *Curr. Biol.* 8:413, 1998; Murali-Krishna, K. *et al.*, *Immunity* 8:177, 1998).

HTL activation may also be assessed using such techniques known to those in the art such as T cell proliferation and secretion of lymphokines, *e.g.* IL-2 (*see, e.g.* Alexander *et al.*, *Immunity* 1:751-761, 1994).

Alternatively, immunization of HLA transgenic mice can be used to determine immunogenicity of peptide epitopes. Several transgenic mouse models including mice with human A2.1, A11 (which can additionally be used to analyze HLA-A3 epitopes), and B7 alleles have been characterized and others (*e.g.*, transgenic mice for HLA-A1 and A24) are being developed. HLA-DR1 and HLA-DR3 mouse models have also been developed. Additional transgenic mouse models with other HLA alleles may

be generated as necessary. Mice may be immunized with peptides emulsified in Incomplete Freund's Adjuvant and the resulting T cells tested for their capacity to recognize peptide-pulsed target cells and target cells transfected with appropriate genes. CTL responses may be analyzed using cytotoxicity assays described above. Similarly, HTL responses may be analyzed using such assays as T cell proliferation or secretion of lymphokines.

### III.J. Use of Peptide Epitopes as Diagnostic Agents and for Evaluating Immune Responses

In one aspect of the invention, HLA class I and class II binding peptides as described herein can be used as reagents to evaluate an immune response. The immune response to be evaluated is induced by using as an immunogen any agent that may result in the production of antigen-specific CTLs or HTLs that recognize and bind to the peptide epitope(s) to be employed as the reagent. The peptide reagent need not be used as the immunogen. Assay systems that are used for such an analysis include relatively recent technical developments such as tetramers, staining for intracellular lymphokines and interferon release assays, or ELISPOT assays.

For example, a peptide of the invention is used in a tetramer staining assay to assess peripheral blood mononuclear cells for the presence of antigen-specific CTLs following exposure to a pathogen or immunogen. The HLA-tetrameric complex is used to directly visualize antigen-specific CTLs (see, e.g., Ogg *et al.*, *Science* 279:2103-2106, 1998; and Altman *et al.*, *Science* 174:94-96, 1996) and determine the frequency of the antigen-specific CTL population in a sample of peripheral blood mononuclear cells.

A tetramer reagent using a peptide of the invention is generated as follows: A peptide that binds to an HLA molecule is refolded in the presence of the corresponding HLA heavy chain and  $\beta_2$ -microglobulin to generate a trimolecular complex. The complex is biotinylated at the carboxyl terminal end of the heavy chain at a site that was previously engineered into the protein. Tetramer formation is then induced by the addition of streptavidin. By means of fluorescently labeled streptavidin, the tetramer can be used to stain antigen-specific cells. The cells can then be readily identified, for example, by flow cytometry. Such procedures are used for diagnostic or prognostic purposes. Cells identified by the procedure can also be used for therapeutic purposes.

Peptides of the invention are also used as reagents to evaluate immune recall responses. (see, e.g., Berton *et al.*, *J. Clin. Invest.* 100:503-513, 1997 and Penna *et al.*, *J. Exp. Med.* 174:1565-1570, 1991.) For example, patient PBMC samples from individuals infected with HPV are analyzed for the presence of antigen-specific CTLs or HTLs using specific peptides. A blood sample containing mononuclear cells may be evaluated by cultivating the PBMCs and stimulating the cells with a peptide of the invention. After an appropriate cultivation period, the expanded cell population may be analyzed, for example, for CTL or for HTL activity.

The peptides are also used as reagents to evaluate the efficacy of a vaccine. PBMCs obtained from a patient vaccinated with an immunogen are analyzed using, for example, either of the methods described above. The patient is HLA typed, and peptide epitope reagents that recognize the allele-specific molecules present in that patient are selected for the analysis. The immunogenicity of the vaccine is indicated by the presence of HPV epitope-specific CTLs and/or HTLs in the PBMC sample.

The peptides of the invention are also be used to make antibodies, using techniques well known in the art (see, e.g. *CURRENT PROTOCOLS IN IMMUNOLOGY*, Wiley/Greene, NY; and *Antibodies A Laboratory Manual* Harlow, Harlow and Lane, Cold Spring Harbor Laboratory Press, 1989), which may be useful as reagents to diagnose HPV infection. Such antibodies include those that recognize a peptide in the context of an HLA molecule, i.e., antibodies that bind to a peptide-MHC complex.

### III.K. Vaccine Compositions

Vaccines and methods of preparing vaccines that contain an immunogenically effective amount of one or more peptides as described herein are further embodiments of the invention. Once appropriately immunogenic epitopes have been defined, they can be sorted and delivered by various means, herein referred to as "vaccine" compositions. Such vaccine compositions can include, for example, lipopeptides (e.g., Vitiello, A. *et al.*, *J. Clin. Invest.* 95:341, 1995), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, *et al.*, *Molec. Immunol.* 28:287-294, 1991; Alonso *et al.*, *Vaccine* 12:299-306, 1994; Jones *et al.*, *Vaccine* 13:675-681, 1995), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi *et al.*, *Nature* 344:873-875, 1990; Hu *et al.*, *Clin Exp Immunol.* 113:235-243, 1998), multiple antigen peptide systems (MAPs) (see e.g., Tam, J. P., *Proc. Natl. Acad. Sci. U.S.A.* 85:5409-5413, 1988; Tam, J.P., *J. Immunol. Methods* 196:17-32, 1996), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, M. E. *et al.*, In: *Concepts in vaccine development*, Kaufmann, S. H. E., ed., p. 379, 1996; Chakrabarti, S. *et al.*, *Nature* 320:535, 1986; Hu, S. L. *et al.*, *Nature* 320:537, 1986; Kieny, M.-P. *et al.*, *AIDS Bio/Technology* 4:790, 1986; Top, F. H. *et al.*, *J. Infect. Dis.* 124:148, 1971; Chanda, P. K. *et al.*, *Virology* 175:535, 1990), particles of viral or synthetic origin (e.g., Kofler, N. *et al.*, *J. Immunol. Methods.* 192:25, 1996; Eldridge, J. H. *et al.*, *Sem. Hematol.* 30:16, 1993; Falo, L. D., Jr. *et al.*, *Nature Med.* 7:649, 1995), adjuvants (Warren, H. S., Vogel, F. R., and Chedid, L. A. *Annu. Rev. Immunol.* 4:369, 1986; Gupta, R. K. *et al.*, *Vaccine* 11:293, 1993), liposomes (Reddy, R. *et al.*, *J. Immunol.* 148:1585, 1992; Rock, K. L., *Immunol. Today* 17:131, 1996), or, naked or particle absorbed cDNA (Ulmer, J. B. *et al.*, *Science* 259:1745, 1993; Robinson, H. L., Hunt, L. A., and Webster, R. G., *Vaccine* 11:957, 1993; Shiver, J. W. *et al.*, In: *Concepts in vaccine development*, Kaufmann, S. H. E., ed., p. 423, 1996; Cease, K. B., and Berzofsky, J. A., *Annu. Rev. Immunol.* 12:923, 1994 and Eldridge, J. H. *et al.*, *Sem. Hematol.* 30:16, 1993). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions of the invention include nucleic acid-mediated modalities. DNA or RNA encoding one or more of the peptides of the invention can also be administered to a patient. This approach is described, for instance, in Wolff *et al.*, *Science* 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivacaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, for example, as a vector to express nucleotide sequences that encode the peptides of the invention. Upon introduction into an acutely or chronically infected host or into a non-infected host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits a host CTL and/or HTL response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover *et al.*, *Nature* 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization of the peptides of the invention, e.g. adeno and adeno-associated virus vectors, retroviral vectors, *Salmonella typhi* vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein.

Furthermore, vaccines in accordance with the invention encompass compositions of one or more of the claimed peptides. A peptide can be present in a vaccine individually. Alternatively, the peptide can exist as a homopolymer comprising multiple copies of the same peptide, or as a heteropolymer of various peptides. Polymers have the advantage of increased immunological reaction and, where different peptide epitopes are used to make up the polymer, the additional ability to induce antibodies and/or CTLs that react with different antigenic determinants of the pathogenic organism or tumor-related peptide targeted for an immune response. The composition can be a naturally occurring region of an antigen or can be prepared, e.g., recombinantly or by chemical synthesis.

Carriers that can be used with vaccines of the invention are well known in the art, and include, e.g., thyroglobulin, albumins such as human serum albumin, tetanus toxoid, polyamino acids such as poly L-lysine, poly L-glutamic acid, influenza, hepatitis B virus core protein, and the like. The vaccines can contain a physiologically tolerable (*i.e.*, acceptable) diluent such as water, or saline, preferably phosphate buffered saline. The vaccines also typically include an adjuvant. Adjuvants such as incomplete Freund's adjuvant, aluminum phosphate, aluminum hydroxide, or alum are examples of materials well known in the art. Additionally, as disclosed herein, CTL responses can be primed by conjugating peptides of the invention to lipids, such as tripalmitoyl-S-glycerylcysteinylserine (P<sub>3</sub>CSS).

Upon immunization with a peptide composition in accordance with the invention, via injection, aerosol, oral, transdermal, transmucosal, intrapleural, intrathecal, or other suitable routes, the immune system of the host responds to the vaccine by producing large amounts of CTLs and/or HTLs specific for the desired antigen. Consequently, the host becomes at least partially immune to later infection, or at least partially resistant to developing an ongoing chronic infection, or derives at least some therapeutic benefit when the antigen was tumor-associated.

In some embodiments, it may be desirable to combine the class I peptide components with components that induce or facilitate neutralizing antibody and/or helper T cell responses to the target antigen of interest. A preferred embodiment of such a composition comprises class I and class II epitopes in accordance with the invention. An alternative embodiment of such a composition comprises a class I and/or class II epitope in accordance with the invention, along with a cross reactive HTL epitope such as PADRE™ (Epimmune, San Diego, CA) molecule (described e.g., in U.S. Patent Number 5,736,142).

A vaccine of the invention can also include antigen-presenting cells (APC), such as dendritic cells (DC), as a vehicle to present peptides of the invention. Vaccine compositions can be created *in vitro*, following dendritic cell mobilization and harvesting, whereby loading of dendritic cells occurs *in vitro*. For example, dendritic cells are transfected, *e.g.*, with a minigene in accordance with the invention,  
5 or are pulsed with peptides. The dendritic cell can then be administered to a patient to elicit immune responses *in vivo*.

Vaccine compositions, either DNA- or peptide-based, can also be administered *in vivo* in combination with dendritic cell mobilization whereby loading of dendritic cells occurs *in vivo*.

Antigenic peptides are used to elicit a CTL and/or HTL response *ex vivo*, as well. The  
10 resulting CTL or HTL cells, can be used to treat chronic infections, or tumors in patients that do not respond to other conventional forms of therapy, or will not respond to a therapeutic vaccine peptide or nucleic acid in accordance with the invention. *Ex vivo* CTL or HTL responses to a particular antigen (infectious or tumor-associated antigen) are induced by incubating in tissue culture the patient's, or genetically compatible, CTL or HTL precursor cells together with a source of antigen-presenting cells  
15 (APC), such as dendritic cells, and the appropriate immunogenic peptide. After an appropriate incubation time (typically about 7-28 days), in which the precursor cells are activated and expanded into effector cells, the cells are infused back into the patient, where they will destroy (CTL) or facilitate destruction (HTL) of their specific target cell (an infected cell or a tumor cell). Transfected dendritic cells may also be used as antigen presenting cells.

The vaccine compositions of the invention may also be used in combination with other  
20 procedures to remove warts or treat HPV infections. Such procedures include cryosurgery, application of caustic agents, electrodesiccation, surgical excision and laser ablation (Fauci et al. HARRISON'S PRINCIPLES OF INTERNAL MEDICINE, 14th ED., McGraw-Hill Co., Inc, 1998), as well as treatment with antiviral drugs such as interferon- $\alpha$  (see, *e.g.*, Stellato, G., et al., Clin. Diagn. Virol. 7(3):167-72  
25 (1997)) or interferon-inducing drugs such as imiquimod. Topical antimetabolites such as 5-fluorouracil may also be applied.

In patients with HPV-associated cancer, the vaccine compositions of the invention can also be used in conjunction with other treatments used for cancer, *e.g.*, surgery, chemotherapy, drug therapies, radiation therapies, *etc.* including use in combination with immune adjuvants such as IL-2, IL-12,  
30 GM-CSF, and the like.

Preferably, the following principles are utilized when selecting an array of epitopes for inclusion in a polyepitopic composition for use in a vaccine, or for selecting discrete epitopes to be included in a vaccine and/or to be encoded by nucleic acids such as a minigene. It is preferred that each of the following principles are balanced in order to make the selection. The multiple epitopes to be incorporated  
35 in a given vaccine composition may be, but need not be, contiguous in sequence in the native antigen from which the epitopes are derived.

1.) Epitopes are selected which, upon administration, mimic immune responses that have been observed to be correlated with clearance of HPV infection or tumor clearance. For HLA Class I this includes 3-4 epitopes that come from at least one TAA. For HLA Class II a similar rationale is  
40 employed; again 3-4 epitopes are selected from at least one TAA (*see, e.g.*, Rosenberg *et al.*, *Science*

278:1447-1450). Epitopes from one TAA may be used in combination with epitopes from one or more additional TAAs to produce a vaccine that targets tumors with varying expression patterns of frequently-expressed TAAs as described, *e.g.*, in Example 15.

2.) Epitopes are selected that have the requisite binding affinity established to be  
5 correlated with immunogenicity: for HLA Class I an  $IC_{50}$  of 500 nM or less, often 200 nM or less; and for Class II an  $IC_{50}$  of 1000 nM or less.

3.) Sufficient supermotif bearing-peptides, or a sufficient array of allele-specific motif-bearing peptides, are selected to give broad population coverage. For example, it is preferable to have at least 80% population coverage. A Monte Carlo analysis, a statistical evaluation known in the art,  
10 can be employed to assess the breadth, or redundancy of, population coverage.

4.) When selecting epitopes from cancer-related antigens it is often useful to select analogs because the patient may have developed tolerance to the native epitope. When selecting epitopes for infectious disease-related antigens it is preferable to select either native or analoged epitopes.

5.) Of particular relevance are epitopes referred to as "nested epitopes." Nested  
15 epitopes occur where at least two epitopes overlap in a given peptide sequence. A nested peptide sequence can comprise both HLA class I and HLA class II epitopes. When providing nested epitopes, a general objective is to provide the greatest number of epitopes per sequence. Thus, an aspect is to avoid providing a peptide that is any longer than the amino terminus of the amino terminal epitope and the carboxyl terminus of the carboxyl terminal epitope in the peptide. When providing a multi-epitopic sequence, such  
20 as a sequence comprising nested epitopes, it is generally important to screen the sequence in order to insure that it does not have pathological or other deleterious biological properties.

6.) If a polyepitopic protein is created, or when creating a minigene, an objective is to generate the smallest peptide that encompasses the epitopes of interest. This principle is similar, if not the same as that employed when selecting a peptide comprising nested epitopes. However, with an artificial  
25 polyepitopic peptide, the size minimization objective is balanced against the need to integrate any spacer sequences between epitopes in the polyepitopic protein. Spacer amino acid residues can, for example, be introduced to avoid junctional epitopes (an epitope recognized by the immune system, not present in the target antigen, and only created by the man-made juxtaposition of epitopes), or to facilitate cleavage between epitopes and thereby enhance epitope presentation. Junctional epitopes are generally to be avoided  
30 because the recipient may generate an immune response to that non-native epitope. Of particular concern is a junctional epitope that is a "dominant epitope." A dominant epitope may lead to such a zealous response that immune responses to other epitopes are diminished or suppressed.

7.) In cases where the sequences of multiple variants of the same target protein are available, potential peptide epitopes can also be selected on the basis of their conservancy. For example, a  
35 criterion for conservancy may define that the entire sequence of an HLA class I binding peptide or the entire 9-mer core of a class II binding peptide be conserved in a designated percentage of the sequences evaluated for a specific protein antigen.

8.) When selecting an array of epitopes of an infectious agent, it is preferred that at least some of the epitopes are derived from early and late proteins. The early proteins of HPV are  
40 expressed when the virus is replicating, either following acute or dormant infection. Therefore, it is

particularly preferred to use epitopes from early stage proteins to alleviate disease manifestations at the earliest stage possible.

### III.K.1. Minigene Vaccines

5 A number of different approaches are available which allow simultaneous delivery of multiple epitopes. Nucleic acids encoding the peptides of the invention are a particularly useful embodiment of the invention. Epitopes for inclusion in a minigene are preferably selected according to the guidelines set forth in the previous section. A preferred means of administering nucleic acids encoding the peptides of the invention uses minigene constructs encoding a peptide comprising one or multiple epitopes  
10 of the invention.

The use of multi-epitope minigenes is described below and in, e.g., co-pending application U.S.S.N. 09/311,784; Ishioka *et al.*, *J. Immunol.* 162:3915-3925, 1999; An, L. and Whitton, J. L., *J. Virol.* 71:2292, 1997; Thomson, S. A. *et al.*, *J. Immunol.* 157:822, 1996; Whitton, J. L. *et al.*, *J. Virol.* 67:348, 1993; Hanke, R. *et al.*, *Vaccine* 16:426, 1998. For example, a multi-epitope DNA plasmid  
15 encoding supermotif- and/or motif-bearing epitopes derived from multiple regions of one or more HPV antigens, the PADRE universal helper T cell epitope (or multiple HTL epitopes from HPV antigens), and an endoplasmic reticulum-translocating signal sequence can be engineered. A vaccine may also comprise epitopes that are derived from other TAAs.

The immunogenicity of a multi-epitopic minigene can be tested in transgenic mice to  
20 evaluate the magnitude of CTL induction responses against the epitopes tested. Further, the immunogenicity of DNA-encoded epitopes *in vivo* can be correlated with the *in vitro* responses of specific CTL lines against target cells transfected with the DNA plasmid. Thus, these experiments can show that the minigene serves to both: 1.) generate a CTL response and 2.) that the induced CTLs recognized cells expressing the encoded epitopes.

25 For example, to create a DNA sequence encoding the selected epitopes (minigene) for expression in human cells, the amino acid sequences of the epitopes may be reverse translated. A human codon usage table can be used to guide the codon choice for each amino acid. These epitope-encoding DNA sequences may be directly adjoined, so that when translated, a continuous polypeptide sequence is created. To optimize expression and/or immunogenicity, additional elements can be incorporated into the  
30 minigene design. Examples of amino acid sequences that can be reverse translated and included in the minigene sequence include: HLA class I epitopes, HLA class II epitopes, a ubiquitination signal sequence, and/or an endoplasmic reticulum targeting signal. In addition, HLA presentation of CTL and HTL epitopes may be improved by including synthetic (e.g. poly-alanine) or naturally-occurring flanking sequences adjacent to the CTL or HTL epitopes; these larger peptides comprising the epitope(s) are within the scope  
35 of the invention.

The minigene sequence may be converted to DNA by assembling oligonucleotides that encode the plus and minus strands of the minigene. Overlapping oligonucleotides (30-100 bases long) may be synthesized, phosphorylated, purified and annealed under appropriate conditions using well known techniques. The ends of the oligonucleotides can be joined, for example, using T4 DNA ligase. This  
40 synthetic minigene, encoding the epitope polypeptide, can then be cloned into a desired expression vector.

Standard regulatory sequences well known to those of skill in the art are preferably included in the vector to ensure expression in the target cells. Several vector elements are desirable: a promoter with a down-stream cloning site for minigene insertion; a polyadenylation signal for efficient transcription termination; an *E. coli* origin of replication; and an *E. coli* selectable marker (e.g. ampicillin or kanamycin resistance). Numerous promoters can be used for this purpose, e.g., the human cytomegalovirus (hCMV) promoter. See, e.g., U.S. Patent Nos. 5,580,859 and 5,589,466 for other suitable promoter sequences.

Additional vector modifications may be desired to optimize minigene expression and immunogenicity. In some cases, introns are required for efficient gene expression, and one or more synthetic or naturally-occurring introns could be incorporated into the transcribed region of the minigene. The inclusion of mRNA stabilization sequences and sequences for replication in mammalian cells may also be considered for increasing minigene expression.

Once an expression vector is selected, the minigene is cloned into the polylinker region downstream of the promoter. This plasmid is transformed into an appropriate *E. coli* strain, and DNA is prepared using standard techniques. The orientation and DNA sequence of the minigene, as well as all other elements included in the vector, are confirmed using restriction mapping and DNA sequence analysis. Bacterial cells harboring the correct plasmid can be stored as a master cell bank and a working cell bank.

In addition, immunostimulatory sequences (ISSs or CpGs) appear to play a role in the immunogenicity of DNA vaccines. These sequences may be included in the vector, outside the minigene coding sequence, if desired to enhance immunogenicity.

In some embodiments, a bi-cistronic expression vector which allows production of both the minigene-encoded epitopes and a second protein (included to enhance or decrease immunogenicity) can be used. Examples of proteins or polypeptides that could beneficially enhance the immune response if co-expressed include cytokines (e.g., IL-2, IL-12, GM-CSF), cytokine-inducing molecules (e.g., LeIF), costimulatory molecules, or for HTL responses, pan-DR binding proteins (PADRE™, Epimmune, San Diego, CA). Helper (HTL) epitopes can be joined to intracellular targeting signals and expressed separately from expressed CTL epitopes; this allows direction of the HTL epitopes to a cell compartment different than that of the CTL epitopes. If required, this could facilitate more efficient entry of HTL epitopes into the HLA class II pathway, thereby improving HTL induction. In contrast to HTL or CTL induction, specifically decreasing the immune response by co-expression of immunosuppressive molecules (e.g. TGF-β) may be beneficial in certain diseases.

Therapeutic quantities of plasmid DNA can be produced for example, by fermentation in *E. coli*, followed by purification. Aliquots from the working cell bank are used to inoculate growth medium, and grown to saturation in shaker flasks or a bioreactor according to well known techniques. Plasmid DNA can be purified using standard bioseparation technologies such as solid phase anion-exchange resins supplied by QIAGEN, Inc. (Valencia, California). If required, supercoiled DNA can be isolated from the open circular and linear forms using gel electrophoresis or other methods.

Purified plasmid DNA can be prepared for injection using a variety of formulations. The simplest of these is reconstitution of lyophilized DNA in sterile phosphate-buffer saline (PBS). This approach, known as "naked DNA," is currently being used for intramuscular (IM) administration in clinical

5 trials. To maximize the immunotherapeutic effects of minigene DNA vaccines, an alternative method for formulating purified plasmid DNA may be desirable. A variety of methods have been described, and new techniques may become available. Cationic lipids, glycolipids, and fusogenic liposomes can also be used in the formulation (see, e.g., as described by WO 93/24640; Mannino & Gould-Fogerite, *BioTechniques* 6(7): 682 (1988); U.S. Pat No. 5,279,833; WO 91/06309; and Felgner, *et al.*, *Proc. Nat'l Acad. Sci. USA* 84:7413 (1987). In addition, peptides and compounds referred to collectively as protective, interactive, non-condensing compounds (PINC) could also be complexed to purified plasmid DNA to influence variables such as stability, intramuscular dispersion, or trafficking to specific organs or cell types.

10 Target cell sensitization can be used as a functional assay for expression and HLA class I presentation of minigene-encoded CTL epitopes. For example, the plasmid DNA is introduced into a mammalian cell line that is suitable as a target for standard CTL chromium release assays. The transfection method used will be dependent on the final formulation. Electroporation can be used for "naked" DNA, whereas cationic lipids allow direct *in vitro* transfection. A plasmid expressing green fluorescent protein (GFP) can be co-transfected to allow enrichment of transfected cells using fluorescence activated cell sorting (FACS). These cells are then chromium-51 ( $^{51}\text{Cr}$ ) labeled and used as target cells for epitope-specific CTL lines; cytolysis, detected by  $^{51}\text{Cr}$  release, indicates both production of, and HLA presentation of, minigene-encoded CTL epitopes. Expression of HTL epitopes may be evaluated in an analogous manner using assays to assess HTL activity.

20 *In vivo* immunogenicity is a second approach for functional testing of minigene DNA formulations. Transgenic mice expressing appropriate human HLA proteins are immunized with the DNA product. The dose and route of administration are formulation dependent (e.g., IM for DNA in PBS, intraperitoneal (i.p.) for lipid-complexed DNA). Twenty-one days after immunization, splenocytes are harvested and restimulated for one week in the presence of peptides encoding each epitope being tested. Thereafter, for CTL effector cells, assays are conducted for cytolysis of peptide-loaded,  $^{51}\text{Cr}$ -labeled target cells using standard techniques. Lysis of target cells that were sensitized by HLA loaded with peptide epitopes, corresponding to minigene-encoded epitopes, demonstrates DNA vaccine function for *in vivo* induction of CTLs. Immunogenicity of HTL epitopes is evaluated in transgenic mice in an analogous manner.

30 Alternatively, the nucleic acids can be administered using ballistic delivery as described, for instance, in U.S. Patent No. 5,204,253. Using this technique, particles comprised solely of DNA are administered. In a further alternative embodiment, DNA can be adhered to particles, such as gold particles.

Minigenes can also be delivered using other bacterial or viral delivery systems well known in the art, e.g., an expression construct encoding epitopes of the invention can be incorporated into a viral vector such as vaccinia.

35

### III.K.2. Combinations of CTL Peptides with Helper Peptides

Vaccine compositions comprising CTL peptides of the invention can be modified to provide desired attributes, such as improved serum half life, broadened population coverage or enhanced immunogenicity.

For instance, the ability of a peptide to induce CTL activity can be enhanced by linking the peptide to a sequence which contains at least one epitope that is capable of inducing a T helper cell response. The use of T helper epitopes in conjunction with CTL epitopes to enhance immunogenicity is illustrated, for example, in the co-pending applications U.S.S.N. 08/820,360, U.S.S.N. 08/197,484, and U.S.S.N. 08/464,234.

Although a CTL peptide can be directly linked to a T helper peptide, often CTL epitope/HTL epitope conjugates are linked by a spacer molecule. The spacer is typically comprised of relatively small, neutral molecules, such as amino acids or amino acid mimetics, which are substantially uncharged under physiological conditions. The spacers are typically selected from, e.g., Ala, Gly, or other neutral spacers of nonpolar amino acids or neutral polar amino acids. It will be understood that the optionally present spacer need not be comprised of the same residues and thus may be a hetero- or homo-oligomer. When present, the spacer will usually be at least one or two residues, more usually three to six residues and sometimes 10 or more residues. The CTL peptide epitope can be linked to the T helper peptide epitope either directly or via a spacer either at the amino or carboxy terminus of the CTL peptide. The amino terminus of either the immunogenic peptide or the T helper peptide may be acylated.

In certain embodiments, the T helper peptide is one that is recognized by T helper cells present in the majority of the population. This can be accomplished by selecting peptides that bind to many, most, or all of the HLA class II molecules. These are known as "loosely HLA-restricted" or "promiscuous" T helper sequences. Examples of amino acid sequences that are promiscuous include sequences from antigens such as tetanus toxoid at positions 830-843 (QYIKANSKFIGITE; SEQ ID NO: 51484), *Plasmodium falciparum* circumsporozoite (CS) protein at positions 378-398 (DIEKKIAKMEKASSVFNVNS; SEQ ID NO: 51485), and *Streptococcus* 18kD protein at positions 116 (GAVDSILGGVATYGAA; SEQ ID NO: 51486). Other examples include peptides bearing a DR 1-4-7 supermotif, or either of the DR3 motifs.

Alternatively, it is possible to prepare synthetic peptides capable of stimulating T helper lymphocytes, in a loosely HLA-restricted fashion, using amino acid sequences not found in nature (see, e.g., PCT publication WO 95/07707). These synthetic compounds called Pan-DR-binding epitopes (e.g., PADRE™, Epimmune, Inc., San Diego, CA) are designed to most preferably bind most HLA-DR (human HLA class II) molecules. For instance, a pan-DR-binding epitope peptide having the formula: aKXVAAWTLKAAa, where "X" is either cyclohexylalanine, phenylalanine, or tyrosine, and a is either D-alanine or L-alanine, has been found to bind to most HLA-DR alleles, and to stimulate the response of T helper lymphocytes from most individuals, regardless of their HLA type. An alternative of a pan-DR binding epitope comprises all "L" natural amino acids and can be provided in the form of nucleic acids that encode the epitope.

HTL peptide epitopes can also be modified to alter their biological properties. For example, they can be modified to include D-amino acids to increase their resistance to proteases and thus extend their serum half life, or they can be conjugated to other molecules such as lipids, proteins, carbohydrates, and the like to increase their biological activity. For example, a T helper peptide can be conjugated to one or more palmitic acid chains at either the amino or carboxyl termini.

### III.K.3. Combinations of CTL Peptides with T Cell Priming Agents

In some embodiments it may be desirable to include in the pharmaceutical compositions of the invention at least one component which primes cytotoxic T lymphocytes. Lipids have been identified as agents capable of priming CTL *in vivo* against viral antigens. For example, palmitic acid residues can be attached to the  $\epsilon$ - and  $\alpha$ - amino groups of a lysine residue and then linked, *e.g.*, via one or more linking residues such as Gly, Gly-Gly-, Ser, Ser-Ser, or the like, to an immunogenic peptide. The lipidated peptide can then be administered either directly in a micelle or particle, incorporated into a liposome, or emulsified in an adjuvant, *e.g.*, incomplete Freund's adjuvant. In a preferred embodiment, a particularly effective immunogenic composition comprises palmitic acid attached to  $\epsilon$ - and  $\alpha$ - amino groups of Lys, which is attached via linkage, *e.g.*, Ser-Ser, to the amino terminus of the immunogenic peptide.

As another example of lipid priming of CTL responses, *E. coli* lipoproteins, such as tripalmitoyl-S-glycerylcysteinylserine (P<sub>3</sub>CSS) can be used to prime virus specific CTL when covalently attached to an appropriate peptide (*see, e.g., Deres, et al., Nature* 342:561, 1989). Peptides of the invention can be coupled to P<sub>3</sub>CSS, for example, and the lipopeptide administered to an individual to specifically prime a CTL response to the target antigen. Moreover, because the induction of neutralizing antibodies can also be primed with P<sub>3</sub>CSS-conjugated epitopes, two such compositions can be combined to more effectively elicit both humoral and cell-mediated responses.

CTL and/or HTL peptides can also be modified by the addition of amino acids to the termini of a peptide to provide for ease of linking peptides one to another, for coupling to a carrier support or larger peptide, for modifying the physical or chemical properties of the peptide or oligopeptide, or the like. Amino acids such as tyrosine, cysteine, lysine, glutamic or aspartic acid, or the like, can be introduced at the C- or N-terminus of the peptide or oligopeptide, particularly class I peptides. However, it is to be noted that modification at the carboxyl terminus of a CTL epitope may, in some cases, alter binding characteristics of the peptide. In addition, the peptide or oligopeptide sequences can differ from the natural sequence by being modified by terminal-NH<sub>2</sub> acylation, *e.g.*, by alkanoyl (C1-C20) or thioglycolyl acetylation, terminal-carboxyl amidation, *e.g.*, ammonia, methylamine, *etc.* In some instances these modifications may provide sites for linking to a support or other molecule.

### IV.J.4. Vaccine Compositions Comprising DC Pulsed with CTL and/or HTL Peptides

An embodiment of a vaccine composition in accordance with the invention comprises *ex vivo* administration of a cocktail of epitope-bearing peptides to PBMC, or isolated DC therefrom, from the patient's blood. A pharmaceutical to facilitate harvesting of DC can be used, such as Progenipoietin (Monsanto, St. Louis, MO) or GM-CSF/IL-4. After pulsing the DC with peptides and prior to reinfusion into patients, the DC are washed to remove unbound peptides. In this embodiment, a vaccine comprises peptide-pulsed DCs which present the pulsed peptide epitopes complexed with HLA molecules on their surfaces.

The DC can be pulsed *ex vivo* with a cocktail of peptides, some of which stimulate CTL responses to one or more HPV antigens of interest. Optionally, a helper T cell (HTL) peptide such as a PADRE family molecule, can be included to facilitate the CTL response. Thus, a vaccine in accordance

with the invention, preferably comprising epitopes from multiple HPV antigens, is used to treat HPV infection or cancer resulting from HPV infection.

### III.L. Administration of Vaccines for Therapeutic or Prophylactic Purposes

5 The peptides of the present invention and pharmaceutical and vaccine compositions of the invention are typically used to treat and/or prevent cancer associated with HPV infection. Vaccine compositions containing the peptides of the invention are administered to a patient infected with HPV or to an individual susceptible to, or otherwise at risk for, HPV infection to elicit an immune response against HPV antigens and thus enhance the patient's own immune response capabilities.

10 As noted above, peptides comprising CTL and/or HTL epitopes of the invention induce immune responses when presented by HLA molecules and contacted with a CTL or HTL specific for an epitope comprised by the peptide. The peptides (or DNA encoding them) can be administered individually or as fusions of one or more peptide sequences. The manner in which the peptide is contacted with the CTL or HTL is not critical to the invention. For instance, the peptide can be contacted with the CTL or HTL  
15 either *in vivo* or *in vitro*. If the contacting occurs *in vivo*, the peptide itself can be administered to the patient, or other vehicles, *e.g.*, DNA vectors encoding one or more peptides, viral vectors encoding the peptide(s), liposomes and the like, can be used, as described herein.

When the peptide is contacted *in vitro*, the vaccinating agent can comprise a population of cells, *e.g.*, peptide-pulsed dendritic cells, or HPV-specific CTLs, which have been induced by pulsing  
20 antigen-presenting cells *in vitro* with the peptide or by transfecting antigen-presenting cells with a minigene of the invention. Such a cell population is subsequently administered to a patient in a therapeutically effective dose.

In therapeutic applications, peptide and/or nucleic acid compositions are administered to a patient in an amount sufficient to elicit an effective CTL and/or HTL response to the virus antigen and to  
25 cure or at least partially arrest or slow symptoms and/or complications. An amount adequate to accomplish this is defined as "therapeutically effective dose." Amounts effective for this use will depend on, *e.g.*, the particular composition administered, the manner of administration, the stage and severity of the disease being treated, the weight and general state of health of the patient, and the judgment of the prescribing physician.

30 For pharmaceutical compositions, the immunogenic peptides of the invention, or DNA encoding them, are generally administered to an individual already infected with HPV. The peptides or DNA encoding them can be administered individually or as fusions of one or more peptide sequences. HPV-infected patients, with or without neoplasia, can be treated with the immunogenic peptides separately or in conjunction with other treatments, such as surgery, as appropriate.

35 For therapeutic use, administration should generally begin at the first diagnosis of HPV infection or HPV-associated cancer. This is followed by boosting doses until at least symptoms are substantially abated and for a period thereafter. The embodiment of the vaccine composition (*i.e.*, including, but not limited to embodiments such as peptide cocktails, polyepitopic polypeptides, minigenes, or TAA-specific CTLs or pulsed dendritic cells) delivered to the patient may vary according to the stage of  
40 the disease or the patient's health status. For example, in a patient with a tumor that expresses HPV

antigens, a vaccine comprising HPV-specific CTL may be more efficacious in killing tumor cells in patient with advanced disease than alternative embodiments.

Where susceptible individuals are identified prior to or during infection, the composition can be targeted to them, thus minimizing the need for administration to a larger population. Susceptible populations include those individuals who are sexually active.

The peptide or other compositions used for the treatment or prophylaxis of HPV infection can be used, *e.g.*, in persons who have not manifested symptoms, *e.g.*, genital warts or neoplastic growth. In this context, it is generally important to provide an amount of the peptide epitope delivered by a mode of administration sufficient to effectively stimulate a cytotoxic T cell response; compositions which stimulate helper T cell responses can also be given in accordance with this embodiment of the invention.

The dosage for an initial therapeutic immunization generally occurs in a unit dosage range where the lower value is about 1, 5, 50, 500, or 1,000  $\mu\text{g}$  and the higher value is about 10,000; 20,000; 30,000; or 50,000  $\mu\text{g}$ . Dosage values for a human typically range from about 500  $\mu\text{g}$  to about 50,000  $\mu\text{g}$  per 70 kilogram patient. Boosting dosages of between about 1.0  $\mu\text{g}$  to about 50,000  $\mu\text{g}$  of peptide pursuant to a boosting regimen over weeks to months may be administered depending upon the patient's response and condition as determined by measuring the specific activity of CTL and HTL obtained from the patient's blood. Administration should continue until at least clinical symptoms or laboratory tests indicate that the viral infection, or neoplasia, has been eliminated or reduced and for a period thereafter. The dosages, routes of administration, and dose schedules are adjusted in accordance with methodologies known in the art.

In certain embodiments, the peptides and compositions of the present invention are employed in serious disease states, that is, life-threatening or potentially life threatening situations. In such cases, as a result of the minimal amounts of extraneous substances and the relative nontoxic nature of the peptides in preferred compositions of the invention, it is possible and may be felt desirable by the treating physician to administer substantial excesses of these peptide compositions relative to these stated dosage amounts.

The vaccine compositions of the invention can also be used purely as prophylactic agents. Generally the dosage for an initial prophylactic immunization generally occurs in a unit dosage range where the lower value is about 1, 5, 50, 500, or 1000  $\mu\text{g}$  and the higher value is about 10,000; 20,000; 30,000; or 50,000  $\mu\text{g}$ . Dosage values for a human typically range from about 500  $\mu\text{g}$  to about 50,000  $\mu\text{g}$  per 70 kilogram patient. This is followed by boosting dosages of between about 1.0  $\mu\text{g}$  to about 50,000  $\mu\text{g}$  of peptide administered at defined intervals from about four weeks to six months after the initial administration of vaccine. The immunogenicity of the vaccine can be assessed by measuring the specific activity of CTL and HTL obtained from a sample of the patient's blood.

The pharmaceutical compositions for therapeutic treatment are intended for parenteral, topical, oral, intrathecal, or local (*e.g.* as a cream or topical ointment) administration. Preferably, the pharmaceutical compositions are administered parentally, *e.g.*, intravenously, subcutaneously, intradermally, or intramuscularly. Thus, the invention provides compositions for parenteral administration which comprise a solution of the immunogenic peptides dissolved or suspended in an acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers may be used, *e.g.*, water, buffered water, 0.8% saline, 0.3% glycine, hyaluronic acid and the like. These compositions may be sterilized by conventional,

well known sterilization techniques, or may be sterile filtered. The resulting aqueous solutions may be packaged for use as is, or lyophilized, the lyophilized preparation being combined with a sterile solution prior to administration. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions, such as pH-adjusting and buffering agents, tonicity  
5 adjusting agents, wetting agents, preservatives, and the like, for example, sodium acetate, sodium lactate, sodium chloride, potassium chloride, calcium chloride, sorbitan monolaurate, triethanolamine oleate, *etc.*

The concentration of peptides of the invention in the pharmaceutical formulations can vary widely, *i.e.*, from less than about 0.1%, usually at or at least about 2% to as much as 20% to 50% or more by weight, and will be selected primarily by fluid volumes, viscosities, *etc.*, in accordance with the  
10 particular mode of administration selected.

A human unit dose form of the peptide composition is typically included in a pharmaceutical composition that comprises a human unit dose of an acceptable carrier, preferably an aqueous carrier, and is administered in a volume of fluid that is known by those of skill in the art to be used for administration of such compositions to humans (*see, e.g., Remington's Pharmaceutical Sciences*, 17<sup>th</sup>  
15 Edition, A. Gennaro, Editor, Mack Publishing Co., Easton, Pennsylvania, 1985).

The peptides of the invention, and/or nucleic acids encoding the peptides, can also be administered via liposomes, which may also serve to target the peptides to a particular tissue, such as lymphoid tissue, or to target selectively to infected cells, as well as to increase the half-life of the peptide composition. Liposomes include emulsions, foams, micelles, insoluble monolayers, liquid crystals,  
20 phospholipid dispersions, lamellar layers and the like. In these preparations, the peptide to be delivered is incorporated as part of a liposome, alone or in conjunction with a molecule which binds to a receptor prevalent among lymphoid cells, such as monoclonal antibodies which bind to the CD45 antigen, or with other therapeutic or immunogenic compositions. Thus, liposomes either filled or decorated with a desired peptide of the invention can be directed to the site of lymphoid cells, where the liposomes then deliver the  
25 peptide compositions. Liposomes for use in accordance with the invention are formed from standard vesicle-forming lipids, which generally include neutral and negatively charged phospholipids and a sterol, such as cholesterol. The selection of lipids is generally guided by consideration of, *e.g.*, liposome size, acid lability and stability of the liposomes in the blood stream. A variety of methods are available for preparing liposomes, as described in, *e.g.*, Szoka, *et al.*, *Ann. Rev. Biophys. Bioeng.* 9:467 (1980), and U.S. Patent  
30 Nos. 4,235,871, 4,501,728, 4,837,028, and 5,019,369.

For targeting cells of the immune system, a ligand to be incorporated into the liposome can include, *e.g.*, antibodies or fragments thereof specific for cell surface determinants of the desired immune system cells. A liposome suspension containing a peptide may be administered intravenously, locally, topically, *etc.* in a dose which varies according to, *inter alia*, the manner of administration, the  
35 peptide being delivered, and the stage of the disease being treated.

For solid compositions, conventional nontoxic solid carriers may be used which include, for example, pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharin, talcum, cellulose, glucose, sucrose, magnesium carbonate, and the like. For oral administration, a pharmaceutically acceptable nontoxic composition is formed by incorporating any of the normally

employed excipients, such as those carriers previously listed, and generally 10-95% of active ingredient, that is, one or more peptides of the invention, and more preferably at a concentration of 25%-75%.

For aerosol administration, the immunogenic peptides are preferably supplied in finely divided form along with a surfactant and propellant. Typical percentages of peptides are 0.01%-20% by weight, preferably 1%-10%. The surfactant must, of course, be nontoxic, and preferably soluble in the propellant. Representative of such agents are the esters or partial esters of fatty acids containing from 6 to 22 carbon atoms, such as caproic, octanoic, lauric, palmitic, stearic, linoleic, linolenic, olesteric and oleic acids with an aliphatic polyhydric alcohol or its cyclic anhydride. Mixed esters, such as mixed or natural glycerides may be employed. The surfactant may constitute 0.1%-20% by weight of the composition, preferably 0.25-5%. The balance of the composition is ordinarily propellant. A carrier can also be included, as desired, as with, *e.g.*, lecithin for intranasal delivery.

### III.M. HLA EXPRESSION: IMPLICATIONS FOR T CELL-BASED IMMUNOTHERAPY

#### Disease progression in cancer and infectious disease

It is well recognized that a dynamic interaction between exists between host and disease, both in the cancer and infectious disease settings. In the infectious disease setting, it is well established that pathogens evolve during disease. The strains that predominate early in HIV infection are different from the ones that are associated with AIDS and later disease stages (NS versus S strains). It has long been hypothesized that pathogen forms that are effective in establishing infection may differ from the ones most effective in terms of replication and chronicity.

Similarly, it is widely recognized that the pathological process by which an individual succumbs to a neoplastic disease is complex. During the course of disease, many changes occur in cancer cells. The tumor accumulates alterations which are in part related to dysfunctional regulation of growth and differentiation, but also related to maximizing its growth potential, escape from drug treatment and/or the body's immunosurveillance. Neoplastic disease results in the accumulation of several different biochemical alterations of cancer cells, as a function of disease progression. It also results in significant levels of intra- and inter- cancer heterogeneity, particularly in the late, metastatic stage.

Familiar examples of cellular alterations affecting treatment outcomes include the outgrowth of radiation or chemotherapy resistant tumors during the course of therapy. These examples parallel the emergence of drug resistant viral strains as a result of aggressive chemotherapy, *e.g.*, of chronic HBV and HIV infection, and the current resurgence of drug resistant organisms that cause Tuberculosis and Malaria. It appears that significant heterogeneity of responses is also associated with other approaches to cancer therapy, including anti-angiogenesis drugs, passive antibody immunotherapy, and active T cell-based immunotherapy. Thus, in view of such phenomena, epitopes from multiple disease-related antigens can be used in vaccines and therapeutics thereby counteracting the ability of diseased cells to mutate and escape treatment.

#### The interplay between disease and the immune system

One of the main factors contributing to the dynamic interplay between host and disease is the immune response mounted against the pathogen, infected cell, or malignant cell. In many conditions

such immune responses control the disease. Several animal model systems and prospective studies of natural infection in humans suggest that immune responses against a pathogen can control the pathogen, prevent progression to severe disease and/or eliminate the pathogen. A common theme is the requirement for a multispecific T cell response, and that narrowly focused responses appear to be less effective. These observations guide skilled artisan as to embodiments of methods and compositions of the present invention that provide for a broad immune response.

In the cancer setting there are several findings that indicate that immune responses can impact neoplastic growth:

First, the demonstration in many different animal models, that anti-tumor T cells, restricted by MHC class I, can prevent or treat tumors.

Second, encouraging results have come from immunotherapy trials.

Third, observations made in the course of natural disease correlated the type and composition of T cell infiltrate within tumors with positive clinical outcomes (Coulie PG, *et al.* Antitumor immunity at work in a melanoma patient In *Advances in Cancer Research*, 213-242, 1999).

Finally, tumors commonly have the ability to mutate, thereby changing their immunological recognition. For example, the presence of monospecific CTL was also correlated with control of tumor growth, until antigen loss emerged (Riker A, *et al.*, Immune selection after antigen-specific immunotherapy of melanoma *Surgery*, Aug; 126(2):112-20, 1999; Marchand M, *et al.*, Tumor regressions observed in patients with metastatic melanoma treated with an antigenic peptide encoded by gene MAGE-3 and presented by HLA-A1 *Int. J. Cancer* 80(2):219-30, Jan. 18, 1999). Similarly, loss of beta 2 microglobulin was detected in 5/13 lines established from melanoma patients after receiving immunotherapy at the NCI (Restifo NP, *et al.*, Loss of functional Beta2 - microglobulin in metastatic melanomas from five patients receiving immunotherapy *Journal of the National Cancer Institute*, Vol. 88 (2), 100-108, Jan. 1996). It has long been recognized that HLA class I is frequently altered in various tumor types. This has led to a hypothesis that this phenomenon might reflect immune pressure exerted on the tumor by means of class I restricted CTL. The extent and degree of alteration in HLA class I expression appears to be reflective of past immune pressures, and may also have prognostic value (van Duinen SG, *et al.*, Level of HLA antigens in locoregional metastases and clinical course of the disease in patients with melanoma *Cancer Research* 48, 1019-1025, Feb. 1988; Möller P, *et al.*, Influence of major histocompatibility complex class I and II antigens on survival in colorectal carcinoma *Cancer Research* 51, 729-736, Jan. 1991). Taken together, these observations provide a rationale for immunotherapy of cancer and infectious disease, and suggest that effective strategies need to account for the complex series of pathological changes associated with disease.

### The three main types of alterations in HLA expression in tumors and their functional significance

The level and pattern of expression of HLA class I antigens in tumors has been studied in many different tumor types and alterations have been reported in all types of tumors studied. The molecular mechanisms underlining HLA class I alterations have been demonstrated to be quite heterogeneous. They include alterations in the TAP/processing pathways, mutations of  $\beta$ 2-microglobulin and specific HLA heavy chains, alterations in the regulatory elements controlling over class I expression and loss of entire

chromosome sections. There are several reviews on this topic, *see, e.g.*, : Garrido F, *et al.*, Natural history of HLA expression during tumour development *Immunol Today* 14(10):491-499, 1993; Kaklamani L, *et al.*, Loss of HLA class-I alleles, heavy chains and  $\beta$ 2-microglobulin in colorectal cancer *Int. J. Cancer*, 51(3):379-85, May 28, 1992. There are three main types of HLA Class I alteration (complete loss, allele-specific loss and decreased expression). The functional significance of each alteration is discussed separately:

#### *Complete loss of HLA expression*

Complete loss of HLA expression can result from a variety of different molecular mechanisms, reviewed in (Algarra I, *et al.*, The HLA crossroad in tumor immunology *Human Immunology* 61, 65-73, 2000; Browning M, *et al.*, Mechanisms of loss of HLA class I expression on colorectal tumor cells *Tissue Antigens* 47:364-371, 1996; Ferrone S, *et al.*, Loss of HLA class I antigens by melanoma cells: molecular mechanisms, functional significance and clinical relevance *Immunology Today*, 16(10): 487-494, 1995; Garrido F, *et al.*, Natural history of HLA expression during tumour development *Immunology Today* 14(10):491-499, 1993; Tait, BD, HLA Class I expression on human cancer cells: Implications for effective immunotherapy *Hum Immunol* 61, 158-165, 2000). In functional terms, this type of alteration has several important implications.

While the complete absence of class I expression will eliminate CTL recognition of those tumor cells, the loss of HLA class I will also render the tumor cells extraordinary sensitive to lysis from NK cells (Ohnriacht, GA, *et al.*, Heterogeneity in expression of human leukocyte antigens and melanoma-associated antigens in advanced melanoma *J Cellular Phys* 182:332-338, 2000; Liunggren HG, *et al.*, Host resistance directed selectively against H-2 deficient lymphoma variants: Analysis of the mechanism *J. Exp. Med.*, Dec 1;162(6):1745-59, 1985; Maio M, *et al.*, Reduction in susceptibility to natural killer cell-mediated lysis of human FO-1 melanoma cells after induction of HLA class I antigen expression by transfection with B2m gene *J. Clin. Invest.* 88(1):282-9, July 1991; Schrier PI, *et al.*, Relationship between myc oncogene activation and MHC class I expression *Adv. Cancer Res.*, 60:181-246, 1993).

The complementary interplay between loss of HLA expression and gain in NK sensitivity is exemplified by the classic studies of Coulie and coworkers (Coulie, PG, *et al.*, Antitumor immunity at work in a melanoma patient. In *Advances in Cancer Research*, 213-242, 1999) which described the evolution of a patient's immune response over the course of several years. Because of increased sensitivity to NK lysis, it is predicted that approaches leading to stimulation of innate immunity in general and NK activity in particular would be of special significance. An example of such approach is the induction of large amounts of dendritic cells (DC) by various hematopoietic growth factors, such as Flt3 ligand or ProGP. The rationale for this approach resides in the well known fact that dendritic cells produce large amounts of IL-12, one of the most potent stimulators for innate immunity and NK activity in particular. Alternatively, IL-12 is administered directly, or as nucleic acids that encode it. In this light, it is interesting to note that Flt3 ligand treatment results in transient tumor regression of a class I negative prostate murine cancer model (Ciavarra RP, *et al.*, Flt3-Ligand induces transient tumor regression in an ectopic treatment model of major histocompatibility complex-negative prostate cancer *Cancer Res* 60:2081-84, 2000). In this context, specific anti-tumor vaccines in accordance with the invention synergize with these types of

hematopoietic growth factors to facilitate both CTL and NK cell responses, thereby appreciably impairing a cell's ability to mutate and thereby escape efficacious treatment. Thus, an embodiment of the present invention comprises a composition of the invention together with a method or composition that augments functional activity or numbers of NK cells. Such an embodiment can comprise a protocol that provides a composition of the invention sequentially with an NK-inducing modality, or contemporaneous with an NK-inducing modality.

Secondly, complete loss of HLA frequently occurs only in a fraction of the tumor cells, while the remainder of tumor cells continue to exhibit normal expression. In functional terms, the tumor would still be subject, in part, to direct attack from a CTL response; the portion of cells lacking HLA subject to an NK response. Even if only a CTL response were used, destruction of the HLA expressing fraction of the tumor has dramatic effects on survival times and quality of life.

It should also be noted that in the case of heterogeneous HLA expression, both normal HLA-expressing as well as defective cells are predicted to be susceptible to immune destruction based on "bystander effects." Such effects were demonstrated, e.g., in the studies of Rosendahl and colleagues that investigated in vivo mechanisms of action of antibody targeted superantigens (Rosendahl A, *et al.*, Perforin and IFN-gamma are involved in the antitumor effects of antibody-targeted superantigens *J. Immunol.* 160(11):5309-13, June 1, 1998). The bystander effect is understood to be mediated by cytokines elicited from, e.g., CTLs acting on an HLA-bearing target cell, whereby the cytokines are in the environment of other diseased cells that are concomitantly killed.

#### *Allele-specific loss*

One of the most common types of alterations in class I molecules is the selective loss of certain alleles in individuals heterozygous for HLA. Allele-specific alterations might reflect the tumor adaptation to immune pressure, exerted by an immunodominant response restricted by a single HLA restriction element. This type of alteration allows the tumor to retain class I expression and thus escape NK cell recognition, yet still be susceptible to a CTL-based vaccine in accordance with the invention which comprises epitopes corresponding to the remaining HLA type. Thus, a practical solution to overcome the potential hurdle of allele-specific loss relies on the induction of multispecific responses. Just as the inclusion of multiple disease-associated antigens in a vaccine of the invention guards against mutations that yield loss of a specific disease antigens, simultaneously targeting multiple HLA specificities and multiple disease-related antigens prevents disease escape by allele-specific losses.

#### *Decrease in expression (allele-specific or not)*

The sensitivity of effector CTL has long been demonstrated (Brower, RC, *et al.*, Minimal requirements for peptide mediated activation of CD8+ CTL *Mol. Immunol.*, 31:1285-93, 1994; Chriustnick, ET, *et al.* Low numbers of MHC class I-peptide complexes required to trigger a T cell response *Nature* 352:67-70, 1991; Sykulev, Y, *et al.*, Evidence that a single peptide-MHC complex on a target cell can elicit a cytolytic T cell response *Immunity*, 4(6):565-71, June 1996). Even a single peptide/MHC complex can result in tumor cells lysis and release of anti-tumor lymphokines. The biological significance of decreased HLA expression and possible tumor escape from immune recognition is not fully known. Nevertheless, it

has been demonstrated that CTL recognition of as few as one MHC/peptide complex is sufficient to lead to tumor cell lysis.

Further, it is commonly observed that expression of HLA can be upregulated by gamma IFN, commonly secreted by effector CTL. Additionally, HLA class I expression can be induced in vivo by both alpha and beta IFN (Halloran, *et al.* Local T cell responses induce widespread MHC expression. *J Immunol* 148:3837, 1992; Pestka, S, *et al.*, Interferons and their actions *Annu. Rev. Biochem.* 56:727-77, 1987). Conversely, decreased levels of HLA class I expression also render cells more susceptible to NK lysis.

With regard to gamma IFN, Torres et al (Torres, MJ, *et al.*, Loss of an HLA haplotype in pancreas cancer tissue and its corresponding tumor derived cell line. *Tissue Antigens* 47:372-81, 1996) note that HLA expression is upregulated by gamma IFN in pancreatic cancer, unless a total loss of haplotype has occurred. Similarly, Rees and Mian note that allelic deletion and loss can be restored, at least partially, by cytokines such as IFN-gamma (Rees, R., *et al.* Selective MHC expression in tumours modulates adaptive and innate antitumour responses *Cancer Immunol Immunother* 48:374-81, 1999). It has also been noted that IFN-gamma treatment results in upregulation of class I molecules in the majority of the cases studied (Browning M, *et al.*, Mechanisms of loss of HLA class I expression on colorectal tumor cells. *Tissue Antigens* 47:364-71, 1996). Kaklamakis, et al. also suggested that adjuvant immunotherapy with IFN-gamma may be beneficial in the case of HLA class I negative tumors (Kaklamanis L, Loss of transporter in antigen processing 1 transport protein and major histocompatibility complex class I molecules in metastatic versus primary breast cancer. *Cancer Research* 55:5191-94, November 1995). It is important to underline that IFN-gamma production is induced and self-amplified by local inflammation/immunization (Halloran, *et al.* Local T cell responses induce widespread MHC expression *J. Immunol* 148:3837, 1992), resulting in large increases in MHC expressions even in sites distant from the inflammatory site.

Finally, studies have demonstrated that decreased HLA expression can render tumor cells more susceptible to NK lysis (Ohnmacht, GA, *et al.*, Heterogeneity in expression of human leukocyte antigens and melanoma-associated antigens in advanced melanoma *J Cellular Phys* 182:332-38, 2000; Liunggren HG, *et al.*, Host resistance directed selectively against H-2 deficient lymphoma variants: Analysis of the mechanism *J. Exp. Med.*, 162(6):1745-59, December 1, 1985; Maio M, *et al.*, Reduction in susceptibility to natural killer cell-mediated lysis of human FO-1 melanoma cells after induction of HLA class I antigen expression by transfection with  $\beta$ 2m gene *J. Clin. Invest.* 88(1):282-9, July 1991; Schrier PI, *et al.*, Relationship between myc oncogene activation and MHC class I expression *Adv. Cancer Res.*, 60:181-246, 1993). If decreases in HLA expression benefit a tumor because it facilitates CTL escape, but render the tumor susceptible to NK lysis, then a minimal level of HLA expression that allows for resistance to NK activity would be selected for (Garrido F, *et al.*, Implications for immunosurveillance of altered HLA class I phenotypes in human tumours *Immunol Today* 18(2):89-96, February 1997). Therefore, a therapeutic compositions or methods in accordance with the invention together with a treatment to upregulate HLA expression and/or treatment with high affinity T-cells renders the tumor sensitive to CTL destruction.

### Frequency of alterations in HLA expression

The frequency of alterations in class I expression is the subject of numerous studies (Algarra I, *et al.*, The HLA crossroad in tumor immunology *Human Immunology* 61, 65-73, 2000). Rees and Mian estimate allelic loss to occur overall in 3-20% of tumors, and allelic deletion to occur in 15-50% of tumors. It should be noted that each cell carries two separate sets of class I genes, each gene carrying one HLA-A and one HLA-B locus. Thus, fully heterozygous individuals carry two different HLA-A molecules and two different HLA-B molecules. Accordingly, the actual frequency of losses for any specific allele could be as little as one quarter of the overall frequency. They also note that, in general, a gradient of expression exists between normal cells, primary tumors and tumor metastasis. In a study from Natali and coworkers (Natali PG, *et al.*, Selective changes in expression of HLA class I polymorphic determinants in human solid tumors *PNAS USA* 86:6719-6723, September 1989), solid tumors were investigated for total HLA expression, using W6/32 antibody, and for allele-specific expression of the A2 antigen, as evaluated by use of the BB7.2 antibody. Tumor samples were derived from primary cancers or metastasis, for 13 different tumor types, and scored as negative if less than 20%, reduced if in the 30-80% range, and normal above 80%. All tumors, both primary and metastatic, were HLA positive with W6/32. In terms of A2 expression, a reduction was noted in 16.1 % of the cases, and A2 was scored as undetectable in 39.4 % of the cases. Garrido and coworkers (Garrido F, *et al.*, Natural history of HLA expression during tumour development *Immunol Today* 14(10):491-99, 1993) emphasize that HLA changes appear to occur at a particular step in the progression from benign to most aggressive. Jiminez *et al* (Jiminez P, *et al.*, Microsatellite instability analysis in tumors with different mechanisms for total loss of HLA expression. *Cancer Immunol Immunother* 48:684-90, 2000) have analyzed 118 different tumors (68 colorectal, 34 laryngeal and 16 melanomas). The frequencies reported for total loss of HLA expression were 11% for colon, 18% for melanoma and 13 % for larynx. Thus, HLA class I expression is altered in a significant fraction of the tumor types, possibly as a reflection of immune pressure, or simply a reflection of the accumulation of pathological changes and alterations in diseased cells.

### Immunotherapy in the context of HLA loss

A majority of the tumors express HLA class I, with a general tendency for the more severe alterations to be found in later stage and less differentiated tumors. This pattern is encouraging in the context of immunotherapy, especially considering that: 1) the relatively low sensitivity of immunohistochemical techniques might underestimate HLA expression in tumors; 2) class I expression can be induced in tumor cells as a result of local inflammation and lymphokine release; and, 3) class I negative cells are sensitive to lysis by NK cells.

Accordingly, various embodiments of the present invention can be selected in view of the fact that there can be a degree of loss of HLA molecules, particularly in the context of neoplastic disease. For example, the treating physician can assay a patient's tumor to ascertain whether HLA is being expressed. If a percentage of tumor cells express no class I HLA, then embodiments of the present invention that comprise methods or compositions that elicit NK cell responses can be employed. As noted herein, such NK-inducing methods or composition can comprise a Flt3 ligand or ProGP which facilitate mobilization of dendritic cells, the rationale being that dendritic cells produce large amounts of IL-12. IL-

12 can also be administered directly in either amino acid or nucleic acid form. It should be noted that compositions in accordance with the invention can be administered concurrently with NK cell-inducing compositions, or these compositions can be administered sequentially.

5 In the context of allele-specific HLA loss, a tumor retains class I expression and may thus escape NK cell recognition, yet still be susceptible to a CTL-based vaccine in accordance with the invention which comprises epitopes corresponding to the remaining HLA type. The concept here is analogous to embodiments of the invention that include multiple disease antigens to guard against mutations that yield loss of a specific antigen. Thus, one can simultaneously target multiple HLA specificities and epitopes from multiple disease-related antigens to prevent tumor escape by allele-specific loss as well as disease-related antigen loss. In addition, embodiments of the present invention can be combined with alternative therapeutic compositions and methods. Such alternative compositions and methods comprise, without limitation, radiation, cytotoxic pharmaceuticals, and/or compositions/methods that induce humoral antibody responses.

15 Moreover, it has been observed that expression of HLA can be upregulated by gamma IFN, which is commonly secreted by effector CTL, and that HLA class I expression can be induced in vivo by both alpha and beta IFN. Thus, embodiments of the invention can also comprise alpha, beta and/or gamma IFN to facilitate upregulation of HLA.

### 20 **III.N. REPRIEVE PERIODS FROM THERAPIES THAT INDUCE SIDE EFFECTS: "Scheduled Treatment Interruptions or Drug Holidays"**

Recent evidence has shown that certain patients infected with a pathogen, whom are initially treated with a therapeutic regimen to reduce pathogen load, have been able to maintain decreased pathogen load when removed from the therapeutic regimen, i.e., during a "drug holiday" (Rosenberg, E., *et al.*, Immune control of HIV-1 after early treatment of acute infection *Nature* 407:523-26, Sept. 28, 2000) As appreciated by those skilled in the art, many therapeutic regimens for both pathogens and cancer have numerous, often severe, side effects. During the drug holiday, the patient's immune system is keeping the disease in check. Methods for using compositions of the invention are used in the context of drug holidays for cancer and pathogenic infection.

30 For treatment of an infection, where therapies are not particularly immunosuppressive, compositions of the invention are administered concurrently with the standard therapy. During this period, the patient's immune system is directed to induce responses against the epitopes comprised by the present inventive compositions. Upon removal from the treatment having side effects, the patient is primed to respond to the infectious pathogen should the pathogen load begin to increase. Composition of the invention can be provided during the drug holiday as well.

35 For patients with cancer, many therapies are immunosuppressive. Thus, upon achievement of a remission or identification that the patient is refractory to standard treatment, then upon removal from the immunosuppressive therapy, a composition in accordance with the invention is administered. Accordingly, as the patient's immune system reconstitutes, precious immune resources are simultaneously directed against the cancer. Composition of the invention can also be administered concurrently with an immunosuppressive regimen if desired.

40

### III.O. Kits

The peptide and nucleic acid compositions of this invention can be provided in kit form together with instructions for vaccine administration. Typically the kit would include desired peptide compositions in a container, preferably in unit dosage form and instructions for administration. An alternative kit would include a minigene construct with desired nucleic acids of the invention in a container, preferably in unit dosage form together with instructions for administration. Lymphokines such as IL-2 or IL-12 may also be included in the kit. Other kit components that may also be desirable include, for example, a sterile syringe, booster dosages, and other desired excipients.

### III.P. Overview

Epitopes in accordance with the present invention were successfully used to induce an immune response. Immune responses with these epitopes have been induced by administering the epitopes in various forms. The epitopes have been administered as peptides, as nucleic acids, and as viral vectors comprising nucleic acids that encode the epitope(s) of the invention. Upon administration of peptide-based epitope forms, immune responses have been induced by direct loading of an epitope onto an empty HLA molecule that is expressed on a cell, and via internalization of the epitope and processing via the HLA class I pathway; in either event, the HLA molecule expressing the epitope was then able to interact with and induce a CTL response. Peptides can be delivered directly or using such agents as liposomes. They can additionally be delivered using ballistic delivery, in which the peptides are typically in a crystalline form. When DNA is used to induce an immune response, it is administered either as naked DNA, generally in a dose range of approximately 1-5mg, or via the ballistic "gene gun" delivery, typically in a dose range of approximately 10-100 µg. The DNA can be delivered in a variety of conformations, *e.g.*, linear, circular *etc.* Various viral vectors have also successfully been used that comprise nucleic acids which encode epitopes in accordance with the invention.

Accordingly compositions in accordance with the invention exist in several forms. Embodiments of each of these composition forms in accordance with the invention have been successfully used to induce an immune response.

One composition in accordance with the invention comprises a plurality of peptides. This plurality or cocktail of peptides is generally admixed with one or more pharmaceutically acceptable excipients. The peptide cocktail can comprise multiple copies of the same peptide or can comprise a mixture of peptides. The peptides can be analogs of naturally occurring epitopes. The peptides can comprise artificial amino acids and/or chemical modifications such as addition of a surface active molecule, *e.g.*, lipidation; acetylation, glycosylation, biotinylation, phosphorylation *etc.* The peptides can be CTL or HTL epitopes. In a preferred embodiment the peptide cocktail comprises a plurality of different CTL epitopes and at least one HTL epitope. The HTL epitope can be naturally or non-naturally (*e.g.*, PADRE®, Epimmune Inc., San Diego, CA). The number of distinct epitopes in an embodiment of the invention is generally a whole unit integer from one through one hundred fifty (*e.g.*, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70,

71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, or 150).

An additional embodiment of a composition in accordance with the invention comprises a polypeptide multi-epitope construct, *i.e.*, a polyepitopic peptide. Polyepitopic peptides in accordance with the invention are prepared by use of technologies well-known in the art. By use of these known technologies, epitopes in accordance with the invention are connected one to another. The polyepitopic peptides can be linear or non-linear, *e.g.*, multivalent. These polyepitopic constructs can comprise artificial amino acids, spacing or spacer amino acids, flanking amino acids, or chemical modifications between adjacent epitope units. The polyepitopic construct can be a heteropolymer or a homopolymer. The polyepitopic constructs generally comprise epitopes in a quantity of any whole unit integer between 2-150 (*e.g.*, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, or 150). The polyepitopic construct can comprise CTL and/or HTL epitopes. One or more of the epitopes in the construct can be modified, *e.g.*, by addition of a surface active material, *e.g.* a lipid, or chemically modified, *e.g.*, acetylation, *etc.* Moreover, bonds in the multi-epitopic construct can be other than peptide bonds, *e.g.*, covalent bonds, ester or ether bonds, disulfide bonds, hydrogen bonds, ionic bonds *etc.*

Alternatively, a composition in accordance with the invention comprises construct which comprises a series, sequence, stretch, *etc.*, of amino acids that have homology to (*i.e.*, corresponds to or is contiguous with) to a native sequence. This stretch of amino acids comprises at least one subsequence of amino acids that, if cleaved or isolated from the longer series of amino acids, functions as an HLA class I or HLA class II epitope in accordance with the invention. In this embodiment, the peptide sequence is modified, so as to become a construct as defined herein, by use of any number of techniques known or to be provided in the art. The polyepitopic constructs can contain homology to a native sequence in any whole unit integer increment from 70-100%, *e.g.*, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, or, 100 percent.

A further embodiment of a composition in accordance with the invention is an antigen presenting cell that comprises one or more epitopes in accordance with the invention. The antigen presenting cell can be a "professional" antigen presenting cell, such as a dendritic cell. The antigen presenting cell can comprise the epitope of the invention by any means known or to be determined in the art. Such means include pulsing of dendritic cells with one or more individual epitopes or with one or more peptides that comprise multiple epitopes, by nucleic acid administration such as ballistic nucleic acid delivery or by other techniques in the art for administration of nucleic acids, including vector-based, *e.g.* viral vector, delivery of nucleic acids.

Further embodiments of compositions in accordance with the invention comprise nucleic acids that encode one or more peptides of the invention, or nucleic acids which encode a polyepitopic peptide in accordance with the invention. As appreciated by one of ordinary skill in the art, various nucleic acids compositions will encode the same peptide due to the redundancy of the genetic code. Each of these nucleic acid compositions falls within the scope of the present invention. This embodiment of the invention

comprises DNA or RNA, and in certain embodiments a combination of DNA and RNA. It is to be appreciated that any composition comprising nucleic acids that will encode a peptide in accordance with the invention or any other peptide based composition in accordance with the invention, falls within the scope of this invention.

5 It is to be appreciated that peptide-based forms of the invention (as well as the nucleic acids that encode them) can comprise analogs of epitopes of the invention generated using principles already known, or to be known, in the art. Principles related to analoging are now known in the art, and are disclosed herein; moreover, analoging principles (heteroclitic analoging) are disclosed in co-pending application serial number U.S.S.N. 09/226,775 filed 6 January 1999. Generally the compositions of the  
10 invention are isolated or purified.

The invention will be described in greater detail by way of specific examples. The following examples are offered for illustrative purposes, and are not intended to limit the invention in any manner. Those of skill in the art will readily recognize a variety of non-critical parameters that can be  
15 changed or modified to yield alternative embodiments in accordance with the invention.

#### IV. EXAMPLES

The following example of peptide binding to HLA molecules demonstrates quantification of binding affinities of HLA class I and class II peptides. Binding assays can be performed with peptides  
20 that are either motif-bearing or not motif-bearing.

##### Example 1. HLA Class I and Class II Binding Assays

The following example of peptide binding to HLA molecules demonstrates quantification of binding affinities of HLA class I and class II peptides. Binding assays can be performed with peptides  
25 that are either motif-bearing or not motif-bearing.

HLA class I and class II binding assays using purified HLA molecules were performed in accordance with disclosed protocols (e.g., PCT publications WO 94/20127 and WO 94/03205; Sidney *et al.*, *Current Protocols in Immunology* 18.3.1 (1998); Sidney, *et al.*, *J. Immunol.* 154:247 (1995); Sette, *et al.*, *Mol. Immunol.* 31:813 (1994)). Briefly, purified MHC molecules (5 to 500nM) were incubated with  
30 various unlabeled peptide inhibitors and 1-10nM <sup>125</sup>I-radiolabeled probe peptides as described. Following incubation, MHC-peptide complexes were separated from free peptide by gel filtration and the fraction of peptide bound was determined. Typically, in preliminary experiments, each MHC preparation was titrated in the presence of fixed amounts of radiolabeled peptides to determine the concentration of HLA molecules necessary to bind 10-20% of the total radioactivity. All subsequent inhibition and direct binding assays  
35 were performed using these HLA concentrations.

Since under these conditions [label]<[HLA] and IC<sub>50</sub>≥[HLA], the measured IC<sub>50</sub> values are reasonable approximations of the true K<sub>D</sub> values. Peptide inhibitors are typically tested at concentrations ranging from 120 µg/ml to 1.2 ng/ml, and are tested in two to four completely independent experiments. To allow comparison of the data obtained in different experiments, a relative binding figure is  
40 calculated for each peptide by dividing the IC<sub>50</sub> of a positive control for inhibition by the IC<sub>50</sub> for each

tested peptide (typically unlabeled versions of the radiolabeled probe peptide). For database purposes, and inter-experiment comparisons, relative binding values are compiled. These values can subsequently be converted back into IC<sub>50</sub> nM values by dividing the IC<sub>50</sub> nM of the positive controls for inhibition by the relative binding of the peptide of interest. This method of data compilation has proven to be the most accurate and consistent for comparing peptides that have been tested on different days, or with different lots of purified MHC.

Binding assays as outlined above may be used to analyze supermotif and/or motif-bearing epitopes as, for example, described in Example 2.

#### 10 Example 2. Identification of HLA Supermotif- and Motif-Bearing CTL Candidate Epitopes

Vaccine compositions of the invention can include multiple epitopes that comprise multiple HLA supermotifs or motifs to achieve broad population coverage. This example illustrates the identification of supermotif- and motif-bearing epitopes for the inclusion in such a vaccine composition. Calculation of population coverage was performed using the strategy described below.

15

#### *Computer searches and algorithms for identification of supermotif and/or motif-bearing epitopes*

The searches performed to identify the motif-bearing peptide sequences in Examples 2 and 5 employed the protein sequence data from seven proteins (E1, E2, E5, E6, E7, L1 and L2) from HPV types 16, 18, 31, 33, 45, and 56.

Accession numbers for HPV types			
Protein	6a	6b	11
E1	Q84293 AAA74213	P03113 CAA25020 W1WL6	W1WL11 P04014 AAA46929
E2	Q84294 AAA74214	P03119 CAA25021 W2WL6	AAA46930 W2WLI1 P04015
E4	Q84295 AAA74215	CAA25022 W4WL6	P04016 W4WL11 AAA46931
E5a	Q84296 AAA74216	P06460 CAA25023 W5WL6A	W5WL11 P04017 AAA46932
E5b	N.A.	P06461 CAA25024 W5WLB	W5WL1B P04018 AAA46933
E6	Q84291 AAA74211	P06462 CAA25018 W6WL6	W6WL11 P04019 AAA21703 AAA46927
E7	Q84929 AAA74212	P06464 CAA25019 W7WL6	AAA46928 AAA21704 W7WL11 P04020
L1	P03100 AAA74218	P03100 CAA25026 P1WL6	P04012 P1WL11 AAA4635
L2	Q84297	P03106 CAA25025	P2WL11 AAA46934

		P2WL6	P040I3
--	--	-------	--------

	<u>Strain</u>	<u>Protein Antigen</u>	<u>Accession number</u>
	HPV16	E1	W1SLHS
	HPV16	E2	W2WLHS
5	HPV16	E5	W5WLHS
	HPV16	E6	W6WLHS
	HPV16	E7	W7WLHS
	HPV16	L1	AAD33259
	HPV16	L2	AAD33258
10	HPV18	E1	W1WL18
	HPV18	E2	WL18
	HPV18	E5	W5WL18
	HPV18	E6	W6WL18
	HPV18	E7	PO6788
15	HPV18	L1	CAA28671
	HPV18	L2	P2WL18
	HPV31	E1	W1WL31
	HPV31	E2	W2WL3
	HPV31	E5	W5WL31
20	HPV31	E6	W6WL31
	HPV31	E7	W7WL31
	HPV31	L1	P1WL31
	HPV31	L2	P2WL31
	HPV45	E1	S36563
25	HPV45	E2	S36564
	HPV45	E6	CAB44706
	HPV45	E7	CAB44707
	HPV45	L1	CAB44705
	HPV45	L2	S36565
30	HPV33	E1	W1WL33
	HPV33	E2	W2WL33
	HPV33	E5	W5WL33
	HPV33	E6	W6WL33
	HPV33	E7	W7WL33
35	HPV33	L1	P1WL33
	HPV33	L2	P2WL33
	HPV56	E2	S36581
	HPV56	E6	W6WL56
	HPV56	E7	S36580
40	HPV56	L1	S38563

HPV56

L2

S36582

Computer searches for epitopes bearing HLA Class I or Class II supermotifs or motifs were performed as follows. All translated HPV protein sequences were analyzed using a text string search software program, *e.g.*, MotifSearch 1.4 (D. Brown, San Diego) to identify potential peptide sequences containing appropriate HLA binding motifs; alternative programs are readily produced in accordance with information in the art in view of the motif/supermotif disclosure herein. Furthermore, such calculations can be made mentally.

Identified A2-, A3-, and DR-supermotif sequences were scored using polynomial algorithms to predict their capacity to bind to specific HLA-Class I or Class II molecules. These polynomial algorithms take into account both extended and refined motifs (that is, to account for the impact of different amino acids at different positions), and are essentially based on the premise that the overall affinity (or  $\Delta G$ ) of peptide-HLA molecule interactions can be approximated as a linear polynomial function of the type:

$$"\Delta G" = a_{1i} \times a_{2i} \times a_{3i} \dots \times a_{ni}$$

where  $a_{ji}$  is a coefficient which represents the effect of the presence of a given amino acid ( $j$ ) at a given position ( $i$ ) along the sequence of a peptide of  $n$  amino acids. The crucial assumption of this method is that the effects at each position are essentially independent of each other (*i.e.*, independent binding of individual side-chains). When residue  $j$  occurs at position  $i$  in the peptide, it is assumed to contribute a constant amount  $j_i$  to the free energy of binding of the peptide irrespective of the sequence of the rest of the peptide. This assumption is justified by studies from our laboratories that demonstrated that peptides are bound to MHC and recognized by T cells in essentially an extended conformation (data omitted herein).

The method of derivation of specific algorithm coefficients has been described in Gulukota *et al.*, *J. Mol. Biol.* 267:1258-126, 1997; (see also Sidney *et al.*, *Human Immunol.* 45:79-93, 1996; and Southwood *et al.*, *J. Immunol.* 160:3363-3373, 1998). Briefly, for all  $i$  positions, anchor and non-anchor alike, the geometric mean of the average relative binding (ARB) of all peptides carrying  $j$  is calculated relative to the remainder of the group, and used as the estimate of  $j_i$ . For Class II peptides, if multiple alignments are possible, only the highest scoring alignment is utilized, following an iterative procedure. To calculate an algorithm score of a given peptide in a test set, the ARB values corresponding to the sequence of the peptide are multiplied. If this product exceeds a chosen threshold, the peptide is predicted to bind. Appropriate thresholds are chosen as a function of the degree of stringency of prediction desired.

### Selection of HLA-A2 supertype cross-reactive peptides

Complete protein sequences from the seven HPV structural and regulatory proteins of the HPV strains listed above were aligned, then scanned, utilizing motif identification software, to identify 9- and 10-mer sequences containing the HLA-A2-supermotif main anchor specificity.

HLA-A2 supermotif-bearing sequences are shown in Table VIII. Typically, these sequences are then scored using the A2 algorithm and the peptides corresponding to the positive-scoring

sequences are synthesized and tested for their capacity to bind purified HLA-A\*0201 molecules *in vitro* (HLA-A\*0201 is considered a prototype A2 supertype molecule).

Examples of peptides that bind to HLA-A\*0201 with  $IC_{50}$  values  $\leq 500$  nM are shown in Table VIII. These peptides are then tested for the capacity to bind to additional A2-supertype molecules (A\*0202, A\*0203, A\*0206, and A\*6802). Peptides that bind to at least three of the five A2-supertype alleles tested are typically deemed A2-supertype cross-reactive binders. Preferred peptides bind at an affinity equal to or less than 500 nM to three or more HLA-A2 supertype molecules.

#### *Selection of HLA-A3 supermotif-bearing epitopes*

The HPV protein sequences scanned above were also examined for the presence of peptides with the HLA-A3-supermotif primary anchors (Table IX).

Peptides corresponding to the supermotif-bearing sequences are then synthesized and tested for binding to HLA-A\*0301 and HLA-A\*1101 molecules, the two most prevalent A3-supertype alleles. The peptides that are found to bind one of the two alleles with binding affinities of  $\leq 500$  nM, often  $\leq 200$  nM, are then tested for binding cross-reactivity to the other common A3-supertype alleles (A\*3101, A\*3301, and A\*6801) to identify those that can bind at least three of the five HLA-A3-supertype molecules tested.

#### *Selection of HLA-B7 supermotif bearing epitopes*

The same HPV target antigen protein sequences were also analyzed for the presence of 9- or 10-mer peptides with the HLA-B7-supermotif (Table XI).

Corresponding peptides are synthesized and tested for binding to HLA-B\*0702, the most common B7-supertype allele (*i.e.*, the prototype B7 supertype allele). Peptides binding B\*0702 with  $IC_{50}$  of  $\leq 500$  nM are identified using standard methods. These peptides are then tested for binding to other common B7-supertype molecules (B\*3501, B\*5101, B\*5301, and B\*5401). Peptides capable of binding to three or more of the five B7-supertype alleles tested are thereby identified.

#### *Selection of A1 and A24 motif-bearing epitopes*

To further increase population coverage, HLA-A1 and -A24 epitopes can, for example, also be incorporated into potential vaccine constructs. An analysis of the protein sequence data from the HPV target antigens utilized above can also be performed to identify HLA-A1- and A24-motif-containing sequences.

High affinity and/or cross-reactive binding epitopes that bear other motif and/or supermotifs are identified using analogous methodology.

#### Example 3. Confirmation of Immunogenicity

Cross-reactive candidate CTL A2-supermotif-bearing peptides that are identified as described in Example 2 were selected for *in vitro* immunogenicity testing. Testing was performed using the following methodology:

**Target Cell Lines for Cellular Screening:**

The .221A2.1 cell line, produced by transferring the HLA-A2.1 gene into the HLA-A, -B, -C null mutant human B-lymphoblastoid cell line 721.221, is used as the peptide-loaded target to measure activity of HLA-A2.1-restricted CTL. This cell line is grown in RPMI-1640 medium supplemented with antibiotics, sodium pyruvate, nonessential amino acids and 10% (v/v) heat inactivated FCS. Cells that express an antigen of interest, or transfectants comprising the gene encoding the antigen of interest, can be used as target cells to test the ability of peptide-specific CTLs to recognize endogenous antigen.

**Primary CTL Induction Cultures:**

*Generation of Dendritic Cells (DC):* PBMCs are thawed in RPMI with 30 g/ml DNase, washed twice and resuspended in complete medium (RPMI-1640 plus 5% AB human serum, non-essential amino acids, sodium pyruvate, L-glutamine and penicillin/streptomycin). The monocytes are purified by plating  $10 \times 10^6$  PBMC/well in a 6-well plate. After 2 hours at 37°C, the non-adherent cells are removed by gently shaking the plates and aspirating the supernatants. The wells are washed a total of three times with 3 ml RPMI to remove most of the non-adherent and loosely adherent cells. Three ml of complete medium containing 50 ng/ml of GM-CSF and 1,000 U/ml of IL-4 are then added to each well. TNF is added to the DCs on day 6 at 75 ng/ml and the cells are used for CTL induction cultures on day 7.

*Induction of CTL with DC and Peptide:* CD8<sup>+</sup> T-cells are isolated by positive selection with Dynal immunomagnetic beads (Dynabeads® M-450) and the detach-bead® reagent. Typically about 200-250x10<sup>6</sup> PBMC are processed to obtain 24x10<sup>6</sup> CD8<sup>+</sup> T-cells (enough for a 48-well plate culture). Briefly, the PBMCs are thawed in RPMI with 30µg/ml DNase, washed once with PBS containing 1% human AB serum and resuspended in PBS/1% AB serum at a concentration of 20x10<sup>6</sup> cells/ml. The magnetic beads are washed 3 times with PBS/AB serum, added to the cells (140µl beads/20x10<sup>6</sup> cells) and incubated for 1 hour at 4°C with continuous mixing. The beads and cells are washed 4x with PBS/AB serum to remove the nonadherent cells and resuspended at 100x10<sup>6</sup> cells/ml (based on the original cell number) in PBS/AB serum containing 100µl/ml detach-bead® reagent and 30µg/ml DNase. The mixture is incubated for 1 hour at room temperature with continuous mixing. The beads are washed again with PBS/AB/DNase to collect the CD8<sup>+</sup> T-cells. The DC are collected and centrifuged at 1300 rpm for 5-7 minutes, washed once with PBS with 1% BSA, counted and pulsed with 40µg/ml of peptide at a cell concentration of 1-2x10<sup>6</sup>/ml in the presence of 3µg/ml β<sub>2</sub>-microglobulin for 4 hours at 20°C. The DC are then irradiated (4,200 rads), washed 1 time with medium and counted again.

*Setting up induction cultures:* 0.25 ml cytokine-generated DC (@1x10<sup>5</sup> cells/ml) are co-cultured with 0.25ml of CD8<sup>+</sup> T-cells (@2x10<sup>6</sup> cell/ml) in each well of a 48-well plate in the presence of 10 ng/ml of IL-7. Recombinant human IL10 is added the next day at a final concentration of 10 ng/ml and rhIL2 is added 48 hours later at 10IU/ml.

*Restimulation of the induction cultures with peptide-pulsed adherent cells:* Seven and fourteen days after the primary induction the cells are restimulated with peptide-pulsed adherent cells. The PBMCs are thawed and washed twice with RPMI and DNase. The cells are resuspended at 5x10<sup>6</sup> cells/ml and irradiated at ~4200 rads. The PBMCs are plated at 2x10<sup>6</sup> in 0.5ml complete medium per well and incubated for 2 hours at 37°C. The plates are washed twice with RPMI by tapping the plate gently to

remove the nonadherent cells and the adherent cells pulsed with 10µg/ml of peptide in the presence of 3 µg/ml  $\beta_2$  microglobulin in 0.25ml RPMI/5%AB per well for 2 hours at 37°C. Peptide solution from each well is aspirated and the wells are washed once with RPMI. Most of the media is aspirated from the induction cultures (CD8+ cells) and brought to 0.5 ml with fresh media. The cells are then transferred to the wells containing the peptide-pulsed adherent cells. Twenty four hours later rhuman IL10 is added at a final concentration of 10ng/ml and rhuman IL2 is added the next day and again 2-3 days later at 50IU/ml (Tsai *et al.*, *Critical Reviews in Immunology* 18(1-2):65-75, 1998). Seven days later the cultures are assayed for CTL activity in a  $^{51}\text{Cr}$  release assay. In some experiments the cultures are assayed for peptide-specific recognition in the *in situ* IFN $\gamma$  ELISA at the time of the second restimulation followed by assay of endogenous recognition 7 days later. After expansion, activity is measured in both assays for a side by side comparison.

#### Measurement of CTL lytic activity by $^{51}\text{Cr}$ release.

Seven days after the second restimulation, cytotoxicity is determined in a standard (5hr)  $^{51}\text{Cr}$  release assay by assaying individual wells at a single E:T. Peptide-pulsed targets are prepared by incubating the cells with 10µg/ml peptide overnight at 37°C.

Adherent target cells are removed from culture flasks with trypsin-EDTA. Target cells are labelled with 200µCi of  $^{51}\text{Cr}$  sodium chromate (Dupont, Wilmington, DE) for 1 hour at 37°C. Labelled target cells are resuspended at  $10^6$  per ml and diluted 1:10 with K562 cells at a concentration of  $3.3 \times 10^6$ /ml (an NK-sensitive erythroblastoma cell line used to reduce non-specific lysis). Target cells (100 µl) and 100µl of effectors are plated in 96 well round-bottom plates and incubated for 5 hours at 37°C. At that time, 100 µl of supernatant are collected from each well and percent lysis is determined according to the formula: [(cpm of the test sample- cpm of the spontaneous  $^{51}\text{Cr}$  release sample)/(cpm of the maximal  $^{51}\text{Cr}$  release sample- cpm of the spontaneous  $^{51}\text{Cr}$  release sample)] x 100. Maximum and spontaneous release are determined by incubating the labelled targets with 1% Triton X-100 and media alone, respectively. A positive culture is defined as one in which the specific lysis (sample- background) is 10% or higher in the case of individual wells and is 15% or more at the 2 highest E:T ratios when expanded cultures are assayed.

#### *In situ* Measurement of Human $\gamma\text{IFN}$ Production as an Indicator of Peptide-specific and Endogenous Recognition

Immulon 2 plates are coated with mouse anti-human IFN $\gamma$  monoclonal antibody (4 µg/ml 0.1M NaHCO $_3$ , pH8.2) overnight at 4°C. The plates are washed with Ca $^{2+}$ , Mg $^{2+}$ -free PBS/0.05% Tween 20 and blocked with PBS/10% FCS for 2 hours, after which the CTLs (100 µl/well) and targets (100 µl/well) are added to each well, leaving empty wells for the standards and blanks (which received media only). The target cells, either peptide-pulsed or endogenous targets, are used at a concentration of  $1 \times 10^6$  cells/ml. The plates are incubated for 48 hours at 37°C with 5% CO $_2$ .

Recombinant human IFN $\gamma$  is added to the standard wells starting at 400 pg or 1200pg/100µl/well and the plate incubated for 2 hours at 37°C. The plates are washed and 100 µl of biotinylated mouse anti-human IFN $\gamma$  monoclonal antibody (2µg/ml in PBS/3%FCS/0.05% Tween 20) are added and incubated for 2 hours at room temperature. After washing again, 100 µl HRP-streptavidin

(1:4000) are added and the plates incubated for 1 hour at room temperature. The plates are then washed 6x with wash buffer, 100µl/well developing solution (TMB 1:1) are added, and the plates allowed to develop for 5-15 minutes. The reaction is stopped with 50 µl/well 1M H<sub>3</sub>PO<sub>4</sub> and read at OD450. A culture is considered positive if it measured at least 50 pg of IFNγ/well above background and is twice the background level of expression.

5 CTL Expansion. Those cultures that demonstrate specific lytic activity against peptide-pulsed targets and/or tumor targets are expanded over a two week period with anti-CD3. Briefly, 5x10<sup>4</sup> CD8+ cells are added to a T25 flask containing the following: 1x10<sup>6</sup> irradiated (4,200 rad) PBMC (autologous or allogeneic) per ml, 2x10<sup>5</sup> irradiated (8,000 rad) EBV- transformed cells per ml, and OKT3 (anti-CD3) at 30ng per ml in RPMI-1640 containing 10% (v/v) human AB serum, non-essential amino acids, sodium pyruvate, 25µM 2-mercaptoethanol, L-glutamine and penicillin/streptomycin. Rhuman IL2 is added 24 hours later at a final concentration of 200IU/ml and every 3 days thereafter with fresh media at 50IU/ml. The cells are split if the cell concentration exceeded 1x10<sup>6</sup>/ml and the cultures are assayed between days 13 and 15 at E:T ratios of 30, 10, 3 and 1:1 in the <sup>51</sup>Cr release assay or at 1x10<sup>6</sup>/ml in the *in situ* IFN assay using the same targets as before the expansion.

15 Cultures are expanded in the absence of anti-CD3<sup>+</sup> as follows. Those cultures that demonstrate specific lytic activity against peptide and endogenous targets are selected and 5x10<sup>4</sup> CD8<sup>+</sup> cells are added to a T25 flask containing the following: 1x10<sup>6</sup> autologous PBMC per ml which have been peptide-pulsed with 10µg/ml peptide for 2 hours at 37°C and irradiated (4,200 rad); 2x10<sup>5</sup> irradiated (8,000 rad) EBV-transformed cells per ml RPMI-1640 containing 10%(v/v) human AB serum, non-essential AA, sodium pyruvate, 25mM 2-ME, L-glutamine and gentamicin.

#### *Immunogenicity of A2 supermotif-bearing peptides*

25 A2-supermotif cross-reactive binding peptides are tested in the cellular assay for the ability to induce peptide-specific CTL in normal individuals. In this analysis, a peptide is typically considered to be an epitope if it induces peptide-specific CTLs in at least 2 donors (unless otherwise noted) and preferably, also recognizes the endogenously expressed peptide.

Immunogenicity is additionally confirmed using PBMCs isolated from HPV-infected patients. Briefly, PBMCs are isolated from patients, re-stimulated with peptide-pulsed monocytes and assayed for the ability to recognize peptide-pulsed target cells as well as transfected cells endogenously expressing the antigen.

#### *Evaluation of A\*03/A11 immunogenicity*

35 HLA-A3 supermotif-bearing cross-reactive binding peptides are also evaluated for immunogenicity using methodology analogous for that used to evaluate the immunogenicity of the HLA-A2 supermotif peptides.

*Evaluation of B7 immunogenicity*

Immunogenicity screening of the B7-supertype cross-reactive binding peptides identified in Example 2 are evaluated in a manner analogous to the evaluation of A2-and A3-supermotif-bearing peptides.

5

Peptides bearing other supermotifs/motifs, *e.g.*, HLA-A1, HLA-A24 *etc.* are also evaluated using similar methodology

10

Example 4. Implementation of the Extended Supermotif to Improve the Binding Capacity of Native Epitopes by Creating Analogs

15

HLA motifs and supermotifs (comprising primary and/or secondary residues) are useful in the identification and preparation of highly cross-reactive native peptides, as demonstrated herein. Moreover, the definition of HLA motifs and supermotifs also allows one to engineer highly cross-reactive epitopes by identifying residues within a native peptide sequence which can be analoged, or "fixed" to confer upon the peptide certain characteristics, *e.g.* greater cross-reactivity within the group of HLA molecules that comprise a supertype, and/or greater binding affinity for some or all of those HLA molecules. Examples of analoging peptides to exhibit modulated binding affinity are set forth in this example.

20

*Analoging at Primary Anchor Residues*

Peptide engineering strategies are implemented to further increase the cross-reactivity of the epitopes. For example, on the basis of the data disclosed, *e.g.*, in related and co-pending U.S.S.N 09/226,775, the main anchors of A2-supermotif-bearing peptides are altered, for example, to introduce a preferred L, I, V, or M at position 2, and I or V at the C-terminus.

25

To analyze the cross-reactivity of the analog peptides, each engineered analog is initially tested for binding to the prototype A2 supertype allele A\*0201, then, if A\*0201 binding capacity is maintained, for A2-supertype cross-reactivity.

30

Alternatively, a peptide is tested for binding to one or all supertype members and then analogued to modulate binding affinity to any one (or more) of the supertype members to add population coverage.

35

The selection of analogs for immunogenicity in a cellular screening analysis is typically further restricted by the capacity of the parent peptide to bind at least weakly, *i.e.*, bind at an IC<sub>50</sub> of 5000nM or less, to three or more A2 supertype alleles. The rationale for this requirement is that the WT peptides must be present endogenously in sufficient quantity to be biologically relevant. Analogued peptides have been shown to have increased immunogenicity and cross-reactivity by T cells specific for the parent epitope (*see, e.g.*, Parkhurst *et al.*, *J. Immunol.* 157:2539, 1996; and Pogue *et al.*, *Proc. Natl. Acad. Sci. USA* 92:8166, 1995).

40

In the cellular screening of these peptide analogs, it is important to demonstrate that analog-specific CTLs are also able to recognize the wild-type peptide and, when possible, target cells that endogenously express the epitope.

### *Analoging of HLA-A3 and B7-supermotif-bearing peptides*

Analogues of HLA-A3 supermotif-bearing epitopes are generated using strategies similar to those employed in analoging HLA-A2 supermotif-bearing peptides. For example, peptides binding to 3/5 of the A3-supertype molecules are engineered at primary anchor residues to possess a preferred residue (V, S, M, or A) at position 2.

The analog peptides are then tested for the ability to bind A\*03 and A\*11 (prototype A3 supertype alleles). Those peptides that demonstrate  $\leq 500$  nM binding capacity are then tested for A3-supertype cross-reactivity.

Similarly to the A2- and A3- motif bearing peptides, peptides binding 3 or more B7-supertype alleles can be improved, where possible, to achieve increased cross-reactive binding. B7 supermotif-bearing peptides are, for example, engineered to possess a preferred residue (V, I, L, or F) at the C-terminal primary anchor position, as demonstrated by Sidney *et al.* (*J. Immunol.* 157:3480-3490, 1996).

Analoguing at primary anchor residues of other motif and/or supermotif-bearing epitopes is performed in a like manner.

The analog peptides are then be tested for immunogenicity, typically in a cellular screening assay. Again, it is generally important to demonstrate that analog-specific CTLs are also able to recognize the wild-type peptide and, when possible, targets that endogenously express the epitope.

### *Analoging at Secondary Anchor Residues*

Moreover, HLA supermotifs are of value in engineering highly cross-reactive peptides and/or peptides that bind HLA molecules with increased affinity by identifying particular residues at secondary anchor positions that are associated with such properties. For example, the binding capacity of a B7 supermotif-bearing peptide with an F residue at position 1 is analyzed. The peptide is then analoged to, for example, substitute L for F at position 1. The analoged peptide is evaluated for increased binding affinity/ and or increased cross-reactivity. Such a procedure identifies analoged peptides with modulated binding affinity.

Engineered analogs with sufficiently improved binding capacity or cross-reactivity can also be tested for immunogenicity in HLA-B7-transgenic mice, following for example, IFA immunization or lipopeptide immunization. Analogued peptides are additionally tested for the ability to stimulate a recall response using PBMC from HPV-infected patients.

### *Other analoguing strategies*

Another form of peptide analoguing, unrelated to the anchor positions, involves the substitution of a cysteine with  $\alpha$ -amino butyric acid. Due to its chemical nature, cysteine has the propensity to form disulfide bridges and sufficiently alter the peptide structurally so as to reduce binding capacity. Substitution of  $\alpha$ -amino butyric acid for cysteine not only alleviates this problem, but has been shown to improve binding and crossbinding capabilities in some instances (*see, e.g.,* the review by Sette *et al.*, In: Persistent Viral Infections, Eds. R. Ahmed and I. Chen, John Wiley & Sons, England, 1999).

Thus, by the use of even single amino acid substitutions, the binding affinity and/or cross-reactivity of peptide ligands for HLA supertype molecules can be modulated.

Example 5. Identification of HPV-derived sequences with HLA-DR binding motifs

Peptide epitopes bearing an HLA class II supermotif or motif are identified as outlined below using methodology similar to that described in Examples 1-3.

*Selection of HLA-DR-supermotif-bearing epitopes.*

To identify HPV-derived, HLA class II HTL epitopes, the protein sequences from the same HPV antigens used for the identification of HLA Class I supermotif/motif sequences were analyzed for the presence of sequences bearing an HLA-DR-motif or supermotif. Specifically, 15-mer sequences were selected comprising a DR-supermotif, further comprising a 9-mer core, and three-residue N- and C-terminal flanking regions (15 amino acids total).

Protocols for predicting peptide binding to DR molecules have been developed (Southwood *et al.*, *J. Immunol.* 160:3363-3373, 1998). These protocols, specific for individual DR molecules, allow the scoring, and ranking, of 9-mer core regions. Each protocol not only scores peptide sequences for the presence of DR-supermotif primary anchors (i.e., at position 1 and position 6) within a 9-mer core, but additionally evaluates sequences for the presence of secondary anchors. Using allele specific selection tables (see, e.g., Southwood *et al.*, *ibid.*), it has been found that these protocols efficiently select peptide sequences with a high probability of binding a particular DR molecule. Additionally, it has been found that performing these protocols in tandem, specifically those for DR1, DR4w4, and DR7, can efficiently select DR cross-reactive peptides.

The HPV-derived peptides identified above are tested for their binding capacity for various common HLA-DR molecules. All peptides are initially tested for binding to the DR molecules in the primary panel: DR1, DR4w4, and DR7. Peptides binding at least 2 of these 3 DR molecules are then tested for binding to DR2w2  $\beta$ 1, DR2w2  $\beta$ 2, DR6w19, and DR9 molecules in secondary assays. Finally, peptides binding at least 2 of the 4 secondary panel DR molecules, and thus cumulatively at least 4 of 7 different DR molecules, are screened for binding to DR4w15, DR5w11, and DR8w2 molecules in tertiary assays. Peptides binding at least 7 of the 10 DR molecules comprising the primary, secondary, and tertiary screening assays are considered cross-reactive DR binders. HPV-derived peptides found to bind common HLA-DR alleles are of particular interest.

*Selection of DR3 motif peptides*

Because HLA-DR3 is an allele that is prevalent in Caucasian, Black, and Hispanic populations, DR3 binding capacity is an important criterion in the selection of HTL epitopes. However, data generated previously indicated that DR3 only rarely cross-reacts with other DR alleles (Sidney *et al.*, *J. Immunol.* 149:2634-2640, 1992; Geluk *et al.*, *J. Immunol.* 152:5742-5748, 1994; Southwood *et al.*, *J. Immunol.* 160:3363-3373, 1998). This is not entirely surprising in that the DR3 peptide-binding motif appears to be distinct from the specificity of most other DR alleles. For maximum efficiency in developing vaccine candidates it would be desirable for DR3 motifs to be clustered in proximity with DR supermotif

regions. Thus, peptides shown to be candidates may also be assayed for their DR3 binding capacity. However, in view of the distinct binding specificity of the DR3 motif, peptides binding only to DR3 can also be considered as candidates for inclusion in a vaccine formulation.

To efficiently identify peptides that bind DR3, target HPV antigens are analyzed for sequences carrying one of the two DR3 specific binding motifs reported by Geluk *et al.* (*J. Immunol.* 152:5742-5748, 1994). The corresponding peptides are then synthesized and tested for the ability to bind DR3 with an affinity of 1  $\mu$ M or better, i.e., less than 1  $\mu$ M. Peptides are found that meet this binding criterion and qualify as HLA class II high affinity binders.

DR3 binding epitopes identified in this manner are included in vaccine compositions with DR supermotif-bearing peptide epitopes.

Similarly to the case of HLA class I motif-bearing peptides, the class II motif-bearing peptides are analogized to improve affinity or cross-reactivity. For example, aspartic acid at position 4 of the 9-mer core sequence is an optimal residue for DR3 binding, and substitution for that residue often improves DR 3 binding.

#### Example 6. Immunogenicity of HPV-derived HTL epitopes

This example determines immunogenic DR supermotif- and DR3 motif-bearing epitopes among those identified using the methodology in Example 5.

Immunogenicity of HTL epitopes are evaluated in a manner analogous to the determination of immunogenicity of CTL epitopes by assessing the ability to stimulate HTL responses and/or by using appropriate transgenic mouse models. Immunogenicity is determined by screening for: 1.) *in vitro* primary induction using normal PBMC or 2.) recall responses from cancer patient PBMCs.

#### Example 7. Calculation of phenotypic frequencies of HLA-supertypes in various ethnic backgrounds to determine breadth of population coverage

This example illustrates the assessment of the breadth of population coverage of a vaccine composition comprised of multiple epitopes comprising multiple supermotifs and/or motifs.

In order to analyze population coverage, gene frequencies of HLA alleles were determined. Gene frequencies for each HLA allele were calculated from antigen or allele frequencies utilizing the binomial distribution formulae  $gf=1-(SQRT(1-af))$  (see, e.g., Sidney *et al.*, *Human Immunol.* 45:79-93, 1996). To obtain overall phenotypic frequencies, cumulative gene frequencies were calculated, and the cumulative antigen frequencies derived by the use of the inverse formula  $[af=1-(1-Cgf)^2]$ .

Where frequency data was not available at the level of DNA typing, correspondence to the serologically defined antigen frequencies was assumed. To obtain total potential supertype population coverage no linkage disequilibrium was assumed, and only alleles confirmed to belong to each of the superotypes were included (minimal estimates). Estimates of total potential coverage achieved by inter-loci combinations were made by adding to the A coverage the proportion of the non-A covered population that could be expected to be covered by the B alleles considered (e.g.,  $total=A+B*(1-A)$ ). Confirmed members of the A3-like supertype are A3, A11, A31, A\*3301, and A\*6801. Although the A3-like supertype may also include A34, A66, and A\*7401, these alleles were not included in overall frequency calculations.

Likewise, confirmed members of the A2-like supertype family are A\*0201, A\*0202, A\*0203, A\*0204, A\*0205, A\*0206, A\*0207, A\*6802, and A\*6901. Finally, the B7-like supertype-confirmed alleles are: B7, B\*3501-03, B51, B\*5301, B\*5401, B\*5501-2, B\*5601, B\*6701, and B\*7801 (potentially also B\*1401, B\*3504-06, B\*4201, and B\*5602).

5 Population coverage achieved by combining the A2-, A3- and B7-supertypes is approximately 86% in five major ethnic groups, *supra*. Coverage may be extended by including peptides bearing the A1 and A24 motifs. On average, A1 is present in 12% and A24 in 29% of the population across five different major ethnic groups (Caucasian, North American Black, Chinese, Japanese, and Hispanic). Together, these alleles are represented with an average frequency of 39% in these same ethnic populations.

10 The total coverage across the major ethnicities when A1 and A24 are combined with the coverage of the A2-, A3- and B7-supertype alleles is >95%. An analogous approach can be used to estimate population coverage achieved with combinations of class II motif-bearing epitopes.

Immunogenicity studies in humans (*e.g.*, Bertoni *et al.*, *J. Clin. Invest.* 100:503, 1997; Doolan *et al.*, *Immunity* 7:97, 1997; and Threlkeld *et al.*, *J. Immunol.* 159:1648, 1997) have shown that

15 highly cross-reactive binding peptides are almost always recognized as epitopes. The use of highly cross-reactive binding peptides is an important selection criterion in identifying candidate epitopes for inclusion in a vaccine that is immunogenic in a diverse population.

With a sufficient number of epitopes (as disclosed herein and from the art), an average population coverage is predicted to be greater than 95% in each of five major ethnic populations. The game

20 theory Monte Carlo simulation analysis, which is known in the art (see *e.g.*, Osborne, M.J. and Rubinstein, A. "A course in game theory" MIT Press, 1994), can be used to estimate what percentage of the individuals in a population comprised of the Caucasian, North American Black, Japanese, Chinese, and Hispanic ethnic groups would recognize the vaccine epitopes described herein. A preferred percentage is 90%. A more preferred percentage is 95%.

25

#### Example 8. CTL Recognition Of Endogenous Processed Antigens After Priming

This example determines that CTL induced by native or analogued peptide epitopes identified and selected as described in Examples 1-6 recognize endogenously synthesized, *i.e.*, native antigens.

30 Effector cells isolated from transgenic mice that are immunized with peptide epitopes as in Example 3, for example HLA-A2 supermotif-bearing epitopes, are re-stimulated *in vitro* using peptide-coated stimulator cells. Six days later, effector cells are assayed for cytotoxicity and the cell lines that contain peptide-specific cytotoxic activity are further re-stimulated. An additional six days later, these cell lines are tested for cytotoxic activity on <sup>51</sup>Cr labeled Jurkat-A2.1/K<sup>b</sup> target cells in the absence or presence

35 of peptide, and also tested on <sup>51</sup>Cr labeled target cells bearing the endogenously synthesized antigen, *i.e.* cells that are stably transfected with HPV expression vectors.

The result will demonstrate that CTL lines obtained from animals primed with peptide epitope recognize endogenously synthesized HPV antigen. The choice of transgenic mouse model to be used for such an analysis depends upon the epitope(s) that is being evaluated. In addition to HLA-

40 A\*0201/K<sup>b</sup> transgenic mice, several other transgenic mouse models including mice with human A11, which

may also be used to evaluate A3 epitopes, and B7 alleles have been characterized and others (e.g., transgenic mice for HLA-A1 and A24) are being developed. HLA-DR1 and HLA-DR3 mouse models have also been developed, which may be used to evaluate HTL epitopes.

#### 5 Example 9. Activity Of CTL-HTL Conjugated Epitopes In Transgenic Mice

This example illustrates the induction of CTLs and HTLs in transgenic mice by use of a tumor associated antigen CTL/HTL peptide conjugate whereby the vaccine composition comprises peptides to be administered to an HPV-infected patient. The peptide composition can comprise multiple CTL and/or HTL epitopes and further, can comprise epitopes selected from multiple HPV target antigens. The epitopes are identified using methodology as described in Examples 1-6. This analysis demonstrates the enhanced immunogenicity that can be achieved by inclusion of one or more HTL epitopes in a vaccine composition. Such a peptide composition can comprise an HTL epitope conjugated to a preferred CTL epitope containing, for example, at least one CTL epitope that binds to multiple HLA family members at an affinity of 500 nM or less, or analogs of that epitope. The peptides may be lipidated, if desired.

15 Immunization procedures: Immunization of transgenic mice is performed as described (Alexander *et al.*, *J. Immunol.* 159:4753-4761, 1997). For example, A2/K<sup>b</sup> mice, which are transgenic for the human HLA A2.1 allele and are useful for the assessment of the immunogenicity of HLA-A\*0201 motif- or HLA-A2 supermotif-bearing epitopes, are primed subcutaneously (base of the tail) with a 0.1 ml of peptide in Incomplete Freund's Adjuvant, or if the peptide composition is a lipidated CTL/HTL conjugate, in DMSO/saline or if the peptide composition is a polypeptide, in PBS or Incomplete Freund's Adjuvant. Seven days after priming, splenocytes obtained from these animals are restimulated with syngenic irradiated LPS-activated lymphoblasts coated with peptide.

Cell lines: Target cells for peptide-specific cytotoxicity assays are Jurkat cells transfected with the HLA-A2.1/K<sup>b</sup> chimeric gene (e.g., Vitiello *et al.*, *J. Exp. Med.* 173:1007, 1991)

25 *In vitro* CTL activation: One week after priming, spleen cells ( $30 \times 10^6$  cells/flask) are co-cultured at 37°C with syngeneic, irradiated (3000 rads), peptide coated lymphoblasts ( $10 \times 10^6$  cells/flask) in 10 ml of culture medium/T25 flask. After six days, effector cells are harvested and assayed for cytotoxic activity.

Assay for cytotoxic activity: Target cells ( $1.0$  to  $1.5 \times 10^6$ ) are incubated at 37°C in the presence of 200  $\mu$ l of  $^{51}\text{Cr}$ . After 60 minutes, cells are washed three times and resuspended in R10 medium. Peptide is added where required at a concentration of 1  $\mu\text{g/ml}$ . For the assay,  $10^4$   $^{51}\text{Cr}$ -labeled target cells are added to different concentrations of effector cells (final volume of 200  $\mu$ l) in U-bottom 96-well plates. After a 6 hour incubation period at 37°C, a 0.1 ml aliquot of supernatant is removed from each well and radioactivity is determined in a Micromedic automatic gamma counter. The percent specific lysis is determined by the formula: percent specific release =  $100 \times (\text{experimental release} - \text{spontaneous release}) / (\text{maximum release} - \text{spontaneous release})$ . To facilitate comparison between separate CTL assays run under the same conditions, %  $^{51}\text{Cr}$  release data is expressed as lytic units/ $10^6$  cells. One lytic unit is arbitrarily defined as the number of effector cells required to achieve 30% lysis of 10,000 target cells in a 6 hour  $^{51}\text{Cr}$  release assay. To obtain specific lytic units/ $10^6$ , the lytic units/ $10^6$  obtained in the absence of peptide is subtracted from the lytic units/ $10^6$  obtained in the presence of peptide. For example, if 30%  $^{51}\text{Cr}$

release is obtained at the effector (E): target (T) ratio of 50:1 (i.e.,  $5 \times 10^5$  effector cells for 10,000 targets) in the absence of peptide and 5:1 (i.e.,  $5 \times 10^4$  effector cells for 10,000 targets) in the presence of peptide, the specific lytic units would be:  $[(1/50,000)-(1/500,000)] \times 10^6 = 18 \text{ LU}$ .

The results are analyzed to assess the magnitude of the CTL responses of animals injected with the immunogenic CTL/HTL conjugate vaccine preparation and are compared to the magnitude of the CTL response achieved using the CTL epitope as outlined in Example 3. Analyses similar to this may be performed to evaluate the immunogenicity of peptide conjugates containing multiple CTL epitopes and/or multiple HTL epitopes. In accordance with these procedures it is found that a CTL response is induced, and concomitantly that an HTL response is induced upon administration of such compositions.

Example 10. Selection of CTL and HTL epitopes for inclusion in an HPV-specific vaccine.

This example illustrates the procedure for the selection of peptide epitopes for vaccine compositions of the invention. The peptides in the composition can be in the form of a nucleic acid sequence, either single or one or more sequences (i.e., minigene) that encodes peptide(s), or can be single and/or polypeptidic peptides.

The following principles are utilized when selecting an array of epitopes for inclusion in a vaccine composition. Each of the following principles is balanced in order to make the selection.

Epitopes are selected which, upon administration, mimic immune responses that have been observed to be correlated with HPV clearance. The number of epitopes used depends on observations of patients who spontaneously clear HPV. For example, if it has been observed that patients who spontaneously clear HPV generate an immune response to at least 3 epitopes on at least one HPV antigen, then 3-4 epitopes should be included for HLA class I. A similar rationale is used to determine HLA class II epitopes.

When selecting an array of HPV epitopes, it is preferred that at least some of the epitopes are derived from early and late proteins. The early proteins of HPV are expressed when the virus is replicating, either following acute or dormant infection. Therefore, it is particularly preferred to use epitopes from early stage proteins to alleviate disease manifestations at the earliest stage possible.

Epitopes are often selected that have a binding affinity of an  $IC_{50}$  of 500 nM or less for an HLA class I molecule, or for class II, an  $IC_{50}$  of 1000 nM or less.

Sufficient supermotif bearing peptides, or a sufficient array of allele-specific motif bearing peptides, are selected to give broad population coverage. For example, epitopes are selected to provide at least 80% population coverage. A Monte Carlo analysis, a statistical evaluation known in the art, can be employed to assess breadth, or redundancy, of population coverage.

When creating a polypeptidic compositions, e.g. a minigene, it is typically desirable to generate the smallest peptide possible that encompasses the epitopes of interest. The principles employed are similar, if not the same, as those employed when selecting a peptide comprising nested epitopes.

In cases where the sequences of multiple variants of the same target protein are available, potential peptide epitopes can also be selected on the basis of their conservancy. For example, a criterion for conservancy may define that the entire sequence of an HLA class I binding peptide or the entire 9-mer

core of a class II binding peptide be conserved in a designated percentage of the sequences evaluated for a specific protein antigen.

A vaccine composition comprised of selected peptides, when administered, is safe, efficacious, and elicits an immune response similar in magnitude to an immune response that controls or clears an acute HPV infection.

#### Example 11. Construction of Minigene Multi-Epitope DNA Plasmids

This example provides general guidance for the construction of a minigene expression plasmid. Minigene plasmids may, of course, contain various configurations of CTL and/or HTL epitopes or epitope analogs as described herein. Examples of the construction and evaluation of expression plasmids are described, for example, in co-pending U.S.S.N. 09/311,784 filed 5/13/99.

A minigene expression plasmid typically includes multiple CTL and HTL peptide epitopes. In the present example, HLA-A2, -A3, -B7 supermotif-bearing peptide epitopes and HLA-A1 and -A24 motif-bearing peptide epitopes are used in conjunction with DR supermotif-bearing epitopes and/or DR3 epitopes. HLA class I supermotif or motif-bearing peptide epitopes derived from multiple HPV antigens, preferably including both early and late phase antigens, are selected such that multiple supermotifs/motifs are represented to ensure broad population coverage. Similarly, HLA class II epitopes are selected from multiple HPV antigens to provide broad population coverage, *i.e.* both HLA DR-1-4-7 supermotif-bearing epitopes and HLA DR-3 motif-bearing epitopes are selected for inclusion in the minigene construct. The selected CTL and HTL epitopes are then incorporated into a minigene for expression in an expression vector.

Such a construct may additionally include sequences that direct the HTL epitopes to the endoplasmic reticulum. For example, the Ii protein may be fused to one or more HTL epitopes as described in co-pending application U.S.S.N. 09/311,784 filed 5/13/99, wherein the CLIP sequence of the Ii protein is removed and replaced with an HLA class II epitope sequence so that HLA class II epitope is directed to the endoplasmic reticulum, where the epitope binds to an HLA class II molecules.

This example illustrates the methods to be used for construction of a minigene-bearing expression plasmid. Other expression vectors that may be used for minigene compositions are available and known to those of skill in the art.

The minigene DNA plasmid of this example contains a consensus Kozak sequence and a consensus murine kappa Ig-light chain signal sequence followed by CTL and/or HTL epitopes selected in accordance with principles disclosed herein. The sequence encodes an open reading frame fused to the Myc and His antibody epitope tag coded for by the pcDNA 3.1 Myc-His vector.

Overlapping oligonucleotides that can, for example, average about 70 nucleotides in length with 15 nucleotide overlaps, are synthesized and HPLC-purified. The oligonucleotides encode the selected peptide epitopes as well as appropriate linker nucleotides, Kozak sequence, and signal sequence. The final multiepitope minigene is assembled by extending the overlapping oligonucleotides in three sets of reactions using PCR. A Perkin/Elmer 9600 PCR machine is used and a total of 30 cycles are performed using the following conditions: 95°C for 15 sec, annealing temperature (5° below the lowest calculated T<sub>m</sub> of each primer pair) for 30 sec, and 72°C for 1 min.

For example, a minigene can be prepared as follows. For a first PCR reaction, 5 µg of each of two oligonucleotides are annealed and extended: In an example using eight oligonucleotides, i.e., four pairs of primers, oligonucleotides 1+2, 3+4, 5+6, and 7+8 are combined in 100 µl reactions containing *Pfu* polymerase buffer (1x= 10 mM KCL, 10 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 20 mM Tris-chloride, pH 8.75, 2 mM MgSO<sub>4</sub>, 0.1% Triton X-100, 100 µg/ml BSA), 0.25 mM each dNTP, and 2.5 U of *Pfu* polymerase. The full-length dimer products are gel-purified, and two reactions containing the product of 1+2 and 3+4, and the product of 5+6 and 7+8 are mixed, annealed, and extended for 10 cycles. Half of the two reactions are then mixed, and 5 cycles of annealing and extension carried out before flanking primers are added to amplify the full length product. The full-length product is gel-purified and cloned into pCR-blunt (Invitrogen) and individual clones are screened by sequencing.

Example 12. The plasmid construct and the degree to which it induces immunogenicity.

The degree to which a plasmid construct, for example a plasmid constructed in accordance with Example 11, is able to induce immunogenicity can be evaluated *in vitro* by testing for epitope presentation by APC following transduction or transfection of the APC with an epitope-expressing nucleic acid construct. Such a study determines "antigenicity" and allows the use of human APC. The assay determines the ability of the epitope to be presented by the APC in a context that is recognized by a T cell by quantifying the density of epitope-HLA class I complexes on the cell surface. Quantitation can be performed by directly measuring the amount of peptide eluted from the APC (*see, e.g.,* Sijts *et al., J. Immunol.* 156:683-692, 1996; Demotz *et al., Nature* 342:682-684, 1989); or the number of peptide-HLA class I complexes can be estimated by measuring the amount of lysis or lymphokine release induced by infected or transfected target cells, and then determining the concentration of peptide necessary to obtained equivalent levels of lysis or lymphokine release (*see, e.g.,* Kageyama *et al., J. Immunol.* 154:567-576, 1995).

Alternatively, immunogenicity can be evaluated through *in vivo* injections into mice and subsequent *in vitro* assessment of CTL and HTL activity, which are analysed using cytotoxicity and proliferation assays, respectively, as detailed *e.g.,* in copending U.S.S.N. 09/311,784 filed 5/13/99 and Alexander *et al., Immunity* 1:751-761, 1994.

For example, to assess the capacity of a DNA minigene construct (*e.g.,* a pMin minigene construct generated as described in U.S.S.N. 09/311,784) containing at least one HLA-A2 supermotif peptide to induce CTLs *in vivo*, HLA-A2.1/K<sup>b</sup> transgenic mice, for example, are immunized intramuscularly with 100 µg of naked cDNA. As a means of comparing the level of CTLs induced by cDNA immunization, a control group of animals is also immunized with an actual peptide composition that comprises multiple epitopes synthesized as a single polypeptide as they would be encoded by the minigene.

Splenocytes from immunized animals are stimulated twice with each of the respective compositions (peptide epitopes encoded in the minigene or the polyepitopic peptide), then assayed for peptide-specific cytotoxic activity in a <sup>51</sup>Cr release assay. The results indicate the magnitude of the CTL response directed against the A2-restricted epitope, thus indicating the *in vivo* immunogenicity of the minigene vaccine and polyepitopic vaccine. It is, therefore, found that the minigene elicits immune responses directed toward the HLA-A2 supermotif peptide epitopes as does the polyepitopic peptide.

vaccine. A similar analysis is also performed using other HLA-A3 and HLA-B7 transgenic mouse models to assess CTL induction by HLA-A3 and HLA-B7 motif or supermotif epitopes.

To assess the capacity of a class II epitope encoding minigene to induce HTLs *in vivo*, DR transgenic mice, or for those epitope that cross react with the appropriate mouse MHC molecule, I-A<sup>b</sup>-restricted mice, for example, are immunized intramuscularly with 100 µg of plasmid DNA. As a means of comparing the level of HTLs induced by DNA immunization, a group of control animals is also immunized with an actual peptide composition emulsified in complete Freund's adjuvant. CD4<sup>+</sup> T cells, *i.e.* HTLs, are purified from splenocytes of immunized animals and stimulated with each of the respective compositions (peptides encoded in the minigene). The HTL response is measured using a <sup>3</sup>H-thymidine incorporation proliferation assay, (*see, e.g.*, Alexander et al. *Immunity* 1:751-761, 1994). The results indicate the magnitude of the HTL response, thus demonstrating the *in vivo* immunogenicity of the minigene.

DNA minigenes, constructed as described in Example 11, may also be evaluated as a vaccine in combination with a boosting agent using a prime boost protocol. The boosting agent can consist of recombinant protein (*e.g.*, Barnett et al., *Aids Res. and Human Retroviruses* 14, Supplement 3:S299-S309, 1998) or recombinant vaccinia, for example, expressing a minigene or DNA encoding the complete protein of interest (*see, e.g.*, Hanke et al., *Vaccine* 16:439-445, 1998; Sedegah et al., *Proc. Natl. Acad. Sci USA* 95:7648-53, 1998; Hanke and McMichael, *Immunol. Letters* 66:177-181, 1999; and Robinson et al., *Nature Med.* 5:526-34, 1999).

For example, the efficacy of the DNA minigene used in a prime boost protocol is initially evaluated in transgenic mice. In this example, A2.1/K<sup>b</sup> transgenic mice are immunized IM with 100 µg of a DNA minigene encoding the immunogenic peptides including at least one HLA-A2 supermotif-bearing peptide. After an incubation period (ranging from 3-9 weeks), the mice are boosted IP with 10<sup>7</sup> pfu/mouse of a recombinant vaccinia virus expressing the same sequence encoded by the DNA minigene. Control mice are immunized with 100 µg of DNA or recombinant vaccinia without the minigene sequence, or with DNA encoding the minigene, but without the vaccinia boost. After an additional incubation period of two weeks, splenocytes from the mice are immediately assayed for peptide-specific activity in an ELISPOT assay. Additionally, splenocytes are stimulated *in vitro* with the A2-restricted peptide epitopes encoded in the minigene and recombinant vaccinia, then assayed for peptide-specific activity in an IFN-γ ELISA.

It is found that the minigene utilized in a prime-boost protocol elicits greater immune responses toward the HLA-A2 supermotif peptides than with DNA alone. Such an analysis can also be performed using HLA-A11 or HLA-B7 transgenic mouse models to assess CTL induction by HLA-A3 or HLA-B7 motif or supermotif epitopes.

The use of prime boost protocols in humans is described in Example 20.

### 35 Example 13. Peptide Composition for Prophylactic Uses

Vaccine compositions of the present invention can be used to prevent HPV infection in persons who are at risk for such infection. For example, a polyepitopic peptide epitope composition (or a nucleic acid comprising the same) containing multiple CTL and HTL epitopes such as those selected in Examples 9 and/or 10, which are also selected to target greater than 80% of the population, is administered to individuals at risk for HPV infection.

For example, a peptide-based composition can be provided as a single polypeptide that encompasses multiple epitopes. The vaccine is typically administered in a physiological solution that comprises an adjuvant, such as Incomplete Freund's Adjuvant. The dose of peptide for the initial immunization is from about 1 to about 50,000 µg, generally 100-5,000 µg, for a 70 kg patient. The initial administration of vaccine is followed by booster dosages at 4 weeks followed by evaluation of the magnitude of the immune response in the patient, by techniques that determine the presence of epitope-specific CTL populations in a PBMC sample. Additional booster doses are administered as required. The composition is found to be both safe and efficacious as a prophylaxis against HPV infection.

Alternatively, a composition typically comprising transfecting agents can be used for the administration of a nucleic acid-based vaccine in accordance with methodologies known in the art and disclosed herein.

#### Example 14. Polyepitopic Vaccine Compositions Derived from Native HPV Sequences

A native HPV polyprotein sequence is screened, preferably using computer algorithms defined for each class I and/or class II supermotif or motif, to identify "relatively short" regions of the polyprotein that comprise multiple epitopes and is preferably less in length than an entire native antigen. This relatively short sequence that contains multiple distinct, even overlapping, epitopes is selected and used to generate a minigene construct. The construct is engineered to express the peptide, which corresponds to the native protein sequence. The "relatively short" peptide is generally less than 250 amino acids in length, often less than 100 amino acids in length, preferably less than 75 amino acids in length, and more preferably less than 50 amino acids in length. The protein sequence of the vaccine composition is selected because it has maximal number of epitopes contained within the sequence, *i.e.*, it has a high concentration of epitopes. As noted herein, epitope motifs may be nested or overlapping (*i.e.*, frame shifted relative to one another). For example, with *f* overlapping epitopes, two 9-mer epitopes and one 10-mer epitope can be present in a 10 amino acid peptide. Such a vaccine composition is administered for therapeutic or prophylactic purposes.

The vaccine composition will include, for example, three CTL epitopes from at least one HPV target antigen and at least one HTL epitope. This polyepitopic native sequence is administered either as a peptide or as a nucleic acid sequence which encodes the peptide. Alternatively, an analog can be made of this native sequence, whereby one or more of the epitopes comprise substitutions that alter the cross-reactivity and/or binding affinity properties of the polyepitopic peptide.

The embodiment of this example provides for the possibility that an as yet undiscovered aspect of immune system processing will apply to the native nested sequence and thereby facilitate the production of therapeutic or prophylactic immune response-inducing vaccine compositions. Additionally such an embodiment provides for the possibility of motif-bearing epitopes for an HLA makeup that is presently unknown. Furthermore, this embodiment (absent analogs) directs the immune response to multiple peptide sequences that are actually present in native HPV antigens thus avoiding the need to evaluate any junctional epitopes. Lastly, the embodiment provides an economy of scale when producing nucleic acid vaccine compositions.

Related to this embodiment, computer programs can be derived in accordance with principles in the art, which identify in a target sequence, the greatest number of epitopes per sequence length.

5 Example 15. Polyepitopic Vaccine Compositions From Multiple Antigens

The HPV peptide epitopes of the present invention are used in conjunction with peptide epitopes from other target tumor-associated antigens to create a vaccine composition that is useful for the prevention or treatment of cancer resulting from HPV infection in multiple patients.

10 For example, a vaccine composition can be provided as a single polypeptide that incorporates multiple epitopes from HPV antigens as well as tumor-associated antigens that are often expressed with a target cancer, *e.g.*, cervical cancer, associated with HPV infection, or can be administered as a composition comprising one or more discrete epitopes. Alternatively, the vaccine can be administered as a minigene construct or as dendritic cells which have been loaded with the peptide epitopes *in vitro*.

15 Example 16. Use of peptides to evaluate an immune response

Peptides of the invention may be used to analyze an immune response for the presence of specific CTL or HTL populations directed to HPV. Such an analysis may be performed in a manner as that described by Ogg *et al.*, *Science* 279:2103-2106, 1998. In the following example, peptides in accordance with the invention are used as a reagent for diagnostic or prognostic purposes, not as an immunogen.

20 In this example highly sensitive human leukocyte antigen tetrameric complexes ("tetramers") are used for a cross-sectional analysis of, for example, HPV HLA-A\*0201-specific CTL frequencies from HLA A\*0201-positive individuals at different stages of infection or following immunization using an HPV peptide containing an A\*0201 motif. Tetrameric complexes are synthesized as described (Musey *et al.*, *N. Engl. J. Med.* 337:1267, 1997). Briefly, purified HLA heavy chain (A\*0201 in this example) and  $\beta$ 2-microglobulin are synthesized by means of a prokaryotic expression system. The heavy chain is modified by deletion of the transmembrane-cytosolic tail and COOH-terminal addition of a sequence containing a BirA enzymatic biotinylation site. The heavy chain,  $\beta$ 2-microglobulin, and peptide are refolded by dilution. The 45-kD refolded product is isolated by fast protein liquid chromatography and then biotinylated by BirA in the presence of biotin (Sigma, St. Louis, Missouri), adenosine 5'triphosphate and magnesium. Streptavidin-phycoerythrin conjugate is added in a 1:4 molar ratio, and the tetrameric product is concentrated to 1 mg/ml. The resulting product is referred to as tetramer-phycoerythrin.

30 For the analysis of patient blood samples, approximately one million PBMCs are centrifuged at 300g for 5 minutes and resuspended in 50  $\mu$ l of cold phosphate-buffered saline. Tri-color analysis is performed with the tetramer-phycoerythrin, along with anti-CD8-Tricolor, and anti-CD38. The PBMCs are incubated with tetramer and antibodies on ice for 30 to 60 min and then washed twice before formaldehyde fixation. Gates are applied to contain >99.98% of control samples. Controls for the tetramers include both A\*0201-negative individuals and A\*0201-positive uninfected donors. The percentage of cells stained with the tetramer is then determined by flow cytometry. The results indicate the number of cells in the PBMC sample that contain epitope-restricted CTLs, thereby readily indicating the

extent of immune response to the HPV epitope, and thus the stage of infection with HPV, the status of exposure to HPV, or exposure to a vaccine that elicits a protective or therapeutic response.

#### Example 17. Use of Peptide Epitopes to Evaluate Recall Responses

5                   The peptide epitopes of the invention are used as reagents to evaluate T cell responses, such as acute or recall responses, in patients. Such an analysis may be performed on patients who have recovered from infection, who are chronically infected with HPV, or who have been vaccinated with an HPV vaccine.

10                   For example, the class I restricted CTL response of persons who have been vaccinated may be analyzed. The vaccine may be any HPV vaccine. PBMC are collected from vaccinated individuals and HLA typed. Appropriate peptide epitopes of the invention that, optimally, bear supermotifs to provide cross-reactivity with multiple HLA supertype family members, are then used for analysis of samples derived from individuals who bear that HLA type.

15                   PBMC from vaccinated individuals are separated on Ficoll-Histopaque density gradients (Sigma Chemical Co., St. Louis, MO), washed three times in HBSS (GIBCO Laboratories), resuspended in RPMI-1640 (GIBCO Laboratories) supplemented with L-glutamine (2mM), penicillin (50U/ml), streptomycin (50 µg/ml), and HEPES (10mM) containing 10% heat-inactivated human AB serum (complete RPMI) and plated using microculture formats. A synthetic peptide comprising an epitope of the invention is added at 10 µg/ml to each well and HBV core 128-140 epitope is added at 1 µg/ml to each well as a  
20                   source of T cell help during the first week of stimulation.

25                   In the microculture format,  $4 \times 10^5$  PBMC are stimulated with peptide in 8 replicate cultures in 96-well round bottom plate in 100 µl/well of complete RPMI. On days 3 and 10, 100 µl of complete RPMI and 20 U/ml final concentration of rIL-2 are added to each well. On day 7 the cultures are transferred into a 96-well flat-bottom plate and restimulated with peptide, rIL-2 and  $10^5$  irradiated (3,000 rad) autologous feeder cells. The cultures are tested for cytotoxic activity on day 14. A positive CTL response requires two or more of the eight replicate cultures to display greater than 10% specific  $^{51}\text{Cr}$  release, based on comparison with uninfected control subjects as previously described (Rehermann, *et al.*, *Nature Med.* 2:1104,1108, 1996; Rehermann *et al.*, *J. Clin. Invest.* 97:1655-1665, 1996; and Rehermann *et al.* *J. Clin. Invest.* 98:1432-1440, 1996).

30                   Target cell lines are autologous and allogeneic EBV-transformed B-LCL that are either purchased from the American Society for Histocompatibility and Immunogenetics (ASHI, Boston, MA) or established from the pool of patients as described (Guilhot, *et al. J. Virol.* 66:2670-2678, 1992).

35                   Cytotoxicity assays are performed in the following manner. Target cells consist of either allogeneic HLA-matched or autologous EBV-transformed B lymphoblastoid cell line that are incubated overnight with the synthetic peptide epitope of the invention at 10 µM, and labeled with 100 µCi of  $^{51}\text{Cr}$  (Amersham Corp., Arlington Heights, IL) for 1 hour after which they are washed four times with HBSS.

40                   Cytolytic activity is determined in a standard 4-h, split well  $^{51}\text{Cr}$  release assay using U-bottomed 96 well plates containing 3,000 targets/well. Stimulated PBMC are tested at effector/target (E/T) ratios of 20-50:1 on day 14. Percent cytotoxicity is determined from the formula:  $100 \times [(\text{experimental release} - \text{spontaneous release}) / (\text{maximum release} - \text{spontaneous release})]$ . Maximum release is determined by

lysis of targets by detergent (2% Triton X-100; Sigma Chemical Co., St. Louis, MO). Spontaneous release is <25% of maximum release for all experiments.

The results of such an analysis indicate the extent to which HLA-restricted CTL populations have been stimulated by previous exposure to HPV or an HPV vaccine.

5           The class II restricted HTL responses may also be analyzed. Purified PBMC are cultured in a 96-well flat bottom plate at a density of  $1.5 \times 10^5$  cells/well and are stimulated with 10  $\mu$ g/ml synthetic peptide, whole antigen, or PHA. Cells are routinely plated in replicates of 4-6 wells for each condition. After seven days of culture, the medium is removed and replaced with fresh medium containing 10U/ml IL-2. Two days later, 1  $\mu$ Ci  $^3$ H-thymidine is added to each well and incubation is continued for an additional 10 18 hours. Cellular DNA is then harvested on glass fiber mats and analyzed for  $^3$ H-thymidine incorporation. Antigen-specific T cell proliferation is calculated as the ratio of  $^3$ H-thymidine incorporation in the presence of antigen divided by the  $^3$ H-thymidine incorporation in the absence of antigen.

#### Example 18. Induction Of Specific CTL Response In Humans

15           A human clinical trial for an immunogenic composition comprising CTL and HTL epitopes of the invention is set up as an IND Phase I, dose escalation study and carried out as a randomized, double-blind, placebo-controlled trial. Such a trial is designed, for example, as follows:

A total of about 27 individuals are enrolled and divided into 3 groups:

20           Group I: 3 subjects are injected with placebo and 6 subjects are injected with 5  $\mu$ g of peptide composition;

            Group II: 3 subjects are injected with placebo and 6 subjects are injected with 50  $\mu$ g peptide composition;

            Group III: 3 subjects are injected with placebo and 6 subjects are injected with 500  $\mu$ g of peptide composition.

25           After 4 weeks following the first injection, all subjects receive a booster inoculation at the same dosage.

            The endpoints measured in this study relate to the safety and tolerability of the peptide composition as well as its immunogenicity. Cellular immune responses to the peptide composition are an index of the intrinsic activity of this the peptide composition, and can therefore be viewed as a measure of 30 biological efficacy. The following summarize the clinical and laboratory data that relate to safety and efficacy endpoints.

            Safety: The incidence of adverse events is monitored in the placebo and drug treatment group and assessed in terms of degree and reversibility.

35           Evaluation of Vaccine Efficacy: For evaluation of vaccine efficacy, subjects are bled before and after injection. Peripheral blood mononuclear cells are isolated from fresh heparinized blood by Ficoll-Hypaque density gradient centrifugation, aliquoted in freezing media and stored frozen. Samples are assayed for CTL and HTL activity.

            The vaccine is found to be both safe and efficacious.

Example 19. Phase II Trials In Patients Infected With HPV

Phase II trials are performed to study the effect of administering the CTL-HTL peptide compositions to patients having cancer associated with HPV infection. The main objectives of the trials are to determine an effective dose and regimen for inducing CTLs in HPV-infected patients with cancer, to  
5 establish the safety of inducing a CTL and HTL response in these patients, and to see to what extent activation of CTLs improves the clinical picture of chronically infected HPV patients, as manifested by a reduction in viral load, e.g., the reduction and/or shrinking of lesions. Such a study is designed, for example, as follows:

The studies are performed in multiple centers. The trial design is an open-label,  
10 uncontrolled, dose escalation protocol wherein the peptide composition is administered as a single dose followed six weeks later by a single booster shot of the same dose. The dosages are 50, 500 and 5,000 micrograms per injection. Drug-associated adverse effects (severity and reversibility) are recorded.

There are three patient groupings. The first group is injected with 50 micrograms of the peptide composition and the second and third groups with 500 and 5,000 micrograms of peptide  
15 composition, respectively. The patients within each group range in age from 21-65 and represent diverse ethnic backgrounds. All of them are infected with HPV and are HIV, HCV, HBV and delta hepatitis virus (HDV) negative, but are positive for HPV DNA as monitored by PCR.

Clinical manifestations or antigen-specific T-cell responses are monitored to assess the effects of administering the peptide compositions. The vaccine composition is found to be both safe and  
20 efficacious in the treatment of HPV infection.

Example 20. Induction of CTL Responses Using a Prime Boost Protocol

A prime boost protocol similar in its underlying principle to that used to evaluate the efficacy of a DNA vaccine in transgenic mice, such as described in Example 12, can also be used for the  
25 administration of the vaccine to humans. Such a vaccine regimen can include an initial administration of, for example, naked DNA followed by a boost using recombinant virus encoding the vaccine, or recombinant protein/polypeptide or a peptide mixture administered in an adjuvant.

For example, the initial immunization may be performed using an expression vector, such as that constructed in Example 11, in the form of naked nucleic acid administered IM (or SC or ID) in the  
30 amounts of 0.5-5 mg at multiple sites. The nucleic acid (0.1 to 1000 µg) can also be administered using a gene gun. Following an incubation period of 3-4 weeks, a booster dose is then administered. The booster can be recombinant fowlpox virus administered at a dose of  $5 \cdot 10^7$  to  $5 \cdot 10^9$  pfu. An alternative recombinant virus, such as an MVA, canarypox, adenovirus, or adeno-associated virus, can also be used for the booster, or the polypeptidic protein or a mixture of the peptides can be administered. For evaluation of vaccine  
35 efficacy, patient blood samples will be obtained before immunization as well as at intervals following administration of the initial vaccine and booster doses of the vaccine. Peripheral blood mononuclear cells are isolated from fresh heparinized blood by Ficoll-Hypaque density gradient centrifugation, aliquoted in freezing media and stored frozen. Samples are assayed for CTL and HTL activity.

Analysis of the results indicates that a magnitude of response sufficient to achieve  
40 protective immunity against HPV is generated.

Example 21. Administration of Vaccine Compositions Using Dendritic Cells (DC)

Vaccines comprising peptide epitopes of the invention can be administered using APCs, or "professional" APCs such as DC. In this example, the peptide-pulsed DC are administered to a patient to stimulate a CTL response *in vivo*. In this method, dendritic cells are isolated, expanded, and pulsed with a vaccine comprising peptide CTL and HTL epitopes of the invention. The dendritic cells are infused back into the patient to elicit CTL and HTL responses *in vivo*. The induced CTL and HTL then destroy or facilitate destruction of the specific target cells that bear the proteins from which the epitopes in the vaccine are derived.

For example, a cocktail of epitope-bearing peptides is administered *ex vivo* to PBMC, or isolated DC therefrom. A pharmaceutical to facilitate harvesting of DC can be used, such as Progenipoiectin (Monsanto, St. Louis, MO) or GM-CSF/IL-4. After pulsing the DC with peptides and prior to reinfusion into patients, the DC are washed to remove unbound peptides.

As appreciated clinically, and readily determined by one of skill based on clinical outcomes, the number of DC reinfused into the patient can vary (*see, e.g., Nature Med.* 4:328, 1998; *Nature Med.* 2:52, 1996 and *Prostate* 32:272, 1997). Although  $2-50 \times 10^6$  DC per patient are typically administered, larger number of DC, such as  $10^7$  or  $10^8$  can also be provided. Such cell populations typically contain between 50-90% DC.

In some embodiments, peptide-loaded PBMC are injected into patients without purification of the DC. For example, PBMC containing DC generated after treatment with an agent such as Progenipoiectin are injected into patients without purification of the DC. The total number of PBMC that are administered often ranges from  $10^8$  to  $10^{10}$ . Generally, the cell doses injected into patients is based on the percentage of DC in the blood of each patient, as determined, for example, by immunofluorescence analysis with specific anti-DC antibodies. Thus, for example, if Progenipoiectin™ mobilizes 2% DC in the peripheral blood of a given patient, and that patient is to receive  $5 \times 10^6$  DC, then the patient will be injected with a total of  $2.5 \times 10^8$  peptide-loaded PBMC. The percent DC mobilized by an agent such as Progenipoiectin™ is typically estimated to be between 2-10%, but can vary as appreciated by one of skill in the art.

Ex vivo activation of CTL/HTL responses

Alternatively, *ex vivo* CTL or HTL responses to HPV antigens can be induced by incubating in tissue culture the patient's, or genetically compatible, CTL or HTL precursor cells together with a source of APC, such as DC, and the appropriate immunogenic peptides. After an appropriate incubation time (typically about 7-28 days), in which the precursor cells are activated and expanded into effector cells, the cells are infused back into the patient, where they will destroy (CTL) or facilitate destruction (HTL) of their specific target cells, *i.e.*, tumor cells.

Example 22. Alternative Method of Identifying Motif-Bearing Peptides

Another method of identifying motif-bearing peptides is to elute them from cells bearing defined MHC molecules. For example, EBV transformed B cell lines used for tissue typing have been

extensively characterized to determine which HLA molecules they express. In certain cases these cells express only a single type of HLA molecule. These cells can be infected with a pathogenic organism or transfected with nucleic acids that express the antigen of interest, *e.g.* HPV regulatory or structural proteins. Peptides produced by endogenous antigen processing of peptides produced consequent to infection (or as a result of transfection) will then bind to HLA molecules within the cell and be transported and displayed on the cell surface. Peptides are then eluted from the HLA molecules by exposure to mild acid conditions and their amino acid sequence determined, *e.g.*, by mass spectral analysis (*e.g.*, Kubo *et al.*, *J. Immunol.* 152:3913, 1994). Because the majority of peptides that bind a particular HLA molecule are motif-bearing, this is an alternative modality for obtaining the motif-bearing peptides correlated with the particular HLA molecule expressed on the cell.

Alternatively, cell lines that do not express endogenous HLA molecules can be transfected with an expression construct encoding a single HLA allele. These cells can then be used as described, *i.e.*, they can be infected with a pathogen or transfected with nucleic acid encoding an antigen of interest to isolate peptides corresponding to the pathogen or antigen of interest that have been presented on the cell surface. Peptides obtained from such an analysis will bear motif(s) that correspond to binding to the single HLA allele that is expressed in the cell.

As appreciated by one in the art, one can perform a similar analysis on a cell bearing more than one HLA allele and subsequently determine peptides specific for each HLA allele expressed. Moreover, one of skill would also recognize that means other than infection or transfection, such as loading with a protein antigen, can be used to provide a source of antigen to the cell.

The above examples are provided to illustrate the invention but not to limit its scope. For example, the human terminology for the Major Histocompatibility Complex, namely HLA, is used throughout this document. It is to be appreciated that these principles can be extended to other species as well. Thus, other variants of the invention will be readily apparent to one of ordinary skill in the art and are encompassed by the appended claims. All publications, patents, and patent application cited herein are hereby incorporated by reference for all purposes.

TABLE I

SUPERMOTIFS	POSITION	POSITION	POSITION
	2 (Primary Anchor)	3 (Primary Anchor)	C Terminus (Primary Anchor)
A1	<b>T</b> , <i>I, L, V, M, S</i>		<b>F</b> , <i>W, Y</i>
A2	<b>L</b> , <i>I, V, M, A, T, Q</i>		<b>I</b> , <i>V, M, A, T, L</i>
A3	<b>V</b> , <i>S, M, A, T, L, I</i>		<b>R</b> , <i>K</i>
A24	<b>Y</b> , <i>F, W, I, V, L, M, T</i>		<b>F</b> , <i>I, Y, W, L, M</i>
B7	<b>P</b>		<b>V</b> , <i>I, L, F, M, W, Y, A</i>
B27	<b>R</b> , <i>H, K</i>		<b>F</b> , <i>Y, L, W, M, I, V, A</i>
B44	<b>E</b> , <i>D</i>		<b>F</b> , <i>W, L, I, M, V, A</i>
B58	<b>A</b> , <i>T, S</i>		<b>F</b> , <i>W, Y, L, I, V, M, A</i>
B62	<b>Q</b> , <i>L, I, V, M, P</i>		<b>F</b> , <i>W, Y, M, I, V, L, A</i>
MOTIFS			
A1	<b>T</b> , <i>S, M</i>		<b>Y</b>
A1		<b>D</b> , <i>E, A, S</i>	<b>Y</b>
A2.1	<b>L</b> , <i>M, V, Q, I, A, T</i>		<b>V</b> , <i>L, I, M, A, T</i>
A3	<b>L</b> , <i>M, V, I, S, A, T, F, C, G, D</i>		<b>K</b> , <i>Y, R, H, F, A</i>
A11	<b>V</b> , <i>T, M, L, I, S, A, G, N, C, D, F</i>		<b>K</b> , <i>R, Y, H</i>
A24	<b>Y</b> , <i>F, W, M</i>		<b>F</b> , <i>L, I, W</i>
A*3101	<b>M</b> , <i>V, T, A, L, I, S</i>		<b>R</b> , <i>K</i>
A*3301	<b>M</b> , <i>V, A, L, F, I, S, T</i>		<b>R</b> , <i>K</i>
A*6801	<b>A</b> , <i>V, T, M, S, L, I</i>		<b>R</b> , <i>K</i>
B*0702	<b>P</b>		<b>L</b> , <i>M, F, W, Y, A, I, V</i>
B*3501	<b>P</b>		<b>L</b> , <i>M, F, W, Y, I, V, A</i>
B51	<b>P</b>		<b>L</b> , <i>I, V, F, W, Y, A, M</i>
B*5301	<b>P</b>		<b>I</b> , <i>M, F, W, Y, A, L, V</i>
B*5401	<b>P</b>		<b>A</b> , <i>T, I, V, L, M, F, W, Y</i>

Bolded residues are preferred, italicized residues are less preferred: A peptide is considered motif-bearing if it has primary anchors at each primary anchor position for a motif or supermotif as specified in the above table.

TABLE Ia

SUPERMOTIFS	POSITION	POSITION	POSITION
	2 (Primary Anchor)	3 (Primary Anchor)	C Terminus (Primary Anchor)
A1	<b>T</b> , <i>I, L, V, M, S</i>		<b>F, W, Y</b>
A2	<b>V</b> , <i>Q, A, T</i>		<b>I, V, L, M, A, T</b>
A3	<b>V, S, M, A, T, L, I</b>		<b>R, K</b>
A24	<b>Y, F, W, I, V, L, M, T</b>		<b>F, I, Y, W, L, M</b>
B7	<b>P</b>		<b>V, I, L, F, M, W, Y, A</b>
B27	<b>R, H, K</b>		<b>F, Y, L, W, M, I, V, A</b>
B58	<b>A, T, S</b>		<b>F, W, Y, L, I, V, M, A</b>
B62	<b>Q, L, I, V, M, P</b>		<b>F, W, Y, M, I, V, L, A</b>
MOTIFS			
A1	<b>T, S, M</b>		<b>Y</b>
A1		<b>D, E, A, S</b>	<b>Y</b>
A2.1	<i>V, Q, A, T*</i>		<b>V, L, I, M, A, T</b>
A3.2	<b>L, M, V, I, S, A, T, F,</b> <i>C, G, D</i>		<b>K, Y, R, H, F, A</b>
A11	<b>V, T, M, L, I, S, A,</b> <b>G, N, C, D, F</b>		<b>K, R, H, Y</b>
A24	<b>Y, F, W</b>		<b>F, L, I, W</b>

\*If 2 is V, or Q, the C-term is not L

Bolded residues are preferred, italicized residues are less preferred: A peptide is considered motif-bearing if it has primary anchors at each primary anchor position for a motif or supermotif as specified in the above table.

TABLE II

		POSITION							
		1	2	3	4	5	6	7	8 C-terminus
<u>SUPERMOTIFS</u>									
A1*		1° Anchor T,I,L,V,M,S							
A2		1° Anchor L,I,V,M,A, T,Q							
A3	preferred	1° Anchor V,S,M,A,T, L,I							
				Y,F,W, (4/5)			Y,F,W, (3/5)	Y,F,W, (4/5)	P, (4/5)
	deleterious	D,E (3/5); P, (5/5)		D,E, (4/5)					1° Anchor R,K
A24		1° Anchor Y,F,W,I,V, L,M,T							
B7	preferred	F,W,Y (5/5) L,I,V,M, (3/5)	1° Anchor P	F,W,Y (4/5)				F,W,Y, (3/5)	1° Anchor V,I,L,F,M,W,Y,A
	deleterious	D,E (3/5); P(5/5); G(4/5); A(3/5); Q,N, (3/5)				D,E, (3/5)	G, (4/5)	Q,N, (4/5)	D,E, (4/5)
B27		1° Anchor R,H,K							
B44		1° Anchor E,D							
D58		1° Anchor A,T,S							
B62		1° Anchor Q,L,I,V,M, P							
									1° Anchor F,W,Y,M,I,V,L,A

		POSITION								
		1	2	3	4	5	6	7	8	C-terminus
A1 9-mer	preferred	G,F,Y,W,	1°Anchor S,T,M,	D,E,A,	Y,F,W,		P,	D,E,Q,N,	Y,F,W,	1°Anchor Y
	deleterious	D,E,		R,H,K,L,I,V M,P,	A,	G,	A,			
A1 9-mer	preferred	G,R,H,K	A,S,T,C,L,I V,M,	1°Anchor D,E,A,S	G,S,T,C,		A,S,T,C,	L,I,V,M,	D,E,	1°Anchor Y
	deleterious	A	R,H,K,D,E, P,Y,F,W,		D,E,	P,Q,N,	R,H,K,	P,G,	G,P,	

MOTIFS.

## POSITION

	1	2	3	4	5	6	7	8	9 or C-terminus	C-terminus
A1 preferred 10-mer	Y,F,W,	<u>1°Anchor</u> S,T,M	D,E,A,Q,N,	A,	Y,F,W,Q,N,	P,A,S,T,C,	G,D,E,	P,	<u>1°Anchor</u> Y	
deleterious	G,P,		R,H,K,G,L,I V,M,	D,E,	R,H,K,	Q,N,A	R,H,K,Y,F, W,	R,H,K,	A	
A1 preferred 10-mer	Y,F,W,	S,T,C,L,I,V M,	<u>1°Anchor</u> D,E,A,S	A,	Y,F,W,	P,G,	G,	Y,F,W,	<u>1°Anchor</u> Y	
deleterious	R,H,K,	R,H,K,D,E, P,Y,F,W,			P,	G,	P,R,H,K,	Q,N,		
A2.1 preferred 9-mer	Y,F,W,	<u>1°Anchor</u> L,M,I,V,Q, A,T	Y,F,W,	S,T,C,	Y,F,W,	A,	P	<u>1°Anchor</u> V,L,I,M,A,T		
deleterious	D,E,P,		D,E,R,K,H			R,K,H	D,E,R,K,H			
A2.1 preferred 10-mer	A,Y,F,W,	<u>1°Anchor</u> L,M,I,V,Q, A,T	L,V,I,M,	G,		G,	F,Y,W,L, V,I,M,	<u>1°Anchor</u> V,L,I,M,A,T		
deleterious	D,E,P,		D,E,	R,K,H,A,	P,	R,K,H,	D,E,R,K, H,	R,K,H,		

POSITION									
	1	2	3	4	5	6	7	8	9 or C-terminus
A3 preferred	R,H,K,	<u>1°Anchor</u> L,M,V,I,S, A,T,F,C,G D	Y,F,W,	P,R,H,K,Y, F,W,	A,	Y,F,W,		P,	<u>1°Anchor</u> K,Y,R,H,F,A
deleterious	D,E,P,		D,E						
A11 preferred	A,	<u>1°Anchor</u> V,T,L,M,I, S,A,G,N,C, D,F	Y,F,W,	Y,F,W,	A,	Y,F,W,	Y,F,W,	P,	<u>1°Anchor</u> K,,R,Y,H
deleterious	D,E,P,						A	G,	
A24 preferred 9-mer	Y,F,W,R,H,K,	<u>1°Anchor</u> Y,F,W,M		S,T,C			Y,F,W,	Y,F,W,	<u>1°Anchor</u> F,L,I,W
deleterious	D,E,G,		D,E,	G,	Q,N,P,	D,E,R,H,K,	G,	A,Q,N,	
A24 preferred 10-mer		<u>1°Anchor</u> Y,F,W,M		P,	Y,F,W,P,		P,		<u>1°Anchor</u> F,L,I,W
deleterious			G,D,E	Q,N	R,H,K	D,E	A	Q,N,	D,E,A,
A3101 preferred	R,H,K,	<u>1°Anchor</u> M,V,T,A,L, I,S	Y,F,W,	P,		Y,F,W,	Y,F,W,	A,P,	<u>1°Anchor</u> R,K
deleterious	D,E,P,		D,E,		A,D,E,	D,E,	D,E,	D,E,	

POSITION									
	1	2	3	4	5	6	7	8	9 or C-terminus
A3301 preferred		<u>1°Anchor</u> M,V,A,L,F, I,S,T	Y,F,W				A,Y,F,W		<u>1°Anchor</u> R,K
deleterious	G,P		D,E						
A6801 preferred	Y,F,W,S,T,C,	<u>1°Anchor</u> A,V,T,M,S, L,I			Y,F,W,L,I, V,M		Y,F,W,	P,	<u>1°Anchor</u> R,K
deleterious	G,P,		D,E,G,		R,H,K,			A,	
B0702 preferred	R,H,K,F,W,Y,	<u>1°Anchor</u> P	R,H,K,		R,H,K,	R,H,K,	R,H,K,	P,A,	<u>1°Anchor</u> L,M,F,W,Y,I, I,Y
deleterious	D,E,Q,N,P,		D,E,P,	D,E,	D,E,	G,D,E,	Q,N,	D,E,	
B3501 preferred	F,W,Y,L,I,V,M,	<u>1°Anchor</u> P	F,W,Y,				F,W,Y,		<u>1°Anchor</u> L,M,F,W,Y,I, V,I
deleterious	A,G,P,				G,	G,			

POSITION									
	1	2	3	4	5	6	7	8	9 or C-terminus
B51	preferred L,I,V,M,F,W,Y,	<u>1°Anchor</u> P	F,W,Y,	S,T,C,	F,W,Y,		G,	F,W,Y,	C-terminus <u>1°Anchor</u> L,I,V,F,W, Y,A,M
	deleterious A,G,P,D,E,R,H,K, S,T,C,				D,E,	G,	D,E,Q,N,	G,D,E,	
B5301	preferred L,I,V,M,F,W,Y,	<u>1°Anchor</u> P	F,W,Y,	S,T,C,	F,W,Y,		L,I,V,M,F, W,Y,	F,W,Y,	<u>1°Anchor</u> I,M,F,W,Y, A,L,Y
	deleterious A,G,P,Q,N,					G,	R,H,K,Q,N,	D,E,	
B5401	preferred F,W,Y,	<u>1°Anchor</u> P	F,W,Y,L,I,V M,		L,I,V,M,		A,L,I,V,M,	F,W,Y,A,P,	<u>1°Anchor</u> A,T,I,V,L, M,F,W,Y
	deleterious G,P,Q,N,D,E,		G,D,E,S,T,C,		R,H,K,D,E,	D,E,	Q,N,D,G,E,	D,E,	

Italicized residues indicate less preferred or "tolerated" residues.

The information in Table II is specific for 9-mers unless otherwise specified.

Secondary anchor specificities are designated for each position independently.

Table III

MOTIFS	POSITION					
	1° anchor 1	2	3	4	5	1° anchor 6
DR4 preferred	F, M, Y, L, I, V, W,	M,	T,		I,	V, S, T, C, P, A, L, I, M,
deleterious				W,		
DR1 preferred	M, F, L, I, V, W, Y,			P, A, M, Q,		V, M, A, T, S, P, L, I, C,
deleterious		C	C, H	F, D	C, W, D	G, D, E, D
DR7 preferred	M, F, L, I, V, W, Y,	M,	W,	A,		I, V, M, S, A, C, T, P, L,
deleterious		C,		G,		G, R, D, N
DR Supermotif	M, F, L, I, V, W, Y,					V, M, S, T, A, C, P, L, I,
DR3 MOTIFS	1° anchor 1	2	3	1° anchor 4	5	1° anchor 6
motif a preferred	L, I, V, M, F, Y,			D		
motif b preferred	L, I, V, M, F, A, Y,			D, N, Q, E, S, T		K, R, H

Italicized residues indicate less preferred or "tolerated" residues. Secondary anchor specificities are designated for each position independently.

**Table IV: HLA Class I Standard Peptide Binding Affinity.**

ALLELE	STANDARD PEPTIDE	SEQUENCE	SEQ ID NO:	STANDARD BINDING AFFINITY (nM)
A*0101	944.02	YLEPAIAKY	51487	25
A*0201	941.01	FLPSDYFPSV	51488	5.0
A*0202	941.01	FLPSDYFPSV	51488	4.3
A*0203	941.01	FLPSDYFPSV	51488	10
A*0205	941.01	FLPSDYFPSV	51488	4.3
A*0206	941.01	FLPSDYFPSV	51488	3.7
A*0207	941.01	FLPSDYFPSV	51488	23
A*6802	1072.34	YVIKVSARV	51489	8.0
A*0301	941.12	KVFPYALINK	51490	11
A*1101	940.06	AVDLYHFLK	51491	6.0
A*3101	941.12	KVFPYALINK	51490	18
A*3301	1083.02	STLPETYVVRR	51492	29
A*6801	941.12	KVFPYALINK	51490	8.0
A*2402	979.02	AYIDNYNKF	51493	12
B*0702	1075.23	APRTL VYLL	51494	5.5
B*3501	1021.05	FPFKYAAAF	51495	7.2
B51	1021.05	FPFKYAAAF	51495	5.5
B*5301	1021.05	FPFKYAAAF	51495	9.3
B*5401	1021.05	FPFKYAAAF	51495	10

**Table V. HLA Class II Standard Peptide Binding Affinity.**

Allele	Nomenclature	Standard Peptide	Sequence	SEQ ID NO:	Binding Affinity (nM)
DRB1*0101	DR1	515.01	PKYVKQNTLKLAT	51496	5.0
DRB1*0301	DR3	829.02	YKTIAFDEEARR	51497	300
DRB1*0401	DR4w4	515.01	PKYVKQNTLKLAT	51496	45
DRB1*0404	DR4w14	717.01	YARFQSQTTLKQKT	51498	50
DRB1*0405	DR4w15	717.01	YARFQSQTTLKQKT	51498	38
DRB1*0701	DR7	553.01	QYIKANSKFIGITE	51499	25
DRB1*0802	DR8w2	553.01	QYIKANSKFIGITE	51499	49
DRB1*0803	DR8w3	553.01	QYIKANSKFIGITE	51499	1600
DRB1*0901	DR9	553.01	QYIKANSKFIGITE	51499	75
DRB1*1101	DR5w11	553.01	QYIKANSKFIGITE	51499	20
DRB1*1201	DR5w12	1200.05	EALIHQLKINPYVLS	51500	298
DRB1*1302	DR6w19	650.22	QYIKANAKFIGITE	51499	3.5
DRB1*1501	DR2w2 $\beta$ 1	507.02	GRTQDENPVVHFFKNIV TPRTPPP	51501	9.1
DRB3*0101	DR52a	511	NGQIGNDPNRDIL	51502	470
DRB4*0101	DRw53	717.01	YARFQSQTTLKQKT	51498	58
DRB5*0101	DR2w2 $\beta$ 2	553.01	QYIKANSKFIGITE	51499	20

Table VI

HLA-supertype	Allele-specific HL-A-supertype members	
	Verified <sup>a</sup>	Predicted <sup>b</sup>
A1	A*0101, A*2501, A*2601, A*2602, A*3201	A*0102, A*2604, A*3601, A*4301, A*8001
A2	A*0201, A*0202, A*0203, A*0204, A*0205, A*0206, A*0207, A*0209, A*0214, A*6802, A*6901	A*0208, A*0210, A*0211, A*0212, A*0213
A3	A*0301, A*1101, A*3101, A*3301, A*6801	A*0302, A*1102, A*2603, A*3302, A*3303, A*3401, A*3402, A*6601, A*6602, A*7401
A24	A*2301, A*2402, A*3001	A*2403, A*2404, A*3002, A*3003
B7	B*0702, B*0703, B*0704, B*0705, B*1508, B*3501, B*3502, B*3503, B*3503, B*3504, B*3505, B*3506, B*3507, B*3508, B*5101, B*5102, B*5103, B*5104, B*5105, B*5301, B*5401, B*5501, B*5502, B*5601, B*5602, B*6701, B*7801	B*1511, B*4201, B*5901
B27	B*1401, B*1402, B*1509, B*2702, B*2703, B*2704, B*2705, B*2706, B*3801, B*3901, B*3902, B*7301	B*2701, B*2707, B*2708, B*3802, B*3903, B*3904, B*3905, B*4801, B*4802, B*1510, B*1518, B*1503
B44	B*1801, B*1802, B*3701, B*4402, B*4403, B*4404, B*4001, B*4002, B*4006	B*4101, B*4501, B*4701, B*4901, B*5001
B58	B*5701, B*5702, B*5801, B*5802, B*1516, B*1517	
B62	B*1501, B*1502, B*1513, B*5201	B*1301, B*1302, B*1504, B*1505, B*1506, B*1507, B*1515, B*1520, B*1521, B*1512, B*1514, B*1510

- Verified alleles include alleles whose specificity has been determined by pool sequencing analysis, peptide binding assays, or by analysis of the sequences of CTL epitopes.
- Predicted alleles are alleles whose specificity is predicted on the basis of B and F pocket structure to overlap with the supertype specificity.

Table VII  
HLA-A1 Supermotif Peptides

<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>				
HPV16 E1	10	206	HPV16 E1	8	441		
HPV16 E1	8	524	HPV16 E1	10	419		
HPV16 E1	9	82	HPV16 E1	10	118		
HPV16 E1	11	353	HPV16 E1	8	343		
HPV16 E1	10	368	HPV16 E1	10	125		
HPV16 E1	11	41	HPV16 E1	11	582		
HPV16 E1	8	372	HPV16 E1	8	313		
HPV16 E1	10	249	HPV16 E1	9	313		
HPV16 E1	9	43	HPV16 E1	10	313		
HPV16 E1	9	384	HPV16 E1	8	432		
HPV16 E1	10	603	HPV16 E1	9	250		
HPV16 E1	11	603	HPV16 E1	10	484		
HPV16 E1	8	356	HPV16 E1	8	421		
HPV16 E1	10	356	HPV16 E1	8	314		
HPV16 E1	9	63	HPV16 E1	9	314		
HPV16 E1	9	152	HPV16 E1	11	231		
HPV16 E1	9	331	HPV16 E1	9	253		
HPV16 E1	8	51	HPV16 E1	11	498		
HPV16 E1	9	493	HPV16 E1	11	345		
HPV16 E1	9	445	HPV16 E1	11	443		
HPV16 E1	8	456	HPV16 E1	10	217		
HPV16 E1	11	453	HPV16 E1	9	584		
HPV16 E1	8	219	HPV16 E1	11	584		
HPV16 E1	9	586	HPV16 E1	8	274		
HPV16 E1	8	501	HPV16 E1	11	261		
HPV16 E1	9	501	HPV16 E1	9	578		
HPV16 E1	11	466	HPV16 E1	11	578		
HPV16 E1	9	325	HPV16 E2	11	331		
HPV16 E1	11	519	HPV16 E2	11	41		
HPV16 E1	10	272	HPV16 E2	8	314		
HPV16 E1	9	163	HPV16 E2	11	309		
HPV16 E1	8	571	HPV16 E2	8	124		
HPV16 E1	8	12	HPV16 E2	11	124		
HPV16 E1	9	12	HPV16 E2	8	25		
HPV16 E1	11	216	HPV16 E2	9	25		
HPV16 E1	9	263	HPV16 E2	9	263		
HPV16 E1	8	348	HPV16 E2	9	338		
HPV16 E1	11	329	HPV16 E2	11	22		
HPV16 E1	8	326	HPV16 E2	10	74		
HPV16 E1	9	369	HPV16 E2	8	80		
HPV16 E1	11	369	HPV16 E2	11	168		
HPV16 E1	10	311	HPV16 E2	9	163		
HPV16 E1	11	311	HPV16 E2	9	35		
HPV16 E1	8	610	HPV16 E2	10	35		
HPV16 E1	11	483	HPV16 E2	8	193		
HPV16 E1	10	227	HPV16 E2	10	332		
HPV16 E1	11	323	HPV16 E2	9	329		
HPV16 E1	10	252	HPV16 E2	9	354		
HPV16 E1	8	254	HPV16 E2	11	77		
HPV16 E1	9	357	HPV16 E2	9	84		
HPV16 E1	11	48	HPV16 E2	8	296		
HPV16 E1	10	583	HPV16 E2	10	296		
HPV16 E1	9	207	HPV16 E2	8	127		
HPV16 E1	10	520	HPV16 E2	11	9		
HPV16 E1	10	454	HPV16 E2	10	106		
HPV16 E1	9	420	HPV16 E2	8	76		
HPV16 E1	9	273	HPV16 E2	8	151		
HPV16 E1	10	567	HPV16 E2	9	151		
HPV16 E1	10	600	HPV16 E2	10	191		
			HPV16 E2	8	37		

Table VII  
HLA-A1 Supermotif Peptides

HPV16 E2	10	23	HPV16 E6	10	79
HPV16 E2	11	23	HPV16 E6	9	44
HPV16 E2	11	261	HPV16 E6	11	44
HPV16 E2	11	144	HPV16 E6	8	43
HPV16 E2	8	355	HPV16 E6	10	43
HPV16 E2	10	78	HPV16 E6	11	89
HPV16 E2	9	297	HPV16 E6	11	29
HPV16 E2	10	93	HPV16 E6	10	77
HPV16 E2	8	334	HPV16 E7	10	14
HPV16 E2	10	310	HPV16 E7	8	4
HPV16 E2	11	128	HPV16 E7	8	18
HPV16 E2	9	146	HPV16 L1	9	373
HPV16 E2	10	146	HPV16 L1	11	292
HPV16 E2	9	192	HPV16 L1	10	251
HPV16 E2	9	333	HPV16 L1	9	249
HPV16 E2	10	145	HPV16 L1	11	484
HPV16 E2	11	145	HPV16 L1	8	154
HPV16 E2	8	147	HPV16 L1	9	228
HPV16 E2	9	147	HPV16 L1	8	17
HPV16 E2	11	92	HPV16 L1	9	17
HPV16 E2	8	312	HPV16 L1	9	378
HPV16 E2	10	312	HPV16 L1	8	474
HPV16 E2	8	131	HPV16 L1	10	5
HPV16 E2	9	159	HPV16 L1	8	481
HPV16 E2	10	159	HPV16 L1	9	348
HPV16 E5	10	54	HPV16 L1	8	499
HPV16 E5	9	7	HPV16 L1	11	323
HPV16 E5	11	5	HPV16 L1	11	307
HPV16 E5	9	60	HPV16 L1	9	438
HPV16 E5	9	72	HPV16 L1	9	22
HPV16 E5	9	64	HPV16 L1	8	102
HPV16 E5	8	43	HPV16 L1	10	102
HPV16 E5	10	51	HPV16 L1	11	418
HPV16 E5	8	61	HPV16 L1	11	86
HPV16 E5	8	73	HPV16 L1	8	374
HPV16 E5	9	42	HPV16 L1	11	11
HPV16 E5	9	11	HPV16 L1	10	407
HPV16 E5	8	32	HPV16 L1	11	406
HPV16 E5	11	47	HPV16 L1	11	151
HPV16 E5	10	48	HPV16 L1	10	90
HPV16 E5	11	70	HPV16 L1	8	46
HPV16 E5	9	31	HPV16 L1	8	68
HPV16 E5	10	41	HPV16 L1	9	68
HPV16 E5	8	8	HPV16 L1	8	409
HPV16 E5	10	10	HPV16 L1	10	87
HPV16 E5	11	40	HPV16 L1	11	226
HPV16 E5	11	9	HPV16 L1	11	263
HPV16 E5	8	50	HPV16 L1	9	325
HPV16 E5	11	50	HPV16 L1	8	311
HPV16 E5	10	63	HPV16 L1	8	421
HPV16 E6	9	68	HPV16 L1	10	421
HPV16 E6	10	68	HPV16 L1	11	247
HPV16 E6	10	58	HPV16 L1	8	466
HPV16 E6	11	73	HPV16 L1	11	43
HPV16 E6	8	32	HPV16 L1	8	331
HPV16 E6	8	92	HPV16 L1	8	280
HPV16 E6	8	125	HPV16 L1	10	100
HPV16 E6	9	80	HPV16 L1	9	67
HPV16 E6	9	59	HPV16 L1	10	67
HPV16 E6	8	79	HPV16 L1	8	253

Table VII  
HLA-A1 Supermotif Peptides

HPV16 L1	11	28	HPV16 L2	9	429
HPV16 L1	10	419	HPV16 L2	10	124
HPV16 L1	10	324	HPV16 L2	8	386
HPV16 L1	10	308	HPV16 L2	11	383
HPV16 L1	11	308	HPV16 L2	10	172
HPV16 L1	9	422	HPV16 L2	9	358
HPV16 L1	8	423	HPV16 L2	8	221
HPV16 L1	8	439	HPV16 L2	11	44
HPV16 L1	9	408	HPV16 L2	8	342
HPV16 L1	11	327	HPV16 L2	9	234
HPV16 L1	11	376	HPV16 L2	11	9
HPV16 L1	9	252	HPV16 L2	8	319
HPV16 L1	11	65	HPV16 L2	9	319
HPV16 L1	8	379	HPV16 L2	10	319
HPV16 L1	11	379	HPV16 L2	10	274
HPV16 L1	10	264	HPV16 L2	10	360
HPV16 L1	11	264	HPV16 L2	9	125
HPV16 L1	9	91	HPV16 L2	11	104
HPV16 L1	10	44	HPV16 L2	8	107
HPV16 L1	8	326	HPV16 L2	10	184
HPV16 L1	9	30	HPV16 L2	9	185
HPV16 L1	9	260	HPV16 L2	8	186
HPV16 L1	8	7	HPV16 L2	10	384
HPV16 L1	8	389	HPV16 L2	9	40
HPV16 L1	8	275	HPV16 L2	9	438
HPV16 L1	8	53	HPV16 L2	10	438
HPV16 L1	9	53	HPV16 L2	8	399
HPV16 L2	11	356	HPV16 L2	8	359
HPV16 L2	11	293	HPV16 L2	11	359
HPV16 L2	8	261	HPV16 L2	9	295
HPV16 L2	10	340	HPV16 L2	8	156
HPV16 L2	11	242	HPV16 L2	9	398
HPV16 L2	9	259	HPV16 L2	9	244
HPV16 L2	10	259	HPV16 L2	11	153
HPV16 L2	10	364	HPV16 L2	10	154
HPV16 L2	10	63	HPV16 L2	9	106
HPV16 L2	11	218	HPV16 L2	9	155
HPV16 L2	8	65	HPV16 L2	10	393
HPV16 L2	8	439	HPV16 L2	10	437
HPV16 L2	9	439	HPV16 L2	11	437
HPV16 L2	10	45	HPV18 E1	10	213
HPV16 L2	11	45	HPV18 E1	11	526
HPV16 L2	10	243	HPV18 E1	11	40
HPV16 L2	8	250	HPV18 E1	8	531
HPV16 L2	8	430	HPV18 E1	9	531
HPV16 L2	10	105	HPV18 E1	11	216
HPV16 L2	10	248	HPV18 E1	10	437
HPV16 L2	9	318	HPV18 E1	9	240
HPV16 L2	10	318	HPV18 E1	8	363
HPV16 L2	11	318	HPV18 E1	10	363
HPV16 L2	10	39	HPV18 E1	9	391
HPV16 L2	8	323	HPV18 E1	10	637
HPV16 L2	11	427	HPV18 E1	9	42
HPV16 L2	9	249	HPV18 E1	10	610
HPV16 L2	11	183	HPV18 E1	11	610
HPV16 L2	10	294	HPV18 E1	9	62
HPV16 L2	11	454	HPV18 E1	10	375
HPV16 L2	8	276	HPV18 E1	8	379
HPV16 L2	11	273	HPV18 E1	9	587
HPV16 L2	10	397	HPV18 E1	9	338

Table VII  
HLA-A1 Supermotif Peptides

HPV18 E1	8	50	HPV18 E1	9	591
HPV18 E1	9	500	HPV18 E1	11	591
HPV18 E1	11	460	HPV18 E1	11	505
HPV18 E1	8	463	HPV18 E1	9	81
HPV18 E1	10	399	HPV18 E1	9	280
HPV18 E1	9	452	HPV18 E1	8	339
HPV18 E1	8	226	HPV18 E1	9	585
HPV18 E1	8	130	HPV18 E1	11	585
HPV18 E1	8	508	HPV18 E2	10	82
HPV18 E1	9	508	HPV18 E2	10	154
HPV18 E1	11	223	HPV18 E2	11	154
HPV18 E1	8	11	HPV18 E2	11	132
HPV18 E1	9	11	HPV18 E2	10	14
HPV18 E1	10	473	HPV18 E2	8	156
HPV18 E1	10	279	HPV18 E2	9	156
HPV18 E1	10	249	HPV18 E2	8	29
HPV18 E1	9	270	HPV18 E2	9	29
HPV18 E1	11	352	HPV18 E2	8	315
HPV18 E1	11	336	HPV18 E2	11	26
HPV18 E1	10	506	HPV18 E2	9	354
HPV18 E1	11	506	HPV18 E2	11	104
HPV18 E1	10	461	HPV18 E2	9	161
HPV18 E1	10	590	HPV18 E2	9	338
HPV18 E1	8	439	HPV18 E2	9	329
HPV18 E1	10	318	HPV18 E2	9	39
HPV18 E1	11	318	HPV18 E2	10	39
HPV18 E1	10	234	HPV18 E2	10	133
HPV18 E1	8	401	HPV18 E2	11	133
HPV18 E1	8	490	HPV18 E2	8	297
HPV18 E1	11	490	HPV18 E2	8	107
HPV18 E1	10	259	HPV18 E2	9	185
HPV18 E1	8	281	HPV18 E2	10	33
HPV18 E1	8	261	HPV18 E2	10	38
HPV18 E1	9	364	HPV18 E2	11	38
HPV18 E1	10	224	HPV18 E2	9	220
HPV18 E1	9	376	HPV18 E2	9	88
HPV18 E1	11	376	HPV18 E2	11	56
HPV18 E1	9	214	HPV18 E2	9	305
HPV18 E1	10	527	HPV18 E2	11	230
HPV18 E1	11	47	HPV18 E2	8	233
HPV18 E1	10	574	HPV18 E2	8	355
HPV18 E1	8	428	HPV18 E2	11	140
HPV18 E1	11	487	HPV18 E2	10	57
HPV18 E1	8	448	HPV18 E2	10	97
HPV18 E1	10	607	HPV18 E2	10	231
HPV18 E1	10	426	HPV18 E2	8	157
HPV18 E1	10	80	HPV18 E2	9	232
HPV18 E1	11	589	HPV18 E2	11	96
HPV18 E1	10	128	HPV18 E2	11	173
HPV18 E1	8	320	HPV18 E2	8	143
HPV18 E1	9	320	HPV18 E2	8	135
HPV18 E1	10	320	HPV18 E2	9	135
HPV18 E1	8	321	HPV18 E2	9	164
HPV18 E1	9	321	HPV18 E2	10	164
HPV18 E1	8	322	HPV18 E5	9	47
HPV18 E1	9	260	HPV18 E5	11	47
HPV18 E1	11	238	HPV18 E5	11	27
HPV18 E1	10	533	HPV18 E5	10	6
HPV18 E1	8	532	HPV18 E5	8	50
HPV18 E1	11	532	HPV18 E5	8	43

Table VII  
HLA-A1 Supermotif Peptides

HPV18 E5	11	43	HPV18 L1	9	383
HPV18 E5	11	40	HPV18 L1	9	175
HPV18 E5	10	22	HPV18 L1	10	175
HPV18 E5	9	2	HPV18 L1	8	38
HPV18 E5	8	1	HPV18 L1	10	13
HPV18 E5	10	1	HPV18 L1	11	454
HPV18 E5	11	21	HPV18 L1	9	428
HPV18 E5	8	24	HPV18 L1	11	428
HPV18 E5	10	24	HPV18 L1	10	40
HPV18 E5	8	3	HPV18 L1	11	39
HPV18 E5	9	25	HPV18 L1	11	46
HPV18 E5	10	44	HPV18 L1	10	47
HPV18 E5	9	42	HPV18 L1	10	9
HPV18 E5	10	41	HPV18 L1	10	443
HPV18 E6	8	27	HPV18 L1	9	360
HPV18 E6	10	77	HPV18 L1	10	125
HPV18 E6	8	40	HPV18 L1	11	8
HPV18 E6	10	40	HPV18 L1	9	14
HPV18 E6	11	43	HPV18 L1	8	103
HPV18 E6	8	120	HPV18 L1	9	103
HPV18 E6	11	117	HPV18 L1	8	445
HPV18 E6	8	92	HPV18 L1	8	104
HPV18 E6	10	36	HPV18 L1	11	298
HPV18 E6	9	41	HPV18 L1	11	261
HPV18 E6	8	74	HPV18 L1	10	36
HPV18 E6	11	24	HPV18 L1	8	457
HPV18 E6	11	89	HPV18 L1	10	457
HPV18 E6	9	37	HPV18 L1	8	510
HPV18 E6	11	37	HPV18 L1	8	52
HPV18 E6	8	38	HPV18 L1	9	57
HPV18 E6	10	38	HPV18 L1	11	282
HPV18 E6	10	72	HPV18 L1	11	173
HPV18 E7	9	82	HPV18 L1	8	28
HPV18 E7	10	77	HPV18 L1	10	26
HPV18 E7	11	90	HPV18 L1	9	472
HPV18 E7	9	92	HPV18 L1	11	472
HPV18 E7	9	88	HPV18 L1	11	412
HPV18 E7	9	78	HPV18 L1	8	315
HPV18 E7	8	93	HPV18 L1	8	366
HPV18 L1	11	63	HPV18 L1	8	137
HPV18 L1	8	345	HPV18 L1	9	287
HPV18 L1	11	407	HPV18 L1	8	410
HPV18 L1	8	310	HPV18 L1	9	102
HPV18 L1	11	2	HPV18 L1	10	102
HPV18 L1	9	284	HPV18 L1	10	135
HPV18 L1	8	122	HPV18 L1	8	81
HPV18 L1	10	122	HPV18 L1	8	288
HPV18 L1	11	520	HPV18 L1	8	459
HPV18 L1	9	364	HPV18 L1	10	359
HPV18 L1	10	364	HPV18 L1	8	475
HPV18 L1	9	263	HPV18 L1	10	455
HPV18 L1	8	330	HPV18 L1	9	458
HPV18 L1	10	203	HPV18 L1	11	100
HPV18 L1	8	49	HPV18 L1	10	408
HPV18 L1	11	49	HPV18 L1	11	78
HPV18 L1	8	517	HPV18 L1	11	442
HPV18 L1	8	145	HPV18 L1	9	444
HPV18 L1	8	177	HPV18 L1	11	327
HPV18 L1	11	342	HPV18 L1	11	362
HPV18 L1	11	358	HPV18 L1	9	474

Table VII  
HLA-A1 Supermotif Peptides

HPV18 L1	8	473	HPV18 L2	11	364
HPV18 L1	10	473	HPV18 L2	8	220
HPV18 L1	9	126	HPV18 L2	10	450
HPV18 L1	8	89	HPV18 L2	10	247
HPV18 L1	8	361	HPV18 L2	11	246
HPV18 L1	9	295	HPV18 L2	8	393
HPV18 L1	11	35	HPV18 L2	11	147
HPV18 L1	8	425	HPV18 L2	10	153
HPV18 L1	9	4	HPV18 L2	8	365
HPV18 L1	8	88	HPV18 L2	10	365
HPV18 L1	9	88	HPV18 L2	9	149
HPV18 L2	11	286	HPV18 L2	8	377
HPV18 L2	8	341	HPV18 L2	9	39
HPV18 L2	11	341	HPV18 L2	9	406
HPV18 L2	11	322	HPV18 L2	8	367
HPV18 L2	11	404	HPV18 L2	9	114
HPV18 L2	11	443	HPV18 L2	9	288
HPV18 L2	11	241	HPV18 L2	9	392
HPV18 L2	11	296	HPV18 L2	10	148
HPV18 L2	8	429	HPV18 L2	10	38
HPV18 L2	10	429	HPV18 L2	9	154
HPV18 L2	10	62	HPV18 L2	9	366
HPV18 L2	8	64	HPV18 L2	8	388
HPV18 L2	10	432	HPV18 L2	11	217
HPV18 L2	11	432	HPV18 L2	10	339
HPV18 L2	10	183	HPV18 L2	8	150
HPV18 L2	10	310	HPV18 L2	11	417
HPV18 L2	11	310	HPV18 L2	8	234
HPV18 L2	11	37	HPV18 L2	10	113
HPV18 L2	10	44	HPV18 L2	9	387
HPV18 L2	10	323	HPV18 L2	11	112
HPV18 L2	11	152	HPV18 L2	9	427
HPV18 L2	10	405	HPV18 L2	10	427
HPV18 L2	8	249	HPV18 L2	8	436
HPV18 L2	11	43	HPV18 L2	11	374
HPV18 L2	9	248	HPV31 E1	10	186
HPV18 L2	10	242	HPV31 E1	8	504
HPV18 L2	10	287	HPV31 E1	9	81
HPV18 L2	10	391	HPV31 E1	9	213
HPV18 L2	11	338	HPV31 E1	8	96
HPV18 L2	10	386	HPV31 E1	8	421
HPV18 L2	8	325	HPV31 E1	8	336
HPV18 L2	11	390	HPV31 E1	10	336
HPV18 L2	8	362	HPV31 E1	9	364
HPV18 L2	10	362	HPV31 E1	8	352
HPV18 L2	11	362	HPV31 E1	9	42
HPV18 L2	9	419	HPV31 E1	10	348
HPV18 L2	9	120	HPV31 E1	9	311
HPV18 L2	9	376	HPV31 E1	10	583
HPV18 L2	8	185	HPV31 E1	11	583
HPV18 L2	8	258	HPV31 E1	8	50
HPV18 L2	10	360	HPV31 E1	9	473
HPV18 L2	8	312	HPV31 E1	9	425
HPV18 L2	9	312	HPV31 E1	8	436
HPV18 L2	10	172	HPV31 E1	8	199
HPV18 L2	9	233	HPV31 E1	9	566
HPV18 L2	9	298	HPV31 E1	11	433
HPV18 L2	9	268	HPV31 E1	11	499
HPV18 L2	8	364	HPV31 E1	9	305
HPV18 L2	9	364	HPV31 E1	10	252

Table VII  
HLA-A1 Supermotif Peptides

HPV31 E1	8	11	HPV31 E2	9	307
HPV31 E1	9	11	HPV31 E2	11	22
HPV31 E1	11	196	HPV31 E2	8	124
HPV31 E1	10	222	HPV31 E2	11	124
HPV31 E1	9	243	HPV31 E2	11	197
HPV31 E1	8	328	HPV31 E2	8	80
HPV31 E1	9	560	HPV31 E2	11	185
HPV31 E1	11	478	HPV31 E2	8	200
HPV31 E1	11	309	HPV31 E2	8	171
HPV31 E1	11	471	HPV31 E2	11	168
HPV31 E1	10	479	HPV31 E2	10	35
HPV31 E1	11	479	HPV31 E2	8	164
HPV31 E1	10	291	HPV31 E2	9	345
HPV31 E1	11	291	HPV31 E2	8	193
HPV31 E1	8	590	HPV31 E2	8	312
HPV31 E1	11	463	HPV31 E2	10	78
HPV31 E1	8	119	HPV31 E2	11	77
HPV31 E1	10	232	HPV31 E2	8	303
HPV31 E1	8	412	HPV31 E2	9	84
HPV31 E1	8	234	HPV31 E2	8	127
HPV31 E1	10	94	HPV31 E2	10	127
HPV31 E1	9	584	HPV31 E2	9	361
HPV31 E1	10	584	HPV31 E2	11	9
HPV31 E1	9	337	HPV31 E2	10	106
HPV31 E1	10	563	HPV31 E2	10	317
HPV31 E1	10	500	HPV31 E2	10	191
HPV31 E1	9	187	HPV31 E2	8	151
HPV31 E1	8	306	HPV31 E2	9	151
HPV31 E1	11	47	HPV31 E2	8	321
HPV31 E1	9	253	HPV31 E2	8	25
HPV31 E1	10	547	HPV31 E2	9	25
HPV31 E1	10	117	HPV31 E2	8	37
HPV31 E1	11	93	HPV31 E2	9	311
HPV31 E1	10	580	HPV31 E2	8	346
HPV31 E1	10	207	HPV31 E2	10	198
HPV31 E1	8	323	HPV31 E2	9	128
HPV31 E1	10	124	HPV31 E2	11	128
HPV31 E1	11	562	HPV31 E2	10	93
HPV31 E1	8	293	HPV31 E2	8	362
HPV31 E1	9	293	HPV31 E2	9	192
HPV31 E1	10	293	HPV31 E2	11	92
HPV31 E1	11	303	HPV31 E2	10	344
HPV31 E1	11	40	HPV31 E2	8	131
HPV31 E1	8	294	HPV31 E2	9	159
HPV31 E1	9	294	HPV31 E2	10	159
HPV31 E1	11	211	HPV31 E5	11	40
HPV31 E1	9	233	HPV31 E5	8	53
HPV31 E1	11	333	HPV31 E5	11	53
HPV31 E1	11	505	HPV31 E5	8	61
HPV31 E1	11	325	HPV31 E5	10	15
HPV31 E1	9	349	HPV31 E5	9	72
HPV31 E1	11	349	HPV31 E5	10	6
HPV31 E1	8	254	HPV31 E5	9	11
HPV31 E1	10	434	HPV31 E5	9	16
HPV31 E1	10	197	HPV31 E5	8	43
HPV31 E1	9	223	HPV31 E5	9	42
HPV31 E1	9	564	HPV31 E5	8	32
HPV31 E1	11	564	HPV31 E5	11	5
HPV31 E1	9	558	HPV31 E5	11	70
HPV31 E1	11	558	HPV31 E5	8	56

Table VII  
HLA-A1 Supermotif Peptides

HPV31 E5	11	56	HPV31 L1	11	381
HPV31 E5	9	31	HPV31 L1	8	357
HPV31 E5	10	10	HPV31 L1	10	65
HPV31 E5	9	7	HPV31 L1	8	20
HPV31 E5	10	41	HPV31 L1	8	42
HPV31 E5	10	54	HPV31 L1	9	42
HPV31 E5	8	8	HPV31 L1	8	384
HPV31 E5	10	51	HPV31 L1	8	43
HPV31 E5	8	73	HPV31 L1	11	238
HPV31 E5	8	12	HPV31 L1	11	201
HPV31 E5	11	9	HPV31 L1	9	300
HPV31 E5	9	64	HPV31 L1	11	351
HPV31 E5	11	50	HPV31 L1	9	227
HPV31 E5	10	63	HPV31 L1	11	222
HPV31 E6	11	66	HPV31 L1	9	411
HPV31 E6	8	63	HPV31 L1	11	411
HPV31 E6	8	25	HPV31 L1	11	17
HPV31 E6	10	14	HPV31 L1	8	306
HPV31 E6	9	39	HPV31 L1	8	255
HPV31 E6	8	47	HPV31 L1	9	41
HPV31 E6	9	61	HPV31 L1	10	41
HPV31 E6	10	61	HPV31 L1	8	77
HPV31 E6	8	118	HPV31 L1	10	77
HPV31 E6	8	72	HPV31 L1	10	75
HPV31 E6	10	72	HPV31 L1	8	228
HPV31 E6	9	15	HPV31 L1	8	414
HPV31 E6	9	37	HPV31 L1	11	2
HPV31 E6	11	37	HPV31 L1	10	394
HPV31 E6	10	36	HPV31 L1	10	299
HPV31 E6	8	16	HPV31 L1	10	283
HPV31 E6	9	73	HPV31 L1	11	283
HPV31 E6	9	132	HPV31 L1	8	286
HPV31 E6	9	70	HPV31 L1	9	383
HPV31 E6	10	70	HPV31 L1	11	302
HPV31 E7	10	48	HPV31 L1	8	354
HPV31 E7	8	4	HPV31 L1	11	354
HPV31 E7	10	78	HPV31 L1	11	267
HPV31 E7	11	77	HPV31 L1	9	66
HPV31 E7	9	49	HPV31 L1	10	18
HPV31 L1	9	348	HPV31 L1	8	28
HPV31 L1	8	398	HPV31 L1	8	301
HPV31 L1	8	285	HPV31 L1	10	62
HPV31 L1	9	285	HPV31 L1	9	235
HPV31 L1	9	224	HPV31 L1	8	364
HPV31 L1	11	459	HPV31 L1	8	250
HPV31 L1	8	129	HPV31 L1	8	27
HPV31 L1	9	203	HPV31 L1	9	27
HPV31 L1	9	353	HPV31 L2	11	286
HPV31 L1	8	270	HPV31 L2	9	311
HPV31 L1	8	449	HPV31 L2	10	311
HPV31 L1	8	456	HPV31 L2	11	311
HPV31 L1	9	323	HPV31 L2	11	376
HPV31 L1	11	117	HPV31 L2	8	354
HPV31 L1	9	413	HPV31 L2	10	253
HPV31 L1	11	298	HPV31 L2	11	253
HPV31 L1	11	282	HPV31 L2	11	237
HPV31 L1	11	393	HPV31 L2	8	433
HPV31 L1	10	118	HPV31 L2	11	351
HPV31 L1	10	382	HPV31 L2	10	63
HPV31 L1	11	61	HPV31 L2	8	65

Table VII  
HLA-A1 Supermotif Peptides

HPV31 L2	11	213	HPV33 E1	8	349
HPV31 L2	11	38	HPV33 E1	10	349
HPV31 L2	10	45	HPV33 E1	8	365
HPV31 L2	11	45	HPV33 E1	9	42
HPV31 L2	8	245	HPV33 E1	9	377
HPV31 L2	9	244	HPV33 E1	9	62
HPV31 L2	10	238	HPV33 E1	9	324
HPV31 L2	11	178	HPV33 E1	9	516
HPV31 L2	10	395	HPV33 E1	10	361
HPV31 L2	10	287	HPV33 E1	11	361
HPV31 L2	11	447	HPV33 E1	8	449
HPV31 L2	8	269	HPV33 E1	8	212
HPV31 L2	10	390	HPV33 E1	8	446
HPV31 L2	10	410	HPV33 E1	11	446
HPV31 L2	11	122	HPV33 E1	10	265
HPV31 L2	11	394	HPV33 E1	11	209
HPV31 L2	9	425	HPV33 E1	8	11
HPV31 L2	11	44	HPV33 E1	11	512
HPV31 L2	10	243	HPV33 E1	8	564
HPV31 L2	9	378	HPV33 E1	8	341
HPV31 L2	9	229	HPV33 E1	9	573
HPV31 L2	11	429	HPV33 E1	11	192
HPV31 L2	11	9	HPV33 E1	9	266
HPV31 L2	9	431	HPV33 E1	8	267
HPV31 L2	10	431	HPV33 E1	9	200
HPV31 L2	8	181	HPV33 E1	10	492
HPV31 L2	9	180	HPV33 E1	11	492
HPV31 L2	10	179	HPV33 E1	11	322
HPV31 L2	9	396	HPV33 E1	10	210
HPV31 L2	8	151	HPV33 E1	9	520
HPV31 L2	8	346	HPV33 E1	10	124
HPV31 L2	11	346	HPV33 E1	10	304
HPV31 L2	8	379	HPV33 E1	11	304
HPV31 L2	10	149	HPV33 E1	10	220
HPV31 L2	9	40	HPV33 E1	8	603
HPV31 L2	8	312	HPV33 E1	11	476
HPV31 L2	9	312	HPV33 E1	8	425
HPV31 L2	10	312	HPV33 E1	10	245
HPV31 L2	10	347	HPV33 E1	8	247
HPV31 L2	11	266	HPV33 E1	9	438
HPV31 L2	9	288	HPV33 E1	9	350
HPV31 L2	9	345	HPV33 E1	9	362
HPV31 L2	11	148	HPV33 E1	10	362
HPV31 L2	10	39	HPV33 E1	11	362
HPV31 L2	8	426	HPV33 E1	10	576
HPV31 L2	10	344	HPV33 E1	8	336
HPV31 L2	11	343	HPV33 E1	10	513
HPV31 L2	9	391	HPV33 E1	11	443
HPV31 L2	9	254	HPV33 E1	11	346
HPV31 L2	10	254	HPV33 E1	10	199
HPV31 L2	8	392	HPV33 E1	8	195
HPV31 L2	10	430	HPV33 E1	10	195
HPV31 L2	11	430	HPV33 E1	10	560
HPV31 L2	9	150	HPV33 E1	10	519
HPV33 E1	10	596	HPV33 E1	8	434
HPV33 E1	11	596	HPV33 E1	10	593
HPV33 E1	9	81	HPV33 E1	10	437
HPV33 E1	9	226	HPV33 E1	8	308
HPV33 E1	8	494	HPV33 E1	11	575
HPV33 E1	9	494	HPV33 E1	9	335

Table VII  
HLA-A1 Supermotif Peptides

HPV33 E1	8	306	HPV33 E2	8	131
HPV33 E1	9	306	HPV33 E5	11	56
HPV33 E1	10	306	HPV33 E5	10	3
HPV33 E1	10	111	HPV33 E5	9	42
HPV33 E1	10	193	HPV33 E5	10	42
HPV33 E1	11	224	HPV33 E5	8	5
HPV33 E1	11	110	HPV33 E5	8	44
HPV33 E1	9	577	HPV33 E5	10	44
HPV33 E1	11	577	HPV33 E5	9	23
HPV33 E1	11	491	HPV33 E5	9	48
HPV33 E1	9	246	HPV33 E5	11	48
HPV33 E1	11	338	HPV33 E5	8	22
HPV33 E1	8	517	HPV33 E5	10	22
HPV33 E1	9	571	HPV33 E5	9	32
HPV33 E1	11	571	HPV33 E5	11	32
HPV33 E2	10	78	HPV33 E5	8	24
HPV33 E2	11	41	HPV33 E5	8	35
HPV33 E2	10	10	HPV33 E5	8	33
HPV33 E2	9	288	HPV33 E5	10	33
HPV33 E2	10	145	HPV33 E5	9	1
HPV33 E2	9	25	HPV33 E5	9	21
HPV33 E2	10	235	HPV33 E5	11	21
HPV33 E2	10	298	HPV33 E5	8	46
HPV33 E2	10	282	HPV33 E5	11	46
HPV33 E2	8	80	HPV33 E5	9	34
HPV33 E2	11	100	HPV33 E5	10	31
HPV33 E2	10	325	HPV33 E5	11	40
HPV33 E2	11	34	HPV33 E5	9	58
HPV33 E2	9	84	HPV33 E6	11	66
HPV33 E2	11	23	HPV33 E6	8	69
HPV33 E2	8	151	HPV33 E6	11	69
HPV33 E2	9	151	HPV33 E6	9	61
HPV33 E2	10	35	HPV33 E6	8	118
HPV33 E2	9	62	HPV33 E6	9	73
HPV33 E2	10	42	HPV33 E6	8	72
HPV33 E2	11	82	HPV33 E6	10	72
HPV33 E2	8	147	HPV33 E6	10	70
HPV33 E2	11	315	HPV33 E6	11	50
HPV33 E2	8	284	HPV33 E6	8	36
HPV33 E2	8	127	HPV33 E6	10	36
HPV33 E2	11	60	HPV33 E6	9	39
HPV33 E2	9	342	HPV33 E6	10	51
HPV33 E2	9	292	HPV33 E6	9	52
HPV33 E2	8	37	HPV33 E7	10	14
HPV33 E2	10	61	HPV33 E7	11	6
HPV33 E2	8	302	HPV33 E7	10	7
HPV33 E2	9	301	HPV33 L1	10	392
HPV33 E2	10	93	HPV33 L1	8	284
HPV33 E2	11	128	HPV33 L1	9	284
HPV33 E2	9	146	HPV33 L1	9	411
HPV33 E2	8	343	HPV33 L1	10	345
HPV33 E2	9	326	HPV33 L1	9	223
HPV33 E2	11	148	HPV33 L1	8	396
HPV33 E2	9	102	HPV33 L1	11	457
HPV33 E2	11	92	HPV33 L1	9	351
HPV33 E2	9	159	HPV33 L1	8	129
HPV33 E2	10	159	HPV33 L1	9	202
HPV33 E2	8	300	HPV33 L1	9	303
HPV33 E2	10	300	HPV33 L1	10	303
HPV33 E2	8	44	HPV33 L1	8	447

Table VII  
HLA-A1 Supermotif Peptides

HPV33 L1	8	249	HPV33 L1	10	27
HPV33 L1	8	454	HPV33 L2	11	291
HPV33 L1	9	322	HPV33 L2	10	272
HPV33 L1	11	117	HPV33 L2	10	431
HPV33 L1	11	297	HPV33 L2	11	258
HPV33 L1	9	226	HPV33 L2	10	447
HPV33 L1	11	281	HPV33 L2	11	242
HPV33 L1	9	365	HPV33 L2	11	183
HPV33 L1	11	365	HPV33 L2	8	440
HPV33 L1	10	118	HPV33 L2	8	421
HPV33 L1	10	65	HPV33 L2	10	421
HPV33 L1	11	379	HPV33 L2	8	64
HPV33 L1	8	20	HPV33 L2	10	62
HPV33 L1	8	42	HPV33 L2	11	218
HPV33 L1	9	42	HPV33 L2	11	37
HPV33 L1	11	61	HPV33 L2	8	374
HPV33 L1	8	382	HPV33 L2	11	374
HPV33 L1	10	62	HPV33 L2	8	336
HPV33 L1	11	237	HPV33 L2	10	44
HPV33 L1	11	200	HPV33 L2	11	44
HPV33 L1	9	299	HPV33 L2	9	448
HPV33 L1	11	221	HPV33 L2	11	448
HPV33 L1	8	439	HPV33 L2	9	273
HPV33 L1	9	409	HPV33 L2	9	155
HPV33 L1	11	409	HPV33 L2	10	292
HPV33 L1	11	17	HPV33 L2	8	250
HPV33 L1	8	305	HPV33 L2	11	250
HPV33 L1	8	254	HPV33 L2	10	104
HPV33 L1	8	347	HPV33 L2	8	433
HPV33 L1	9	41	HPV33 L2	10	248
HPV33 L1	10	41	HPV33 L2	9	249
HPV33 L1	8	77	HPV33 L2	10	243
HPV33 L1	10	77	HPV33 L2	11	405
HPV33 L1	10	75	HPV33 L2	10	372
HPV33 L1	8	285	HPV33 L2	10	391
HPV33 L1	8	412	HPV33 L2	8	423
HPV33 L1	10	298	HPV33 L2	11	333
HPV33 L1	11	39	HPV33 L2	9	413
HPV33 L1	8	227	HPV33 L2	10	347
HPV33 L1	8	352	HPV33 L2	9	376
HPV33 L1	11	352	HPV33 L2	9	121
HPV33 L1	11	2	HPV33 L2	11	411
HPV33 L1	11	266	HPV33 L2	8	186
HPV33 L1	9	381	HPV33 L2	8	221
HPV33 L1	11	349	HPV33 L2	8	317
HPV33 L1	10	238	HPV33 L2	9	317
HPV33 L1	11	238	HPV33 L2	11	43
HPV33 L1	11	301	HPV33 L2	11	191
HPV33 L1	10	282	HPV33 L2	11	153
HPV33 L1	11	282	HPV33 L2	9	234
HPV33 L1	9	66	HPV33 L2	10	357
HPV33 L1	10	18	HPV33 L2	8	393
HPV33 L1	8	28	HPV33 L2	8	122
HPV33 L1	9	28	HPV33 L2	11	103
HPV33 L1	10	380	HPV33 L2	8	106
HPV33 L1	8	300	HPV33 L2	10	418
HPV33 L1	8	362	HPV33 L2	11	418
HPV33 L1	9	234	HPV33 L2	10	184
HPV33 L1	8	27	HPV33 L2	10	354
HPV33 L1	9	27	HPV33 L2	8	156

Table VII  
HLA-A1 Supermotif Peptides

HPV33 L2	10	38	HPV45 E1	11	476
HPV33 L2	9	39	HPV45 E1	10	245
HPV33 L2	10	154	HPV45 E1	8	247
HPV33 L2	9	432	HPV45 E1	8	267
HPV33 L2	9	244	HPV45 E1	9	350
HPV33 L2	9	293	HPV45 E1	10	210
HPV33 L2	11	417	HPV45 E1	9	362
HPV33 L2	11	353	HPV45 E1	11	362
HPV33 L2	9	392	HPV45 E1	9	200
HPV33 L2	9	105	HPV45 E1	10	513
HPV33 L2	8	356	HPV45 E1	10	560
HPV33 L2	11	356	HPV45 E1	8	414
HPV45 E1	10	199	HPV45 E1	11	473
HPV45 E1	11	512	HPV45 E1	8	434
HPV45 E1	11	40	HPV45 E1	10	593
HPV45 E1	8	517	HPV45 E1	10	412
HPV45 E1	9	517	HPV45 E1	10	80
HPV45 E1	11	202	HPV45 E1	10	128
HPV45 E1	10	423	HPV45 E1	8	306
HPV45 E1	9	226	HPV45 E1	9	306
HPV45 E1	8	349	HPV45 E1	10	306
HPV45 E1	10	349	HPV45 E1	11	575
HPV45 E1	10	361	HPV45 E1	8	307
HPV45 E1	10	623	HPV45 E1	9	307
HPV45 E1	9	42	HPV45 E1	8	308
HPV45 E1	10	596	HPV45 E1	9	246
HPV45 E1	11	596	HPV45 E1	11	224
HPV45 E1	8	365	HPV45 E1	9	577
HPV45 E1	9	573	HPV45 E1	11	577
HPV45 E1	9	324	HPV45 E1	9	81
HPV45 E1	11	446	HPV45 E1	9	266
HPV45 E1	10	385	HPV45 E1	8	325
HPV45 E1	9	486	HPV45 E1	10	576
HPV45 E1	8	449	HPV45 E1	9	571
HPV45 E1	9	438	HPV45 E1	11	571
HPV45 E1	8	212	HPV45 E2	10	84
HPV45 E1	9	579	HPV45 E2	10	16
HPV45 E1	8	130	HPV45 E2	9	305
HPV45 E1	8	494	HPV45 E2	11	134
HPV45 E1	9	494	HPV45 E2	8	158
HPV45 E1	11	209	HPV45 E2	9	158
HPV45 E1	8	11	HPV45 E2	8	31
HPV45 E1	9	11	HPV45 E2	9	31
HPV45 E1	11	459	HPV45 E2	11	28
HPV45 E1	10	265	HPV45 E2	8	171
HPV45 E1	10	235	HPV45 E2	8	319
HPV45 E1	9	256	HPV45 E2	11	106
HPV45 E1	10	519	HPV45 E2	8	154
HPV45 E1	11	338	HPV45 E2	9	154
HPV45 E1	11	491	HPV45 E2	10	41
HPV45 E1	11	322	HPV45 E2	9	341
HPV45 E1	10	447	HPV45 E2	8	301
HPV45 E1	10	492	HPV45 E2	9	187
HPV45 E1	11	492	HPV45 E2	9	357
HPV45 E1	8	425	HPV45 E2	8	109
HPV45 E1	10	304	HPV45 E2	9	332
HPV45 E1	11	304	HPV45 E2	11	40
HPV45 E1	10	220	HPV45 E2	9	90
HPV45 E1	8	387	HPV45 E2	8	43
HPV45 E1	8	476	HPV45 E2	9	309

Table VII  
HLA-A1 Supermotif Peptides

HPV45 E2	11	142	HPV45 L1	8	111
HPV45 E2	8	358	HPV45 L1	8	143
HPV45 E2	10	99	HPV45 L1	11	326
HPV45 E2	8	159	HPV45 L1	11	422
HPV45 E2	8	138	HPV45 L1	9	396
HPV45 E2	11	98	HPV45 L1	11	396
HPV45 E2	9	166	HPV45 L1	10	12
HPV45 E2	10	166	HPV45 L1	11	11
HPV45 E2	8	145	HPV45 L1	10	5
HPV45 E2	8	317	HPV45 L1	10	411
HPV45 E2	10	317	HPV45 L1	9	328
HPV45 E2	11	175	HPV45 L1	10	91
HPV45 E2	8	137	HPV45 L1	8	68
HPV45 E2	9	137	HPV45 L1	9	68
HPV45 E6	9	37	HPV45 L1	8	413
HPV45 E6	11	37	HPV45 L1	8	69
HPV45 E6	8	27	HPV45 L1	11	264
HPV45 E6	10	77	HPV45 L1	11	227
HPV45 E6	11	43	HPV45 L1	11	4
HPV45 E6	10	53	HPV45 L1	11	310
HPV45 E6	8	120	HPV45 L1	8	425
HPV45 E6	9	54	HPV45 L1	10	425
HPV45 E6	8	92	HPV45 L1	8	383
HPV45 E6	8	74	HPV45 L1	11	383
HPV45 E6	9	41	HPV45 L1	8	17
HPV45 E6	11	24	HPV45 L1	9	22
HPV45 E6	11	89	HPV45 L1	11	248
HPV45 E6	8	38	HPV45 L1	11	139
HPV45 E6	10	38	HPV45 L1	9	440
HPV45 E6	9	72	HPV45 L1	11	440
HPV45 E6	10	72	HPV45 L1	11	380
HPV45 E7	9	83	HPV45 L1	8	281
HPV45 E7	10	20	HPV45 L1	8	334
HPV45 E7	11	91	HPV45 L1	9	253
HPV45 E7	10	92	HPV45 L1	9	67
HPV45 E7	9	89	HPV45 L1	10	67
HPV45 E7	9	93	HPV45 L1	10	101
HPV45 E7	8	94	HPV45 L1	8	46
HPV45 L1	8	103	HPV45 L1	8	254
HPV45 L1	11	28	HPV45 L1	8	427
HPV45 L1	11	375	HPV45 L1	10	327
HPV45 L1	8	88	HPV45 L1	8	443
HPV45 L1	10	88	HPV45 L1	10	423
HPV45 L1	8	276	HPV45 L1	9	426
HPV45 L1	9	188	HPV45 L1	11	65
HPV45 L1	9	250	HPV45 L1	10	376
HPV45 L1	11	488	HPV45 L1	11	43
HPV45 L1	9	332	HPV45 L1	11	410
HPV45 L1	10	332	HPV45 L1	9	412
HPV45 L1	9	229	HPV45 L1	11	330
HPV45 L1	11	461	HPV45 L1	9	442
HPV45 L1	8	296	HPV45 L1	10	462
HPV45 L1	10	169	HPV45 L1	8	329
HPV45 L1	8	313	HPV45 L1	8	441
HPV45 L1	8	14	HPV45 L1	10	441
HPV45 L1	11	14	HPV45 L1	8	478
HPV45 L1	8	485	HPV45 L1	11	293
HPV45 L1	9	351	HPV45 L1	9	92
HPV45 L1	9	141	HPV45 L1	8	54
HPV45 L1	10	141	HPV45 L1	9	477

Table VII  
HLA-A1 Supermotif Peptides

HPV45 L1	9	261
HPV45 L1	8	393
HPV45 L1	8	53
HPV45 L1	9	53
HPV45 L2	11	286
HPV45 L2	9	114
HPV45 L2	8	340
HPV45 L2	11	340
HPV45 L2	11	405
HPV45 L2	9	345
HPV45 L2	8	343
HPV45 L2	11	343
HPV45 L2	10	148
HPV45 L2	11	241
HPV45 L2	11	296
HPV45 L2	8	430
HPV45 L2	10	430
HPV45 L2	8	64
HPV45 L2	10	62
HPV45 L2	10	183
HPV45 L2	9	433
HPV45 L2	10	433
HPV45 L2	11	433
HPV45 L2	11	37
HPV45 L2	10	406
HPV45 L2	9	407
HPV45 L2	10	44
HPV45 L2	10	338
HPV45 L2	11	152
HPV45 L2	11	43
HPV45 L2	8	366
HPV45 L2	11	337
HPV45 L2	10	287
HPV45 L2	10	242
HPV45 L2	11	375
HPV45 L2	10	392
HPV45 L2	9	248
HPV45 L2	10	387
HPV45 L2	8	258
HPV45 L2	11	391
HPV45 L2	8	378
HPV45 L2	8	361
HPV45 L2	10	361
HPV45 L2	9	120
HPV45 L2	9	420
HPV45 L2	8	185
HPV45 L2	10	267
HPV45 L2	11	118
HPV45 L2	8	312
HPV45 L2	9	312
HPV45 L2	10	172
HPV45 L2	9	233
HPV45 L2	10	451
HPV45 L2	9	298
HPV45 L2	8	220
HPV45 L2	10	247
HPV45 L2	11	246
HPV45 L2	9	288
HPV45 L2	10	153
HPV45 L2	9	362

HPV45 L2	9	154
HPV45 L2	11	358
HPV45 L2	9	149
HPV45 L2	8	363
HPV45 L2	11	363
HPV45 L2	9	39
HPV45 L2	10	376
HPV45 L2	9	393
HPV45 L2	8	155
HPV45 L2	9	268
HPV45 L2	11	418
HPV45 L2	10	38
HPV45 L2	10	359
HPV45 L2	11	426
HPV45 L2	8	389
HPV45 L2	11	217
HPV45 L2	8	150
HPV45 L2	8	249
HPV45 L2	9	388
HPV45 L2	11	112
HPV45 L2	9	428
HPV45 L2	10	428
HPV45 L2	8	437
HPV45 L2	9	437
HPV56 E2	10	21
HPV56 E2	9	71
HPV56 E2	11	71
HPV56 E2	10	92
HPV56 E2	11	92
HPV56 E2	9	140
HPV56 E2	8	263
HPV56 E2	11	43
HPV56 E2	8	23
HPV56 E2	10	128
HPV56 E2	11	294
HPV56 E2	8	261
HPV56 E2	10	261
HPV56 E2	9	66
HPV56 E2	8	94
HPV56 E2	9	94
HPV56 E2	8	130
HPV56 E2	8	297
HPV56 E2	10	299
HPV56 E2	11	258
HPV56 E2	8	90
HPV56 E2	10	295
HPV56 E2	11	25
HPV56 E2	8	46
HPV56 E2	11	149
HPV56 E2	8	152
HPV56 E2	8	301
HPV56 E2	9	246
HPV56 E2	10	26
HPV56 E2	8	141
HPV56 E2	8	28
HPV56 E2	10	259
HPV56 E2	10	36
HPV56 E2	8	271
HPV56 E2	9	27
HPV56 E2	10	150

Table VII  
HLA-A1 Supermotif Peptides

HPV56 E2	9	45	HPV56 L1	8	334
HPV56 E2	11	35	HPV56 L1	8	258
HPV56 E2	9	270	HPV56 L1	11	258
HPV56 E2	10	79	HPV56 L1	11	413
HPV56 E2	8	278	HPV56 L1	10	93
HPV56 E2	11	111	HPV56 L1	11	300
HPV56 E2	8	74	HPV56 L1	10	98
HPV56 E2	9	74	HPV56 L1	8	55
HPV56 E2	9	102	HPV56 L1	8	77
HPV56 E2	10	102	HPV56 L1	9	77
HPV56 E6	9	64	HPV56 L1	8	416
HPV56 E6	10	64	HPV56 L1	11	234
HPV56 E6	11	69	HPV56 L1	9	333
HPV56 E6	8	50	HPV56 L1	8	2
HPV56 E6	8	28	HPV56 L1	9	1
HPV56 E6	10	52	HPV56 L1	11	271
HPV56 E6	8	39	HPV56 L1	8	95
HPV56 E6	10	39	HPV56 L1	10	95
HPV56 E6	8	54	HPV56 L1	10	426
HPV56 E6	10	54	HPV56 L1	9	31
HPV56 E6	8	75	HPV56 L1	8	473
HPV56 E6	10	75	HPV56 L1	11	255
HPV56 E6	10	26	HPV56 L1	9	13
HPV56 E6	10	70	HPV56 L1	11	467
HPV56 E6	9	40	HPV56 L1	10	442
HPV56 E6	9	55	HPV56 L1	11	52
HPV56 E6	11	25	HPV56 L1	8	288
HPV56 E6	10	98	HPV56 L1	8	339
HPV56 E6	10	119	HPV56 L1	9	260
HPV56 E6	9	135	HPV56 L1	9	76
HPV56 E6	9	73	HPV56 L1	10	76
HPV56 E6	10	73	HPV56 L1	8	110
HPV56 E7	9	62	HPV56 L1	10	108
HPV56 E7	11	60	HPV56 L1	8	446
HPV56 L1	8	381	HPV56 L1	10	332
HPV56 L1	8	444	HPV56 L1	11	74
HPV56 L1	10	444	HPV56 L1	10	379
HPV56 L1	11	37	HPV56 L1	8	261
HPV56 L1	8	26	HPV56 L1	9	415
HPV56 L1	9	195	HPV56 L1	11	335
HPV56 L1	9	257	HPV56 L1	9	445
HPV56 L1	11	491	HPV56 L1	9	99
HPV56 L1	10	486	HPV56 L1	10	53
HPV56 L1	10	60	HPV56 L1	10	7
HPV56 L1	11	60	HPV56 L1	9	268
HPV56 L1	9	236	HPV56 L1	8	396
HPV56 L1	8	23	HPV56 L1	8	283
HPV56 L1	11	23	HPV56 L1	8	62
HPV56 L1	8	481	HPV56 L1	9	62
HPV56 L1	8	303	HPV56 L2	8	438
HPV56 L1	10	21	HPV56 L2	11	246
HPV56 L1	8	488	HPV56 L2	11	406
HPV56 L1	9	356	HPV56 L2	11	30
HPV56 L1	8	118	HPV56 L2	9	429
HPV56 L1	8	150	HPV56 L2	9	114
HPV56 L1	11	331	HPV56 L2	10	287
HPV56 L1	9	399	HPV56 L2	11	118
HPV56 L1	11	399	HPV56 L2	8	64
HPV56 L1	11	378	HPV56 L2	10	434
HPV56 L1	10	414	HPV56 L2	11	434

Table VII  
HLA-A1 Supermotif Peptides

			SF 1168080 v1
HPV56 L2	8	258	
HPV56 L2	10	62	
HPV56 L2	10	310	
HPV56 L2	11	310	
HPV56 L2	8	269	
HPV56 L2	11	372	
HPV56 L2	11	190	
HPV56 L2	8	44	
HPV56 L2	10	44	
HPV56 L2	11	44	
HPV56 L2	9	210	
HPV56 L2	11	182	
HPV56 L2	9	279	
HPV56 L2	10	407	
HPV56 L2	9	43	
HPV56 L2	11	43	
HPV56 L2	10	38	
HPV56 L2	8	337	
HPV56 L2	11	338	
HPV56 L2	9	248	
HPV56 L2	10	278	
HPV56 L2	10	342	
HPV56 L2	10	388	
HPV56 L2	8	395	
HPV56 L2	9	374	
HPV56 L2	10	209	
HPV56 L2	10	392	
HPV56 L2	11	392	
HPV56 L2	9	336	
HPV56 L2	10	267	
HPV56 L2	9	410	
HPV56 L2	8	185	
HPV56 L2	8	312	
HPV56 L2	9	312	
HPV56 L2	10	312	
HPV56 L2	11	421	
HPV56 L2	9	233	
HPV56 L2	8	220	
HPV56 L2	9	435	
HPV56 L2	10	435	
HPV56 L2	11	435	
HPV56 L2	10	153	
HPV56 L2	8	211	
HPV56 L2	9	154	
HPV56 L2	10	183	
HPV56 L2	11	414	
HPV56 L2	10	247	
HPV56 L2	9	288	
HPV56 L2	11	112	
HPV56 L2	9	408	
HPV56 L2	11	408	
HPV56 L2	8	249	
HPV56 L2	11	152	
HPV56 L2	9	389	
HPV56 L2	10	31	
HPV56 L2	10	431	

Table VIIA HPV6A  
HLA-A1 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	11	286	L1	8	450
E4	8	14	E1	9	587
E1	11	520	E2	8	171
E1	10	207	E5	9	28
L1	8	81	L1	9	318
L2	8	421	E1	10	243
E6	8	37	E2	9	156
E6	10	37	E1	11	217
L2	9	288	E1	10	273
E1	11	330	E1	8	11
L1	9	342	L2	10	431
E1	8	525	L2	11	431
E6	11	10	L2	10	62
E1	10	77	E1	10	431
E1	10	601	L1	11	293
E6	11	67	E2	10	179
E2	10	35	L2	11	215
E6	11	131	L2	8	64
E4	9	64	E1	11	436
E1	10	369	L1	9	407
L1	9	219	L1	9	222
E6	10	96	E1	8	316
E1	8	570	L1	9	111
E1	10	570	L1	11	113
E2	9	313	L2	8	312
E1	11	81	L2	9	312
E2	9	25	L2	10	312
E1	10	203	E6	8	119
E1	9	42	E1	9	264
L2	11	266	E4	8	59
E7	9	44	E2	10	78
L2	10	344	E2	10	310
L1	9	198	E4	10	10
E2	10	136	E2	9	338
L2	10	120	E2	10	149
L1	11	453	E2	11	149
E1	10	604	E6	9	25
E1	11	604	L1	11	387
E1	9	131	E1	9	581
E1	10	417	L1	9	361
E2	11	100	L1	11	361
E1	8	373	E1	8	502
E2	8	80	E1	9	502
E2	8	293	E5	8	21
E2	10	293	E5	10	31
L1	8	443	E6	9	97
E2	10	205	E5	9	32
E1	8	220	L2	10	44
E6	8	126	L2	11	44
E1	8	454	E5	8	17
E1	11	454	E1	10	500
L2	8	428	E1	11	500
E5	9	68	E1	9	571
E1	10	393	L1	10	376
L2	10	398	L2	8	247
E1	9	446	E1	11	476
L1	8	245	L2	9	121
E1	8	457	E5	10	34
L2	11	239	E1	8	433
			E6	8	73

Table VIIA HPV6A  
HLA-A1 Supermotif Peptides

E6	10	73	E2	10	281
E1	10	312	L2	10	38
E1	11	312	E2	8	127
E1	9	254	L1	11	217
E1	8	357	L2	10	189
E1	10	357	L1	11	109
E1	10	228	E1	10	258
E1	11	484	L2	10	389
E2	9	84	L2	10	337
L1	10	56	L1	9	391
E6	11	116	L2	9	408
E6	8	52	E2	9	354
E6	10	52	L1	11	426
L1	10	61	L1	8	90
L1	8	19	L2	9	426
L1	10	71	L2	10	426
E1	8	255	E5	10	19
E5	9	16	L1	11	16
E2	8	314	L2	11	418
L2	9	246	L2	9	363
E5	8	33	L2	11	43
E5	11	33	L1	8	301
L1	8	41	E6	10	50
L1	9	41	E4	9	4
E1	10	521	L1	8	250
E1	9	208	L2	8	400
E2	11	82	E1	8	314
E5	9	59	E1	9	314
E5	10	59	E1	10	314
E5	8	51	E2	8	103
E5	8	69	E1	10	128
E5	8	60	L2	9	231
E5	9	60	L2	10	245
E5	10	72	L1	9	40
L1	8	378	L1	10	40
E1	10	218	E2	10	303
E1	9	259	L1	9	279
E1	9	605	L1	8	140
E1	10	605	E1	11	583
L2	9	390	L2	8	153
L2	10	240	L2	10	267
E1	8	132	E5	11	30
E1	9	358	E2	8	207
E5	10	49	L1	11	375
E6	9	38	E1	8	60
E6	11	38	L1	10	294
E5	8	61	E1	8	260
L2	9	338	E6	11	23
E5	9	73	E2	9	150
E5	8	47	E2	10	150
L1	9	295	E2	9	282
E2	8	151	L1	11	297
E2	9	151	L2	8	391
L1	11	196	L1	11	38
E1	9	274	L1	9	347
E1	10	568	E2	11	23
E1	11	451	E2	9	180
E4	10	57	E5	11	14
E1	9	59	L2	10	374
E1	8	395	L2	9	241

Table VIIA HPV6A  
HLA-A1 Supermotif Peptides

E1	10	331	L1	8	58
L1	8	348	L1	10	58
L1	11	348	E5	8	36
L1	8	392	E5	10	58
E5	10	45	E5	11	58
L2	11	145	E2	8	92
L1	8	343	E2	11	92
L2	9	39	E4	8	12
E6	9	12	E4	10	12
E2	8	355	L2	8	435
L1	8	408	E1	9	579
E5	10	15	E1	11	579
E5	9	50	L1	9	230
E5	11	71	L1	8	358
E2	10	93	E2	9	159
E6	8	26	E2	10	159
L1	9	377	L1	9	350
E2	11	128	E2	11	168
L1	10	388	E2	8	138
L2	9	147	L1	8	26
L2	9	152	L1	9	26
L1	10	346	E2	8	131
L2	11	373			
L1	8	280			
E5	11	44			
E6	8	39			
E6	10	39			
E1	11	232			
L1	8	223			
E1	9	585			
E1	11	585			
E6	10	11			
L2	10	151			
L1	11	345			
L2	11	150			
E1	9	332			
E1	9	78			
L1	9	57			
L1	11	57			
E1	11	346			
E1	8	333			
E5	9	20			
E1	11	499			
E6	9	53			
E1	8	275			
L1	8	73			
E5	11	48			
E5	9	46			
L1	10	114			
L1	9	62			
E5	8	29			
E2	9	206			
L1	10	17			
L1	8	296			
L2	10	419			
L2	8	364			
L1	8	27			
L2	10	146			
E1	10	584			
L1	9	72			

Table VIIB HPV6B  
HLA-A1 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	11	286	L2	11	239
E4	8	24	E1	8	457
E1	11	520	L1	8	450
E1	10	207	E1	9	587
L1	8	81	E2	8	171
L2	8	421	E5A	9	28
E6	8	37	L1	9	318
E6	10	37	E1	10	243
L2	9	288	E2	9	156
E1	11	330	E1	11	217
L1	9	342	E5B	8	15
E1	8	525	E5B	10	25
E6	11	10	E1	10	273
E1	10	77	E1	8	11
E1	10	601	L2	10	431
E1	9	234	L2	11	431
E6	11	67	L2	10	62
E2	10	35	E1	10	431
E6	11	131	L1	11	293
E4	9	74	E2	10	179
E1	10	369	L2	11	215
L1	9	219	L2	8	64
E6	10	96	E1	11	436
E1	8	570	L1	9	407
E1	10	570	L1	9	222
E2	9	25	E1	8	316
E2	9	313	L1	9	111
E1	11	81	L1	11	113
E1	10	203	L2	8	312
E2	9	338	L2	9	312
E1	9	42	L2	10	312
L2	11	266	E6	8	119
E7	9	44	E1	9	264
L2	10	344	E2	10	78
L1	9	198	E2	10	310
E2	10	136	E6	10	50
L2	10	120	E4	10	20
L1	11	453	E2	10	149
E1	10	604	E2	11	149
E1	11	604	E6	9	25
E1	9	131	L1	11	387
E1	10	417	E1	9	581
E2	11	100	L1	9	361
E1	8	373	L1	11	361
E2	8	80	E1	8	502
E2	8	293	E1	9	502
E2	10	293	E5A	8	21
L1	8	443	E5A	10	31
E2	10	205	E6	9	97
E1	8	220	E5A	9	32
E6	8	126	L2	10	44
E5A	9	16	L2	11	44
E1	8	454	E5A	8	17
E1	11	454	E1	10	500
L2	8	428	E1	11	500
E5A	9	68	E1	9	571
E1	10	393	L1	10	376
L2	10	397	L2	8	247
E1	9	446	E1	11	476
L1	8	245	L2	9	121
			E5A	10	34

Table VIIB HPV6B  
HLA-A1 Supermotif Peptides

E1	8	433	E4	10	67
E6	8	73	E2	10	281
E6	10	73	L2	10	38
E1	10	312	E2	8	127
E1	11	312	E1	8	607
E1	9	254	L1	11	217
E1	8	357	L2	10	189
E1	10	357	E4	8	69
E1	10	228	L1	11	109
E1	11	484	L2	9	389
L1	10	56	E1	10	258
E6	11	116	L2	10	337
E6	8	52	L1	9	391
E6	10	52	L2	9	407
L1	10	61	E2	9	354
L1	8	19	L1	11	426
L1	10	71	L1	8	90
E1	8	255	L2	9	426
E2	8	314	L2	10	426
L2	9	246	E5A	10	19
E5A	8	33	L1	11	16
E5A	11	33	L2	9	363
L1	8	41	E5A	10	7
L1	9	41	L2	11	43
E1	10	521	L1	8	301
E1	9	208	E4	9	14
E5A	9	59	L1	8	250
E5A	10	59	L2	8	399
E5A	8	51	E1	8	314
E2	11	82	E1	9	314
E5A	8	69	E1	10	314
E5A	8	60	E2	8	103
E5A	9	60	E1	10	128
E5A	10	72	L2	9	231
L1	8	378	L2	10	245
E1	10	218	L1	9	40
L2	8	390	L1	10	40
E1	9	259	E2	10	303
E1	9	605	E2	9	84
E1	10	605	L1	9	279
L2	10	240	L1	8	140
E5B	11	3	E1	11	583
E1	8	132	L2	8	153
E1	9	358	L2	10	267
E5A	10	49	E5A	11	30
E6	9	38	E2	8	207
E6	11	38	L1	11	375
E5A	8	61	E1	8	60
L2	9	338	L1	10	294
E5A	9	73	E1	8	260
E5A	8	47	E6	11	23
L1	9	295	E2	9	150
E5B	9	26	E2	10	150
E2	8	151	E2	9	282
E2	9	151	L1	11	297
L1	11	196	L1	11	38
E1	9	274	L1	9	347
E1	10	568	E2	11	23
E1	11	451	E5A	11	14
E1	9	59	E2	9	180
E1	8	395	L2	10	374

Table VIIB HPV6B  
HLA-A1 Supermotif Peptides

L2	9	241	L2	10	146
E1	10	331	E1	10	584
L1	8	348	L1	9	72
L1	11	348	L1	8	58
L1	8	392	L1	10	58
E5A	10	45	E5A	8	36
L2	11	145	E5B	10	13
L1	8	343	E5A	10	58
L2	9	39	E5A	11	58
E6	9	12	E2	8	92
E2	8	355	E2	11	92
L1	8	408	E4	8	22
E5A	9	50	E4	10	22
E5A	11	71	L2	8	435
E2	10	93	E1	9	579
E6	8	26	E1	11	579
L1	9	377	L1	9	230
E2	11	128	L1	8	358
E5B	10	59	E2	9	159
L1	10	388	E2	10	159
L2	9	147	L1	9	350
L2	9	152	E5B	9	62
L1	10	346	E4	8	9
L2	11	373	E2	11	168
L1	8	280	E2	8	138
E5A	11	44	L1	8	26
E6	8	39	L1	9	26
E6	10	39	E2	8	131
L1	8	223			
E1	11	232			
E5B	8	63			
E1	9	585			
E1	11	585			
E6	10	11			
L2	10	151			
L1	11	345			
L2	11	150			
E1	9	332			
L2	11	387			
E1	9	78			
L1	9	57			
L1	11	57			
E1	11	346			
E1	8	333			
E5A	9	20			
E1	11	499			
E6	9	53			
E1	8	275			
L1	8	73			
E5A	11	48			
E5A	9	46			
L1	10	114			
L1	9	62			
E5A	8	29			
E2	9	206			
L1	10	17			
L1	8	296			
E5B	11	58			
L2	8	364			
L2	11	418			
L1	8	27			

Table VIIC. HPV11  
HLA-A1 Supermotif Peptides

2	3	4	E5	8	16
L2	11	285	L2	11	295
E1	11	520	L1	8	451
L1	8	81	E1	9	587
L2	8	417	E1	8	220
E6	8	37	L2	10	393
E6	10	37	L1	9	319
E1	11	330	E1	10	243
L1	9	343	E2	9	156
E1	8	525	E1	11	217
E6	11	10	E1	10	273
E1	10	77	L2	10	427
L1	8	349	L2	11	427
L1	11	349	E1	8	11
E5	10	26	L2	8	63
E1	10	601	L1	11	294
E6	11	67	E2	10	179
E5	8	73	E1	10	431
E5	9	73	L1	9	408
E4	9	73	L1	9	223
E1	10	369	E1	8	316
L1	9	220	L1	11	113
E2	9	25	L2	8	311
E6	10	96	L2	9	311
E1	10	203	E6	8	119
E1	8	570	E1	9	264
E1	10	570	E2	10	136
E1	11	81	E2	10	78
E1	9	42	E2	10	309
E2	8	292	E5	8	7
E2	10	292	E5	10	7
L2	10	343	E4	10	20
L1	9	199	E1	8	349
E5	9	12	E1	9	581
L1	8	125	E6	9	25
E2	9	312	L1	11	388
L1	11	454	L2	11	36
E6	9	69	L2	10	188
E1	10	604	L1	9	362
E1	11	604	L1	11	362
E1	9	131	E5	10	34
E1	10	417	E5	9	35
E2	11	100	E6	9	97
E1	8	373	L2	10	43
L2	11	265	L2	11	43
E2	8	80	E5	8	17
E1	10	128	E1	9	571
L1	8	444	E1	10	500
E2	10	205	E1	11	500
L2	10	119	L1	10	377
E6	8	126	L2	10	286
E1	11	454	E5	10	31
L2	8	424	E6	8	73
E1	9	494	E6	10	73
E5	9	68	E1	10	312
E5	10	68	E1	11	312
E1	10	393	E1	9	254
E1	9	446	E6	11	116
E1	8	457	E1	8	357
L2	11	238	E1	10	357

Table VIIC. HPV11  
HLA-A1 Supermotif Peptides

E1	10	420	E5	8	54
L1	10	347	E2	8	127
E1	11	484	L1	11	218
E1	10	228	L2	8	385
E5	10	50	L2	9	385
E2	9	84	E1	10	258
L1	10	56	E4	8	68
E1	8	433	L2	10	336
L1	10	61	L1	9	392
L1	8	19	L2	9	403
L1	10	71	E2	9	353
E6	8	52	L1	11	427
E6	10	52	L2	11	206
E1	8	255	L1	8	90
E5	8	33	L2	9	422
E5	11	33	L2	10	422
E5	9	16	L2	10	358
E5	8	36	L1	11	16
L1	8	41	L2	11	42
L1	9	41	L1	8	302
E1	10	521	E4	9	14
E4	9	18	L1	8	251
E5	9	59	L2	8	395
E5	10	59	E1	8	314
E5	8	51	E1	9	314
E5	8	69	E1	10	314
E5	9	69	L2	9	230
E5	8	60	L2	9	297
E5	9	60	L1	9	40
L1	8	379	L1	10	40
E1	9	605	E2	10	302
E1	10	605	L2	10	244
E1	10	218	L1	9	280
L2	8	386	E1	8	205
E1	9	259	L1	8	141
L2	10	239	E1	11	583
E5	11	4	E2	8	207
E1	8	132	E2	11	23
E1	9	358	E6	9	12
E5	8	70	L2	10	266
E5	11	70	E1	8	422
E5	10	49	L1	11	376
E2	8	103	E5	11	30
E6	9	38	E6	11	23
E6	11	38	L1	10	295
E5	8	61	E1	8	260
L2	9	337	L1	11	298
E5	8	47	E2	9	337
L1	9	296	L1	11	38
L2	9	245	L2	9	208
E5	9	62	L1	8	281
E5	11	62	E2	9	150
E1	9	421	E2	10	150
L1	11	197	E2	11	260
E1	9	274	E1	11	206
E4	9	1	E2	9	180
E1	10	568	L2	8	209
E6	10	50	L2	10	370
E1	8	395	L2	9	240
E1	9	59	E1	10	331

Table VIIC. HPV11  
HLA-A1 Supermotif Peptides

E2	8	151	E2	9	206
E2	9	151	L1	10	17
E1	8	60	L1	8	297
L2	8	152	L2	10	145
E1	11	436	L2	11	414
L1	8	393	E2	11	148
E5	10	45	E1	10	584
L1	8	344	L2	8	246
L2	11	144	L1	9	72
L2	9	38	E4	8	2
E2	10	261	L1	8	58
E2	8	354	L1	10	58
E5	10	71	L2	9	120
E5	11	71	E6	9	53
L1	8	409	E5	10	14
E1	10	207	E5	10	58
E5	10	15	E5	11	58
E5	9	50	E2	9	102
E2	10	93	E2	8	92
E6	8	26	E2	11	92
L1	9	378	E4	8	22
L1	10	389	L2	8	431
E6	10	11	E1	9	579
L2	9	287	E1	11	579
L2	10	207	E2	8	138
E2	10	149	L1	9	231
E2	11	149	L1	8	246
L2	11	369	L1	8	359
L2	9	151	E5	10	61
E5	11	44	E2	10	336
E6	8	39	E2	9	159
E6	10	39	E2	10	159
E1	11	232	L1	9	351
E1	9	585	L1	8	26
E1	11	585	L1	9	26
L2	10	37	E4	11	16
E5	11	14	E4	8	9
L2	10	150	E2	11	168
L2	11	149	E1	8	502
L2	11	382	E1	9	502
L1	8	224	E2	8	131
E1	9	332	SF 1168091 v1		
L2	10	383			
L2	11	383			
E1	9	78			
L1	9	57			
L1	11	57			
E1	11	346			
E1	8	333			
E1	11	499			
E5	9	27			
E5	9	32			
E4	10	17			
E1	8	275			
L1	8	73			
E5	11	48			
E5	9	46			
E2	11	128			
L1	10	114			
L1	9	62			

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>				
HPV16 E1	E1	9	316	HPV16 E1	E1	8	548
HPV16 E1	E1	11	316	HPV16 E1	E1	10	548
HPV16 E1	E1	9	239	HPV16 E1	E1	8	75
HPV16 E1	E1	10	239	HPV16 E1	E1	9	75
HPV16 E1	E1	8	317	HPV16 E1	E1	11	75
HPV16 E1	E1	10	317	HPV16 E1	E1	8	22
HPV16 E1	E1	10	205	HPV16 E1	E1	11	22
HPV16 E1	E1	8	478	HPV16 E1	E1	9	374
HPV16 E1	E1	11	478	HPV16 E1	E1	10	374
HPV16 E1	E1	10	112	HPV16 E1	E1	9	356
HPV16 E1	E1	11	112	HPV16 E1	E1	10	213
HPV16 E1	E1	9	539	HPV16 E1	E1	11	213
HPV16 E1	E1	11	539	HPV16 E1	E1	8	65
HPV16 E1	E1	8	69	HPV16 E1	E1	9	65
HPV16 E1	E1	9	459	HPV16 E1	E1	8	63
HPV16 E1	E1	9	318	HPV16 E1	E1	10	63
HPV16 E1	E1	9	206	HPV16 E1	E1	11	63
HPV16 E1	E1	10	73	HPV16 E1	E1	10	288
HPV16 E1	E1	11	73	HPV16 E1	E1	11	288
HPV16 E1	E1	10	380	HPV16 E1	E1	8	140
HPV16 E1	E1	10	406	HPV16 E1	E1	8	138
HPV16 E1	E1	9	524	HPV16 E1	E1	10	138
HPV16 E1	E1	10	82	HPV16 E1	E1	10	331
HPV16 E1	E1	11	82	HPV16 E1	E1	9	51
HPV16 E1	E1	10	23	HPV16 E1	E1	10	51
HPV16 E1	E1	11	23	HPV16 E1	E1	8	392
HPV16 E1	E1	11	405	HPV16 E1	E1	10	392
HPV16 E1	E1	8	237	HPV16 E1	E1	11	392
HPV16 E1	E1	11	237	HPV16 E1	E1	11	463
HPV16 E1	E1	8	114	HPV16 E1	E1	10	493
HPV16 E1	E1	9	114	HPV16 E1	E1	10	445
HPV16 E1	E1	8	472	HPV16 E1	E1	9	456
HPV16 E1	E1	10	472	HPV16 E1	E1	8	453
HPV16 E1	E1	9	259	HPV16 E1	E1	10	501
HPV16 E1	E1	10	259	HPV16 E1	E1	9	477
HPV16 E1	E1	9	304	HPV16 E1	E1	8	466
HPV16 E1	E1	8	187	HPV16 E1	E1	9	466
HPV16 E1	E1	9	187	HPV16 E1	E1	10	466
HPV16 E1	E1	11	187	HPV16 E1	E1	8	325
HPV16 E1	E1	8	353	HPV16 E1	E1	10	242
HPV16 E1	E1	9	353	HPV16 E1	E1	8	519
HPV16 E1	E1	10	101	HPV16 E1	E1	8	487
HPV16 E1	E1	9	640	HPV16 E1	E1	8	272
HPV16 E1	E1	10	640	HPV16 E1	E1	9	571
HPV16 E1	E1	8	299	HPV16 E1	E1	10	12
HPV16 E1	E1	9	299	HPV16 E1	E1	8	6
HPV16 E1	E1	10	515	HPV16 E1	E1	8	450
HPV16 E1	E1	11	515	HPV16 E1	E1	9	450
HPV16 E1	E1	10	523	HPV16 E1	E1	10	450
HPV16 E1	E1	11	81	HPV16 E1	E1	11	450
HPV16 E1	E1	10	97	HPV16 E1	E1	8	179
HPV16 E1	E1	8	368	HPV16 E1	E1	11	179
HPV16 E1	E1	9	368	HPV16 E1	E1	8	216
HPV16 E1	E1	10	43	HPV16 E1	E1	9	68
HPV16 E1	E1	11	43	HPV16 E1	E1	11	263
HPV16 E1	E1	8	384	HPV16 E1	E1	8	184
HPV16 E1	E1	10	384	HPV16 E1	E1	9	184
HPV16 E1	E1	10	335	HPV16 E1	E1	11	184
HPV16 E1	E1	11	335	HPV16 E1	E1	10	238
				HPV16 E1	E1	11	238

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E1	8	247	HPV16 E1	8	474
HPV16 E1	9	247	HPV16 E1	9	490
HPV16 E1	8	375	HPV16 E1	10	490
HPV16 E1	9	375	HPV16 E1	10	464
HPV16 E1	11	375	HPV16 E1	11	464
HPV16 E1	9	473	HPV16 E1	9	494
HPV16 E1	10	194	HPV16 E1	9	346
HPV16 E1	10	264	HPV16 E1	9	510
HPV16 E1	11	264	HPV16 E1	11	510
HPV16 E1	9	564	HPV16 E1	8	255
HPV16 E1	8	369	HPV16 E1	10	255
HPV16 E1	8	401	HPV16 E1	9	145
HPV16 E1	10	442	HPV16 E1	11	145
HPV16 E1	8	52	HPV16 E1	8	457
HPV16 E1	9	52	HPV16 E1	11	457
HPV16 E1	11	52	HPV16 E1	8	191
HPV16 E1	11	204	HPV16 E1	10	191
HPV16 E1	11	111	HPV16 E1	9	243
HPV16 E1	8	517	HPV16 E1	11	243
HPV16 E1	9	517	HPV16 E1	8	59
HPV16 E1	10	517	HPV16 E1	9	59
HPV16 E1	8	400	HPV16 E1	11	59
HPV16 E1	9	400	HPV16 E1	9	554
HPV16 E1	8	296	HPV16 E1	10	554
HPV16 E1	10	296	HPV16 E1	11	554
HPV16 E1	11	296	HPV16 E1	11	222
HPV16 E1	9	292	HPV16 E1	11	544
HPV16 E1	8	311	HPV16 E1	8	91
HPV16 E1	9	311	HPV16 E1	10	306
HPV16 E1	9	77	HPV16 E1	11	306
HPV16 E1	10	77	HPV16 E1	8	207
HPV16 E1	9	418	HPV16 E1	11	207
HPV16 E1	10	117	HPV16 E1	10	144
HPV16 E1	10	323	HPV16 E1	8	305
HPV16 E1	9	252	HPV16 E1	11	305
HPV16 E1	11	252	HPV16 E1	10	360
HPV16 E1	8	199	HPV16 E1	11	360
HPV16 E1	9	199	HPV16 E1	11	569
HPV16 E1	10	199	HPV16 E1	8	202
HPV16 E1	11	199	HPV16 E1	8	538
HPV16 E1	8	267	HPV16 E1	10	538
HPV16 E1	9	267	HPV16 E1	8	193
HPV16 E1	10	267	HPV16 E1	11	193
HPV16 E1	11	267	HPV16 E1	9	328
HPV16 E1	8	513	HPV16 E1	8	105
HPV16 E1	9	513	HPV16 E1	9	105
HPV16 E1	8	382	HPV16 E1	11	105
HPV16 E1	10	382	HPV16 E1	10	535
HPV16 E1	10	208	HPV16 E1	11	535
HPV16 E1	8	563	HPV16 E1	9	136
HPV16 E1	10	563	HPV16 E1	10	136
HPV16 E1	9	297	HPV16 E1	9	480
HPV16 E1	10	297	HPV16 E1	11	480
HPV16 E1	11	297	HPV16 E1	8	196
HPV16 E1	9	562	HPV16 E1	10	196
HPV16 E1	11	562	HPV16 E1	11	196
HPV16 E1	9	254	HPV16 E1	10	4
HPV16 E1	11	254	HPV16 E1	9	512
HPV16 E1	8	293	HPV16 E1	10	512
HPV16 E1	11	293	HPV16 E1	8	561

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E1	10	561	HPV16 E1	10	458
HPV16 E1	9	94	HPV16 E1	11	72
HPV16 E1	8	190	HPV16 E1	8	185
HPV16 E1	9	190	HPV16 E1	10	185
HPV16 E1	11	190	HPV16 E1	11	185
HPV16 E1	10	553	HPV16 E1	9	289
HPV16 E1	11	553	HPV16 E1	10	289
HPV16 E1	11	302	HPV16 E1	8	253
HPV16 E1	11	636	HPV16 E1	10	253
HPV16 E1	9	61	HPV16 E1	9	407
HPV16 E1	10	61	HPV16 E1	8	60
HPV16 E1	9	398	HPV16 E1	10	60
HPV16 E1	10	398	HPV16 E1	11	60
HPV16 E1	11	398	HPV16 E1	11	344
HPV16 E1	11	441	HPV16 E1	8	525
HPV16 E1	9	381	HPV16 E1	8	85
HPV16 E1	11	381	HPV16 E1	11	85
HPV16 E1	8	556	HPV16 E1	9	197
HPV16 E1	9	556	HPV16 E1	10	197
HPV16 E1	10	556	HPV16 E1	11	197
HPV16 E1	11	143	HPV16 E1	10	345
HPV16 E1	8	419	HPV16 E1	9	443
HPV16 E1	11	359	HPV16 E1	8	555
HPV16 E1	9	256	HPV16 E1	9	555
HPV16 E1	8	188	HPV16 E1	10	555
HPV16 E1	10	188	HPV16 E1	11	555
HPV16 E1	11	188	HPV16 E1	9	83
HPV16 E1	8	146	HPV16 E1	10	83
HPV16 E1	10	146	HPV16 E1	9	361
HPV16 E1	8	84	HPV16 E1	10	361
HPV16 E1	9	84	HPV16 E1	9	24
HPV16 E1	9	414	HPV16 E1	10	24
HPV16 E1	8	615	HPV16 E1	8	363
HPV16 E1	11	432	HPV16 E1	9	425
HPV16 E1	10	390	HPV16 E1	8	339
HPV16 E1	8	246	HPV16 E1	8	509
HPV16 E1	9	246	HPV16 E1	10	509
HPV16 E1	10	246	HPV16 E1	11	379
HPV16 E1	11	250	HPV16 E1	9	531
HPV16 E1	8	266	HPV16 E1	10	531
HPV16 E1	9	266	HPV16 E1	8	261
HPV16 E1	10	266	HPV16 E1	8	578
HPV16 E1	11	266	HPV16 E1	10	578
HPV16 E1	8	484	HPV16 E1	9	58
HPV16 E1	11	484	HPV16 E1	10	58
HPV16 E1	10	489	HPV16 E1	9	90
HPV16 E1	11	489	HPV16 E1	10	448
HPV16 E1	8	634	HPV16 E1	11	448
HPV16 E1	9	546	HPV16 E1	10	20
HPV16 E1	10	546	HPV16 E2	8	220
HPV16 E1	10	397	HPV16 E2	9	220
HPV16 E1	11	397	HPV16 E2	10	220
HPV16 E1	11	423	HPV16 E2	8	72
HPV16 E1	11	314	HPV16 E2	10	72
HPV16 E1	8	231	HPV16 E2	11	72
HPV16 E1	9	231	HPV16 E2	9	41
HPV16 E1	10	231	HPV16 E2	9	228
HPV16 E1	10	315	HPV16 E2	10	228
HPV16 E1	8	66	HPV16 E2	11	228
HPV16 E1	11	66	HPV16 E2	9	69

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E2	10	69	HPV16 E2	8	136
HPV16 E2	11	69	HPV16 E2	10	136
HPV16 E2	8	221	HPV16 E2	11	136
HPV16 E2	9	221	HPV16 E2	8	214
HPV16 E2	11	221	HPV16 E2	9	214
HPV16 E2	9	226	HPV16 E2	11	214
HPV16 E2	11	226	HPV16 E2	8	290
HPV16 E2	8	63	HPV16 E2	9	290
HPV16 E2	10	63	HPV16 E2	8	35
HPV16 E2	11	63	HPV16 E2	8	56
HPV16 E2	9	314	HPV16 E2	9	56
HPV16 E2	10	40	HPV16 E2	9	223
HPV16 E2	8	109	HPV16 E2	11	252
HPV16 E2	9	109	HPV16 E2	11	210
HPV16 E2	11	109	HPV16 E2	10	15
HPV16 E2	11	300	HPV16 E2	10	238
HPV16 E2	11	5	HPV16 E2	8	356
HPV16 E2	10	309	HPV16 E2	10	356
HPV16 E2	10	174	HPV16 E2	8	288
HPV16 E2	8	294	HPV16 E2	10	288
HPV16 E2	9	124	HPV16 E2	11	288
HPV16 E2	9	344	HPV16 E2	8	68
HPV16 E2	8	246	HPV16 E2	10	68
HPV16 E2	9	246	HPV16 E2	11	68
HPV16 E2	11	246	HPV16 E2	10	45
HPV16 E2	8	96	HPV16 E2	10	225
HPV16 E2	9	96	HPV16 E2	11	14
HPV16 E2	10	96	HPV16 E2	8	351
HPV16 E2	11	142	HPV16 E2	10	351
HPV16 E2	8	209	HPV16 E2	8	255
HPV16 E2	8	74	HPV16 E2	11	255
HPV16 E2	9	74	HPV16 E2	10	354
HPV16 E2	11	48	HPV16 E2	11	182
HPV16 E2	9	2	HPV16 E2	8	215
HPV16 E2	8	185	HPV16 E2	10	215
HPV16 E2	9	185	HPV16 E2	8	62
HPV16 E2	10	185	HPV16 E2	9	62
HPV16 E2	8	118	HPV16 E2	11	62
HPV16 E2	11	118	HPV16 E2	10	256
HPV16 E2	8	204	HPV16 E2	8	70
HPV16 E2	8	100	HPV16 E2	9	70
HPV16 E2	11	100	HPV16 E2	10	70
HPV16 E2	10	346	HPV16 E2	8	94
HPV16 E2	11	346	HPV16 E2	10	94
HPV16 E2	8	168	HPV16 E2	11	94
HPV16 E2	9	156	HPV16 E2	8	75
HPV16 E2	11	156	HPV16 E2	8	103
HPV16 E2	8	150	HPV16 E2	9	16
HPV16 E2	11	150	HPV16 E2	11	16
HPV16 E2	8	190	HPV16 E2	9	127
HPV16 E2	10	190	HPV16 E2	11	127
HPV16 E2	8	230	HPV16 E2	8	284
HPV16 E2	9	230	HPV16 E2	8	9
HPV16 E2	8	187	HPV16 E2	9	9
HPV16 E2	11	187	HPV16 E2	8	325
HPV16 E2	8	29	HPV16 E2	9	325
HPV16 E2	10	29	HPV16 E2	10	325
HPV16 E2	9	53	HPV16 E2	11	325
HPV16 E2	10	53	HPV16 E2	8	219
HPV16 E2	11	53	HPV16 E2	9	219

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E2	10	219	HPV16 E2	8	227
HPV16 E2	11	219	HPV16 E2	10	227
HPV16 E2	9	287	HPV16 E2	11	227
HPV16 E2	11	287	HPV16 E2	8	192
HPV16 E2	11	106	HPV16 E2	10	119
HPV16 E2	10	60	HPV16 E2	11	119
HPV16 E2	11	60	HPV16 E2	8	145
HPV16 E2	10	196	HPV16 E2	11	147
HPV16 E2	8	71	HPV16 E2	10	341
HPV16 E2	9	71	HPV16 E2	11	321
HPV16 E2	11	71	HPV16 E2	10	134
HPV16 E2	10	151	HPV16 E2	8	92
HPV16 E2	9	191	HPV16 E2	10	92
HPV16 E2	8	349	HPV16 E2	8	138
HPV16 E2	9	349	HPV16 E2	9	138
HPV16 E2	10	349	HPV16 E2	10	138
HPV16 E2	8	57	HPV16 E2	11	138
HPV16 E2	8	278	HPV16 E2	9	102
HPV16 E2	9	278	HPV16 E2	11	312
HPV16 E2	11	278	HPV16 E2	9	131
HPV16 E2	10	37	HPV16 E2	11	115
HPV16 E2	9	7	HPV16 E2	8	159
HPV16 E2	10	7	HPV16 E2	11	159
HPV16 E2	11	7	HPV16 E5	9	53
HPV16 E2	9	212	HPV16 E5	10	53
HPV16 E2	10	212	HPV16 E5	8	26
HPV16 E2	11	212	HPV16 E5	9	26
HPV16 E2	11	165	HPV16 E5	11	26
HPV16 E2	8	98	HPV16 E5	9	24
HPV16 E2	10	98	HPV16 E5	10	24
HPV16 E2	8	348	HPV16 E5	11	24
HPV16 E2	9	348	HPV16 E5	8	20
HPV16 E2	10	348	HPV16 E5	9	20
HPV16 E2	11	348	HPV16 E5	10	20
HPV16 E2	9	85	HPV16 E5	8	5
HPV16 E2	10	85	HPV16 E5	9	5
HPV16 E2	8	23	HPV16 E5	8	60
HPV16 E2	10	317	HPV16 E5	10	60
HPV16 E2	8	261	HPV16 E5	10	72
HPV16 E2	9	261	HPV16 E5	11	72
HPV16 E2	10	261	HPV16 E5	8	15
HPV16 E2	8	198	HPV16 E5	9	15
HPV16 E2	9	144	HPV16 E5	11	15
HPV16 E2	11	269	HPV16 E5	8	66
HPV16 E2	10	313	HPV16 E5	9	66
HPV16 E2	11	237	HPV16 E5	11	66
HPV16 E2	9	355	HPV16 E5	8	75
HPV16 E2	11	355	HPV16 E5	9	75
HPV16 E2	9	61	HPV16 E5	8	64
HPV16 E2	10	61	HPV16 E5	10	64
HPV16 E2	8	3	HPV16 E5	11	64
HPV16 E2	9	93	HPV16 E5	9	43
HPV16 E2	11	93	HPV16 E5	10	43
HPV16 E2	9	310	HPV16 E5	11	43
HPV16 E2	8	128	HPV16 E5	8	44
HPV16 E2	10	128	HPV16 E5	9	44
HPV16 E2	10	253	HPV16 E5	10	44
HPV16 E2	11	285	HPV16 E5	11	44
HPV16 E2	10	116	HPV16 E5	11	51
HPV16 E2	9	357	HPV16 E5	9	61

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E5	11	61	HPV16 E5	8	9
HPV16 E5	10	12	HPV16 E5	9	9
HPV16 E5	11	12	HPV16 E5	8	21
HPV16 E5	9	73	HPV16 E5	9	21
HPV16 E5	10	73	HPV16 E5	8	46
HPV16 E5	11	73	HPV16 E5	9	46
HPV16 E5	8	42	HPV16 E5	11	46
HPV16 E5	10	42	HPV16 E5	9	63
HPV16 E5	11	42	HPV16 E5	11	63
HPV16 E5	9	28	HPV16 E5	9	68
HPV16 E5	11	28	HPV16 E5	11	68
HPV16 E5	11	11	HPV16 E5	8	39
HPV16 E5	8	16	HPV16 E5	9	39
HPV16 E5	10	16	HPV16 E5	10	39
HPV16 E5	8	22	HPV16 E5	11	39
HPV16 E5	11	22	HPV16 E6	8	110
HPV16 E5	8	27	HPV16 E6	11	58
HPV16 E5	10	27	HPV16 E6	8	73
HPV16 E5	9	32	HPV16 E6	10	143
HPV16 E5	11	32	HPV16 E6	8	23
HPV16 E5	8	47	HPV16 E6	11	23
HPV16 E5	10	47	HPV16 E6	8	37
HPV16 E5	8	33	HPV16 E6	9	37
HPV16 E5	10	33	HPV16 E6	9	25
HPV16 E5	11	33	HPV16 E6	10	25
HPV16 E5	9	48	HPV16 E6	11	25
HPV16 E5	8	45	HPV16 E6	8	96
HPV16 E5	9	45	HPV16 E6	11	96
HPV16 E5	10	45	HPV16 E6	10	48
HPV16 E5	9	1	HPV16 E6	8	52
HPV16 E5	10	1	HPV16 E6	9	52
HPV16 E5	11	1	HPV16 E6	11	9
HPV16 E5	8	3	HPV16 E6	11	125
HPV16 E5	9	3	HPV16 E6	11	34
HPV16 E5	10	3	HPV16 E6	10	59
HPV16 E5	11	3	HPV16 E6	11	59
HPV16 E5	9	70	HPV16 E6	9	18
HPV16 E5	8	31	HPV16 E6	11	18
HPV16 E5	10	31	HPV16 E6	9	41
HPV16 E5	8	55	HPV16 E6	11	107
HPV16 E5	10	55	HPV16 E6	10	44
HPV16 E5	11	55	HPV16 E6	8	26
HPV16 E5	8	41	HPV16 E6	9	26
HPV16 E5	9	41	HPV16 E6	10	26
HPV16 E5	11	41	HPV16 E6	11	134
HPV16 E5	9	8	HPV16 E6	10	102
HPV16 E5	10	8	HPV16 E6	11	116
HPV16 E5	8	37	HPV16 E6	8	12
HPV16 E5	9	37	HPV16 E6	11	12
HPV16 E5	10	37	HPV16 E6	9	20
HPV16 E5	11	37	HPV16 E6	10	20
HPV16 E5	8	35	HPV16 E6	11	20
HPV16 E5	9	35	HPV16 E6	8	21
HPV16 E5	10	35	HPV16 E6	9	21
HPV16 E5	11	35	HPV16 E6	10	21
HPV16 E5	10	52	HPV16 E6	11	43
HPV16 E5	11	52	HPV16 E6	8	42
HPV16 E5	8	6	HPV16 E6	10	97
HPV16 E5	11	6	HPV16 E6	11	97
HPV16 E5	8	10	HPV16 E6	8	27

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 E6	9	27	HPV16 E7	10	11
HPV16 E6	8	151	HPV16 L1	8	372
HPV16 E6	10	29	HPV16 L1	9	372
HPV16 E6	10	94	HPV16 L1	8	451
HPV16 E6	8	28	HPV16 L1	11	451
HPV16 E6	11	28	HPV16 L1	8	373
HPV16 E6	11	93	HPV16 L1	9	233
HPV16 E6	8	67	HPV16 L1	8	342
HPV16 E7	9	68	HPV16 L1	10	330
HPV16 E7	11	68	HPV16 L1	8	513
HPV16 E7	8	75	HPV16 L1	10	513
HPV16 E7	9	75	HPV16 L1	11	513
HPV16 E7	10	75	HPV16 L1	8	35
HPV16 E7	9	81	HPV16 L1	10	35
HPV16 E7	10	81	HPV16 L1	10	292
HPV16 E7	9	14	HPV16 L1	9	70
HPV16 E7	8	21	HPV16 L1	10	205
HPV16 E7	9	4	HPV16 L1	9	371
HPV16 E7	10	4	HPV16 L1	10	371
HPV16 E7	9	37	HPV16 L1	9	172
HPV16 E7	11	18	HPV16 L1	11	172
HPV16 E7	8	43	HPV16 L1	9	183
HPV16 E7	9	85	HPV16 L1	8	454
HPV16 E7	10	73	HPV16 L1	11	251
HPV16 E7	11	73	HPV16 L1	11	329
HPV16 E7	11	54	HPV16 L1	8	397
HPV16 E7	8	82	HPV16 L1	11	397
HPV16 E7	9	82	HPV16 L1	10	300
HPV16 E7	8	83	HPV16 L1	11	300
HPV16 E7	11	83	HPV16 L1	9	225
HPV16 E7	8	15	HPV16 L1	10	225
HPV16 E7	8	12	HPV16 L1	10	486
HPV16 E7	9	12	HPV16 L1	11	486
HPV16 E7	11	12	HPV16 L1	9	154
HPV16 E7	10	41	HPV16 L1	10	154
HPV16 E7	8	6	HPV16 L1	10	228
HPV16 E7	10	6	HPV16 L1	11	228
HPV16 E7	11	44	HPV16 L1	8	120
HPV16 E7	8	49	HPV16 L1	10	120
HPV16 E7	9	66	HPV16 L1	9	113
HPV16 E7	11	66	HPV16 L1	8	361
HPV16 E7	8	77	HPV16 L1	10	361
HPV16 E7	10	77	HPV16 L1	10	442
HPV16 E7	11	77	HPV16 L1	11	442
HPV16 E7	8	71	HPV16 L1	9	412
HPV16 E7	9	71	HPV16 L1	11	17
HPV16 E7	10	63	HPV16 L1	9	34
HPV16 E7	9	78	HPV16 L1	11	34
HPV16 E7	10	78	HPV16 L1	8	279
HPV16 E7	8	86	HPV16 L1	8	132
HPV16 E7	9	7	HPV16 L1	10	132
HPV16 E7	9	64	HPV16 L1	10	474
HPV16 E7	11	64	HPV16 L1	8	245
HPV16 E7	10	19	HPV16 L1	10	245
HPV16 E7	8	69	HPV16 L1	8	400
HPV16 E7	10	69	HPV16 L1	9	400
HPV16 E7	11	69	HPV16 L1	10	400
HPV16 E7	10	55	HPV16 L1	11	400
HPV16 E7	11	55	HPV16 L1	8	5
HPV16 E7	9	11	HPV16 L1	9	494

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 L1	8	402	HPV16 L1	10	406
HPV16 L1	9	402	HPV16 L1	8	151
HPV16 L1	10	402	HPV16 L1	10	151
HPV16 L1	11	25	HPV16 L1	11	262
HPV16 L1	8	506	HPV16 L1	8	178
HPV16 L1	9	506	HPV16 L1	9	90
HPV16 L1	11	506	HPV16 L1	9	46
HPV16 L1	11	236	HPV16 L1	10	46
HPV16 L1	9	282	HPV16 L1	9	312
HPV16 L1	11	282	HPV16 L1	10	69
HPV16 L1	8	446	HPV16 L1	8	184
HPV16 L1	8	356	HPV16 L1	11	216
HPV16 L1	11	356	HPV16 L1	11	68
HPV16 L1	8	232	HPV16 L1	8	148
HPV16 L1	10	232	HPV16 L1	11	148
HPV16 L1	11	291	HPV16 L1	8	495
HPV16 L1	8	348	HPV16 L1	8	239
HPV16 L1	10	348	HPV16 L1	10	239
HPV16 L1	11	348	HPV16 L1	10	398
HPV16 L1	8	142	HPV16 L1	11	398
HPV16 L1	11	142	HPV16 L1	8	432
HPV16 L1	9	499	HPV16 L1	9	432
HPV16 L1	10	499	HPV16 L1	11	339
HPV16 L1	9	431	HPV16 L1	8	94
HPV16 L1	10	431	HPV16 L1	10	94
HPV16 L1	9	93	HPV16 L1	9	409
HPV16 L1	11	93	HPV16 L1	10	9
HPV16 L1	8	136	HPV16 L1	8	87
HPV16 L1	10	438	HPV16 L1	8	124
HPV16 L1	11	438	HPV16 L1	10	124
HPV16 L1	8	64	HPV16 L1	8	1
HPV16 L1	8	166	HPV16 L1	9	1
HPV16 L1	10	166	HPV16 L1	10	1
HPV16 L1	10	130	HPV16 L1	11	1
HPV16 L1	9	140	HPV16 L1	10	414
HPV16 L1	10	140	HPV16 L1	11	414
HPV16 L1	8	62	HPV16 L1	8	226
HPV16 L1	9	62	HPV16 L1	9	226
HPV16 L1	10	62	HPV16 L1	10	263
HPV16 L1	8	22	HPV16 L1	8	325
HPV16 L1	10	22	HPV16 L1	10	164
HPV16 L1	8	285	HPV16 L1	9	157
HPV16 L1	9	285	HPV16 L1	11	157
HPV16 L1	11	457	HPV16 L1	8	58
HPV16 L1	10	452	HPV16 L1	11	58
HPV16 L1	9	424	HPV16 L1	10	311
HPV16 L1	11	8	HPV16 L1	8	476
HPV16 L1	9	86	HPV16 L1	10	476
HPV16 L1	9	221	HPV16 L1	8	367
HPV16 L1	8	11	HPV16 L1	10	367
HPV16 L1	10	11	HPV16 L1	8	353
HPV16 L1	8	407	HPV16 L1	10	353
HPV16 L1	9	407	HPV16 L1	11	353
HPV16 L1	11	407	HPV16 L1	8	383
HPV16 L1	8	501	HPV16 L1	9	218
HPV16 L1	9	512	HPV16 L1	10	218
HPV16 L1	11	512	HPV16 L1	8	296
HPV16 L1	10	85	HPV16 L1	9	19
HPV16 L1	8	406	HPV16 L1	11	19
HPV16 L1	9	406	HPV16 L1	8	460

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 L1	10	77	HPV16 L1	9	365
HPV16 L1	11	77	HPV16 L1	10	365
HPV16 L1	8	247	HPV16 L1	10	375
HPV16 L1	8	213	HPV16 L1	11	521
HPV16 L1	9	213	HPV16 L1	8	410
HPV16 L1	8	489	HPV16 L1	11	410
HPV16 L1	10	489	HPV16 L1	9	523
HPV16 L1	11	138	HPV16 L1	10	423
HPV16 L1	10	466	HPV16 L1	9	439
HPV16 L1	9	147	HPV16 L1	10	439
HPV16 L1	8	319	HPV16 L1	8	507
HPV16 L1	9	319	HPV16 L1	10	507
HPV16 L1	8	515	HPV16 L1	11	507
HPV16 L1	9	515	HPV16 L1	9	238
HPV16 L1	10	515	HPV16 L1	11	238
HPV16 L1	8	41	HPV16 L1	8	408
HPV16 L1	10	41	HPV16 L1	10	408
HPV16 L1	8	43	HPV16 L1	9	121
HPV16 L1	11	497	HPV16 L1	11	121
HPV16 L1	9	450	HPV16 L1	10	522
HPV16 L1	9	240	HPV16 L1	10	237
HPV16 L1	11	240	HPV16 L1	9	362
HPV16 L1	9	331	HPV16 L1	11	362
HPV16 L1	8	403	HPV16 L1	8	516
HPV16 L1	9	403	HPV16 L1	9	516
HPV16 L1	11	403	HPV16 L1	8	219
HPV16 L1	11	181	HPV16 L1	9	219
HPV16 L1	9	354	HPV16 L1	11	219
HPV16 L1	10	354	HPV16 L1	9	358
HPV16 L1	11	280	HPV16 L1	11	358
HPV16 L1	10	26	HPV16 L1	9	36
HPV16 L1	11	26	HPV16 L1	10	54
HPV16 L1	8	2	HPV16 L1	11	204
HPV16 L1	9	2	HPV16 L1	8	220
HPV16 L1	10	2	HPV16 L1	10	220
HPV16 L1	11	2	HPV16 L1	9	10
HPV16 L1	9	289	HPV16 L1	11	10
HPV16 L1	9	341	HPV16 L1	8	413
HPV16 L1	9	123	HPV16 L1	11	413
HPV16 L1	11	123	HPV16 L1	8	3
HPV16 L1	8	56	HPV16 L1	9	3
HPV16 L1	10	56	HPV16 L1	10	3
HPV16 L1	9	482	HPV16 L1	10	357
HPV16 L1	9	159	HPV16 L1	8	359
HPV16 L1	9	253	HPV16 L1	10	359
HPV16 L1	11	253	HPV16 L1	8	47
HPV16 L1	8	369	HPV16 L1	9	47
HPV16 L1	11	369	HPV16 L1	11	47
HPV16 L1	11	271	HPV16 L1	8	126
HPV16 L1	8	28	HPV16 L1	8	30
HPV16 L1	9	28	HPV16 L1	10	30
HPV16 L1	10	28	HPV16 L1	8	416
HPV16 L1	9	174	HPV16 L1	9	416
HPV16 L1	11	174	HPV16 L1	10	416
HPV16 L1	9	324	HPV16 L1	8	302
HPV16 L1	10	449	HPV16 L1	9	302
HPV16 L1	9	49	HPV16 L1	11	302
HPV16 L1	11	49	HPV16 L1	10	38
HPV16 L1	11	422	HPV16 L1	11	38
HPV16 L1	8	365	HPV16 L1	10	389

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 L1	9	275	HPV16 L2	11	283
HPV16 L1	8	470	HPV16 L2	11	163
HPV16 L1	11	53	HPV16 L2	8	181
HPV16 L2	11	355	HPV16 L2	10	181
HPV16 L2	8	144	HPV16 L2	9	118
HPV16 L2	9	144	HPV16 L2	8	404
HPV16 L2	10	144	HPV16 L2	8	259
HPV16 L2	11	144	HPV16 L2	8	59
HPV16 L2	8	288	HPV16 L2	10	57
HPV16 L2	10	356	HPV16 L2	11	364
HPV16 L2	9	293	HPV16 L2	10	226
HPV16 L2	8	82	HPV16 L2	8	26
HPV16 L2	11	15	HPV16 L2	11	26
HPV16 L2	8	116	HPV16 L2	9	65
HPV16 L2	11	116	HPV16 L2	11	65
HPV16 L2	10	31	HPV16 L2	10	61
HPV16 L2	11	31	HPV16 L2	8	76
HPV16 L2	8	147	HPV16 L2	10	76
HPV16 L2	9	147	HPV16 L2	11	76
HPV16 L2	10	147	HPV16 L2	9	52
HPV16 L2	11	147	HPV16 L2	11	52
HPV16 L2	10	415	HPV16 L2	8	354
HPV16 L2	9	285	HPV16 L2	9	440
HPV16 L2	10	285	HPV16 L2	11	41
HPV16 L2	11	285	HPV16 L2	8	277
HPV16 L2	8	367	HPV16 L2	10	277
HPV16 L2	9	367	HPV16 L2	11	277
HPV16 L2	11	367	HPV16 L2	10	439
HPV16 L2	9	422	HPV16 L2	9	32
HPV16 L2	10	422	HPV16 L2	10	32
HPV16 L2	9	43	HPV16 L2	11	32
HPV16 L2	11	43	HPV16 L2	8	145
HPV16 L2	11	199	HPV16 L2	9	145
HPV16 L2	10	84	HPV16 L2	10	145
HPV16 L2	11	84	HPV16 L2	11	145
HPV16 L2	10	376	HPV16 L2	9	45
HPV16 L2	9	140	HPV16 L2	8	420
HPV16 L2	8	129	HPV16 L2	9	420
HPV16 L2	9	129	HPV16 L2	11	420
HPV16 L2	11	129	HPV16 L2	9	374
HPV16 L2	8	338	HPV16 L2	8	344
HPV16 L2	11	338	HPV16 L2	9	344
HPV16 L2	8	195	HPV16 L2	8	243
HPV16 L2	9	195	HPV16 L2	9	243
HPV16 L2	11	195	HPV16 L2	8	135
HPV16 L2	9	340	HPV16 L2	10	135
HPV16 L2	11	340	HPV16 L2	11	135
HPV16 L2	8	176	HPV16 L2	11	250
HPV16 L2	9	111	HPV16 L2	8	286
HPV16 L2	11	111	HPV16 L2	9	286
HPV16 L2	8	114	HPV16 L2	10	286
HPV16 L2	10	114	HPV16 L2	9	430
HPV16 L2	8	373	HPV16 L2	10	430
HPV16 L2	10	373	HPV16 L2	11	430
HPV16 L2	8	242	HPV16 L2	8	105
HPV16 L2	9	242	HPV16 L2	11	105
HPV16 L2	10	242	HPV16 L2	8	202
HPV16 L2	9	201	HPV16 L2	9	202
HPV16 L2	10	201	HPV16 L2	10	202
HPV16 L2	11	201	HPV16 L2	9	248

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 L2	10	23	HPV16 L2	9	435
HPV16 L2	11	23	HPV16 L2	8	80
HPV16 L2	8	20	HPV16 L2	10	80
HPV16 L2	8	39	HPV16 L2	8	161
HPV16 L2	8	35	HPV16 L2	9	161
HPV16 L2	11	35	HPV16 L2	11	246
HPV16 L2	10	323	HPV16 L2	11	172
HPV16 L2	11	323	HPV16 L2	8	358
HPV16 L2	8	236	HPV16 L2	11	358
HPV16 L2	9	236	HPV16 L2	11	120
HPV16 L2	10	236	HPV16 L2	11	221
HPV16 L2	8	86	HPV16 L2	9	97
HPV16 L2	9	86	HPV16 L2	10	97
HPV16 L2	10	86	HPV16 L2	8	381
HPV16 L2	8	249	HPV16 L2	10	381
HPV16 L2	9	169	HPV16 L2	8	88
HPV16 L2	8	341	HPV16 L2	11	88
HPV16 L2	10	341	HPV16 L2	9	24
HPV16 L2	11	341	HPV16 L2	10	24
HPV16 L2	8	46	HPV16 L2	8	423
HPV16 L2	8	294	HPV16 L2	9	423
HPV16 L2	8	108	HPV16 L2	8	44
HPV16 L2	10	108	HPV16 L2	10	44
HPV16 L2	9	410	HPV16 L2	9	17
HPV16 L2	11	410	HPV16 L2	11	17
HPV16 L2	9	454	HPV16 L2	9	233
HPV16 L2	9	276	HPV16 L2	11	233
HPV16 L2	11	276	HPV16 L2	9	342
HPV16 L2	10	407	HPV16 L2	10	342
HPV16 L2	9	419	HPV16 L2	11	342
HPV16 L2	10	419	HPV16 L2	11	310
HPV16 L2	9	397	HPV16 L2	8	234
HPV16 L2	9	208	HPV16 L2	10	234
HPV16 L2	8	150	HPV16 L2	11	234
HPV16 L2	9	174	HPV16 L2	10	12
HPV16 L2	10	174	HPV16 L2	8	305
HPV16 L2	8	240	HPV16 L2	10	305
HPV16 L2	10	240	HPV16 L2	8	224
HPV16 L2	11	240	HPV16 L2	9	224
HPV16 L2	9	143	HPV16 L2	9	461
HPV16 L2	10	143	HPV16 L2	11	461
HPV16 L2	11	143	HPV16 L2	9	298
HPV16 L2	8	292	HPV16 L2	9	69
HPV16 L2	10	292	HPV16 L2	8	9
HPV16 L2	11	395	HPV16 L2	10	9
HPV16 L2	8	255	HPV16 L2	8	313
HPV16 L2	11	255	HPV16 L2	10	313
HPV16 L2	8	417	HPV16 L2	8	230
HPV16 L2	11	417	HPV16 L2	9	230
HPV16 L2	8	215	HPV16 L2	9	335
HPV16 L2	9	215	HPV16 L2	10	335
HPV16 L2	11	215	HPV16 L2	11	335
HPV16 L2	10	429	HPV16 L2	8	6
HPV16 L2	11	429	HPV16 L2	10	6
HPV16 L2	8	74	HPV16 L2	11	6
HPV16 L2	9	74	HPV16 L2	8	14
HPV16 L2	10	74	HPV16 L2	11	274
HPV16 L2	8	409	HPV16 L2	9	360
HPV16 L2	10	409	HPV16 L2	11	360
HPV16 L2	9	197	HPV16 L2	11	125

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV16 L2	8	134	HPV16 L2	9	351
HPV16 L2	9	134	HPV16 L2	11	351
HPV16 L2	11	134	HPV16 L2	9	136
HPV16 L2	9	104	HPV16 L2	10	136
HPV16 L2	8	389	HPV16 L2	11	136
HPV16 L2	10	389	HPV16 L2	8	350
HPV16 L2	11	389	HPV16 L2	10	350
HPV16 L2	9	107	HPV16 L2	10	153
HPV16 L2	11	107	HPV16 L2	8	209
HPV16 L2	9	50	HPV16 L2	9	154
HPV16 L2	11	50	HPV16 L2	11	154
HPV16 L2	8	138	HPV16 L2	8	287
HPV16 L2	9	138	HPV16 L2	9	287
HPV16 L2	11	138	HPV16 L2	10	222
HPV16 L2	8	189	HPV16 L2	11	222
HPV16 L2	10	189	HPV16 L2	8	168
HPV16 L2	9	331	HPV16 L2	10	168
HPV16 L2	11	331	HPV16 L2	8	155
HPV16 L2	11	186	HPV16 L2	10	155
HPV16 L2	8	204	HPV16 L2	11	152
HPV16 L2	11	204	HPV16 L2	8	237
HPV16 L2	10	213	HPV16 L2	9	237
HPV16 L2	11	213	HPV16 L2	11	237
HPV16 L2	8	387	HPV16 L2	9	369
HPV16 L2	10	387	HPV16 L2	11	369
HPV16 L2	8	378	HPV16 L2	8	393
HPV16 L2	11	378	HPV16 L2	10	72
HPV16 L2	9	347	HPV16 L2	11	72
HPV16 L2	10	347	HPV16 L2	8	447
HPV16 L2	11	347	HPV16 L2	9	447
HPV16 L2	9	167	HPV16 L2	10	453
HPV16 L2	11	167	HPV16 L2	8	349
HPV16 L2	9	122	HPV16 L2	9	349
HPV16 L2	11	384	HPV16 L2	11	349
HPV16 L2	9	81	HPV18 E1	11	396
HPV16 L2	8	332	HPV18 E1	10	397
HPV16 L2	10	332	HPV18 E1	8	324
HPV16 L2	11	438	HPV18 E1	10	324
HPV16 L2	10	399	HPV18 E1	8	246
HPV16 L2	10	187	HPV18 E1	9	246
HPV16 L2	8	343	HPV18 E1	10	246
HPV16 L2	9	343	HPV18 E1	10	22
HPV16 L2	10	343	HPV18 E1	11	22
HPV16 L2	9	85	HPV18 E1	9	546
HPV16 L2	10	85	HPV18 E1	8	68
HPV16 L2	11	85	HPV18 E1	9	466
HPV16 L2	10	311	HPV18 E1	10	387
HPV16 L2	9	182	HPV18 E1	11	387
HPV16 L2	11	265	HPV18 E1	9	325
HPV16 L2	10	16	HPV18 E1	9	213
HPV16 L2	10	232	HPV18 E1	8	526
HPV16 L2	9	156	HPV18 E1	9	526
HPV16 L2	8	398	HPV18 E1	10	66
HPV16 L2	11	398	HPV18 E1	8	72
HPV16 L2	8	141	HPV18 E1	10	72
HPV16 L2	11	141	HPV18 E1	11	72
HPV16 L2	8	244	HPV18 E1	8	422
HPV16 L2	10	379	HPV18 E1	9	199
HPV16 L2	8	231	HPV18 E1	8	40
HPV16 L2	11	231	HPV18 E1	9	40

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E1	10	413	HPV18 E1	11	59
HPV18 E1	8	144	HPV18 E1	9	64
HPV18 E1	11	531	HPV18 E1	11	309
HPV18 E1	9	216	HPV18 E1	10	104
HPV18 E1	9	504	HPV18 E1	9	141
HPV18 E1	11	412	HPV18 E1	10	141
HPV18 E1	8	273	HPV18 E1	11	141
HPV18 E1	9	273	HPV18 E1	8	74
HPV18 E1	10	273	HPV18 E1	9	74
HPV18 E1	11	273	HPV18 E1	11	74
HPV18 E1	8	479	HPV18 E1	10	338
HPV18 E1	10	479	HPV18 E1	11	89
HPV18 E1	9	311	HPV18 E1	8	497
HPV18 E1	10	404	HPV18 E1	9	497
HPV18 E1	11	404	HPV18 E1	10	497
HPV18 E1	8	240	HPV18 E1	10	265
HPV18 E1	11	240	HPV18 E1	10	500
HPV18 E1	9	196	HPV18 E1	8	460
HPV18 E1	10	196	HPV18 E1	9	463
HPV18 E1	11	635	HPV18 E1	11	470
HPV18 E1	8	78	HPV18 E1	8	399
HPV18 E1	8	530	HPV18 E1	11	399
HPV18 E1	9	628	HPV18 E1	10	452
HPV18 E1	11	628	HPV18 E1	11	452
HPV18 E1	11	203	HPV18 E1	10	508
HPV18 E1	9	363	HPV18 E1	10	465
HPV18 E1	11	228	HPV18 E1	10	212
HPV18 E1	8	381	HPV18 E1	10	503
HPV18 E1	9	381	HPV18 E1	9	356
HPV18 E1	10	381	HPV18 E1	8	332
HPV18 E1	8	46	HPV18 E1	9	332
HPV18 E1	11	46	HPV18 E1	8	223
HPV18 E1	9	637	HPV18 E1	8	300
HPV18 E1	8	106	HPV18 E1	11	300
HPV18 E1	11	106	HPV18 E1	8	494
HPV18 E1	10	42	HPV18 E1	11	494
HPV18 E1	10	522	HPV18 E1	9	121
HPV18 E1	11	522	HPV18 E1	11	121
HPV18 E1	9	342	HPV18 E1	9	172
HPV18 E1	10	342	HPV18 E1	9	55
HPV18 E1	11	342	HPV18 E1	11	55
HPV18 E1	10	52	HPV18 E1	10	11
HPV18 E1	8	220	HPV18 E1	8	473
HPV18 E1	10	220	HPV18 E1	9	473
HPV18 E1	11	220	HPV18 E1	8	182
HPV18 E1	8	540	HPV18 E1	11	182
HPV18 E1	11	30	HPV18 E1	8	279
HPV18 E1	8	166	HPV18 E1	9	71
HPV18 E1	8	143	HPV18 E1	11	71
HPV18 E1	9	143	HPV18 E1	11	270
HPV18 E1	11	115	HPV18 E1	8	83
HPV18 E1	8	62	HPV18 E1	8	306
HPV18 E1	11	62	HPV18 E1	9	306
HPV18 E1	9	108	HPV18 E1	8	254
HPV18 E1	11	108	HPV18 E1	9	254
HPV18 E1	8	375	HPV18 E1	8	198
HPV18 E1	9	375	HPV18 E1	10	198
HPV18 E1	11	366	HPV18 E1	10	569
HPV18 E1	8	59	HPV18 E1	9	266
HPV18 E1	10	59	HPV18 E1	10	271

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E1	11	271	HPV18 E1	9	520
HPV18 E1	9	501	HPV18 E1	8	350
HPV18 E1	8	562	HPV18 E1	8	571
HPV18 E1	9	562	HPV18 E1	9	295
HPV18 E1	10	562	HPV18 E1	10	295
HPV18 E1	11	562	HPV18 E1	11	295
HPV18 E1	8	262	HPV18 E1	9	480
HPV18 E1	10	262	HPV18 E1	10	229
HPV18 E1	10	314	HPV18 E1	11	229
HPV18 E1	11	314	HPV18 E1	8	382
HPV18 E1	11	347	HPV18 E1	9	382
HPV18 E1	11	461	HPV18 E1	8	214
HPV18 E1	9	590	HPV18 E1	11	214
HPV18 E1	9	23	HPV18 E1	8	527
HPV18 E1	10	23	HPV18 E1	11	527
HPV18 E1	10	449	HPV18 E1	8	312
HPV18 E1	8	124	HPV18 E1	10	47
HPV18 E1	9	124	HPV18 E1	10	367
HPV18 E1	11	439	HPV18 E1	11	367
HPV18 E1	11	647	HPV18 E1	8	545
HPV18 E1	8	318	HPV18 E1	10	545
HPV18 E1	9	318	HPV18 E1	9	39
HPV18 E1	8	210	HPV18 E1	10	39
HPV18 E1	8	259	HPV18 E1	10	188
HPV18 E1	9	259	HPV18 E1	11	188
HPV18 E1	11	259	HPV18 E1	9	335
HPV18 E1	8	237	HPV18 E1	9	487
HPV18 E1	9	237	HPV18 E1	8	158
HPV18 E1	10	237	HPV18 E1	10	158
HPV18 E1	11	237	HPV18 E1	11	158
HPV18 E1	8	524	HPV18 E1	8	191
HPV18 E1	9	524	HPV18 E1	9	191
HPV18 E1	10	524	HPV18 E1	11	191
HPV18 E1	11	524	HPV18 E1	10	577
HPV18 E1	8	206	HPV18 E1	11	485
HPV18 E1	9	206	HPV18 E1	8	568
HPV18 E1	10	206	HPV18 E1	11	568
HPV18 E1	11	206	HPV18 E1	11	551
HPV18 E1	8	389	HPV18 E1	11	448
HPV18 E1	9	389	HPV18 E1	8	98
HPV18 E1	10	389	HPV18 E1	10	98
HPV18 E1	10	215	HPV18 E1	10	560
HPV18 E1	9	561	HPV18 E1	11	560
HPV18 E1	10	561	HPV18 E1	8	519
HPV18 E1	11	561	HPV18 E1	9	519
HPV18 E1	9	261	HPV18 E1	10	519
HPV18 E1	11	261	HPV18 E1	8	194
HPV18 E1	11	313	HPV18 E1	11	194
HPV18 E1	9	388	HPV18 E1	9	252
HPV18 E1	10	388	HPV18 E1	10	252
HPV18 E1	11	388	HPV18 E1	11	252
HPV18 E1	9	304	HPV18 E1	9	60
HPV18 E1	10	304	HPV18 E1	10	60
HPV18 E1	11	304	HPV18 E1	8	21
HPV18 E1	10	204	HPV18 E1	11	21
HPV18 E1	11	204	HPV18 E1	9	405
HPV18 E1	11	285	HPV18 E1	10	405
HPV18 E1	9	570	HPV18 E1	11	405
HPV18 E1	8	376	HPV18 E1	9	67
HPV18 E1	8	520	HPV18 E1	8	457

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E1	10	457	HPV18 E1	10	150
HPV18 E1	11	457	HPV18 E1	10	532
HPV18 E1	8	563	HPV18 E1	8	296
HPV18 E1	9	563	HPV18 E1	9	296
HPV18 E1	10	563	HPV18 E1	10	296
HPV18 E1	11	563	HPV18 E1	8	591
HPV18 E1	8	200	HPV18 E1	9	323
HPV18 E1	8	426	HPV18 E1	11	323
HPV18 E1	9	456	HPV18 E1	8	297
HPV18 E1	11	456	HPV18 E1	9	297
HPV18 E1	11	80	HPV18 E1	11	297
HPV18 E1	9	649	HPV18 E1	8	525
HPV18 E1	9	421	HPV18 E1	9	525
HPV18 E1	10	589	HPV18 E1	10	525
HPV18 E1	11	626	HPV18 E1	10	31
HPV18 E1	8	102	HPV18 E1	11	31
HPV18 E1	9	349	HPV18 E1	8	505
HPV18 E1	8	294	HPV18 E1	10	81
HPV18 E1	10	294	HPV18 E1	11	84
HPV18 E1	11	294	HPV18 E1	9	339
HPV18 E1	9	425	HPV18 E1	9	20
HPV18 E1	10	330	HPV18 E1	9	450
HPV18 E1	11	330	HPV18 E1	9	368
HPV18 E1	8	622	HPV18 E1	10	368
HPV18 E1	9	553	HPV18 E1	10	244
HPV18 E1	10	553	HPV18 E1	11	244
HPV18 E1	9	117	HPV18 E1	11	149
HPV18 E1	11	430	HPV18 E1	8	370
HPV18 E1	10	164	HPV18 E1	8	346
HPV18 E1	11	93	HPV18 E1	9	432
HPV18 E1	9	302	HPV18 E1	8	516
HPV18 E1	11	302	HPV18 E1	10	516
HPV18 E1	10	511	HPV18 E1	11	516
HPV18 E1	11	511	HPV18 E1	8	536
HPV18 E1	10	322	HPV18 E1	11	536
HPV18 E1	11	179	HPV18 E1	8	243
HPV18 E1	9	245	HPV18 E1	11	243
HPV18 E1	10	245	HPV18 E1	11	386
HPV18 E1	11	245	HPV18 E1	8	585
HPV18 E1	8	65	HPV18 E1	8	408
HPV18 E1	11	65	HPV18 E1	11	542
HPV18 E1	8	253	HPV18 E1	8	455
HPV18 E1	9	253	HPV18 E1	10	455
HPV18 E1	10	253	HPV18 E1	10	19
HPV18 E1	8	197	HPV18 E2	9	49
HPV18 E1	9	197	HPV18 E2	10	49
HPV18 E1	11	197	HPV18 E2	10	245
HPV18 E1	8	260	HPV18 E2	11	245
HPV18 E1	10	260	HPV18 E2	8	76
HPV18 E1	8	303	HPV18 E2	11	76
HPV18 E1	10	303	HPV18 E2	11	45
HPV18 E1	11	303	HPV18 E2	8	351
HPV18 E1	9	414	HPV18 E2	9	351
HPV18 E1	9	53	HPV18 E2	10	351
HPV18 E1	11	53	HPV18 E2	11	87
HPV18 E1	8	238	HPV18 E2	9	154
HPV18 E1	9	238	HPV18 E2	8	214
HPV18 E1	10	238	HPV18 E2	11	214
HPV18 E1	9	533	HPV18 E2	9	246
HPV18 E1	11	533	HPV18 E2	10	246

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E2	10	132	HPV18 E2	8	329
HPV18 E2	10	156	HPV18 E2	8	238
HPV18 E2	8	146	HPV18 E2	9	238
HPV18 E2	9	146	HPV18 E2	10	238
HPV18 E2	10	146	HPV18 E2	10	254
HPV18 E2	11	29	HPV18 E2	8	86
HPV18 E2	9	315	HPV18 E2	8	39
HPV18 E2	11	315	HPV18 E2	11	39
HPV18 E2	9	100	HPV18 E2	8	266
HPV18 E2	8	210	HPV18 E2	8	98
HPV18 E2	9	210	HPV18 E2	11	98
HPV18 E2	9	78	HPV18 E2	11	83
HPV18 E2	10	78	HPV18 E2	11	221
HPV18 E2	8	104	HPV18 E2	8	79
HPV18 E2	10	6	HPV18 E2	9	79
HPV18 E2	8	340	HPV18 E2	9	333
HPV18 E2	10	340	HPV18 E2	8	217
HPV18 E2	11	340	HPV18 E2	8	1
HPV18 E2	8	190	HPV18 E2	10	144
HPV18 E2	9	190	HPV18 E2	11	144
HPV18 E2	8	48	HPV18 E2	9	133
HPV18 E2	10	48	HPV18 E2	10	67
HPV18 E2	11	48	HPV18 E2	11	67
HPV18 E2	11	346	HPV18 E2	8	285
HPV18 E2	9	324	HPV18 E2	9	348
HPV18 E2	10	324	HPV18 E2	11	348
HPV18 E2	11	324	HPV18 E2	9	196
HPV18 E2	11	331	HPV18 E2	10	64
HPV18 E2	9	54	HPV18 E2	9	265
HPV18 E2	10	54	HPV18 E2	10	272
HPV18 E2	11	253	HPV18 E2	11	110
HPV18 E2	9	85	HPV18 E2	8	262
HPV18 E2	11	161	HPV18 E2	9	262
HPV18 E2	9	235	HPV18 E2	10	262
HPV18 E2	11	235	HPV18 E2	8	357
HPV18 E2	8	148	HPV18 E2	9	357
HPV18 E2	10	148	HPV18 E2	8	33
HPV18 E2	11	187	HPV18 E2	8	38
HPV18 E2	9	291	HPV18 E2	9	38
HPV18 E2	9	60	HPV18 E2	9	216
HPV18 E2	9	223	HPV18 E2	8	80
HPV18 E2	10	223	HPV18 E2	8	56
HPV18 E2	11	289	HPV18 E2	10	56
HPV18 E2	10	332	HPV18 E2	11	2
HPV18 E2	8	358	HPV18 E2	8	61
HPV18 E2	8	55	HPV18 E2	9	11
HPV18 E2	9	55	HPV18 E2	10	11
HPV18 E2	11	55	HPV18 E2	8	343
HPV18 E2	8	72	HPV18 E2	9	343
HPV18 E2	10	72	HPV18 E2	10	343
HPV18 E2	11	72	HPV18 E2	11	244
HPV18 E2	8	75	HPV18 E2	9	213
HPV18 E2	9	75	HPV18 E2	9	298
HPV18 E2	8	280	HPV18 E2	9	203
HPV18 E2	10	280	HPV18 E2	10	203
HPV18 E2	11	280	HPV18 E2	8	32
HPV18 E2	10	257	HPV18 E2	9	32
HPV18 E2	11	257	HPV18 E2	9	206
HPV18 E2	11	152	HPV18 E2	10	206
HPV18 E2	10	92	HPV18 E2	8	230

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E2	10	230	HPV18 E5	8	57
HPV18 E2	8	318	HPV18 E5	10	57
HPV18 E2	11	233	HPV18 E5	9	50
HPV18 E2	9	355	HPV18 E5	10	50
HPV18 E2	10	355	HPV18 E5	8	37
HPV18 E2	11	355	HPV18 E5	11	37
HPV18 E2	8	140	HPV18 E5	8	65
HPV18 E2	10	140	HPV18 E5	8	19
HPV18 E2	8	236	HPV18 E5	10	19
HPV18 E2	10	236	HPV18 E5	9	43
HPV18 E2	11	236	HPV18 E5	10	43
HPV18 E2	10	153	HPV18 E5	8	40
HPV18 E2	9	57	HPV18 E5	9	40
HPV18 E2	9	97	HPV18 E5	10	40
HPV18 E2	9	7	HPV18 E5	9	4
HPV18 E2	10	215	HPV18 E5	11	4
HPV18 E2	9	341	HPV18 E5	8	63
HPV18 E2	10	341	HPV18 E5	10	63
HPV18 E2	11	341	HPV18 E5	8	62
HPV18 E2	8	349	HPV18 E5	9	62
HPV18 E2	10	349	HPV18 E5	11	62
HPV18 E2	11	349	HPV18 E5	9	58
HPV18 E2	8	211	HPV18 E5	11	58
HPV18 E2	11	211	HPV18 E5	9	22
HPV18 E2	9	231	HPV18 E5	11	22
HPV18 E2	8	334	HPV18 E5	8	35
HPV18 E2	11	334	HPV18 E5	9	35
HPV18 E2	9	350	HPV18 E5	10	35
HPV18 E2	10	350	HPV18 E5	8	61
HPV18 E2	11	350	HPV18 E5	9	61
HPV18 E2	9	136	HPV18 E5	10	61
HPV18 E2	10	136	HPV18 E5	9	46
HPV18 E2	8	197	HPV18 E5	8	21
HPV18 E2	11	197	HPV18 E5	10	21
HPV18 E2	8	356	HPV18 E5	9	60
HPV18 E2	9	356	HPV18 E5	10	60
HPV18 E2	10	356	HPV18 E5	11	60
HPV18 E2	10	335	HPV18 E5	10	3
HPV18 E2	9	37	HPV18 E5	8	25
HPV18 E2	10	37	HPV18 E5	10	25
HPV18 E2	9	322	HPV18 E5	11	25
HPV18 E2	11	322	HPV18 E5	11	48
HPV18 E2	10	96	HPV18 E5	8	51
HPV18 E2	11	143	HPV18 E5	9	51
HPV18 E2	10	135	HPV18 E5	11	51
HPV18 E2	11	135	HPV18 E5	8	42
HPV18 E2	8	164	HPV18 E5	10	42
HPV18 E2	11	164	HPV18 E5	11	42
HPV18 E5	8	47	HPV18 E5	8	34
HPV18 E5	8	29	HPV18 E5	9	34
HPV18 E5	10	29	HPV18 E5	10	34
HPV18 E5	8	27	HPV18 E5	11	34
HPV18 E5	9	27	HPV18 E5	8	41
HPV18 E5	10	27	HPV18 E5	9	41
HPV18 E5	8	13	HPV18 E5	11	41
HPV18 E5	10	13	HPV18 E5	8	33
HPV18 E5	11	13	HPV18 E5	9	33
HPV18 E5	10	11	HPV18 E5	10	33
HPV18 E5	9	6	HPV18 E5	11	33
HPV18 E5	11	6	HPV18 E5	8	31

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E5	10	31	HPV18 E6	9	95
HPV18 E5	11	31	HPV18 E6	9	22
HPV18 E5	9	39	HPV18 E6	10	22
HPV18 E5	10	39	HPV18 E6	8	114
HPV18 E5	11	39	HPV18 E6	8	111
HPV18 E5	8	15	HPV18 E6	11	111
HPV18 E5	9	15	HPV18 E6	8	7
HPV18 E5	9	53	HPV18 E6	11	7
HPV18 E5	10	53	HPV18 E6	8	149
HPV18 E5	11	53	HPV18 E6	10	149
HPV18 E6	8	68	HPV18 E6	11	146
HPV18 E6	11	68	HPV18 E6	11	59
HPV18 E6	8	105	HPV18 E6	8	24
HPV18 E6	11	105	HPV18 E6	10	24
HPV18 E6	8	108	HPV18 E6	10	84
HPV18 E6	11	108	HPV18 E6	11	84
HPV18 E6	8	18	HPV18 E6	8	89
HPV18 E6	11	18	HPV18 E6	10	89
HPV18 E6	8	32	HPV18 E6	8	37
HPV18 E6	10	32	HPV18 E6	11	38
HPV18 E6	11	32	HPV18 E6	10	54
HPV18 E6	11	27	HPV18 E6	11	54
HPV18 E6	8	16	HPV18 E7	8	6
HPV18 E6	10	16	HPV18 E7	10	6
HPV18 E6	10	51	HPV18 E7	8	63
HPV18 E6	9	88	HPV18 E7	10	63
HPV18 E6	11	88	HPV18 E7	8	24
HPV18 E6	9	29	HPV18 E7	8	82
HPV18 E6	10	29	HPV18 E7	10	82
HPV18 E6	11	29	HPV18 E7	8	69
HPV18 E6	9	20	HPV18 E7	10	40
HPV18 E6	11	20	HPV18 E7	8	90
HPV18 E6	9	77	HPV18 E7	8	86
HPV18 E6	9	40	HPV18 E7	9	86
HPV18 E6	10	43	HPV18 E7	9	43
HPV18 E6	8	47	HPV18 E7	8	14
HPV18 E6	9	47	HPV18 E7	10	14
HPV18 E6	8	53	HPV18 E7	9	46
HPV18 E6	11	53	HPV18 E7	11	11
HPV18 E6	10	97	HPV18 E7	8	5
HPV18 E6	10	136	HPV18 E7	9	5
HPV18 E6	8	62	HPV18 E7	11	5
HPV18 E6	11	120	HPV18 E7	8	73
HPV18 E6	8	30	HPV18 E7	11	73
HPV18 E6	9	30	HPV18 E7	8	8
HPV18 E6	10	30	HPV18 E7	10	74
HPV18 E6	9	13	HPV18 E7	10	61
HPV18 E6	11	13	HPV18 E7	11	92
HPV18 E6	10	92	HPV18 E7	11	50
HPV18 E6	11	92	HPV18 E7	9	17
HPV18 E6	9	36	HPV18 E7	10	17
HPV18 E6	11	102	HPV18 E7	9	56
HPV18 E6	9	25	HPV18 E7	10	22
HPV18 E6	9	150	HPV18 E7	10	88
HPV18 E6	8	41	HPV18 E7	8	87
HPV18 E6	9	93	HPV18 E7	11	87
HPV18 E6	10	93	HPV18 E7	8	53
HPV18 E6	11	93	HPV18 E7	9	53
HPV18 E6	8	1	HPV18 E7	10	53
HPV18 E6	8	95	HPV18 E7	8	84

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 E7	10	84	HPV18 L1	8	167
HPV18 E7	11	84	HPV18 L1	10	167
HPV18 E7	10	71	HPV18 L1	8	155
HPV18 E7	11	79	HPV18 L1	10	155
HPV18 E7	9	7	HPV18 L1	10	280
HPV18 E7	10	93	HPV18 L1	9	317
HPV18 E7	11	60	HPV18 L1	11	317
HPV18 E7	10	12	HPV18 L1	8	436
HPV18 E7	9	75	HPV18 L1	9	436
HPV18 E7	11	75	HPV18 L1	10	436
HPV18 L1	10	195	HPV18 L1	11	436
HPV18 L1	10	225	HPV18 L1	10	49
HPV18 L1	11	225	HPV18 L1	8	438
HPV18 L1	8	487	HPV18 L1	9	438
HPV18 L1	9	487	HPV18 L1	10	438
HPV18 L1	11	487	HPV18 L1	8	482
HPV18 L1	9	63	HPV18 L1	8	391
HPV18 L1	10	63	HPV18 L1	11	391
HPV18 L1	10	268	HPV18 L1	8	267
HPV18 L1	8	377	HPV18 L1	11	267
HPV18 L1	11	419	HPV18 L1	8	535
HPV18 L1	9	196	HPV18 L1	11	177
HPV18 L1	8	552	HPV18 L1	10	342
HPV18 L1	11	552	HPV18 L1	8	171
HPV18 L1	10	222	HPV18 L1	9	233
HPV18 L1	8	406	HPV18 L1	11	326
HPV18 L1	8	218	HPV18 L1	8	383
HPV18 L1	9	218	HPV18 L1	10	383
HPV18 L1	9	310	HPV18 L1	11	383
HPV18 L1	8	2	HPV18 L1	10	165
HPV18 L1	9	2	HPV18 L1	8	467
HPV18 L1	8	490	HPV18 L1	10	467
HPV18 L1	11	286	HPV18 L1	11	467
HPV18 L1	9	441	HPV18 L1	11	194
HPV18 L1	10	441	HPV18 L1	8	97
HPV18 L1	11	350	HPV18 L1	9	97
HPV18 L1	8	512	HPV18 L1	10	97
HPV18 L1	10	512	HPV18 L1	9	38
HPV18 L1	8	433	HPV18 L1	10	38
HPV18 L1	10	433	HPV18 L1	11	38
HPV18 L1	11	433	HPV18 L1	9	13
HPV18 L1	9	260	HPV18 L1	10	428
HPV18 L1	10	260	HPV18 L1	8	40
HPV18 L1	10	522	HPV18 L1	9	40
HPV18 L1	11	522	HPV18 L1	11	40
HPV18 L1	8	189	HPV18 L1	8	39
HPV18 L1	9	189	HPV18 L1	9	39
HPV18 L1	11	263	HPV18 L1	10	39
HPV18 L1	8	276	HPV18 L1	8	46
HPV18 L1	10	276	HPV18 L1	10	46
HPV18 L1	9	148	HPV18 L1	9	460
HPV18 L1	8	396	HPV18 L1	9	47
HPV18 L1	9	396	HPV18 L1	8	219
HPV18 L1	10	396	HPV18 L1	9	9
HPV18 L1	9	330	HPV18 L1	8	32
HPV18 L1	9	478	HPV18 L1	9	32
HPV18 L1	10	478	HPV18 L1	10	32
HPV18 L1	11	478	HPV18 L1	8	488
HPV18 L1	9	448	HPV18 L1	10	488
HPV18 L1	8	203	HPV18 L1	8	443

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 L1	11	443	HPV18 L1	8	282
HPV18 L1	8	360	HPV18 L1	8	248
HPV18 L1	9	376	HPV18 L1	9	248
HPV18 L1	10	186	HPV18 L1	8	525
HPV18 L1	11	186	HPV18 L1	10	525
HPV18 L1	9	505	HPV18 L1	9	28
HPV18 L1	9	120	HPV18 L1	10	28
HPV18 L1	8	213	HPV18 L1	8	26
HPV18 L1	11	213	HPV18 L1	9	26
HPV18 L1	9	125	HPV18 L1	11	26
HPV18 L1	8	8	HPV18 L1	10	240
HPV18 L1	10	8	HPV18 L1	8	20
HPV18 L1	8	14	HPV18 L1	10	20
HPV18 L1	11	103	HPV18 L1	9	333
HPV18 L1	8	274	HPV18 L1	11	333
HPV18 L1	10	274	HPV18 L1	10	540
HPV18 L1	9	434	HPV18 L1	8	91
HPV18 L1	10	434	HPV18 L1	8	472
HPV18 L1	11	434	HPV18 L1	8	412
HPV18 L1	9	445	HPV18 L1	9	412
HPV18 L1	11	403	HPV18 L1	9	533
HPV18 L1	10	104	HPV18 L1	10	533
HPV18 L1	8	476	HPV18 L1	8	216
HPV18 L1	11	476	HPV18 L1	10	216
HPV18 L1	11	531	HPV18 L1	11	216
HPV18 L1	8	159	HPV18 L1	8	439
HPV18 L1	10	159	HPV18 L1	9	439
HPV18 L1	8	33	HPV18 L1	11	439
HPV18 L1	9	33	HPV18 L1	11	315
HPV18 L1	10	62	HPV18 L1	9	366
HPV18 L1	11	62	HPV18 L1	9	389
HPV18 L1	8	261	HPV18 L1	10	389
HPV18 L1	9	261	HPV18 L1	10	137
HPV18 L1	11	36	HPV18 L1	11	61
HPV18 L1	8	402	HPV18 L1	11	297
HPV18 L1	8	388	HPV18 L1	10	214
HPV18 L1	10	388	HPV18 L1	8	324
HPV18 L1	11	388	HPV18 L1	9	324
HPV18 L1	9	84	HPV18 L1	9	158
HPV18 L1	11	84	HPV18 L1	11	158
HPV18 L1	9	253	HPV18 L1	9	6
HPV18 L1	10	253	HPV18 L1	10	6
HPV18 L1	10	70	HPV18 L1	9	81
HPV18 L1	11	70	HPV18 L1	10	81
HPV18 L1	10	510	HPV18 L1	9	299
HPV18 L1	9	54	HPV18 L1	9	551
HPV18 L1	10	54	HPV18 L1	10	127
HPV18 L1	11	54	HPV18 L1	9	288
HPV18 L1	9	52	HPV18 L1	11	288
HPV18 L1	11	52	HPV18 L1	11	93
HPV18 L1	10	199	HPV18 L1	10	459
HPV18 L1	9	207	HPV18 L1	9	31
HPV18 L1	11	207	HPV18 L1	10	31
HPV18 L1	11	496	HPV18 L1	11	31
HPV18 L1	10	114	HPV18 L1	9	359
HPV18 L1	8	224	HPV18 L1	10	150
HPV18 L1	11	224	HPV18 L1	11	150
HPV18 L1	9	558	HPV18 L1	9	518
HPV18 L1	8	344	HPV18 L1	9	475
HPV18 L1	8	57	HPV18 L1	9	335

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 L1	11	335	HPV18 L1	10	394
HPV18 L1	11	306	HPV18 L1	11	394
HPV18 L1	8	242	HPV18 L1	8	82
HPV18 L1	10	242	HPV18 L1	9	82
HPV18 L1	10	365	HPV18 L1	11	82
HPV18 L1	10	272	HPV18 L1	8	161
HPV18 L1	8	400	HPV18 L1	9	452
HPV18 L1	10	400	HPV18 L1	10	452
HPV18 L1	10	485	HPV18 L1	9	45
HPV18 L1	11	485	HPV18 L1	11	45
HPV18 L1	8	78	HPV18 L1	9	337
HPV18 L1	9	209	HPV18 L1	8	73
HPV18 L1	11	209	HPV18 L1	10	73
HPV18 L1	8	234	HPV18 L1	11	73
HPV18 L1	8	446	HPV18 L1	8	129
HPV18 L1	11	446	HPV18 L1	10	129
HPV18 L1	10	404	HPV18 L1	11	4
HPV18 L1	9	541	HPV18 L1	11	88
HPV18 L1	8	442	HPV18 L2	9	6
HPV18 L1	9	442	HPV18 L2	10	6
HPV18 L1	9	273	HPV18 L2	8	286
HPV18 L1	11	273	HPV18 L2	9	286
HPV18 L1	10	444	HPV18 L2	10	341
HPV18 L1	10	327	HPV18 L2	9	303
HPV18 L1	9	215	HPV18 L2	11	303
HPV18 L1	11	215	HPV18 L2	10	139
HPV18 L1	9	156	HPV18 L2	9	358
HPV18 L1	11	156	HPV18 L2	10	358
HPV18 L1	11	409	HPV18 L2	9	278
HPV18 L1	8	397	HPV18 L2	10	278
HPV18 L1	9	397	HPV18 L2	11	278
HPV18 L1	11	397	HPV18 L2	8	404
HPV18 L1	11	473	HPV18 L2	10	404
HPV18 L1	10	553	HPV18 L2	9	142
HPV18 L1	9	105	HPV18 L2	11	142
HPV18 L1	11	105	HPV18 L2	8	129
HPV18 L1	8	254	HPV18 L2	9	129
HPV18 L1	9	254	HPV18 L2	11	129
HPV18 L1	11	254	HPV18 L2	10	349
HPV18 L1	8	331	HPV18 L2	11	349
HPV18 L1	11	331	HPV18 L2	10	346
HPV18 L1	9	393	HPV18 L2	11	16
HPV18 L1	11	393	HPV18 L2	8	354
HPV18 L1	9	71	HPV18 L2	9	83
HPV18 L1	10	71	HPV18 L2	10	83
HPV18 L1	9	486	HPV18 L2	11	83
HPV18 L1	10	486	HPV18 L2	8	270
HPV18 L1	11	79	HPV18 L2	10	270
HPV18 L1	8	255	HPV18 L2	11	270
HPV18 L1	10	255	HPV18 L2	10	396
HPV18 L1	8	7	HPV18 L2	11	396
HPV18 L1	9	7	HPV18 L2	9	30
HPV18 L1	11	7	HPV18 L2	10	30
HPV18 L1	8	449	HPV18 L2	11	30
HPV18 L1	10	532	HPV18 L2	8	194
HPV18 L1	11	532	HPV18 L2	8	334
HPV18 L1	11	136	HPV18 L2	9	334
HPV18 L1	10	89	HPV18 L2	8	175
HPV18 L1	10	392	HPV18 L2	10	175
HPV18 L1	8	394	HPV18 L2	8	169

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 L2	9	169	HPV18 L2	8	416
HPV18 L2	8	455	HPV18 L2	10	416
HPV18 L2	9	369	HPV18 L2	10	103
HPV18 L2	10	369	HPV18 L2	11	103
HPV18 L2	11	200	HPV18 L2	8	43
HPV18 L2	9	443	HPV18 L2	10	43
HPV18 L2	9	53	HPV18 L2	10	22
HPV18 L2	8	241	HPV18 L2	11	22
HPV18 L2	9	241	HPV18 L2	8	19
HPV18 L2	10	241	HPV18 L2	8	34
HPV18 L2	11	276	HPV18 L2	11	34
HPV18 L2	9	122	HPV18 L2	11	40
HPV18 L2	10	122	HPV18 L2	8	106
HPV18 L2	11	157	HPV18 L2	9	106
HPV18 L2	8	306	HPV18 L2	8	248
HPV18 L2	10	306	HPV18 L2	8	335
HPV18 L2	9	181	HPV18 L2	9	197
HPV18 L2	8	116	HPV18 L2	8	45
HPV18 L2	10	116	HPV18 L2	10	45
HPV18 L2	10	314	HPV18 L2	9	263
HPV18 L2	9	51	HPV18 L2	8	242
HPV18 L2	11	51	HPV18 L2	9	242
HPV18 L2	8	58	HPV18 L2	8	287
HPV18 L2	9	429	HPV18 L2	9	391
HPV18 L2	10	56	HPV18 L2	11	391
HPV18 L2	8	300	HPV18 L2	10	338
HPV18 L2	8	25	HPV18 L2	9	79
HPV18 L2	11	25	HPV18 L2	8	179
HPV18 L2	10	204	HPV18 L2	11	179
HPV18 L2	9	64	HPV18 L2	8	254
HPV18 L2	11	64	HPV18 L2	9	254
HPV18 L2	10	60	HPV18 L2	10	254
HPV18 L2	8	188	HPV18 L2	11	254
HPV18 L2	10	188	HPV18 L2	8	160
HPV18 L2	9	432	HPV18 L2	9	160
HPV18 L2	8	310	HPV18 L2	11	160
HPV18 L2	8	124	HPV18 L2	9	285
HPV18 L2	10	124	HPV18 L2	10	285
HPV18 L2	8	37	HPV18 L2	9	422
HPV18 L2	9	37	HPV18 L2	11	138
HPV18 L2	8	134	HPV18 L2	10	357
HPV18 L2	10	134	HPV18 L2	11	357
HPV18 L2	11	134	HPV18 L2	9	325
HPV18 L2	8	292	HPV18 L2	11	325
HPV18 L2	8	326	HPV18 L2	9	209
HPV18 L2	10	326	HPV18 L2	10	209
HPV18 L2	10	167	HPV18 L2	9	415
HPV18 L2	11	167	HPV18 L2	11	415
HPV18 L2	8	279	HPV18 L2	8	73
HPV18 L2	9	279	HPV18 L2	9	73
HPV18 L2	10	279	HPV18 L2	10	73
HPV18 L2	9	44	HPV18 L2	8	214
HPV18 L2	11	44	HPV18 L2	9	214
HPV18 L2	9	405	HPV18 L2	10	196
HPV18 L2	8	143	HPV18 L2	8	390
HPV18 L2	10	143	HPV18 L2	10	390
HPV18 L2	8	130	HPV18 L2	11	337
HPV18 L2	10	130	HPV18 L2	10	171
HPV18 L2	11	130	HPV18 L2	10	419
HPV18 L2	11	249	HPV18 L2	8	98

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 L2	9	98	HPV18 L2	9	409
HPV18 L2	10	98	HPV18 L2	8	235
HPV18 L2	11	120	HPV18 L2	9	235
HPV18 L2	8	86	HPV18 L2	10	149
HPV18 L2	11	86	HPV18 L2	8	13
HPV18 L2	11	185	HPV18 L2	11	111
HPV18 L2	11	216	HPV18 L2	9	412
HPV18 L2	9	95	HPV18 L2	10	412
HPV18 L2	10	95	HPV18 L2	9	420
HPV18 L2	11	95	HPV18 L2	11	420
HPV18 L2	8	360	HPV18 L2	11	377
HPV18 L2	11	360	HPV18 L2	8	105
HPV18 L2	10	90	HPV18 L2	9	105
HPV18 L2	8	398	HPV18 L2	10	105
HPV18 L2	9	398	HPV18 L2	8	406
HPV18 L2	10	398	HPV18 L2	11	406
HPV18 L2	11	232	HPV18 L2	10	262
HPV18 L2	8	198	HPV18 L2	8	304
HPV18 L2	9	172	HPV18 L2	10	304
HPV18 L2	11	172	HPV18 L2	9	425
HPV18 L2	10	233	HPV18 L2	8	38
HPV18 L2	11	233	HPV18 L2	11	261
HPV18 L2	8	5	HPV18 L2	8	154
HPV18 L2	10	5	HPV18 L2	8	136
HPV18 L2	11	5	HPV18 L2	9	136
HPV18 L2	10	11	HPV18 L2	8	410
HPV18 L2	10	302	HPV18 L2	11	410
HPV18 L2	8	229	HPV18 L2	9	135
HPV18 L2	9	229	HPV18 L2	10	135
HPV18 L2	8	298	HPV18 L2	10	388
HPV18 L2	10	298	HPV18 L2	11	293
HPV18 L2	8	281	HPV18 L2	10	217
HPV18 L2	10	225	HPV18 L2	8	80
HPV18 L2	11	220	HPV18 L2	9	176
HPV18 L2	8	316	HPV18 L2	11	176
HPV18 L2	11	316	HPV18 L2	10	221
HPV18 L2	11	450	HPV18 L2	8	236
HPV18 L2	8	132	HPV18 L2	8	92
HPV18 L2	9	132	HPV18 L2	9	140
HPV18 L2	10	132	HPV18 L2	11	140
HPV18 L2	8	380	HPV18 L2	9	104
HPV18 L2	9	380	HPV18 L2	10	104
HPV18 L2	10	380	HPV18 L2	11	104
HPV18 L2	8	340	HPV18 L2	9	113
HPV18 L2	11	340	HPV18 L2	11	113
HPV18 L2	8	166	HPV18 L2	11	387
HPV18 L2	11	166	HPV18 L2	11	81
HPV18 L2	8	151	HPV18 L2	9	91
HPV18 L2	11	151	HPV18 L2	8	31
HPV18 L2	11	102	HPV18 L2	9	31
HPV18 L2	9	49	HPV18 L2	10	31
HPV18 L2	11	49	HPV18 L2	11	31
HPV18 L2	9	247	HPV18 L2	10	112
HPV18 L2	10	212	HPV18 L2	8	351
HPV18 L2	11	212	HPV18 L2	9	351
HPV18 L2	10	424	HPV18 L2	11	351
HPV18 L2	8	147	HPV18 L2	8	332
HPV18 L2	9	147	HPV18 L2	10	332
HPV18 L2	9	153	HPV18 L2	11	332
HPV18 L2	8	409	HPV18 L2	11	427

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV18 L2	10	71	HPV31 E1	8	528
HPV18 L2	11	71	HPV31 E1	10	528
HPV18 L2	9	436	HPV31 E1	8	348
HPV18 L2	8	400	HPV31 E1	9	348
HPV18 L2	11	400	HPV31 E1	10	311
HPV31 E1	9	296	HPV31 E1	8	74
HPV31 E1	11	296	HPV31 E1	9	74
HPV31 E1	8	219	HPV31 E1	11	74
HPV31 E1	9	219	HPV31 E1	8	62
HPV31 E1	10	219	HPV31 E1	11	62
HPV31 E1	8	297	HPV31 E1	8	21
HPV31 E1	10	297	HPV31 E1	11	80
HPV31 E1	10	185	HPV31 E1	9	354
HPV31 E1	10	111	HPV31 E1	10	354
HPV31 E1	11	111	HPV31 E1	10	127
HPV31 E1	9	519	HPV31 E1	8	193
HPV31 E1	11	519	HPV31 E1	10	193
HPV31 E1	8	68	HPV31 E1	11	193
HPV31 E1	9	439	HPV31 E1	9	64
HPV31 E1	10	533	HPV31 E1	10	315
HPV31 E1	11	533	HPV31 E1	11	315
HPV31 E1	9	298	HPV31 E1	8	168
HPV31 E1	9	186	HPV31 E1	10	168
HPV31 E1	10	66	HPV31 E1	11	168
HPV31 E1	8	72	HPV31 E1	8	139
HPV31 E1	10	72	HPV31 E1	8	137
HPV31 E1	11	72	HPV31 E1	10	137
HPV31 E1	10	360	HPV31 E1	11	443
HPV31 E1	9	504	HPV31 E1	8	372
HPV31 E1	11	22	HPV31 E1	10	372
HPV31 E1	10	81	HPV31 E1	11	372
HPV31 E1	10	370	HPV31 E1	10	473
HPV31 E1	8	263	HPV31 E1	10	425
HPV31 E1	11	263	HPV31 E1	9	436
HPV31 E1	8	113	HPV31 E1	9	206
HPV31 E1	9	113	HPV31 E1	8	433
HPV31 E1	10	452	HPV31 E1	10	433
HPV31 E1	8	279	HPV31 E1	8	499
HPV31 E1	9	279	HPV31 E1	8	467
HPV31 E1	9	239	HPV31 E1	8	305
HPV31 E1	10	239	HPV31 E1	8	252
HPV31 E1	9	284	HPV31 E1	11	403
HPV31 E1	8	213	HPV31 E1	10	11
HPV31 E1	11	213	HPV31 E1	10	160
HPV31 E1	8	217	HPV31 E1	10	386
HPV31 E1	10	217	HPV31 E1	9	225
HPV31 E1	11	217	HPV31 E1	10	225
HPV31 E1	10	100	HPV31 E1	11	225
HPV31 E1	9	620	HPV31 E1	8	446
HPV31 E1	10	620	HPV31 E1	9	446
HPV31 E1	10	495	HPV31 E1	10	446
HPV31 E1	11	495	HPV31 E1	8	196
HPV31 E1	10	503	HPV31 E1	8	78
HPV31 E1	10	96	HPV31 E1	9	71
HPV31 E1	11	421	HPV31 E1	11	71
HPV31 E1	9	336	HPV31 E1	11	243
HPV31 E1	11	46	HPV31 E1	8	355
HPV31 E1	10	42	HPV31 E1	9	355
HPV31 E1	9	332	HPV31 E1	9	453
HPV31 E1	10	332	HPV31 E1	9	287

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E1	10	287	HPV31 E1	11	175
HPV31 E1	11	287	HPV31 E1	11	258
HPV31 E1	10	268	HPV31 E1	8	187
HPV31 E1	11	268	HPV31 E1	11	187
HPV31 E1	8	381	HPV31 E1	8	285
HPV31 E1	10	422	HPV31 E1	11	285
HPV31 E1	11	184	HPV31 E1	10	255
HPV31 E1	11	110	HPV31 E1	8	257
HPV31 E1	11	532	HPV31 E1	8	535
HPV31 E1	8	497	HPV31 E1	9	535
HPV31 E1	9	497	HPV31 E1	10	535
HPV31 E1	10	497	HPV31 E1	11	535
HPV31 E1	8	380	HPV31 E1	10	47
HPV31 E1	9	380	HPV31 E1	9	143
HPV31 E1	10	276	HPV31 E1	10	143
HPV31 E1	11	276	HPV31 E1	11	143
HPV31 E1	9	272	HPV31 E1	10	340
HPV31 E1	11	272	HPV31 E1	11	340
HPV31 E1	8	291	HPV31 E1	11	549
HPV31 E1	9	291	HPV31 E1	8	518
HPV31 E1	10	119	HPV31 E1	10	518
HPV31 E1	9	232	HPV31 E1	8	173
HPV31 E1	8	179	HPV31 E1	9	308
HPV31 E1	9	179	HPV31 E1	8	104
HPV31 E1	10	179	HPV31 E1	9	104
HPV31 E1	11	412	HPV31 E1	11	104
HPV31 E1	8	247	HPV31 E1	8	59
HPV31 E1	9	247	HPV31 E1	10	59
HPV31 E1	10	247	HPV31 E1	11	59
HPV31 E1	11	247	HPV31 E1	9	135
HPV31 E1	8	493	HPV31 E1	10	135
HPV31 E1	9	493	HPV31 E1	9	460
HPV31 E1	8	362	HPV31 E1	11	460
HPV31 E1	10	362	HPV31 E1	9	55
HPV31 E1	8	454	HPV31 E1	11	55
HPV31 E1	10	286	HPV31 E1	9	4
HPV31 E1	11	286	HPV31 E1	9	492
HPV31 E1	11	202	HPV31 E1	10	492
HPV31 E1	9	470	HPV31 E1	8	541
HPV31 E1	10	470	HPV31 E1	10	541
HPV31 E1	8	543	HPV31 E1	9	93
HPV31 E1	9	277	HPV31 E1	8	170
HPV31 E1	10	277	HPV31 E1	9	170
HPV31 E1	11	277	HPV31 E1	11	170
HPV31 E1	8	273	HPV31 E1	10	524
HPV31 E1	10	273	HPV31 E1	11	524
HPV31 E1	9	542	HPV31 E1	9	60
HPV31 E1	11	234	HPV31 E1	10	60
HPV31 E1	9	256	HPV31 E1	10	378
HPV31 E1	9	534	HPV31 E1	11	378
HPV31 E1	10	534	HPV31 E1	9	67
HPV31 E1	11	534	HPV31 E1	8	430
HPV31 E1	9	474	HPV31 E1	10	430
HPV31 E1	8	326	HPV31 E1	11	430
HPV31 E1	9	326	HPV31 E1	9	361
HPV31 E1	9	490	HPV31 E1	11	361
HPV31 E1	11	490	HPV31 E1	8	536
HPV31 E1	10	235	HPV31 E1	9	536
HPV31 E1	10	244	HPV31 E1	10	536
HPV31 E1	11	244	HPV31 E1	8	399

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E1	10	142	HPV31 E1	10	177
HPV31 E1	11	142	HPV31 E1	11	177
HPV31 E1	11	339	HPV31 E1	9	325
HPV31 E1	9	429	HPV31 E1	10	325
HPV31 E1	11	429	HPV31 E1	8	349
HPV31 E1	11	141	HPV31 E1	11	254
HPV31 E1	11	323	HPV31 E1	8	144
HPV31 E1	8	145	HPV31 E1	9	144
HPV31 E1	9	145	HPV31 E1	10	144
HPV31 E1	8	83	HPV31 E1	9	82
HPV31 E1	10	176	HPV31 E1	9	341
HPV31 E1	11	176	HPV31 E1	10	341
HPV31 E1	9	394	HPV31 E1	11	223
HPV31 E1	8	267	HPV31 E1	8	343
HPV31 E1	11	267	HPV31 E1	8	319
HPV31 E1	9	398	HPV31 E1	9	405
HPV31 E1	10	303	HPV31 E1	8	489
HPV31 E1	8	595	HPV31 E1	10	489
HPV31 E1	10	438	HPV31 E1	10	481
HPV31 E1	8	526	HPV31 E1	11	359
HPV31 E1	9	526	HPV31 E1	9	511
HPV31 E1	10	526	HPV31 E1	10	511
HPV31 E1	8	246	HPV31 E1	8	558
HPV31 E1	9	246	HPV31 E1	10	558
HPV31 E1	10	246	HPV31 E1	11	515
HPV31 E1	11	246	HPV31 E1	10	428
HPV31 E1	10	469	HPV31 E1	10	19
HPV31 E1	11	469	HPV31 E1	9	89
HPV31 E1	11	377	HPV31 E2	8	277
HPV31 E1	11	294	HPV31 E2	10	277
HPV31 E1	8	211	HPV31 E2	11	277
HPV31 E1	9	211	HPV31 E2	9	278
HPV31 E1	10	211	HPV31 E2	10	278
HPV31 E1	11	616	HPV31 E2	8	72
HPV31 E1	10	295	HPV31 E2	10	72
HPV31 E1	9	120	HPV31 E2	11	72
HPV31 E1	8	65	HPV31 E2	8	338
HPV31 E1	11	65	HPV31 E2	10	338
HPV31 E1	9	269	HPV31 E2	8	229
HPV31 E1	10	269	HPV31 E2	11	229
HPV31 E1	8	233	HPV31 E2	9	69
HPV31 E1	10	152	HPV31 E2	10	69
HPV31 E1	9	387	HPV31 E2	11	69
HPV31 E1	8	333	HPV31 E2	9	61
HPV31 E1	9	333	HPV31 E2	10	61
HPV31 E1	11	151	HPV31 E2	8	291
HPV31 E1	8	505	HPV31 E2	10	239
HPV31 E1	8	226	HPV31 E2	8	286
HPV31 E1	9	226	HPV31 E2	10	286
HPV31 E1	10	226	HPV31 E2	11	286
HPV31 E1	10	324	HPV31 E2	9	228
HPV31 E1	11	324	HPV31 E2	8	140
HPV31 E1	9	218	HPV31 E2	9	140
HPV31 E1	10	218	HPV31 E2	8	109
HPV31 E1	11	218	HPV31 E2	9	109
HPV31 E1	8	227	HPV31 E2	11	109
HPV31 E1	9	227	HPV31 E2	9	330
HPV31 E1	10	23	HPV31 E2	10	330
HPV31 E1	11	84	HPV31 E2	11	330
HPV31 E1	9	177	HPV31 E2	8	280

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E2	8	145	HPV31 E2	11	210
HPV31 E2	10	40	HPV31 E2	9	339
HPV31 E2	8	301	HPV31 E2	8	66
HPV31 E2	9	124	HPV31 E2	10	66
HPV31 E2	8	204	HPV31 E2	8	68
HPV31 E2	9	204	HPV31 E2	10	68
HPV31 E2	11	204	HPV31 E2	11	68
HPV31 E2	8	74	HPV31 E2	10	45
HPV31 E2	9	74	HPV31 E2	8	358
HPV31 E2	8	100	HPV31 E2	10	358
HPV31 E2	11	100	HPV31 E2	8	260
HPV31 E2	11	48	HPV31 E2	11	260
HPV31 E2	10	320	HPV31 E2	8	213
HPV31 E2	9	2	HPV31 E2	9	213
HPV31 E2	8	185	HPV31 E2	10	213
HPV31 E2	9	185	HPV31 E2	10	316
HPV31 E2	10	185	HPV31 E2	11	226
HPV31 E2	8	118	HPV31 E2	10	261
HPV31 E2	11	118	HPV31 E2	8	42
HPV31 E2	8	207	HPV31 E2	10	42
HPV31 E2	10	207	HPV31 E2	8	70
HPV31 E2	11	207	HPV31 E2	9	70
HPV31 E2	11	136	HPV31 E2	10	70
HPV31 E2	10	353	HPV31 E2	8	75
HPV31 E2	11	353	HPV31 E2	11	75
HPV31 E2	10	171	HPV31 E2	8	103
HPV31 E2	8	168	HPV31 E2	8	78
HPV31 E2	9	50	HPV31 E2	9	77
HPV31 E2	10	50	HPV31 E2	8	94
HPV31 E2	8	209	HPV31 E2	10	94
HPV31 E2	9	209	HPV31 E2	11	94
HPV31 E2	10	156	HPV31 E2	9	337
HPV31 E2	11	156	HPV31 E2	11	337
HPV31 E2	10	143	HPV31 E2	10	303
HPV31 E2	10	190	HPV31 E2	10	282
HPV31 E2	8	150	HPV31 E2	11	282
HPV31 E2	11	150	HPV31 E2	10	84
HPV31 E2	8	179	HPV31 E2	11	84
HPV31 E2	10	179	HPV31 E2	8	254
HPV31 E2	9	231	HPV31 E2	9	254
HPV31 E2	10	231	HPV31 E2	11	127
HPV31 E2	11	231	HPV31 E2	9	219
HPV31 E2	9	273	HPV31 E2	11	219
HPV31 E2	9	235	HPV31 E2	8	355
HPV31 E2	8	187	HPV31 E2	9	355
HPV31 E2	8	29	HPV31 E2	11	355
HPV31 E2	10	29	HPV31 E2	10	361
HPV31 E2	8	35	HPV31 E2	11	361
HPV31 E2	9	35	HPV31 E2	8	9
HPV31 E2	9	164	HPV31 E2	8	60
HPV31 E2	8	297	HPV31 E2	10	60
HPV31 E2	9	297	HPV31 E2	11	60
HPV31 E2	9	56	HPV31 E2	9	290
HPV31 E2	8	295	HPV31 E2	9	294
HPV31 E2	10	295	HPV31 E2	11	294
HPV31 E2	11	295	HPV31 E2	8	215
HPV31 E2	9	304	HPV31 E2	11	106
HPV31 E2	8	165	HPV31 E2	8	71
HPV31 E2	11	165	HPV31 E2	9	71
HPV31 E2	8	210	HPV31 E2	11	71

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E2	9	317	HPV31 E2	11	220
HPV31 E2	10	76	HPV31 E2	10	116
HPV31 E2	9	95	HPV31 E2	8	356
HPV31 E2	10	95	HPV31 E2	10	356
HPV31 E2	11	95	HPV31 E2	9	362
HPV31 E2	9	283	HPV31 E2	10	362
HPV31 E2	10	283	HPV31 E2	11	362
HPV31 E2	11	283	HPV31 E2	8	274
HPV31 E2	8	96	HPV31 E2	11	274
HPV31 E2	9	96	HPV31 E2	8	192
HPV31 E2	10	96	HPV31 E2	9	41
HPV31 E2	9	191	HPV31 E2	11	41
HPV31 E2	10	151	HPV31 E2	10	119
HPV31 E2	9	321	HPV31 E2	11	119
HPV31 E2	11	321	HPV31 E2	10	211
HPV31 E2	8	57	HPV31 E2	11	211
HPV31 E2	11	57	HPV31 E2	8	340
HPV31 E2	11	238	HPV31 E2	11	147
HPV31 E2	8	285	HPV31 E2	10	58
HPV31 E2	9	285	HPV31 E2	11	328
HPV31 E2	11	285	HPV31 E2	8	92
HPV31 E2	10	37	HPV31 E2	10	92
HPV31 E2	9	7	HPV31 E2	11	344
HPV31 E2	10	7	HPV31 E2	9	138
HPV31 E2	8	311	HPV31 E2	10	138
HPV31 E2	9	247	HPV31 E2	11	138
HPV31 E2	9	276	HPV31 E2	9	102
HPV31 E2	11	276	HPV31 E2	9	131
HPV31 E2	9	53	HPV31 E2	11	131
HPV31 E2	10	53	HPV31 E2	11	115
HPV31 E2	8	98	HPV31 E2	8	159
HPV31 E2	10	98	HPV31 E2	11	159
HPV31 E2	9	348	HPV31 E5	8	40
HPV31 E2	10	348	HPV31 E5	9	40
HPV31 E2	11	5	HPV31 E5	10	40
HPV31 E2	9	346	HPV31 E5	10	53
HPV31 E2	11	346	HPV31 E5	9	61
HPV31 E2	8	324	HPV31 E5	11	61
HPV31 E2	9	266	HPV31 E5	8	26
HPV31 E2	10	266	HPV31 E5	9	26
HPV31 E2	8	198	HPV31 E5	11	26
HPV31 E2	11	198	HPV31 E5	8	20
HPV31 E2	9	269	HPV31 E5	9	20
HPV31 E2	10	269	HPV31 E5	10	20
HPV31 E2	11	269	HPV31 E5	9	3
HPV31 E2	8	63	HPV31 E5	10	3
HPV31 E2	10	63	HPV31 E5	11	3
HPV31 E2	11	63	HPV31 E5	8	66
HPV31 E2	8	364	HPV31 E5	9	66
HPV31 E2	9	364	HPV31 E5	11	66
HPV31 E2	8	3	HPV31 E5	8	15
HPV31 E2	10	128	HPV31 E5	9	15
HPV31 E2	9	93	HPV31 E5	11	15
HPV31 E2	11	93	HPV31 E5	9	24
HPV31 E2	11	292	HPV31 E5	10	24
HPV31 E2	9	221	HPV31 E5	11	24
HPV31 E2	10	221	HPV31 E5	10	72
HPV31 E2	9	240	HPV31 E5	11	52
HPV31 E2	8	220	HPV31 E5	10	48
HPV31 E2	10	220	HPV31 E5	8	46

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E5	9	46	HPV31 E5	8	33
HPV31 E5	11	11	HPV31 E5	9	33
HPV31 E5	8	45	HPV31 E5	10	33
HPV31 E5	9	45	HPV31 E5	11	33
HPV31 E5	10	45	HPV31 E5	8	64
HPV31 E5	8	16	HPV31 E5	10	64
HPV31 E5	10	16	HPV31 E5	11	64
HPV31 E5	8	22	HPV31 E5	8	50
HPV31 E5	11	22	HPV31 E5	8	39
HPV31 E5	8	44	HPV31 E5	9	39
HPV31 E5	9	44	HPV31 E5	10	39
HPV31 E5	10	44	HPV31 E5	11	39
HPV31 E5	11	44	HPV31 E5	9	68
HPV31 E5	9	43	HPV31 E5	11	68
HPV31 E5	10	43	HPV31 E5	9	63
HPV31 E5	11	43	HPV31 E5	11	63
HPV31 E5	8	42	HPV31 E6	9	18
HPV31 E5	10	42	HPV31 E6	11	18
HPV31 E5	11	42	HPV31 E6	10	136
HPV31 E5	8	27	HPV31 E6	8	103
HPV31 E5	10	27	HPV31 E6	8	66
HPV31 E5	9	32	HPV31 E6	11	63
HPV31 E5	10	32	HPV31 E6	8	30
HPV31 E5	11	32	HPV31 E6	9	30
HPV31 E5	8	1	HPV31 E6	11	30
HPV31 E5	9	1	HPV31 E6	8	98
HPV31 E5	11	1	HPV31 E6	10	49
HPV31 E5	8	5	HPV31 E6	8	57
HPV31 E5	9	5	HPV31 E6	11	57
HPV31 E5	9	70	HPV31 E6	9	20
HPV31 E5	9	56	HPV31 E6	8	14
HPV31 E5	10	56	HPV31 E6	8	39
HPV31 E5	8	31	HPV31 E6	10	39
HPV31 E5	10	31	HPV31 E6	8	41
HPV31 E5	11	31	HPV31 E6	10	41
HPV31 E5	8	10	HPV31 E6	11	41
HPV31 E5	10	7	HPV31 E6	8	45
HPV31 E5	11	7	HPV31 E6	9	45
HPV31 E5	8	35	HPV31 E6	10	95
HPV31 E5	9	35	HPV31 E6	11	95
HPV31 E5	10	35	HPV31 E6	8	35
HPV31 E5	11	35	HPV31 E6	9	35
HPV31 E5	8	37	HPV31 E6	8	85
HPV31 E5	9	37	HPV31 E6	11	118
HPV31 E5	10	37	HPV31 E6	9	137
HPV31 E5	11	37	HPV31 E6	11	137
HPV31 E5	8	41	HPV31 E6	11	52
HPV31 E5	9	41	HPV31 E6	8	11
HPV31 E5	11	41	HPV31 E6	9	11
HPV31 E5	9	8	HPV31 E6	11	11
HPV31 E5	10	8	HPV31 E6	10	90
HPV31 E5	9	73	HPV31 E6	11	90
HPV31 E5	8	47	HPV31 E6	11	100
HPV31 E5	11	47	HPV31 E6	10	37
HPV31 E5	9	28	HPV31 E6	9	50
HPV31 E5	11	28	HPV31 E6	9	91
HPV31 E5	10	12	HPV31 E6	10	91
HPV31 E5	11	12	HPV31 E6	11	91
HPV31 E5	8	21	HPV31 E6	11	127
HPV31 E5	9	21	HPV31 E6	8	5

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 E6	11	5	HPV31 E7	11	72
HPV31 E6	11	109	HPV31 E7	9	37
HPV31 E6	8	36	HPV31 E7	8	12
HPV31 E6	11	36	HPV31 E7	9	12
HPV31 E6	11	27	HPV31 E7	11	12
HPV31 E6	10	17	HPV31 E7	8	69
HPV31 E6	10	82	HPV31 E7	10	69
HPV31 E6	11	82	HPV31 E7	11	69
HPV31 E6	8	51	HPV31 E7	10	55
HPV31 E6	10	87	HPV31 E7	11	55
HPV31 E6	11	86	HPV31 E7	9	11
HPV31 E6	9	42	HPV31 E7	10	11
HPV31 E6	10	42	HPV31 L1	8	347
HPV31 E6	11	42	HPV31 L1	9	347
HPV31 E7	10	19	HPV31 L1	8	348
HPV31 E7	9	59	HPV31 L1	10	398
HPV31 E7	11	59	HPV31 L1	11	398
HPV31 E7	9	68	HPV31 L1	8	426
HPV31 E7	11	68	HPV31 L1	10	180
HPV31 E7	8	75	HPV31 L1	9	213
HPV31 E7	9	75	HPV31 L1	11	213
HPV31 E7	10	75	HPV31 L1	10	208
HPV31 E7	8	21	HPV31 L1	8	317
HPV31 E7	9	14	HPV31 L1	10	305
HPV31 E7	8	48	HPV31 L1	11	285
HPV31 E7	9	48	HPV31 L1	8	9
HPV31 E7	10	36	HPV31 L1	10	9
HPV31 E7	11	18	HPV31 L1	9	346
HPV31 E7	9	81	HPV31 L1	10	346
HPV31 E7	10	81	HPV31 L1	9	147
HPV31 E7	9	4	HPV31 L1	11	147
HPV31 E7	10	4	HPV31 L1	9	158
HPV31 E7	9	88	HPV31 L1	11	304
HPV31 E7	11	88	HPV31 L1	9	387
HPV31 E7	8	89	HPV31 L1	8	372
HPV31 E7	10	89	HPV31 L1	11	372
HPV31 E7	11	54	HPV31 L1	10	275
HPV31 E7	8	82	HPV31 L1	11	275
HPV31 E7	9	82	HPV31 L1	9	200
HPV31 E7	8	83	HPV31 L1	10	200
HPV31 E7	8	8	HPV31 L1	10	461
HPV31 E7	11	79	HPV31 L1	11	461
HPV31 E7	8	15	HPV31 L1	9	129
HPV31 E7	9	41	HPV31 L1	10	203
HPV31 E7	8	6	HPV31 L1	11	203
HPV31 E7	10	6	HPV31 L1	8	216
HPV31 E7	11	44	HPV31 L1	10	216
HPV31 E7	11	27	HPV31 L1	9	88
HPV31 E7	10	73	HPV31 L1	8	336
HPV31 E7	11	73	HPV31 L1	10	336
HPV31 E7	8	77	HPV31 L1	10	417
HPV31 E7	9	66	HPV31 L1	11	417
HPV31 E7	11	66	HPV31 L1	9	8
HPV31 E7	10	63	HPV31 L1	11	8
HPV31 E7	8	71	HPV31 L1	8	95
HPV31 E7	9	71	HPV31 L1	10	95
HPV31 E7	9	7	HPV31 L1	8	107
HPV31 E7	9	64	HPV31 L1	10	107
HPV31 E7	11	64	HPV31 L1	10	449
HPV31 E7	8	72	HPV31 L1	8	375

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 L1	9	375	HPV31 L1	10	373
HPV31 L1	10	375	HPV31 L1	11	373
HPV31 L1	9	469	HPV31 L1	8	69
HPV31 L1	8	377	HPV31 L1	10	69
HPV31 L1	10	377	HPV31 L1	9	407
HPV31 L1	11	211	HPV31 L1	10	43
HPV31 L1	11	257	HPV31 L1	8	99
HPV31 L1	8	421	HPV31 L1	10	99
HPV31 L1	8	331	HPV31 L1	11	314
HPV31 L1	11	331	HPV31 L1	10	389
HPV31 L1	8	207	HPV31 L1	11	389
HPV31 L1	11	207	HPV31 L1	9	238
HPV31 L1	8	323	HPV31 L1	10	238
HPV31 L1	10	323	HPV31 L1	8	201
HPV31 L1	11	323	HPV31 L1	9	201
HPV31 L1	8	117	HPV31 L1	8	300
HPV31 L1	10	105	HPV31 L1	11	179
HPV31 L1	9	68	HPV31 L1	9	32
HPV31 L1	11	68	HPV31 L1	11	32
HPV31 L1	10	406	HPV31 L1	8	451
HPV31 L1	8	111	HPV31 L1	10	451
HPV31 L1	8	141	HPV31 L1	8	342
HPV31 L1	10	141	HPV31 L1	9	342
HPV31 L1	9	266	HPV31 L1	8	328
HPV31 L1	11	266	HPV31 L1	10	328
HPV31 L1	9	115	HPV31 L1	11	328
HPV31 L1	10	115	HPV31 L1	10	220
HPV31 L1	8	36	HPV31 L1	11	397
HPV31 L1	9	36	HPV31 L1	8	222
HPV31 L1	10	36	HPV31 L1	8	188
HPV31 L1	9	399	HPV31 L1	9	188
HPV31 L1	10	399	HPV31 L1	8	464
HPV31 L1	11	399	HPV31 L1	10	464
HPV31 L1	8	388	HPV31 L1	11	113
HPV31 L1	11	388	HPV31 L1	9	122
HPV31 L1	9	196	HPV31 L1	8	294
HPV31 L1	8	382	HPV31 L1	9	294
HPV31 L1	9	382	HPV31 L1	8	15
HPV31 L1	11	382	HPV31 L1	10	15
HPV31 L1	9	181	HPV31 L1	8	17
HPV31 L1	11	181	HPV31 L1	8	425
HPV31 L1	9	61	HPV31 L1	9	425
HPV31 L1	10	482	HPV31 L1	9	306
HPV31 L1	8	381	HPV31 L1	9	378
HPV31 L1	9	381	HPV31 L1	11	378
HPV31 L1	10	381	HPV31 L1	11	156
HPV31 L1	10	60	HPV31 L1	9	329
HPV31 L1	10	237	HPV31 L1	10	329
HPV31 L1	11	237	HPV31 L1	9	316
HPV31 L1	8	153	HPV31 L1	8	476
HPV31 L1	9	65	HPV31 L1	9	98
HPV31 L1	9	20	HPV31 L1	11	98
HPV31 L1	10	20	HPV31 L1	8	30
HPV31 L1	9	287	HPV31 L1	11	30
HPV31 L1	8	159	HPV31 L1	8	385
HPV31 L1	8	123	HPV31 L1	11	385
HPV31 L1	8	470	HPV31 L1	9	457
HPV31 L1	11	42	HPV31 L1	8	487
HPV31 L1	8	214	HPV31 L1	9	487
HPV31 L1	10	214	HPV31 L1	11	487

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 L1	8	490	HPV31 L1	11	21
HPV31 L1	9	228	HPV31 L1	8	101
HPV31 L1	11	228	HPV31 L1	8	391
HPV31 L1	11	51	HPV31 L1	9	391
HPV31 L1	9	414	HPV31 L1	10	391
HPV31 L1	10	414	HPV31 L1	8	277
HPV31 L1	8	2	HPV31 L1	9	277
HPV31 L1	9	2	HPV31 L1	10	277
HPV31 L1	10	2	HPV31 L1	11	277
HPV31 L1	9	149	HPV31 L1	10	12
HPV31 L1	11	149	HPV31 L1	11	12
HPV31 L1	9	299	HPV31 L1	10	364
HPV31 L1	9	424	HPV31 L1	9	250
HPV31 L1	10	424	HPV31 L1	8	445
HPV31 L1	9	283	HPV31 L1	11	27
HPV31 L1	9	23	HPV31 L2	9	24
HPV31 L1	11	23	HPV31 L2	10	24
HPV31 L1	8	340	HPV31 L2	8	143
HPV31 L1	9	340	HPV31 L2	10	143
HPV31 L1	10	340	HPV31 L2	8	281
HPV31 L1	11	340	HPV31 L2	8	286
HPV31 L1	11	492	HPV31 L2	9	286
HPV31 L1	11	290	HPV31 L2	9	367
HPV31 L1	11	344	HPV31 L2	10	367
HPV31 L1	8	194	HPV31 L2	11	367
HPV31 L1	9	194	HPV31 L2	10	15
HPV31 L1	11	194	HPV31 L2	11	15
HPV31 L1	8	271	HPV31 L2	8	226
HPV31 L1	10	212	HPV31 L2	11	226
HPV31 L1	8	284	HPV31 L2	9	135
HPV31 L1	10	286	HPV31 L2	10	135
HPV31 L1	11	246	HPV31 L2	11	135
HPV31 L1	8	383	HPV31 L2	11	342
HPV31 L1	10	383	HPV31 L2	8	376
HPV31 L1	9	96	HPV31 L2	10	376
HPV31 L1	11	96	HPV31 L2	8	382
HPV31 L1	9	494	HPV31 L2	10	382
HPV31 L1	8	408	HPV31 L2	11	382
HPV31 L1	11	408	HPV31 L2	8	133
HPV31 L1	9	337	HPV31 L2	9	133
HPV31 L1	11	337	HPV31 L2	11	133
HPV31 L1	10	493	HPV31 L2	9	278
HPV31 L1	8	267	HPV31 L2	10	278
HPV31 L1	10	267	HPV31 L2	11	278
HPV31 L1	9	44	HPV31 L2	10	400
HPV31 L1	9	333	HPV31 L2	8	322
HPV31 L1	11	333	HPV31 L2	9	354
HPV31 L1	9	10	HPV31 L2	10	354
HPV31 L1	8	239	HPV31 L2	9	43
HPV31 L1	9	239	HPV31 L2	11	43
HPV31 L1	8	195	HPV31 L2	8	358
HPV31 L1	10	195	HPV31 L2	10	358
HPV31 L1	10	28	HPV31 L2	11	358
HPV31 L1	11	422	HPV31 L2	8	364
HPV31 L1	10	332	HPV31 L2	9	139
HPV31 L1	8	334	HPV31 L2	10	139
HPV31 L1	10	334	HPV31 L2	8	116
HPV31 L1	8	62	HPV31 L2	9	31
HPV31 L1	8	21	HPV31 L2	10	31
HPV31 L1	9	21	HPV31 L2	11	31

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 L2	9	408	HPV31 L2	10	245
HPV31 L2	11	408	HPV31 L2	11	245
HPV31 L2	10	84	HPV31 L2	8	114
HPV31 L2	8	190	HPV31 L2	10	114
HPV31 L2	9	190	HPV31 L2	10	105
HPV31 L2	11	190	HPV31 L2	11	105
HPV31 L2	9	334	HPV31 L2	9	197
HPV31 L2	10	334	HPV31 L2	10	197
HPV31 L2	11	334	HPV31 L2	10	23
HPV31 L2	8	171	HPV31 L2	11	23
HPV31 L2	9	253	HPV31 L2	8	225
HPV31 L2	10	196	HPV31 L2	9	225
HPV31 L2	11	196	HPV31 L2	8	35
HPV31 L2	11	276	HPV31 L2	11	35
HPV31 L2	8	237	HPV31 L2	10	242
HPV31 L2	9	237	HPV31 L2	10	302
HPV31 L2	10	237	HPV31 L2	11	302
HPV31 L2	11	158	HPV31 L2	8	231
HPV31 L2	8	459	HPV31 L2	10	231
HPV31 L2	8	361	HPV31 L2	8	423
HPV31 L2	11	361	HPV31 L2	10	423
HPV31 L2	9	433	HPV31 L2	8	244
HPV31 L2	11	118	HPV31 L2	11	244
HPV31 L2	10	314	HPV31 L2	8	176
HPV31 L2	9	339	HPV31 L2	10	176
HPV31 L2	10	339	HPV31 L2	9	177
HPV31 L2	8	310	HPV31 L2	9	164
HPV31 L2	8	59	HPV31 L2	8	287
HPV31 L2	9	113	HPV31 L2	8	108
HPV31 L2	11	113	HPV31 L2	10	108
HPV31 L2	10	57	HPV31 L2	9	447
HPV31 L2	9	351	HPV31 L2	8	335
HPV31 L2	10	221	HPV31 L2	9	335
HPV31 L2	8	26	HPV31 L2	10	335
HPV31 L2	11	26	HPV31 L2	11	335
HPV31 L2	9	65	HPV31 L2	11	256
HPV31 L2	11	65	HPV31 L2	9	269
HPV31 L2	9	52	HPV31 L2	11	269
HPV31 L2	8	213	HPV31 L2	8	204
HPV31 L2	10	213	HPV31 L2	11	204
HPV31 L2	11	413	HPV31 L2	8	390
HPV31 L2	9	175	HPV31 L2	8	292
HPV31 L2	11	175	HPV31 L2	8	370
HPV31 L2	8	38	HPV31 L2	11	370
HPV31 L2	9	38	HPV31 L2	8	169
HPV31 L2	11	41	HPV31 L2	9	169
HPV31 L2	8	280	HPV31 L2	10	169
HPV31 L2	9	280	HPV31 L2	8	328
HPV31 L2	8	270	HPV31 L2	11	328
HPV31 L2	10	270	HPV31 L2	9	142
HPV31 L2	11	270	HPV31 L2	11	142
HPV31 L2	8	134	HPV31 L2	9	285
HPV31 L2	10	134	HPV31 L2	10	285
HPV31 L2	11	134	HPV31 L2	9	120
HPV31 L2	8	279	HPV31 L2	10	120
HPV31 L2	9	279	HPV31 L2	10	217
HPV31 L2	10	279	HPV31 L2	11	217
HPV31 L2	9	144	HPV31 L2	10	366
HPV31 L2	9	45	HPV31 L2	11	366
HPV31 L2	10	205	HPV31 L2	8	250

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 L2	9	410	HPV31 L2	10	298
HPV31 L2	8	402	HPV31 L2	9	69
HPV31 L2	10	402	HPV31 L2	8	9
HPV31 L2	9	210	HPV31 L2	10	9
HPV31 L2	11	210	HPV31 L2	8	306
HPV31 L2	8	122	HPV31 L2	10	306
HPV31 L2	8	88	HPV31 L2	8	316
HPV31 L2	11	88	HPV31 L2	11	316
HPV31 L2	9	422	HPV31 L2	9	454
HPV31 L2	11	422	HPV31 L2	11	454
HPV31 L2	9	100	HPV31 L2	8	239
HPV31 L2	10	100	HPV31 L2	8	14
HPV31 L2	8	337	HPV31 L2	11	14
HPV31 L2	9	337	HPV31 L2	8	341
HPV31 L2	11	337	HPV31 L2	9	381
HPV31 L2	8	394	HPV31 L2	11	381
HPV31 L2	10	394	HPV31 L2	8	384
HPV31 L2	8	74	HPV31 L2	9	384
HPV31 L2	9	74	HPV31 L2	10	384
HPV31 L2	9	192	HPV31 L2	8	94
HPV31 L2	10	235	HPV31 L2	9	332
HPV31 L2	11	235	HPV31 L2	11	332
HPV31 L2	8	156	HPV31 L2	11	431
HPV31 L2	9	156	HPV31 L2	9	325
HPV31 L2	8	388	HPV31 L2	11	325
HPV31 L2	10	388	HPV31 L2	8	86
HPV31 L2	10	167	HPV31 L2	10	86
HPV31 L2	11	167	HPV31 L2	10	182
HPV31 L2	9	415	HPV31 L2	11	104
HPV31 L2	10	415	HPV31 L2	8	107
HPV31 L2	8	425	HPV31 L2	9	107
HPV31 L2	10	425	HPV31 L2	11	107
HPV31 L2	8	127	HPV31 L2	11	260
HPV31 L2	9	127	HPV31 L2	9	50
HPV31 L2	10	127	HPV31 L2	11	50
HPV31 L2	11	127	HPV31 L2	9	374
HPV31 L2	9	97	HPV31 L2	10	374
HPV31 L2	10	97	HPV31 L2	8	396
HPV31 L2	10	92	HPV31 L2	9	151
HPV31 L2	8	44	HPV31 L2	8	184
HPV31 L2	10	44	HPV31 L2	10	184
HPV31 L2	9	243	HPV31 L2	8	6
HPV31 L2	8	17	HPV31 L2	10	6
HPV31 L2	9	17	HPV31 L2	11	6
HPV31 L2	11	17	HPV31 L2	10	346
HPV31 L2	9	228	HPV31 L2	8	199
HPV31 L2	11	228	HPV31 L2	11	199
HPV31 L2	8	20	HPV31 L2	11	208
HPV31 L2	9	303	HPV31 L2	10	76
HPV31 L2	10	303	HPV31 L2	9	379
HPV31 L2	11	303	HPV31 L2	11	379
HPV31 L2	8	417	HPV31 L2	8	80
HPV31 L2	10	417	HPV31 L2	10	80
HPV31 L2	11	417	HPV31 L2	9	162
HPV31 L2	8	229	HPV31 L2	11	162
HPV31 L2	10	229	HPV31 L2	9	149
HPV31 L2	10	12	HPV31 L2	11	149
HPV31 L2	8	219	HPV31 L2	8	137
HPV31 L2	9	219	HPV31 L2	9	137
HPV31 L2	8	298	HPV31 L2	11	137

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV31 L2	8	375	HPV33 E1	8	65
HPV31 L2	9	375	HPV33 E1	9	532
HPV31 L2	11	375	HPV33 E1	11	532
HPV31 L2	9	347	HPV33 E1	8	84
HPV31 L2	11	347	HPV33 E1	10	546
HPV31 L2	8	304	HPV33 E1	11	546
HPV31 L2	9	304	HPV33 E1	8	311
HPV31 L2	10	304	HPV33 E1	9	311
HPV31 L2	9	16	HPV33 E1	8	318
HPV31 L2	10	16	HPV33 E1	11	318
HPV31 L2	10	227	HPV33 E1	10	373
HPV31 L2	8	416	HPV33 E1	11	373
HPV31 L2	9	416	HPV33 E1	10	81
HPV31 L2	11	416	HPV33 E1	11	81
HPV31 L2	8	136	HPV33 E1	11	22
HPV31 L2	9	136	HPV33 E1	8	83
HPV31 L2	10	136	HPV33 E1	9	83
HPV31 L2	8	39	HPV33 E1	8	310
HPV31 L2	8	140	HPV33 E1	9	310
HPV31 L2	9	140	HPV33 E1	10	310
HPV31 L2	11	140	HPV33 E1	11	230
HPV31 L2	9	426	HPV33 E1	8	259
HPV31 L2	8	128	HPV33 E1	9	259
HPV31 L2	9	128	HPV33 E1	10	259
HPV31 L2	10	128	HPV33 E1	11	259
HPV31 L2	11	128	HPV33 E1	8	465
HPV31 L2	9	344	HPV33 E1	10	465
HPV31 L2	10	343	HPV33 E1	9	297
HPV31 L2	11	391	HPV33 E1	11	226
HPV31 L2	10	362	HPV33 E1	9	14
HPV31 L2	8	254	HPV33 E1	10	14
HPV31 L2	10	392	HPV33 E1	11	14
HPV31 L2	9	81	HPV33 E1	8	118
HPV31 L2	9	232	HPV33 E1	11	118
HPV31 L2	8	32	HPV33 E1	10	494
HPV31 L2	9	32	HPV33 E1	10	508
HPV31 L2	10	32	HPV33 E1	11	508
HPV31 L2	11	32	HPV33 E1	9	367
HPV31 L2	8	163	HPV33 E1	10	367
HPV31 L2	10	163	HPV33 E1	10	46
HPV31 L2	9	377	HPV33 E1	8	78
HPV31 L2	11	377	HPV33 E1	9	349
HPV31 L2	11	147	HPV33 E1	8	62
HPV31 L2	8	356	HPV33 E1	11	62
HPV31 L2	10	356	HPV33 E1	8	541
HPV31 L2	8	440	HPV33 E1	10	541
HPV31 L2	9	440	HPV33 E1	10	324
HPV31 L2	10	446	HPV33 E1	8	516
HPV31 L2	9	19	HPV33 E1	10	516
HPV31 L2	10	72	HPV33 E1	9	64
HPV31 L2	11	72	HPV33 E1	8	21
HPV31 L2	8	386	HPV33 E1	8	206
HPV31 L2	10	386	HPV33 E1	10	206
HPV33 E1	11	382	HPV33 E1	11	206
HPV33 E1	8	90	HPV33 E1	10	537
HPV33 E1	11	90	HPV33 E1	11	537
HPV33 E1	9	96	HPV33 E1	11	186
HPV33 E1	10	96	HPV33 E1	10	127
HPV33 E1	10	383	HPV33 E1	8	361
HPV33 E1	9	104	HPV33 E1	9	361

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E1	11	214	HPV33 E1	11	197
HPV33 E1	11	352	HPV33 E1	8	510
HPV33 E1	8	38	HPV33 E1	9	510
HPV33 E1	10	38	HPV33 E1	11	510
HPV33 E1	11	38	HPV33 E1	8	393
HPV33 E1	11	295	HPV33 E1	9	393
HPV33 E1	10	173	HPV33 E1	9	285
HPV33 E1	11	173	HPV33 E1	8	304
HPV33 E1	9	139	HPV33 E1	9	304
HPV33 E1	10	19	HPV33 E1	8	412
HPV33 E1	8	137	HPV33 E1	9	249
HPV33 E1	11	137	HPV33 E1	11	425
HPV33 E1	8	169	HPV33 E1	9	223
HPV33 E1	8	89	HPV33 E1	10	223
HPV33 E1	9	89	HPV33 E1	9	245
HPV33 E1	10	50	HPV33 E1	11	245
HPV33 E1	9	449	HPV33 E1	8	375
HPV33 E1	10	486	HPV33 E1	9	375
HPV33 E1	11	456	HPV33 E1	10	375
HPV33 E1	8	385	HPV33 E1	8	467
HPV33 E1	10	385	HPV33 E1	9	247
HPV33 E1	11	385	HPV33 E1	11	247
HPV33 E1	10	451	HPV33 E1	9	483
HPV33 E1	8	265	HPV33 E1	10	483
HPV33 E1	10	399	HPV33 E1	11	271
HPV33 E1	8	459	HPV33 E1	9	47
HPV33 E1	9	459	HPV33 E1	9	555
HPV33 E1	10	459	HPV33 E1	11	555
HPV33 E1	8	209	HPV33 E1	10	438
HPV33 E1	10	235	HPV33 E1	11	438
HPV33 E1	10	11	HPV33 E1	9	290
HPV33 E1	9	512	HPV33 E1	10	290
HPV33 E1	8	480	HPV33 E1	11	290
HPV33 E1	11	416	HPV33 E1	8	556
HPV33 E1	8	44	HPV33 E1	10	556
HPV33 E1	9	564	HPV33 E1	8	286
HPV33 E1	10	6	HPV33 E1	11	286
HPV33 E1	10	327	HPV33 E1	10	257
HPV33 E1	11	327	HPV33 E1	11	257
HPV33 E1	8	163	HPV33 E1	8	184
HPV33 E1	11	256	HPV33 E1	9	339
HPV33 E1	8	368	HPV33 E1	9	503
HPV33 E1	9	368	HPV33 E1	11	503
HPV33 E1	8	200	HPV33 E1	8	260
HPV33 E1	11	200	HPV33 E1	9	260
HPV33 E1	9	400	HPV33 E1	10	260
HPV33 E1	8	59	HPV33 E1	11	260
HPV33 E1	10	59	HPV33 E1	8	362
HPV33 E1	11	59	HPV33 E1	9	557
HPV33 E1	8	72	HPV33 E1	10	281
HPV33 E1	10	72	HPV33 E1	11	281
HPV33 E1	11	72	HPV33 E1	9	547
HPV33 E1	8	484	HPV33 E1	10	547
HPV33 E1	9	484	HPV33 E1	11	547
HPV33 E1	8	419	HPV33 E1	10	215
HPV33 E1	10	231	HPV33 E1	10	1
HPV33 E1	11	231	HPV33 E1	8	513
HPV33 E1	8	394	HPV33 E1	11	513
HPV33 E1	10	435	HPV33 E1	9	466
HPV33 E1	9	407	HPV33 E1	8	298

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E1	10	353	HPV33 E1	8	280
HPV33 E1	11	353	HPV33 E1	11	280
HPV33 E1	11	562	HPV33 E1	10	316
HPV33 E1	8	531	HPV33 E1	11	109
HPV33 E1	10	531	HPV33 E1	8	608
HPV33 E1	11	80	HPV33 E1	9	608
HPV33 E1	8	443	HPV33 E1	10	95
HPV33 E1	10	443	HPV33 E1	11	95
HPV33 E1	8	346	HPV33 E1	9	634
HPV33 E1	9	346	HPV33 E1	8	539
HPV33 E1	9	199	HPV33 E1	9	539
HPV33 E1	9	71	HPV33 E1	10	539
HPV33 E1	11	71	HPV33 E1	9	111
HPV33 E1	8	321	HPV33 E1	8	292
HPV33 E1	9	321	HPV33 E1	9	292
HPV33 E1	9	31	HPV33 E1	8	58
HPV33 E1	10	31	HPV33 E1	9	58
HPV33 E1	9	627	HPV33 E1	11	58
HPV33 E1	8	289	HPV33 E1	10	482
HPV33 E1	10	289	HPV33 E1	11	482
HPV33 E1	11	289	HPV33 E1	11	243
HPV33 E1	10	155	HPV33 E1	9	252
HPV33 E1	9	135	HPV33 E1	10	252
HPV33 E1	10	135	HPV33 E1	8	54
HPV33 E1	9	473	HPV33 E1	10	54
HPV33 E1	11	473	HPV33 E1	11	390
HPV33 E1	8	175	HPV33 E1	8	149
HPV33 E1	9	175	HPV33 E1	11	149
HPV33 E1	10	175	HPV33 E1	8	93
HPV33 E1	8	189	HPV33 E1	9	93
HPV33 E1	10	189	HPV33 E1	11	307
HPV33 E1	10	181	HPV33 E1	11	629
HPV33 E1	11	181	HPV33 E1	8	239
HPV33 E1	11	471	HPV33 E1	9	239
HPV33 E1	11	519	HPV33 E1	10	239
HPV33 E1	11	434	HPV33 E1	9	39
HPV33 E1	8	554	HPV33 E1	10	39
HPV33 E1	10	554	HPV33 E1	11	447
HPV33 E1	9	505	HPV33 E1	9	317
HPV33 E1	10	505	HPV33 E1	8	183
HPV33 E1	9	60	HPV33 E1	9	183
HPV33 E1	10	60	HPV33 E1	8	140
HPV33 E1	10	391	HPV33 E1	9	328
HPV33 E1	11	391	HPV33 E1	10	328
HPV33 E1	9	374	HPV33 E1	11	328
HPV33 E1	10	374	HPV33 E1	9	282
HPV33 E1	11	374	HPV33 E1	10	282
HPV33 E1	8	549	HPV33 E1	11	337
HPV33 E1	9	549	HPV33 E1	8	240
HPV33 E1	10	549	HPV33 E1	9	240
HPV33 E1	8	437	HPV33 E1	8	283
HPV33 E1	11	437	HPV33 E1	9	283
HPV33 E1	10	145	HPV33 E1	11	283
HPV33 E1	10	308	HPV33 E1	11	299
HPV33 E1	11	308	HPV33 E1	10	23
HPV33 E1	9	146	HPV33 E1	9	190
HPV33 E1	11	146	HPV33 E1	11	190
HPV33 E1	8	103	HPV33 E1	8	246
HPV33 E1	10	103	HPV33 E1	10	246
HPV33 E1	11	545	HPV33 E1	10	338

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E1	9	325	HPV33 E2	9	136
HPV33 E1	8	548	HPV33 E2	11	136
HPV33 E1	9	548	HPV33 E2	8	74
HPV33 E1	10	548	HPV33 E2	9	74
HPV33 E1	11	548	HPV33 E2	9	298
HPV33 E1	9	436	HPV33 E2	8	328
HPV33 E1	11	144	HPV33 E2	10	328
HPV33 E1	9	354	HPV33 E2	11	328
HPV33 E1	10	354	HPV33 E2	10	80
HPV33 E1	9	182	HPV33 E2	8	185
HPV33 E1	10	182	HPV33 E2	9	185
HPV33 E1	9	517	HPV33 E2	10	185
HPV33 E1	11	100	HPV33 E2	10	334
HPV33 E1	8	356	HPV33 E2	11	334
HPV33 E1	8	332	HPV33 E2	8	70
HPV33 E1	9	418	HPV33 E2	9	70
HPV33 E1	8	502	HPV33 E2	10	70
HPV33 E1	10	502	HPV33 E2	9	325
HPV33 E1	8	522	HPV33 E2	11	325
HPV33 E1	11	522	HPV33 E2	8	319
HPV33 E1	11	372	HPV33 E2	9	319
HPV33 E1	9	524	HPV33 E2	11	156
HPV33 E1	10	524	HPV33 E2	8	190
HPV33 E1	8	571	HPV33 E2	10	190
HPV33 E1	11	528	HPV33 E2	8	336
HPV33 E1	8	441	HPV33 E2	9	336
HPV33 E1	10	441	HPV33 E2	11	336
HPV33 E1	8	254	HPV33 E2	10	53
HPV33 E2	9	223	HPV33 E2	11	53
HPV33 E2	11	223	HPV33 E2	9	278
HPV33 E2	8	224	HPV33 E2	8	56
HPV33 E2	10	224	HPV33 E2	9	56
HPV33 E2	11	224	HPV33 E2	8	187
HPV33 E2	9	175	HPV33 E2	11	187
HPV33 E2	9	249	HPV33 E2	8	139
HPV33 E2	10	249	HPV33 E2	9	139
HPV33 E2	11	249	HPV33 E2	10	139
HPV33 E2	9	41	HPV33 E2	11	139
HPV33 E2	10	237	HPV33 E2	10	15
HPV33 E2	10	258	HPV33 E2	11	276
HPV33 E2	11	258	HPV33 E2	8	320
HPV33 E2	9	10	HPV33 E2	8	68
HPV33 E2	10	245	HPV33 E2	10	68
HPV33 E2	11	245	HPV33 E2	11	68
HPV33 E2	10	40	HPV33 E2	8	14
HPV33 E2	8	145	HPV33 E2	11	14
HPV33 E2	11	145	HPV33 E2	8	339
HPV33 E2	8	261	HPV33 E2	10	339
HPV33 E2	8	174	HPV33 E2	8	242
HPV33 E2	10	174	HPV33 E2	9	242
HPV33 E2	11	25	HPV33 E2	8	34
HPV33 E2	8	17	HPV33 E2	9	34
HPV33 E2	10	17	HPV33 E2	10	34
HPV33 E2	9	235	HPV33 E2	8	112
HPV33 E2	10	143	HPV33 E2	8	47
HPV33 E2	9	232	HPV33 E2	10	264
HPV33 E2	10	232	HPV33 E2	11	264
HPV33 E2	11	20	HPV33 E2	8	23
HPV33 E2	8	3	HPV33 E2	8	66
HPV33 E2	9	3	HPV33 E2	10	66

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E2	9	180	HPV33 E2	9	191
HPV33 E2	10	151	HPV33 E2	8	57
HPV33 E2	11	165	HPV33 E2	11	57
HPV33 E2	10	63	HPV33 E2	8	292
HPV33 E2	11	63	HPV33 E2	9	7
HPV33 E2	8	35	HPV33 E2	10	7
HPV33 E2	9	35	HPV33 E2	9	37
HPV33 E2	11	35	HPV33 E2	10	37
HPV33 E2	8	62	HPV33 E2	10	253
HPV33 E2	11	62	HPV33 E2	8	266
HPV33 E2	8	42	HPV33 E2	9	266
HPV33 E2	8	75	HPV33 E2	11	266
HPV33 E2	8	94	HPV33 E2	11	5
HPV33 E2	10	94	HPV33 E2	9	198
HPV33 E2	10	240	HPV33 E2	10	198
HPV33 E2	11	240	HPV33 E2	9	285
HPV33 E2	9	147	HPV33 E2	9	61
HPV33 E2	11	147	HPV33 E2	9	302
HPV33 E2	8	9	HPV33 E2	8	28
HPV33 E2	10	9	HPV33 E2	9	28
HPV33 E2	8	202	HPV33 E2	11	28
HPV33 E2	9	202	HPV33 E2	8	90
HPV33 E2	11	202	HPV33 E2	10	90
HPV33 E2	11	127	HPV33 E2	9	85
HPV33 E2	8	272	HPV33 E2	10	85
HPV33 E2	8	230	HPV33 E2	10	88
HPV33 E2	11	230	HPV33 E2	8	205
HPV33 E2	8	248	HPV33 E2	10	205
HPV33 E2	10	248	HPV33 E2	10	45
HPV33 E2	11	248	HPV33 E2	8	236
HPV33 E2	8	239	HPV33 E2	11	236
HPV33 E2	11	239	HPV33 E2	9	254
HPV33 E2	11	221	HPV33 E2	11	257
HPV33 E2	9	196	HPV33 E2	9	93
HPV33 E2	11	196	HPV33 E2	11	93
HPV33 E2	10	342	HPV33 E2	9	81
HPV33 E2	11	342	HPV33 E2	10	128
HPV33 E2	10	222	HPV33 E2	10	146
HPV33 E2	8	29	HPV33 E2	8	181
HPV33 E2	10	29	HPV33 E2	8	233
HPV33 E2	8	345	HPV33 E2	9	233
HPV33 E2	9	345	HPV33 E2	11	233
HPV33 E2	8	203	HPV33 E2	9	206
HPV33 E2	10	203	HPV33 E2	8	267
HPV33 E2	9	332	HPV33 E2	10	267
HPV33 E2	11	48	HPV33 E2	11	267
HPV33 E2	11	182	HPV33 E2	8	337
HPV33 E2	8	331	HPV33 E2	10	337
HPV33 E2	10	331	HPV33 E2	9	343
HPV33 E2	8	330	HPV33 E2	10	343
HPV33 E2	9	330	HPV33 E2	11	343
HPV33 E2	11	330	HPV33 E2	11	118
HPV33 E2	9	329	HPV33 E2	8	72
HPV33 E2	10	329	HPV33 E2	10	72
HPV33 E2	9	95	HPV33 E2	11	72
HPV33 E2	11	213	HPV33 E2	8	192
HPV33 E2	8	96	HPV33 E2	8	11
HPV33 E2	8	71	HPV33 E2	11	11
HPV33 E2	9	71	HPV33 E2	8	344
HPV33 E2	11	71	HPV33 E2	9	344

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E2	10	344	HPV33 E5	11	1
HPV33 E2	10	119	HPV33 E5	8	61
HPV33 E2	11	119	HPV33 E5	11	61
HPV33 E2	8	326	HPV33 E5	8	21
HPV33 E2	10	326	HPV33 E5	10	21
HPV33 E2	11	323	HPV33 E5	9	46
HPV33 E2	8	148	HPV33 E5	10	46
HPV33 E2	10	148	HPV33 E5	9	60
HPV33 E2	10	58	HPV33 E5	8	25
HPV33 E2	8	92	HPV33 E5	9	25
HPV33 E2	10	92	HPV33 E5	10	25
HPV33 E2	8	159	HPV33 E5	11	25
HPV33 E2	9	138	HPV33 E5	8	16
HPV33 E2	10	138	HPV33 E5	9	16
HPV33 E2	11	138	HPV33 E5	11	16
HPV33 E2	11	44	HPV33 E5	8	27
HPV33 E2	9	131	HPV33 E5	9	27
HPV33 E2	10	131	HPV33 E5	10	27
HPV33 E5	9	63	HPV33 E5	11	27
HPV33 E5	10	63	HPV33 E5	8	6
HPV33 E5	9	14	HPV33 E5	10	6
HPV33 E5	10	14	HPV33 E5	8	36
HPV33 E5	11	14	HPV33 E5	8	34
HPV33 E5	9	9	HPV33 E5	10	34
HPV33 E5	10	9	HPV33 E5	8	31
HPV33 E5	11	9	HPV33 E5	9	31
HPV33 E5	8	12	HPV33 E5	11	31
HPV33 E5	11	12	HPV33 E5	8	40
HPV33 E5	9	56	HPV33 E5	10	40
HPV33 E5	8	3	HPV33 E5	8	29
HPV33 E5	9	3	HPV33 E5	9	29
HPV33 E5	11	3	HPV33 E5	10	29
HPV33 E5	8	42	HPV33 E5	11	29
HPV33 E5	9	5	HPV33 E5	9	53
HPV33 E5	11	5	HPV33 E5	10	53
HPV33 E5	8	10	HPV33 E5	11	58
HPV33 E5	9	10	HPV33 E6	11	137
HPV33 E5	10	10	HPV33 E6	9	18
HPV33 E5	8	23	HPV33 E6	11	18
HPV33 E5	10	23	HPV33 E6	8	103
HPV33 E5	11	23	HPV33 E6	8	66
HPV33 E5	8	48	HPV33 E6	8	16
HPV33 E5	10	48	HPV33 E6	11	16
HPV33 E5	9	22	HPV33 E6	8	30
HPV33 E5	11	22	HPV33 E6	8	14
HPV33 E5	8	54	HPV33 E6	9	14
HPV33 E5	9	54	HPV33 E6	10	14
HPV33 E5	11	54	HPV33 E6	9	120
HPV33 E5	8	17	HPV33 E6	8	4
HPV33 E5	10	17	HPV33 E6	9	4
HPV33 E5	11	37	HPV33 E6	8	98
HPV33 E5	9	18	HPV33 E6	11	27
HPV33 E5	11	18	HPV33 E6	8	89
HPV33 E5	8	32	HPV33 E6	11	89
HPV33 E5	10	32	HPV33 E6	9	20
HPV33 E5	10	38	HPV33 E6	8	41
HPV33 E5	9	35	HPV33 E6	10	41
HPV33 E5	9	33	HPV33 E6	11	41
HPV33 E5	11	33	HPV33 E6	8	45
HPV33 E5	10	1	HPV33 E6	9	45

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 E6	10	2	HPV33 E7	8	88
HPV33 E6	11	2	HPV33 E7	8	62
HPV33 E6	10	61	HPV33 E7	11	62
HPV33 E6	11	118	HPV33 E7	8	47
HPV33 E6	10	64	HPV33 E7	9	47
HPV33 E6	11	100	HPV33 E7	10	47
HPV33 E6	10	28	HPV33 E7	10	19
HPV33 E6	10	37	HPV33 E7	8	6
HPV33 E6	11	127	HPV33 E7	10	6
HPV33 E6	11	86	HPV33 E7	11	44
HPV33 E6	11	109	HPV33 E7	9	81
HPV33 E6	10	95	HPV33 E7	10	81
HPV33 E6	11	95	HPV33 E7	8	80
HPV33 E6	11	36	HPV33 E7	10	80
HPV33 E6	8	112	HPV33 E7	11	80
HPV33 E6	10	112	HPV33 E7	8	66
HPV33 E6	10	17	HPV33 E7	11	66
HPV33 E6	10	90	HPV33 E7	8	77
HPV33 E6	11	90	HPV33 E7	10	77
HPV33 E6	9	10	HPV33 E7	11	77
HPV33 E6	10	10	HPV33 E7	8	71
HPV33 E6	10	82	HPV33 E7	9	71
HPV33 E6	11	82	HPV33 E7	8	49
HPV33 E6	10	22	HPV33 E7	8	72
HPV33 E6	10	87	HPV33 E7	11	72
HPV33 E6	8	11	HPV33 E7	9	78
HPV33 E6	9	11	HPV33 E7	10	78
HPV33 E6	11	11	HPV33 E7	9	7
HPV33 E6	8	21	HPV33 E7	10	63
HPV33 E6	11	21	HPV33 E7	11	63
HPV33 E6	9	91	HPV33 E7	8	86
HPV33 E6	10	91	HPV33 E7	10	86
HPV33 E6	11	91	HPV33 E7	9	64
HPV33 E6	11	52	HPV33 E7	10	64
HPV33 E7	10	45	HPV33 E7	9	12
HPV33 E7	11	45	HPV33 E7	11	12
HPV33 E7	8	48	HPV33 E7	9	55
HPV33 E7	9	48	HPV33 E7	10	55
HPV33 E7	9	68	HPV33 E7	11	55
HPV33 E7	11	68	HPV33 E7	8	53
HPV33 E7	8	75	HPV33 E7	11	53
HPV33 E7	9	75	HPV33 E7	10	11
HPV33 E7	10	75	HPV33 L1	10	179
HPV33 E7	8	21	HPV33 L1	8	482
HPV33 E7	9	14	HPV33 L1	11	482
HPV33 E7	9	37	HPV33 L1	8	424
HPV33 E7	8	43	HPV33 L1	8	316
HPV33 E7	9	85	HPV33 L1	8	9
HPV33 E7	11	85	HPV33 L1	10	9
HPV33 E7	9	59	HPV33 L1	9	44
HPV33 E7	11	59	HPV33 L1	8	270
HPV33 E7	8	79	HPV33 L1	9	158
HPV33 E7	9	79	HPV33 L1	9	147
HPV33 E7	11	79	HPV33 L1	11	147
HPV33 E7	10	54	HPV33 L1	9	207
HPV33 E7	11	54	HPV33 L1	9	345
HPV33 E7	8	82	HPV33 L1	10	396
HPV33 E7	9	82	HPV33 L1	11	396
HPV33 E7	8	83	HPV33 L1	8	449
HPV33 E7	11	83	HPV33 L1	10	449

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 L1	8	370	HPV33 L1	10	115
HPV33 L1	11	370	HPV33 L1	8	391
HPV33 L1	9	274	HPV33 L1	10	365
HPV33 L1	10	274	HPV33 L1	8	194
HPV33 L1	11	274	HPV33 L1	10	194
HPV33 L1	10	199	HPV33 L1	9	397
HPV33 L1	10	459	HPV33 L1	10	397
HPV33 L1	11	459	HPV33 L1	9	286
HPV33 L1	11	202	HPV33 L1	9	474
HPV33 L1	8	95	HPV33 L1	10	474
HPV33 L1	10	95	HPV33 L1	8	478
HPV33 L1	9	88	HPV33 L1	10	478
HPV33 L1	8	335	HPV33 L1	10	60
HPV33 L1	9	335	HPV33 L1	11	236
HPV33 L1	10	335	HPV33 L1	8	153
HPV33 L1	10	415	HPV33 L1	10	211
HPV33 L1	11	415	HPV33 L1	9	65
HPV33 L1	10	219	HPV33 L1	8	379
HPV33 L1	9	8	HPV33 L1	9	379
HPV33 L1	11	8	HPV33 L1	10	379
HPV33 L1	9	269	HPV33 L1	9	20
HPV33 L1	8	107	HPV33 L1	10	43
HPV33 L1	10	107	HPV33 L1	11	190
HPV33 L1	10	447	HPV33 L1	11	42
HPV33 L1	8	385	HPV33 L1	8	159
HPV33 L1	9	385	HPV33 L1	8	123
HPV33 L1	9	467	HPV33 L1	10	123
HPV33 L1	9	249	HPV33 L1	8	468
HPV33 L1	8	375	HPV33 L1	9	61
HPV33 L1	9	375	HPV33 L1	11	469
HPV33 L1	10	375	HPV33 L1	8	213
HPV33 L1	8	373	HPV33 L1	10	213
HPV33 L1	9	373	HPV33 L1	8	413
HPV33 L1	10	373	HPV33 L1	9	413
HPV33 L1	11	373	HPV33 L1	10	371
HPV33 L1	9	256	HPV33 L1	11	371
HPV33 L1	11	256	HPV33 L1	11	313
HPV33 L1	8	419	HPV33 L1	8	69
HPV33 L1	8	330	HPV33 L1	10	69
HPV33 L1	11	330	HPV33 L1	9	382
HPV33 L1	8	141	HPV33 L1	11	382
HPV33 L1	10	141	HPV33 L1	9	405
HPV33 L1	8	322	HPV33 L1	8	62
HPV33 L1	10	322	HPV33 L1	8	99
HPV33 L1	11	322	HPV33 L1	10	99
HPV33 L1	8	117	HPV33 L1	8	342
HPV33 L1	10	105	HPV33 L1	10	237
HPV33 L1	8	472	HPV33 L1	11	387
HPV33 L1	11	472	HPV33 L1	9	200
HPV33 L1	9	68	HPV33 L1	8	299
HPV33 L1	11	68	HPV33 L1	11	178
HPV33 L1	8	404	HPV33 L1	10	57
HPV33 L1	10	404	HPV33 L1	8	341
HPV33 L1	11	138	HPV33 L1	9	341
HPV33 L1	8	111	HPV33 L1	8	327
HPV33 L1	11	265	HPV33 L1	10	327
HPV33 L1	10	281	HPV33 L1	11	327
HPV33 L1	8	173	HPV33 L1	9	192
HPV33 L1	10	173	HPV33 L1	10	192
HPV33 L1	9	115	HPV33 L1	8	181

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 L1	10	181	HPV33 L1	9	23
HPV33 L1	11	181	HPV33 L1	11	23
HPV33 L1	8	221	HPV33 L1	8	339
HPV33 L1	8	187	HPV33 L1	10	339
HPV33 L1	9	187	HPV33 L1	11	339
HPV33 L1	10	439	HPV33 L1	8	2
HPV33 L1	8	462	HPV33 L1	9	2
HPV33 L1	10	462	HPV33 L1	10	2
HPV33 L1	11	113	HPV33 L1	8	383
HPV33 L1	9	122	HPV33 L1	10	383
HPV33 L1	11	122	HPV33 L1	11	383
HPV33 L1	10	165	HPV33 L1	8	283
HPV33 L1	11	165	HPV33 L1	8	193
HPV33 L1	8	55	HPV33 L1	9	193
HPV33 L1	9	55	HPV33 L1	11	193
HPV33 L1	8	293	HPV33 L1	11	343
HPV33 L1	9	293	HPV33 L1	10	266
HPV33 L1	9	484	HPV33 L1	9	212
HPV33 L1	8	15	HPV33 L1	11	212
HPV33 L1	10	15	HPV33 L1	8	381
HPV33 L1	8	17	HPV33 L1	10	381
HPV33 L1	10	470	HPV33 L1	9	96
HPV33 L1	8	423	HPV33 L1	11	96
HPV33 L1	9	423	HPV33 L1	8	346
HPV33 L1	9	214	HPV33 L1	9	282
HPV33 L1	11	214	HPV33 L1	8	336
HPV33 L1	8	376	HPV33 L1	9	336
HPV33 L1	9	376	HPV33 L1	11	336
HPV33 L1	11	376	HPV33 L1	11	430
HPV33 L1	11	156	HPV33 L1	9	332
HPV33 L1	9	305	HPV33 L1	11	332
HPV33 L1	11	254	HPV33 L1	9	10
HPV33 L1	9	328	HPV33 L1	9	174
HPV33 L1	10	328	HPV33 L1	8	386
HPV33 L1	9	481	HPV33 L1	8	380
HPV33 L1	8	263	HPV33 L1	9	380
HPV33 L1	9	263	HPV33 L1	11	380
HPV33 L1	9	315	HPV33 L1	11	420
HPV33 L1	9	98	HPV33 L1	10	331
HPV33 L1	11	98	HPV33 L1	8	333
HPV33 L1	8	30	HPV33 L1	10	333
HPV33 L1	10	488	HPV33 L1	11	333
HPV33 L1	9	455	HPV33 L1	8	21
HPV33 L1	11	289	HPV33 L1	11	21
HPV33 L1	11	410	HPV33 L1	8	101
HPV33 L1	8	51	HPV33 L1	11	401
HPV33 L1	11	51	HPV33 L1	8	36
HPV33 L1	10	285	HPV33 L1	9	36
HPV33 L1	11	32	HPV33 L1	10	36
HPV33 L1	11	245	HPV33 L1	9	389
HPV33 L1	9	412	HPV33 L1	10	389
HPV33 L1	10	412	HPV33 L1	8	276
HPV33 L1	9	149	HPV33 L1	9	276
HPV33 L1	11	149	HPV33 L1	11	276
HPV33 L1	9	298	HPV33 L1	10	362
HPV33 L1	9	422	HPV33 L1	10	12
HPV33 L1	10	422	HPV33 L1	11	12
HPV33 L1	10	304	HPV33 L1	8	443
HPV33 L1	9	227	HPV33 L1	11	27
HPV33 L1	11	227	HPV33 L2	8	81

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 L2	8	140	HPV33 L2	11	201
HPV33 L2	11	82	HPV33 L2	9	117
HPV33 L2	8	291	HPV33 L2	10	319
HPV33 L2	9	291	HPV33 L2	10	361
HPV33 L2	8	286	HPV33 L2	10	226
HPV33 L2	9	23	HPV33 L2	8	305
HPV33 L2	10	23	HPV33 L2	8	25
HPV33 L2	11	308	HPV33 L2	11	25
HPV33 L2	10	14	HPV33 L2	8	75
HPV33 L2	11	14	HPV33 L2	9	75
HPV33 L2	8	385	HPV33 L2	11	75
HPV33 L2	10	385	HPV33 L2	10	60
HPV33 L2	9	283	HPV33 L2	9	51
HPV33 L2	10	283	HPV33 L2	11	51
HPV33 L2	11	283	HPV33 L2	11	158
HPV33 L2	9	409	HPV33 L2	10	374
HPV33 L2	11	272	HPV33 L2	10	336
HPV33 L2	8	327	HPV33 L2	8	297
HPV33 L2	11	327	HPV33 L2	11	40
HPV33 L2	9	42	HPV33 L2	8	285
HPV33 L2	11	42	HPV33 L2	9	285
HPV33 L2	8	431	HPV33 L2	8	284
HPV33 L2	11	431	HPV33 L2	9	284
HPV33 L2	10	264	HPV33 L2	10	284
HPV33 L2	10	401	HPV33 L2	9	44
HPV33 L2	9	350	HPV33 L2	8	152
HPV33 L2	9	136	HPV33 L2	11	152
HPV33 L2	10	95	HPV33 L2	8	292
HPV33 L2	11	95	HPV33 L2	8	331
HPV33 L2	9	369	HPV33 L2	8	104
HPV33 L2	10	30	HPV33 L2	11	104
HPV33 L2	11	30	HPV33 L2	9	433
HPV33 L2	8	130	HPV33 L2	10	433
HPV33 L2	9	130	HPV33 L2	10	22
HPV33 L2	11	130	HPV33 L2	11	22
HPV33 L2	10	364	HPV33 L2	9	248
HPV33 L2	9	115	HPV33 L2	8	311
HPV33 L2	11	115	HPV33 L2	10	311
HPV33 L2	8	344	HPV33 L2	8	34
HPV33 L2	10	344	HPV33 L2	11	34
HPV33 L2	8	341	HPV33 L2	8	236
HPV33 L2	11	341	HPV33 L2	9	236
HPV33 L2	9	110	HPV33 L2	8	107
HPV33 L2	11	110	HPV33 L2	10	107
HPV33 L2	9	384	HPV33 L2	8	249
HPV33 L2	11	384	HPV33 L2	8	266
HPV33 L2	8	113	HPV33 L2	11	266
HPV33 L2	11	113	HPV33 L2	8	85
HPV33 L2	8	181	HPV33 L2	9	85
HPV33 L2	10	181	HPV33 L2	10	85
HPV33 L2	11	281	HPV33 L2	9	345
HPV33 L2	8	242	HPV33 L2	8	243
HPV33 L2	9	242	HPV33 L2	9	243
HPV33 L2	10	242	HPV33 L2	9	377
HPV33 L2	9	268	HPV33 L2	10	377
HPV33 L2	8	460	HPV33 L2	11	377
HPV33 L2	11	163	HPV33 L2	8	195
HPV33 L2	9	440	HPV33 L2	9	195
HPV33 L2	10	440	HPV33 L2	11	195
HPV33 L2	10	201	HPV33 L2	8	397

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 L2	9	397	HPV33 L2	11	233
HPV33 L2	8	231	HPV33 L2	8	19
HPV33 L2	11	231	HPV33 L2	10	153
HPV33 L2	8	391	HPV33 L2	8	234
HPV33 L2	10	143	HPV33 L2	10	234
HPV33 L2	8	209	HPV33 L2	11	234
HPV33 L2	9	174	HPV33 L2	10	11
HPV33 L2	11	255	HPV33 L2	8	321
HPV33 L2	10	240	HPV33 L2	11	321
HPV33 L2	11	240	HPV33 L2	9	224
HPV33 L2	9	139	HPV33 L2	9	68
HPV33 L2	9	290	HPV33 L2	9	388
HPV33 L2	10	290	HPV33 L2	11	388
HPV33 L2	11	172	HPV33 L2	8	303
HPV33 L2	8	275	HPV33 L2	10	303
HPV33 L2	10	275	HPV33 L2	8	134
HPV33 L2	11	275	HPV33 L2	9	134
HPV33 L2	8	73	HPV33 L2	11	134
HPV33 L2	9	73	HPV33 L2	8	13
HPV33 L2	10	73	HPV33 L2	11	13
HPV33 L2	11	73	HPV33 L2	9	357
HPV33 L2	8	215	HPV33 L2	11	357
HPV33 L2	9	215	HPV33 L2	10	393
HPV33 L2	11	215	HPV33 L2	10	122
HPV33 L2	8	87	HPV33 L2	11	122
HPV33 L2	10	87	HPV33 L2	9	151
HPV33 L2	11	87	HPV33 L2	9	103
HPV33 L2	10	423	HPV33 L2	9	49
HPV33 L2	11	423	HPV33 L2	11	49
HPV33 L2	8	330	HPV33 L2	9	106
HPV33 L2	9	330	HPV33 L2	11	106
HPV33 L2	9	99	HPV33 L2	8	204
HPV33 L2	10	99	HPV33 L2	11	204
HPV33 L2	10	413	HPV33 L2	8	382
HPV33 L2	8	395	HPV33 L2	11	382
HPV33 L2	10	395	HPV33 L2	9	156
HPV33 L2	11	395	HPV33 L2	8	38
HPV33 L2	9	84	HPV33 L2	10	213
HPV33 L2	10	84	HPV33 L2	11	213
HPV33 L2	11	84	HPV33 L2	8	189
HPV33 L2	9	197	HPV33 L2	10	189
HPV33 L2	8	376	HPV33 L2	9	6
HPV33 L2	10	376	HPV33 L2	10	6
HPV33 L2	11	376	HPV33 L2	11	352
HPV33 L2	10	79	HPV33 L2	9	146
HPV33 L2	8	161	HPV33 L2	10	146
HPV33 L2	9	161	HPV33 L2	9	167
HPV33 L2	8	124	HPV33 L2	11	167
HPV33 L2	9	124	HPV33 L2	9	80
HPV33 L2	10	124	HPV33 L2	9	154
HPV33 L2	9	416	HPV33 L2	11	154
HPV33 L2	11	186	HPV33 L2	10	432
HPV33 L2	8	403	HPV33 L2	11	432
HPV33 L2	10	91	HPV33 L2	10	309
HPV33 L2	8	43	HPV33 L2	9	265
HPV33 L2	10	43	HPV33 L2	9	15
HPV33 L2	8	16	HPV33 L2	10	15
HPV33 L2	9	16	HPV33 L2	10	232
HPV33 L2	11	16	HPV33 L2	9	190
HPV33 L2	9	233	HPV33 L2	11	190

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV33 L2	8	137	HPV45 E1	11	373
HPV33 L2	11	137	HPV45 E1	8	40
HPV33 L2	9	386	HPV45 E1	9	40
HPV33 L2	11	386	HPV45 E1	10	251
HPV33 L2	9	132	HPV45 E1	9	202
HPV33 L2	10	132	HPV45 E1	10	399
HPV33 L2	11	132	HPV45 E1	11	398
HPV33 L2	8	93	HPV45 E1	8	465
HPV33 L2	9	96	HPV45 E1	10	465
HPV33 L2	10	96	HPV45 E1	8	259
HPV33 L2	9	337	HPV45 E1	9	259
HPV33 L2	11	298	HPV45 E1	10	259
HPV33 L2	10	187	HPV45 E1	11	259
HPV33 L2	11	222	HPV45 E1	9	297
HPV33 L2	9	31	HPV45 E1	10	390
HPV33 L2	10	31	HPV45 E1	11	390
HPV33 L2	11	31	HPV45 E1	8	226
HPV33 L2	8	168	HPV45 E1	11	226
HPV33 L2	10	168	HPV45 E1	10	634
HPV33 L2	8	441	HPV45 E1	11	621
HPV33 L2	9	441	HPV45 E1	8	78
HPV33 L2	11	404	HPV45 E1	8	516
HPV33 L2	8	131	HPV45 E1	8	206
HPV33 L2	10	131	HPV45 E1	10	206
HPV33 L2	11	131	HPV45 E1	11	206
HPV33 L2	9	92	HPV45 E1	9	614
HPV33 L2	8	434	HPV45 E1	11	614
HPV33 L2	9	434	HPV45 E1	9	349
HPV33 L2	8	237	HPV45 E1	9	108
HPV33 L2	9	202	HPV45 E1	11	108
HPV33 L2	10	202	HPV45 E1	8	361
HPV33 L2	8	366	HPV45 E1	9	361
HPV33 L2	10	366	HPV45 E1	11	214
HPV33 L2	8	325	HPV45 E1	9	367
HPV33 L2	10	325	HPV45 E1	10	367
HPV33 L2	9	18	HPV45 E1	8	46
HPV33 L2	10	71	HPV45 E1	10	46
HPV33 L2	11	71	HPV45 E1	11	352
HPV45 E1	11	382	HPV45 E1	8	106
HPV45 E1	8	144	HPV45 E1	11	106
HPV45 E1	10	144	HPV45 E1	9	623
HPV45 E1	10	383	HPV45 E1	10	42
HPV45 E1	8	310	HPV45 E1	10	508
HPV45 E1	10	310	HPV45 E1	11	508
HPV45 E1	10	198	HPV45 E1	9	328
HPV45 E1	8	232	HPV45 E1	10	328
HPV45 E1	9	232	HPV45 E1	11	328
HPV45 E1	10	232	HPV45 E1	10	52
HPV45 E1	9	532	HPV45 E1	10	30
HPV45 E1	8	68	HPV45 E1	11	30
HPV45 E1	9	452	HPV45 E1	8	143
HPV45 E1	9	311	HPV45 E1	9	143
HPV45 E1	9	199	HPV45 E1	11	143
HPV45 E1	9	512	HPV45 E1	11	115
HPV45 E1	10	66	HPV45 E1	8	186
HPV45 E1	8	72	HPV45 E1	10	189
HPV45 E1	10	72	HPV45 E1	11	189
HPV45 E1	11	72	HPV45 E1	8	59
HPV45 E1	8	408	HPV45 E1	10	59
HPV45 E1	10	373	HPV45 E1	11	59

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 E1	8	62	HPV45 E1	11	257
HPV45 E1	11	62	HPV45 E1	11	333
HPV45 E1	9	101	HPV45 E1	8	184
HPV45 E1	9	64	HPV45 E1	10	184
HPV45 E1	10	38	HPV45 E1	9	23
HPV45 E1	11	38	HPV45 E1	10	23
HPV45 E1	11	295	HPV45 E1	10	435
HPV45 E1	8	21	HPV45 E1	11	197
HPV45 E1	11	21	HPV45 E1	8	124
HPV45 E1	8	146	HPV45 E1	9	124
HPV45 E1	10	146	HPV45 E1	11	425
HPV45 E1	9	141	HPV45 E1	8	304
HPV45 E1	10	141	HPV45 E1	9	304
HPV45 E1	11	141	HPV45 E1	8	245
HPV45 E1	8	74	HPV45 E1	9	245
HPV45 E1	9	74	HPV45 E1	11	245
HPV45 E1	11	74	HPV45 E1	8	223
HPV45 E1	10	324	HPV45 E1	9	223
HPV45 E1	11	89	HPV45 E1	10	223
HPV45 E1	8	50	HPV45 E1	11	223
HPV45 E1	8	483	HPV45 E1	8	510
HPV45 E1	9	483	HPV45 E1	9	510
HPV45 E1	10	483	HPV45 E1	11	510
HPV45 E1	8	446	HPV45 E1	8	375
HPV45 E1	11	456	HPV45 E1	9	375
HPV45 E1	8	385	HPV45 E1	10	375
HPV45 E1	11	385	HPV45 E1	8	506
HPV45 E1	10	486	HPV45 E1	9	506
HPV45 E1	9	449	HPV45 E1	10	201
HPV45 E1	10	438	HPV45 E1	11	299
HPV45 E1	10	19	HPV45 E1	9	247
HPV45 E1	10	494	HPV45 E1	11	247
HPV45 E1	9	342	HPV45 E1	9	290
HPV45 E1	10	626	HPV45 E1	10	290
HPV45 E1	11	626	HPV45 E1	11	290
HPV45 E1	8	318	HPV45 E1	9	190
HPV45 E1	8	209	HPV45 E1	10	190
HPV45 E1	8	286	HPV45 E1	11	190
HPV45 E1	11	286	HPV45 E1	9	547
HPV45 E1	8	480	HPV45 E1	10	547
HPV45 E1	11	480	HPV45 E1	11	547
HPV45 E1	11	630	HPV45 E1	11	271
HPV45 E1	10	11	HPV45 E1	9	556
HPV45 E1	8	459	HPV45 E1	8	467
HPV45 E1	9	459	HPV45 E1	8	191
HPV45 E1	10	459	HPV45 E1	9	191
HPV45 E1	8	443	HPV45 E1	10	191
HPV45 E1	10	443	HPV45 E1	11	191
HPV45 E1	11	443	HPV45 E1	9	487
HPV45 E1	8	265	HPV45 E1	8	548
HPV45 E1	9	71	HPV45 E1	9	548
HPV45 E1	11	71	HPV45 E1	10	548
HPV45 E1	11	256	HPV45 E1	11	548
HPV45 E1	8	83	HPV45 E1	8	362
HPV45 E1	11	519	HPV45 E1	8	336
HPV45 E1	8	292	HPV45 E1	8	557
HPV45 E1	9	292	HPV45 E1	9	281
HPV45 E1	10	555	HPV45 E1	10	281
HPV45 E1	9	466	HPV45 E1	11	281
HPV45 E1	10	257	HPV45 E1	10	215

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 E1	11	215	HPV45 E1	8	54
HPV45 E1	8	368	HPV45 E1	8	102
HPV45 E1	9	368	HPV45 E1	8	412
HPV45 E1	9	231	HPV45 E1	11	80
HPV45 E1	10	231	HPV45 E1	8	148
HPV45 E1	11	231	HPV45 E1	10	451
HPV45 E1	8	200	HPV45 E1	9	407
HPV45 E1	11	200	HPV45 E1	11	612
HPV45 E1	8	513	HPV45 E1	9	335
HPV45 E1	11	513	HPV45 E1	8	280
HPV45 E1	8	298	HPV45 E1	10	280
HPV45 E1	9	47	HPV45 E1	11	280
HPV45 E1	11	47	HPV45 E1	9	411
HPV45 E1	10	353	HPV45 E1	10	316
HPV45 E1	11	353	HPV45 E1	8	608
HPV45 E1	8	154	HPV45 E1	10	575
HPV45 E1	11	154	HPV45 E1	10	56
HPV45 E1	11	174	HPV45 E1	11	56
HPV45 E1	8	531	HPV45 E1	9	539
HPV45 E1	10	531	HPV45 E1	10	539
HPV45 E1	9	321	HPV45 E1	8	183
HPV45 E1	9	473	HPV45 E1	9	183
HPV45 E1	10	152	HPV45 E1	11	183
HPV45 E1	8	177	HPV45 E1	9	117
HPV45 E1	9	177	HPV45 E1	11	416
HPV45 E1	11	177	HPV45 E1	9	288
HPV45 E1	10	563	HPV45 E1	11	288
HPV45 E1	11	471	HPV45 E1	10	308
HPV45 E1	8	250	HPV45 E1	10	104
HPV45 E1	11	250	HPV45 E1	8	65
HPV45 E1	8	554	HPV45 E1	11	65
HPV45 E1	11	554	HPV45 E1	9	39
HPV45 E1	11	537	HPV45 E1	10	39
HPV45 E1	11	434	HPV45 E1	10	22
HPV45 E1	8	505	HPV45 E1	11	22
HPV45 E1	9	505	HPV45 E1	8	246
HPV45 E1	10	505	HPV45 E1	10	246
HPV45 E1	8	98	HPV45 E1	8	289
HPV45 E1	10	98	HPV45 E1	10	289
HPV45 E1	10	546	HPV45 E1	11	289
HPV45 E1	11	546	HPV45 E1	9	252
HPV45 E1	9	238	HPV45 E1	9	53
HPV45 E1	10	238	HPV45 E1	9	147
HPV45 E1	11	238	HPV45 E1	8	224
HPV45 E1	9	60	HPV45 E1	9	224
HPV45 E1	10	60	HPV45 E1	10	224
HPV45 E1	9	391	HPV45 E1	8	239
HPV45 E1	10	391	HPV45 E1	9	239
HPV45 E1	11	391	HPV45 E1	10	239
HPV45 E1	9	67	HPV45 E1	8	282
HPV45 E1	8	192	HPV45 E1	9	282
HPV45 E1	9	192	HPV45 E1	10	282
HPV45 E1	10	192	HPV45 E1	8	577
HPV45 E1	11	192	HPV45 E1	9	309
HPV45 E1	9	374	HPV45 E1	11	309
HPV45 E1	10	374	HPV45 E1	8	240
HPV45 E1	11	374	HPV45 E1	9	240
HPV45 E1	8	549	HPV45 E1	8	283
HPV45 E1	9	549	HPV45 E1	9	283
HPV45 E1	10	549	HPV45 E1	11	283

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 E1	8	511	HPV45 E2	10	343
HPV45 E1	10	511	HPV45 E2	11	343
HPV45 E1	9	31	HPV45 E2	8	192
HPV45 E1	10	31	HPV45 E2	9	192
HPV45 E1	11	31	HPV45 E2	11	349
HPV45 E1	10	81	HPV45 E2	8	50
HPV45 E1	10	230	HPV45 E2	9	50
HPV45 E1	11	230	HPV45 E2	11	50
HPV45 E1	9	400	HPV45 E2	11	334
HPV45 E1	9	436	HPV45 E2	9	56
HPV45 E1	8	75	HPV45 E2	10	56
HPV45 E1	10	75	HPV45 E2	8	150
HPV45 E1	11	75	HPV45 E2	10	150
HPV45 E1	9	354	HPV45 E2	10	255
HPV45 E1	10	354	HPV45 E2	9	237
HPV45 E1	9	635	HPV45 E2	11	237
HPV45 E1	9	576	HPV45 E2	10	163
HPV45 E1	8	356	HPV45 E2	11	163
HPV45 E1	9	418	HPV45 E2	9	225
HPV45 E1	8	332	HPV45 E2	10	225
HPV45 E1	8	502	HPV45 E2	9	295
HPV45 E1	10	502	HPV45 E2	9	62
HPV45 E1	11	502	HPV45 E2	11	267
HPV45 E1	8	522	HPV45 E2	11	293
HPV45 E1	11	522	HPV45 E2	10	48
HPV45 E1	8	229	HPV45 E2	11	48
HPV45 E1	11	229	HPV45 E2	10	335
HPV45 E1	11	372	HPV45 E2	10	146
HPV45 E1	8	571	HPV45 E2	11	146
HPV45 E1	10	571	HPV45 E2	8	57
HPV45 E1	8	394	HPV45 E2	9	57
HPV45 E1	11	528	HPV45 E2	8	219
HPV45 E1	10	441	HPV45 E2	10	219
HPV45 E2	9	156	HPV45 E2	8	74
HPV45 E2	8	78	HPV45 E2	10	74
HPV45 E2	11	78	HPV45 E2	11	74
HPV45 E2	11	47	HPV45 E2	8	77
HPV45 E2	11	89	HPV45 E2	9	77
HPV45 E2	10	247	HPV45 E2	10	59
HPV45 E2	11	247	HPV45 E2	9	2
HPV45 E2	8	216	HPV45 E2	11	154
HPV45 E2	11	216	HPV45 E2	8	284
HPV45 E2	10	305	HPV45 E2	10	284
HPV45 E2	10	134	HPV45 E2	11	284
HPV45 E2	10	158	HPV45 E2	8	41
HPV45 E2	11	31	HPV45 E2	9	41
HPV45 E2	9	102	HPV45 E2	11	41
HPV45 E2	8	212	HPV45 E2	8	100
HPV45 E2	9	212	HPV45 E2	11	100
HPV45 E2	9	351	HPV45 E2	8	223
HPV45 E2	11	351	HPV45 E2	11	223
HPV45 E2	9	319	HPV45 E2	8	81
HPV45 E2	9	80	HPV45 E2	9	81
HPV45 E2	10	80	HPV45 E2	9	256
HPV45 E2	9	258	HPV45 E2	11	256
HPV45 E2	11	258	HPV45 E2	9	336
HPV45 E2	8	148	HPV45 E2	8	3
HPV45 E2	9	148	HPV45 E2	10	69
HPV45 E2	10	148	HPV45 E2	11	69
HPV45 E2	8	343	HPV45 E2	8	347

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 E2	9	347	HPV45 E2	8	354
HPV45 E2	8	332	HPV45 E2	10	354
HPV45 E2	8	265	HPV45 E2	9	99
HPV45 E2	9	265	HPV45 E2	10	217
HPV45 E2	8	289	HPV45 E2	8	213
HPV45 E2	11	189	HPV45 E2	11	213
HPV45 E2	9	198	HPV45 E2	8	337
HPV45 E2	11	246	HPV45 E2	8	199
HPV45 E2	9	67	HPV45 E2	11	199
HPV45 E2	8	360	HPV45 E2	8	359
HPV45 E2	9	360	HPV45 E2	9	359
HPV45 E2	8	35	HPV45 E2	10	359
HPV45 E2	10	35	HPV45 E2	9	344
HPV45 E2	9	218	HPV45 E2	10	344
HPV45 E2	11	218	HPV45 E2	11	344
HPV45 E2	8	40	HPV45 E2	8	193
HPV45 E2	9	40	HPV45 E2	9	353
HPV45 E2	10	40	HPV45 E2	11	353
HPV45 E2	9	222	HPV45 E2	11	338
HPV45 E2	8	82	HPV45 E2	8	352
HPV45 E2	11	4	HPV45 E2	10	352
HPV45 E2	8	63	HPV45 E2	9	138
HPV45 E2	9	43	HPV45 E2	10	138
HPV45 E2	10	43	HPV45 E2	9	39
HPV45 E2	9	13	HPV45 E2	10	39
HPV45 E2	10	13	HPV45 E2	11	39
HPV45 E2	8	221	HPV45 E2	8	326
HPV45 E2	10	221	HPV45 E2	10	326
HPV45 E2	10	263	HPV45 E2	11	326
HPV45 E2	11	263	HPV45 E2	10	98
HPV45 E2	8	15	HPV45 E2	8	313
HPV45 E2	9	215	HPV45 E2	11	313
HPV45 E2	8	142	HPV45 E2	8	166
HPV45 E2	10	142	HPV45 E2	11	166
HPV45 E2	9	302	HPV45 E2	11	145
HPV45 E2	8	9	HPV45 E2	10	137
HPV45 E2	9	9	HPV45 E2	11	137
HPV45 E2	9	205	HPV45 E6	8	37
HPV45 E2	10	205	HPV45 E6	11	59
HPV45 E2	10	113	HPV45 E6	8	68
HPV45 E2	11	113	HPV45 E6	11	68
HPV45 E2	8	34	HPV45 E6	8	105
HPV45 E2	9	34	HPV45 E6	11	105
HPV45 E2	11	34	HPV45 E6	8	108
HPV45 E2	8	229	HPV45 E6	8	18
HPV45 E2	10	229	HPV45 E6	11	18
HPV45 E2	9	208	HPV45 E6	8	32
HPV45 E2	10	208	HPV45 E6	11	32
HPV45 E2	10	276	HPV45 E6	8	16
HPV45 E2	8	227	HPV45 E6	10	16
HPV45 E2	10	227	HPV45 E6	10	51
HPV45 E2	9	235	HPV45 E6	11	51
HPV45 E2	11	235	HPV45 E6	8	143
HPV45 E2	9	358	HPV45 E6	11	27
HPV45 E2	10	358	HPV45 E6	9	20
HPV45 E2	11	358	HPV45 E6	11	20
HPV45 E2	10	155	HPV45 E6	9	77
HPV45 E2	8	51	HPV45 E6	10	97
HPV45 E2	10	51	HPV45 E6	9	88
HPV45 E2	11	233	HPV45 E6	11	88

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 E6	10	43	HPV45 E7	8	83
HPV45 E6	8	47	HPV45 E7	10	83
HPV45 E6	9	47	HPV45 E7	8	41
HPV45 E6	8	53	HPV45 E7	10	41
HPV45 E6	9	53	HPV45 E7	8	20
HPV45 E6	11	53	HPV45 E7	8	74
HPV45 E6	10	136	HPV45 E7	11	74
HPV45 E6	9	132	HPV45 E7	8	91
HPV45 E6	11	120	HPV45 E7	8	97
HPV45 E6	8	30	HPV45 E7	9	44
HPV45 E6	9	30	HPV45 E7	9	47
HPV45 E6	10	30	HPV45 E7	8	14
HPV45 E6	11	130	HPV45 E7	11	14
HPV45 E6	10	60	HPV45 E7	11	11
HPV45 E6	9	93	HPV45 E7	8	8
HPV45 E6	10	93	HPV45 E7	8	87
HPV45 E6	11	93	HPV45 E7	9	87
HPV45 E6	8	54	HPV45 E7	10	75
HPV45 E6	10	54	HPV45 E7	8	17
HPV45 E6	11	54	HPV45 E7	10	17
HPV45 E6	9	36	HPV45 E7	11	17
HPV45 E6	10	92	HPV45 E7	9	57
HPV45 E6	11	92	HPV45 E7	10	23
HPV45 E6	9	13	HPV45 E7	10	89
HPV45 E6	11	13	HPV45 E7	8	88
HPV45 E6	11	102	HPV45 E7	11	88
HPV45 E6	9	25	HPV45 E7	9	54
HPV45 E6	8	1	HPV45 E7	10	54
HPV45 E6	8	95	HPV45 E7	8	5
HPV45 E6	9	95	HPV45 E7	9	5
HPV45 E6	9	22	HPV45 E7	11	5
HPV45 E6	10	22	HPV45 E7	10	72
HPV45 E6	8	114	HPV45 E7	8	85
HPV45 E6	11	111	HPV45 E7	10	85
HPV45 E6	8	7	HPV45 E7	11	85
HPV45 E6	11	7	HPV45 E7	8	80
HPV45 E6	8	149	HPV45 E7	11	80
HPV45 E6	10	149	HPV45 E7	11	93
HPV45 E6	11	146	HPV45 E7	9	7
HPV45 E6	8	41	HPV45 E7	9	86
HPV45 E6	9	29	HPV45 E7	10	86
HPV45 E6	10	29	HPV45 E7	10	94
HPV45 E6	11	29	HPV45 E7	11	94
HPV45 E6	8	24	HPV45 E7	9	76
HPV45 E6	10	24	HPV45 E7	11	76
HPV45 E6	10	84	HPV45 E7	10	12
HPV45 E6	11	84	HPV45 L1	11	517
HPV45 E6	8	89	HPV45 L1	10	161
HPV45 E6	10	89	HPV45 L1	10	191
HPV45 E6	11	38	HPV45 L1	11	191
HPV45 E6	10	8	HPV45 L1	10	103
HPV45 E6	8	62	HPV45 L1	9	28
HPV45 E6	8	45	HPV45 L1	10	28
HPV45 E6	10	45	HPV45 L1	10	234
HPV45 E6	11	45	HPV45 L1	8	345
HPV45 E7	8	48	HPV45 L1	11	205
HPV45 E7	8	6	HPV45 L1	9	162
HPV45 E7	10	6	HPV45 L1	11	164
HPV45 E7	10	64	HPV45 L1	8	455
HPV45 E7	8	25	HPV45 L1	9	455

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 L1	8	374	HPV45 L1	11	351
HPV45 L1	11	374	HPV45 L1	9	10
HPV45 L1	8	184	HPV45 L1	11	10
HPV45 L1	9	184	HPV45 L1	8	503
HPV45 L1	9	276	HPV45 L1	11	143
HPV45 L1	11	252	HPV45 L1	10	131
HPV45 L1	9	409	HPV45 L1	8	137
HPV45 L1	10	409	HPV45 L1	9	199
HPV45 L1	10	188	HPV45 L1	9	306
HPV45 L1	11	318	HPV45 L1	9	292
HPV45 L1	10	480	HPV45 L1	11	292
HPV45 L1	8	401	HPV45 L1	8	435
HPV45 L1	10	401	HPV45 L1	10	435
HPV45 L1	11	401	HPV45 L1	11	435
HPV45 L1	9	301	HPV45 L1	8	160
HPV45 L1	11	301	HPV45 L1	11	160
HPV45 L1	9	226	HPV45 L1	8	62
HPV45 L1	10	226	HPV45 L1	9	62
HPV45 L1	10	490	HPV45 L1	10	62
HPV45 L1	11	490	HPV45 L1	10	396
HPV45 L1	8	155	HPV45 L1	8	221
HPV45 L1	9	155	HPV45 L1	10	221
HPV45 L1	10	155	HPV45 L1	9	12
HPV45 L1	11	155	HPV45 L1	8	11
HPV45 L1	11	229	HPV45 L1	10	11
HPV45 L1	8	242	HPV45 L1	8	5
HPV45 L1	10	242	HPV45 L1	9	5
HPV45 L1	8	364	HPV45 L1	11	5
HPV45 L1	9	364	HPV45 L1	9	428
HPV45 L1	10	364	HPV45 L1	8	185
HPV45 L1	9	296	HPV45 L1	8	411
HPV45 L1	9	446	HPV45 L1	11	411
HPV45 L1	10	446	HPV45 L1	9	166
HPV45 L1	11	446	HPV45 L1	11	166
HPV45 L1	8	169	HPV45 L1	8	328
HPV45 L1	8	133	HPV45 L1	9	344
HPV45 L1	10	133	HPV45 L1	8	152
HPV45 L1	8	121	HPV45 L1	10	152
HPV45 L1	10	121	HPV45 L1	11	152
HPV45 L1	9	416	HPV45 L1	9	473
HPV45 L1	10	246	HPV45 L1	9	86
HPV45 L1	9	283	HPV45 L1	8	467
HPV45 L1	11	283	HPV45 L1	8	179
HPV45 L1	8	404	HPV45 L1	11	179
HPV45 L1	9	404	HPV45 L1	9	91
HPV45 L1	10	404	HPV45 L1	11	68
HPV45 L1	11	404	HPV45 L1	8	240
HPV45 L1	10	14	HPV45 L1	10	240
HPV45 L1	8	406	HPV45 L1	9	402
HPV45 L1	9	406	HPV45 L1	10	402
HPV45 L1	10	406	HPV45 L1	11	402
HPV45 L1	8	450	HPV45 L1	9	207
HPV45 L1	8	359	HPV45 L1	11	207
HPV45 L1	11	359	HPV45 L1	9	413
HPV45 L1	8	82	HPV45 L1	11	371
HPV45 L1	11	82	HPV45 L1	10	69
HPV45 L1	8	233	HPV45 L1	11	69
HPV45 L1	11	233	HPV45 L1	8	444
HPV45 L1	8	351	HPV45 L1	11	444
HPV45 L1	10	351	HPV45 L1	11	499

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 L1	8	125	HPV45 L1	9	290
HPV45 L1	10	125	HPV45 L1	11	290
HPV45 L1	11	1	HPV45 L1	9	124
HPV45 L1	10	27	HPV45 L1	11	124
HPV45 L1	11	27	HPV45 L1	8	56
HPV45 L1	8	227	HPV45 L1	9	46
HPV45 L1	9	227	HPV45 L1	9	265
HPV45 L1	8	4	HPV45 L1	8	158
HPV45 L1	9	4	HPV45 L1	9	158
HPV45 L1	10	4	HPV45 L1	10	158
HPV45 L1	8	370	HPV45 L1	10	93
HPV45 L1	10	310	HPV45 L1	11	93
HPV45 L1	8	356	HPV45 L1	9	254
HPV45 L1	10	356	HPV45 L1	11	254
HPV45 L1	11	356	HPV45 L1	11	58
HPV45 L1	9	49	HPV45 L1	10	427
HPV45 L1	11	49	HPV45 L1	9	327
HPV45 L1	9	219	HPV45 L1	9	443
HPV45 L1	10	219	HPV45 L1	11	272
HPV45 L1	9	19	HPV45 L1	10	333
HPV45 L1	10	19	HPV45 L1	10	521
HPV45 L1	11	19	HPV45 L1	8	115
HPV45 L1	9	17	HPV45 L1	11	115
HPV45 L1	11	17	HPV45 L1	10	238
HPV45 L1	9	173	HPV45 L1	8	368
HPV45 L1	11	173	HPV45 L1	10	368
HPV45 L1	8	516	HPV45 L1	9	376
HPV45 L1	8	190	HPV45 L1	9	519
HPV45 L1	11	190	HPV45 L1	10	35
HPV45 L1	8	22	HPV45 L1	11	35
HPV45 L1	8	248	HPV45 L1	8	43
HPV45 L1	8	214	HPV45 L1	10	453
HPV45 L1	9	214	HPV45 L1	11	453
HPV45 L1	8	493	HPV45 L1	9	175
HPV45 L1	10	493	HPV45 L1	11	175
HPV45 L1	9	299	HPV45 L1	8	414
HPV45 L1	11	299	HPV45 L1	11	414
HPV45 L1	10	508	HPV45 L1	9	522
HPV45 L1	11	508	HPV45 L1	11	522
HPV45 L1	11	387	HPV45 L1	8	163
HPV45 L1	8	440	HPV45 L1	9	509
HPV45 L1	9	380	HPV45 L1	10	509
HPV45 L1	9	501	HPV45 L1	8	220
HPV45 L1	10	501	HPV45 L1	9	220
HPV45 L1	8	87	HPV45 L1	11	220
HPV45 L1	8	182	HPV45 L1	8	410
HPV45 L1	10	182	HPV45 L1	9	410
HPV45 L1	11	182	HPV45 L1	10	116
HPV45 L1	8	407	HPV45 L1	11	116
HPV45 L1	9	407	HPV45 L1	10	372
HPV45 L1	11	407	HPV45 L1	8	200
HPV45 L1	11	281	HPV45 L1	9	239
HPV45 L1	9	334	HPV45 L1	11	239
HPV45 L1	9	357	HPV45 L1	10	412
HPV45 L1	10	357	HPV45 L1	8	167
HPV45 L1	10	206	HPV45 L1	10	167
HPV45 L1	11	26	HPV45 L1	9	181
HPV45 L1	11	263	HPV45 L1	11	181
HPV45 L1	10	180	HPV45 L1	8	377
HPV45 L1	8	290	HPV45 L1	9	122

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 L1	11	122	HPV45 L2	9	278
HPV45 L1	8	365	HPV45 L2	10	278
HPV45 L1	9	365	HPV45 L2	8	322
HPV45 L1	11	365	HPV45 L2	11	322
HPV45 L1	11	441	HPV45 L2	9	142
HPV45 L1	9	70	HPV45 L2	11	142
HPV45 L1	10	70	HPV45 L2	11	16
HPV45 L1	8	297	HPV45 L2	9	260
HPV45 L1	11	297	HPV45 L2	9	83
HPV45 L1	9	361	HPV45 L2	10	83
HPV45 L1	11	361	HPV45 L2	11	83
HPV45 L1	9	36	HPV45 L2	9	30
HPV45 L1	10	36	HPV45 L2	10	30
HPV45 L1	11	102	HPV45 L2	11	30
HPV45 L1	11	44	HPV45 L2	10	397
HPV45 L1	9	454	HPV45 L2	11	397
HPV45 L1	10	454	HPV45 L2	10	348
HPV45 L1	10	165	HPV45 L2	8	331
HPV45 L1	8	293	HPV45 L2	10	331
HPV45 L1	10	293	HPV45 L2	11	331
HPV45 L1	8	417	HPV45 L2	8	194
HPV45 L1	10	500	HPV45 L2	8	129
HPV45 L1	11	500	HPV45 L2	9	129
HPV45 L1	8	456	HPV45 L2	11	129
HPV45 L1	10	360	HPV45 L2	8	333
HPV45 L1	8	362	HPV45 L2	9	333
HPV45 L1	10	362	HPV45 L2	8	169
HPV45 L1	11	362	HPV45 L2	8	175
HPV45 L1	8	47	HPV45 L2	10	175
HPV45 L1	11	47	HPV45 L2	8	456
HPV45 L1	11	78	HPV45 L2	8	200
HPV45 L1	8	127	HPV45 L2	11	200
HPV45 L1	10	196	HPV45 L2	9	53
HPV45 L1	9	420	HPV45 L2	8	241
HPV45 L1	10	420	HPV45 L2	9	241
HPV45 L1	9	303	HPV45 L2	10	241
HPV45 L1	8	38	HPV45 L2	11	276
HPV45 L1	10	38	HPV45 L2	9	122
HPV45 L1	11	38	HPV45 L2	10	122
HPV45 L1	8	95	HPV45 L2	11	157
HPV45 L1	9	95	HPV45 L2	8	306
HPV45 L1	10	95	HPV45 L2	8	368
HPV45 L1	11	53	HPV45 L2	9	368
HPV45 L2	9	6	HPV45 L2	10	368
HPV45 L2	10	6	HPV45 L2	8	116
HPV45 L2	8	381	HPV45 L2	10	116
HPV45 L2	9	381	HPV45 L2	9	51
HPV45 L2	10	381	HPV45 L2	11	51
HPV45 L2	8	327	HPV45 L2	9	430
HPV45 L2	11	327	HPV45 L2	8	300
HPV45 L2	8	286	HPV45 L2	8	25
HPV45 L2	9	286	HPV45 L2	11	25
HPV45 L2	10	328	HPV45 L2	8	206
HPV45 L2	11	328	HPV45 L2	10	206
HPV45 L2	11	303	HPV45 L2	10	60
HPV45 L2	10	340	HPV45 L2	8	124
HPV45 L2	8	139	HPV45 L2	8	37
HPV45 L2	9	139	HPV45 L2	9	37
HPV45 L2	8	405	HPV45 L2	8	134
HPV45 L2	10	405	HPV45 L2	10	134

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 L2	11	134	HPV45 L2	8	325
HPV45 L2	8	292	HPV45 L2	10	325
HPV45 L2	8	411	HPV45 L2	9	209
HPV45 L2	11	411	HPV45 L2	10	209
HPV45 L2	9	326	HPV45 L2	8	399
HPV45 L2	10	167	HPV45 L2	9	399
HPV45 L2	9	406	HPV45 L2	10	399
HPV45 L2	8	279	HPV45 L2	11	258
HPV45 L2	9	279	HPV45 L2	8	73
HPV45 L2	8	407	HPV45 L2	9	73
HPV45 L2	9	44	HPV45 L2	10	73
HPV45 L2	11	44	HPV45 L2	11	336
HPV45 L2	8	143	HPV45 L2	8	214
HPV45 L2	10	143	HPV45 L2	8	391
HPV45 L2	8	130	HPV45 L2	10	391
HPV45 L2	10	130	HPV45 L2	9	413
HPV45 L2	11	130	HPV45 L2	11	413
HPV45 L2	10	103	HPV45 L2	10	171
HPV45 L2	11	103	HPV45 L2	8	98
HPV45 L2	8	43	HPV45 L2	9	98
HPV45 L2	10	43	HPV45 L2	10	98
HPV45 L2	10	22	HPV45 L2	11	120
HPV45 L2	11	22	HPV45 L2	8	420
HPV45 L2	8	34	HPV45 L2	10	420
HPV45 L2	11	34	HPV45 L2	8	86
HPV45 L2	11	40	HPV45 L2	11	86
HPV45 L2	10	337	HPV45 L2	11	185
HPV45 L2	8	334	HPV45 L2	11	267
HPV45 L2	11	197	HPV45 L2	8	145
HPV45 L2	8	45	HPV45 L2	11	145
HPV45 L2	10	45	HPV45 L2	11	216
HPV45 L2	8	242	HPV45 L2	9	95
HPV45 L2	9	242	HPV45 L2	10	95
HPV45 L2	8	375	HPV45 L2	11	95
HPV45 L2	9	392	HPV45 L2	8	118
HPV45 L2	11	392	HPV45 L2	10	90
HPV45 L2	8	106	HPV45 L2	11	232
HPV45 L2	9	106	HPV45 L2	10	198
HPV45 L2	8	248	HPV45 L2	9	172
HPV45 L2	8	422	HPV45 L2	11	172
HPV45 L2	10	422	HPV45 L2	10	233
HPV45 L2	8	179	HPV45 L2	11	233
HPV45 L2	8	231	HPV45 L2	8	5
HPV45 L2	9	79	HPV45 L2	10	5
HPV45 L2	8	270	HPV45 L2	11	5
HPV45 L2	10	270	HPV45 L2	8	229
HPV45 L2	11	270	HPV45 L2	10	229
HPV45 L2	9	387	HPV45 L2	10	11
HPV45 L2	8	160	HPV45 L2	11	451
HPV45 L2	9	160	HPV45 L2	8	298
HPV45 L2	11	160	HPV45 L2	10	298
HPV45 L2	9	285	HPV45 L2	10	225
HPV45 L2	10	285	HPV45 L2	8	19
HPV45 L2	8	356	HPV45 L2	8	316
HPV45 L2	9	356	HPV45 L2	11	316
HPV45 L2	9	138	HPV45 L2	11	220
HPV45 L2	10	138	HPV45 L2	8	235
HPV45 L2	8	254	HPV45 L2	9	235
HPV45 L2	9	254	HPV45 L2	8	13
HPV45 L2	10	254	HPV45 L2	8	339

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV45 L2	11	339	HPV45 L2	11	249
HPV45 L2	9	394	HPV45 L2	9	104
HPV45 L2	8	166	HPV45 L2	10	104
HPV45 L2	11	166	HPV45 L2	11	104
HPV45 L2	8	151	HPV45 L2	8	388
HPV45 L2	11	151	HPV45 L2	11	388
HPV45 L2	11	102	HPV45 L2	8	112
HPV45 L2	9	49	HPV45 L2	10	112
HPV45 L2	11	49	HPV45 L2	11	81
HPV45 L2	8	374	HPV45 L2	9	91
HPV45 L2	9	374	HPV45 L2	8	350
HPV45 L2	9	247	HPV45 L2	10	350
HPV45 L2	10	239	HPV45 L2	11	350
HPV45 L2	11	239	HPV45 L2	11	428
HPV45 L2	10	379	HPV45 L2	8	401
HPV45 L2	11	379	HPV45 L2	10	71
HPV45 L2	8	362	HPV45 L2	11	71
HPV45 L2	10	212	HPV56 E2	8	15
HPV45 L2	8	154	HPV56 E2	11	15
HPV45 L2	9	417	HPV56 E2	8	21
HPV45 L2	10	417	HPV56 E2	9	21
HPV45 L2	11	417	HPV56 E2	9	4
HPV45 L2	8	424	HPV56 E2	10	71
HPV45 L2	11	424	HPV56 E2	8	204
HPV45 L2	10	149	HPV56 E2	11	204
HPV45 L2	9	111	HPV56 E2	8	39
HPV45 L2	11	111	HPV56 E2	9	39
HPV45 L2	9	380	HPV56 E2	9	263
HPV45 L2	10	380	HPV56 E2	11	263
HPV45 L2	11	380	HPV56 E2	10	117
HPV45 L2	10	262	HPV56 E2	8	288
HPV45 L2	8	105	HPV56 E2	11	288
HPV45 L2	9	105	HPV56 E2	8	154
HPV45 L2	10	105	HPV56 E2	11	154
HPV45 L2	10	304	HPV56 E2	9	128
HPV45 L2	8	38	HPV56 E2	9	17
HPV45 L2	8	261	HPV56 E2	11	17
HPV45 L2	11	261	HPV56 E2	9	294
HPV45 L2	8	136	HPV56 E2	10	294
HPV45 L2	9	136	HPV56 E2	9	254
HPV45 L2	11	136	HPV56 E2	11	254
HPV45 L2	11	359	HPV56 E2	11	261
HPV45 L2	9	135	HPV56 E2	11	99
HPV45 L2	10	135	HPV56 E2	10	94
HPV45 L2	10	425	HPV56 E2	9	201
HPV45 L2	9	426	HPV56 E2	11	201
HPV45 L2	10	146	HPV56 E2	8	210
HPV45 L2	10	389	HPV56 E2	9	239
HPV45 L2	11	293	HPV56 E2	10	208
HPV45 L2	10	217	HPV56 E2	10	297
HPV45 L2	8	80	HPV56 E2	11	297
HPV45 L2	9	113	HPV56 E2	8	20
HPV45 L2	11	113	HPV56 E2	9	20
HPV45 L2	8	92	HPV56 E2	10	20
HPV45 L2	8	31	HPV56 E2	10	280
HPV45 L2	9	31	HPV56 E2	9	281
HPV45 L2	10	31	HPV56 E2	8	11
HPV45 L2	11	31	HPV56 E2	10	11
HPV45 L2	8	140	HPV56 E2	11	11
HPV45 L2	11	140	HPV56 E2	8	9

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 E2	10	9	HPV56 E2	8	264
HPV56 E2	8	299	HPV56 E2	10	264
HPV56 E2	9	299	HPV56 E2	10	205
HPV56 E2	8	258	HPV56 E2	11	237
HPV56 E2	10	258	HPV56 E2	8	88
HPV56 E2	8	233	HPV56 E2	10	35
HPV56 E2	8	163	HPV56 E2	11	270
HPV56 E2	10	163	HPV56 E2	8	111
HPV56 E2	11	108	HPV56 E2	8	102
HPV56 E2	11	90	HPV56 E2	11	102
HPV56 E2	8	5	HPV56 E6	11	89
HPV56 E2	11	5	HPV56 E6	8	64
HPV56 E2	9	72	HPV56 E6	8	139
HPV56 E2	10	1	HPV56 E6	8	69
HPV56 E2	9	216	HPV56 E6	8	33
HPV56 E2	8	160	HPV56 E6	9	33
HPV56 E2	9	160	HPV56 E6	11	33
HPV56 E2	11	160	HPV56 E6	9	23
HPV56 E2	8	149	HPV56 E6	11	39
HPV56 E2	10	152	HPV56 E6	8	20
HPV56 E2	9	19	HPV56 E6	10	20
HPV56 E2	10	19	HPV56 E6	8	44
HPV56 E2	11	19	HPV56 E6	10	44
HPV56 E2	10	6	HPV56 E6	8	48
HPV56 E2	11	6	HPV56 E6	9	48
HPV56 E2	8	14	HPV56 E6	8	88
HPV56 E2	9	14	HPV56 E6	8	129
HPV56 E2	11	279	HPV56 E6	8	17
HPV56 E2	8	135	HPV56 E6	10	17
HPV56 E2	11	135	HPV56 E6	11	17
HPV56 E2	10	144	HPV56 E6	10	131
HPV56 E2	9	272	HPV56 E6	9	94
HPV56 E2	10	272	HPV56 E6	10	94
HPV56 E2	11	272	HPV56 E6	11	94
HPV56 E2	9	169	HPV56 E6	11	54
HPV56 E2	10	169	HPV56 E6	8	97
HPV56 E2	11	169	HPV56 E6	11	130
HPV56 E2	11	26	HPV56 E6	9	26
HPV56 E2	8	266	HPV56 E6	11	103
HPV56 E2	8	171	HPV56 E6	8	113
HPV56 E2	9	171	HPV56 E6	10	40
HPV56 E2	10	141	HPV56 E6	10	55
HPV56 E2	8	282	HPV56 E6	11	55
HPV56 E2	9	28	HPV56 E6	10	25
HPV56 E2	10	28	HPV56 E6	9	112
HPV56 E2	9	259	HPV56 E6	8	8
HPV56 E2	9	36	HPV56 E6	11	8
HPV56 E2	11	36	HPV56 E6	10	145
HPV56 E2	10	289	HPV56 E6	11	145
HPV56 E2	9	206	HPV56 E6	8	42
HPV56 E2	10	27	HPV56 E6	10	42
HPV56 E2	11	27	HPV56 E6	11	30
HPV56 E2	11	167	HPV56 E6	11	144
HPV56 E2	8	165	HPV56 E6	10	67
HPV56 E2	9	164	HPV56 E6	10	93
HPV56 E2	10	155	HPV56 E6	11	93
HPV56 E2	11	155	HPV56 E6	8	14
HPV56 E2	8	18	HPV56 E6	9	14
HPV56 E2	10	18	HPV56 E6	11	14
HPV56 E2	11	18	HPV56 E6	10	85

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 E6	11	85	HPV56 E7	11	51
HPV56 E6	10	90	HPV56 E7	8	84
HPV56 E6	9	21	HPV56 E7	10	84
HPV56 E6	11	21	HPV56 E7	11	84
HPV56 E6	8	63	HPV56 E7	8	78
HPV56 E6	9	63	HPV56 E7	9	78
HPV56 E7	8	93	HPV56 E7	9	7
HPV56 E7	10	93	HPV56 E7	10	7
HPV56 E7	9	75	HPV56 E7	8	95
HPV56 E7	11	75	HPV56 E7	8	12
HPV56 E7	8	22	HPV56 E7	10	12
HPV56 E7	8	82	HPV56 E7	8	72
HPV56 E7	9	82	HPV56 E7	8	86
HPV56 E7	10	82	HPV56 E7	9	86
HPV56 E7	10	10	HPV56 E7	10	86
HPV56 E7	10	20	HPV56 E7	11	86
HPV56 E7	8	14	HPV56 E7	9	11
HPV56 E7	10	14	HPV56 E7	11	11
HPV56 E7	10	70	HPV56 E7	9	71
HPV56 E7	9	92	HPV56 E7	9	85
HPV56 E7	11	92	HPV56 E7	10	85
HPV56 E7	9	42	HPV56 E7	11	85
HPV56 E7	8	56	HPV56 L1	11	458
HPV56 E7	10	62	HPV56 L1	10	198
HPV56 E7	11	62	HPV56 L1	11	198
HPV56 E7	8	76	HPV56 L1	8	350
HPV56 E7	10	76	HPV56 L1	10	338
HPV56 E7	11	76	HPV56 L1	9	58
HPV56 E7	8	54	HPV56 L1	11	58
HPV56 E7	10	54	HPV56 L1	10	381
HPV56 E7	8	4	HPV56 L1	8	327
HPV56 E7	9	4	HPV56 L1	9	327
HPV56 E7	10	4	HPV56 L1	8	514
HPV56 E7	8	89	HPV56 L1	10	514
HPV56 E7	9	89	HPV56 L1	11	444
HPV56 E7	8	90	HPV56 L1	10	37
HPV56 E7	11	90	HPV56 L1	10	512
HPV56 E7	8	8	HPV56 L1	8	207
HPV56 E7	9	8	HPV56 L1	9	207
HPV56 E7	8	43	HPV56 L1	10	207
HPV56 E7	11	43	HPV56 L1	9	79
HPV56 E7	9	15	HPV56 L1	10	79
HPV56 E7	9	94	HPV56 L1	9	26
HPV56 E7	11	47	HPV56 L1	11	26
HPV56 E7	8	6	HPV56 L1	8	19
HPV56 E7	10	6	HPV56 L1	9	19
HPV56 E7	11	6	HPV56 L1	11	19
HPV56 E7	9	52	HPV56 L1	8	191
HPV56 E7	10	52	HPV56 L1	9	191
HPV56 E7	9	49	HPV56 L1	8	461
HPV56 E7	11	73	HPV56 L1	10	195
HPV56 E7	8	88	HPV56 L1	9	389
HPV56 E7	9	88	HPV56 L1	11	274
HPV56 E7	10	88	HPV56 L1	9	233
HPV56 E7	10	48	HPV56 L1	10	233
HPV56 E7	8	87	HPV56 L1	8	128
HPV56 E7	9	87	HPV56 L1	10	128
HPV56 E7	10	87	HPV56 L1	10	493
HPV56 E7	11	87	HPV56 L1	11	493
HPV56 E7	10	51	HPV56 L1	8	162

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 L1	11	236	HPV56 L1	8	413
HPV56 L1	8	369	HPV56 L1	9	413
HPV56 L1	9	369	HPV56 L1	10	413
HPV56 L1	10	369	HPV56 L1	11	270
HPV56 L1	10	23	HPV56 L1	8	186
HPV56 L1	10	481	HPV56 L1	11	186
HPV56 L1	11	337	HPV56 L1	9	93
HPV56 L1	8	404	HPV56 L1	8	300
HPV56 L1	11	404	HPV56 L1	10	300
HPV56 L1	8	383	HPV56 L1	8	245
HPV56 L1	11	383	HPV56 L1	10	245
HPV56 L1	11	464	HPV56 L1	9	98
HPV56 L1	9	303	HPV56 L1	9	55
HPV56 L1	8	140	HPV56 L1	9	45
HPV56 L1	10	140	HPV56 L1	9	474
HPV56 L1	9	419	HPV56 L1	11	474
HPV56 L1	11	419	HPV56 L1	8	222
HPV56 L1	10	253	HPV56 L1	10	78
HPV56 L1	9	290	HPV56 L1	11	78
HPV56 L1	9	21	HPV56 L1	11	224
HPV56 L1	8	409	HPV56 L1	11	77
HPV56 L1	10	409	HPV56 L1	9	431
HPV56 L1	8	407	HPV56 L1	11	502
HPV56 L1	9	407	HPV56 L1	9	484
HPV56 L1	10	407	HPV56 L1	8	247
HPV56 L1	8	364	HPV56 L1	10	247
HPV56 L1	11	364	HPV56 L1	10	405
HPV56 L1	9	148	HPV56 L1	11	405
HPV56 L1	8	240	HPV56 L1	11	347
HPV56 L1	9	206	HPV56 L1	8	132
HPV56 L1	10	206	HPV56 L1	10	132
HPV56 L1	11	206	HPV56 L1	11	36
HPV56 L1	8	25	HPV56 L1	9	421
HPV56 L1	10	25	HPV56 L1	11	421
HPV56 L1	8	356	HPV56 L1	8	234
HPV56 L1	10	356	HPV56 L1	9	234
HPV56 L1	11	356	HPV56 L1	8	333
HPV56 L1	8	17	HPV56 L1	8	1
HPV56 L1	10	17	HPV56 L1	10	5
HPV56 L1	11	17	HPV56 L1	10	503
HPV56 L1	10	138	HPV56 L1	11	503
HPV56 L1	11	150	HPV56 L1	10	376
HPV56 L1	8	438	HPV56 L1	10	428
HPV56 L1	10	438	HPV56 L1	8	436
HPV56 L1	8	144	HPV56 L1	9	436
HPV56 L1	8	506	HPV56 L1	10	436
HPV56 L1	9	506	HPV56 L1	9	180
HPV56 L1	10	506	HPV56 L1	11	180
HPV56 L1	8	71	HPV56 L1	10	123
HPV56 L1	9	71	HPV56 L1	11	123
HPV56 L1	10	71	HPV56 L1	8	167
HPV56 L1	10	399	HPV56 L1	8	430
HPV56 L1	10	459	HPV56 L1	10	430
HPV56 L1	8	414	HPV56 L1	8	483
HPV56 L1	9	414	HPV56 L1	10	483
HPV56 L1	11	414	HPV56 L1	8	375
HPV56 L1	8	192	HPV56 L1	11	375
HPV56 L1	8	251	HPV56 L1	8	361
HPV56 L1	9	251	HPV56 L1	10	361
HPV56 L1	9	392	HPV56 L1	11	361

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 L1	9	91	HPV56 L1	8	520
HPV56 L1	11	91	HPV56 L1	10	520
HPV56 L1	9	226	HPV56 L1	10	100
HPV56 L1	10	226	HPV56 L1	11	67
HPV56 L1	9	28	HPV56 L1	9	446
HPV56 L1	10	28	HPV56 L1	9	332
HPV56 L1	11	28	HPV56 L1	11	279
HPV56 L1	10	172	HPV56 L1	9	261
HPV56 L1	8	197	HPV56 L1	11	261
HPV56 L1	11	197	HPV56 L1	9	489
HPV56 L1	11	511	HPV56 L1	8	373
HPV56 L1	8	228	HPV56 L1	9	373
HPV56 L1	10	228	HPV56 L1	10	373
HPV56 L1	8	31	HPV56 L1	9	182
HPV56 L1	10	473	HPV56 L1	11	182
HPV56 L1	9	221	HPV56 L1	9	86
HPV56 L1	8	255	HPV56 L1	11	86
HPV56 L1	9	155	HPV56 L1	11	323
HPV56 L1	11	146	HPV56 L1	11	380
HPV56 L1	8	496	HPV56 L1	8	304
HPV56 L1	10	496	HPV56 L1	9	377
HPV56 L1	8	13	HPV56 L1	8	415
HPV56 L1	10	13	HPV56 L1	10	415
HPV56 L1	11	4	HPV56 L1	9	188
HPV56 L1	8	467	HPV56 L1	11	188
HPV56 L1	9	467	HPV56 L1	11	212
HPV56 L1	8	50	HPV56 L1	8	215
HPV56 L1	9	50	HPV56 L1	9	215
HPV56 L1	10	50	HPV56 L1	10	215
HPV56 L1	8	522	HPV56 L1	11	215
HPV56 L1	8	52	HPV56 L1	8	370
HPV56 L1	8	189	HPV56 L1	9	370
HPV56 L1	10	189	HPV56 L1	11	370
HPV56 L1	11	189	HPV56 L1	9	366
HPV56 L1	9	410	HPV56 L1	11	366
HPV56 L1	11	410	HPV56 L1	10	57
HPV56 L1	11	288	HPV56 L1	8	326
HPV56 L1	9	339	HPV56 L1	9	326
HPV56 L1	9	362	HPV56 L1	10	326
HPV56 L1	10	362	HPV56 L1	9	513
HPV56 L1	9	504	HPV56 L1	11	513
HPV56 L1	10	504	HPV56 L1	9	173
HPV56 L1	11	504	HPV56 L1	11	173
HPV56 L1	10	384	HPV56 L1	9	246
HPV56 L1	10	187	HPV56 L1	11	246
HPV56 L1	10	213	HPV56 L1	8	420
HPV56 L1	11	213	HPV56 L1	10	420
HPV56 L1	8	297	HPV56 L1	11	259
HPV56 L1	9	297	HPV56 L1	8	87
HPV56 L1	11	297	HPV56 L1	10	87
HPV56 L1	9	349	HPV56 L1	9	214
HPV56 L1	10	159	HPV56 L1	10	214
HPV56 L1	11	159	HPV56 L1	11	214
HPV56 L1	10	110	HPV56 L1	10	365
HPV56 L1	9	131	HPV56 L1	8	56
HPV56 L1	11	131	HPV56 L1	11	56
HPV56 L1	8	65	HPV56 L1	8	367
HPV56 L1	9	272	HPV56 L1	10	367
HPV56 L1	8	417	HPV56 L1	11	367
HPV56 L1	11	417	HPV56 L1	8	134

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 L1	10	203	HPV56 L2	11	398
HPV56 L1	8	7	HPV56 L2	8	175
HPV56 L1	9	423	HPV56 L2	10	175
HPV56 L1	10	423	HPV56 L2	8	457
HPV56 L1	8	268	HPV56 L2	8	382
HPV56 L1	10	47	HPV56 L2	9	382
HPV56 L1	11	47	HPV56 L2	10	382
HPV56 L1	10	396	HPV56 L2	8	200
HPV56 L1	9	283	HPV56 L2	11	200
HPV56 L1	8	102	HPV56 L2	9	162
HPV56 L1	10	102	HPV56 L2	8	241
HPV56 L1	9	325	HPV56 L2	9	241
HPV56 L1	10	325	HPV56 L2	11	241
HPV56 L1	11	325	HPV56 L2	11	276
HPV56 L1	11	62	HPV56 L2	10	231
HPV56 L1	8	453	HPV56 L2	9	122
HPV56 L2	9	222	HPV56 L2	10	122
HPV56 L2	8	281	HPV56 L2	8	287
HPV56 L2	9	281	HPV56 L2	9	51
HPV56 L2	8	327	HPV56 L2	11	51
HPV56 L2	11	327	HPV56 L2	9	418
HPV56 L2	9	303	HPV56 L2	10	418
HPV56 L2	11	303	HPV56 L2	8	116
HPV56 L2	10	246	HPV56 L2	10	314
HPV56 L2	9	367	HPV56 L2	8	188
HPV56 L2	10	14	HPV56 L2	10	188
HPV56 L2	9	6	HPV56 L2	8	56
HPV56 L2	10	6	HPV56 L2	8	360
HPV56 L2	10	201	HPV56 L2	9	360
HPV56 L2	8	139	HPV56 L2	9	346
HPV56 L2	11	139	HPV56 L2	8	25
HPV56 L2	8	322	HPV56 L2	11	25
HPV56 L2	11	322	HPV56 L2	8	206
HPV56 L2	8	142	HPV56 L2	10	206
HPV56 L2	9	142	HPV56 L2	8	62
HPV56 L2	11	142	HPV56 L2	11	62
HPV56 L2	10	406	HPV56 L2	10	60
HPV56 L2	10	349	HPV56 L2	8	310
HPV56 L2	11	260	HPV56 L2	9	269
HPV56 L2	8	425	HPV56 L2	11	269
HPV56 L2	9	83	HPV56 L2	11	293
HPV56 L2	10	83	HPV56 L2	8	156
HPV56 L2	11	83	HPV56 L2	8	372
HPV56 L2	10	30	HPV56 L2	9	372
HPV56 L2	10	429	HPV56 L2	8	151
HPV56 L2	11	429	HPV56 L2	11	151
HPV56 L2	10	357	HPV56 L2	10	221
HPV56 L2	11	357	HPV56 L2	9	326
HPV56 L2	8	169	HPV56 L2	10	180
HPV56 L2	8	331	HPV56 L2	9	44
HPV56 L2	10	331	HPV56 L2	8	432
HPV56 L2	8	194	HPV56 L2	11	432
HPV56 L2	9	194	HPV56 L2	9	305
HPV56 L2	8	129	HPV56 L2	11	305
HPV56 L2	9	129	HPV56 L2	11	157
HPV56 L2	11	129	HPV56 L2	8	143
HPV56 L2	8	333	HPV56 L2	10	143
HPV56 L2	9	36	HPV56 L2	8	130
HPV56 L2	10	36	HPV56 L2	10	130
HPV56 L2	10	398	HPV56 L2	11	130

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 L2	8	279	HPV56 L2	10	73
HPV56 L2	10	279	HPV56 L2	8	420
HPV56 L2	11	279	HPV56 L2	11	420
HPV56 L2	11	81	HPV56 L2	10	171
HPV56 L2	9	407	HPV56 L2	11	171
HPV56 L2	10	103	HPV56 L2	8	98
HPV56 L2	11	103	HPV56 L2	9	98
HPV56 L2	9	91	HPV56 L2	10	98
HPV56 L2	8	229	HPV56 L2	10	410
HPV56 L2	9	229	HPV56 L2	11	185
HPV56 L2	10	302	HPV56 L2	8	145
HPV56 L2	8	34	HPV56 L2	11	145
HPV56 L2	11	34	HPV56 L2	8	166
HPV56 L2	8	43	HPV56 L2	11	166
HPV56 L2	10	43	HPV56 L2	10	328
HPV56 L2	10	22	HPV56 L2	11	328
HPV56 L2	11	22	HPV56 L2	8	16
HPV56 L2	8	19	HPV56 L2	11	16
HPV56 L2	8	38	HPV56 L2	9	232
HPV56 L2	8	235	HPV56 L2	11	232
HPV56 L2	8	263	HPV56 L2	10	198
HPV56 L2	9	263	HPV56 L2	9	172
HPV56 L2	9	181	HPV56 L2	10	172
HPV56 L2	11	337	HPV56 L2	11	172
HPV56 L2	8	45	HPV56 L2	8	306
HPV56 L2	8	106	HPV56 L2	10	306
HPV56 L2	8	248	HPV56 L2	8	233
HPV56 L2	11	197	HPV56 L2	10	233
HPV56 L2	9	353	HPV56 L2	10	11
HPV56 L2	8	179	HPV56 L2	8	5
HPV56 L2	11	179	HPV56 L2	10	5
HPV56 L2	9	278	HPV56 L2	11	5
HPV56 L2	11	278	HPV56 L2	11	220
HPV56 L2	9	385	HPV56 L2	11	452
HPV56 L2	9	388	HPV56 L2	8	298
HPV56 L2	8	239	HPV56 L2	10	298
HPV56 L2	9	239	HPV56 L2	10	225
HPV56 L2	10	239	HPV56 L2	8	316
HPV56 L2	11	239	HPV56 L2	11	316
HPV56 L2	10	285	HPV56 L2	10	250
HPV56 L2	8	86	HPV56 L2	10	370
HPV56 L2	11	86	HPV56 L2	11	370
HPV56 L2	11	245	HPV56 L2	9	339
HPV56 L2	9	138	HPV56 L2	8	13
HPV56 L2	8	325	HPV56 L2	11	13
HPV56 L2	10	325	HPV56 L2	11	102
HPV56 L2	10	374	HPV56 L2	9	262
HPV56 L2	8	214	HPV56 L2	10	262
HPV56 L2	9	214	HPV56 L2	9	49
HPV56 L2	10	214	HPV56 L2	11	49
HPV56 L2	10	90	HPV56 L2	9	363
HPV56 L2	8	254	HPV56 L2	11	363
HPV56 L2	10	254	HPV56 L2	8	154
HPV56 L2	11	254	HPV56 L2	10	154
HPV56 L2	8	160	HPV56 L2	9	79
HPV56 L2	9	160	HPV56 L2	9	378
HPV56 L2	11	160	HPV56 L2	10	378
HPV56 L2	8	392	HPV56 L2	10	212
HPV56 L2	8	73	HPV56 L2	11	212
HPV56 L2	9	73	HPV56 L2	8	134

Table VIII  
HLA-A2 Supermotif-Bearing Peptides

HPV56 L2	10	134	HPV56 L2	10	71
HPV56 L2	11	134	HPV56 L2	11	71
HPV56 L2	8	148			
HPV56 L2	10	148			
HPV56 L2	11	148			
HPV56 L2	9	365			
HPV56 L2	11	365			
HPV56 L2	9	95			
HPV56 L2	10	95			
HPV56 L2	11	95			
HPV56 L2	9	111			
HPV56 L2	10	390			
HPV56 L2	8	304			
HPV56 L2	10	304			
HPV56 L2	8	80			
HPV56 L2	8	379			
HPV56 L2	9	379			
HPV56 L2	11	379			
HPV56 L2	8	105			
HPV56 L2	9	105			
HPV56 L2	9	247			
HPV56 L2	9	15			
HPV56 L2	8	386			
HPV56 L2	11	386			
HPV56 L2	8	136			
HPV56 L2	9	136			
HPV56 L2	11	136			
HPV56 L2	9	135			
HPV56 L2	10	135			
HPV56 L2	9	149			
HPV56 L2	10	149			
HPV56 L2	11	2			
HPV56 L2	9	280			
HPV56 L2	10	280			
HPV56 L2	8	270			
HPV56 L2	10	270			
HPV56 L2	11	270			
HPV56 L2	8	366			
HPV56 L2	10	366			
HPV56 L2	10	167			
HPV56 L2	8	112			
HPV56 L2	10	140			
HPV56 L2	11	140			
HPV56 L2	8	408			
HPV56 L2	8	389			
HPV56 L2	11	389			
HPV56 L2	11	236			
HPV56 L2	9	104			
HPV56 L2	10	104			
HPV56 L2	8	84			
HPV56 L2	9	84			
HPV56 L2	10	84			
HPV56 L2	8	92			
HPV56 L2	9	31			
HPV56 L2	11	31			
HPV56 L2	11	40			
HPV56 L2	8	351			
HPV56 L2	11	351			
HPV56 L2	8	431			
HPV56 L2	9	431			

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

2	3	4	E1	10	407
L1	9	234	E4	8	61
L2	10	329	E4	9	61
L2	11	329	L2	10	14
E5	8	9	L2	11	14
E5	9	9	E1	9	525
E5	10	9	E1	11	525
E1	8	318	E6	10	10
E1	10	318	E6	8	86
L1	8	489	E1	11	77
L1	10	489	E1	10	101
L2	9	340	L1	9	43
L2	11	340	E2	10	231
E4	8	2	L1	8	483
E4	10	2	E1	8	601
E2	8	3	E6	11	64
L2	8	286	E1	11	234
L2	9	286	E2	9	124
E2	8	72	E2	10	124
E2	11	72	L1	9	341
L2	10	112	L1	11	341
L2	11	112	E1	11	406
E1	11	112	E1	10	473
L2	8	140	E6	8	67
L2	11	140	E6	9	137
L1	8	420	E2	9	296
E1	8	475	E2	8	35
E1	9	22	E2	9	35
E1	11	22	E1	8	488
E2	10	250	E1	11	488
E1	8	65	L1	9	153
E1	10	65	E2	8	11
E4	9	14	E7	9	71
E4	11	14	E1	9	14
L2	8	228	E1	10	14
L2	11	228	E1	11	14
L1	11	81	L1	8	171
L2	9	421	E6	8	131
L2	10	421	E2	8	252
E1	10	554	E6	8	31
E1	11	554	E6	9	31
E6	11	37	E6	10	31
E5	8	79	E6	11	31
E5	9	79	E1	9	640
E5	11	79	E1	10	640
E1	9	319	E4	10	64
L1	9	203	E4	11	64
L2	9	327	E2	8	9
E1	10	63	E2	10	9
L2	8	341	E2	8	153
L2	10	341	E1	10	516
L1	8	312	E1	11	516
L1	10	300	E1	8	524
E4	9	3	E1	10	524
E4	11	3	E2	11	230
E1	10	381	L1	9	24
E2	11	217	E1	8	369
L1	9	22	E1	9	369
L1	11	22	E1	8	170
E1	11	296	E1	10	170

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L2	9	278	E1	8	71
L2	10	278	E1	9	71
L2	11	278	E1	9	178
E6	11	96	E2	8	174
L2	9	356	L2	9	274
L2	10	356	E1	10	250
E7	8	75	E1	8	143
E7	9	75	E2	9	2
E7	10	75	E1	8	21
L2	8	322	E1	10	21
L2	9	322	E2	8	66
L2	9	404	E2	10	66
L2	11	404	L2	8	173
E1	11	570	L2	10	173
E7	8	88	E1	10	336
E7	11	88	E1	11	336
L2	11	347	E1	11	180
L2	10	396	E1	11	62
L2	11	396	L1	11	299
E1	11	222	E1	11	100
E2	10	313	L2	8	332
L1	8	366	L2	9	332
L1	11	366	L2	10	332
E7	8	14	L2	8	192
E7	10	14	L2	9	192
L1	9	208	E1	8	105
L1	11	208	E1	9	105
E1	11	46	E1	11	105
L1	9	195	L2	11	120
L1	10	195	E6	10	42
L2	9	42	E1	8	197
L2	11	42	E1	10	197
E6	9	14	E1	11	197
E6	11	14	E2	8	17
L1	10	455	E2	10	17
L1	11	455	L2	8	334
E2	8	141	E2	9	74
E2	11	141	E2	10	74
L1	10	198	E1	11	417
E1	9	481	E1	11	360
E1	11	481	E7	11	27
E1	10	73	E2	9	341
L1	8	331	E2	10	341
L1	9	331	E7	10	73
L1	10	331	E7	11	73
L2	10	369	E6	9	92
L2	11	369	E6	10	92
E1	8	534	E6	11	92
L1	10	411	E2	9	96
L1	11	411	L2	8	135
L2	10	30	L2	10	135
L2	11	30	E4	8	75
E6	8	99	E4	9	75
L1	9	215	E4	10	75
L1	10	215	E4	11	75
L2	11	258	E2	8	185
L2	8	143	E2	9	185
L2	9	143	E7	10	39
L2	10	143	E1	8	141
E2	11	136	E1	10	141

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E1	9	39	L2	10	129
E1	10	39	L2	11	198
E6	8	113	E2	11	171
E6	9	113	E5	8	28
E6	10	113	E5	10	28
L1	9	262	L1	8	326
L1	10	262	L1	11	326
L1	11	262	E5	8	24
L1	8	103	E5	9	24
L1	10	103	E5	10	24
E2	8	118	E5	11	24
E2	11	118	L1	8	202
L1	8	381	L1	10	202
L1	9	381	L2	9	117
E7	9	78	L2	10	314
E7	10	78	L1	8	318
E2	8	205	L1	10	318
E2	9	205	L1	11	318
E2	11	205	L2	8	58
E5	8	2	E1	9	243
E5	9	2	E1	11	194
E5	11	2	E1	8	326
L1	11	206	E1	9	326
L1	8	80	E2	11	156
L1	9	252	E1	9	350
L2	9	442	E1	10	350
L2	11	442	L1	10	101
E1	8	50	L2	10	56
L1	8	369	E7	8	22
L1	9	369	E7	9	22
L1	10	369	E1	8	217
E1	10	454	E2	9	50
L2	9	428	E2	10	50
E5	8	40	L1	9	400
E5	9	40	L1	10	400
E5	10	40	L2	8	292
E5	11	40	L2	10	223
E1	10	494	L1	9	144
L1	8	119	L1	11	144
E1	8	393	E2	8	55
E1	11	393	E2	10	55
E2	10	346	E1	8	273
E2	11	346	L1	8	136
L2	8	398	L1	10	136
L2	9	398	E1	10	162
E1	10	446	E2	8	162
L1	9	245	E2	11	162
E1	9	457	L1	8	107
L2	8	239	L2	8	300
L2	9	239	E1	8	191
L2	10	239	E1	9	191
L2	11	276	L2	8	215
E1	11	18	L2	10	215
E2	8	290	L2	8	25
E1	8	252	L2	11	25
E1	10	252	E1	10	6
L1	8	371	L2	9	64
L1	10	371	L2	11	64
L2	8	129	E1	8	436
L2	9	129	E1	9	436

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L2	10	60	L2	11	149
E1	11	145	L1	10	361
E7	9	85	E2	8	29
E7	11	85	E1	10	502
L1	10	407	E7	8	5
L2	8	413	E7	9	5
L2	9	413	E7	11	5
L2	10	413	E5	8	8
E1	8	467	E5	9	8
E1	9	467	E5	10	8
E1	10	467	E5	11	8
E1	11	467	L2	11	40
E1	9	147	E1	9	98
L2	8	75	E5	8	22
L2	9	75	E5	10	22
L1	10	222	E5	11	22
E5	8	11	E1	9	474
E5	10	11	L2	8	326
E5	11	11	L2	10	326
E4	8	90	L2	8	287
E4	10	90	E5	9	21
E1	10	316	E5	11	21
L2	9	51	L1	9	272
L2	11	51	L1	11	272
L1	10	111	E5	11	31
L1	10	478	L2	9	113
E2	9	242	L2	10	113
E2	10	242	L2	8	279
L1	8	113	L2	9	279
E1	9	415	L2	10	279
E1	8	189	E6	10	97
E1	10	189	L2	10	141
E1	11	189	L2	11	141
L1	8	35	E1	10	195
L1	9	35	L2	8	178
L1	10	35	L2	9	178
E2	10	53	E5	10	32
L2	8	177	E5	11	32
L2	9	177	L2	9	44
L2	10	177	E5	9	17
E6	9	119	E5	10	17
E6	11	119	E6	8	120
E1	8	264	E6	10	120
E1	11	264	L1	9	191
E4	10	59	E1	8	313
E4	11	59	E1	10	265
E2	8	78	E1	11	265
E2	9	310	L2	8	405
E1	10	449	L2	10	405
E2	11	274	L2	8	429
L2	9	230	L2	11	429
L2	11	230	E1	8	56
E1	8	176	E1	10	56
E1	11	176	E1	11	56
E6	8	25	E1	10	571
L1	8	387	L1	8	376
E4	10	26	L1	9	376
L2	8	306	L1	11	376
L2	10	306	E1	11	341
E1	8	581	L2	11	82

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L2	9	185	L1	11	148
L2	11	185	E2	10	182
L2	8	131	E2	11	182
L2	10	131	E1	11	424
L2	11	131	E2	10	84
L1	10	187	E2	11	84
L1	11	187	E6	9	18
E4	9	83	E6	10	18
E4	10	83	E4	8	42
E4	11	83	E1	8	231
E7	10	89	E1	9	231
E7	11	11	E1	10	231
L2	10	121	E2	11	115
L2	11	121	E2	8	165
E1	10	443	E2	11	165
E2	11	287	E1	8	518
E1	8	23	E1	9	518
E1	10	23	L2	8	34
L2	9	104	L2	11	34
L2	10	104	E2	8	147
L2	11	104	E2	11	147
E5	8	34	E6	9	116
E5	9	34	E1	9	121
E5	11	34	E6	11	52
E5	8	41	E1	8	283
E5	9	41	E1	9	283
E5	10	41	E1	10	283
E5	11	41	E2	10	63
E2	10	45	E2	11	63
E1	11	553	L1	9	61
E2	8	325	L1	9	19
E2	9	325	L1	10	19
E2	10	325	L1	11	71
E2	11	325	E1	8	351
L1	9	311	E1	9	351
E6	10	123	E1	11	351
L1	11	486	E4	10	13
E1	11	433	E4	9	60
E6	11	73	E4	10	60
E2	10	351	L1	10	42
E1	8	312	L2	8	107
E1	9	312	L2	10	107
E2	9	359	E1	9	255
E2	10	359	E1	11	255
E1	8	254	E1	11	307
E1	10	254	L1	10	271
E6	11	128	E1	8	557
E1	9	357	E1	9	557
L2	10	22	E1	10	557
L2	11	22	E5	8	16
E1	9	114	E5	10	16
E1	8	420	E5	11	16
L1	8	169	E6	11	101
L1	10	169	E1	10	223
E6	8	94	E1	11	223
E6	9	94	L2	8	179
E7	8	49	E1	8	491
E2	8	47	E1	9	491
E2	10	47	E1	10	491
L1	8	148	E2	9	314

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L1	11	186	L1	11	465
L2	8	246	L1	8	209
E5	9	33	L1	10	209
E5	10	33	E1	11	132
L1	11	41	E1	8	358
E1	11	521	L2	9	23
E1	9	540	L2	10	23
E2	10	15	E4	11	81
E1	11	208	E6	9	121
E7	8	83	E1	9	555
E7	11	83	E1	10	555
E4	8	8	E1	11	555
E1	9	198	E5	8	49
E1	10	198	E5	9	49
E1	11	198	E5	11	49
E2	8	82	E5	10	70
E7	8	82	E5	11	70
E7	9	82	E1	8	268
E5	11	59	E1	9	268
E5	8	55	E1	10	268
E5	9	55	E1	11	268
E5	11	55	E1	8	115
E5	9	51	L2	8	372
E5	10	51	L2	9	372
E5	11	51	E6	10	38
E1	9	298	E5	9	61
E1	10	298	E5	10	61
E1	11	298	E5	11	61
E5	11	69	L2	8	338
E5	10	60	L2	11	338
E5	11	60	E5	8	73
E5	8	72	E5	10	73
E5	9	72	E1	8	514
E5	11	72	E1	9	514
E1	9	276	E7	9	29
E1	9	563	E5	9	47
E1	10	563	E5	10	47
E5	8	56	E5	11	47
E5	10	56	E1	8	277
E2	8	42	L1	8	295
E2	10	42	E1	8	564
E5	8	52	E1	9	564
E5	9	52	E7	8	67
E5	10	52	E7	10	67
E5	11	52	L1	8	95
E2	8	94	L1	10	95
E2	11	94	L1	10	233
E5	8	65	E4	8	1
E5	9	65	E4	9	1
E5	10	65	E4	11	1
L1	10	367	L2	8	87
L1	11	367	L2	11	87
E6	11	27	L1	11	383
L1	11	309	E1	8	306
E1	9	511	E1	10	398
E1	10	511	E1	11	398
E1	11	511	E2	8	75
E7	9	15	E2	9	75
L2	8	399	E2	11	75
L2	11	399	E2	9	56

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L1	8	338	L1	9	142
L1	9	338	L1	11	142
E2	10	151	E7	9	64
E1	10	47	E7	11	64
E1	11	47	E2	8	348
L1	8	196	E2	9	348
L1	9	196	L2	10	237
E1	10	19	L2	11	237
L1	8	154	L2	8	124
E1	11	274	L2	9	124
E1	10	361	L2	9	285
L2	8	115	L2	10	285
L2	11	115	L2	8	139
E2	9	71	L2	9	139
E2	8	249	E5	9	78
E2	11	249	E5	10	78
E6	8	36	E2	8	216
E1	11	607	E2	8	196
L2	8	270	E2	11	196
L2	10	270	L1	8	482
L2	11	270	L1	9	482
E1	10	389	L2	9	325
E6	8	5	L2	11	325
E6	9	5	L1	8	217
E1	9	329	L2	9	189
E1	9	600	L2	11	189
E1	8	270	E1	8	94
E1	9	270	E1	9	94
E1	10	270	E1	11	442
E1	11	270	E6	8	110
E1	8	451	E6	11	110
L1	11	31	E4	10	34
E1	8	300	L1	8	183
E1	9	300	L1	9	183
L2	8	366	L2	8	451
L2	10	366	L2	9	451
E1	9	55	L1	8	458
E1	11	55	L2	10	73
L1	10	445	L2	11	73
E1	8	539	E7	8	47
E1	10	539	E7	9	47
L1	9	438	E7	10	47
E6	9	21	E1	8	562
E1	11	397	E1	10	562
L1	8	337	E1	11	562
L1	9	337	E5	8	64
L1	10	337	E5	9	64
L1	8	323	E5	10	64
L1	10	323	E5	11	64
L1	11	323	E1	8	258
E1	10	304	E1	11	258
E6	9	75	L2	9	389
L2	8	38	L2	11	389
E1	11	96	L2	9	337
E2	9	127	E1	8	513
E2	11	127	E1	9	513
L1	8	289	E1	10	513
L2	9	385	L2	8	86
L2	10	377	L2	9	86
L2	11	377	L2	9	411

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

L2	10	411	L1	9	419
L2	11	411	E1	9	399
E1	10	545	E1	10	399
E1	11	545	E1	11	399
L2	11	168	E1	9	64
L2	11	243	E1	11	64
L2	8	423	E5	9	7
E2	10	354	E5	10	7
L2	8	183	E5	11	7
L2	11	183	L2	8	43
E4	8	67	L2	10	43
E4	10	67	E6	10	28
E4	11	67	E6	11	28
E1	9	182	E1	10	31
E1	11	182	E6	8	15
L2	9	359	E6	10	15
L2	10	207	L1	8	151
L2	11	207	L1	11	151
L1	9	90	L1	9	372
L1	11	90	L1	11	372
L2	9	96	L1	9	301
L2	10	96	L1	9	324
E2	9	258	L1	10	324
E2	10	258	E2	11	14
E2	11	258	E7	9	81
L2	8	171	E7	10	81
L2	9	171	E7	10	28
L2	10	171	L2	8	16
L2	11	426	L2	9	16
L2	8	158	L2	11	16
L2	9	158	E4	8	4
E7	10	20	E4	10	4
E7	11	20	E4	11	4
E5	8	19	L1	11	232
E5	11	19	L1	11	250
L1	8	266	E2	9	48
L2	11	212	E2	11	48
L1	10	175	E2	8	76
E5	8	5	E2	10	76
E5	9	5	E1	9	305
E5	11	5	E2	9	344
L1	8	16	E7	8	80
L1	10	16	E7	10	80
E2	10	222	E7	11	80
E2	11	222	E2	8	244
L2	10	418	E2	10	244
L2	8	363	E2	11	244
L2	10	363	L2	8	19
L2	11	363	L1	9	210
L2	8	91	L1	11	210
L2	8	252	E2	8	233
L2	10	252	E2	11	233
L2	8	328	L1	10	149
L2	11	328	E2	10	218
E1	9	636	E1	8	344
E1	10	636	E1	9	344
E1	11	636	L2	8	231
L1	8	177	L2	10	231
L1	10	177	L2	8	233
L1	11	177	L2	10	233

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E2	8	57	L2	8	111
E2	11	57	L2	11	111
E1	8	391	L2	11	77
E1	10	391	E6	8	3
L1	9	259	E6	9	3
L2	8	227	E6	10	3
L2	9	227	E6	11	3
L1	10	53	L2	10	181
L2	8	5	L2	8	13
L2	10	5	L2	11	13
L2	11	5	E6	8	9
L2	10	11	E6	11	9
L2	8	298	E1	8	547
L2	10	298	E1	9	547
L2	8	316	E1	10	547
L2	11	316	E1	11	547
L2	9	449	L2	9	153
L2	10	449	L2	9	267
L2	11	449	L2	11	267
E2	9	7	E5	8	30
E2	10	7	L1	8	50
E1	8	109	L1	9	50
L1	11	241	L1	10	50
E1	8	125	E2	9	207
E1	9	125	E2	11	207
L2	8	281	L2	8	392
L2	9	245	L1	10	474
E2	9	303	L1	11	474
E1	8	616	E1	9	247
E7	9	66	E1	10	247
E7	11	66	L1	8	375
L1	9	94	L1	9	375
L1	11	94	L1	10	375
E1	9	69	L2	8	81
E1	10	69	L2	10	103
E1	11	69	L2	11	103
E1	10	117	L1	11	285
E2	8	343	L1	10	86
E2	10	343	L1	11	86
E1	9	343	L2	9	49
E1	10	343	L2	11	49
E1	9	324	L2	8	106
E1	10	324	L2	9	106
E1	11	324	L2	11	106
L1	8	476	E1	9	490
L1	9	476	E1	10	490
L2	9	68	E1	11	490
L2	11	68	E2	9	81
E1	9	293	E4	8	80
L1	8	29	L1	9	294
L1	8	279	E1	9	260
L1	10	279	E1	10	260
L2	8	221	E2	10	88
L2	9	221	E6	10	23
L1	11	140	L2	10	304
L1	9	488	E2	8	150
L1	11	488	E2	11	150
L1	8	379	E1	10	635
L1	10	379	E1	11	635
L1	11	379	L1	10	418

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E1	8	354	E1	10	97
E1	9	354	E6	8	12
E7	10	45	E6	11	12
E7	11	45	E2	9	355
E2	8	23	E2	11	355
E2	9	23	L2	10	184
E4	8	86	L2	8	130
E4	9	86	L2	9	130
E4	10	86	L2	11	130
E5	8	14	E4	10	82
E5	9	14	E4	11	82
E5	10	14	E1	8	294
L1	8	335	L1	8	339
L1	10	335	L1	11	339
L1	11	335	E7	8	86
L2	8	241	E7	10	86
L2	8	210	E4	9	68
E2	8	220	E4	10	68
E2	9	226	E4	11	68
E6	10	7	L1	9	408
E2	8	201	L1	11	270
E2	9	211	E1	8	556
E2	11	211	E1	9	556
E1	8	289	E1	10	556
E1	9	289	E1	11	556
E1	10	289	E5	8	15
E1	11	289	E5	9	15
E2	8	190	E5	11	15
E2	10	190	E7	9	7
E1	11	331	E5	8	50
L1	11	7	E5	10	50
E2	10	317	E5	11	50
L1	8	281	E1	10	297
L1	10	281	E1	11	297
L1	8	189	E5	9	71
L1	9	189	E5	10	71
L1	11	189	E2	9	93
L1	10	392	L1	8	377
E2	10	40	L1	10	377
E5	8	45	E1	9	408
E5	9	45	E1	11	408
E5	11	45	E2	8	128
L2	9	260	E2	10	128
E1	8	185	E2	8	227
E1	9	185	E2	10	203
E1	11	185	E2	11	203
E2	9	198	L2	8	360
E2	11	198	L2	11	360
L2	9	164	E1	11	30
L2	11	164	L1	9	150
L2	8	145	L2	9	15
L2	10	145	L2	10	15
L1	9	343	E1	8	526
E6	8	40	E1	10	526
E1	8	192	L2	9	166
L2	8	420	L2	8	380
L2	10	420	L2	9	380
L2	11	420	L2	11	380
L2	11	409	L1	9	92
L2	9	216	L1	11	92

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E1	8	148	L2	10	378
E6	9	39	L2	11	378
E1	8	232	E4	8	92
E1	9	232	L1	9	328
L1	9	223	L1	11	328
L1	11	223	L1	10	8
E6	8	142	E1	9	317
E6	9	11	E1	11	317
L2	8	137	L2	10	339
L2	10	137	E1	10	239
L2	11	137	E1	8	519
E5	8	62	L2	8	97
E5	9	62	L2	9	97
E5	10	62	L2	11	97
E5	11	62	E1	8	291
E2	11	202	E1	9	291
L1	8	91	E1	11	291
L1	10	91	L1	8	21
L1	8	332	L1	10	21
L1	9	332	E2	8	192
L1	11	332	E2	11	192
L2	9	151	E1	9	333
L2	11	151	E1	10	333
E4	8	77	E5	10	20
E4	9	77	L2	9	31
E4	11	77	L2	10	31
E4	8	84	L2	11	31
E4	9	84	L1	8	190
E4	10	84	L1	10	190
E4	11	84	L2	10	199
E5	9	12	E7	10	12
E5	10	12	L1	9	393
E5	11	12	E6	10	53
L2	9	136	E6	11	53
L2	11	136	E4	8	7
L2	10	150	E4	9	7
E4	8	76	E1	10	275
E4	9	76	E2	9	41
E4	10	76	E2	11	41
E6	11	87	L1	9	73
L2	8	386	L1	10	73
E4	9	91	E5	8	48
E2	8	212	E5	9	48
E2	10	212	E5	10	48
E1	8	290	E5	8	46
E1	9	290	E5	10	46
E1	10	290	E5	11	46
E6	10	88	L1	8	382
E6	11	88	L1	9	176
E4	9	73	L1	11	176
E4	10	73	E7	8	69
E4	11	73	E7	11	69
E2	10	116	E1	9	79
E2	9	191	E2	8	139
E1	8	345	E2	10	139
E1	10	332	E1	9	444
E1	11	332	E2	10	288
L2	11	387	L2	8	261
E1	10	78	L2	11	261
L2	9	378	E1	9	24

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E5	8	6	E1	11	464
E5	10	6	E5	8	58
E5	11	6	E1	8	510
E7	8	79	E1	10	510
E7	9	79	E1	11	510
E7	11	79	E1	8	267
E2	8	243	E1	9	267
E2	9	243	E1	10	267
E2	11	243	E1	11	267
E2	9	232	E2	9	134
L2	9	232	E2	10	92
L2	11	232	E6	8	141
E1	9	362	E6	9	141
L2	9	419	E4	10	72
L2	11	419	E4	11	72
E7	11	55	E2	8	145
L2	9	234	E2	10	145
E7	8	6	E1	8	237
E7	10	6	E6	8	61
L2	9	364	L2	9	349
L2	10	364	E6	8	82
L2	8	165	E1	8	262
L2	10	165	E1	10	262
L2	8	379	E1	11	380
L2	9	379	E6	9	85
L2	10	379	E6	8	46
L1	10	27	E6	9	46
L2	9	146	E5	9	81
E1	8	565	L1	9	385
L1	8	344	L1	10	385
L1	10	327	E4	11	12
E1	11	238	E6	10	105
L1	8	20	E1	10	86
L1	9	20	L2	9	435
L1	11	20	E1	8	579
E5	8	25	E1	10	579
E5	9	25	E5	8	54
E5	10	25	E5	9	54
E5	11	25	E5	10	54
L1	8	329	L2	8	371
L1	10	329	L2	9	371
L1	11	329	L2	10	371
E2	8	349	E1	9	532
L1	10	72	E1	10	532
L1	11	72	L1	10	358
E2	10	58	E1	11	536
E5	8	3	L2	9	18
E5	10	3	L1	8	65
E5	11	3	L1	9	65
E7	9	68	L1	10	65
E2	8	132	E2	8	159
E2	11	132	E2	11	159
L1	8	97	L1	10	350
E2	11	321	E2	8	214
E1	9	426	E2	10	214
E5	9	36	E5	8	43
E5	11	36	E5	9	43
E1	8	340	E5	10	43
E1	8	530	E5	11	43
E1	11	530	E1	8	402

Table VIIIA HPV 6A  
HLA-A2 Supermotif Peptides

E4	8	6
E4	9	6
E4	10	6
E2	8	168
L1	9	287
L1	10	287
L2	8	71
L1	8	10
L1	11	10
E2	9	138
E2	11	138
L1	8	415
E1	8	91
E1	9	91
E1	11	91
L1	11	26
E2	9	131

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>		E4	8	71
L1	9	234		E4	9	71
L2	10	329		L2	10	14
L2	11	329		L2	11	14
E5A	9	9		E1	9	525
E5A	10	9		E1	11	525
E1	8	318		E6	10	10
E1	10	318		E6	8	86
L1	8	489		E1	11	77
L1	10	489		E1	10	101
L2	9	340		L1	9	43
L2	11	340		E5B	8	36
E4	8	12		E2	10	231
E4	10	12		L1	8	483
E2	8	3		E1	8	601
L2	8	286		E6	11	64
L2	9	286		E5B	8	20
E2	8	72		E5B	10	20
E2	11	72		E5B	11	20
L2	10	112		E2	9	124
L2	11	112		E2	10	124
E1	11	112		L1	9	341
L2	8	140		L1	11	341
L2	11	140		E1	11	406
L1	8	420		E1	10	473
E1	8	475		E1	11	234
E1	9	22		E6	8	67
E1	11	22		E6	9	137
E2	10	250		E2	9	296
E1	8	65		E2	8	35
E1	10	65		E2	9	35
E4	9	24		E1	8	488
E4	11	24		E1	11	488
L2	8	228		L1	9	153
L2	11	228		E2	8	11
L1	11	81		E5B	8	5
L2	9	421		E5B	10	5
L2	10	421		E7	9	71
E1	10	554		E1	9	14
E1	11	554		E1	10	14
E6	11	37		E1	11	14
E5A	8	79		L1	8	171
E5A	9	79		E6	8	131
E5A	10	79		E2	8	252
E5A	11	79		E6	8	31
E1	9	319		E6	9	31
L1	9	203		E6	10	31
L2	9	327		E6	11	31
E1	10	63		E1	9	640
L2	8	341		E1	10	640
L2	10	341		E4	10	74
L1	8	312		E4	11	74
L1	10	300		E2	8	9
E4	9	13		E2	10	9
E4	11	13		E2	8	153
E1	10	381		E1	10	516
E2	11	217		E1	11	516
L1	9	22		E1	8	524
L1	11	22		E1	10	524
E1	11	296		E2	11	230
E1	10	407		L1	9	24

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E1	8	369	L2	10	143
E1	9	369	E2	8	348
E1	8	170	E2	9	348
E1	10	170	E2	9	136
L2	9	278	E2	11	136
L2	10	278	E1	8	71
L2	11	278	E1	9	71
E6	11	96	E1	9	178
E7	8	75	E2	8	174
E7	9	75	L2	9	274
E7	10	75	E1	10	250
L2	8	322	E1	8	143
L2	9	322	E2	9	2
L2	9	403	E1	8	21
L2	11	403	E1	10	21
E1	11	570	E2	8	66
L2	11	347	E2	10	66
L2	10	395	L2	8	173
L2	11	395	L2	10	173
E1	11	222	E1	10	336
E2	10	313	E1	11	336
L1	8	366	E1	11	180
L1	11	366	E1	11	62
E7	8	14	L1	11	299
E7	10	14	E1	11	100
L1	9	208	L2	8	332
L1	11	208	L2	9	332
E1	11	46	L2	10	332
L1	9	195	L2	8	192
L1	10	195	L2	9	192
L2	9	42	E1	8	105
L2	11	42	E1	9	105
E6	9	14	E1	11	105
E6	11	14	L2	11	120
L1	10	455	E6	10	42
L1	11	455	E1	8	197
L1	10	198	E1	10	197
E1	9	481	E1	11	197
E1	11	481	E2	8	17
E1	10	73	E2	10	17
L1	8	331	L2	8	334
L1	9	331	E2	9	74
L1	10	331	E2	10	74
E5B	8	11	E1	11	417
E5B	9	11	E1	11	360
E5B	11	11	E7	11	27
E2	9	143	E2	9	341
E2	10	143	E2	10	341
L2	10	369	E7	10	73
L2	11	369	E7	11	73
E1	8	534	E6	9	92
L1	10	411	E6	10	92
L1	11	411	E6	11	92
L2	10	30	E2	9	96
L2	11	30	L2	8	135
E6	8	99	L2	10	135
L1	9	215	E4	8	85
L1	10	215	E4	9	85
L2	11	258	E4	10	85
L2	8	143	E4	11	85
L2	9	143	E2	8	185

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E2	9	185	E1	9	457
E7	10	39	L2	11	276
E1	8	141	E1	11	18
E1	10	141	E2	8	290
E1	9	39	E1	8	252
E1	10	39	E1	10	252
E6	8	113	L1	8	371
E6	9	113	L1	10	371
E6	10	113	L2	8	129
L1	9	262	L2	9	129
L1	10	262	L2	10	129
L1	11	262	E2	11	171
L1	8	103	E5A	8	28
L1	10	103	E5A	10	28
E2	8	118	L1	8	326
E2	11	118	L1	11	326
L1	8	381	E5A	8	24
L1	9	381	E5A	9	24
E7	9	78	E5A	10	24
E7	10	78	E5A	11	24
E2	8	205	L2	11	198
E2	9	205	L1	8	202
E2	11	205	L1	10	202
E5A	8	2	L2	9	117
E5A	9	2	E4	9	2
E5A	11	2	E4	10	2
L1	11	206	E4	11	2
L1	8	80	L2	10	314
L1	9	252	L1	8	318
L2	9	442	L1	10	318
L2	11	442	L1	11	318
E1	8	50	L2	8	58
L1	8	369	E1	9	243
L1	9	369	E1	11	194
L1	10	369	L2	9	356
E5A	8	16	L2	10	356
E5A	10	16	E1	8	326
E5A	11	16	E1	9	326
E1	10	454	E2	11	156
L2	9	428	E1	9	350
E5B	8	22	E1	10	350
E5B	9	22	L1	10	101
E5B	10	22	L2	10	56
E5B	11	22	E7	8	22
E5A	8	40	E7	9	22
E5A	9	40	E5B	9	28
E5A	10	40	E5B	10	28
E5A	11	40	E1	8	217
E2	10	346	E2	9	50
E2	11	346	E2	10	50
E1	10	494	L1	9	400
L1	8	119	L1	10	400
E1	8	393	L2	8	292
E1	11	393	E5B	9	15
L2	8	397	E5B	10	15
L2	9	397	L2	10	223
E1	10	446	L1	9	144
L1	9	245	L1	11	144
L2	8	239	E5B	8	25
L2	9	239	E2	8	55
L2	10	239	E2	10	55

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E1	8	273	E2	8	78
L1	8	136	E2	9	310
L1	10	136	E1	10	449
E1	10	162	E1	11	449
E2	8	162	E2	11	274
E2	11	162	L2	9	230
L1	8	107	L2	11	230
L2	8	300	E1	8	176
E1	8	191	E1	11	176
E1	9	191	E6	8	25
L2	8	215	L1	8	387
L2	10	215	E4	10	36
L2	8	25	L2	8	306
L2	11	25	L2	10	306
E1	10	6	E1	8	581
L2	9	64	L2	11	149
L2	11	64	L1	10	361
E1	8	436	E2	8	29
E1	9	436	E1	10	502
L2	10	60	E7	8	5
E1	11	145	E7	9	5
L1	10	407	E7	11	5
E7	9	85	E5A	8	8
E7	11	85	E5A	10	8
L2	8	412	E5A	11	8
L2	10	412	L2	11	40
L2	11	412	E1	9	98
E1	8	467	E5A	8	22
E1	9	467	E5A	10	22
E1	10	467	E5A	11	22
E1	11	467	E1	9	474
E1	9	147	L2	8	326
L1	10	222	L2	10	326
E5A	8	11	L2	8	287
E5A	10	11	E5A	9	21
E5A	11	11	E5A	11	21
E4	8	100	L1	9	272
E4	10	100	L1	11	272
E1	10	316	E5A	11	31
L2	9	51	L2	9	113
L2	11	51	L2	10	113
L1	10	111	L2	8	279
L1	10	478	L2	9	279
E2	9	242	L2	10	279
E2	10	242	E6	10	97
L1	8	113	L2	10	141
E1	9	415	L2	11	141
E1	8	189	E1	10	195
E1	10	189	L2	8	178
E1	11	189	L2	9	178
L1	8	35	E5A	10	32
L1	9	35	E5A	11	32
L1	10	35	L2	9	44
E2	10	53	E5A	9	17
L2	8	177	E5A	10	17
L2	9	177	E6	8	120
L2	10	177	E6	10	120
E6	9	119	L1	9	191
E6	11	119	E1	8	313
E1	8	264	E1	10	265
E1	11	264	E1	11	265

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

L2	8	404	E1	9	357
L2	10	404	L2	10	22
L2	8	429	L2	11	22
L2	11	429	E1	9	114
E1	8	56	E1	8	420
E1	10	56	L1	8	169
E1	11	56	L1	10	169
E1	10	571	E6	8	94
L1	8	376	E6	9	94
L1	9	376	E7	8	49
L1	11	376	E2	8	47
E1	11	341	E2	10	47
L2	11	82	L1	8	148
L2	8	131	L1	11	148
L2	10	131	E1	11	424
L2	11	131	E6	9	18
L1	10	187	E6	10	18
L1	11	187	E4	8	52
E4	9	93	E1	8	231
E4	10	93	E1	9	231
E4	11	93	E1	10	231
E7	10	89	E2	11	115
E5B	8	23	E2	8	165
E5B	9	23	E2	11	165
E5B	10	23	E1	8	518
E7	11	11	E1	9	518
L2	10	121	L2	8	34
L2	11	121	L2	11	34
E1	10	443	E2	8	147
E2	11	287	E2	11	147
E1	8	23	E6	9	116
E1	10	23	E1	9	121
L2	9	104	E6	11	52
L2	10	104	E1	8	283
L2	11	104	E1	9	283
E5A	8	34	E1	10	283
E5A	9	34	E2	10	63
E5A	11	34	E2	11	63
E5A	8	41	L1	9	61
E5A	9	41	L1	9	19
E5A	10	41	L1	10	19
E5A	11	41	L1	11	71
E2	10	45	E1	8	351
E1	11	553	E1	9	351
E2	8	325	E1	11	351
E2	9	325	E4	10	23
E2	10	325	E4	9	70
E2	11	325	E4	10	70
L1	9	311	L1	10	42
E6	10	123	L2	8	107
L1	11	486	L2	10	107
E1	11	433	E1	9	255
E6	11	73	E1	11	255
E2	10	351	E1	11	307
E1	8	312	L1	10	271
E1	9	312	E1	8	557
E2	9	359	E1	9	557
E2	10	359	E1	10	557
E1	8	254	E6	11	101
E1	10	254	E1	10	223
E6	11	128	E1	11	223

Table VIII B HPV 6B  
HLA-A2 Supermotif Peptides

L2	8	179	L1	11	367
E1	8	491	E6	11	27
E1	9	491	L1	11	309
E1	10	491	E1	9	511
E2	9	314	E1	10	511
L1	11	186	E1	11	511
L2	8	246	E7	9	15
E5A	9	33	L2	8	398
E5A	10	33	L2	11	398
L1	11	41	L1	11	465
E5B	9	18	L1	8	209
E5B	10	18	L1	10	209
E1	11	521	L2	9	74
E1	9	540	L2	10	74
E2	10	15	E5B	10	3
E1	11	208	E1	11	132
E7	8	83	E1	8	358
E7	11	83	L2	9	23
E4	8	18	L2	10	23
E1	9	198	E4	11	91
E1	10	198	E6	9	121
E1	11	198	E1	8	458
E7	8	82	E1	11	458
E7	9	82	E1	9	555
E5B	8	29	E1	10	555
E5B	9	29	E1	11	555
E5A	11	59	E5A	8	49
E5A	8	55	E5A	9	49
E5A	9	55	E5A	11	49
E5A	11	55	E5A	10	70
E5A	9	51	E5A	11	70
E5A	10	51	E1	8	268
E5A	11	51	E1	9	268
E5B	8	30	E1	10	268
E1	9	298	E1	11	268
E1	10	298	E1	8	115
E1	11	298	L2	8	372
E2	8	82	L2	9	372
E5A	11	69	E6	10	38
E5A	10	60	E5A	9	61
E5A	11	60	E5A	10	61
E5A	8	72	E5A	11	61
E5A	9	72	L2	8	338
E5A	11	72	L2	11	338
E1	9	276	E5A	8	73
E1	9	563	E5A	10	73
E1	10	563	E1	8	514
E5A	8	56	E1	9	514
E5A	10	56	E7	9	29
E2	8	42	E1	8	277
E2	10	42	E5A	9	47
E5A	8	52	E5A	10	47
E5A	9	52	E5A	11	47
E5A	10	52	L1	8	295
E5A	11	52	E2	10	222
E2	8	94	E2	11	222
E2	11	94	E1	8	564
E5A	8	65	E1	9	564
E5A	9	65	E7	8	67
E5A	10	65	E7	10	67
L1	10	367	L1	8	95

Table VIIB HPV 6B  
HLA-A2 Supermotif Peptides

L1	10	95	E1	8	539
L1	10	233	E1	10	539
E4	8	11	L1	9	438
E4	9	11	E6	9	21
E4	11	11	E1	11	397
L2	8	87	L1	8	337
L2	11	87	L1	9	337
L1	11	383	L1	10	337
E5B	11	26	L1	8	323
E1	8	306	L1	10	323
E5B	11	2	L1	11	323
E1	10	398	E1	10	304
E1	11	398	E6	9	75
E2	8	75	L2	8	38
E2	9	75	E1	11	96
E2	11	75	E2	9	127
E2	9	56	E2	11	127
L1	8	338	E1	11	607
L1	9	338	L1	8	289
E2	10	151	L2	8	385
E1	10	47	L2	10	377
E1	11	47	L2	11	377
L1	8	196	L1	9	142
L1	9	196	L1	11	142
E1	10	19	E7	9	64
L1	8	154	E7	11	64
E1	11	274	L2	10	237
E1	10	361	L2	11	237
L2	8	115	L2	8	124
L2	11	115	L2	9	124
E2	9	71	L2	9	285
E2	8	249	L2	10	285
E2	11	249	L2	8	139
E6	8	36	L2	9	139
L2	8	270	L2	8	420
L2	10	270	L2	10	420
L2	11	270	L2	11	420
E1	10	389	E5A	9	78
E6	8	5	E5A	10	78
E6	9	5	E5A	11	78
E1	9	329	E2	8	216
E1	9	600	E2	8	196
E1	8	270	E2	11	196
E1	9	270	L1	8	482
E1	10	270	L1	9	482
E1	11	270	L2	9	325
E1	8	451	L2	11	325
E1	9	451	L1	8	217
L1	11	31	L2	9	189
E4	8	5	L2	11	189
E4	9	5	E1	8	94
E4	11	5	E1	9	94
E1	8	300	E1	11	442
E1	9	300	E4	10	69
L2	8	366	E4	11	69
L2	10	366	E6	8	110
E1	9	55	E6	11	110
E1	11	55	E4	10	44
E7	8	88	L1	8	183
E7	11	88	L1	9	183
L1	10	445	L2	8	451

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

L2	9	451	L1	10	175
L1	8	458	E5A	8	5
E7	8	47	E5A	9	5
E7	9	47	E5A	11	5
E7	10	47	L1	8	16
E1	8	562	L1	10	16
E1	10	562	L2	8	363
E1	11	562	L2	10	363
E5A	8	64	L2	11	363
E5A	9	64	L2	8	417
E5A	10	64	L2	11	417
E5A	11	64	L2	8	91
L2	10	73	L2	8	252
L2	11	73	L2	10	252
L2	8	389	L2	8	328
L2	10	389	L2	11	328
E1	8	258	E1	9	636
E1	11	258	E1	10	636
L2	9	337	E1	11	636
E1	8	513	L1	8	177
E1	9	513	L1	10	177
E1	10	513	L1	11	177
L2	8	86	L1	9	419
L2	9	86	E1	9	399
L2	9	410	E1	10	399
L2	10	410	E1	11	399
E1	10	545	E1	9	64
E1	11	545	E1	11	64
L2	11	168	E5A	9	7
L2	11	243	E5A	11	7
L2	8	423	L2	8	43
E2	10	354	L2	10	43
E4	8	77	E6	10	28
E4	10	77	E6	11	28
E4	11	77	E1	10	31
E1	9	182	E6	8	15
E1	11	182	E6	10	15
L2	9	359	L1	8	151
L2	10	207	L1	11	151
L2	11	207	L1	9	372
L1	9	90	L1	11	372
L1	11	90	L1	9	301
L2	8	183	L1	9	324
L2	11	183	L1	10	324
L2	9	96	E2	11	14
L2	10	96	E7	9	81
E2	9	258	E7	10	81
E2	10	258	E7	10	28
E2	11	258	L2	8	16
L2	8	171	L2	9	16
L2	9	171	L2	11	16
L2	10	171	E4	8	14
L2	11	426	E4	10	14
L2	8	158	E4	11	14
L2	9	158	L1	11	232
E7	10	20	L1	11	250
E7	11	20	E2	9	48
E5A	8	19	E2	11	48
E5A	11	19	E2	8	76
L1	8	266	E2	10	76
L2	11	212	E1	9	305

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E2	9	344	E2	10	343
E7	8	80	E1	9	343
E7	10	80	E1	10	343
E7	11	80	E2	10	84
E2	8	244	E2	11	84
E2	10	244	E1	9	324
E2	11	244	E1	10	324
L2	8	19	E1	11	324
L1	9	210	L1	8	476
L1	11	210	L1	9	476
E2	8	233	L2	9	68
E2	11	233	L2	11	68
L1	10	149	E1	9	293
L2	8	75	L1	8	29
L2	9	75	L1	8	279
E2	10	218	L1	10	279
E1	8	344	L2	8	221
E1	9	344	L2	9	221
L2	8	231	L1	11	140
L2	10	231	L1	9	488
L2	8	233	L1	11	488
L2	10	233	L1	8	379
E2	8	57	L1	10	379
E2	11	57	L1	11	379
E1	8	391	L2	8	111
E1	10	391	L2	11	111
L1	9	259	L2	11	77
L2	8	227	E6	8	3
L2	9	227	E6	9	3
L1	10	53	E6	10	3
L2	8	5	E6	11	3
L2	10	5	L2	10	181
L2	11	5	L2	8	13
L2	10	11	L2	11	13
E5B	9	35	E6	8	9
L2	8	298	E6	11	9
L2	10	298	E1	8	547
L2	8	316	E1	9	547
L2	11	316	E1	10	547
L2	9	449	E1	11	547
L2	10	449	L2	9	153
L2	11	449	L2	9	267
E2	9	7	L2	11	267
E2	10	7	E5A	8	30
E1	8	109	L1	8	50
L1	11	241	L1	9	50
E1	8	125	L1	10	50
E1	9	125	E2	9	207
L2	8	281	E2	11	207
L2	9	245	L1	10	474
E2	9	303	L1	11	474
E1	8	616	E1	9	247
E7	9	66	E1	10	247
E7	11	66	L1	8	375
L1	9	94	L1	9	375
L1	11	94	L1	10	375
E1	9	69	L2	8	81
E1	10	69	L2	10	103
E1	11	69	L2	11	103
E1	10	117	L1	11	285
E2	8	343	L1	10	86

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

L1	11	86	E2	10	40
L2	9	49	E5A	8	45
L2	11	49	E5A	9	45
L2	8	106	E5A	11	45
L2	9	106	L2	9	260
L2	11	106	E1	8	185
E1	9	490	E1	9	185
E1	10	490	E1	11	185
E1	11	490	E2	9	198
E2	9	81	E2	11	198
L2	8	391	L2	9	164
E4	8	90	L2	11	164
L1	9	294	L2	8	145
E1	9	260	L2	10	145
E1	10	260	L1	9	343
E2	10	88	E6	8	40
E6	10	23	E1	8	192
L2	10	304	L2	11	408
E2	8	150	L2	9	216
E2	11	150	E1	10	97
E1	10	635	E6	8	12
E1	11	635	E6	11	12
L1	10	418	E2	9	355
E1	8	354	E2	11	355
E1	9	354	L2	8	130
E7	10	45	L2	9	130
E7	11	45	L2	11	130
E2	8	23	E4	10	92
E2	9	23	E4	11	92
E5A	8	14	E1	8	294
E5A	9	14	L1	8	339
E5A	10	14	L1	11	339
E4	8	96	E4	9	78
E4	9	96	E4	10	78
E4	10	96	E4	11	78
E2	9	226	L1	9	408
E2	8	220	L1	11	270
L1	8	335	E1	8	556
L1	10	335	E1	9	556
L1	11	335	E1	10	556
L2	8	241	E1	11	556
L2	8	210	E7	9	7
E6	10	7	E5A	8	50
E2	8	201	E5A	10	50
E2	9	211	E5A	11	50
E2	11	211	E1	10	297
E1	8	289	E1	11	297
E1	9	289	E5A	9	71
E1	10	289	E5A	10	71
E1	11	289	E7	8	86
E2	8	190	E7	10	86
E2	10	190	E2	9	93
E1	11	331	L1	8	377
L1	11	7	L1	10	377
E2	10	317	E2	11	221
L1	8	281	E1	9	408
L1	10	281	E1	11	408
L1	8	189	E2	8	128
L1	9	189	E2	10	128
L1	11	189	ESB	11	59
L1	10	392	E2	10	203

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E2	11	203	E1	8	290
L2	8	360	E1	9	290
L2	11	360	E1	10	290
E1	11	30	E6	10	88
L1	9	150	E6	11	88
L2	9	15	E4	9	83
L2	10	15	E4	10	83
E1	8	526	E4	11	83
E1	10	526	E2	10	116
L2	9	166	E2	9	191
L2	8	380	E1	8	345
L2	9	380	E1	10	332
L2	11	380	E1	11	332
L1	9	92	L2	10	387
L1	11	92	E1	10	78
E1	8	148	L2	9	378
E6	9	39	L2	10	378
L1	9	223	L2	11	378
L1	11	223	L2	10	184
E1	8	232	E4	8	102
E1	9	232	L1	9	328
E6	8	142	L1	11	328
E5B	9	63	L1	10	8
E6	9	11	E1	9	317
L2	8	137	E1	11	317
L2	10	137	L2	10	339
L2	11	137	E1	10	239
E5A	8	62	E1	8	519
E5A	9	62	L2	8	97
E5A	10	62	L2	9	97
E5A	11	62	L2	11	97
E2	11	202	E1	8	291
L1	8	91	E1	9	291
L1	10	91	E1	11	291
L1	8	332	L1	8	21
L1	9	332	L1	10	21
L1	11	332	E2	8	192
L2	9	151	E2	11	192
L2	11	151	E1	9	333
E4	8	87	E1	10	333
E4	9	87	E5A	10	20
E4	11	87	L2	9	31
E5A	9	12	L2	10	31
E5A	10	12	L2	11	31
E5A	11	12	L1	8	190
E4	8	94	L1	10	190
E4	9	94	E7	10	12
E4	10	94	L1	9	393
E4	11	94	E6	10	53
L2	9	136	E6	11	53
L2	11	136	E4	8	17
L2	10	150	E4	9	17
E4	8	86	E1	10	275
E4	9	86	E2	9	41
E4	10	86	E2	11	41
E6	11	87	L1	9	73
L2	11	386	L1	10	73
E4	9	101	E5A	8	48
E2	8	212	E5A	9	48
E2	10	212	E5A	10	48
E2	11	212	E5A	8	46

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E5A	10	46	L1	10	72
E5A	11	46	L1	11	72
E4	8	10	E2	10	58
E4	9	10	E5A	8	3
E4	10	10	E5A	10	3
L1	8	382	E5A	11	3
L1	9	176	E7	9	68
L1	11	176	L2	10	199
E7	8	69	E2	8	132
E7	11	69	L1	8	97
E1	9	79	E2	11	321
E2	8	139	E1	9	426
E2	10	139	E5A	9	36
E1	9	444	E5A	11	36
E2	10	288	E1	8	340
L2	8	261	E1	8	530
L2	11	261	E1	11	530
E1	9	24	E5B	9	13
E5A	8	6	E5B	11	13
E5A	10	6	E1	11	464
E7	8	79	E5B	8	17
E7	9	79	E5B	10	17
E7	11	79	E5B	11	17
E2	8	243	E5A	8	58
E2	9	243	E1	8	510
E2	11	243	E1	10	510
E2	9	232	E1	11	510
L2	9	232	E1	8	267
L2	11	232	E1	9	267
E1	9	362	E1	10	267
E7	11	55	E1	11	267
L2	9	234	E2	11	134
E7	8	6	E2	10	92
E7	10	6	E6	8	141
L2	9	364	E6	9	141
L2	10	364	E4	10	82
L2	10	418	E4	11	82
L2	8	165	E2	8	145
L2	10	165	E2	10	145
L2	8	379	E1	8	237
L2	9	379	E6	8	61
L2	10	379	L2	9	349
L1	10	27	E6	8	82
L2	9	185	E1	8	262
L2	11	185	E1	10	262
L2	9	146	E1	11	380
E1	8	565	E6	9	85
L1	8	344	E6	8	46
L1	10	327	E6	9	46
E1	11	238	L1	9	385
L1	8	20	L1	10	385
L1	9	20	E5A	8	81
L1	11	20	E5A	9	81
E5A	8	25	E4	11	22
E5A	9	25	E6	10	105
E5A	10	25	E1	10	86
E5A	11	25	L2	9	435
L1	8	329	E1	8	579
L1	10	329	E1	10	579
L1	11	329	E5A	8	54
E2	8	349	E5A	9	54

Table VIIIB HPV 6B  
HLA-A2 Supermotif Peptides

E5A	10	54
L2	8	371
L2	9	371
L2	10	371
E1	9	532
E1	10	532
L1	10	358
E1	11	536
L2	9	18
L1	8	65
L1	9	65
L1	10	65
E2	8	159
E2	11	159
L1	10	350
E2	8	214
E2	9	214
E2	10	214
E5A	8	43
E5A	9	43
E5A	10	43
E5A	11	43
E5B	8	62
E5B	10	62
E1	8	402
E4	8	16
E4	9	16
E4	10	16
E4	9	9
E4	10	9
E4	11	9
E2	8	168
L1	9	287
L1	10	287
L2	8	71
L1	8	10
L1	11	10
E2	9	138
E2	11	138
L1	8	415
E1	8	91
E1	9	91
E1	11	91
E5B	8	57
L1	11	26
E2	9	131

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
E5	8	9	E2	10	217
E5	9	9	L1	9	22
E5	10	9	L1	11	22
E6	9	62	L2	9	22
L1	9	235	L2	10	22
L2	10	328	L2	10	13
L2	11	328	L2	11	13
L2	9	339	E1	9	525
L2	11	339	E1	11	525
E4	8	12	E6	10	10
E4	10	12	E5	8	11
L2	8	86	E5	10	11
L2	11	86	E5	11	11
E2	8	282	E1	11	77
E5	8	10	E5	8	25
E5	9	10	E5	9	25
E5	11	10	E5	10	25
E6	11	83	E5	11	25
E2	8	3	E1	10	181
E2	8	72	E1	10	101
E2	11	72	L1	9	43
L2	10	111	E5	8	37
L2	11	111	E5	11	37
E1	11	112	E5	8	26
L2	8	139	L1	8	484
L2	11	139	E1	8	601
E1	10	407	E6	11	64
L1	8	421	E1	11	234
L2	8	80	E1	11	406
L2	8	285	E5	10	46
L2	9	285	E5	11	46
E1	9	22	L1	8	342
E1	11	22	L1	9	342
E1	8	475	L1	11	342
E1	8	65	E1	10	473
E1	10	65	E5	8	27
L1	11	81	E5	9	27
L2	9	417	E5	10	27
L2	10	417	E5	11	27
L2	8	227	E2	8	35
L2	11	227	E2	9	35
E1	10	554	E6	8	67
E1	11	554	E6	9	137
E6	9	37	E2	9	295
E6	11	37	E1	8	488
E4	8	24	E1	11	488
E4	9	24	L1	9	154
E4	11	24	E2	8	11
E1	9	319	E7	9	71
L1	9	204	E1	9	14
E1	10	63	E1	10	14
L1	8	313	E1	11	14
L1	10	301	E2	9	227
E4	9	13	E1	9	289
E4	11	13	E1	10	289
E7	10	45	E1	11	289
E7	11	45	E2	8	251
E1	10	381	E2	11	251
E2	8	217	E5	10	73
			E6	8	31

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E6	9	31	E1	8	191
E6	10	31	E1	9	191
E6	11	31	E2	8	96
E1	9	640	E2	9	96
E1	10	640	L1	8	332
E4	10	73	L1	9	332
E4	11	73	L1	10	332
E2	8	9	E5	8	12
E2	10	9	E5	10	12
E1	10	250	E5	11	12
E1	10	73	E1	8	534
E2	8	153	L1	10	412
E1	10	516	L1	11	412
E1	11	516	L2	9	29
E1	11	607	L2	10	29
E7	11	44	L2	11	29
E6	9	5	L1	9	216
E1	8	524	L1	10	216
E1	10	524	L2	11	257
L1	9	24	L2	8	142
E1	8	369	L2	9	142
E1	9	369	L2	10	142
L2	9	277	E1	8	71
L2	10	277	E1	9	71
L2	11	277	E1	9	178
E6	11	96	L2	9	273
L2	8	191	E2	9	2
L2	9	191	E1	8	21
E7	8	75	E1	10	21
E7	9	75	E1	10	336
E7	10	75	E1	11	336
E1	11	570	E2	8	324
L2	8	321	E2	9	324
L2	9	321	E2	10	324
L2	9	399	E2	11	324
L2	11	399	E1	11	62
L2	10	346	E2	8	174
E1	11	222	L1	11	300
E7	9	81	L2	8	172
E7	10	81	L2	10	172
L1	8	367	E1	11	180
L1	11	367	E6	8	113
E7	8	14	E6	9	113
E7	10	14	L2	8	331
L1	9	209	L2	9	331
L1	11	209	L2	10	331
L1	9	439	E1	8	105
E1	11	46	E1	9	105
L1	9	196	E1	11	105
L1	10	196	E6	10	42
L1	10	456	E2	10	312
L1	11	456	L2	8	333
L2	9	41	E1	8	197
L2	11	41	E1	11	197
E6	9	14	E2	8	17
E6	11	14	E2	10	17
L1	10	199	E1	11	417
E1	9	481	E2	9	74
E1	11	481	E2	10	74
E1	11	164	E1	11	360

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E7	11	27	E1	10	18
E2	10	340	E1	11	18
E2	8	66	L2	8	319
E2	10	66	L2	10	319
E6	9	92	L2	11	319
E6	10	92	E1	8	252
E6	11	92	E1	10	252
E2	8	185	L1	8	372
E2	9	185	L1	10	372
E7	10	36	L2	11	154
E1	8	141	E5	8	20
E1	9	39	E5	9	20
E1	10	39	E5	11	20
L1	8	103	L2	9	262
L1	10	103	L2	9	128
E2	11	118	L2	10	128
L1	8	382	L2	8	393
L1	9	382	L2	9	393
E2	8	205	L1	8	327
E2	9	205	L1	11	327
E2	11	205	E5	8	23
L2	11	119	E5	9	23
E5	8	2	E5	10	23
E5	9	2	E5	11	23
E5	10	2	L2	11	197
E5	11	2	E5	8	40
E6	8	61	E5	9	40
E6	10	61	E5	10	40
L1	11	207	E5	11	40
L1	8	80	L2	8	61
L1	9	253	L2	11	61
L1	11	253	L1	8	203
L2	9	438	L1	10	203
L2	11	438	L2	9	116
E5	8	24	L2	10	313
E5	9	24	L1	8	319
E5	10	24	L1	10	319
E5	11	24	L1	11	319
E1	8	50	E1	9	243
L1	8	370	E1	11	194
L1	9	370	E1	8	326
L1	10	370	E1	9	326
E1	8	454	E2	11	156
E1	10	454	L1	10	101
L2	9	424	L2	8	55
E1	10	494	E7	8	22
L1	11	464	E5	9	29
E1	8	393	E5	10	29
E1	11	393	E2	8	55
E2	10	345	E2	9	55
E2	11	345	E2	10	55
E1	10	446	E1	8	217
E1	9	457	E2	9	50
L2	8	238	E2	10	50
L2	9	238	L1	9	401
L2	10	238	L1	10	401
E5	9	16	L2	8	291
E5	10	16	L2	10	222
E5	11	16	L1	9	145
L2	11	275	L1	11	145

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E1	8	273	E2	8	78
L1	8	137	E2	9	309
L1	10	137	L1	9	325
E1	10	160	L1	10	325
E2	8	162	E5	9	7
L2	8	309	E5	11	7
L1	8	107	E1	9	305
L2	8	299	E1	10	449
L2	8	24	E2	10	273
L2	11	24	E2	11	273
E5	8	40	E6	8	25
E1	10	6	L1	8	388
L2	10	59	E4	10	36
L1	10	408	L1	8	290
E1	11	296	L2	8	36
E7	9	85	L2	9	36
E7	11	85	L2	11	148
L2	8	408	E4	8	64
L2	10	408	E4	11	64
L2	11	408	L2	9	188
E1	8	467	L2	11	188
E1	9	467	L1	10	362
E1	10	467	E5	8	8
E1	11	467	E5	9	8
L1	9	169	E5	10	8
E4	8	99	E5	11	8
E4	10	99	E1	8	248
L1	10	223	E1	9	248
L1	11	262	L2	11	39
E1	9	173	E2	8	208
E1	10	173	E2	10	208
E2	10	88	E5	8	22
L2	9	50	E5	10	22
L2	11	50	E5	11	22
L1	9	111	E1	9	474
L1	10	111	E4	8	5
E1	10	316	E4	9	5
E2	10	232	E4	11	5
L1	8	113	E5	8	34
E1	8	189	E5	9	34
E1	10	189	E5	11	34
E1	11	189	L2	9	112
E1	9	415	L2	10	112
L1	8	35	L2	8	278
L1	9	35	L2	9	278
L1	10	35	L2	10	278
E2	10	53	L2	10	140
E2	11	53	L2	11	140
E6	9	119	E1	10	195
E6	11	119	E6	8	120
L2	8	176	E6	10	120
L2	9	176	L2	8	177
L2	10	176	L2	9	177
E2	8	29	E5	8	35
E2	10	29	E5	10	35
E1	8	264	E6	10	97
E1	11	264	L2	9	43
E1	9	55	E5	9	17
E1	11	55	E5	10	17
E2	11	136	E5	8	28

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E5	9	28	E1	8	420
E5	10	28	E7	8	42
E1	9	408	L1	8	433
E1	11	408	E2	8	112
E2	9	30	E2	8	47
E6	9	29	E2	10	47
E6	10	29	L1	8	149
E6	11	29	L1	11	149
L1	9	192	E1	9	424
L2	9	165	E1	11	424
E1	8	313	E4	8	53
E1	10	265	E6	9	18
E1	11	265	E6	10	18
L2	8	400	E2	10	84
L2	10	400	E2	11	84
L2	11	81	E2	11	165
L2	8	425	E1	8	518
L2	11	425	E1	9	518
L1	8	377	E7	10	39
L1	9	377	E7	11	39
L1	11	377	E1	11	433
E1	8	56	L2	8	33
E1	10	56	L2	11	33
E1	11	56	E2	9	358
E1	11	341	E2	10	358
L2	9	184	E1	9	121
L2	11	184	E6	8	99
L2	8	286	E1	8	283
L2	8	130	E1	9	283
L2	10	130	E1	10	283
L2	11	130	L1	10	53
L1	10	188	L1	9	61
L1	11	188	E2	8	147
E4	9	92	E2	11	147
E4	10	92	L1	9	19
E4	11	92	L1	11	71
E1	8	23	E6	11	52
E1	10	23	E1	8	351
E7	11	11	E1	9	351
E5	11	31	E1	11	351
E1	10	443	E2	8	82
E2	11	286	E4	9	23
L2	9	103	E4	10	23
L2	10	103	E2	9	313
L2	11	103	L1	10	42
E2	10	45	L2	8	106
L1	9	312	L2	10	106
L2	10	21	E1	9	255
L2	11	21	E1	11	255
E6	11	73	E1	11	307
E2	10	350	E5	9	33
E1	8	312	E5	10	33
E1	9	312	E1	8	557
E1	8	254	E1	9	557
E1	10	254	E1	10	557
E6	9	116	E1	8	491
E1	9	460	E1	9	491
E6	11	128	E1	10	491
E1	9	357	E5	8	16
E1	9	114	E5	10	16

Table VIII C HPV11  
HLA-A2 Supermotif Peptides

E5	11	16	E5	8	65
E6	11	101	E5	10	65
E1	10	223	L1	10	368
E1	11	223	L1	11	368
L2	8	178	L2	8	260
E5	9	36	L2	11	260
E5	11	36	E2	8	289
L1	11	187	E6	11	27
L1	11	41	L1	11	310
E1	11	521	E1	9	511
E1	9	540	E1	10	511
E2	10	15	E1	11	511
E7	8	83	E7	9	15
E7	11	83	L2	10	228
E2	8	42	L1	9	466
E2	10	42	L1	11	466
E4	8	18	L1	8	210
E5	10	32	L1	10	210
E1	10	198	E2	8	56
E1	11	198	E2	9	56
E7	8	82	E7	11	55
E7	9	82	E5	10	4
E5	8	31	E1	8	514
E5	11	31	E1	9	514
E5	8	30	E1	11	132
E5	9	30	E1	8	358
E5	11	59	E4	11	90
E5	8	55	E5	10	70
E5	9	55	E1	9	555
E5	11	55	E1	10	555
E5	9	51	E1	11	555
E5	10	51	E5	8	49
E5	11	51	E5	9	49
E1	9	298	E5	11	49
E1	10	298	E1	8	268
E1	11	298	E1	9	268
L1	8	119	E1	10	268
L1	10	465	E1	11	268
E5	11	69	E7	8	48
E5	10	60	E7	9	48
E5	11	60	L2	8	368
E1	9	276	E6	8	38
E1	9	563	E6	10	38
E5	8	56	E4	9	69
E5	10	56	E5	9	61
E5	8	52	E5	10	61
E5	9	52	E5	11	61
E5	10	52	E1	8	115
E5	11	52	E2	11	62
E4	10	45	L2	8	337
E4	11	45	L2	11	337
E7	8	79	L1	11	273
E7	9	79	E1	8	277
E7	11	79	E5	9	47
E2	8	139	E5	10	47
E2	10	139	E5	11	47
E2	11	139	L1	8	296
E2	8	94	E7	8	5
E2	10	94	E7	9	5
E2	11	94	E7	11	5

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E1	8	564	E6	8	131
L2	8	245	E6	9	75
E7	10	67	E6	10	75
L1	8	95	E2	8	248
L1	10	95	E2	11	248
L1	10	234	L2	10	373
E4	8	11	L2	11	373
E4	9	11	E5	9	54
E4	11	11	L2	8	381
L1	11	384	E1	10	97
E1	8	306	L1	9	143
E5	11	3	L1	11	143
E1	10	398	E2	9	127
E1	11	398	E2	11	127
E2	8	75	E7	9	64
E2	9	75	L2	8	85
E2	11	75	L2	9	85
L1	11	339	L2	10	236
E1	10	47	L2	11	236
E1	11	47	E5	9	78
L1	8	197	E5	10	78
L1	9	197	L2	8	138
E1	9	19	L2	9	138
E1	10	19	L2	8	79
L1	8	155	L2	9	79
E1	11	274	L2	9	284
E5	8	1	L2	10	284
E1	10	361	L2	8	416
E4	10	1	L2	10	416
E4	11	1	L2	11	416
L2	8	114	E2	8	216
L2	11	114	E2	9	216
E2	9	71	E2	11	216
E6	8	36	E2	8	196
E6	10	36	E2	11	196
L2	8	269	L1	8	483
L2	10	269	L1	9	483
L2	11	269	E4	8	4
E1	10	389	E4	9	4
E1	9	329	E4	10	4
E1	11	100	L2	10	354
E1	9	600	L2	11	354
E1	8	270	E1	8	94
E1	9	270	E1	9	94
E1	10	270	E1	11	442
E1	11	270	E6	8	110
E1	8	451	E6	11	110
E1	11	451	L1	8	218
L1	11	31	L1	8	184
E1	8	300	L1	9	184
E1	9	300	L2	8	447
E2	8	254	L2	9	447
E2	9	254	L2	8	157
E7	8	88	L2	9	157
L1	10	446	L1	10	161
E1	8	539	L1	8	459
E1	10	539	L2	9	72
E6	9	21	L2	10	72
E1	11	397	L2	11	72
L1	8	338	L1	11	109

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

L1	9	118	E5	8	19
E4	8	30	E5	10	19
E1	8	562	E5	11	19
E1	10	562	L2	8	251
L2	11	211	L2	10	251
E4	11	44	L2	8	327
E5	8	64	L2	11	327
E5	9	64	E1	10	636
E5	11	64	E1	11	636
L2	10	385	L1	9	420
E1	8	258	E1	9	399
E1	11	258	E1	10	399
E1	8	513	E1	11	399
E1	9	513	E1	9	64
E1	10	513	E1	11	64
E7	8	47	E5	8	7
E7	9	47	E5	9	7
E7	10	47	E5	10	7
E4	10	68	E5	11	7
L2	9	336	L2	8	42
E1	10	545	L2	10	42
E1	11	545	E6	10	28
L2	11	167	E6	11	28
L2	11	242	E1	10	31
L2	8	419	E6	8	15
E2	10	353	E6	10	15
L2	8	182	L1	8	152
L2	11	182	L1	11	152
L2	8	123	L1	9	373
L2	9	123	L1	11	373
E4	8	76	E7	10	28
E4	11	76	L1	9	302
L2	10	206	E2	11	14
L1	9	90	E7	9	78
L1	11	90	E7	10	78
E2	9	211	E2	9	288
E2	10	211	L2	8	15
E2	11	211	L2	9	15
E6	11	87	L2	11	15
E2	8	222	E4	8	14
L2	9	95	E4	10	14
L2	10	95	E4	11	14
L2	8	170	L1	11	233
L2	9	170	L1	11	251
L2	10	170	E2	9	48
L2	11	422	E2	11	48
E7	10	20	E2	8	76
L2	8	90	E2	10	76
L1	8	267	E2	9	343
L2	11	358	L2	9	229
E5	8	5	L2	11	229
E5	9	5	L2	8	18
E5	10	5	L1	9	211
E5	11	5	L1	11	211
L1	8	16	L1	10	150
L1	10	16	E2	9	218
L2	8	413	E2	11	218
L2	11	413	E1	8	344
L2	9	324	E1	9	344
L2	11	324	L2	8	230

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

L2	10	230	E1	9	324
L2	8	232	E1	10	324
L2	10	232	E1	11	324
E2	8	57	E1	9	293
E2	11	57	L1	8	29
E1	8	391	L1	8	473
E1	10	391	E1	8	231
L2	8	214	E1	9	231
L2	10	214	E1	10	231
L1	9	260	L2	8	220
L2	8	226	L2	9	220
L2	9	226	L1	11	141
E1	11	553	E2	9	281
E1	8	318	E2	9	225
E1	10	318	E2	11	225
E2	10	240	L1	8	380
E2	11	240	L1	10	380
L2	8	4	L1	11	380
L2	10	4	L2	8	110
L2	11	4	L2	11	110
L2	10	10	E2	8	234
E5	9	36	L2	10	180
L2	8	297	L1	10	475
L2	10	297	L1	11	475
L2	8	315	L2	8	12
L2	11	315	L2	11	12
L2	9	445	E6	8	9
L2	10	445	E6	11	9
L2	11	445	E1	9	247
E2	9	7	E1	10	247
E2	10	7	E2	9	207
E1	8	109	E2	11	207
E1	9	109	E2	8	23
E2	10	37	E2	9	23
E1	8	125	E6	8	12
E1	9	125	E6	11	12
L1	11	242	E1	8	547
E4	11	59	E1	9	547
L2	8	280	E1	10	547
E2	9	302	E1	11	547
E1	8	616	L2	9	266
E7	8	4	L2	11	266
E7	9	4	L1	8	50
E7	10	4	L1	9	50
L2	9	244	L1	10	50
E7	11	66	E1	11	422
L1	9	94	L2	8	387
L1	11	94	L1	8	376
E1	9	69	L1	9	376
E1	10	69	L1	10	376
E1	11	69	E5	8	30
E7	8	77	L2	10	102
E7	10	77	L2	11	102
E7	11	77	L1	11	286
E2	8	342	E1	9	350
E2	10	342	E1	10	350
E1	9	343	E2	9	81
E1	10	343	L1	10	86
L1	8	477	L1	11	86
L1	9	477	L2	9	48

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

L2	11	48	E1	9	436
E6	10	23	L1	8	190
L2	8	105	L1	9	190
L2	9	105	L1	11	190
L2	11	105	L2	9	163
E1	9	490	L2	11	163
E1	10	490	E2	8	348
E1	11	490	L1	10	393
L2	9	259	E2	10	40
E4	8	89	E5	8	45
L1	9	295	E5	9	45
E1	9	260	E5	11	45
E1	10	260	L1	10	176
L2	9	406	L1	9	344
L2	10	406	E2	9	198
L2	10	303	E2	11	198
E1	11	635	L2	8	144
L1	10	419	L2	10	144
E1	8	354	L2	8	362
E1	9	354	L2	10	362
L2	9	186	E6	8	40
L2	11	186	E5	8	21
L2	8	376	E5	10	21
L2	9	376	E5	11	21
L2	11	376	L1	8	490
L1	9	489	L1	10	490
L1	11	489	E2	9	220
E2	8	260	E2	10	220
E4	8	95	L2	11	404
E4	9	95	E2	9	354
E4	10	95	E2	11	354
L1	8	336	L2	10	183
L1	10	336	L2	8	129
E2	8	245	L2	9	129
E2	9	245	L2	11	129
E2	11	245	E4	10	91
L2	8	240	E4	11	91
E1	8	185	L1	10	340
E1	11	185	L1	11	340
E6	10	7	E2	10	249
L2	9	135	E5	9	71
L2	11	135	L1	9	409
E4	8	85	E1	8	294
E4	9	85	E1	8	556
E4	10	85	E1	9	556
E2	8	190	E1	10	556
E2	10	190	E1	11	556
E1	11	331	E5	8	15
E2	8	201	E5	9	15
E2	9	201	E5	11	15
L1	11	7	E7	9	7
E2	10	316	E5	8	50
L1	8	282	E5	10	50
L1	10	282	E5	11	50
E2	10	151	E1	10	297
E2	9	257	E1	11	297
E2	10	257	E7	8	86
E2	11	257	E7	10	86
L2	9	152	E2	9	93
E1	8	436	E2	11	93

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

L1	8	378	E5	9	13
L1	10	378	E5	10	13
L2	9	374	E5	11	13
L2	10	374	L2	10	149
L2	11	374	E5	9	12
L2	9	326	E5	10	12
L1	8	170	E5	11	12
L2	8	124	E5	8	55
E7	8	49	E4	9	100
E1	11	30	E2	8	212
L1	9	151	E2	9	212
L2	9	14	E2	10	212
L2	10	14	E1	8	290
E1	9	57	E1	9	290
E1	10	57	E1	10	290
E1	8	526	L1	9	224
E1	10	526	L1	11	224
E1	10	117	E6	10	88
L1	9	92	E6	11	88
L1	11	92	L1	10	263
L2	8	364	L1	11	263
L2	11	364	E2	9	191
E2	9	85	E1	8	345
E2	10	85	E1	10	332
E6	9	39	E1	11	332
E2	8	219	E1	10	78
E2	10	219	E4	9	82
E2	11	219	E4	10	82
E1	8	232	E4	11	82
E1	9	232	E2	8	202
E6	8	142	E2	11	202
E2	8	228	E2	11	223
L2	8	37	E2	10	63
E5	8	14	E2	11	63
E5	9	14	E4	8	101
E5	10	14	L1	9	329
L2	8	136	L1	11	329
L2	10	136	L1	10	8
L2	11	136	L2	10	338
E4	8	70	E1	10	239
E5	8	62	E1	11	239
E5	9	62	E1	8	519
E5	10	62	E1	9	98
E5	11	62	E2	10	252
E1	11	116	E2	11	252
L1	8	91	L2	8	96
L1	10	91	L2	9	96
L1	8	333	L2	11	96
L1	9	333	E1	8	291
L1	11	333	E1	9	291
E4	8	86	E1	11	291
E4	9	86	L1	9	283
E4	11	86	L1	10	21
E4	8	93	E5	8	25
E4	9	93	E5	9	25
E4	10	93	E5	8	21
E4	11	93	E5	9	21
L2	9	150	E5	11	21
L2	11	150	E2	8	192
E5	8	13	E2	11	192

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E1	9	333	L2	10	325
E1	10	333	L2	9	363
L2	8	30	E2	10	148
L2	9	30	L1	10	328
L2	10	30	E1	11	238
L2	11	30	L1	8	20
L1	8	191	L1	11	20
L1	10	191	E5	8	24
L2	8	164	E5	9	24
L2	10	164	E5	10	24
E7	10	12	L1	8	330
L1	9	394	L1	10	330
E5	11	27	L1	11	330
E5	10	32	E7	9	68
E5	11	32	E5	9	20
E2	9	41	E5	10	20
E2	11	41	L1	10	72
E4	8	17	L1	11	72
E4	9	17	E4	9	2
E1	10	275	E4	10	2
L1	9	73	E4	11	2
L1	10	73	E2	10	58
E5	8	48	L2	10	120
E5	9	48	L2	11	120
E5	10	48	E5	8	3
E5	8	46	E5	9	3
E5	10	46	E5	10	3
E5	11	46	E5	11	3
E4	8	10	L2	10	198
E4	9	10	E6	10	53
E4	10	10	E6	11	53
L1	8	383	E2	8	132
E2	8	128	E5	8	41
E2	10	128	E5	9	41
E1	9	79	E5	10	41
E1	9	444	E5	11	41
L2	10	359	L1	8	97
L2	11	359	E2	11	320
E5	8	6	E1	9	426
E5	9	6	E1	8	340
E5	10	6	E5	8	14
E5	11	6	E5	9	14
E2	10	287	E5	11	14
L1	9	177	E5	8	18
L1	11	177	E5	9	18
L2	8	394	E5	10	18
L2	11	394	E5	11	18
E4	8	83	E1	11	464
E4	9	83	E5	8	58
E4	10	83	E1	8	510
E4	11	83	E1	10	510
L2	9	231	E1	11	510
L2	11	231	E1	8	267
E1	9	362	E1	9	267
L2	9	233	E1	10	267
E7	8	6	E1	11	267
E7	10	6	E2	10	92
L2	9	145	E6	8	141
L2	10	414	E6	9	141
L2	8	325	E4	10	81

Table VIIC HPV11  
HLA-A2 Supermotif Peptides

E4	11	81	L1	11	26
E1	8	530	E4	8	16
E1	11	530	E4	9	16
E2	8	145	E4	10	16
E2	10	145	E4	9	9
E1	8	237	E4	10	9
E6	8	82	E4	11	9
L2	8	348	E2	8	168
E1	8	262	E1	10	502
E1	10	262	L1	8	10
E6	9	85	L1	11	10
E1	11	380	L1	8	416
E6	8	44	E1	8	91
E6	10	44	E1	9	91
E6	11	44	E1	11	91
E6	8	46	E2	9	131
E6	9	46			
E5	9	81			
L1	9	386	SF 1168095 v1		
L1	10	386			
L2	11	70			
E4	10	22			
E4	11	22			
E6	10	105			
E1	10	86			
L2	9	431			
E1	8	579			
E1	10	579			
E5	8	54			
E5	9	54			
E5	10	54			
E2	9	138			
E2	11	138			
L1	9	246			
L2	8	367			
L2	9	367			
E1	9	532			
E1	10	532			
L1	10	359			
E1	11	536			
E5	11	61			
L2	9	17			
L1	8	65			
L1	9	65			
L1	10	65			
E2	8	159			
E2	11	159			
L1	10	351			
E2	8	214			
E2	10	214			
E2	11	214			
L2	8	305			
L2	10	305			
E5	8	43			
E5	9	43			
E5	10	43			
E5	11	43			
L1	9	288			
L1	10	288			
E1	8	402			

Table IX  
HLA-A3 Supermotif Peptides

1	2	3	4				
HPV16 E1	8	316	HPV16 E1	10	278		
HPV16 E1	8	205	HPV16 E1	9	544		
HPV16 E1	9	112	HPV16 E1	8	306		
HPV16 E1	9	69	HPV16 E1	9	305		
HPV16 E1	11	459	HPV16 E1	8	454		
HPV16 E1	8	406	HPV16 E1	9	454		
HPV16 E1	9	406	HPV16 E1	8	420		
HPV16 E1	8	82	HPV16 E1	10	420		
HPV16 E1	9	405	HPV16 E1	8	422		
HPV16 E1	10	405	HPV16 E1	11	422		
HPV16 E1	10	114	HPV16 E1	8	273		
HPV16 E1	11	114	HPV16 E1	10	273		
HPV16 E1	8	304	HPV16 E1	9	202		
HPV16 E1	10	304	HPV16 E1	11	202		
HPV16 E1	9	101	HPV16 E1	9	567		
HPV16 E1	11	101	HPV16 E1	8	543		
HPV16 E1	8	81	HPV16 E1	10	543		
HPV16 E1	9	81	HPV16 E1	9	386		
HPV16 E1	11	368	HPV16 E1	8	396		
HPV16 E1	10	573	HPV16 E1	9	196		
HPV16 E1	11	384	HPV16 E1	10	190		
HPV16 E1	8	335	HPV16 E1	10	302		
HPV16 E1	11	548	HPV16 E1	8	245		
HPV16 E1	8	603	HPV16 E1	8	600		
HPV16 E1	10	221	HPV16 E1	11	600		
HPV16 E1	9	288	HPV16 E1	8	143		
HPV16 E1	11	140	HPV16 E1	9	419		
HPV16 E1	9	392	HPV16 E1	11	419		
HPV16 E1	8	463	HPV16 E1	8	118		
HPV16 E1	9	453	HPV16 E1	9	109		
HPV16 E1	10	453	HPV16 E1	10	619		
HPV16 E1	9	219	HPV16 E1	11	313		
HPV16 E1	10	71	HPV16 E1	9	432		
HPV16 E1	11	242	HPV16 E1	11	390		
HPV16 E1	9	272	HPV16 E1	9	484		
HPV16 E1	11	272	HPV16 E1	8	621		
HPV16 E1	10	174	HPV16 E1	9	421		
HPV16 E1	10	496	HPV16 E1	10	314		
HPV16 E1	9	216	HPV16 E1	9	497		
HPV16 E1	10	68	HPV16 E1	9	315		
HPV16 E1	11	473	HPV16 E1	9	72		
HPV16 E1	11	194	HPV16 E1	8	289		
HPV16 E1	10	369	HPV16 E1	8	407		
HPV16 E1	10	401	HPV16 E1	11	407		
HPV16 E1	9	204	HPV16 E1	11	200		
HPV16 E1	10	111	HPV16 E1	11	565		
HPV16 E1	11	400	HPV16 E1	8	498		
HPV16 E1	10	610	HPV16 E1	8	197		
HPV16 E1	10	483	HPV16 E1	8	275		
HPV16 E1	10	394	HPV16 E1	11	275		
HPV16 E1	10	276	HPV16 E1	8	217		
HPV16 E1	9	277	HPV16 E1	11	217		
HPV16 E1	11	277	HPV16 E1	8	545		
HPV16 E1	10	474	HPV16 E1	9	274		
HPV16 E1	9	620	HPV16 E1	8	425		
HPV16 E1	9	191	HPV16 E1	9	509		
HPV16 E1	10	243	HPV16 E1	8	20		
HPV16 E1	9	222	HPV16 E1	9	20		
HPV16 E1	8	278	HPV16 E2	8	40		
			HPV16 E2	8	300		

Table IX  
HLA-A3 Supermotif Peptides

HPV16 E2	9	174	HPV16 E5	8	51
HPV16 E2	9	294	HPV16 E5	9	22
HPV16 E2	11	294	HPV16 E5	11	48
HPV16 E2	10	25	HPV16 E5	10	70
HPV16 E2	10	246	HPV16 E5	10	21
HPV16 E2	8	233	HPV16 E5	9	50
HPV16 E2	10	233	HPV16 E6	9	7
HPV16 E2	9	204	HPV16 E6	11	7
HPV16 E2	9	346	HPV16 E6	8	68
HPV16 E2	10	168	HPV16 E6	9	143
HPV16 E2	10	163	HPV16 E6	11	143
HPV16 E2	10	156	HPV16 E6	10	37
HPV16 E2	11	230	HPV16 E6	11	37
HPV16 E2	9	29	HPV16 E6	10	32
HPV16 E2	10	290	HPV16 E6	11	105
HPV16 E2	11	35	HPV16 E6	8	48
HPV16 E2	8	252	HPV16 E6	11	52
HPV16 E2	10	267	HPV16 E6	10	92
HPV16 E2	8	45	HPV16 E6	9	33
HPV16 E2	11	215	HPV16 E6	8	34
HPV16 E2	8	347	HPV16 E6	9	107
HPV16 E2	9	268	HPV16 E6	10	106
HPV16 E2	11	268	HPV16 E6	8	144
HPV16 E2	9	103	HPV16 E6	10	144
HPV16 E2	10	103	HPV16 E6	11	144
HPV16 E2	9	335	HPV16 E6	9	134
HPV16 E2	11	282	HPV16 E6	8	102
HPV16 E2	8	84	HPV16 E6	9	116
HPV16 E2	9	296	HPV16 E6	11	5
HPV16 E2	11	296	HPV16 E6	10	6
HPV16 E2	9	284	HPV16 E6	8	94
HPV16 E2	11	266	HPV16 E6	9	93
HPV16 E2	9	60	HPV16 E6	10	139
HPV16 E2	8	235	HPV16 E6	9	67
HPV16 E2	10	57	HPV16 E6	8	77
HPV16 E2	9	37	HPV16 E7	10	68
HPV16 E2	11	37	HPV16 E7	10	88
HPV16 E2	8	7	HPV16 E7	9	89
HPV16 E2	8	165	HPV16 E7	8	53
HPV16 E2	11	317	HPV16 E7	9	41
HPV16 E2	8	269	HPV16 E7	8	70
HPV16 E2	10	269	HPV16 L1	11	372
HPV16 E2	8	104	HPV16 L1	9	162
HPV16 E2	9	104	HPV16 L1	10	373
HPV16 E2	11	81	HPV16 L1	11	233
HPV16 E2	8	61	HPV16 L1	10	70
HPV16 E2	8	297	HPV16 L1	11	70
HPV16 E2	10	297	HPV16 L1	8	128
HPV16 E2	11	297	HPV16 L1	8	249
HPV16 E2	10	334	HPV16 L1	9	484
HPV16 E2	8	285	HPV16 L1	10	484
HPV16 E2	8	205	HPV16 L1	10	397
HPV16 E2	11	333	HPV16 L1	8	270
HPV16 E2	9	58	HPV16 L1	9	270
HPV16 E2	11	58	HPV16 L1	11	113
HPV16 E2	9	321	HPV16 L1	10	378
HPV16 E2	10	102	HPV16 L1	8	494
HPV16 E2	11	102	HPV16 L1	10	494
HPV16 E5	11	20	HPV16 L1	8	236
HPV16 E5	8	72	HPV16 L1	8	282

Table IX  
HLA-A3 Supermotif Peptides

HPV16 L1	11	446	HPV16 L1	11	520
HPV16 L1	9	356	HPV16 L1	8	522
HPV16 L1	10	142	HPV16 L1	9	522
HPV16 L1	8	93	HPV16 L1	10	516
HPV16 L1	8	438	HPV16 L1	11	516
HPV16 L1	9	143	HPV16 L1	9	379
HPV16 L1	9	374	HPV16 L1	11	36
HPV16 L1	10	501	HPV16 L1	10	91
HPV16 L1	11	501	HPV16 L1	9	48
HPV16 L1	8	90	HPV16 L1	10	326
HPV16 L1	11	90	HPV16 L1	10	447
HPV16 L1	11	46	HPV16 L1	8	357
HPV16 L1	11	69	HPV16 L1	10	47
HPV16 L1	9	495	HPV16 L1	10	126
HPV16 L1	11	495	HPV16 L1	10	161
HPV16 L1	11	87	HPV16 L1	9	38
HPV16 L1	11	325	HPV16 L1	10	275
HPV16 L1	10	58	HPV16 L1	9	470
HPV16 L1	9	383	HPV16 L1	11	470
HPV16 L1	9	296	HPV16 L2	10	288
HPV16 L1	9	460	HPV16 L2	11	288
HPV16 L1	10	460	HPV16 L2	10	293
HPV16 L1	8	190	HPV16 L2	8	13
HPV16 L1	9	77	HPV16 L2	11	13
HPV16 L1	10	247	HPV16 L2	9	82
HPV16 L1	11	515	HPV16 L2	9	15
HPV16 L1	9	497	HPV16 L2	9	31
HPV16 L1	11	331	HPV16 L2	9	283
HPV16 L1	8	181	HPV16 L2	11	59
HPV16 L1	11	354	HPV16 L2	10	300
HPV16 L1	10	280	HPV16 L2	11	226
HPV16 L1	10	179	HPV16 L2	10	26
HPV16 L1	9	100	HPV16 L2	9	61
HPV16 L1	11	482	HPV16 L2	8	32
HPV16 L1	10	253	HPV16 L2	9	294
HPV16 L1	8	271	HPV16 L2	8	454
HPV16 L1	8	518	HPV16 L2	9	240
HPV16 L1	9	518	HPV16 L2	11	292
HPV16 L1	10	518	HPV16 L2	10	215
HPV16 L1	11	518	HPV16 L2	8	450
HPV16 L1	8	49	HPV16 L2	9	450
HPV16 L1	8	375	HPV16 L2	10	450
HPV16 L1	8	519	HPV16 L2	11	450
HPV16 L1	9	519	HPV16 L2	11	80
HPV16 L1	10	519	HPV16 L2	10	221
HPV16 L1	11	519	HPV16 L2	9	310
HPV16 L1	8	521	HPV16 L2	9	12
HPV16 L1	9	521	HPV16 L2	9	305
HPV16 L1	10	521	HPV16 L2	11	305
HPV16 L1	8	523	HPV16 L2	8	5
HPV16 L1	9	327	HPV16 L2	9	315
HPV16 L1	10	114	HPV16 L2	8	298
HPV16 L1	11	252	HPV16 L2	10	69
HPV16 L1	9	448	HPV16 L2	11	313
HPV16 L1	9	517	HPV16 L2	10	14
HPV16 L1	10	517	HPV16 L2	9	212
HPV16 L1	11	517	HPV16 L2	8	213
HPV16 L1	8	520	HPV16 L2	10	81
HPV16 L1	9	520	HPV16 L2	8	311
HPV16 L1	10	520	HPV16 L2	8	295

Table IX  
HLA-A3 Supermotif Peptides

HPV16 L2	11	295	HPV18 E1	9	647
HPV16 L2	10	211	HPV18 E1	9	468
HPV16 L2	11	287	HPV18 E1	10	468
HPV16 L2	9	222	HPV18 E1	10	401
HPV16 L2	11	210	HPV18 E1	8	292
HPV16 L2	10	447	HPV18 E1	10	283
HPV16 L2	11	447	HPV18 E1	9	281
HPV16 L2	8	453	HPV18 E1	8	313
HPV16 L2	9	453	HPV18 E1	8	285
HPV16 L2	11	303	HPV18 E1	10	285
HPV16 L2	9	228	HPV18 E1	10	570
HPV18 E1	11	397	HPV18 E1	8	224
HPV18 E1	11	546	HPV18 E1	11	224
HPV18 E1	11	466	HPV18 E1	9	571
HPV18 E1	9	284	HPV18 E1	11	480
HPV18 E1	11	284	HPV18 E1	9	229
HPV18 E1	8	413	HPV18 E1	9	312
HPV18 E1	9	413	HPV18 E1	8	429
HPV18 E1	9	412	HPV18 E1	11	429
HPV18 E1	10	412	HPV18 E1	9	574
HPV18 E1	8	311	HPV18 E1	9	428
HPV18 E1	10	311	HPV18 E1	8	119
HPV18 E1	11	437	HPV18 E1	9	119
HPV18 E1	11	196	HPV18 E1	10	119
HPV18 E1	9	78	HPV18 E1	9	393
HPV18 E1	10	78	HPV18 E1	9	551
HPV18 E1	11	78	HPV18 E1	8	252
HPV18 E1	8	203	HPV18 E1	8	607
HPV18 E1	10	228	HPV18 E1	11	607
HPV18 E1	11	391	HPV18 E1	11	200
HPV18 E1	11	637	HPV18 E1	9	426
HPV18 E1	8	342	HPV18 E1	11	426
HPV18 E1	8	610	HPV18 E1	8	80
HPV18 E1	9	115	HPV18 E1	9	80
HPV18 E1	10	115	HPV18 E1	11	102
HPV18 E1	10	309	HPV18 E1	11	320
HPV18 E1	9	104	HPV18 E1	8	117
HPV18 E1	9	460	HPV18 E1	10	117
HPV18 E1	10	463	HPV18 E1	11	117
HPV18 E1	8	470	HPV18 E1	10	321
HPV18 E1	9	399	HPV18 E1	10	93
HPV18 E1	9	226	HPV18 E1	9	322
HPV18 E1	8	465	HPV18 E1	10	197
HPV18 E1	8	212	HPV18 E1	8	414
HPV18 E1	9	223	HPV18 E1	11	414
HPV18 E1	11	92	HPV18 E1	8	572
HPV18 E1	9	279	HPV18 E1	11	572
HPV18 E1	11	279	HPV18 E1	8	323
HPV18 E1	11	249	HPV18 E1	8	81
HPV18 E1	8	270	HPV18 E1	8	280
HPV18 E1	9	198	HPV18 E1	10	280
HPV18 E1	8	282	HPV18 E1	11	339
HPV18 E1	11	282	HPV18 E1	8	432
HPV18 E1	11	569	HPV18 E1	9	516
HPV18 E1	8	552	HPV18 E1	9	536
HPV18 E1	8	116	HPV18 E1	10	268
HPV18 E1	9	116	HPV18 E1	10	408
HPV18 E1	11	116	HPV18 E1	8	19
HPV18 E1	8	461	HPV18 E1	9	19
HPV18 E1	9	439	HPV18 E2	9	269

Table IX  
HLA-A3 Supermotif Peptides

HPV18 E2	10	269	HPV18 E2	10	157
HPV18 E2	11	269	HPV18 E2	9	335
HPV18 E2	9	82	HPV18 E2	11	335
HPV18 E2	11	82	HPV18 E2	9	62
HPV18 E2	8	270	HPV18 E2	11	62
HPV18 E2	9	270	HPV18 E2	8	322
HPV18 E2	10	270	HPV18 E2	10	173
HPV18 E2	11	270	HPV18 E2	10	143
HPV18 E2	8	301	HPV18 E2	11	228
HPV18 E2	11	156	HPV18 E6	9	68
HPV18 E2	11	31	HPV18 E6	10	27
HPV18 E2	10	210	HPV18 E6	10	58
HPV18 E2	10	268	HPV18 E6	10	83
HPV18 E2	11	268	HPV18 E6	8	29
HPV18 E2	8	85	HPV18 E6	11	40
HPV18 E2	10	291	HPV18 E6	8	43
HPV18 E2	8	338	HPV18 E6	11	47
HPV18 E2	10	19	HPV18 E6	8	97
HPV18 E2	8	289	HPV18 E6	11	97
HPV18 E2	8	68	HPV18 E6	8	139
HPV18 E2	11	18	HPV18 E6	11	139
HPV18 E2	9	152	HPV18 E6	8	117
HPV18 E2	11	238	HPV18 E6	9	117
HPV18 E2	11	8	HPV18 E6	10	117
HPV18 E2	11	333	HPV18 E6	9	102
HPV18 E2	10	81	HPV18 E6	10	101
HPV18 E2	9	144	HPV18 E6	10	41
HPV18 E2	8	44	HPV18 E6	9	1
HPV18 E2	9	67	HPV18 E6	10	1
HPV18 E2	9	297	HPV18 E6	8	100
HPV18 E2	11	297	HPV18 E6	11	100
HPV18 E2	9	107	HPV18 E6	10	95
HPV18 E2	10	107	HPV18 E6	11	114
HPV18 E2	8	170	HPV18 E6	9	111
HPV18 E2	9	285	HPV18 E6	9	144
HPV18 E2	9	64	HPV18 E6	10	144
HPV18 E2	9	288	HPV18 E6	11	144
HPV18 E2	8	272	HPV18 E6	9	59
HPV18 E2	9	272	HPV18 E6	9	84
HPV18 E2	9	33	HPV18 E6	8	72
HPV18 E2	11	80	HPV18 E7	9	63
HPV18 E2	10	2	HPV18 E7	11	63
HPV18 E2	11	119	HPV18 E7	8	77
HPV18 E2	10	61	HPV18 E7	10	43
HPV18 E2	8	122	HPV18 E7	11	43
HPV18 E2	10	305	HPV18 E7	11	48
HPV18 E2	8	11	HPV18 E7	9	59
HPV18 E2	8	298	HPV18 E7	11	74
HPV18 E2	10	298	HPV18 E7	11	61
HPV18 E2	11	298	HPV18 E7	9	50
HPV18 E2	10	229	HPV18 E7	8	60
HPV18 E2	9	230	HPV18 E7	10	75
HPV18 E2	8	153	HPV18 L1	11	195
HPV18 E2	8	286	HPV18 L1	8	225
HPV18 E2	11	286	HPV18 L1	11	268
HPV18 E2	10	120	HPV18 L1	9	419
HPV18 E2	9	211	HPV18 L1	10	196
HPV18 E2	8	231	HPV18 L1	9	552
HPV18 E2	10	334	HPV18 L1	10	552
HPV18 E2	8	212	HPV18 L1	8	163

Table IX  
HLA-A3 Supermotif Peptides

HPV18 L1	11	222
HPV18 L1	10	310
HPV18 L1	8	493
HPV18 L1	10	418
HPV18 L1	8	284
HPV18 L1	11	122
HPV18 L1	9	520
HPV18 L1	10	520
HPV18 L1	8	305
HPV18 L1	9	305
HPV18 L1	11	148
HPV18 L1	10	330
HPV18 L1	11	203
HPV18 L1	8	317
HPV18 L1	8	59
HPV18 L1	8	530
HPV18 L1	9	530
HPV18 L1	10	530
HPV18 L1	8	271
HPV18 L1	11	482
HPV18 L1	11	535
HPV18 L1	10	177
HPV18 L1	11	360
HPV18 L1	10	505
HPV18 L1	8	125
HPV18 L1	11	125
HPV18 L1	10	103
HPV18 L1	9	178
HPV18 L1	9	104
HPV18 L1	8	531
HPV18 L1	9	531
HPV18 L1	10	496
HPV18 L1	9	224
HPV18 L1	8	558
HPV18 L1	10	558
HPV18 L1	11	558
HPV18 L1	10	57
HPV18 L1	10	282
HPV18 L1	10	16
HPV18 L1	8	550
HPV18 L1	11	550
HPV18 L1	8	540
HPV18 L1	10	472
HPV18 L1	10	412
HPV18 L1	10	315
HPV18 L1	11	366
HPV18 L1	9	484
HPV18 L1	11	102
HPV18 L1	11	547
HPV18 L1	9	112
HPV18 L1	9	135
HPV18 L1	8	561
HPV18 L1	10	548
HPV18 L1	10	551
HPV18 L1	11	551
HPV18 L1	9	127
HPV18 L1	10	93
HPV18 L1	9	150
HPV18 L1	11	518
HPV18 L1	8	306

HPV18 L1	9	555
HPV18 L1	11	555
HPV18 L1	8	485
HPV18 L1	9	362
HPV18 L1	11	92
HPV18 L1	10	149
HPV18 L1	8	474
HPV18 L1	9	197
HPV18 L1	8	554
HPV18 L1	10	554
HPV18 L1	9	473
HPV18 L1	8	553
HPV18 L1	9	553
HPV18 L1	11	553
HPV18 L1	8	105
HPV18 L1	9	331
HPV18 L1	11	71
HPV18 L1	10	126
HPV18 L1	10	361
HPV18 L1	10	161
HPV18 L1	8	230
HPV18 L1	10	230
HPV18 L1	9	73
HPV18 L2	10	286
HPV18 L2	8	12
HPV18 L2	11	12
HPV18 L2	11	354
HPV18 L2	9	273
HPV18 L2	11	109
HPV18 L2	9	260
HPV18 L2	8	443
HPV18 L2	9	276
HPV18 L2	11	306
HPV18 L2	11	58
HPV18 L2	10	25
HPV18 L2	9	60
HPV18 L2	11	292
HPV18 L2	10	210
HPV18 L2	11	210
HPV18 L2	10	34
HPV18 L2	9	287
HPV18 L2	8	1
HPV18 L2	9	1
HPV18 L2	10	1
HPV18 L2	11	1
HPV18 L2	10	79
HPV18 L2	11	285
HPV18 L2	8	357
HPV18 L2	11	209
HPV18 L2	8	439
HPV18 L2	9	439
HPV18 L2	10	439
HPV18 L2	11	439
HPV18 L2	10	216
HPV18 L2	11	258
HPV18 L2	9	11
HPV18 L2	11	298
HPV18 L2	10	281
HPV18 L2	11	281
HPV18 L2	9	308

Table IX  
HLA-A3 Supermotif Peptides

HPV18 L2	10	364	HPV31 E1	9	157
HPV18 L2	10	68	HPV31 E1	8	386
HPV18 L2	10	220	HPV31 E1	9	386
HPV18 L2	9	211	HPV31 E1	8	225
HPV18 L2	10	211	HPV31 E1	9	196
HPV18 L2	10	110	HPV31 E1	11	222
HPV18 L2	8	212	HPV31 E1	9	78
HPV18 L2	9	212	HPV31 E1	10	78
HPV18 L2	9	365	HPV31 E1	11	78
HPV18 L2	10	235	HPV31 E1	11	162
HPV18 L2	10	13	HPV31 E1	8	478
HPV18 L2	9	111	HPV31 E1	11	453
HPV18 L2	8	288	HPV31 E1	11	174
HPV18 L2	11	288	HPV31 E1	9	268
HPV18 L2	8	261	HPV31 E1	9	544
HPV18 L2	8	366	HPV31 E1	10	381
HPV18 L2	10	293	HPV31 E1	9	184
HPV18 L2	9	217	HPV31 E1	10	110
HPV18 L2	9	80	HPV31 E1	11	380
HPV18 L2	9	221	HPV31 E1	9	441
HPV18 L2	9	236	HPV31 E1	10	441
HPV18 L2	8	2	HPV31 E1	10	590
HPV18 L2	9	2	HPV31 E1	10	374
HPV18 L2	10	2	HPV31 E1	9	412
HPV18 L2	11	234	HPV31 E1	10	454
HPV18 L2	9	14	HPV31 E1	8	286
HPV18 L2	8	81	HPV31 E1	9	202
HPV18 L2	8	112	HPV31 E1	10	543
HPV18 L2	11	436	HPV31 E1	11	542
HPV31 E1	8	296	HPV31 E1	10	256
HPV31 E1	8	185	HPV31 E1	9	437
HPV31 E1	9	111	HPV31 E1	8	258
HPV31 E1	11	439	HPV31 E1	10	258
HPV31 E1	8	81	HPV31 E1	9	285
HPV31 E1	11	370	HPV31 E1	8	255
HPV31 E1	10	263	HPV31 E1	11	255
HPV31 E1	10	113	HPV31 E1	9	257
HPV31 E1	11	113	HPV31 E1	11	257
HPV31 E1	9	477	HPV31 E1	8	400
HPV31 E1	8	284	HPV31 E1	10	400
HPV31 E1	10	284	HPV31 E1	8	253
HPV31 E1	9	100	HPV31 E1	10	253
HPV31 E1	11	100	HPV31 E1	9	547
HPV31 E1	8	620	HPV31 E1	8	601
HPV31 E1	11	364	HPV31 E1	8	117
HPV31 E1	9	366	HPV31 E1	8	376
HPV31 E1	11	528	HPV31 E1	10	170
HPV31 E1	11	348	HPV31 E1	9	524
HPV31 E1	8	80	HPV31 E1	8	580
HPV31 E1	9	80	HPV31 E1	11	580
HPV31 E1	10	201	HPV31 E1	9	399
HPV31 E1	8	583	HPV31 E1	11	399
HPV31 E1	8	315	HPV31 E1	9	176
HPV31 E1	8	443	HPV31 E1	10	267
HPV31 E1	9	372	HPV31 E1	10	599
HPV31 E1	10	436	HPV31 E1	11	293
HPV31 E1	11	566	HPV31 E1	8	438
HPV31 E1	9	433	HPV31 E1	9	401
HPV31 E1	9	252	HPV31 E1	11	98
HPV31 E1	11	252	HPV31 E1	10	294

Table IX  
HLA-A3 Supermotif Peptides

HPV31 E1	11	281	HPV31 E2	9	127
HPV31 E1	9	295	HPV31 E2	8	219
HPV31 E1	8	269	HPV31 E2	9	60
HPV31 E1	8	387	HPV31 E2	10	290
HPV31 E1	11	387	HPV31 E2	10	57
HPV31 E1	11	180	HPV31 E2	8	238
HPV31 E1	8	545	HPV31 E2	10	238
HPV31 E1	11	545	HPV31 E2	10	25
HPV31 E1	8	177	HPV31 E2	9	37
HPV31 E1	10	349	HPV31 E2	11	37
HPV31 E1	9	254	HPV31 E2	8	7
HPV31 E1	8	413	HPV31 E2	10	276
HPV31 E1	8	434	HPV31 E2	11	324
HPV31 E1	8	197	HPV31 E2	11	216
HPV31 E1	8	525	HPV31 E2	8	104
HPV31 E1	10	223	HPV31 E2	9	104
HPV31 E1	8	405	HPV31 E2	8	81
HPV31 E1	9	489	HPV31 E2	10	341
HPV31 E1	8	19	HPV31 E2	8	128
HPV31 E2	9	277	HPV31 E2	8	292
HPV31 E2	8	278	HPV31 E2	8	240
HPV31 E2	9	229	HPV31 E2	10	146
HPV31 E2	10	229	HPV31 E2	11	340
HPV31 E2	8	61	HPV31 E2	9	147
HPV31 E2	9	291	HPV31 E2	9	58
HPV31 E2	9	239	HPV31 E2	11	58
HPV31 E2	10	228	HPV31 E2	9	328
HPV31 E2	11	228	HPV31 E2	10	102
HPV31 E2	8	307	HPV31 E2	11	102
HPV31 E2	10	307	HPV31 E5	11	20
HPV31 E2	11	145	HPV31 E5	11	48
HPV31 E2	8	40	HPV31 E5	9	22
HPV31 E2	9	301	HPV31 E5	8	51
HPV31 E2	11	301	HPV31 E5	10	21
HPV31 E2	9	174	HPV31 E5	9	50
HPV31 E2	10	174	HPV31 E6	10	18
HPV31 E2	10	204	HPV31 E6	9	136
HPV31 E2	9	80	HPV31 E6	10	63
HPV31 E2	9	168	HPV31 E6	11	98
HPV31 E2	10	168	HPV31 E6	9	57
HPV31 E2	8	231	HPV31 E6	8	20
HPV31 E2	10	235	HPV31 E6	10	25
HPV31 E2	11	235	HPV31 E6	11	45
HPV31 E2	9	29	HPV31 E6	9	47
HPV31 E2	11	35	HPV31 E6	8	95
HPV31 E2	10	297	HPV31 E6	10	85
HPV31 E2	10	15	HPV31 E6	8	61
HPV31 E2	11	15	HPV31 E6	8	137
HPV31 E2	8	304	HPV31 E6	9	72
HPV31 E2	11	304	HPV31 E6	9	100
HPV31 E2	11	275	HPV31 E6	10	99
HPV31 E2	9	205	HPV31 E6	9	127
HPV31 E2	11	14	HPV31 E6	9	109
HPV31 E2	11	4	HPV31 E6	8	27
HPV31 E2	9	103	HPV31 E6	11	17
HPV31 E2	10	103	HPV31 E6	9	82
HPV31 E2	9	342	HPV31 E6	8	87
HPV31 E2	11	78	HPV31 E6	9	86
HPV31 E2	9	303	HPV31 E6	8	73
HPV31 E2	10	254	HPV31 E6	10	132

Table IX  
HLA-A3 Supermotif Peptides

HPV31 E6	11	132	HPV31 L1	11	472
HPV31 E6	8	70	HPV31 L1	11	306
HPV31 E6	11	70	HPV31 L1	8	156
HPV31 E6	10	81	HPV31 L1	11	329
HPV31 E7	10	68	HPV31 L1	10	255
HPV31 E7	10	88	HPV31 L1	10	154
HPV31 E7	9	89	HPV31 L1	10	476
HPV31 E7	9	54	HPV31 L1	11	476
HPV31 E7	10	53	HPV31 L1	9	75
HPV31 E7	8	70	HPV31 L1	11	457
HPV31 E7	8	55	HPV31 L1	9	490
HPV31 L1	11	347	HPV31 L1	10	490
HPV31 L1	10	348	HPV31 L1	11	490
HPV31 L1	11	426	HPV31 L1	10	228
HPV31 L1	11	208	HPV31 L1	9	51
HPV31 L1	8	491	HPV31 L1	10	51
HPV31 L1	9	491	HPV31 L1	9	358
HPV31 L1	10	491	HPV31 L1	8	23
HPV31 L1	11	491	HPV31 L1	8	492
HPV31 L1	8	103	HPV31 L1	9	492
HPV31 L1	8	224	HPV31 L1	10	492
HPV31 L1	9	459	HPV31 L1	9	271
HPV31 L1	10	459	HPV31 L1	8	246
HPV31 L1	10	372	HPV31 L1	9	302
HPV31 L1	8	245	HPV31 L1	10	89
HPV31 L1	9	245	HPV31 L1	9	423
HPV31 L1	11	88	HPV31 L1	9	354
HPV31 L1	10	353	HPV31 L1	8	494
HPV31 L1	10	270	HPV31 L1	10	494
HPV31 L1	8	469	HPV31 L1	11	494
HPV31 L1	10	469	HPV31 L1	8	493
HPV31 L1	8	211	HPV31 L1	9	493
HPV31 L1	8	257	HPV31 L1	11	493
HPV31 L1	11	421	HPV31 L1	11	44
HPV31 L1	9	331	HPV31 L1	11	10
HPV31 L1	10	117	HPV31 L1	10	66
HPV31 L1	8	68	HPV31 L1	9	22
HPV31 L1	10	68	HPV31 L1	10	301
HPV31 L1	8	413	HPV31 L1	10	422
HPV31 L1	9	349	HPV31 L1	8	332
HPV31 L1	9	118	HPV31 L1	11	62
HPV31 L1	10	427	HPV31 L1	10	21
HPV31 L1	10	357	HPV31 L1	10	101
HPV31 L1	8	431	HPV31 L1	10	136
HPV31 L1	8	65	HPV31 L1	9	12
HPV31 L1	11	65	HPV31 L1	10	250
HPV31 L1	11	20	HPV31 L1	10	50
HPV31 L1	9	470	HPV31 L1	11	50
HPV31 L1	11	470	HPV31 L1	9	445
HPV31 L1	11	300	HPV31 L1	11	445
HPV31 L1	10	32	HPV31 L2	10	281
HPV31 L1	11	227	HPV31 L2	11	281
HPV31 L1	8	496	HPV31 L2	10	286
HPV31 L1	9	496	HPV31 L2	11	13
HPV31 L1	8	165	HPV31 L2	9	15
HPV31 L1	10	222	HPV31 L2	9	276
HPV31 L1	10	489	HPV31 L2	11	59
HPV31 L1	11	489	HPV31 L2	11	221
HPV31 L1	10	411	HPV31 L2	9	61
HPV31 L1	9	472	HPV31 L2	10	26

Table IX  
HLA-A3 Supermotif Peptides

HPV31 L2	10	38	HPV33 E1	11	377
HPV31 L2	11	280	HPV33 E1	10	566
HPV31 L2	11	205	HPV33 E1	11	541
HPV31 L2	9	287	HPV33 E1	11	99
HPV31 L2	8	447	HPV33 E1	9	537
HPV31 L2	11	292	HPV33 E1	10	214
HPV31 L2	11	285	HPV33 E1	8	242
HPV31 L2	9	217	HPV33 E1	10	295
HPV31 L2	10	210	HPV33 E1	8	19
HPV31 L2	8	443	HPV33 E1	9	19
HPV31 L2	9	443	HPV33 E1	10	449
HPV31 L2	10	443	HPV33 E1	8	456
HPV31 L2	11	443	HPV33 E1	9	385
HPV31 L2	8	235	HPV33 E1	9	212
HPV31 L2	9	298	HPV33 E1	9	446
HPV31 L2	11	298	HPV33 E1	10	446
HPV31 L2	9	308	HPV33 E1	8	451
HPV31 L2	8	2	HPV33 E1	9	265
HPV31 L2	10	2	HPV33 E1	11	265
HPV31 L2	11	2	HPV33 E1	8	399
HPV31 L2	8	5	HPV33 E1	9	399
HPV31 L2	10	69	HPV33 E1	9	209
HPV31 L2	11	306	HPV33 E1	11	235
HPV31 L2	10	14	HPV33 E1	9	480
HPV31 L2	9	207	HPV33 E1	9	327
HPV31 L2	10	207	HPV33 E1	9	256
HPV31 L2	8	208	HPV33 E1	10	573
HPV31 L2	9	208	HPV33 E1	8	266
HPV31 L2	11	80	HPV33 E1	10	266
HPV31 L2	8	40	HPV33 E1	9	267
HPV31 L2	8	288	HPV33 E1	8	268
HPV31 L2	11	288	HPV33 E1	11	268
HPV31 L2	10	206	HPV33 E1	8	400
HPV31 L2	11	206	HPV33 E1	11	400
HPV31 L2	9	39	HPV33 E1	8	210
HPV31 L2	10	293	HPV33 E1	11	210
HPV31 L2	10	81	HPV33 E1	8	538
HPV31 L2	11	232	HPV33 E1	11	187
HPV31 L2	9	82	HPV33 E1	10	236
HPV31 L2	10	440	HPV33 E1	11	520
HPV31 L2	11	440	HPV33 E1	10	394
HPV31 L2	8	446	HPV33 E1	9	197
HPV31 L2	9	446	HPV33 E1	11	393
HPV31 L2	9	223	HPV33 E1	10	612
HPV31 L2	11	296	HPV33 E1	11	412
HPV33 E1	8	96	HPV33 E1	10	603
HPV33 E1	11	383	HPV33 E1	10	387
HPV33 E1	11	104	HPV33 E1	9	425
HPV33 E1	8	596	HPV33 E1	10	467
HPV33 E1	8	81	HPV33 E1	8	271
HPV33 E1	8	297	HPV33 E1	10	271
HPV33 E1	10	297	HPV33 E1	9	270
HPV33 E1	8	633	HPV33 E1	11	270
HPV33 E1	11	633	HPV33 E1	10	269
HPV33 E1	10	276	HPV33 E1	9	215
HPV33 E1	9	490	HPV33 E1	11	466
HPV33 E1	8	614	HPV33 E1	10	413
HPV33 E1	9	78	HPV33 E1	8	481
HPV33 E1	10	78	HPV33 E1	9	298
HPV33 E1	11	78	HPV33 E1	8	80

Table IX  
HLA-A3 Supermotif Peptides

HPV33 E1	9	80	HPV33 E2	11	284
HPV33 E1	11	57	HPV33 E2	9	272
HPV33 E1	9	379	HPV33 E2	9	248
HPV33 E1	8	389	HPV33 E2	9	60
HPV33 E1	9	195	HPV33 E2	8	27
HPV33 E1	11	195	HPV33 E2	11	27
HPV33 E1	9	560	HPV33 E2	8	222
HPV33 E1	9	189	HPV33 E2	9	29
HPV33 E1	8	238	HPV33 E2	9	76
HPV33 E1	11	593	HPV33 E2	8	332
HPV33 E1	8	60	HPV33 E2	10	57
HPV33 E1	10	94	HPV33 E2	8	7
HPV33 E1	9	308	HPV33 E2	11	37
HPV33 E1	8	575	HPV33 E2	9	256
HPV33 E1	11	306	HPV33 E2	11	256
HPV33 E1	8	109	HPV33 E2	10	5
HPV33 E1	9	95	HPV33 E2	11	98
HPV33 E1	10	634	HPV33 E2	8	285
HPV33 E1	9	414	HPV33 E2	10	285
HPV33 E1	11	111	HPV33 E2	8	61
HPV33 E1	10	58	HPV33 E2	11	270
HPV33 E1	11	193	HPV33 E2	11	304
HPV33 E1	11	239	HPV33 E2	10	305
HPV33 E1	8	447	HPV33 E2	11	209
HPV33 E1	9	447	HPV33 E2	11	254
HPV33 E1	11	558	HPV33 E2	8	257
HPV33 E1	8	328	HPV33 E2	10	257
HPV33 E1	10	240	HPV33 E2	8	310
HPV33 E1	8	299	HPV33 E2	10	233
HPV33 E1	8	491	HPV33 E2	8	118
HPV33 E1	8	190	HPV33 E2	9	118
HPV33 E1	10	100	HPV33 E2	10	116
HPV33 E1	8	418	HPV33 E2	11	116
HPV33 E1	9	502	HPV33 E2	8	273
HPV33 E1	9	522	HPV33 E2	9	117
HPV33 E1	9	595	HPV33 E2	10	117
HPV33 E1	11	254	HPV33 E2	9	58
HPV33 E2	8	249	HPV33 E2	11	58
HPV33 E2	9	258	HPV33 E2	10	102
HPV33 E2	9	245	HPV33 E2	11	102
HPV33 E2	8	40	HPV33 E2	9	309
HPV33 E2	10	288	HPV33 E2	11	159
HPV33 E2	9	211	HPV33 E5	9	12
HPV33 E2	10	25	HPV33 E5	11	10
HPV33 E2	8	235	HPV33 E5	11	38
HPV33 E2	9	143	HPV33 E5	9	40
HPV33 E2	11	232	HPV33 E6	8	137
HPV33 E2	11	74	HPV33 E6	9	137
HPV33 E2	9	282	HPV33 E6	8	136
HPV33 E2	11	282	HPV33 E6	9	136
HPV33 E2	11	115	HPV33 E6	10	136
HPV33 E2	9	100	HPV33 E6	10	30
HPV33 E2	10	156	HPV33 E6	11	98
HPV33 E2	10	278	HPV33 E6	8	27
HPV33 E2	9	15	HPV33 E6	9	27
HPV33 E2	11	4	HPV33 E6	9	47
HPV33 E2	10	14	HPV33 E6	11	45
HPV33 E2	8	165	HPV33 E6	9	69
HPV33 E2	8	77	HPV33 E6	8	61
HPV33 E2	9	284	HPV33 E6	10	99

Table IX  
HLA-A3 Supermotif Peptides

HPV33 E6	8	128	HPV33 L1	11	468
HPV33 E6	9	64	HPV33 L1	11	62
HPV33 E6	9	100	HPV33 L1	11	299
HPV33 E6	8	70	HPV33 L1	9	57
HPV33 E6	10	25	HPV33 L1	10	221
HPV33 E6	11	25	HPV33 L1	10	409
HPV33 E6	9	127	HPV33 L1	8	165
HPV33 E6	8	86	HPV33 L1	11	55
HPV33 E6	9	86	HPV33 L1	10	484
HPV33 E6	8	109	HPV33 L1	11	484
HPV33 E6	9	109	HPV33 L1	9	470
HPV33 E6	8	95	HPV33 L1	11	470
HPV33 E6	8	87	HPV33 L1	8	156
HPV33 E6	10	132	HPV33 L1	11	305
HPV33 E7	10	68	HPV33 L1	10	254
HPV33 E7	11	30	HPV33 L1	10	154
HPV33 E7	8	59	HPV33 L1	11	328
HPV33 E7	8	70	HPV33 L1	9	347
HPV33 E7	10	31	HPV33 L1	8	481
HPV33 L1	11	424	HPV33 L1	8	488
HPV33 L1	8	411	HPV33 L1	9	488
HPV33 L1	10	44	HPV33 L1	11	488
HPV33 L1	9	270	HPV33 L1	9	75
HPV33 L1	11	207	HPV33 L1	11	455
HPV33 L1	11	345	HPV33 L1	8	491
HPV33 L1	8	103	HPV33 L1	9	491
HPV33 L1	8	223	HPV33 L1	9	410
HPV33 L1	9	457	HPV33 L1	9	51
HPV33 L1	10	457	HPV33 L1	10	51
HPV33 L1	10	370	HPV33 L1	10	32
HPV33 L1	8	244	HPV33 L1	8	245
HPV33 L1	9	244	HPV33 L1	9	490
HPV33 L1	10	351	HPV33 L1	10	490
HPV33 L1	10	202	HPV33 L1	10	227
HPV33 L1	11	88	HPV33 L1	8	23
HPV33 L1	10	269	HPV33 L1	8	486
HPV33 L1	8	467	HPV33 L1	9	486
HPV33 L1	10	467	HPV33 L1	10	486
HPV33 L1	10	249	HPV33 L1	11	486
HPV33 L1	10	50	HPV33 L1	9	352
HPV33 L1	11	50	HPV33 L1	9	301
HPV33 L1	8	256	HPV33 L1	10	89
HPV33 L1	11	419	HPV33 L1	11	31
HPV33 L1	9	330	HPV33 L1	9	421
HPV33 L1	10	117	HPV33 L1	8	489
HPV33 L1	9	472	HPV33 L1	10	489
HPV33 L1	10	472	HPV33 L1	11	489
HPV33 L1	8	68	HPV33 L1	9	485
HPV33 L1	10	68	HPV33 L1	10	485
HPV33 L1	11	226	HPV33 L1	11	485
HPV33 L1	9	118	HPV33 L1	11	10
HPV33 L1	10	425	HPV33 L1	10	66
HPV33 L1	8	474	HPV33 L1	9	22
HPV33 L1	11	478	HPV33 L1	8	348
HPV33 L1	8	429	HPV33 L1	10	300
HPV33 L1	8	65	HPV33 L1	10	420
HPV33 L1	11	65	HPV33 L1	8	331
HPV33 L1	11	20	HPV33 L1	10	21
HPV33 L1	11	43	HPV33 L1	10	101
HPV33 L1	9	468	HPV33 L1	9	12

Table IX  
HLA-A3 Supermotif Peptides

HPV33 L1	9	443	HPV45 E1	9	270
HPV33 L1	11	443	HPV45 E1	11	270
HPV33 L2	9	81	HPV45 E1	8	399
HPV33 L2	8	82	HPV45 E1	9	399
HPV33 L2	10	291	HPV45 E1	9	398
HPV33 L2	10	286	HPV45 E1	10	398
HPV33 L2	11	286	HPV45 E1	8	297
HPV33 L2	11	12	HPV45 E1	10	297
HPV33 L2	9	308	HPV45 E1	11	423
HPV33 L2	9	14	HPV45 E1	8	634
HPV33 L2	8	447	HPV45 E1	9	78
HPV33 L2	9	447	HPV45 E1	10	78
HPV33 L2	9	281	HPV45 E1	11	78
HPV33 L2	11	301	HPV45 E1	10	214
HPV33 L2	11	440	HPV45 E1	11	623
HPV33 L2	11	58	HPV45 E1	8	328
HPV33 L2	11	226	HPV45 E1	8	596
HPV33 L2	10	37	HPV45 E1	9	115
HPV33 L2	10	25	HPV45 E1	10	115
HPV33 L2	9	60	HPV45 E1	11	186
HPV33 L2	10	379	HPV45 E1	8	189
HPV33 L2	11	297	HPV45 E1	9	189
HPV33 L2	11	285	HPV45 E1	10	295
HPV33 L2	8	448	HPV45 E1	9	446
HPV33 L2	9	292	HPV45 E1	8	456
HPV33 L2	10	307	HPV45 E1	9	385
HPV33 L2	11	311	HPV45 E1	10	449
HPV33 L2	9	240	HPV45 E1	9	212
HPV33 L2	11	290	HPV45 E1	11	579
HPV33 L2	10	215	HPV45 E1	8	19
HPV33 L2	8	444	HPV45 E1	9	19
HPV33 L2	9	444	HPV45 E1	8	626
HPV33 L2	10	444	HPV45 E1	9	209
HPV33 L2	11	444	HPV45 E1	9	443
HPV33 L2	11	79	HPV45 E1	9	265
HPV33 L2	10	221	HPV45 E1	11	265
HPV33 L2	9	313	HPV45 E1	11	235
HPV33 L2	9	303	HPV45 E1	8	256
HPV33 L2	11	303	HPV45 E1	8	268
HPV33 L2	10	13	HPV45 E1	11	268
HPV33 L2	9	212	HPV45 E1	11	555
HPV33 L2	9	38	HPV45 E1	11	466
HPV33 L2	8	213	HPV45 E1	8	447
HPV33 L2	10	80	HPV45 E1	8	538
HPV33 L2	8	39	HPV45 E1	8	116
HPV33 L2	8	309	HPV45 E1	9	116
HPV33 L2	8	293	HPV45 E1	11	116
HPV33 L2	11	293	HPV45 E1	9	197
HPV33 L2	10	211	HPV45 E1	9	425
HPV33 L2	10	298	HPV45 E1	10	387
HPV33 L2	9	222	HPV45 E1	10	269
HPV33 L2	10	441	HPV45 E1	8	299
HPV33 L2	11	441	HPV45 E1	9	267
HPV33 L2	11	210	HPV45 E1	11	84
HPV33 L2	9	228	HPV45 E1	8	190
HPV33 L2	8	381	HPV45 E1	8	271
HPV45 E1	11	383	HPV45 E1	10	271
HPV45 E1	8	198	HPV45 E1	10	556
HPV45 E1	11	532	HPV45 E1	10	467
HPV45 E1	11	452	HPV45 E1	8	210

Table IX  
HLA-A3 Supermotif Peptides

HPV45 E1	11	210	HPV45 E2	9	242
HPV45 E1	10	103	HPV45 E2	11	242
HPV45 E1	9	557	HPV45 E2	10	295
HPV45 E1	9	215	HPV45 E2	8	124
HPV45 E1	9	298	HPV45 E2	8	293
HPV45 E1	8	415	HPV45 E2	10	21
HPV45 E1	11	415	HPV45 E2	8	70
HPV45 E1	9	560	HPV45 E2	8	36
HPV45 E1	9	414	HPV45 E2	9	146
HPV45 E1	8	119	HPV45 E2	10	77
HPV45 E1	9	119	HPV45 E2	11	20
HPV45 E1	10	119	HPV45 E2	9	232
HPV45 E1	9	379	HPV45 E2	11	121
HPV45 E1	9	537	HPV45 E2	10	272
HPV45 E1	8	238	HPV45 E2	11	272
HPV45 E1	8	593	HPV45 E2	11	10
HPV45 E1	11	593	HPV45 E2	8	256
HPV45 E1	11	102	HPV45 E2	11	336
HPV45 E1	9	412	HPV45 E2	10	83
HPV45 E1	11	412	HPV45 E2	8	46
HPV45 E1	8	80	HPV45 E2	9	69
HPV45 E1	9	80	HPV45 E2	9	301
HPV45 E1	8	451	HPV45 E2	11	301
HPV45 E1	11	306	HPV45 E2	11	33
HPV45 E1	8	117	HPV45 E2	9	109
HPV45 E1	10	117	HPV45 E2	10	109
HPV45 E1	11	117	HPV45 E2	9	289
HPV45 E1	10	307	HPV45 E2	9	292
HPV45 E1	9	308	HPV45 E2	8	67
HPV45 E1	9	104	HPV45 E2	11	67
HPV45 E1	8	558	HPV45 E2	11	271
HPV45 E1	11	558	HPV45 E2	10	112
HPV45 E1	11	239	HPV45 E2	9	35
HPV45 E1	8	309	HPV45 E2	11	222
HPV45 E1	10	240	HPV45 E2	11	82
HPV45 E1	8	81	HPV45 E2	9	244
HPV45 E1	8	266	HPV45 E2	10	4
HPV45 E1	10	266	HPV45 E2	10	63
HPV45 E1	8	400	HPV45 E2	11	43
HPV45 E1	11	400	HPV45 E2	8	13
HPV45 E1	11	325	HPV45 E2	8	302
HPV45 E1	8	418	HPV45 E2	10	302
HPV45 E1	9	502	HPV45 E2	11	302
HPV45 E1	9	522	HPV45 E2	8	275
HPV45 E1	10	254	HPV45 E2	9	275
HPV45 E1	10	394	HPV45 E2	10	275
HPV45 E2	9	78	HPV45 E2	11	321
HPV45 E2	9	84	HPV45 E2	8	276
HPV45 E2	8	305	HPV45 E2	9	276
HPV45 E2	8	274	HPV45 E2	10	322
HPV45 E2	9	274	HPV45 E2	9	51
HPV45 E2	10	274	HPV45 E2	8	233
HPV45 E2	11	274	HPV45 E2	8	277
HPV45 E2	11	158	HPV45 E2	8	290
HPV45 E2	9	171	HPV45 E2	11	290
HPV45 E2	10	212	HPV45 E2	8	172
HPV45 E2	10	50	HPV45 E2	10	122
HPV45 E2	9	255	HPV45 E2	9	213
HPV45 E2	8	225	HPV45 E2	10	337
HPV45 E2	8	242	HPV45 E2	8	214

Table IX  
HLA-A3 Supermotif Peptides

HPV45 E2	10	159	HPV45 L1	11	518
HPV45 E2	9	338	HPV45 L1	10	162
HPV45 E2	9	64	HPV45 L1	8	164
HPV45 E2	11	64	HPV45 L1	11	88
HPV45 E2	10	145	HPV45 L1	10	276
HPV45 E2	10	175	HPV45 L1	8	129
HPV45 E6	9	59	HPV45 L1	11	188
HPV45 E6	9	68	HPV45 L1	8	250
HPV45 E6	10	32	HPV45 L1	9	488
HPV45 E6	10	27	HPV45 L1	10	488
HPV45 E6	8	97	HPV45 L1	8	271
HPV45 E6	11	97	HPV45 L1	9	271
HPV45 E6	8	43	HPV45 L1	11	114
HPV45 E6	11	47	HPV45 L1	10	296
HPV45 E6	8	128	HPV45 L1	11	169
HPV45 E6	8	60	HPV45 L1	8	283
HPV45 E6	9	102	HPV45 L1	8	24
HPV45 E6	10	101	HPV45 L1	8	498
HPV45 E6	10	1	HPV45 L1	9	498
HPV45 E6	8	100	HPV45 L1	10	498
HPV45 E6	11	100	HPV45 L1	8	237
HPV45 E6	10	83	HPV45 L1	11	450
HPV45 E6	8	139	HPV45 L1	9	359
HPV45 E6	11	139	HPV45 L1	10	82
HPV45 E6	10	95	HPV45 L1	11	503
HPV45 E6	9	114	HPV45 L1	10	143
HPV45 E6	11	114	HPV45 L1	11	328
HPV45 E6	8	111	HPV45 L1	10	473
HPV45 E6	9	111	HPV45 L1	8	91
HPV45 E6	8	144	HPV45 L1	11	91
HPV45 E6	9	144	HPV45 L1	10	68
HPV45 E6	10	144	HPV45 L1	9	144
HPV45 E6	11	144	HPV45 L1	9	69
HPV45 E6	10	41	HPV45 L1	8	499
HPV45 E6	8	29	HPV45 L1	9	499
HPV45 E6	9	84	HPV45 L1	8	49
HPV45 E6	9	28	HPV45 L1	9	383
HPV45 E6	8	72	HPV45 L1	10	516
HPV45 E7	9	64	HPV45 L1	9	190
HPV45 E7	8	78	HPV45 L1	8	526
HPV45 E7	10	44	HPV45 L1	10	526
HPV45 E7	11	44	HPV45 L1	11	526
HPV45 E7	8	47	HPV45 L1	10	22
HPV45 E7	11	62	HPV45 L1	10	248
HPV45 E7	8	61	HPV45 L1	8	508
HPV45 E7	11	75	HPV45 L1	9	387
HPV45 E7	9	51	HPV45 L1	10	440
HPV45 E7	11	51	HPV45 L1	10	380
HPV45 E7	11	49	HPV45 L1	10	281
HPV45 E7	8	54	HPV45 L1	11	334
HPV45 E7	10	76	HPV45 L1	11	357
HPV45 E7	9	45	HPV45 L1	9	452
HPV45 E7	10	45	HPV45 L1	11	67
HPV45 L1	9	517	HPV45 L1	9	101
HPV45 L1	11	161	HPV45 L1	8	529
HPV45 L1	8	191	HPV45 L1	11	46
HPV45 L1	11	234	HPV45 L1	10	77
HPV45 L1	9	523	HPV45 L1	9	93
HPV45 L1	11	523	HPV45 L1	10	58
HPV45 L1	8	518	HPV45 L1	8	272

Table IX  
HLA-A3 Supermotif Peptides

HPV45 L1	11	486	HPV45 L2	10	302
HPV45 L1	8	521	HPV45 L2	11	298
HPV45 L1	9	521	HPV45 L2	10	281
HPV45 L1	11	521	HPV45 L2	11	281
HPV45 L1	10	115	HPV45 L2	11	225
HPV45 L1	10	519	HPV45 L2	9	308
HPV45 L1	11	519	HPV45 L2	10	68
HPV45 L1	8	453	HPV45 L2	10	220
HPV45 L1	8	522	HPV45 L2	10	13
HPV45 L1	10	522	HPV45 L2	8	288
HPV45 L1	9	163	HPV45 L2	11	288
HPV45 L1	9	116	HPV45 L2	9	211
HPV45 L1	9	330	HPV45 L2	10	211
HPV45 L1	11	57	HPV45 L2	11	362
HPV45 L1	8	442	HPV45 L2	8	212
HPV45 L1	9	520	HPV45 L2	9	212
HPV45 L1	10	520	HPV45 L2	11	212
HPV45 L1	10	329	HPV45 L2	9	358
HPV45 L1	9	441	HPV45 L2	10	363
HPV45 L1	8	70	HPV45 L2	8	304
HPV45 L1	9	297	HPV45 L2	8	359
HPV45 L1	11	36	HPV45 L2	10	293
HPV45 L1	8	102	HPV45 L2	9	217
HPV45 L1	10	92	HPV45 L2	9	80
HPV45 L1	8	360	HPV45 L2	8	2
HPV45 L1	10	47	HPV45 L2	9	2
HPV45 L1	9	78	HPV45 L2	10	2
HPV45 L1	10	127	HPV45 L2	8	81
HPV45 L1	8	196	HPV45 L2	11	437
HPV45 L1	8	477	HPV45 L2	9	227
HPV45 L1	10	303	HPV56 E2	9	177
HPV45 L1	9	38	HPV56 E2	10	177
HPV45 L2	10	286	HPV56 E2	8	178
HPV45 L2	8	12	HPV56 E2	9	178
HPV45 L2	11	12	HPV56 E2	11	178
HPV45 L2	10	357	HPV56 E2	8	4
HPV45 L2	9	14	HPV56 E2	8	71
HPV45 L2	9	303	HPV56 E2	10	176
HPV45 L2	9	273	HPV56 E2	11	176
HPV45 L2	9	276	HPV56 E2	9	195
HPV45 L2	11	306	HPV56 E2	8	140
HPV45 L2	11	58	HPV56 E2	8	213
HPV45 L2	10	25	HPV56 E2	10	213
HPV45 L2	9	60	HPV56 E2	8	117
HPV45 L2	11	292	HPV56 E2	8	43
HPV45 L2	10	210	HPV56 E2	9	43
HPV45 L2	11	210	HPV56 E2	8	191
HPV45 L2	10	34	HPV56 E2	10	154
HPV45 L2	9	287	HPV56 E2	8	61
HPV45 L2	8	1	HPV56 E2	10	99
HPV45 L2	9	1	HPV56 E2	10	59
HPV45 L2	10	1	HPV56 E2	11	210
HPV45 L2	11	1	HPV56 E2	8	239
HPV45 L2	10	79	HPV56 E2	10	239
HPV45 L2	11	285	HPV56 E2	9	297
HPV45 L2	11	356	HPV56 E2	9	283
HPV45 L2	11	209	HPV56 E2	10	211
HPV45 L2	9	214	HPV56 E2	11	281
HPV45 L2	10	216	HPV56 E2	9	233
HPV45 L2	9	11	HPV56 E2	9	90

Table IX  
HLA-A3 Supermotif Peptides

HPV56 E2	11	295	HPV56 E6	10	135
HPV56 E2	9	46	HPV56 E6	8	73
HPV56 E2	10	46	HPV56 E7	10	75
HPV56 E2	9	1	HPV56 E7	8	39
HPV56 E2	11	1	HPV56 E7	11	70
HPV56 E2	8	292	HPV56 E7	10	42
HPV56 E2	11	236	HPV56 E7	8	62
HPV56 E2	10	301	HPV56 E7	10	60
HPV56 E2	8	246	HPV56 E7	8	73
HPV56 E2	11	246	HPV56 E7	8	77
HPV56 E2	11	188	HPV56 E7	10	71
HPV56 E2	8	279	HPV56 E7	11	59
HPV56 E2	11	223	HPV56 L1	11	241
HPV56 E2	8	196	HPV56 L1	8	198
HPV56 E2	11	266	HPV56 L1	8	58
HPV56 E2	10	282	HPV56 L1	11	381
HPV56 E2	11	28	HPV56 L1	9	444
HPV56 E2	8	234	HPV56 L1	9	37
HPV56 E2	9	155	HPV56 L1	8	512
HPV56 E2	8	179	HPV56 L1	11	79
HPV56 E2	10	179	HPV56 L1	11	195
HPV56 E2	10	237	HPV56 L1	8	136
HPV56 E2	9	302	HPV56 L1	10	389
HPV56 E2	10	45	HPV56 L1	8	257
HPV56 E2	11	45	HPV56 L1	9	491
HPV56 E2	9	278	HPV56 L1	10	491
HPV56 E2	9	111	HPV56 L1	8	278
HPV56 E2	10	111	HPV56 L1	9	278
HPV56 E6	8	89	HPV56 L1	11	176
HPV56 E6	9	89	HPV56 L1	10	236
HPV56 E6	10	139	HPV56 L1	11	121
HPV56 E6	9	69	HPV56 L1	10	404
HPV56 E6	10	69	HPV56 L1	10	308
HPV56 E6	9	50	HPV56 L1	10	303
HPV56 E6	10	33	HPV56 L1	8	290
HPV56 E6	8	101	HPV56 L1	11	290
HPV56 E6	10	28	HPV56 L1	8	501
HPV56 E6	11	28	HPV56 L1	10	501
HPV56 E6	8	23	HPV56 L1	8	33
HPV56 E6	11	20	HPV56 L1	9	364
HPV56 E6	11	44	HPV56 L1	10	150
HPV56 E6	11	48	HPV56 L1	10	378
HPV56 E6	9	88	HPV56 L1	10	334
HPV56 E6	10	88	HPV56 L1	8	98
HPV56 E6	8	137	HPV56 L1	11	98
HPV56 E6	8	70	HPV56 L1	10	55
HPV56 E6	9	70	HPV56 L1	11	55
HPV56 E6	11	70	HPV56 L1	11	45
HPV56 E6	8	31	HPV56 L1	11	168
HPV56 E6	8	98	HPV56 L1	9	502
HPV56 E6	11	98	HPV56 L1	9	151
HPV56 E6	8	119	HPV56 L1	8	385
HPV56 E6	9	119	HPV56 L1	10	36
HPV56 E6	9	110	HPV56 L1	11	333
HPV56 E6	8	30	HPV56 L1	9	2
HPV56 E6	9	30	HPV56 L1	10	1
HPV56 E6	9	67	HPV56 L1	11	95
HPV56 E6	11	67	HPV56 L1	9	123
HPV56 E6	8	90	HPV56 L1	8	91
HPV56 E6	10	21	HPV56 L1	9	197

Table IX  
HLA-A3 Supermotif Peptides

HPV56 L1	8	511	HPV56 L1	10	134
HPV56 L1	9	511	HPV56 L1	8	203
HPV56 L1	10	31	HPV56 L1	8	310
HPV56 L1	10	255	HPV56 L1	9	47
HPV56 L1	10	467	HPV56 L1	10	283
HPV56 L1	9	522	HPV56 L1	9	85
HPV56 L1	10	522	HPV56 L1	11	453
HPV56 L1	11	522	HPV56 L2	8	222
HPV56 L1	9	442	HPV56 L2	10	281
HPV56 L1	11	442	HPV56 L2	11	281
HPV56 L1	10	288	HPV56 L2	9	438
HPV56 L1	11	339	HPV56 L2	10	438
HPV56 L1	11	362	HPV56 L2	11	438
HPV56 L1	8	384	HPV56 L2	8	12
HPV56 L1	9	384	HPV56 L2	11	12
HPV56 L1	11	35	HPV56 L2	10	367
HPV56 L1	11	260	HPV56 L2	9	14
HPV56 L1	10	508	HPV56 L2	9	30
HPV56 L1	11	508	HPV56 L2	10	437
HPV56 L1	9	455	HPV56 L2	11	437
HPV56 L1	9	108	HPV56 L2	9	276
HPV56 L1	11	520	HPV56 L2	9	287
HPV56 L1	9	100	HPV56 L2	11	58
HPV56 L1	11	100	HPV56 L2	10	25
HPV56 L1	10	67	HPV56 L2	9	60
HPV56 L1	10	446	HPV56 L2	9	293
HPV56 L1	8	279	HPV56 L2	10	293
HPV56 L1	8	456	HPV56 L2	8	221
HPV56 L1	9	379	HPV56 L2	9	221
HPV56 L1	10	261	HPV56 L2	10	210
HPV56 L1	11	489	HPV56 L2	11	210
HPV56 L1	8	526	HPV56 L2	8	81
HPV56 L1	9	526	HPV56 L2	8	302
HPV56 L1	8	524	HPV56 L2	10	34
HPV56 L1	9	524	HPV56 L2	10	235
HPV56 L1	10	524	HPV56 L2	8	1
HPV56 L1	11	524	HPV56 L2	9	1
HPV56 L1	8	86	HPV56 L2	10	1
HPV56 L1	8	380	HPV56 L2	11	1
HPV56 L1	9	304	HPV56 L2	11	285
HPV56 L1	11	377	HPV56 L2	11	209
HPV56 L1	9	335	HPV56 L2	8	369
HPV56 L1	11	66	HPV56 L2	11	78
HPV56 L1	8	445	HPV56 L2	8	441
HPV56 L1	11	445	HPV56 L2	9	441
HPV56 L1	8	525	HPV56 L2	10	441
HPV56 L1	9	525	HPV56 L2	11	441
HPV56 L1	10	525	HPV56 L2	11	306
HPV56 L1	8	523	HPV56 L2	10	68
HPV56 L1	9	523	HPV56 L2	9	11
HPV56 L1	10	523	HPV56 L2	9	220
HPV56 L1	11	523	HPV56 L2	10	220
HPV56 L1	8	57	HPV56 L2	11	298
HPV56 L1	9	57	HPV56 L2	11	225
HPV56 L1	8	443	HPV56 L2	10	13
HPV56 L1	10	443	HPV56 L2	9	211
HPV56 L1	10	99	HPV56 L2	10	211
HPV56 L1	8	365	HPV56 L2	10	79
HPV56 L1	9	56	HPV56 L2	8	212
HPV56 L1	10	56	HPV56 L2	9	212

Table IX  
HLA-A3 Supermotif Peptides

HPV56 L2	9	80
HPV56 L2	8	288
HPV56 L2	11	288
HPV56 L2	8	2
HPV56 L2	9	2
HPV56 L2	10	2
HPV56 L2	11	280
HPV56 L2	11	366
HPV56 L2	9	236
HPV56 L2	8	31

SF 1168096 v1

Table IXA HPV 6A  
HLA-A3 Supermotif Peptides

2	3	4	L2	8	274
L1	8	234	L2	11	274
E1	8	206	E1	10	143
L1	9	489	E1	8	336
L1	11	489	E1	8	180
L2	10	286	E1	8	62
E1	9	112	E1	10	100
E1	10	112	E1	9	375
L1	11	420	E1	10	105
E1	10	475	E6	8	42
L1	11	203	E6	11	42
L1	8	487	L1	9	453
L1	9	487	L1	10	453
L1	11	487	E1	9	197
L2	11	12	E1	8	604
E2	8	322	E2	11	74
L2	8	288	E1	8	417
L2	11	288	E2	8	100
L1	8	22	E2	9	100
E1	8	407	E1	11	373
L2	9	14	E2	9	293
E6	9	10	E2	11	293
E6	9	86	E2	9	39
E1	8	77	E7	11	39
E1	9	77	E6	11	113
E1	9	101	L1	8	206
L1	10	43	L1	8	252
L1	11	43	L2	8	442
E2	8	231	E1	9	220
E2	9	231	E6	9	126
E2	11	231	E6	11	126
L1	10	483	E1	9	454
L1	11	483	L1	8	463
E1	11	601	L1	10	463
E6	10	64	E4	11	21
L1	11	157	E1	9	393
E1	9	406	L1	10	245
E2	8	296	L2	9	276
E2	11	35	L1	8	49
L1	8	99	E1	11	587
E1	8	640	L1	9	326
E1	10	111	L2	11	58
E1	11	111	E1	9	194
E2	8	230	E2	10	156
E2	9	230	E1	8	350
E2	10	230	E1	9	217
L1	8	219	L2	11	292
E6	8	96	E2	9	55
E1	9	570	E1	9	273
E7	10	88	E1	11	273
E1	10	222	L1	11	130
E2	10	25	E1	11	431
E1	9	203	L2	9	303
E1	11	203	E1	8	632
L1	11	84	E1	10	191
E1	11	73	L2	10	25
L1	11	269	L2	9	60
E6	11	99	E1	8	145
E1	10	178	L1	8	407
E2	9	174	E4	9	90

Table IXA HPV 6A  
HLA-A3 Supermotif Peptides

E1	9	316	E1	11	540
L1	9	478	E4	10	8
L1	10	113	E4	11	8
E1	10	415	E4	8	24
E2	11	53	E1	8	198
E6	10	119	L1	9	464
E4	8	10	E1	8	276
E4	9	10	E1	11	276
E1	9	246	E1	11	563
L2	8	3	E1	8	218
L2	9	3	E1	11	218
E6	11	25	L1	9	439
L2	11	306	L1	11	439
L2	8	149	E4	8	81
E2	9	29	E6	8	121
E1	8	376	E1	9	115
E1	11	474	E1	10	115
L2	9	287	E1	11	115
L1	8	272	E1	10	277
E1	8	195	E1	8	279
E1	11	195	E1	10	279
E6	9	120	L2	10	293
E1	9	106	L1	11	295
E2	11	315	E1	10	564
L1	10	421	E7	11	67
E1	8	571	L1	9	233
E2	10	267	L2	8	1
E2	11	267	L2	9	1
L2	8	82	L2	10	1
E7	9	89	L2	11	1
E1	9	476	E1	8	546
L1	8	486	E1	8	421
L1	9	486	E1	10	421
L1	10	486	E1	8	274
E1	9	433	E1	10	274
E2	9	351	E1	10	607
E6	9	128	E1	9	568
E1	8	114	E1	11	568
E1	10	114	E1	10	451
E1	11	114	L1	10	31
E1	9	462	E4	9	23
E1	10	462	L1	10	438
E1	9	420	E1	8	397
E1	11	420	L1	9	352
E1	8	286	E1	11	59
E2	9	165	E1	10	395
E2	9	147	L2	9	38
E6	8	116	E2	10	348
E6	10	116	L2	9	237
E1	10	121	L2	11	285
E1	11	283	L1	11	482
L1	8	61	L2	8	438
L1	11	61	L2	9	438
L1	11	19	L2	10	438
L1	9	71	E2	11	438
L1	11	42	L1	10	217
L1	9	271	E6	9	110
E6	9	101	E4	8	34
E1	9	223	E4	9	34
E2	11	266	L1	8	160

Table IXA HPV 6A  
HLA-A3 Supermotif Peptides

L1	10	160	L1	9	348
E2	8	61	E2	8	40
E1	9	545	E6	10	40
L2	10	80	E1	9	192
L1	9	266	E1	11	192
L2	8	212	L2	8	39
L2	10	212	L1	10	270
E4	9	38	E6	10	26
E4	10	38	E6	11	8
E4	11	38	L2	10	147
E6	8	28	E1	8	566
L1	11	301	E1	11	566
L1	11	324	E4	11	78
L1	10	232	L1	11	346
L1	10	250	E2	11	97
E2	9	76	E6	11	39
E1	8	305	E6	8	11
E1	11	314	E6	8	87
L1	11	466	E4	8	91
L1	9	417	E1	8	78
E2	9	103	E2	10	334
E2	10	103	E1	8	317
E2	11	103	L1	9	21
E2	9	233	E1	11	333
E1	9	205	E2	8	30
E1	11	391	E6	10	100
L1	9	53	E4	11	7
L2	11	298	E1	9	275
E1	9	109	E1	9	278
L1	8	241	E1	11	278
L2	10	281	L1	9	114
L2	11	281	L1	10	62
L2	9	308	L1	9	484
L1	9	472	L1	10	484
L1	10	472	L1	11	484
L1	11	476	L1	10	296
L1	9	140	L2	11	146
L1	8	488	E1	9	565
L1	10	488	E2	11	333
L2	10	13	L1	8	327
E6	10	9	E2	9	335
E1	9	422	L1	10	20
L1	8	474	E2	9	349
E1	8	247	E2	11	349
L2	9	81	L1	8	72
E1	10	60	L1	11	58
L1	9	86	E2	11	58
E4	9	80	E7	10	68
L2	8	304	L1	10	97
L1	9	297	E2	9	321
L1	11	451	E1	8	426
L1	8	473	E1	9	530
L1	9	473	E1	8	464
L1	10	85	E1	9	510
E4	10	79	E2	11	145
L2	11	209	E6	10	85
E2	10	316	E1	8	76
L1	10	347	E1	9	76
L2	10	210	E1	10	76
E2	9	317	E6	11	46

Table IXA HPV 6A  
HLA-A3 Supermotif Peptides

L2	10	435
L2	11	435
E6	9	44
L1	11	350
E1	10	402
E2	10	168
L2	9	71
L1	10	10
E2	10	138
L1	11	415

Table IXB. HPV6B  
HLA-A3 Supermotif Peptides

2	3	4			
L1	8	234	E2	9	174
E1	8	206	L2	8	274
L1	9	489	L2	11	274
L1	11	489	E1	10	143
L2	10	286	E1	8	336
E1	9	112	E1	8	180
E1	10	112	E1	8	62
L1	11	420	E1	10	100
E1	10	475	E1	9	375
L1	11	203	E1	10	105
L1	8	487	E6	8	42
L1	9	487	E6	11	42
L1	11	487	L1	9	453
L2	11	12	L1	10	453
L2	8	288	E1	9	197
L2	11	288	E1	8	604
E2	8	322	E2	11	74
L1	8	22	E1	8	417
E1	8	407	E2	8	100
L2	9	14	E2	9	100
E6	9	10	E1	11	373
E6	9	86	E2	9	293
E1	8	77	E2	11	293
E1	9	77	E2	9	39
E1	9	101	E7	11	39
L1	10	43	E6	11	113
L1	11	43	L1	8	206
E5B	9	36	L1	8	252
E5B	11	36	L2	8	442
E2	8	231	E1	9	220
E2	9	231	E6	9	126
E2	11	231	E6	11	126
L1	10	483	E1	9	454
L1	11	483	L1	8	463
E1	11	601	L1	10	463
E6	10	64	E4	11	31
L1	11	157	E1	9	393
E1	9	406	L1	10	245
E2	8	296	L2	9	276
E2	11	35	L1	8	49
L1	8	99	E1	11	587
E1	8	640	L1	9	326
E1	10	111	L2	11	58
E1	11	111	E1	9	194
E2	8	230	E2	10	156
E2	9	230	E1	8	350
E2	10	230	ESB	8	28
L1	8	219	E1	9	217
E6	8	96	L2	11	292
E1	9	570	ESB	11	25
E2	10	25	E2	9	55
E1	10	222	E1	9	273
E1	9	203	E1	11	273
E1	11	203	L1	11	130
L1	11	84	E1	11	431
E1	11	73	L2	9	303
L1	11	269	E1	8	632
E6	11	99	E1	10	191
E1	10	178	L2	10	25
			L2	9	60

Table IXB. HPV6B  
HLA-A3 Supermotif Peptides

E1	8	145	L1	9	271
L1	8	407	E6	9	101
E4	9	100	E1	9	223
E1	9	316	E2	11	266
L1	9	478	E1	11	540
L1	10	113	E4	10	18
E1	10	415	E4	11	18
E2	11	53	E4	8	34
E6	10	119	E1	8	198
E4	8	20	L1	9	464
E4	9	20	E1	8	279
E1	9	246	E1	10	279
L2	8	3	E1	8	276
L2	9	3	E1	11	276
ESB	9	42	E1	11	563
E6	11	25	E5B	11	31
L2	11	306	E1	8	218
L2	8	149	E1	11	218
E2	9	29	L1	9	439
E1	8	376	L1	11	439
E1	11	474	E4	8	91
L2	9	287	E6	8	121
L1	8	272	E1	9	115
E1	8	195	E1	10	115
E1	11	195	E1	11	115
E6	9	120	E1	10	277
E1	9	106	L2	10	293
E2	11	315	L1	11	295
L1	10	421	E1	10	564
E1	8	571	E7	11	67
E2	10	267	L1	9	233
E2	11	267	L2	8	1
L2	8	82	L2	9	1
E7	9	89	L2	10	1
E1	9	476	L2	11	1
L1	8	486	E5B	10	26
L1	9	486	E1	8	546
L1	10	486	E1	8	421
E1	9	433	E1	10	421
E2	9	351	E1	8	274
E6	9	128	E1	10	274
E1	8	114	E1	9	568
E1	10	114	E1	11	568
E1	11	114	E1	10	451
E1	9	462	L1	10	31
E1	10	462	E7	10	88
E1	9	420	E4	9	33
E1	11	420	L1	10	438
E1	8	286	E1	8	397
E2	9	165	L1	9	352
E2	9	147	E1	11	59
E6	8	116	E1	10	395
E6	10	116	L2	9	38
E1	10	121	E1	10	607
E1	11	283	L2	9	237
L1	8	61	L2	11	285
L1	11	61	L1	11	482
L1	11	19	L2	8	438
L1	9	71	L2	9	438
L1	11	42	L2	10	438

Table IXB. HPV6B  
HLA-A3 Supermotif Peptides

L2	11	438	L1	9	473
L1	10	217	L1	10	85
E6	9	110	E4	10	89
E4	8	44	L2	11	209
E4	9	44	E2	10	316
L1	8	160	L1	10	347
L1	10	160	E2	9	220
E2	8	61	L2	10	210
E1	9	545	E2	9	317
L2	10	80	L1	9	348
L1	9	266	E2	8	40
L2	8	212	E6	10	40
L2	10	212	E1	9	192
E4	9	48	E1	11	192
E4	10	48	L2	8	39
E4	11	48	L1	10	270
E6	8	28	E6	10	26
L1	11	301	E2	8	221
L1	11	324	E6	11	8
L1	10	232	L2	10	147
L1	10	250	E1	8	566
E2	9	76	E1	11	566
E1	8	305	E4	11	88
E1	11	314	L1	11	346
L1	11	466	E2	10	219
L1	9	417	E2	11	97
E2	9	103	E6	11	39
E2	10	103	E6	8	11
E2	11	103	E6	8	87
E2	9	233	E4	8	101
E2	11	218	E1	8	78
E1	9	205	E2	10	334
E1	11	391	E1	8	317
L1	9	53	L1	9	21
E5B	10	35	E1	11	333
L2	11	298	E2	8	30
E1	9	109	E6	10	100
L1	8	241	E4	11	17
L2	10	281	E1	9	278
L2	11	281	E1	11	278
L2	9	308	E1	9	275
L1	9	472	L1	9	114
L1	10	472	L1	10	62
L1	11	476	L1	9	484
L1	9	140	L1	10	484
L1	8	488	L1	11	484
L1	10	488	L1	10	296
L2	10	13	L2	11	146
E6	10	9	E1	9	565
E1	9	422	E2	11	333
L1	8	474	L1	8	327
E1	8	247	E2	9	335
L2	9	81	L1	10	20
E1	10	60	E2	11	349
L1	9	86	L1	8	72
E4	9	90	L1	11	58
L2	8	304	E2	11	58
L1	9	297	E7	10	68
L1	11	451	L1	10	97
L1	8	473	E2	9	321

Table IXB. HPV6B  
HLA-A3 Supermotif Peptides

E1	8	426
E1	9	530
E1	8	464
E1	9	510
E2	11	145
E6	10	85
E1	8	76
E1	9	76
E1	10	76
E6	11	46
L2	10	435
L2	11	435
E6	9	44
L1	11	350
E1	10	402
E2	10	168
L2	9	71
L1	10	10
E2	10	138
L1	11	415

Table IXC HPV11  
HLA-A3 Supermotif Peptides

2	3	4			
L1	8	235	E1	8	336
E1	9	112	E1	8	62
E1	10	112	E1	8	180
E1	8	407	E1	9	375
L1	11	421	E6	11	113
L2	9	80	E1	10	105
L2	10	285	E6	8	42
E1	10	475	E6	11	42
L1	11	204	L1	9	454
L2	11	11	L1	10	454
E2	8	321	E1	9	197
E2	8	197	E6	10	69
L1	8	22	E1	8	604
L2	9	13	E1	8	417
E6	9	10	E2	11	74
E1	8	77	E2	8	100
E1	9	77	E2	9	100
L1	9	349	E1	11	373
E1	9	101	E2	9	39
L1	10	43	E6	8	92
L1	11	43	E1	10	141
E5	9	37	L1	8	207
E5	11	26	L1	8	253
L1	10	484	L2	8	438
L1	11	484	E6	9	126
E1	11	601	E6	11	126
E6	10	64	E1	9	454
E1	9	406	L1	8	464
E5	8	46	L1	10	464
L1	11	158	E1	9	393
E2	11	35	L2	9	275
E2	8	295	E1	11	587
E2	11	194	E1	9	220
L1	8	99	L1	9	327
E1	8	640	L2	11	57
E1	11	73	L1	9	479
E1	10	111	E1	9	194
E1	11	111	E2	10	156
E1	10	607	E5	8	29
L1	8	220	E1	9	217
E1	10	168	L2	11	291
E2	10	25	E1	9	273
E6	8	96	E1	11	273
E1	9	203	E1	8	632
E1	11	203	L2	10	24
E1	9	570	E5	9	40
E1	10	222	E5	11	40
L1	10	271	L2	9	59
L1	10	439	E1	11	431
E1	9	46	L1	8	408
E2	9	292	E4	9	99
E2	11	292	E1	9	316
E7	9	31	E2	8	232
L1	11	84	E2	9	232
E1	10	191	E2	11	232
E1	8	143	L1	10	113
E1	10	178	E1	10	415
L2	8	273	E6	10	119
L2	11	273	E2	9	29
			L1	11	325

Table IXC HPV11  
HLA-A3 Supermotif Peptides

E4	9	20	L1	9	465
E1	8	305	L1	9	272
E1	9	246	E1	8	276
E1	9	349	E1	11	276
E6	11	25	E1	11	563
L2	10	36	E1	8	218
E1	8	376	E1	11	218
E1	11	474	E4	8	90
E1	8	195	E2	9	103
E1	11	195	E2	10	103
E6	9	120	E1	9	115
E2	8	30	E1	10	115
E1	8	571	E1	11	115
E1	9	106	E2	9	334
L1	10	422	L1	8	273
L2	8	81	E1	10	277
L2	9	286	L2	10	292
E7	9	89	L1	11	296
E1	9	476	E1	10	564
E2	8	265	E7	11	67
E2	11	265	L1	9	234
E2	9	350	L1	9	440
E6	8	116	L1	11	440
E6	10	116	E1	8	546
E1	11	460	E1	8	421
E6	9	128	E1	10	421
E1	8	114	L1	9	339
E1	10	114	E1	8	47
E1	11	114	E1	8	274
E1	9	462	E1	10	274
E1	10	462	E4	8	1
E1	9	420	E1	10	100
E1	11	420	E1	9	568
L1	11	347	E1	11	568
E1	10	484	E1	10	451
E1	8	286	L1	10	31
E5	8	43	E7	10	88
E5	11	43	E2	9	264
E2	9	165	E4	9	33
E1	9	433	E1	8	397
E1	10	121	L1	10	338
E6	11	99	L1	9	353
E1	11	283	E1	10	395
L1	9	53	E1	11	59
L1	8	61	E2	10	347
L1	11	61	E2	9	248
E2	9	147	L2	9	236
L1	10	19	L2	10	79
L1	11	19	L2	11	284
L1	9	71	E4	9	49
L1	11	42	E4	10	49
E6	9	101	E4	11	49
E1	8	279	E2	9	196
E1	10	279	L1	11	483
E1	9	223	E6	9	110
E1	11	540	L1	10	218
E4	11	18	L1	8	161
E4	8	34	L2	8	211
E1	8	198	L2	10	211
E4	11	31	E4	9	44

Table IXC HPV11  
HLA-A3 Supermotif Peptides

E4	10	44	E2	11	348
E2	8	61	E2	8	40
E1	9	545	E6	10	40
L1	8	488	L1	9	490
L1	9	488	L1	11	490
L1	11	488	L2	8	38
L2	9	206	L1	8	340
L2	8	434	E2	8	249
L2	9	434	E6	10	26
L2	10	434	E2	10	333
L2	11	434	L1	8	474
L1	9	267	L1	9	474
E6	8	28	E6	11	8
L1	11	302	E1	9	192
E2	10	288	E1	11	192
L1	10	233	E6	8	11
L1	10	251	E1	8	566
E2	9	76	E1	11	566
E1	11	314	L2	8	287
L1	11	467	L2	11	287
L1	9	418	E4	11	87
E1	11	391	L2	8	207
E5	8	36	E2	11	97
E5	10	36	E6	11	39
L2	11	297	E2	11	228
E2	9	37	L2	9	37
E2	11	37	E1	8	116
L1	8	242	E1	9	116
E4	9	59	E1	10	116
L2	10	280	E4	8	100
L2	11	280	E1	8	78
L2	9	307	L1	8	21
E1	9	205	L1	9	21
L1	11	477	E1	11	333
L1	9	473	E5	10	27
L1	10	473	E6	10	100
L1	9	141	E1	9	278
E2	9	234	E1	11	278
L1	8	475	E1	9	275
L2	10	12	E2	8	233
E6	10	9	E2	10	233
L1	10	348	L1	9	114
E1	8	247	L1	10	62
E1	9	422	L1	9	485
E1	8	350	L1	10	485
L1	9	86	L1	11	485
E4	9	89	L1	10	297
L1	9	298	E2	10	266
E7	8	32	E2	11	266
E7	11	32	E2	11	332
L1	11	452	E1	9	565
L1	10	85	E2	8	148
E4	10	88	L1	8	328
L2	11	208	L1	9	20
L1	8	489	L1	10	20
L1	10	489	E7	10	68
E1	8	206	L1	8	72
L2	10	209	L1	11	58
E1	10	60	E2	11	58
E2	9	348	L1	10	97

Table IXC HPV11  
HLA-A3 Supermotif Peptides

E2	9	320
E1	8	426
E1	8	464
E1	9	510
E2	10	102
E2	11	102
E1	9	530
E2	11	145
E1	8	76
E1	9	76
E1	10	76
E6	9	44
E6	11	46
L2	9	70
L2	10	431
L2	11	431
E2	10	138
L1	10	246
L1	8	49
L1	11	351
L2	11	305
E1	10	402
E2	10	168
L1	10	10
L1	11	416

Table X  
HLA A24 Supermotif Peptides

<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>				
HPV16 E1	8	240		HPV16 E1	10	392	
HPV16 E1	11	391		HPV16 E1	11	463	
HPV16 E1	9	539		HPV16 E1	9	493	
HPV16 E1	9	459		HPV16 E1	9	445	
HPV16 E1	9	318		HPV16 E1	10	445	
HPV16 E1	9	206		HPV16 E1	8	456	
HPV16 E1	10	206		HPV16 E1	9	456	
HPV16 E1	8	524		HPV16 E1	8	453	
HPV16 E1	9	524		HPV16 E1	11	453	
HPV16 E1	9	82		HPV16 E1	9	586	
HPV16 E1	10	82		HPV16 E1	8	501	
HPV16 E1	11	23		HPV16 E1	9	501	
HPV16 E1	9	500		HPV16 E1	10	501	
HPV16 E1	10	500		HPV16 E1	11	508	
HPV16 E1	11	500		HPV16 E1	8	466	
HPV16 E1	11	237		HPV16 E1	9	466	
HPV16 E1	9	259		HPV16 E1	10	466	
HPV16 E1	9	304		HPV16 E1	11	466	
HPV16 E1	8	353		HPV16 E1	9	325	
HPV16 E1	11	353		HPV16 E1	10	242	
HPV16 E1	10	101		HPV16 E1	11	519	
HPV16 E1	10	640		HPV16 E1	8	487	
HPV16 E1	8	299		HPV16 E1	10	272	
HPV16 E1	9	299		HPV16 E1	8	571	
HPV16 E1	9	528		HPV16 E1	9	571	
HPV16 E1	9	50		HPV16 E1	8	12	
HPV16 E1	10	50		HPV16 E1	9	12	
HPV16 E1	10	97		HPV16 E1	8	450	
HPV16 E1	8	368		HPV16 E1	11	450	
HPV16 E1	10	368		HPV16 E1	8	179	
HPV16 E1	9	43		HPV16 E1	11	216	
HPV16 E1	10	43		HPV16 E1	9	263	
HPV16 E1	9	384		HPV16 E1	11	263	
HPV16 E1	10	384		HPV16 E1	8	184	
HPV16 E1	10	548		HPV16 E1	11	184	
HPV16 E1	9	235		HPV16 E1	10	411	
HPV16 E1	8	438		HPV16 E1	9	369	
HPV16 E1	9	438		HPV16 E1	11	369	
HPV16 E1	11	438		HPV16 E1	8	401	
HPV16 E1	9	452		HPV16 E1	8	52	
HPV16 E1	9	374		HPV16 E1	10	210	
HPV16 E1	10	603		HPV16 E1	8	492	
HPV16 E1	11	603		HPV16 E1	10	492	
HPV16 E1	8	356		HPV16 E1	9	400	
HPV16 E1	10	356		HPV16 E1	8	296	
HPV16 E1	10	213		HPV16 E1	10	296	
HPV16 E1	8	63		HPV16 E1	11	296	
HPV16 E1	9	63		HPV16 E1	9	311	
HPV16 E1	9	152		HPV16 E1	10	311	
HPV16 E1	10	288		HPV16 E1	11	311	
HPV16 E1	11	288		HPV16 E1	11	323	
HPV16 E1	8	138		HPV16 E1	9	252	
HPV16 E1	9	331		HPV16 E1	10	252	
HPV16 E1	10	331		HPV16 E1	11	252	
HPV16 E1	9	338		HPV16 E1	9	199	
HPV16 E1	9	612		HPV16 E1	10	199	
HPV16 E1	11	612		HPV16 E1	10	89	
HPV16 E1	8	51		HPV16 E1	9	126	
HPV16 E1	9	51		HPV16 E1	9	485	
				HPV16 E1	10	485	

Table X  
HLA A24 Supermotif Peptides

HPV16 E1	9	297	HPV16 E1	8	343
HPV16 E1	10	297	HPV16 E1	8	84
HPV16 E1	11	297	HPV16 E1	8	362
HPV16 E1	8	254	HPV16 E1	8	257
HPV16 E1	9	254	HPV16 E1	11	257
HPV16 E1	11	254	HPV16 E1	10	125
HPV16 E1	11	293	HPV16 E1	11	582
HPV16 E1	10	490	HPV16 E1	8	615
HPV16 E1	8	457	HPV16 E1	8	432
HPV16 E1	11	457	HPV16 E1	11	432
HPV16 E1	8	191	HPV16 E1	9	575
HPV16 E1	9	243	HPV16 E1	11	280
HPV16 E1	11	48	HPV16 E1	8	447
HPV16 E1	9	554	HPV16 E1	10	447
HPV16 E1	10	554	HPV16 E1	11	447
HPV16 E1	11	554	HPV16 E1	10	611
HPV16 E1	11	544	HPV16 E1	9	455
HPV16 E1	8	91	HPV16 E1	10	455
HPV16 E1	10	583	HPV16 E1	9	349
HPV16 E1	11	475	HPV16 E1	9	218
HPV16 E1	9	214	HPV16 E1	9	246
HPV16 E1	8	260	HPV16 E1	10	246
HPV16 E1	8	319	HPV16 E1	9	250
HPV16 E1	11	319	HPV16 E1	11	250
HPV16 E1	10	444	HPV16 E1	8	266
HPV16 E1	11	444	HPV16 E1	11	266
HPV16 E1	8	207	HPV16 E1	8	484
HPV16 E1	9	207	HPV16 E1	10	484
HPV16 E1	10	520	HPV16 E1	11	484
HPV16 E1	8	305	HPV16 E1	11	489
HPV16 E1	10	360	HPV16 E1	9	546
HPV16 E1	9	273	HPV16 E1	8	421
HPV16 E1	10	567	HPV16 E1	8	314
HPV16 E1	9	105	HPV16 E1	9	314
HPV16 E1	11	105	HPV16 E1	8	231
HPV16 E1	10	535	HPV16 E1	11	231
HPV16 E1	9	136	HPV16 E1	8	270
HPV16 E1	10	136	HPV16 E1	9	270
HPV16 E1	9	480	HPV16 E1	10	354
HPV16 E1	11	480	HPV16 E1	8	587
HPV16 E1	10	608	HPV16 E1	10	185
HPV16 E1	11	530	HPV16 E1	11	185
HPV16 E1	10	593	HPV16 E1	9	289
HPV16 E1	9	512	HPV16 E1	10	289
HPV16 E1	10	512	HPV16 E1	8	253
HPV16 E1	8	561	HPV16 E1	9	253
HPV16 E1	9	190	HPV16 E1	10	253
HPV16 E1	10	553	HPV16 E1	8	525
HPV16 E1	11	553	HPV16 E1	8	585
HPV16 E1	11	302	HPV16 E1	10	585
HPV16 E1	10	600	HPV16 E1	11	498
HPV16 E1	10	577	HPV16 E1	11	85
HPV16 E1	8	441	HPV16 E1	11	197
HPV16 E1	8	556	HPV16 E1	11	345
HPV16 E1	9	556	HPV16 E1	11	443
HPV16 E1	8	419	HPV16 E1	10	24
HPV16 E1	10	419	HPV16 E1	9	584
HPV16 E1	11	359	HPV16 E1	11	584
HPV16 E1	8	188	HPV16 E1	8	274
HPV16 E1	11	188	HPV16 E1	9	601

Table X  
HLA A24 Supermotif Peptides

HPV16 E1	8	332	HPV16 E2	10	356
HPV16 E1	9	332	HPV16 E2	11	288
HPV16 E1	8	339	HPV16 E2	10	332
HPV16 E1	10	509	HPV16 E2	11	82
HPV16 E1	9	321	HPV16 E2	8	42
HPV16 E1	10	531	HPV16 E2	10	42
HPV16 E1	11	261	HPV16 E2	9	354
HPV16 E1	9	578	HPV16 E2	10	354
HPV16 E1	11	578	HPV16 E2	9	91
HPV16 E1	9	90	HPV16 E2	8	177
HPV16 E1	10	320	HPV16 E2	8	103
HPV16 E2	10	270	HPV16 E2	11	16
HPV16 E2	8	72	HPV16 E2	11	77
HPV16 E2	11	72	HPV16 E2	9	311
HPV16 E2	11	331	HPV16 E2	11	311
HPV16 E2	9	41	HPV16 E2	8	157
HPV16 E2	11	41	HPV16 E2	11	157
HPV16 E2	11	228	HPV16 E2	8	296
HPV16 E2	9	69	HPV16 E2	10	296
HPV16 E2	11	69	HPV16 E2	8	127
HPV16 E2	9	221	HPV16 E2	11	127
HPV16 E2	8	63	HPV16 E2	8	284
HPV16 E2	11	63	HPV16 E2	8	9
HPV16 E2	8	314	HPV16 E2	11	9
HPV16 E2	11	309	HPV16 E2	8	325
HPV16 E2	8	124	HPV16 E2	11	325
HPV16 E2	11	124	HPV16 E2	10	106
HPV16 E2	8	25	HPV16 E2	11	60
HPV16 E2	9	25	HPV16 E2	10	120
HPV16 E2	11	246	HPV16 E2	9	170
HPV16 E2	8	96	HPV16 E2	8	345
HPV16 E2	8	31	HPV16 E2	8	76
HPV16 E2	9	74	HPV16 E2	8	151
HPV16 E2	10	74	HPV16 E2	9	151
HPV16 E2	8	80	HPV16 E2	10	191
HPV16 E2	9	185	HPV16 E2	8	349
HPV16 E2	10	185	HPV16 E2	9	86
HPV16 E2	8	118	HPV16 E2	8	304
HPV16 E2	8	204	HPV16 E2	9	304
HPV16 E2	11	100	HPV16 E2	11	278
HPV16 E2	8	340	HPV16 E2	8	37
HPV16 E2	11	346	HPV16 E2	9	7
HPV16 E2	11	168	HPV16 E2	10	7
HPV16 E2	9	163	HPV16 E2	10	302
HPV16 E2	9	156	HPV16 E2	11	302
HPV16 E2	9	230	HPV16 E2	8	23
HPV16 E2	8	114	HPV16 E2	10	23
HPV16 E2	8	29	HPV16 E2	11	23
HPV16 E2	10	29	HPV16 E2	8	261
HPV16 E2	10	53	HPV16 E2	11	261
HPV16 E2	9	290	HPV16 E2	11	144
HPV16 E2	8	35	HPV16 E2	8	355
HPV16 E2	9	35	HPV16 E2	9	355
HPV16 E2	10	35	HPV16 E2	11	355
HPV16 E2	9	18	HPV16 E2	10	61
HPV16 E2	8	130	HPV16 E2	10	78
HPV16 E2	9	130	HPV16 E2	9	297
HPV16 E2	10	130	HPV16 E2	10	93
HPV16 E2	8	193	HPV16 E2	11	93
HPV16 E2	8	356	HPV16 E2	8	334

Table X  
HLA A24 Supermotif Peptides

HPV16 E2	10	310	HPV16 E5	8	66
HPV16 E2	10	128	HPV16 E5	9	66
HPV16 E2	11	128	HPV16 E5	8	75
HPV16 E2	10	116	HPV16 E5	8	65
HPV16 E2	9	357	HPV16 E5	9	65
HPV16 E2	9	146	HPV16 E5	10	65
HPV16 E2	10	146	HPV16 E5	8	64
HPV16 E2	11	336	HPV16 E5	9	64
HPV16 E2	9	192	HPV16 E5	10	64
HPV16 E2	9	333	HPV16 E5	11	64
HPV16 E2	10	145	HPV16 E5	8	43
HPV16 E2	11	145	HPV16 E5	9	43
HPV16 E2	8	147	HPV16 E5	8	44
HPV16 E2	9	147	HPV16 E5	10	51
HPV16 E2	11	147	HPV16 E5	11	51
HPV16 E2	11	183	HPV16 E5	8	61
HPV16 E2	10	101	HPV16 E5	9	61
HPV16 E2	8	92	HPV16 E5	11	61
HPV16 E2	11	92	HPV16 E5	10	71
HPV16 E2	9	102	HPV16 E5	11	71
HPV16 E2	8	312	HPV16 E5	8	73
HPV16 E2	10	312	HPV16 E5	9	73
HPV16 E2	8	131	HPV16 E5	10	73
HPV16 E2	9	131	HPV16 E5	8	42
HPV16 E2	11	115	HPV16 E5	9	42
HPV16 E2	9	159	HPV16 E5	10	42
HPV16 E2	10	159	HPV16 E5	9	11
HPV16 E2	11	32	HPV16 E5	8	16
HPV16 E2	11	154	HPV16 E5	8	22
HPV16 E2	9	43	HPV16 E5	11	22
HPV16 E2	10	158	HPV16 E5	8	27
HPV16 E2	11	158	HPV16 E5	8	32
HPV16 E5	8	56	HPV16 E5	11	32
HPV16 E5	9	56	HPV16 E5	11	47
HPV16 E5	10	56	HPV16 E5	10	33
HPV16 E5	11	56	HPV16 E5	11	33
HPV16 E5	10	18	HPV16 E5	10	48
HPV16 E5	11	18	HPV16 E5	9	49
HPV16 E5	8	59	HPV16 E5	11	1
HPV16 E5	10	59	HPV16 E5	9	3
HPV16 E5	11	59	HPV16 E5	10	3
HPV16 E5	9	14	HPV16 E5	11	70
HPV16 E5	10	14	HPV16 E5	9	31
HPV16 E5	8	26	HPV16 E5	8	41
HPV16 E5	9	26	HPV16 E5	9	41
HPV16 E5	9	24	HPV16 E5	10	41
HPV16 E5	10	24	HPV16 E5	11	41
HPV16 E5	11	24	HPV16 E5	8	8
HPV16 E5	8	20	HPV16 E5	9	8
HPV16 E5	9	20	HPV16 E5	10	8
HPV16 E5	10	20	HPV16 E5	8	37
HPV16 E5	8	5	HPV16 E5	9	37
HPV16 E5	11	5	HPV16 E5	11	37
HPV16 E5	9	60	HPV16 E5	8	35
HPV16 E5	10	60	HPV16 E5	9	35
HPV16 E5	9	72	HPV16 E5	10	35
HPV16 E5	10	72	HPV16 E5	11	35
HPV16 E5	11	72	HPV16 E5	8	10
HPV16 E5	8	15	HPV16 E5	10	10
HPV16 E5	9	15	HPV16 E5	8	9

Table X  
HLA A24 Supermotif Peptides

HPV16 E5	9	9	HPV16 E6	11	66
HPV16 E5	11	9	HPV16 E6	10	21
HPV16 E5	8	38	HPV16 E6	8	43
HPV16 E5	10	38	HPV16 E6	10	43
HPV16 E5	11	38	HPV16 E6	8	27
HPV16 E5	8	21	HPV16 E6	9	27
HPV16 E5	9	21	HPV16 E6	9	98
HPV16 E5	8	62	HPV16 E6	10	98
HPV16 E5	10	62	HPV16 E6	11	98
HPV16 E5	11	62	HPV16 E6	9	131
HPV16 E5	8	67	HPV16 E6	8	151
HPV16 E5	8	50	HPV16 E6	11	89
HPV16 E5	11	50	HPV16 E6	11	29
HPV16 E5	9	63	HPV16 E6	10	94
HPV16 E5	10	63	HPV16 E6	8	28
HPV16 E5	11	63	HPV16 E6	11	93
HPV16 E5	9	39	HPV16 E6	8	38
HPV16 E5	10	39	HPV16 E6	9	49
HPV16 E5	11	39	HPV16 E6	11	49
HPV16 E6	9	53	HPV16 E6	8	60
HPV16 E6	9	68	HPV16 E7	9	68
HPV16 E6	10	68	HPV16 E7	8	75
HPV16 E6	8	110	HPV16 E7	9	75
HPV16 E6	10	58	HPV16 E7	10	75
HPV16 E6	8	73	HPV16 E7	9	81
HPV16 E6	11	73	HPV16 E7	9	14
HPV16 E6	8	23	HPV16 E7	10	14
HPV16 E6	11	23	HPV16 E7	8	21
HPV16 E6	8	37	HPV16 E7	8	4
HPV16 E6	9	37	HPV16 E7	9	4
HPV16 E6	9	87	HPV16 E7	10	4
HPV16 E6	9	51	HPV16 E7	8	18
HPV16 E6	11	51	HPV16 E7	11	18
HPV16 E6	8	32	HPV16 E7	9	85
HPV16 E6	9	25	HPV16 E7	10	73
HPV16 E6	10	25	HPV16 E7	11	73
HPV16 E6	11	25	HPV16 E7	8	82
HPV16 E6	10	48	HPV16 E7	11	83
HPV16 E6	9	82	HPV16 E7	11	12
HPV16 E6	10	82	HPV16 E7	8	6
HPV16 E6	8	76	HPV16 E7	10	6
HPV16 E6	11	76	HPV16 E7	11	66
HPV16 E6	8	92	HPV16 E7	8	77
HPV16 E6	8	125	HPV16 E7	11	77
HPV16 E6	11	125	HPV16 E7	9	71
HPV16 E6	11	85	HPV16 E7	10	56
HPV16 E6	11	34	HPV16 E7	10	78
HPV16 E6	9	59	HPV16 E7	8	86
HPV16 E6	9	75	HPV16 E7	9	7
HPV16 E6	8	79	HPV16 E7	10	19
HPV16 E6	10	79	HPV16 E7	11	55
HPV16 E6	9	18	HPV16 L1	9	373
HPV16 E6	11	107	HPV16 L1	10	292
HPV16 E6	9	44	HPV16 L1	11	292
HPV16 E6	11	44	HPV16 L1	9	70
HPV16 E6	10	90	HPV16 L1	10	205
HPV16 E6	11	134	HPV16 L1	11	172
HPV16 E6	10	102	HPV16 L1	9	183
HPV16 E6	11	116	HPV16 L1	10	251
HPV16 E6	9	66	HPV16 L1	11	251

Table X  
HLA A24 Supermotif Peptides

HPV16 L1	9	13	HPV16 L1	10	22
HPV16 L1	11	13	HPV16 L1	8	102
HPV16 L1	9	249	HPV16 L1	10	102
HPV16 L1	11	484	HPV16 L1	11	457
HPV16 L1	8	397	HPV16 L1	8	23
HPV16 L1	11	397	HPV16 L1	9	23
HPV16 L1	10	225	HPV16 L1	8	332
HPV16 L1	8	154	HPV16 L1	9	401
HPV16 L1	9	228	HPV16 L1	9	424
HPV16 L1	8	361	HPV16 L1	9	86
HPV16 L1	10	361	HPV16 L1	11	86
HPV16 L1	11	442	HPV16 L1	11	11
HPV16 L1	9	412	HPV16 L1	8	407
HPV16 L1	8	17	HPV16 L1	10	407
HPV16 L1	9	17	HPV16 L1	11	407
HPV16 L1	11	17	HPV16 L1	9	6
HPV16 L1	10	259	HPV16 L1	10	59
HPV16 L1	9	176	HPV16 L1	11	59
HPV16 L1	10	176	HPV16 L1	9	108
HPV16 L1	9	378	HPV16 L1	10	108
HPV16 L1	8	132	HPV16 L1	8	493
HPV16 L1	8	474	HPV16 L1	9	480
HPV16 L1	10	245	HPV16 L1	11	480
HPV16 L1	8	395	HPV16 L1	10	85
HPV16 L1	10	395	HPV16 L1	9	406
HPV16 L1	9	388	HPV16 L1	11	406
HPV16 L1	11	388	HPV16 L1	11	151
HPV16 L1	8	52	HPV16 L1	11	262
HPV16 L1	9	52	HPV16 L1	10	90
HPV16 L1	10	52	HPV16 L1	8	46
HPV16 L1	8	24	HPV16 L1	8	256
HPV16 L1	9	273	HPV16 L1	9	469
HPV16 L1	10	273	HPV16 L1	10	272
HPV16 L1	8	400	HPV16 L1	11	272
HPV16 L1	10	400	HPV16 L1	8	184
HPV16 L1	10	5	HPV16 L1	11	216
HPV16 L1	10	472	HPV16 L1	8	68
HPV16 L1	8	274	HPV16 L1	9	68
HPV16 L1	9	274	HPV16 L1	11	68
HPV16 L1	9	116	HPV16 L1	8	409
HPV16 L1	11	116	HPV16 L1	9	409
HPV16 L1	10	230	HPV16 L1	8	87
HPV16 L1	8	110	HPV16 L1	10	87
HPV16 L1	8	348	HPV16 L1	10	29
HPV16 L1	9	348	HPV16 L1	11	29
HPV16 L1	8	142	HPV16 L1	11	414
HPV16 L1	11	142	HPV16 L1	9	226
HPV16 L1	8	499	HPV16 L1	11	226
HPV16 L1	10	499	HPV16 L1	10	263
HPV16 L1	10	431	HPV16 L1	11	263
HPV16 L1	9	93	HPV16 L1	8	325
HPV16 L1	11	93	HPV16 L1	9	325
HPV16 L1	9	438	HPV16 L1	11	58
HPV16 L1	8	166	HPV16 L1	8	311
HPV16 L1	10	166	HPV16 L1	10	476
HPV16 L1	10	130	HPV16 L1	8	367
HPV16 L1	9	140	HPV16 L1	8	383
HPV16 L1	10	140	HPV16 L1	9	218
HPV16 L1	8	22	HPV16 L1	8	296
HPV16 L1	9	22	HPV16 L1	9	19

Table X  
HLA A24 Supermotif Peptides

HPV16 L1	11	19	HPV16 L1	11	379
HPV16 L1	10	316	HPV16 L1	8	219
HPV16 L1	10	77	HPV16 L1	11	358
HPV16 L1	11	77	HPV16 L1	10	415
HPV16 L1	8	247	HPV16 L1	11	415
HPV16 L1	11	247	HPV16 L1	10	380
HPV16 L1	9	213	HPV16 L1	11	380
HPV16 L1	8	489	HPV16 L1	10	443
HPV16 L1	11	138	HPV16 L1	8	413
HPV16 L1	8	466	HPV16 L1	9	3
HPV16 L1	11	43	HPV16 L1	8	326
HPV16 L1	8	267	HPV16 L1	10	359
HPV16 L1	9	267	HPV16 L1	8	20
HPV16 L1	10	267	HPV16 L1	10	20
HPV16 L1	9	399	HPV16 L1	11	20
HPV16 L1	11	399	HPV16 L1	9	30
HPV16 L1	8	487	HPV16 L1	10	30
HPV16 L1	9	487	HPV16 L1	9	317
HPV16 L1	10	487	HPV16 L1	9	416
HPV16 L1	8	331	HPV16 L1	10	416
HPV16 L1	9	331	HPV16 L1	11	302
HPV16 L1	11	181	HPV16 L1	9	260
HPV16 L1	8	280	HPV16 L1	8	7
HPV16 L1	8	2	HPV16 L1	8	389
HPV16 L1	10	2	HPV16 L1	10	389
HPV16 L1	9	95	HPV16 L1	8	275
HPV16 L1	8	445	HPV16 L1	8	470
HPV16 L1	10	100	HPV16 L1	8	53
HPV16 L1	9	67	HPV16 L1	9	53
HPV16 L1	10	67	HPV16 L1	9	60
HPV16 L1	10	115	HPV16 L1	10	60
HPV16 L1	8	253	HPV16 L2	9	241
HPV16 L1	9	253	HPV16 L2	10	241
HPV16 L1	11	253	HPV16 L2	10	356
HPV16 L1	11	271	HPV16 L2	11	356
HPV16 L1	11	28	HPV16 L2	9	293
HPV16 L1	9	174	HPV16 L2	11	293
HPV16 L1	11	174	HPV16 L2	11	256
HPV16 L1	10	419	HPV16 L2	8	282
HPV16 L1	9	324	HPV16 L2	11	329
HPV16 L1	10	324	HPV16 L2	8	445
HPV16 L1	10	308	HPV16 L2	9	445
HPV16 L1	11	308	HPV16 L2	10	445
HPV16 L1	11	49	HPV16 L2	11	445
HPV16 L1	9	422	HPV16 L2	11	31
HPV16 L1	11	422	HPV16 L2	10	285
HPV16 L1	10	365	HPV16 L2	8	367
HPV16 L1	11	521	HPV16 L2	10	84
HPV16 L1	8	4	HPV16 L2	9	140
HPV16 L1	11	4	HPV16 L2	8	261
HPV16 L1	11	471	HPV16 L2	8	195
HPV16 L1	8	423	HPV16 L2	10	340
HPV16 L1	10	423	HPV16 L2	8	176
HPV16 L1	8	439	HPV16 L2	8	242
HPV16 L1	11	238	HPV16 L2	9	242
HPV16 L1	9	408	HPV16 L2	11	242
HPV16 L1	10	408	HPV16 L2	8	181
HPV16 L1	10	522	HPV16 L2	8	446
HPV16 L1	9	362	HPV16 L2	9	446
HPV16 L1	8	379	HPV16 L2	10	446

Table X  
HLA A24 Supermotif Peptides

HPV16 L2	8	259	HPV16 L2	10	397
HPV16 L2	9	259	HPV16 L2	9	208
HPV16 L2	10	259	HPV16 L2	10	192
HPV16 L2	10	364	HPV16 L2	11	192
HPV16 L2	11	364	HPV16 L2	8	401
HPV16 L2	8	26	HPV16 L2	10	401
HPV16 L2	8	65	HPV16 L2	11	417
HPV16 L2	9	65	HPV16 L2	11	215
HPV16 L2	11	65	HPV16 L2	9	429
HPV16 L2	11	76	HPV16 L2	11	429
HPV16 L2	9	52	HPV16 L2	8	409
HPV16 L2	9	392	HPV16 L2	10	409
HPV16 L2	11	392	HPV16 L2	9	161
HPV16 L2	9	180	HPV16 L2	10	172
HPV16 L2	9	325	HPV16 L2	8	358
HPV16 L2	8	439	HPV16 L2	9	358
HPV16 L2	9	439	HPV16 L2	11	358
HPV16 L2	10	439	HPV16 L2	8	221
HPV16 L2	10	32	HPV16 L2	9	97
HPV16 L2	10	45	HPV16 L2	10	381
HPV16 L2	11	45	HPV16 L2	9	463
HPV16 L2	8	420	HPV16 L2	8	44
HPV16 L2	9	420	HPV16 L2	11	44
HPV16 L2	11	420	HPV16 L2	8	342
HPV16 L2	8	243	HPV16 L2	11	310
HPV16 L2	10	243	HPV16 L2	9	234
HPV16 L2	11	135	HPV16 L2	10	234
HPV16 L2	8	250	HPV16 L2	8	47
HPV16 L2	11	250	HPV16 L2	9	47
HPV16 L2	9	286	HPV16 L2	11	436
HPV16 L2	8	430	HPV16 L2	8	305
HPV16 L2	10	430	HPV16 L2	11	461
HPV16 L2	11	430	HPV16 L2	9	298
HPV16 L2	10	105	HPV16 L2	10	9
HPV16 L2	11	105	HPV16 L2	11	9
HPV16 L2	10	248	HPV16 L2	8	313
HPV16 L2	8	39	HPV16 L2	11	302
HPV16 L2	10	39	HPV16 L2	8	319
HPV16 L2	11	35	HPV16 L2	9	319
HPV16 L2	8	323	HPV16 L2	10	319
HPV16 L2	11	323	HPV16 L2	10	274
HPV16 L2	8	236	HPV16 L2	11	274
HPV16 L2	11	427	HPV16 L2	9	360
HPV16 L2	9	249	HPV16 L2	10	360
HPV16 L2	8	294	HPV16 L2	9	125
HPV16 L2	10	294	HPV16 L2	11	125
HPV16 L2	8	108	HPV16 L2	11	104
HPV16 L2	9	410	HPV16 L2	8	107
HPV16 L2	11	410	HPV16 L2	9	107
HPV16 L2	9	365	HPV16 L2	9	50
HPV16 L2	10	365	HPV16 L2	11	50
HPV16 L2	10	266	HPV16 L2	8	138
HPV16 L2	9	454	HPV16 L2	9	138
HPV16 L2	11	454	HPV16 L2	11	138
HPV16 L2	8	276	HPV16 L2	8	189
HPV16 L2	9	276	HPV16 L2	10	189
HPV16 L2	11	276	HPV16 L2	9	331
HPV16 L2	10	407	HPV16 L2	11	331
HPV16 L2	9	419	HPV16 L2	8	186
HPV16 L2	10	419	HPV16 L2	11	186

Table X  
HLA A24 Supermotif Peptides

HPV16 L2	8	387	HPV18 E1	9	273
HPV16 L2	11	347	HPV18 E1	10	273
HPV16 L2	10	384	HPV18 E1	11	273
HPV16 L2	11	384	HPV18 E1	9	311
HPV16 L2	8	162	HPV18 E1	8	240
HPV16 L2	9	40	HPV18 E1	9	240
HPV16 L2	8	332	HPV18 E1	9	196
HPV16 L2	10	332	HPV18 E1	10	196
HPV16 L2	9	438	HPV18 E1	8	535
HPV16 L2	10	438	HPV18 E1	9	535
HPV16 L2	11	438	HPV18 E1	9	49
HPV16 L2	8	399	HPV18 E1	8	363
HPV16 L2	10	399	HPV18 E1	10	363
HPV16 L2	10	187	HPV18 E1	8	381
HPV16 L2	9	85	HPV18 E1	9	381
HPV16 L2	10	311	HPV18 E1	10	637
HPV16 L2	11	265	HPV18 E1	8	106
HPV16 L2	8	156	HPV18 E1	11	106
HPV16 L2	9	398	HPV18 E1	9	42
HPV16 L2	11	398	HPV18 E1	10	42
HPV16 L2	8	141	HPV18 E1	9	342
HPV16 L2	9	244	HPV18 E1	11	342
HPV16 L2	11	351	HPV18 E1	10	220
HPV16 L2	10	136	HPV18 E1	8	540
HPV16 L2	11	136	HPV18 E1	8	445
HPV16 L2	8	350	HPV18 E1	9	445
HPV16 L2	11	153	HPV18 E1	11	445
HPV16 L2	8	209	HPV18 E1	9	459
HPV16 L2	10	154	HPV18 E1	8	594
HPV16 L2	10	251	HPV18 E1	10	610
HPV16 L2	10	348	HPV18 E1	11	610
HPV16 L2	8	53	HPV18 E1	8	62
HPV16 L2	9	155	HPV18 E1	9	62
HPV16 L2	8	464	HPV18 E1	9	108
HPV16 L2	9	267	HPV18 E1	11	108
HPV16 L2	11	267	HPV18 E1	8	375
HPV16 L2	8	393	HPV18 E1	10	375
HPV16 L2	10	393	HPV18 E1	11	366
HPV16 L2	8	447	HPV18 E1	11	309
HPV16 L2	9	447	HPV18 E1	10	104
HPV16 L2	10	453	HPV18 E1	9	74
HPV16 L2	10	437	HPV18 E1	9	338
HPV16 L2	11	437	HPV18 E1	10	338
HPV16 L2	9	349	HPV18 E1	8	345
HPV16 L2	11	452	HPV18 E1	9	345
HPV16 L2	8	326	HPV18 E1	9	619
HPV18 E1	11	398	HPV18 E1	11	619
HPV18 E1	9	246	HPV18 E1	8	50
HPV18 E1	11	22	HPV18 E1	10	497
HPV18 E1	9	546	HPV18 E1	10	265
HPV18 E1	9	325	HPV18 E1	9	500
HPV18 E1	10	213	HPV18 E1	8	460
HPV18 E1	11	526	HPV18 E1	11	460
HPV18 E1	8	40	HPV18 E1	8	463
HPV18 E1	11	40	HPV18 E1	9	463
HPV18 E1	8	531	HPV18 E1	11	470
HPV18 E1	9	531	HPV18 E1	10	399
HPV18 E1	9	216	HPV18 E1	11	399
HPV18 E1	11	216	HPV18 E1	9	452
HPV18 E1	10	618	HPV18 E1	10	452

Table X  
HLA A24 Supermotif Peptides

HPV18 E1	8	226	HPV18 E1	11	304
HPV18 E1	8	130	HPV18 E1	11	204
HPV18 E1	8	508	HPV18 E1	11	285
HPV18 E1	9	508	HPV18 E1	9	376
HPV18 E1	10	508	HPV18 E1	11	376
HPV18 E1	9	257	HPV18 E1	8	520
HPV18 E1	10	257	HPV18 E1	9	520
HPV18 E1	11	257	HPV18 E1	8	350
HPV18 E1	9	356	HPV18 E1	10	295
HPV18 E1	9	332	HPV18 E1	11	295
HPV18 E1	11	223	HPV18 E1	8	267
HPV18 E1	8	494	HPV18 E1	8	326
HPV18 E1	9	55	HPV18 E1	11	326
HPV18 E1	8	11	HPV18 E1	9	214
HPV18 E1	9	11	HPV18 E1	11	214
HPV18 E1	8	473	HPV18 E1	10	527
HPV18 E1	10	473	HPV18 E1	8	312
HPV18 E1	8	182	HPV18 E1	11	47
HPV18 E1	8	279	HPV18 E1	10	367
HPV18 E1	10	279	HPV18 E1	10	361
HPV18 E1	10	249	HPV18 E1	11	188
HPV18 E1	8	16	HPV18 E1	10	574
HPV18 E1	8	499	HPV18 E1	8	428
HPV18 E1	10	499	HPV18 E1	9	487
HPV18 E1	9	270	HPV18 E1	11	487
HPV18 E1	8	306	HPV18 E1	11	158
HPV18 E1	9	306	HPV18 E1	8	191
HPV18 E1	10	418	HPV18 E1	11	191
HPV18 E1	8	247	HPV18 E1	10	615
HPV18 E1	11	352	HPV18 E1	10	600
HPV18 E1	9	266	HPV18 E1	8	264
HPV18 E1	10	461	HPV18 E1	11	264
HPV18 E1	11	461	HPV18 E1	8	568
HPV18 E1	10	590	HPV18 E1	11	551
HPV18 E1	10	23	HPV18 E1	8	448
HPV18 E1	10	449	HPV18 E1	11	448
HPV18 E1	8	439	HPV18 E1	10	560
HPV18 E1	11	439	HPV18 E1	11	560
HPV18 E1	11	647	HPV18 E1	9	519
HPV18 E1	9	318	HPV18 E1	10	519
HPV18 E1	10	318	HPV18 E1	10	252
HPV18 E1	11	318	HPV18 E1	11	252
HPV18 E1	8	259	HPV18 E1	10	607
HPV18 E1	9	259	HPV18 E1	10	584
HPV18 E1	10	259	HPV18 E1	8	451
HPV18 E1	11	237	HPV18 E1	10	451
HPV18 E1	9	206	HPV18 E1	11	451
HPV18 E1	10	206	HPV18 E1	8	457
HPV18 E1	9	277	HPV18 E1	11	457
HPV18 E1	10	277	HPV18 E1	8	563
HPV18 E1	9	407	HPV18 E1	9	563
HPV18 E1	9	129	HPV18 E1	8	426
HPV18 E1	8	281	HPV18 E1	10	426
HPV18 E1	9	561	HPV18 E1	10	80
HPV18 E1	10	561	HPV18 E1	8	369
HPV18 E1	11	561	HPV18 E1	10	431
HPV18 E1	8	261	HPV18 E1	11	589
HPV18 E1	11	261	HPV18 E1	8	102
HPV18 E1	9	304	HPV18 E1	10	128
HPV18 E1	10	304	HPV18 E1	9	349

Table X  
HLA A24 Supermotif Peptides

HPV18 E1	8	294	HPV18 E1	8	536
HPV18 E1	11	294	HPV18 E1	9	328
HPV18 E1	11	330	HPV18 E1	10	538
HPV18 E1	8	622	HPV18 E1	9	492
HPV18 E1	9	582	HPV18 E1	10	492
HPV18 E1	9	287	HPV18 E1	9	585
HPV18 E1	8	454	HPV18 E1	11	585
HPV18 E1	10	454	HPV18 E1	8	408
HPV18 E1	11	454	HPV18 E1	11	542
HPV18 E1	11	496	HPV18 E1	10	327
HPV18 E1	9	225	HPV18 E2	8	76
HPV18 E1	9	507	HPV18 E2	11	76
HPV18 E1	10	507	HPV18 E2	11	45
HPV18 E1	11	507	HPV18 E2	8	351
HPV18 E1	9	553	HPV18 E2	9	351
HPV18 E1	10	553	HPV18 E2	10	82
HPV18 E1	11	93	HPV18 E2	9	154
HPV18 E1	11	302	HPV18 E2	10	154
HPV18 E1	10	511	HPV18 E2	11	154
HPV18 E1	8	322	HPV18 E2	8	214
HPV18 E1	11	179	HPV18 E2	9	246
HPV18 E1	8	491	HPV18 E2	8	137
HPV18 E1	10	491	HPV18 E2	11	132
HPV18 E1	11	491	HPV18 E2	10	14
HPV18 E1	8	56	HPV18 E2	8	156
HPV18 E1	9	462	HPV18 E2	9	156
HPV18 E1	10	462	HPV18 E2	8	29
HPV18 E1	9	253	HPV18 E2	9	29
HPV18 E1	10	253	HPV18 E2	11	29
HPV18 E1	8	197	HPV18 E2	8	315
HPV18 E1	9	197	HPV18 E2	8	210
HPV18 E1	8	260	HPV18 E2	11	95
HPV18 E1	9	260	HPV18 E2	9	175
HPV18 E1	10	303	HPV18 E2	9	78
HPV18 E1	11	303	HPV18 E2	11	104
HPV18 E1	10	238	HPV18 E2	8	340
HPV18 E1	11	238	HPV18 E2	9	190
HPV18 E1	10	533	HPV18 E2	9	47
HPV18 E1	11	533	HPV18 E2	9	161
HPV18 E1	8	532	HPV18 E2	9	168
HPV18 E1	11	532	HPV18 E2	9	291
HPV18 E1	9	296	HPV18 E2	9	22
HPV18 E1	10	296	HPV18 E2	9	312
HPV18 E1	9	591	HPV18 E2	11	312
HPV18 E1	11	591	HPV18 E2	10	46
HPV18 E1	11	537	HPV18 E2	11	289
HPV18 E1	9	221	HPV18 E2	8	358
HPV18 E1	8	592	HPV18 E2	8	345
HPV18 E1	10	592	HPV18 E2	10	280
HPV18 E1	8	217	HPV18 E2	11	280
HPV18 E1	10	217	HPV18 E2	11	152
HPV18 E1	11	505	HPV18 E2	9	329
HPV18 E1	9	81	HPV18 E2	8	182
HPV18 E1	9	280	HPV18 E2	8	39
HPV18 E1	8	339	HPV18 E2	9	39
HPV18 E1	9	339	HPV18 E2	10	39
HPV18 E1	11	244	HPV18 E2	10	105
HPV18 E1	9	608	HPV18 E2	8	162
HPV18 E1	8	346	HPV18 E2	11	162
HPV18 E1	9	432	HPV18 E2	10	133

Table X  
HLA A24 Supermotif Peptides

HPV18 E2	11	133	HPV18 E2	11	36
HPV18 E2	11	67	HPV18 E2	9	142
HPV18 E2	8	107	HPV18 E2	10	163
HPV18 E2	9	185	HPV18 E2	11	163
HPV18 E2	8	285	HPV18 E5	9	49
HPV18 E2	11	348	HPV18 E5	10	49
HPV18 E2	9	196	HPV18 E5	11	49
HPV18 E2	10	272	HPV18 E5	9	47
HPV18 E2	9	357	HPV18 E5	11	47
HPV18 E2	8	33	HPV18 E5	8	32
HPV18 E2	10	33	HPV18 E5	9	32
HPV18 E2	9	38	HPV18 E5	8	30
HPV18 E2	10	38	HPV18 E5	10	30
HPV18 E2	11	38	HPV18 E5	11	30
HPV18 E2	9	220	HPV18 E5	8	56
HPV18 E2	11	56	HPV18 E5	9	56
HPV18 E2	11	2	HPV18 E5	11	56
HPV18 E2	8	61	HPV18 E5	9	27
HPV18 E2	8	35	HPV18 E5	11	27
HPV18 E2	9	305	HPV18 E5	10	13
HPV18 E2	9	11	HPV18 E5	11	13
HPV18 E2	10	11	HPV18 E5	9	6
HPV18 E2	10	343	HPV18 E5	10	6
HPV18 E2	8	41	HPV18 E5	8	57
HPV18 E2	9	90	HPV18 E5	10	57
HPV18 E2	11	303	HPV18 E5	8	50
HPV18 E2	9	298	HPV18 E5	9	50
HPV18 E2	11	230	HPV18 E5	10	50
HPV18 E2	8	233	HPV18 E5	8	65
HPV18 E2	8	355	HPV18 E5	10	19
HPV18 E2	9	355	HPV18 E5	10	5
HPV18 E2	11	355	HPV18 E5	11	5
HPV18 E2	11	140	HPV18 E5	8	43
HPV18 E2	10	57	HPV18 E5	11	43
HPV18 E2	9	97	HPV18 E5	11	40
HPV18 E2	10	97	HPV18 E5	8	7
HPV18 E2	10	349	HPV18 E5	9	7
HPV18 E2	11	349	HPV18 E5	11	4
HPV18 E2	11	211	HPV18 E5	8	63
HPV18 E2	10	231	HPV18 E5	10	63
HPV18 E2	11	188	HPV18 E5	8	62
HPV18 E2	11	336	HPV18 E5	9	62
HPV18 E2	9	134	HPV18 E5	11	62
HPV18 E2	10	134	HPV18 E5	9	58
HPV18 E2	11	134	HPV18 E5	10	22
HPV18 E2	8	197	HPV18 E5	9	35
HPV18 E2	11	123	HPV18 E5	9	61
HPV18 E2	10	141	HPV18 E5	10	61
HPV18 E2	11	322	HPV18 E5	8	1
HPV18 E2	10	96	HPV18 E5	10	1
HPV18 E2	11	96	HPV18 E5	9	14
HPV18 E2	10	124	HPV18 E5	10	14
HPV18 E2	11	173	HPV18 E5	8	21
HPV18 E2	8	143	HPV18 E5	11	21
HPV18 E2	8	135	HPV18 E5	10	60
HPV18 E2	9	135	HPV18 E5	11	60
HPV18 E2	10	135	HPV18 E5	8	3
HPV18 E2	9	164	HPV18 E5	9	25
HPV18 E2	10	164	HPV18 E5	11	25
HPV18 E2	11	164	HPV18 E5	8	51

Table X  
HLA A24 Supermotif Peptides

HPV18 E5	9	51	HPV18 E6	9	93
HPV18 E5	11	51	HPV18 E6	10	93
HPV18 E5	8	54	HPV18 E6	11	93
HPV18 E5	9	54	HPV18 E6	9	98
HPV18 E5	10	54	HPV18 E6	8	95
HPV18 E5	11	54	HPV18 E6	9	95
HPV18 E5	8	36	HPV18 E6	9	22
HPV18 E5	9	42	HPV18 E6	8	111
HPV18 E5	10	34	HPV18 E6	11	111
HPV18 E5	10	41	HPV18 E6	8	7
HPV18 E5	8	52	HPV18 E6	11	7
HPV18 E5	10	52	HPV18 E6	11	11
HPV18 E5	11	52	HPV18 E6	10	3
HPV18 E5	8	33	HPV18 E6	9	126
HPV18 E5	11	33	HPV18 E6	8	74
HPV18 E5	8	15	HPV18 E6	11	59
HPV18 E5	9	15	HPV18 E6	11	24
HPV18 E5	9	53	HPV18 E6	10	84
HPV18 E5	10	53	HPV18 E6	10	89
HPV18 E5	11	53	HPV18 E6	11	89
HPV18 E6	9	48	HPV18 E6	9	37
HPV18 E6	8	68	HPV18 E6	11	37
HPV18 E6	11	68	HPV18 E6	9	44
HPV18 E6	8	105	HPV18 E6	10	44
HPV18 E6	8	18	HPV18 E6	8	38
HPV18 E6	11	18	HPV18 E6	10	38
HPV18 E6	8	32	HPV18 E6	9	33
HPV18 E6	10	32	HPV18 E6	9	85
HPV18 E6	9	70	HPV18 E7	10	85
HPV18 E6	8	27	HPV18 E7	8	6
HPV18 E6	10	16	HPV18 E7	10	6
HPV18 E6	10	51	HPV18 E7	10	63
HPV18 E6	11	88	HPV18 E7	8	24
HPV18 E6	8	46	HPV18 E7	8	82
HPV18 E6	11	46	HPV18 E7	9	82
HPV18 E6	11	29	HPV18 E7	10	82
HPV18 E6	9	20	HPV18 E7	10	40
HPV18 E6	11	20	HPV18 E7	11	90
HPV18 E6	10	77	HPV18 E7	8	14
HPV18 E6	8	40	HPV18 E7	11	11
HPV18 E6	10	40	HPV18 E7	11	73
HPV18 E6	10	43	HPV18 E7	8	89
HPV18 E6	11	43	HPV18 E7	10	74
HPV18 E6	8	53	HPV18 E7	9	92
HPV18 E6	8	71	HPV18 E7	10	22
HPV18 E6	11	71	HPV18 E7	9	88
HPV18 E6	10	97	HPV18 E7	9	7
HPV18 E6	8	120	HPV18 E7	8	93
HPV18 E6	11	120	HPV18 E7	10	12
HPV18 E6	11	80	HPV18 E7	9	75
HPV18 E6	10	30	HPV18 L1	11	63
HPV18 E6	9	13	HPV18 L1	11	128
HPV18 E6	11	117	HPV18 L1	9	218
HPV18 E6	8	92	HPV18 L1	8	310
HPV18 E6	10	92	HPV18 L1	8	2
HPV18 E6	11	92	HPV18 L1	9	2
HPV18 E6	10	36	HPV18 L1	11	2
HPV18 E6	9	52	HPV18 L1	10	441
HPV18 E6	11	102	HPV18 L1	11	350
HPV18 E6	9	41	HPV18 L1	9	284

Table X  
HLA A24 Supermotif Peptides

HPV18 L1	8	122	HPV18 L1	9	428
HPV18 L1	10	122	HPV18 L1	10	428
HPV18 L1	11	520	HPV18 L1	11	428
HPV18 L1	8	512	HPV18 L1	8	11
HPV18 L1	10	512	HPV18 L1	11	11
HPV18 L1	8	433	HPV18 L1	8	58
HPV18 L1	11	433	HPV18 L1	9	437
HPV18 L1	10	260	HPV18 L1	10	94
HPV18 L1	9	263	HPV18 L1	11	94
HPV18 L1	8	276	HPV18 L1	8	40
HPV18 L1	10	276	HPV18 L1	9	40
HPV18 L1	8	396	HPV18 L1	10	40
HPV18 L1	10	396	HPV18 L1	11	40
HPV18 L1	8	330	HPV18 L1	8	39
HPV18 L1	9	330	HPV18 L1	9	39
HPV18 L1	11	478	HPV18 L1	10	39
HPV18 L1	9	448	HPV18 L1	11	39
HPV18 L1	10	203	HPV18 L1	11	46
HPV18 L1	9	211	HPV18 L1	10	47
HPV18 L1	10	211	HPV18 L1	8	219
HPV18 L1	10	294	HPV18 L1	9	9
HPV18 L1	8	87	HPV18 L1	10	9
HPV18 L1	9	87	HPV18 L1	8	32
HPV18 L1	10	87	HPV18 L1	9	32
HPV18 L1	8	167	HPV18 L1	10	32
HPV18 L1	10	280	HPV18 L1	8	443
HPV18 L1	8	431	HPV18 L1	10	443
HPV18 L1	10	431	HPV18 L1	11	443
HPV18 L1	9	308	HPV18 L1	8	360
HPV18 L1	10	308	HPV18 L1	9	360
HPV18 L1	8	436	HPV18 L1	9	151
HPV18 L1	10	436	HPV18 L1	11	151
HPV18 L1	8	49	HPV18 L1	9	143
HPV18 L1	10	49	HPV18 L1	10	143
HPV18 L1	11	49	HPV18 L1	8	529
HPV18 L1	8	321	HPV18 L1	9	516
HPV18 L1	10	508	HPV18 L1	11	516
HPV18 L1	9	95	HPV18 L1	11	507
HPV18 L1	10	95	HPV18 L1	9	505
HPV18 L1	8	145	HPV18 L1	10	125
HPV18 L1	8	535	HPV18 L1	8	291
HPV18 L1	8	177	HPV18 L1	9	48
HPV18 L1	11	177	HPV18 L1	11	48
HPV18 L1	11	342	HPV18 L1	8	367
HPV18 L1	9	233	HPV18 L1	8	8
HPV18 L1	11	326	HPV18 L1	10	8
HPV18 L1	8	383	HPV18 L1	11	8
HPV18 L1	9	383	HPV18 L1	8	14
HPV18 L1	10	165	HPV18 L1	9	14
HPV18 L1	9	175	HPV18 L1	8	103
HPV18 L1	10	175	HPV18 L1	9	103
HPV18 L1	10	467	HPV18 L1	8	445
HPV18 L1	10	265	HPV18 L1	9	445
HPV18 L1	9	320	HPV18 L1	8	104
HPV18 L1	8	38	HPV18 L1	10	159
HPV18 L1	9	38	HPV18 L1	8	33
HPV18 L1	10	38	HPV18 L1	9	33
HPV18 L1	11	38	HPV18 L1	10	64
HPV18 L1	9	13	HPV18 L1	11	64
HPV18 L1	10	13	HPV18 L1	11	17

Table X  
HLA A24 Supermotif Peptides

HPV18 L1	9	21	HPV18 L1	10	6
HPV18 L1	8	336	HPV18 L1	10	135
HPV18 L1	8	3	HPV18 L1	8	81
HPV18 L1	10	3	HPV18 L1	8	288
HPV18 L1	10	307	HPV18 L1	9	288
HPV18 L1	11	307	HPV18 L1	11	288
HPV18 L1	9	261	HPV18 L1	11	93
HPV18 L1	11	261	HPV18 L1	8	459
HPV18 L1	10	36	HPV18 L1	9	31
HPV18 L1	11	36	HPV18 L1	10	31
HPV18 L1	11	84	HPV18 L1	11	31
HPV18 L1	9	253	HPV18 L1	9	359
HPV18 L1	8	510	HPV18 L1	10	359
HPV18 L1	10	510	HPV18 L1	10	150
HPV18 L1	9	54	HPV18 L1	9	518
HPV18 L1	11	54	HPV18 L1	8	475
HPV18 L1	8	52	HPV18 L1	9	335
HPV18 L1	9	52	HPV18 L1	11	306
HPV18 L1	11	52	HPV18 L1	10	455
HPV18 L1	11	207	HPV18 L1	10	408
HPV18 L1	8	57	HPV18 L1	11	78
HPV18 L1	9	57	HPV18 L1	9	209
HPV18 L1	8	282	HPV18 L1	11	209
HPV18 L1	11	282	HPV18 L1	10	451
HPV18 L1	9	248	HPV18 L1	11	451
HPV18 L1	11	173	HPV18 L1	9	442
HPV18 L1	8	28	HPV18 L1	11	442
HPV18 L1	9	28	HPV18 L1	11	273
HPV18 L1	8	26	HPV18 L1	9	444
HPV18 L1	10	26	HPV18 L1	10	444
HPV18 L1	11	26	HPV18 L1	10	327
HPV18 L1	10	240	HPV18 L1	11	327
HPV18 L1	8	20	HPV18 L1	9	397
HPV18 L1	10	20	HPV18 L1	8	473
HPV18 L1	9	472	HPV18 L1	10	473
HPV18 L1	11	472	HPV18 L1	8	254
HPV18 L1	11	412	HPV18 L1	8	331
HPV18 L1	8	502	HPV18 L1	11	393
HPV18 L1	8	302	HPV18 L1	10	479
HPV18 L1	10	302	HPV18 L1	8	55
HPV18 L1	9	435	HPV18 L1	10	55
HPV18 L1	11	435	HPV18 L1	11	55
HPV18 L1	11	216	HPV18 L1	8	7
HPV18 L1	8	315	HPV18 L1	9	7
HPV18 L1	8	366	HPV18 L1	11	7
HPV18 L1	9	366	HPV18 L1	8	449
HPV18 L1	8	137	HPV18 L1	8	89
HPV18 L1	10	137	HPV18 L1	8	361
HPV18 L1	11	297	HPV18 L1	10	394
HPV18 L1	10	416	HPV18 L1	9	160
HPV18 L1	8	523	HPV18 L1	8	34
HPV18 L1	9	523	HPV18 L1	10	351
HPV18 L1	9	130	HPV18 L1	9	452
HPV18 L1	9	424	HPV18 L1	10	452
HPV18 L1	11	424	HPV18 L1	9	295
HPV18 L1	8	481	HPV18 L1	11	35
HPV18 L1	9	102	HPV18 L1	9	4
HPV18 L1	10	102	HPV18 L1	11	4
HPV18 L1	11	158	HPV18 L1	8	88
HPV18 L1	9	6	HPV18 L1	9	88

Table X  
HLA A24 Supermotif Peptides

HPV18 L2	9	255	HPV18 L2	8	52
HPV18 L2	11	255	HPV18 L2	9	279
HPV18 L2	9	370	HPV18 L2	9	44
HPV18 L2	8	161	HPV18 L2	10	44
HPV18 L2	11	286	HPV18 L2	11	44
HPV18 L2	8	341	HPV18 L2	10	405
HPV18 L2	10	341	HPV18 L2	10	143
HPV18 L2	11	341	HPV18 L2	8	249
HPV18 L2	11	303	HPV18 L2	8	43
HPV18 L2	8	275	HPV18 L2	10	43
HPV18 L2	10	278	HPV18 L2	11	43
HPV18 L2	11	322	HPV18 L2	11	34
HPV18 L2	11	404	HPV18 L2	9	347
HPV18 L2	11	142	HPV18 L2	9	248
HPV18 L2	10	346	HPV18 L2	8	242
HPV18 L2	11	83	HPV18 L2	10	242
HPV18 L2	8	270	HPV18 L2	10	287
HPV18 L2	10	270	HPV18 L2	10	391
HPV18 L2	11	270	HPV18 L2	10	338
HPV18 L2	10	396	HPV18 L2	11	338
HPV18 L2	11	30	HPV18 L2	8	437
HPV18 L2	9	240	HPV18 L2	9	305
HPV18 L2	10	240	HPV18 L2	10	386
HPV18 L2	8	331	HPV18 L2	8	325
HPV18 L2	8	371	HPV18 L2	9	325
HPV18 L2	11	443	HPV18 L2	11	325
HPV18 L2	8	241	HPV18 L2	11	390
HPV18 L2	9	241	HPV18 L2	11	337
HPV18 L2	11	241	HPV18 L2	9	419
HPV18 L2	9	122	HPV18 L2	10	419
HPV18 L2	11	157	HPV18 L2	9	98
HPV18 L2	8	306	HPV18 L2	10	98
HPV18 L2	8	319	HPV18 L2	9	120
HPV18 L2	9	51	HPV18 L2	11	120
HPV18 L2	8	429	HPV18 L2	9	376
HPV18 L2	9	429	HPV18 L2	8	86
HPV18 L2	10	429	HPV18 L2	8	185
HPV18 L2	8	64	HPV18 L2	11	185
HPV18 L2	9	64	HPV18 L2	11	216
HPV18 L2	11	64	HPV18 L2	8	258
HPV18 L2	8	188	HPV18 L2	9	95
HPV18 L2	10	188	HPV18 L2	10	360
HPV18 L2	9	432	HPV18 L2	8	398
HPV18 L2	10	432	HPV18 L2	10	398
HPV18 L2	11	432	HPV18 L2	8	452
HPV18 L2	10	183	HPV18 L2	8	312
HPV18 L2	10	310	HPV18 L2	9	312
HPV18 L2	11	310	HPV18 L2	10	172
HPV18 L2	8	37	HPV18 L2	9	233
HPV18 L2	9	37	HPV18 L2	10	233
HPV18 L2	11	37	HPV18 L2	8	46
HPV18 L2	8	134	HPV18 L2	9	46
HPV18 L2	10	134	HPV18 L2	10	426
HPV18 L2	8	292	HPV18 L2	11	426
HPV18 L2	10	191	HPV18 L2	11	295
HPV18 L2	9	318	HPV18 L2	8	298
HPV18 L2	8	434	HPV18 L2	9	298
HPV18 L2	9	434	HPV18 L2	8	220
HPV18 L2	10	434	HPV18 L2	8	316
HPV18 L2	11	434	HPV18 L2	11	316

Table X  
HLA A24 Supermotif Peptides

HPV18 L2	10	450	HPV31 E1	10	620
HPV18 L2	11	368	HPV31 E1	8	508
HPV18 L2	9	49	HPV31 E1	9	508
HPV18 L2	11	49	HPV31 E1	9	49
HPV18 L2	10	247	HPV31 E1	8	96
HPV18 L2	11	147	HPV31 E1	10	96
HPV18 L2	10	153	HPV31 E1	8	421
HPV18 L2	8	365	HPV31 E1	11	421
HPV18 L2	10	365	HPV31 E1	8	336
HPV18 L2	8	409	HPV31 E1	10	336
HPV18 L2	8	235	HPV31 E1	9	42
HPV18 L2	9	149	HPV31 E1	10	42
HPV18 L2	9	383	HPV31 E1	9	332
HPV18 L2	8	121	HPV31 E1	8	528
HPV18 L2	10	121	HPV31 E1	10	528
HPV18 L2	8	377	HPV31 E1	8	348
HPV18 L2	9	39	HPV31 E1	10	348
HPV18 L2	9	406	HPV31 E1	9	311
HPV18 L2	11	406	HPV31 E1	10	311
HPV18 L2	10	304	HPV31 E1	8	418
HPV18 L2	8	38	HPV31 E1	9	418
HPV18 L2	10	38	HPV31 E1	11	418
HPV18 L2	9	154	HPV31 E1	8	102
HPV18 L2	8	136	HPV31 E1	11	102
HPV18 L2	9	366	HPV31 E1	9	432
HPV18 L2	9	135	HPV31 E1	11	432
HPV18 L2	8	388	HPV31 E1	9	354
HPV18 L2	10	217	HPV31 E1	10	583
HPV18 L2	11	217	HPV31 E1	11	583
HPV18 L2	10	113	HPV31 E1	8	193
HPV18 L2	9	387	HPV31 E1	10	193
HPV18 L2	10	31	HPV31 E1	11	193
HPV18 L2	11	112	HPV31 E1	8	168
HPV18 L2	9	399	HPV31 E1	11	168
HPV18 L2	9	427	HPV31 E1	9	318
HPV18 L2	10	427	HPV31 E1	9	592
HPV18 L2	11	427	HPV31 E1	11	592
HPV18 L2	8	436	HPV31 E1	8	50
HPV18 L2	9	436	HPV31 E1	11	443
HPV18 L2	8	400	HPV31 E1	10	372
HPV18 L2	8	435	HPV31 E1	9	473
HPV18 L2	9	435	HPV31 E1	9	425
HPV18 L2	10	435	HPV31 E1	8	436
HPV31 E1	11	371	HPV31 E1	9	436
HPV31 E1	9	519	HPV31 E1	8	199
HPV31 E1	10	533	HPV31 E1	9	566
HPV31 E1	11	533	HPV31 E1	8	433
HPV31 E1	9	298	HPV31 E1	10	433
HPV31 E1	9	186	HPV31 E1	11	433
HPV31 E1	10	186	HPV31 E1	11	488
HPV31 E1	8	504	HPV31 E1	9	230
HPV31 E1	9	504	HPV31 E1	11	230
HPV31 E1	11	22	HPV31 E1	11	499
HPV31 E1	9	81	HPV31 E1	8	467
HPV31 E1	8	279	HPV31 E1	9	305
HPV31 E1	9	279	HPV31 E1	10	252
HPV31 E1	9	239	HPV31 E1	8	11
HPV31 E1	9	284	HPV31 E1	9	11
HPV31 E1	9	213	HPV31 E1	10	225
HPV31 E1	10	100	HPV31 E1	11	225

Table X  
HLA A24 Supermotif Peptides

HPV31 E1	8	446	HPV31 E1	9	253
HPV31 E1	9	446	HPV31 E1	11	143
HPV31 E1	10	446	HPV31 E1	11	340
HPV31 E1	8	196	HPV31 E1	10	547
HPV31 E1	11	196	HPV31 E1	9	104
HPV31 E1	10	222	HPV31 E1	11	104
HPV31 E1	9	16	HPV31 E1	9	135
HPV31 E1	9	243	HPV31 E1	9	460
HPV31 E1	11	243	HPV31 E1	11	460
HPV31 E1	11	510	HPV31 E1	10	588
HPV31 E1	10	391	HPV31 E1	10	573
HPV31 E1	11	478	HPV31 E1	9	492
HPV31 E1	10	268	HPV31 E1	10	492
HPV31 E1	11	268	HPV31 E1	8	541
HPV31 E1	8	381	HPV31 E1	11	93
HPV31 E1	10	422	HPV31 E1	9	170
HPV31 E1	10	190	HPV31 E1	11	524
HPV31 E1	11	190	HPV31 E1	10	580
HPV31 E1	8	424	HPV31 E1	8	237
HPV31 E1	10	424	HPV31 E1	11	237
HPV31 E1	9	380	HPV31 E1	10	557
HPV31 E1	10	276	HPV31 E1	8	430
HPV31 E1	11	276	HPV31 E1	11	430
HPV31 E1	9	272	HPV31 E1	8	536
HPV31 E1	9	291	HPV31 E1	9	536
HPV31 E1	10	291	HPV31 E1	8	399
HPV31 E1	11	291	HPV31 E1	8	323
HPV31 E1	8	119	HPV31 E1	9	145
HPV31 E1	10	119	HPV31 E1	9	342
HPV31 E1	9	232	HPV31 E1	9	260
HPV31 E1	10	232	HPV31 E1	11	260
HPV31 E1	9	179	HPV31 E1	8	267
HPV31 E1	10	179	HPV31 E1	11	267
HPV31 E1	8	412	HPV31 E1	10	124
HPV31 E1	11	412	HPV31 E1	11	562
HPV31 E1	10	88	HPV31 E1	11	303
HPV31 E1	9	125	HPV31 E1	8	595
HPV31 E1	9	470	HPV31 E1	9	555
HPV31 E1	10	470	HPV31 E1	10	427
HPV31 E1	9	277	HPV31 E1	11	427
HPV31 E1	10	277	HPV31 E1	10	591
HPV31 E1	11	277	HPV31 E1	8	472
HPV31 E1	8	273	HPV31 E1	10	472
HPV31 E1	8	234	HPV31 E1	8	435
HPV31 E1	11	234	HPV31 E1	9	435
HPV31 E1	9	534	HPV31 E1	10	435
HPV31 E1	10	534	HPV31 E1	9	198
HPV31 E1	11	534	HPV31 E1	9	329
HPV31 E1	11	258	HPV31 E1	9	526
HPV31 E1	10	563	HPV31 E1	10	526
HPV31 E1	8	240	HPV31 E1	8	246
HPV31 E1	9	194	HPV31 E1	10	246
HPV31 E1	10	194	HPV31 E1	11	246
HPV31 E1	8	299	HPV31 E1	10	469
HPV31 E1	11	299	HPV31 E1	11	469
HPV31 E1	10	500	HPV31 E1	8	294
HPV31 E1	8	187	HPV31 E1	9	294
HPV31 E1	9	187	HPV31 E1	11	211
HPV31 E1	8	285	HPV31 E1	11	616
HPV31 E1	11	47	HPV31 E1	8	250

Table X  
HLA A24 Supermotif Peptides

HPV31 E1	9	250	HPV31 E2	8	124
HPV31 E1	9	480	HPV31 E2	11	124
HPV31 E1	10	480	HPV31 E2	9	91
HPV31 E1	11	480	HPV31 E2	11	91
HPV31 E1	8	464	HPV31 E2	8	31
HPV31 E1	10	464	HPV31 E2	11	204
HPV31 E1	11	464	HPV31 E2	9	74
HPV31 E1	10	334	HPV31 E2	11	100
HPV31 E1	10	617	HPV31 E2	8	80
HPV31 E1	8	567	HPV31 E2	9	185
HPV31 E1	9	269	HPV31 E2	11	185
HPV31 E1	10	269	HPV31 E2	9	86
HPV31 E1	8	233	HPV31 E2	8	171
HPV31 E1	9	233	HPV31 E2	11	168
HPV31 E1	8	333	HPV31 E2	10	156
HPV31 E1	11	333	HPV31 E2	8	114
HPV31 E1	8	505	HPV31 E2	8	29
HPV31 E1	11	505	HPV31 E2	10	29
HPV31 E1	9	226	HPV31 E2	8	35
HPV31 E1	10	226	HPV31 E2	9	35
HPV31 E1	8	565	HPV31 E2	10	35
HPV31 E1	10	565	HPV31 E2	8	164
HPV31 E1	10	23	HPV31 E2	8	297
HPV31 E1	11	84	HPV31 E2	9	297
HPV31 E1	11	177	HPV31 E2	9	18
HPV31 E1	11	325	HPV31 E2	8	130
HPV31 E1	9	349	HPV31 E2	9	130
HPV31 E1	11	349	HPV31 E2	10	130
HPV31 E1	8	254	HPV31 E2	10	295
HPV31 E1	9	223	HPV31 E2	11	295
HPV31 E1	9	564	HPV31 E2	9	304
HPV31 E1	11	564	HPV31 E2	8	193
HPV31 E1	9	581	HPV31 E2	9	157
HPV31 E1	8	312	HPV31 E2	11	157
HPV31 E1	9	312	HPV31 E2	11	183
HPV31 E1	8	17	HPV31 E2	8	177
HPV31 E1	8	319	HPV31 E2	8	42
HPV31 E1	10	489	HPV31 E2	10	42
HPV31 E1	9	301	HPV31 E2	8	103
HPV31 E1	9	465	HPV31 E2	9	318
HPV31 E1	10	465	HPV31 E2	11	318
HPV31 E1	10	511	HPV31 E2	10	101
HPV31 E1	9	558	HPV31 E2	10	78
HPV31 E1	11	558	HPV31 E2	11	77
HPV31 E1	9	89	HPV31 E2	9	43
HPV31 E1	10	300	HPV31 E2	9	170
HPV31 E2	8	72	HPV31 E2	8	303
HPV31 E2	11	72	HPV31 E2	10	303
HPV31 E2	8	338	HPV31 E2	9	84
HPV31 E2	9	69	HPV31 E2	11	84
HPV31 E2	10	69	HPV31 E2	8	254
HPV31 E2	11	69	HPV31 E2	9	254
HPV31 E2	10	61	HPV31 E2	8	127
HPV31 E2	8	291	HPV31 E2	10	127
HPV31 E2	10	286	HPV31 E2	11	127
HPV31 E2	11	286	HPV31 E2	9	361
HPV31 E2	9	307	HPV31 E2	10	361
HPV31 E2	10	330	HPV31 E2	8	9
HPV31 E2	10	40	HPV31 E2	11	9
HPV31 E2	8	352	HPV31 E2	9	133

Table X  
HLA A24 Supermotif Peptides

HPV31 E2	11	294	HPV31 E5	9	40
HPV31 E2	10	106	HPV31 E5	10	40
HPV31 E2	10	120	HPV31 E5	11	40
HPV31 E2	10	317	HPV31 E5	8	53
HPV31 E2	8	96	HPV31 E5	10	53
HPV31 E2	10	191	HPV31 E5	11	53
HPV31 E2	8	151	HPV31 E5	8	59
HPV31 E2	9	151	HPV31 E5	9	59
HPV31 E2	8	321	HPV31 E5	10	59
HPV31 E2	8	25	HPV31 E5	11	59
HPV31 E2	9	25	HPV31 E5	10	18
HPV31 E2	8	37	HPV31 E5	9	14
HPV31 E2	9	7	HPV31 E5	10	14
HPV31 E2	10	7	HPV31 E5	11	14
HPV31 E2	8	311	HPV31 E5	8	61
HPV31 E2	9	311	HPV31 E5	9	61
HPV31 E2	10	309	HPV31 E5	11	61
HPV31 E2	11	309	HPV31 E5	9	26
HPV31 E2	9	206	HPV31 E5	8	20
HPV31 E2	10	53	HPV31 E5	10	20
HPV31 E2	8	346	HPV31 E5	9	3
HPV31 E2	9	346	HPV31 E5	11	3
HPV31 E2	10	266	HPV31 E5	9	66
HPV31 E2	8	198	HPV31 E5	8	15
HPV31 E2	10	198	HPV31 E5	9	15
HPV31 E2	8	63	HPV31 E5	10	15
HPV31 E2	11	63	HPV31 E5	9	24
HPV31 E2	9	364	HPV31 E5	11	24
HPV31 E2	9	128	HPV31 E5	9	72
HPV31 E2	10	128	HPV31 E5	10	72
HPV31 E2	11	128	HPV31 E5	10	48
HPV31 E2	9	93	HPV31 E5	9	11
HPV31 E2	10	93	HPV31 E5	8	67
HPV31 E2	11	93	HPV31 E5	8	62
HPV31 E2	10	221	HPV31 E5	10	62
HPV31 E2	11	220	HPV31 E5	11	62
HPV31 E2	8	362	HPV31 E5	10	23
HPV31 E2	9	362	HPV31 E5	10	71
HPV31 E2	11	362	HPV31 E5	11	71
HPV31 E2	11	343	HPV31 E5	8	45
HPV31 E2	9	199	HPV31 E5	8	16
HPV31 E2	9	192	HPV31 E5	9	16
HPV31 E2	9	41	HPV31 E5	8	22
HPV31 E2	11	41	HPV31 E5	11	22
HPV31 E2	11	147	HPV31 E5	9	44
HPV31 E2	8	92	HPV31 E5	8	43
HPV31 E2	10	92	HPV31 E5	10	43
HPV31 E2	11	92	HPV31 E5	8	42
HPV31 E2	10	344	HPV31 E5	9	42
HPV31 E2	11	344	HPV31 E5	11	42
HPV31 E2	9	102	HPV31 E5	8	27
HPV31 E2	8	131	HPV31 E5	8	32
HPV31 E2	9	131	HPV31 E5	11	32
HPV31 E2	11	131	HPV31 E5	9	49
HPV31 E2	9	159	HPV31 E5	11	1
HPV31 E2	10	159	HPV31 E5	9	5
HPV31 E2	11	32	HPV31 E5	11	5
HPV31 E2	8	158	HPV31 E5	11	70
HPV31 E2	10	158	HPV31 E5	8	56
HPV31 E2	11	158	HPV31 E5	11	56

Table X  
HLA A24 Supermotif Peptides

HPV31 E5	9	31	HPV31 E6	11	69
HPV31 E5	8	10	HPV31 E6	10	95
HPV31 E5	10	10	HPV31 E6	9	61
HPV31 E5	9	7	HPV31 E6	10	61
HPV31 E5	10	7	HPV31 E6	8	118
HPV31 E5	11	7	HPV31 E6	11	118
HPV31 E5	8	35	HPV31 E6	9	11
HPV31 E5	9	35	HPV31 E6	11	11
HPV31 E5	10	35	HPV31 E6	10	90
HPV31 E5	11	35	HPV31 E6	11	90
HPV31 E5	8	37	HPV31 E6	8	72
HPV31 E5	9	37	HPV31 E6	10	72
HPV31 E5	10	37	HPV31 E6	11	100
HPV31 E5	8	41	HPV31 E6	9	37
HPV31 E5	9	41	HPV31 E6	11	37
HPV31 E5	10	41	HPV31 E6	9	91
HPV31 E5	8	8	HPV31 E6	10	91
HPV31 E5	9	8	HPV31 E6	11	91
HPV31 E5	10	8	HPV31 E6	11	127
HPV31 E5	8	65	HPV31 E6	11	109
HPV31 E5	10	65	HPV31 E6	11	22
HPV31 E5	10	51	HPV31 E6	8	36
HPV31 E5	8	73	HPV31 E6	10	36
HPV31 E5	9	73	HPV31 E6	9	124
HPV31 E5	11	47	HPV31 E6	9	68
HPV31 E5	8	12	HPV31 E6	11	68
HPV31 E5	11	12	HPV31 E6	11	27
HPV31 E5	9	21	HPV31 E6	10	131
HPV31 E5	10	33	HPV31 E6	8	77
HPV31 E5	11	33	HPV31 E6	9	80
HPV31 E5	8	64	HPV31 E6	10	82
HPV31 E5	9	64	HPV31 E6	10	87
HPV31 E5	11	64	HPV31 E6	11	86
HPV31 E5	8	38	HPV31 E6	9	42
HPV31 E5	9	38	HPV31 E6	11	42
HPV31 E5	11	38	HPV31 E6	9	83
HPV31 E5	8	50	HPV31 E6	9	132
HPV31 E5	11	50	HPV31 E6	11	78
HPV31 E5	9	63	HPV31 E7	10	19
HPV31 E5	10	63	HPV31 E7	9	68
HPV31 E6	9	46	HPV31 E7	11	68
HPV31 E6	9	18	HPV31 E7	8	75
HPV31 E6	11	18	HPV31 E7	9	75
HPV31 E6	8	103	HPV31 E7	10	75
HPV31 E6	11	66	HPV31 E7	8	21
HPV31 E6	8	63	HPV31 E7	9	14
HPV31 E6	8	30	HPV31 E7	10	48
HPV31 E6	9	44	HPV31 E7	9	81
HPV31 E6	11	44	HPV31 E7	8	4
HPV31 E6	11	57	HPV31 E7	10	4
HPV31 E6	10	75	HPV31 E7	11	88
HPV31 E6	9	20	HPV31 E7	10	78
HPV31 E6	8	25	HPV31 E7	10	89
HPV31 E6	8	14	HPV31 E7	8	82
HPV31 E6	10	14	HPV31 E7	8	6
HPV31 E6	9	39	HPV31 E7	10	6
HPV31 E6	10	41	HPV31 E7	10	73
HPV31 E6	8	47	HPV31 E7	11	73
HPV31 E6	8	69	HPV31 E7	8	77
HPV31 E6	10	69	HPV31 E7	11	77

Table X  
HLA A24 Supermotif Peptides

HPV31 E7	11	66	HPV31 L1	8	141
HPV31 E7	8	71	HPV31 L1	10	141
HPV31 E7	9	71	HPV31 L1	11	266
HPV31 E7	10	56	HPV31 L1	9	115
HPV31 E7	9	7	HPV31 L1	10	115
HPV31 E7	11	12	HPV31 L1	8	474
HPV31 E7	11	55	HPV31 L1	8	307
HPV31 L1	9	348	HPV31 L1	9	376
HPV31 L1	8	398	HPV31 L1	9	399
HPV31 L1	10	398	HPV31 L1	8	388
HPV31 L1	10	180	HPV31 L1	8	382
HPV31 L1	11	213	HPV31 L1	10	382
HPV31 L1	8	285	HPV31 L1	11	382
HPV31 L1	9	285	HPV31 L1	9	181
HPV31 L1	11	147	HPV31 L1	11	181
HPV31 L1	9	158	HPV31 L1	9	61
HPV31 L1	9	224	HPV31 L1	11	61
HPV31 L1	9	387	HPV31 L1	10	33
HPV31 L1	11	459	HPV31 L1	11	33
HPV31 L1	8	372	HPV31 L1	11	126
HPV31 L1	11	372	HPV31 L1	9	83
HPV31 L1	10	200	HPV31 L1	10	83
HPV31 L1	8	129	HPV31 L1	8	468
HPV31 L1	9	203	HPV31 L1	9	455
HPV31 L1	8	216	HPV31 L1	11	455
HPV31 L1	10	216	HPV31 L1	8	381
HPV31 L1	9	353	HPV31 L1	9	381
HPV31 L1	8	336	HPV31 L1	11	381
HPV31 L1	11	417	HPV31 L1	10	60
HPV31 L1	9	151	HPV31 L1	11	237
HPV31 L1	10	151	HPV31 L1	10	65
HPV31 L1	10	234	HPV31 L1	8	20
HPV31 L1	9	444	HPV31 L1	8	231
HPV31 L1	8	370	HPV31 L1	10	247
HPV31 L1	10	370	HPV31 L1	11	247
HPV31 L1	8	107	HPV31 L1	8	159
HPV31 L1	8	449	HPV31 L1	8	42
HPV31 L1	9	363	HPV31 L1	9	42
HPV31 L1	11	363	HPV31 L1	11	42
HPV31 L1	8	26	HPV31 L1	9	407
HPV31 L1	9	26	HPV31 L1	8	43
HPV31 L1	10	26	HPV31 L1	10	43
HPV31 L1	9	248	HPV31 L1	8	99
HPV31 L1	10	248	HPV31 L1	10	3
HPV31 L1	8	375	HPV31 L1	11	3
HPV31 L1	10	375	HPV31 L1	11	389
HPV31 L1	10	447	HPV31 L1	10	238
HPV31 L1	8	249	HPV31 L1	11	238
HPV31 L1	9	249	HPV31 L1	9	201
HPV31 L1	9	91	HPV31 L1	11	201
HPV31 L1	11	91	HPV31 L1	8	300
HPV31 L1	10	205	HPV31 L1	9	300
HPV31 L1	8	85	HPV31 L1	11	32
HPV31 L1	8	323	HPV31 L1	10	451
HPV31 L1	9	323	HPV31 L1	8	342
HPV31 L1	8	117	HPV31 L1	10	220
HPV31 L1	11	117	HPV31 L1	8	441
HPV31 L1	10	105	HPV31 L1	8	222
HPV31 L1	11	68	HPV31 L1	11	222
HPV31 L1	10	406	HPV31 L1	9	188

Table X  
HLA A24 Supermotif Peptides

HPV31 L1	8	464	HPV31 L1	11	446
HPV31 L1	11	113	HPV31 L1	8	28
HPV31 L1	11	17	HPV31 L1	8	301
HPV31 L1	8	242	HPV31 L1	10	334
HPV31 L1	9	242	HPV31 L1	8	62
HPV31 L1	10	242	HPV31 L1	10	62
HPV31 L1	9	374	HPV31 L1	9	292
HPV31 L1	11	374	HPV31 L1	9	391
HPV31 L1	8	462	HPV31 L1	10	391
HPV31 L1	9	462	HPV31 L1	11	277
HPV31 L1	10	462	HPV31 L1	9	235
HPV31 L1	8	306	HPV31 L1	8	364
HPV31 L1	9	306	HPV31 L1	10	364
HPV31 L1	11	378	HPV31 L1	8	250
HPV31 L1	11	156	HPV31 L1	8	445
HPV31 L1	8	255	HPV31 L1	8	27
HPV31 L1	9	70	HPV31 L1	9	27
HPV31 L1	8	420	HPV31 L1	9	34
HPV31 L1	9	41	HPV31 L1	10	34
HPV31 L1	10	41	HPV31 L2	11	286
HPV31 L1	8	77	HPV31 L2	9	311
HPV31 L1	10	77	HPV31 L2	10	311
HPV31 L1	9	98	HPV31 L2	11	311
HPV31 L1	10	75	HPV31 L2	8	226
HPV31 L1	10	90	HPV31 L2	10	135
HPV31 L1	8	228	HPV31 L2	11	135
HPV31 L1	9	228	HPV31 L2	11	342
HPV31 L1	11	228	HPV31 L2	11	376
HPV31 L1	11	51	HPV31 L2	11	251
HPV31 L1	8	414	HPV31 L2	11	385
HPV31 L1	11	2	HPV31 L2	8	275
HPV31 L1	9	149	HPV31 L2	8	438
HPV31 L1	11	149	HPV31 L2	9	438
HPV31 L1	10	394	HPV31 L2	10	438
HPV31 L1	9	299	HPV31 L2	11	438
HPV31 L1	10	299	HPV31 L2	10	278
HPV31 L1	10	283	HPV31 L2	8	354
HPV31 L1	11	283	HPV31 L2	8	116
HPV31 L1	11	23	HPV31 L2	11	31
HPV31 L1	10	340	HPV31 L2	8	190
HPV31 L1	11	290	HPV31 L2	8	171
HPV31 L1	8	194	HPV31 L2	9	253
HPV31 L1	8	271	HPV31 L2	10	253
HPV31 L1	10	355	HPV31 L2	11	253
HPV31 L1	11	355	HPV31 L2	10	196
HPV31 L1	8	286	HPV31 L2	8	237
HPV31 L1	11	246	HPV31 L2	9	237
HPV31 L1	9	383	HPV31 L2	11	237
HPV31 L1	10	383	HPV31 L2	8	433
HPV31 L1	8	354	HPV31 L2	9	433
HPV31 L1	11	354	HPV31 L2	8	439
HPV31 L1	8	408	HPV31 L2	9	439
HPV31 L1	10	267	HPV31 L2	10	439
HPV31 L1	11	267	HPV31 L2	11	113
HPV31 L1	9	44	HPV31 L2	11	351
HPV31 L1	11	333	HPV31 L2	8	26
HPV31 L1	10	291	HPV31 L2	11	26
HPV31 L1	10	390	HPV31 L2	8	65
HPV31 L1	11	390	HPV31 L2	11	65
HPV31 L1	10	418	HPV31 L2	9	52

Table X  
HLA A24 Supermotif Peptides

HPV31 L2	8	213	HPV31 L2	11	303
HPV31 L2	10	213	HPV31 L2	9	229
HPV31 L2	11	213	HPV31 L2	10	229
HPV31 L2	9	175	HPV31 L2	11	429
HPV31 L2	8	38	HPV31 L2	8	298
HPV31 L2	9	38	HPV31 L2	10	9
HPV31 L2	11	38	HPV31 L2	11	9
HPV31 L2	9	318	HPV31 L2	8	306
HPV31 L2	9	403	HPV31 L2	8	316
HPV31 L2	8	432	HPV31 L2	11	316
HPV31 L2	9	432	HPV31 L2	8	47
HPV31 L2	10	432	HPV31 L2	9	47
HPV31 L2	9	279	HPV31 L2	11	295
HPV31 L2	10	45	HPV31 L2	8	94
HPV31 L2	11	45	HPV31 L2	9	431
HPV31 L2	8	245	HPV31 L2	10	431
HPV31 L2	10	114	HPV31 L2	11	431
HPV31 L2	10	105	HPV31 L2	9	325
HPV31 L2	9	197	HPV31 L2	11	325
HPV31 L2	11	35	HPV31 L2	10	86
HPV31 L2	8	231	HPV31 L2	10	182
HPV31 L2	9	244	HPV31 L2	11	104
HPV31 L2	8	176	HPV31 L2	8	107
HPV31 L2	10	287	HPV31 L2	11	260
HPV31 L2	10	352	HPV31 L2	9	50
HPV31 L2	10	261	HPV31 L2	11	50
HPV31 L2	11	447	HPV31 L2	8	396
HPV31 L2	8	269	HPV31 L2	9	396
HPV31 L2	9	269	HPV31 L2	8	151
HPV31 L2	11	269	HPV31 L2	8	184
HPV31 L2	8	204	HPV31 L2	10	184
HPV31 L2	10	390	HPV31 L2	8	346
HPV31 L2	8	292	HPV31 L2	10	346
HPV31 L2	10	187	HPV31 L2	11	346
HPV31 L2	11	187	HPV31 L2	8	379
HPV31 L2	10	410	HPV31 L2	8	80
HPV31 L2	10	402	HPV31 L2	10	80
HPV31 L2	11	210	HPV31 L2	10	149
HPV31 L2	11	122	HPV31 L2	11	195
HPV31 L2	8	88	HPV31 L2	9	236
HPV31 L2	11	422	HPV31 L2	10	236
HPV31 L2	9	100	HPV31 L2	8	157
HPV31 L2	8	394	HPV31 L2	9	40
HPV31 L2	10	394	HPV31 L2	8	312
HPV31 L2	11	394	HPV31 L2	9	312
HPV31 L2	10	235	HPV31 L2	10	312
HPV31 L2	11	235	HPV31 L2	9	347
HPV31 L2	9	156	HPV31 L2	10	347
HPV31 L2	8	388	HPV31 L2	10	304
HPV31 L2	10	167	HPV31 L2	9	136
HPV31 L2	11	167	HPV31 L2	10	136
HPV31 L2	9	415	HPV31 L2	8	39
HPV31 L2	8	425	HPV31 L2	10	39
HPV31 L2	9	425	HPV31 L2	8	426
HPV31 L2	8	127	HPV31 L2	9	344
HPV31 L2	9	97	HPV31 L2	10	344
HPV31 L2	10	92	HPV31 L2	10	343
HPV31 L2	8	44	HPV31 L2	11	343
HPV31 L2	11	44	HPV31 L2	9	391
HPV31 L2	10	243	HPV31 L2	11	391

Table X  
HLA A24 Supermotif Peptides

HPV31 L2	8	254	HPV33 E1	11	352
HPV31 L2	9	254	HPV33 E1	10	38
HPV31 L2	10	254	HPV33 E1	11	38
HPV31 L2	8	392	HPV33 E1	11	295
HPV31 L2	10	392	HPV33 E1	9	331
HPV31 L2	9	81	HPV33 E1	9	605
HPV31 L2	8	53	HPV33 E1	11	605
HPV31 L2	10	32	HPV33 E1	10	50
HPV31 L2	9	262	HPV33 E1	8	449
HPV31 L2	8	440	HPV33 E1	9	449
HPV31 L2	9	440	HPV33 E1	11	456
HPV31 L2	10	386	HPV33 E1	10	385
HPV31 L2	8	319	HPV33 E1	8	212
HPV33 E1	9	452	HPV33 E1	8	446
HPV33 E1	9	448	HPV33 E1	11	446
HPV33 E1	10	448	HPV33 E1	11	501
HPV33 E1	11	384	HPV33 E1	8	265
HPV33 E1	10	596	HPV33 E1	10	265
HPV33 E1	11	596	HPV33 E1	8	459
HPV33 E1	9	532	HPV33 E1	9	459
HPV33 E1	10	546	HPV33 E1	10	459
HPV33 E1	11	546	HPV33 E1	11	209
HPV33 E1	9	311	HPV33 E1	10	235
HPV33 E1	9	81	HPV33 E1	8	11
HPV33 E1	11	22	HPV33 E1	9	512
HPV33 E1	9	207	HPV33 E1	11	512
HPV33 E1	8	259	HPV33 E1	8	480
HPV33 E1	9	259	HPV33 E1	8	44
HPV33 E1	10	259	HPV33 E1	8	564
HPV33 E1	11	259	HPV33 E1	9	564
HPV33 E1	9	297	HPV33 E1	10	327
HPV33 E1	9	226	HPV33 E1	9	16
HPV33 E1	11	226	HPV33 E1	11	256
HPV33 E1	11	14	HPV33 E1	10	404
HPV33 E1	8	118	HPV33 E1	10	347
HPV33 E1	11	118	HPV33 E1	9	266
HPV33 E1	8	494	HPV33 E1	8	267
HPV33 E1	9	494	HPV33 E1	9	200
HPV33 E1	10	494	HPV33 E1	11	200
HPV33 E1	9	367	HPV33 E1	8	394
HPV33 E1	10	46	HPV33 E1	10	435
HPV33 E1	8	78	HPV33 E1	8	203
HPV33 E1	8	349	HPV33 E1	10	203
HPV33 E1	10	349	HPV33 E1	11	203
HPV33 E1	8	62	HPV33 E1	10	124
HPV33 E1	9	62	HPV33 E1	11	510
HPV33 E1	11	62	HPV33 E1	8	393
HPV33 E1	10	541	HPV33 E1	9	393
HPV33 E1	9	324	HPV33 E1	9	285
HPV33 E1	10	324	HPV33 E1	9	304
HPV33 E1	9	516	HPV33 E1	10	304
HPV33 E1	10	516	HPV33 E1	11	304
HPV33 E1	9	228	HPV33 E1	8	412
HPV33 E1	11	49	HPV33 E1	8	425
HPV33 E1	8	580	HPV33 E1	11	425
HPV33 E1	9	445	HPV33 E1	9	223
HPV33 E1	11	537	HPV33 E1	9	245
HPV33 E1	8	361	HPV33 E1	10	245
HPV33 E1	10	361	HPV33 E1	11	69
HPV33 E1	11	361	HPV33 E1	8	247

Table X  
HLA A24 Supermotif Peptides

HPV33 E1	11	247	HPV33 E1	8	549
HPV33 E1	10	483	HPV33 E1	9	549
HPV33 E1	11	271	HPV33 E1	8	437
HPV33 E1	9	47	HPV33 E1	10	437
HPV33 E1	9	438	HPV33 E1	8	308
HPV33 E1	9	290	HPV33 E1	11	146
HPV33 E1	11	290	HPV33 E1	8	355
HPV33 E1	8	286	HPV33 E1	9	273
HPV33 E1	8	260	HPV33 E1	8	280
HPV33 E1	9	260	HPV33 E1	11	280
HPV33 E1	10	260	HPV33 E1	11	575
HPV33 E1	11	260	HPV33 E1	9	335
HPV33 E1	9	362	HPV33 E1	8	608
HPV33 E1	10	362	HPV33 E1	9	608
HPV33 E1	11	362	HPV33 E1	9	568
HPV33 E1	10	281	HPV33 E1	10	440
HPV33 E1	11	281	HPV33 E1	11	440
HPV33 E1	10	576	HPV33 E1	10	604
HPV33 E1	8	336	HPV33 E1	9	211
HPV33 E1	9	547	HPV33 E1	9	342
HPV33 E1	10	547	HPV33 E1	9	539
HPV33 E1	11	547	HPV33 E1	10	111
HPV33 E1	8	201	HPV33 E1	9	292
HPV33 E1	10	201	HPV33 E1	11	482
HPV33 E1	8	253	HPV33 E1	11	243
HPV33 E1	8	312	HPV33 E1	9	252
HPV33 E1	11	312	HPV33 E1	9	239
HPV33 E1	8	513	HPV33 E1	10	239
HPV33 E1	10	513	HPV33 E1	8	521
HPV33 E1	8	298	HPV33 E1	9	521
HPV33 E1	10	353	HPV33 E1	8	477
HPV33 E1	8	443	HPV33 E1	10	477
HPV33 E1	11	443	HPV33 E1	11	477
HPV33 E1	8	346	HPV33 E1	9	183
HPV33 E1	11	346	HPV33 E1	9	328
HPV33 E1	10	199	HPV33 E1	9	282
HPV33 E1	9	71	HPV33 E1	10	282
HPV33 E1	10	289	HPV33 E1	9	577
HPV33 E1	9	135	HPV33 E1	11	577
HPV33 E1	9	473	HPV33 E1	11	337
HPV33 E1	11	473	HPV33 E1	8	609
HPV33 E1	8	195	HPV33 E1	11	523
HPV33 E1	10	195	HPV33 E1	10	119
HPV33 E1	10	560	HPV33 E1	8	578
HPV33 E1	10	175	HPV33 E1	10	578
HPV33 E1	11	181	HPV33 E1	10	23
HPV33 E1	10	601	HPV33 E1	11	491
HPV33 E1	8	431	HPV33 E1	11	190
HPV33 E1	9	431	HPV33 E1	8	246
HPV33 E1	11	431	HPV33 E1	9	246
HPV33 E1	10	586	HPV33 E1	10	338
HPV33 E1	10	519	HPV33 E1	11	338
HPV33 E1	11	519	HPV33 E1	10	182
HPV33 E1	8	434	HPV33 E1	8	517
HPV33 E1	11	434	HPV33 E1	9	517
HPV33 E1	9	505	HPV33 E1	9	594
HPV33 E1	10	505	HPV33 E1	8	17
HPV33 E1	10	593	HPV33 E1	9	314
HPV33 E1	10	570	HPV33 E1	8	332
HPV33 E1	8	485	HPV33 E1	10	502

Table X  
HLA A24 Supermotif Peptides

HPV33 E1	8	522	HPV33 E2	8	35
HPV33 E1	9	478	HPV33 E2	9	35
HPV33 E1	10	478	HPV33 E2	10	35
HPV33 E1	10	524	HPV33 E2	9	62
HPV33 E1	9	571	HPV33 E2	8	42
HPV33 E1	11	571	HPV33 E2	10	42
HPV33 E1	11	528	HPV33 E2	11	240
HPV33 E1	10	313	HPV33 E2	9	18
HPV33 E2	9	69	HPV33 E2	9	299
HPV33 E2	11	69	HPV33 E2	11	299
HPV33 E2	10	78	HPV33 E2	9	43
HPV33 E2	9	41	HPV33 E2	8	333
HPV33 E2	11	41	HPV33 E2	8	147
HPV33 E2	9	10	HPV33 E2	9	147
HPV33 E2	10	10	HPV33 E2	11	147
HPV33 E2	9	288	HPV33 E2	11	183
HPV33 E2	10	145	HPV33 E2	11	157
HPV33 E2	11	145	HPV33 E2	8	127
HPV33 E2	9	25	HPV33 E2	11	127
HPV33 E2	11	25	HPV33 E2	8	272
HPV33 E2	10	17	HPV33 E2	8	133
HPV33 E2	9	235	HPV33 E2	9	196
HPV33 E2	10	235	HPV33 E2	9	342
HPV33 E2	9	232	HPV33 E2	10	342
HPV33 E2	8	153	HPV33 E2	9	295
HPV33 E2	8	130	HPV33 E2	8	29
HPV33 E2	9	130	HPV33 E2	10	29
HPV33 E2	10	130	HPV33 E2	9	345
HPV33 E2	11	130	HPV33 E2	10	203
HPV33 E2	9	74	HPV33 E2	9	332
HPV33 E2	10	298	HPV33 E2	8	96
HPV33 E2	8	80	HPV33 E2	9	71
HPV33 E2	9	185	HPV33 E2	9	191
HPV33 E2	11	100	HPV33 E2	9	91
HPV33 E2	9	325	HPV33 E2	10	120
HPV33 E2	10	325	HPV33 E2	9	86
HPV33 E2	11	325	HPV33 E2	8	292
HPV33 E2	11	336	HPV33 E2	9	292
HPV33 E2	10	53	HPV33 E2	9	7
HPV33 E2	11	53	HPV33 E2	10	7
HPV33 E2	9	278	HPV33 E2	8	37
HPV33 E2	11	32	HPV33 E2	11	266
HPV33 E2	9	139	HPV33 E2	10	290
HPV33 E2	11	276	HPV33 E2	11	290
HPV33 E2	11	137	HPV33 E2	9	285
HPV33 E2	8	339	HPV33 E2	10	61
HPV33 E2	9	242	HPV33 E2	8	302
HPV33 E2	9	34	HPV33 E2	8	205
HPV33 E2	10	34	HPV33 E2	10	324
HPV33 E2	11	34	HPV33 E2	11	324
HPV33 E2	8	23	HPV33 E2	10	93
HPV33 E2	11	23	HPV33 E2	11	93
HPV33 E2	8	66	HPV33 E2	10	128
HPV33 E2	10	66	HPV33 E2	11	128
HPV33 E2	8	151	HPV33 E2	9	146
HPV33 E2	9	151	HPV33 E2	10	146
HPV33 E2	10	151	HPV33 E2	8	233
HPV33 E2	10	169	HPV33 E2	11	233
HPV33 E2	8	177	HPV33 E2	10	267
HPV33 E2	8	243	HPV33 E2	10	337

Table X  
HLA A24 Supermotif Peptides

HPV33 E2	8	343	HPV33 E5	9	5
HPV33 E2	9	343	HPV33 E5	11	5
HPV33 E2	11	343	HPV33 E5	8	49
HPV33 E2	8	72	HPV33 E5	9	49
HPV33 E2	11	72	HPV33 E5	10	49
HPV33 E2	8	192	HPV33 E5	11	49
HPV33 E2	8	326	HPV33 E5	8	2
HPV33 E2	9	326	HPV33 E5	9	2
HPV33 E2	10	326	HPV33 E5	10	2
HPV33 E2	11	323	HPV33 E5	11	2
HPV33 E2	8	148	HPV33 E5	8	10
HPV33 E2	10	148	HPV33 E5	9	10
HPV33 E2	11	148	HPV33 E5	10	10
HPV33 E2	10	101	HPV33 E5	9	23
HPV33 E2	9	102	HPV33 E5	10	23
HPV33 E2	8	92	HPV33 E5	11	23
HPV33 E2	11	92	HPV33 E5	8	48
HPV33 E2	9	170	HPV33 E5	9	48
HPV33 E2	9	159	HPV33 E5	10	48
HPV33 E2	10	159	HPV33 E5	11	48
HPV33 E2	10	138	HPV33 E5	8	11
HPV33 E2	8	44	HPV33 E5	9	11
HPV33 E2	11	44	HPV33 E5	8	55
HPV33 E2	8	131	HPV33 E5	10	55
HPV33 E2	9	131	HPV33 E5	8	22
HPV33 E2	10	131	HPV33 E5	10	22
HPV33 E2	10	158	HPV33 E5	11	22
HPV33 E2	11	158	HPV33 E5	8	54
HPV33 E5	8	30	HPV33 E5	9	54
HPV33 E5	9	30	HPV33 E5	11	54
HPV33 E5	10	30	HPV33 E5	8	17
HPV33 E5	11	30	HPV33 E5	10	17
HPV33 E5	8	8	HPV33 E5	11	37
HPV33 E5	10	8	HPV33 E5	9	18
HPV33 E5	11	8	HPV33 E5	8	32
HPV33 E5	9	63	HPV33 E5	9	32
HPV33 E5	9	14	HPV33 E5	11	32
HPV33 E5	10	14	HPV33 E5	10	38
HPV33 E5	11	14	HPV33 E5	8	35
HPV33 E5	8	52	HPV33 E5	8	33
HPV33 E5	10	52	HPV33 E5	10	33
HPV33 E5	11	52	HPV33 E5	9	39
HPV33 E5	8	50	HPV33 E5	11	39
HPV33 E5	9	50	HPV33 E5	8	57
HPV33 E5	10	50	HPV33 E5	10	57
HPV33 E5	9	9	HPV33 E5	9	1
HPV33 E5	10	9	HPV33 E5	10	1
HPV33 E5	11	9	HPV33 E5	11	1
HPV33 E5	8	12	HPV33 E5	11	61
HPV33 E5	11	12	HPV33 E5	9	21
HPV33 E5	9	56	HPV33 E5	11	21
HPV33 E5	11	56	HPV33 E5	8	46
HPV33 E5	8	3	HPV33 E5	9	46
HPV33 E5	9	3	HPV33 E5	10	46
HPV33 E5	10	3	HPV33 E5	11	46
HPV33 E5	11	3	HPV33 E5	8	25
HPV33 E5	8	42	HPV33 E5	9	25
HPV33 E5	9	42	HPV33 E5	11	25
HPV33 E5	10	42	HPV33 E5	8	16
HPV33 E5	8	5	HPV33 E5	9	16

Table X  
HLA A24 Supermotif Peptides

HPV33 E5	11	16	HPV33 E6	10	36
HPV33 E5	9	27	HPV33 E6	10	90
HPV33 E5	11	27	HPV33 E6	11	90
HPV33 E5	8	28	HPV33 E6	9	124
HPV33 E5	10	28	HPV33 E6	9	68
HPV33 E5	11	28	HPV33 E6	10	10
HPV33 E5	9	41	HPV33 E6	10	131
HPV33 E5	10	41	HPV33 E6	10	87
HPV33 E5	11	41	HPV33 E6	9	11
HPV33 E5	8	4	HPV33 E6	8	21
HPV33 E5	9	4	HPV33 E6	9	91
HPV33 E5	10	4	HPV33 E6	10	91
HPV33 E5	8	6	HPV33 E6	11	91
HPV33 E5	10	6	HPV33 E6	10	51
HPV33 E5	9	34	HPV33 E6	9	52
HPV33 E5	8	31	HPV33 E6	11	52
HPV33 E5	9	31	HPV33 E6	9	42
HPV33 E5	10	31	HPV33 E6	8	53
HPV33 E5	8	40	HPV33 E6	10	53
HPV33 E5	10	40	HPV33 E7	9	68
HPV33 E5	11	40	HPV33 E7	8	75
HPV33 E5	9	53	HPV33 E7	9	75
HPV33 E5	10	53	HPV33 E7	10	75
HPV33 E5	9	58	HPV33 E7	8	21
HPV33 E6	9	46	HPV33 E7	9	14
HPV33 E6	9	18	HPV33 E7	10	14
HPV33 E6	11	18	HPV33 E7	9	59
HPV33 E6	8	103	HPV33 E7	8	82
HPV33 E6	8	66	HPV33 E7	8	15
HPV33 E6	11	66	HPV33 E7	9	15
HPV33 E6	8	30	HPV33 E7	11	15
HPV33 E6	11	139	HPV33 E7	10	19
HPV33 E6	11	44	HPV33 E7	8	6
HPV33 E6	10	14	HPV33 E7	10	6
HPV33 E6	9	120	HPV33 E7	11	6
HPV33 E6	9	4	HPV33 E7	9	81
HPV33 E6	8	98	HPV33 E7	11	66
HPV33 E6	11	27	HPV33 E7	8	77
HPV33 E6	9	20	HPV33 E7	9	71
HPV33 E6	10	41	HPV33 E7	9	7
HPV33 E6	10	75	HPV33 E7	10	7
HPV33 E6	8	69	HPV33 E7	11	12
HPV33 E6	11	69	HPV33 L1	10	290
HPV33 E6	9	61	HPV33 L1	10	392
HPV33 E6	10	61	HPV33 L1	9	44
HPV33 E6	8	118	HPV33 L1	8	270
HPV33 E6	11	118	HPV33 L1	11	147
HPV33 E6	11	78	HPV33 L1	10	345
HPV33 E6	8	72	HPV33 L1	9	223
HPV33 E6	10	72	HPV33 L1	8	396
HPV33 E6	10	64	HPV33 L1	10	396
HPV33 E6	11	100	HPV33 L1	11	457
HPV33 E6	11	50	HPV33 L1	10	449
HPV33 E6	11	86	HPV33 L1	8	370
HPV33 E6	9	80	HPV33 L1	10	199
HPV33 E6	9	59	HPV33 L1	8	129
HPV33 E6	11	59	HPV33 L1	9	202
HPV33 E6	10	95	HPV33 L1	8	335
HPV33 E6	11	95	HPV33 L1	10	335
HPV33 E6	8	36	HPV33 L1	11	415

Table X  
HLA A24 Supermotif Peptides

HPV33 L1	9	151	HPV33 L1	8	306
HPV33 L1	10	151	HPV33 L1	11	190
HPV33 L1	10	233	HPV33 L1	8	42
HPV33 L1	8	107	HPV33 L1	9	42
HPV33 L1	8	447	HPV33 L1	11	42
HPV33 L1	9	385	HPV33 L1	9	61
HPV33 L1	8	368	HPV33 L1	11	61
HPV33 L1	10	368	HPV33 L1	8	382
HPV33 L1	9	361	HPV33 L1	9	382
HPV33 L1	11	361	HPV33 L1	9	405
HPV33 L1	8	26	HPV33 L1	8	62
HPV33 L1	9	26	HPV33 L1	10	62
HPV33 L1	10	26	HPV33 L1	8	99
HPV33 L1	11	26	HPV33 L1	10	99
HPV33 L1	9	247	HPV33 L1	10	237
HPV33 L1	10	247	HPV33 L1	11	237
HPV33 L1	8	248	HPV33 L1	11	387
HPV33 L1	9	248	HPV33 L1	9	200
HPV33 L1	8	260	HPV33 L1	11	200
HPV33 L1	9	291	HPV33 L1	8	299
HPV33 L1	8	249	HPV33 L1	9	299
HPV33 L1	10	373	HPV33 L1	9	192
HPV33 L1	10	445	HPV33 L1	11	221
HPV33 L1	9	91	HPV33 L1	8	187
HPV33 L1	11	91	HPV33 L1	9	187
HPV33 L1	10	204	HPV33 L1	8	439
HPV33 L1	8	85	HPV33 L1	8	462
HPV33 L1	9	322	HPV33 L1	11	113
HPV33 L1	8	117	HPV33 L1	8	55
HPV33 L1	11	117	HPV33 L1	11	17
HPV33 L1	10	105	HPV33 L1	8	241
HPV33 L1	8	472	HPV33 L1	9	241
HPV33 L1	11	68	HPV33 L1	10	241
HPV33 L1	10	404	HPV33 L1	8	460
HPV33 L1	11	265	HPV33 L1	9	460
HPV33 L1	11	281	HPV33 L1	10	460
HPV33 L1	9	115	HPV33 L1	11	372
HPV33 L1	10	115	HPV33 L1	8	305
HPV33 L1	9	259	HPV33 L1	9	305
HPV33 L1	9	365	HPV33 L1	8	254
HPV33 L1	11	365	HPV33 L1	8	347
HPV33 L1	9	397	HPV33 L1	9	70
HPV33 L1	10	33	HPV33 L1	8	418
HPV33 L1	11	33	HPV33 L1	9	41
HPV33 L1	11	126	HPV33 L1	10	41
HPV33 L1	9	83	HPV33 L1	8	77
HPV33 L1	10	83	HPV33 L1	10	77
HPV33 L1	8	466	HPV33 L1	9	98
HPV33 L1	9	453	HPV33 L1	11	98
HPV33 L1	11	453	HPV33 L1	10	75
HPV33 L1	10	60	HPV33 L1	10	90
HPV33 L1	11	236	HPV33 L1	11	51
HPV33 L1	10	65	HPV33 L1	8	285
HPV33 L1	9	379	HPV33 L1	11	32
HPV33 L1	11	379	HPV33 L1	11	245
HPV33 L1	8	20	HPV33 L1	8	412
HPV33 L1	8	230	HPV33 L1	9	149
HPV33 L1	9	442	HPV33 L1	11	149
HPV33 L1	10	246	HPV33 L1	9	298
HPV33 L1	11	246	HPV33 L1	10	298

Table X  
HLA A24 Supermotif Peptides

HPV33 L1	8	227	HPV33 L2	10	283
HPV33 L1	9	227	HPV33 L2	10	272
HPV33 L1	11	227	HPV33 L2	11	272
HPV33 L1	11	23	HPV33 L2	8	327
HPV33 L1	8	352	HPV33 L2	10	431
HPV33 L1	11	352	HPV33 L2	10	264
HPV33 L1	11	2	HPV33 L2	10	401
HPV33 L1	11	444	HPV33 L2	9	350
HPV33 L1	8	193	HPV33 L2	10	95
HPV33 L1	10	266	HPV33 L2	9	369
HPV33 L1	11	266	HPV33 L2	11	30
HPV33 L1	11	212	HPV33 L2	11	113
HPV33 L1	9	381	HPV33 L2	10	447
HPV33 L1	10	381	HPV33 L2	8	242
HPV33 L1	10	282	HPV33 L2	9	242
HPV33 L1	11	282	HPV33 L2	11	242
HPV33 L1	9	336	HPV33 L2	8	440
HPV33 L1	11	430	HPV33 L2	9	440
HPV33 L1	11	332	HPV33 L2	10	440
HPV33 L1	10	388	HPV33 L2	8	421
HPV33 L1	11	388	HPV33 L2	10	421
HPV33 L1	10	353	HPV33 L2	8	25
HPV33 L1	11	353	HPV33 L2	9	75
HPV33 L1	10	416	HPV33 L2	11	75
HPV33 L1	9	374	HPV33 L2	9	51
HPV33 L1	8	386	HPV33 L2	8	374
HPV33 L1	8	380	HPV33 L2	11	374
HPV33 L1	10	380	HPV33 L2	8	336
HPV33 L1	11	380	HPV33 L2	10	336
HPV33 L1	8	300	HPV33 L2	9	323
HPV33 L1	10	333	HPV33 L2	9	284
HPV33 L1	9	100	HPV33 L2	10	44
HPV33 L1	10	3	HPV33 L2	11	44
HPV33 L1	11	3	HPV33 L2	9	448
HPV33 L1	9	389	HPV33 L2	11	448
HPV33 L1	10	389	HPV33 L2	10	292
HPV33 L1	11	276	HPV33 L2	8	250
HPV33 L1	8	362	HPV33 L2	11	250
HPV33 L1	10	362	HPV33 L2	10	104
HPV33 L1	9	234	HPV33 L2	11	104
HPV33 L1	8	443	HPV33 L2	8	433
HPV33 L1	8	27	HPV33 L2	10	433
HPV33 L1	9	27	HPV33 L2	10	248
HPV33 L1	10	27	HPV33 L2	8	311
HPV33 L1	8	35	HPV33 L2	11	34
HPV33 L1	9	35	HPV33 L2	8	236
HPV33 L1	9	34	HPV33 L2	8	46
HPV33 L1	10	34	HPV33 L2	9	46
HPV33 L2	11	256	HPV33 L2	8	414
HPV33 L2	9	241	HPV33 L2	11	414
HPV33 L2	10	241	HPV33 L2	8	107
HPV33 L2	11	291	HPV33 L2	9	249
HPV33 L2	10	23	HPV33 L2	8	243
HPV33 L2	11	308	HPV33 L2	10	243
HPV33 L2	10	385	HPV33 L2	9	397
HPV33 L2	8	280	HPV33 L2	10	372
HPV33 L2	8	439	HPV33 L2	10	391
HPV33 L2	9	439	HPV33 L2	10	143
HPV33 L2	10	439	HPV33 L2	8	209
HPV33 L2	11	439	HPV33 L2	8	426

Table X  
HLA A24 Supermotif Peptides

HPV33 L2	8	420	HPV33 L2	10	309
HPV33 L2	9	420	HPV33 L2	9	265
HPV33 L2	11	420	HPV33 L2	9	386
HPV33 L2	11	73	HPV33 L2	11	386
HPV33 L2	11	215	HPV33 L2	10	132
HPV33 L2	8	423	HPV33 L2	11	132
HPV33 L2	11	423	HPV33 L2	8	93
HPV33 L2	11	333	HPV33 L2	9	96
HPV33 L2	9	99	HPV33 L2	9	337
HPV33 L2	10	99	HPV33 L2	10	187
HPV33 L2	9	413	HPV33 L2	10	251
HPV33 L2	10	347	HPV33 L2	8	52
HPV33 L2	11	395	HPV33 L2	10	31
HPV33 L2	9	376	HPV33 L2	8	441
HPV33 L2	10	79	HPV33 L2	9	441
HPV33 L2	9	161	HPV33 L2	11	404
HPV33 L2	9	416	HPV33 L2	11	131
HPV33 L2	8	186	HPV33 L2	9	92
HPV33 L2	11	186	HPV33 L2	9	434
HPV33 L2	8	221	HPV33 L2	11	446
HPV33 L2	8	403	HPV33 L2	8	324
HPV33 L2	10	91	HPV33 L2	11	324
HPV33 L2	8	317	HPV45 E1	11	384
HPV33 L2	9	317	HPV45 E1	9	532
HPV33 L2	8	43	HPV45 E1	9	311
HPV33 L2	11	43	HPV45 E1	9	199
HPV33 L2	11	153	HPV45 E1	10	199
HPV33 L2	9	234	HPV45 E1	11	512
HPV33 L2	10	234	HPV45 E1	8	40
HPV33 L2	11	300	HPV45 E1	11	40
HPV33 L2	8	321	HPV45 E1	8	517
HPV33 L2	11	321	HPV45 E1	9	517
HPV33 L2	9	388	HPV45 E1	10	251
HPV33 L2	8	303	HPV45 E1	9	202
HPV33 L2	8	259	HPV45 E1	11	202
HPV33 L2	10	259	HPV45 E1	10	604
HPV33 L2	10	357	HPV45 E1	9	259
HPV33 L2	8	393	HPV45 E1	10	259
HPV33 L2	8	122	HPV45 E1	11	259
HPV33 L2	9	151	HPV45 E1	9	297
HPV33 L2	11	103	HPV45 E1	8	226
HPV33 L2	9	49	HPV45 E1	9	226
HPV33 L2	11	49	HPV45 E1	10	634
HPV33 L2	8	106	HPV45 E1	8	521
HPV33 L2	9	106	HPV45 E1	9	521
HPV33 L2	8	156	HPV45 E1	9	49
HPV33 L2	8	38	HPV45 E1	10	206
HPV33 L2	10	38	HPV45 E1	8	349
HPV33 L2	8	189	HPV45 E1	10	349
HPV33 L2	10	189	HPV45 E1	9	108
HPV33 L2	11	352	HPV45 E1	11	108
HPV33 L2	10	146	HPV45 E1	8	361
HPV33 L2	10	192	HPV45 E1	10	361
HPV33 L2	8	355	HPV45 E1	9	367
HPV33 L2	9	355	HPV45 E1	10	46
HPV33 L2	8	162	HPV45 E1	11	352
HPV33 L2	9	39	HPV45 E1	8	106
HPV33 L2	10	154	HPV45 E1	11	106
HPV33 L2	9	432	HPV45 E1	10	623
HPV33 L2	11	432	HPV45 E1	9	42

Table X  
HLA A24 Supermotif Peptides

HPV45 E1	10	42	HPV45 E1	9	292
HPV45 E1	9	328	HPV45 E1	10	404
HPV45 E1	11	328	HPV45 E1	11	338
HPV45 E1	8	431	HPV45 E1	11	491
HPV45 E1	9	431	HPV45 E1	8	184
HPV45 E1	11	431	HPV45 E1	10	23
HPV45 E1	9	445	HPV45 E1	9	207
HPV45 E1	10	596	HPV45 E1	8	425
HPV45 E1	11	596	HPV45 E1	11	425
HPV45 E1	10	38	HPV45 E1	9	304
HPV45 E1	11	295	HPV45 E1	10	304
HPV45 E1	9	74	HPV45 E1	11	304
HPV45 E1	11	74	HPV45 E1	9	245
HPV45 E1	9	324	HPV45 E1	10	245
HPV45 E1	10	324	HPV45 E1	9	223
HPV45 E1	8	331	HPV45 E1	11	223
HPV45 E1	9	331	HPV45 E1	9	263
HPV45 E1	9	605	HPV45 E1	10	263
HPV45 E1	11	605	HPV45 E1	9	393
HPV45 E1	8	50	HPV45 E1	9	129
HPV45 E1	9	483	HPV45 E1	8	247
HPV45 E1	10	483	HPV45 E1	11	247
HPV45 E1	8	446	HPV45 E1	8	267
HPV45 E1	11	446	HPV45 E1	9	290
HPV45 E1	11	456	HPV45 E1	10	290
HPV45 E1	10	385	HPV45 E1	11	290
HPV45 E1	11	385	HPV45 E1	11	190
HPV45 E1	9	486	HPV45 E1	9	547
HPV45 E1	8	449	HPV45 E1	10	547
HPV45 E1	9	449	HPV45 E1	11	547
HPV45 E1	9	438	HPV45 E1	11	271
HPV45 E1	10	438	HPV45 E1	9	362
HPV45 E1	8	212	HPV45 E1	11	362
HPV45 E1	9	579	HPV45 E1	8	336
HPV45 E1	8	130	HPV45 E1	10	281
HPV45 E1	8	494	HPV45 E1	11	281
HPV45 E1	9	494	HPV45 E1	8	253
HPV45 E1	10	494	HPV45 E1	11	468
HPV45 E1	11	243	HPV45 E1	8	312
HPV45 E1	9	342	HPV45 E1	11	312
HPV45 E1	11	209	HPV45 E1	8	200
HPV45 E1	8	480	HPV45 E1	9	200
HPV45 E1	8	11	HPV45 E1	11	200
HPV45 E1	9	11	HPV45 E1	10	513
HPV45 E1	8	459	HPV45 E1	8	298
HPV45 E1	9	459	HPV45 E1	9	47
HPV45 E1	10	459	HPV45 E1	11	47
HPV45 E1	11	459	HPV45 E1	10	353
HPV45 E1	8	443	HPV45 E1	10	347
HPV45 E1	11	443	HPV45 E1	10	560
HPV45 E1	8	265	HPV45 E1	8	414
HPV45 E1	10	265	HPV45 E1	9	473
HPV45 E1	10	235	HPV45 E1	11	473
HPV45 E1	8	16	HPV45 E1	8	177
HPV45 E1	8	485	HPV45 E1	11	177
HPV45 E1	10	485	HPV45 E1	10	601
HPV45 E1	9	256	HPV45 E1	10	586
HPV45 E1	10	519	HPV45 E1	8	554
HPV45 E1	11	519	HPV45 E1	11	537
HPV45 E1	8	292	HPV45 E1	8	434

Table X  
HLA A24 Supermotif Peptides

HPV45 E1	9	505	HPV45 E1	9	577
HPV45 E1	10	505	HPV45 E1	11	577
HPV45 E1	10	546	HPV45 E1	11	523
HPV45 E1	11	546	HPV45 E1	8	203
HPV45 E1	10	238	HPV45 E1	10	203
HPV45 E1	11	238	HPV45 E1	8	578
HPV45 E1	10	593	HPV45 E1	10	578
HPV45 E1	10	570	HPV45 E1	9	81
HPV45 E1	10	437	HPV45 E1	9	266
HPV45 E1	11	437	HPV45 E1	9	635
HPV45 E1	8	549	HPV45 E1	10	576
HPV45 E1	9	549	HPV45 E1	9	594
HPV45 E1	8	102	HPV45 E1	9	418
HPV45 E1	8	412	HPV45 E1	8	332
HPV45 E1	10	412	HPV45 E1	8	522
HPV45 E1	10	80	HPV45 E1	9	314
HPV45 E1	8	355	HPV45 E1	10	524
HPV45 E1	10	417	HPV45 E1	9	478
HPV45 E1	10	128	HPV45 E1	10	478
HPV45 E1	9	335	HPV45 E1	9	571
HPV45 E1	8	280	HPV45 E1	11	571
HPV45 E1	11	280	HPV45 E1	8	394
HPV45 E1	8	608	HPV45 E1	11	528
HPV45 E1	11	575	HPV45 E1	10	313
HPV45 E1	9	273	HPV45 E2	8	78
HPV45 E1	8	440	HPV45 E2	11	78
HPV45 E1	10	440	HPV45 E2	11	47
HPV45 E1	11	440	HPV45 E2	10	84
HPV45 E1	10	482	HPV45 E2	10	16
HPV45 E1	11	482	HPV45 E2	10	247
HPV45 E1	9	448	HPV45 E2	8	216
HPV45 E1	10	448	HPV45 E2	9	305
HPV45 E1	9	211	HPV45 E2	10	134
HPV45 E1	9	493	HPV45 E2	11	134
HPV45 E1	10	493	HPV45 E2	8	158
HPV45 E1	11	493	HPV45 E2	9	158
HPV45 E1	9	539	HPV45 E2	10	158
HPV45 E1	10	539	HPV45 E2	8	31
HPV45 E1	8	183	HPV45 E2	9	31
HPV45 E1	9	183	HPV45 E2	11	31
HPV45 E1	11	288	HPV45 E2	8	171
HPV45 E1	8	308	HPV45 E2	8	212
HPV45 E1	10	104	HPV45 E2	11	351
HPV45 E1	8	477	HPV45 E2	8	319
HPV45 E1	10	477	HPV45 E2	9	80
HPV45 E1	11	477	HPV45 E2	11	106
HPV45 E1	8	580	HPV45 E2	8	343
HPV45 E1	11	22	HPV45 E2	9	192
HPV45 E1	8	246	HPV45 E2	11	97
HPV45 E1	9	246	HPV45 E2	8	50
HPV45 E1	10	289	HPV45 E2	11	50
HPV45 E1	11	289	HPV45 E2	9	295
HPV45 E1	9	252	HPV45 E2	11	325
HPV45 E1	8	224	HPV45 E2	9	24
HPV45 E1	10	224	HPV45 E2	9	316
HPV45 E1	11	224	HPV45 E2	11	316
HPV45 E1	9	239	HPV45 E2	11	293
HPV45 E1	10	239	HPV45 E2	10	48
HPV45 E1	9	282	HPV45 E2	11	151
HPV45 E1	10	282	HPV45 E2	9	143

Table X  
HLA A24 Supermotif Peptides

HPV45 E2	10	143	HPV45 E2	8	199
HPV45 E2	10	59	HPV45 E2	9	353
HPV45 E2	9	2	HPV45 E2	10	352
HPV45 E2	8	154	HPV45 E2	8	138
HPV45 E2	9	154	HPV45 E2	9	138
HPV45 E2	10	284	HPV45 E2	8	139
HPV45 E2	11	284	HPV45 E2	11	125
HPV45 E2	9	312	HPV45 E2	11	164
HPV45 E2	8	184	HPV45 E2	10	326
HPV45 E2	9	92	HPV45 E2	11	326
HPV45 E2	9	49	HPV45 E2	10	98
HPV45 E2	8	41	HPV45 E2	11	98
HPV45 E2	9	41	HPV45 E2	10	126
HPV45 E2	10	41	HPV45 E2	9	166
HPV45 E2	10	107	HPV45 E2	10	166
HPV45 E2	11	69	HPV45 E2	8	145
HPV45 E2	8	109	HPV45 E2	11	175
HPV45 E2	9	347	HPV45 E2	8	137
HPV45 E2	9	332	HPV45 E2	9	137
HPV45 E2	8	265	HPV45 E2	10	137
HPV45 E2	9	265	HPV45 E2	11	38
HPV45 E2	8	289	HPV45 E2	10	165
HPV45 E2	9	198	HPV45 E2	11	165
HPV45 E2	8	136	HPV45 E2	8	144
HPV45 E2	9	136	HPV45 E2	9	144
HPV45 E2	10	136	HPV45 E6	9	48
HPV45 E2	11	136	HPV45 E6	9	37
HPV45 E2	9	177	HPV45 E6	11	37
HPV45 E2	9	360	HPV45 E6	9	61
HPV45 E2	8	35	HPV45 E6	11	61
HPV45 E2	10	35	HPV45 E6	11	59
HPV45 E2	9	40	HPV45 E6	8	68
HPV45 E2	10	40	HPV45 E6	11	68
HPV45 E2	11	40	HPV45 E6	8	105
HPV45 E2	11	4	HPV45 E6	8	18
HPV45 E2	8	63	HPV45 E6	8	32
HPV45 E2	8	43	HPV45 E6	9	70
HPV45 E2	9	309	HPV45 E6	11	70
HPV45 E2	9	13	HPV45 E6	10	16
HPV45 E2	10	13	HPV45 E6	10	51
HPV45 E2	10	263	HPV45 E6	8	27
HPV45 E2	11	263	HPV45 E6	11	20
HPV45 E2	11	307	HPV45 E6	10	77
HPV45 E2	10	142	HPV45 E6	10	97
HPV45 E2	11	142	HPV45 E6	11	88
HPV45 E2	9	302	HPV45 E6	10	43
HPV45 E2	9	9	HPV45 E6	11	43
HPV45 E2	9	235	HPV45 E6	8	53
HPV45 E2	8	358	HPV45 E6	10	53
HPV45 E2	9	358	HPV45 E6	8	71
HPV45 E2	11	358	HPV45 E6	10	71
HPV45 E2	8	160	HPV45 E6	11	71
HPV45 E2	8	37	HPV45 E6	8	120
HPV45 E2	8	348	HPV45 E6	11	120
HPV45 E2	8	354	HPV45 E6	9	93
HPV45 E2	9	99	HPV45 E6	10	93
HPV45 E2	10	99	HPV45 E6	11	93
HPV45 E2	11	213	HPV45 E6	9	54
HPV45 E2	11	190	HPV45 E6	8	92
HPV45 E2	11	339	HPV45 E6	10	92

Table X  
HLA A24 Supermotif Peptides

HPV45 E6	11	92	HPV45 L1	8	103
HPV45 E6	9	13	HPV45 L1	10	103
HPV45 E6	9	52	HPV45 L1	11	28
HPV45 E6	11	52	HPV45 L1	8	88
HPV45 E6	11	102	HPV45 L1	10	88
HPV45 E6	9	98	HPV45 L1	11	94
HPV45 E6	8	95	HPV45 L1	9	184
HPV45 E6	9	95	HPV45 L1	8	276
HPV45 E6	9	22	HPV45 L1	10	409
HPV45 E6	11	111	HPV45 L1	9	188
HPV45 E6	8	7	HPV45 L1	11	318
HPV45 E6	11	7	HPV45 L1	9	250
HPV45 E6	11	11	HPV45 L1	11	488
HPV45 E6	8	46	HPV45 L1	10	480
HPV45 E6	9	46	HPV45 L1	8	401
HPV45 E6	11	46	HPV45 L1	11	401
HPV45 E6	10	3	HPV45 L1	11	301
HPV45 E6	9	126	HPV45 L1	10	226
HPV45 E6	8	74	HPV45 L1	9	229
HPV45 E6	9	41	HPV45 L1	8	242
HPV45 E6	8	79	HPV45 L1	10	242
HPV45 E6	11	29	HPV45 L1	11	461
HPV45 E6	11	24	HPV45 L1	8	364
HPV45 E6	10	84	HPV45 L1	10	364
HPV45 E6	10	89	HPV45 L1	8	296
HPV45 E6	11	89	HPV45 L1	9	296
HPV45 E6	8	38	HPV45 L1	10	169
HPV45 E6	10	38	HPV45 L1	9	177
HPV45 E6	9	85	HPV45 L1	10	177
HPV45 E6	9	44	HPV45 L1	10	260
HPV45 E6	10	44	HPV45 L1	8	52
HPV45 E6	11	44	HPV45 L1	9	52
HPV45 E6	8	55	HPV45 L1	10	52
HPV45 E6	11	80	HPV45 L1	8	133
HPV45 E7	8	6	HPV45 L1	10	133
HPV45 E7	10	6	HPV45 L1	8	313
HPV45 E7	10	64	HPV45 L1	9	416
HPV45 E7	8	25	HPV45 L1	10	246
HPV45 E7	8	83	HPV45 L1	8	399
HPV45 E7	9	83	HPV45 L1	10	399
HPV45 E7	10	83	HPV45 L1	9	274
HPV45 E7	8	20	HPV45 L1	10	274
HPV45 E7	10	20	HPV45 L1	8	404
HPV45 E7	11	74	HPV45 L1	10	404
HPV45 E7	11	91	HPV45 L1	8	14
HPV45 E7	8	14	HPV45 L1	10	14
HPV45 E7	11	11	HPV45 L1	11	14
HPV45 E7	8	90	HPV45 L1	8	287
HPV45 E7	10	75	HPV45 L1	10	476
HPV45 E7	10	23	HPV45 L1	9	60
HPV45 E7	9	89	HPV45 L1	10	60
HPV45 E7	8	85	HPV45 L1	8	351
HPV45 E7	11	85	HPV45 L1	9	351
HPV45 E7	9	93	HPV45 L1	9	141
HPV45 E7	9	7	HPV45 L1	10	141
HPV45 E7	10	86	HPV45 L1	8	111
HPV45 E7	8	94	HPV45 L1	8	503
HPV45 E7	9	76	HPV45 L1	8	143
HPV45 E7	10	12	HPV45 L1	11	143
HPV45 L1	11	191	HPV45 L1	10	131

Table X  
HLA A24 Supermotif Peptides

HPV45 L1	9	199	HPV45 L1	11	4
HPV45 L1	11	292	HPV45 L1	11	310
HPV45 L1	10	435	HPV45 L1	11	49
HPV45 L1	10	231	HPV45 L1	9	219
HPV45 L1	9	286	HPV45 L1	8	383
HPV45 L1	9	396	HPV45 L1	11	383
HPV45 L1	10	396	HPV45 L1	9	19
HPV45 L1	11	396	HPV45 L1	11	19
HPV45 L1	9	392	HPV45 L1	8	17
HPV45 L1	11	392	HPV45 L1	9	17
HPV45 L1	9	13	HPV45 L1	11	17
HPV45 L1	11	13	HPV45 L1	11	173
HPV45 L1	8	23	HPV45 L1	8	22
HPV45 L1	9	405	HPV45 L1	9	22
HPV45 L1	10	59	HPV45 L1	8	248
HPV45 L1	11	59	HPV45 L1	11	248
HPV45 L1	10	12	HPV45 L1	8	214
HPV45 L1	11	11	HPV45 L1	9	214
HPV45 L1	8	5	HPV45 L1	11	139
HPV45 L1	9	5	HPV45 L1	9	440
HPV45 L1	10	5	HPV45 L1	11	440
HPV45 L1	11	5	HPV45 L1	11	380
HPV45 L1	8	185	HPV45 L1	8	470
HPV45 L1	8	411	HPV45 L1	8	268
HPV45 L1	10	411	HPV45 L1	10	268
HPV45 L1	11	411	HPV45 L1	9	403
HPV45 L1	8	328	HPV45 L1	11	403
HPV45 L1	9	328	HPV45 L1	11	182
HPV45 L1	8	6	HPV45 L1	8	281
HPV45 L1	9	6	HPV45 L1	8	334
HPV45 L1	10	6	HPV45 L1	9	334
HPV45 L1	9	117	HPV45 L1	10	206
HPV45 L1	11	117	HPV45 L1	11	263
HPV45 L1	9	109	HPV45 L1	8	491
HPV45 L1	10	109	HPV45 L1	9	491
HPV45 L1	8	497	HPV45 L1	9	96
HPV45 L1	9	484	HPV45 L1	9	67
HPV45 L1	11	484	HPV45 L1	10	67
HPV45 L1	11	475	HPV45 L1	9	124
HPV45 L1	9	473	HPV45 L1	11	124
HPV45 L1	10	91	HPV45 L1	10	101
HPV45 L1	8	257	HPV45 L1	8	46
HPV45 L1	8	335	HPV45 L1	8	254
HPV45 L1	8	68	HPV45 L1	9	254
HPV45 L1	9	68	HPV45 L1	11	254
HPV45 L1	8	413	HPV45 L1	11	58
HPV45 L1	9	413	HPV45 L1	8	427
HPV45 L1	8	69	HPV45 L1	9	327
HPV45 L1	8	125	HPV45 L1	10	327
HPV45 L1	10	125	HPV45 L1	8	443
HPV45 L1	10	29	HPV45 L1	11	272
HPV45 L1	11	29	HPV45 L1	10	423
HPV45 L1	10	302	HPV45 L1	11	115
HPV45 L1	10	273	HPV45 L1	10	376
HPV45 L1	11	273	HPV45 L1	11	43
HPV45 L1	9	227	HPV45 L1	9	175
HPV45 L1	11	227	HPV45 L1	11	175
HPV45 L1	8	4	HPV45 L1	10	419
HPV45 L1	9	4	HPV45 L1	11	419
HPV45 L1	10	4	HPV45 L1	8	220

Table X  
HLA A24 Supermotif Peptides

HPV45 L1	9	410	HPV45 L2	8	319
HPV45 L1	11	410	HPV45 L2	9	51
HPV45 L1	10	116	HPV45 L2	8	430
HPV45 L1	8	200	HPV45 L2	9	430
HPV45 L1	11	239	HPV45 L2	10	430
HPV45 L1	9	412	HPV45 L2	8	25
HPV45 L1	10	412	HPV45 L2	10	206
HPV45 L1	10	462	HPV45 L2	10	183
HPV45 L1	9	365	HPV45 L2	9	433
HPV45 L1	8	329	HPV45 L2	10	433
HPV45 L1	8	441	HPV45 L2	11	433
HPV45 L1	10	441	HPV45 L2	8	37
HPV45 L1	8	478	HPV45 L2	9	37
HPV45 L1	8	297	HPV45 L2	11	37
HPV45 L1	11	361	HPV45 L2	8	134
HPV45 L1	10	384	HPV45 L2	10	134
HPV45 L1	8	20	HPV45 L2	8	292
HPV45 L1	10	20	HPV45 L2	10	191
HPV45 L1	11	20	HPV45 L2	9	318
HPV45 L1	10	293	HPV45 L2	8	52
HPV45 L1	11	293	HPV45 L2	9	406
HPV45 L1	8	417	HPV45 L2	10	406
HPV45 L1	10	362	HPV45 L2	9	279
HPV45 L1	9	126	HPV45 L2	8	407
HPV45 L1	10	319	HPV45 L2	9	407
HPV45 L1	9	477	HPV45 L2	9	44
HPV45 L1	9	420	HPV45 L2	10	44
HPV45 L1	10	420	HPV45 L2	11	44
HPV45 L1	9	303	HPV45 L2	10	143
HPV45 L1	9	261	HPV45 L2	8	400
HPV45 L1	8	53	HPV45 L2	9	400
HPV45 L1	9	53	HPV45 L2	8	43
HPV45 L2	8	161	HPV45 L2	10	43
HPV45 L2	11	286	HPV45 L2	11	43
HPV45 L2	10	328	HPV45 L2	11	34
HPV45 L2	11	328	HPV45 L2	8	346
HPV45 L2	11	303	HPV45 L2	10	337
HPV45 L2	8	340	HPV45 L2	11	337
HPV45 L2	11	340	HPV45 L2	10	242
HPV45 L2	9	255	HPV45 L2	11	375
HPV45 L2	11	255	HPV45 L2	9	392
HPV45 L2	8	275	HPV45 L2	10	392
HPV45 L2	10	405	HPV45 L2	9	248
HPV45 L2	11	405	HPV45 L2	8	438
HPV45 L2	10	278	HPV45 L2	9	305
HPV45 L2	11	322	HPV45 L2	8	270
HPV45 L2	11	142	HPV45 L2	10	270
HPV45 L2	9	345	HPV45 L2	11	270
HPV45 L2	11	83	HPV45 L2	10	387
HPV45 L2	11	30	HPV45 L2	8	325
HPV45 L2	10	397	HPV45 L2	10	325
HPV45 L2	11	397	HPV45 L2	8	399
HPV45 L2	8	331	HPV45 L2	9	399
HPV45 L2	8	241	HPV45 L2	10	399
HPV45 L2	11	241	HPV45 L2	8	258
HPV45 L2	9	122	HPV45 L2	11	336
HPV45 L2	11	157	HPV45 L2	10	391
HPV45 L2	8	306	HPV45 L2	11	391
HPV45 L2	8	368	HPV45 L2	9	98
HPV45 L2	10	368	HPV45 L2	9	120

Table X  
HLA A24 Supermotif Peptides

HPV45 L2	11	120	HPV45 L2	10	217
HPV45 L2	9	420	HPV45 L2	11	217
HPV45 L2	10	420	HPV45 L2	10	427
HPV45 L2	8	86	HPV45 L2	11	427
HPV45 L2	8	185	HPV45 L2	9	369
HPV45 L2	11	185	HPV45 L2	10	31
HPV45 L2	10	267	HPV45 L2	8	249
HPV45 L2	11	267	HPV45 L2	11	249
HPV45 L2	8	145	HPV45 L2	9	388
HPV45 L2	11	216	HPV45 L2	11	112
HPV45 L2	9	95	HPV45 L2	9	444
HPV45 L2	11	118	HPV45 L2	11	444
HPV45 L2	8	453	HPV45 L2	9	428
HPV45 L2	9	240	HPV45 L2	10	428
HPV45 L2	8	312	HPV45 L2	11	428
HPV45 L2	9	312	HPV45 L2	8	437
HPV45 L2	9	172	HPV45 L2	9	437
HPV45 L2	10	172	HPV45 L2	8	401
HPV45 L2	9	233	HPV45 L2	10	443
HPV45 L2	10	233	HPV45 L2	8	436
HPV45 L2	8	46	HPV45 L2	9	436
HPV45 L2	9	46	HPV45 L2	10	436
HPV45 L2	8	435	HPV45 L2	11	442
HPV45 L2	9	435	HPV56 E2	8	15
HPV45 L2	10	435	HPV56 E2	11	15
HPV45 L2	11	435	HPV56 E2	9	21
HPV45 L2	11	295	HPV56 E2	10	21
HPV45 L2	10	451	HPV56 E2	9	52
HPV45 L2	8	298	HPV56 E2	9	71
HPV45 L2	9	298	HPV56 E2	10	71
HPV45 L2	8	316	HPV56 E2	11	71
HPV45 L2	11	316	HPV56 E2	8	204
HPV45 L2	8	220	HPV56 E2	9	113
HPV45 L2	8	235	HPV56 E2	8	39
HPV45 L2	9	367	HPV56 E2	8	263
HPV45 L2	11	367	HPV56 E2	11	43
HPV45 L2	9	49	HPV56 E2	8	288
HPV45 L2	11	49	HPV56 E2	9	128
HPV45 L2	10	247	HPV56 E2	10	128
HPV45 L2	9	362	HPV56 E2	9	17
HPV45 L2	9	154	HPV56 E2	11	34
HPV45 L2	11	358	HPV56 E2	11	294
HPV45 L2	8	424	HPV56 E2	8	261
HPV45 L2	9	149	HPV56 E2	10	261
HPV45 L2	9	384	HPV56 E2	8	94
HPV45 L2	10	250	HPV56 E2	9	94
HPV45 L2	8	121	HPV56 E2	11	87
HPV45 L2	10	121	HPV56 E2	9	239
HPV45 L2	8	363	HPV56 E2	8	130
HPV45 L2	11	363	HPV56 E2	8	297
HPV45 L2	9	39	HPV56 E2	10	297
HPV45 L2	10	304	HPV56 E2	10	269
HPV45 L2	10	376	HPV56 E2	11	126
HPV45 L2	8	38	HPV56 E2	11	284
HPV45 L2	10	38	HPV56 E2	9	29
HPV45 L2	8	136	HPV56 E2	9	80
HPV45 L2	10	359	HPV56 E2	11	100
HPV45 L2	9	135	HPV56 E2	8	120
HPV45 L2	11	426	HPV56 E2	8	299
HPV45 L2	8	389	HPV56 E2	10	299

Table X  
HLA A24 Supermotif Peptides

HPV56 E2	11	258	HPV56 E6	8	50
HPV56 E2	8	233	HPV56 E6	8	33
HPV56 E2	8	90	HPV56 E6	8	106
HPV56 E2	11	90	HPV56 E6	11	60
HPV56 E2	11	78	HPV56 E6	8	28
HPV56 E2	9	260	HPV56 E6	9	83
HPV56 E2	11	260	HPV56 E6	9	23
HPV56 E2	8	46	HPV56 E6	10	52
HPV56 E2	10	44	HPV56 E6	8	39
HPV56 E2	9	216	HPV56 E6	10	39
HPV56 E2	11	149	HPV56 E6	8	20
HPV56 E2	8	277	HPV56 E6	10	20
HPV56 E2	9	277	HPV56 E6	10	44
HPV56 E2	8	152	HPV56 E6	8	72
HPV56 E2	8	301	HPV56 E6	10	72
HPV56 E2	11	19	HPV56 E6	11	72
HPV56 E2	11	6	HPV56 E6	10	134
HPV56 E2	8	73	HPV56 E6	8	17
HPV56 E2	9	73	HPV56 E6	10	17
HPV56 E2	10	73	HPV56 E6	11	17
HPV56 E2	8	253	HPV56 E6	9	94
HPV56 E2	9	253	HPV56 E6	10	94
HPV56 E2	9	246	HPV56 E6	11	94
HPV56 E2	10	251	HPV56 E6	8	54
HPV56 E2	11	251	HPV56 E6	10	54
HPV56 E2	8	293	HPV56 E6	8	75
HPV56 E2	9	272	HPV56 E6	10	75
HPV56 E2	10	272	HPV56 E6	10	78
HPV56 E2	10	26	HPV56 E6	9	71
HPV56 E2	8	141	HPV56 E6	11	71
HPV56 E2	8	28	HPV56 E6	11	130
HPV56 E2	10	28	HPV56 E6	10	26
HPV56 E2	10	259	HPV56 E6	11	103
HPV56 E2	9	36	HPV56 E6	10	70
HPV56 E2	10	36	HPV56 E6	8	113
HPV56 E2	11	36	HPV56 E6	9	40
HPV56 E2	9	27	HPV56 E6	9	55
HPV56 E2	11	27	HPV56 E6	9	47
HPV56 E2	11	237	HPV56 E6	11	47
HPV56 E2	11	62	HPV56 E6	11	25
HPV56 E2	10	63	HPV56 E6	9	112
HPV56 E2	9	45	HPV56 E6	9	62
HPV56 E2	10	35	HPV56 E6	10	62
HPV56 E2	11	35	HPV56 E6	11	62
HPV56 E2	9	270	HPV56 E6	10	98
HPV56 E2	11	270	HPV56 E6	10	119
HPV56 E2	10	79	HPV56 E6	9	127
HPV56 E2	11	111	HPV56 E6	11	30
HPV56 E2	8	74	HPV56 E6	8	80
HPV56 E2	9	74	HPV56 E6	10	93
HPV56 E2	9	102	HPV56 E6	11	93
HPV56 E2	10	102	HPV56 E6	9	14
HPV56 E2	8	81	HPV56 E6	11	14
HPV56 E2	10	101	HPV56 E6	10	85
HPV56 E2	11	101	HPV56 E6	10	90
HPV56 E6	11	89	HPV56 E6	9	21
HPV56 E6	8	64	HPV56 E6	11	21
HPV56 E6	9	64	HPV56 E6	9	86
HPV56 E6	10	64	HPV56 E6	9	45
HPV56 E6	11	69	HPV56 E6	11	45

Table X  
HLA A24 Supermotif Peptides

HPV56 E6	8	56	HPV56 L1	9	419
HPV56 E6	9	135	HPV56 L1	8	402
HPV56 E6	11	81	HPV56 L1	10	402
HPV56 E7	8	93	HPV56 L1	10	21
HPV56 E7	9	75	HPV56 L1	8	407
HPV56 E7	8	22	HPV56 L1	10	407
HPV56 E7	8	82	HPV56 L1	10	479
HPV56 E7	9	82	HPV56 L1	9	69
HPV56 E7	10	82	HPV56 L1	10	69
HPV56 E7	10	20	HPV56 L1	8	282
HPV56 E7	8	14	HPV56 L1	9	282
HPV56 E7	10	14	HPV56 L1	10	238
HPV56 E7	9	62	HPV56 L1	8	356
HPV56 E7	8	69	HPV56 L1	9	356
HPV56 E7	10	4	HPV56 L1	10	138
HPV56 E7	11	60	HPV56 L1	8	118
HPV56 E7	11	90	HPV56 L1	8	150
HPV56 E7	9	15	HPV56 L1	11	150
HPV56 E7	8	6	HPV56 L1	10	438
HPV56 E7	10	6	HPV56 L1	9	399
HPV56 E7	11	73	HPV56 L1	11	399
HPV56 E7	8	84	HPV56 L1	8	15
HPV56 E7	11	84	HPV56 L1	11	20
HPV56 E7	9	7	HPV56 L1	8	32
HPV56 E7	10	12	HPV56 L1	10	68
HPV56 E7	11	11	HPV56 L1	11	68
HPV56 E7	10	85	HPV56 L1	8	414
HPV56 L1	11	58	HPV56 L1	10	414
HPV56 L1	8	381	HPV56 L1	11	414
HPV56 L1	8	327	HPV56 L1	8	334
HPV56 L1	8	444	HPV56 L1	8	192
HPV56 L1	10	444	HPV56 L1	8	258
HPV56 L1	11	37	HPV56 L1	11	258
HPV56 L1	8	26	HPV56 L1	9	124
HPV56 L1	9	26	HPV56 L1	11	124
HPV56 L1	11	26	HPV56 L1	9	8
HPV56 L1	8	275	HPV56 L1	11	8
HPV56 L1	9	275	HPV56 L1	9	116
HPV56 L1	10	275	HPV56 L1	10	116
HPV56 L1	10	422	HPV56 L1	11	478
HPV56 L1	11	422	HPV56 L1	9	413
HPV56 L1	11	101	HPV56 L1	11	413
HPV56 L1	9	191	HPV56 L1	11	270
HPV56 L1	9	195	HPV56 L1	10	93
HPV56 L1	9	257	HPV56 L1	10	300
HPV56 L1	11	491	HPV56 L1	11	300
HPV56 L1	10	233	HPV56 L1	10	98
HPV56 L1	9	236	HPV56 L1	8	55
HPV56 L1	8	369	HPV56 L1	10	387
HPV56 L1	10	369	HPV56 L1	11	387
HPV56 L1	8	23	HPV56 L1	9	476
HPV56 L1	10	23	HPV56 L1	8	264
HPV56 L1	11	23	HPV56 L1	10	450
HPV56 L1	8	481	HPV56 L1	8	340
HPV56 L1	10	267	HPV56 L1	11	224
HPV56 L1	8	404	HPV56 L1	8	77
HPV56 L1	11	404	HPV56 L1	9	77
HPV56 L1	8	303	HPV56 L1	9	431
HPV56 L1	9	303	HPV56 L1	8	132
HPV56 L1	8	140	HPV56 L1	9	234

Table X  
HLA A24 Supermotif Peptides

HPV56 L1	11	234	HPV56 L1	10	110
HPV56 L1	8	333	HPV56 L1	9	131
HPV56 L1	9	333	HPV56 L1	10	108
HPV56 L1	8	2	HPV56 L1	8	452
HPV56 L1	8	1	HPV56 L1	9	487
HPV56 L1	9	1	HPV56 L1	11	487
HPV56 L1	10	5	HPV56 L1	11	67
HPV56 L1	10	376	HPV56 L1	8	446
HPV56 L1	10	280	HPV56 L1	9	332
HPV56 L1	11	280	HPV56 L1	10	332
HPV56 L1	9	6	HPV56 L1	11	279
HPV56 L1	11	6	HPV56 L1	10	379
HPV56 L1	8	95	HPV56 L1	8	261
HPV56 L1	10	95	HPV56 L1	9	261
HPV56 L1	11	180	HPV56 L1	11	261
HPV56 L1	10	123	HPV56 L1	9	489
HPV56 L1	8	167	HPV56 L1	9	182
HPV56 L1	8	430	HPV56 L1	11	182
HPV56 L1	10	430	HPV56 L1	11	86
HPV56 L1	10	483	HPV56 L1	11	323
HPV56 L1	10	426	HPV56 L1	8	61
HPV56 L1	11	375	HPV56 L1	9	61
HPV56 L1	9	226	HPV56 L1	10	61
HPV56 L1	10	226	HPV56 L1	8	304
HPV56 L1	9	28	HPV56 L1	9	377
HPV56 L1	10	172	HPV56 L1	9	415
HPV56 L1	8	228	HPV56 L1	10	415
HPV56 L1	9	31	HPV56 L1	8	215
HPV56 L1	8	473	HPV56 L1	10	215
HPV56 L1	9	221	HPV56 L1	11	215
HPV56 L1	11	255	HPV56 L1	9	370
HPV56 L1	11	146	HPV56 L1	11	366
HPV56 L1	8	496	HPV56 L1	10	38
HPV56 L1	10	496	HPV56 L1	11	38
HPV56 L1	8	13	HPV56 L1	8	29
HPV56 L1	9	13	HPV56 L1	11	29
HPV56 L1	10	13	HPV56 L1	9	408
HPV56 L1	11	4	HPV56 L1	9	173
HPV56 L1	8	467	HPV56 L1	11	246
HPV56 L1	11	467	HPV56 L1	8	420
HPV56 L1	10	442	HPV56 L1	10	87
HPV56 L1	11	52	HPV56 L1	9	214
HPV56 L1	8	494	HPV56 L1	11	214
HPV56 L1	9	494	HPV56 L1	10	367
HPV56 L1	10	494	HPV56 L1	10	324
HPV56 L1	9	406	HPV56 L1	11	324
HPV56 L1	11	406	HPV56 L1	9	281
HPV56 L1	11	189	HPV56 L1	10	281
HPV56 L1	8	288	HPV56 L1	8	7
HPV56 L1	8	339	HPV56 L1	10	7
HPV56 L1	9	339	HPV56 L1	9	423
HPV56 L1	10	384	HPV56 L1	10	423
HPV56 L1	10	213	HPV56 L1	9	268
HPV56 L1	9	395	HPV56 L1	8	396
HPV56 L1	11	395	HPV56 L1	10	396
HPV56 L1	9	103	HPV56 L1	8	283
HPV56 L1	10	159	HPV56 L1	9	325
HPV56 L1	9	76	HPV56 L1	10	325
HPV56 L1	10	76	HPV56 L1	8	62
HPV56 L1	8	110	HPV56 L1	9	62

Table X  
HLA A24 Supermotif Peptides

HPV56 L2	9	240	HPV56 L2	8	235
HPV56 L2	11	286	HPV56 L2	9	255
HPV56 L2	8	438	HPV56 L2	11	255
HPV56 L2	11	303	HPV56 L2	8	161
HPV56 L2	10	246	HPV56 L2	8	50
HPV56 L2	11	246	HPV56 L2	10	50
HPV56 L2	9	367	HPV56 L2	9	181
HPV56 L2	10	14	HPV56 L2	8	337
HPV56 L2	10	201	HPV56 L2	11	337
HPV56 L2	8	275	HPV56 L2	8	106
HPV56 L2	11	322	HPV56 L2	8	248
HPV56 L2	11	406	HPV56 L2	9	248
HPV56 L2	8	425	HPV56 L2	8	347
HPV56 L2	9	83	HPV56 L2	8	121
HPV56 L2	11	30	HPV56 L2	10	121
HPV56 L2	9	429	HPV56 L2	9	353
HPV56 L2	11	429	HPV56 L2	11	179
HPV56 L2	8	331	HPV56 L2	10	278
HPV56 L2	10	398	HPV56 L2	9	385
HPV56 L2	8	175	HPV56 L2	10	388
HPV56 L2	10	444	HPV56 L2	8	395
HPV56 L2	8	241	HPV56 L2	8	417
HPV56 L2	9	122	HPV56 L2	8	400
HPV56 L2	10	287	HPV56 L2	10	400
HPV56 L2	9	51	HPV56 L2	8	325
HPV56 L2	9	401	HPV56 L2	10	325
HPV56 L2	10	217	HPV56 L2	9	374
HPV56 L2	11	217	HPV56 L2	8	214
HPV56 L2	8	188	HPV56 L2	10	209
HPV56 L2	10	188	HPV56 L2	10	254
HPV56 L2	11	118	HPV56 L2	9	160
HPV56 L2	9	346	HPV56 L2	10	392
HPV56 L2	11	25	HPV56 L2	11	392
HPV56 L2	8	258	HPV56 L2	9	73
HPV56 L2	10	206	HPV56 L2	9	336
HPV56 L2	10	62	HPV56 L2	9	98
HPV56 L2	10	310	HPV56 L2	9	410
HPV56 L2	11	310	HPV56 L2	8	185
HPV56 L2	8	269	HPV56 L2	11	185
HPV56 L2	9	269	HPV56 L2	9	423
HPV56 L2	11	269	HPV56 L2	10	423
HPV56 L2	8	156	HPV56 L2	8	312
HPV56 L2	9	372	HPV56 L2	9	312
HPV56 L2	11	372	HPV56 L2	10	312
HPV56 L2	11	151	HPV56 L2	8	16
HPV56 L2	9	318	HPV56 L2	9	172
HPV56 L2	10	180	HPV56 L2	10	172
HPV56 L2	8	44	HPV56 L2	11	172
HPV56 L2	10	44	HPV56 L2	8	306
HPV56 L2	11	44	HPV56 L2	9	233
HPV56 L2	9	279	HPV56 L2	10	233
HPV56 L2	11	81	HPV56 L2	8	46
HPV56 L2	10	407	HPV56 L2	9	46
HPV56 L2	11	103	HPV56 L2	11	295
HPV56 L2	11	34	HPV56 L2	8	220
HPV56 L2	8	43	HPV56 L2	8	298
HPV56 L2	9	43	HPV56 L2	8	316
HPV56 L2	11	43	HPV56 L2	11	316
HPV56 L2	8	38	HPV56 L2	8	436
HPV56 L2	10	38	HPV56 L2	9	436

Table X  
HLA A24 Supermotif Peptides

HPV56 L2	10	436
HPV56 L2	8	343
HPV56 L2	9	343
HPV56 L2	9	49
HPV56 L2	11	49
HPV56 L2	8	154
HPV56 L2	9	154
HPV56 L2	10	154
HPV56 L2	10	212
HPV56 L2	10	183
HPV56 L2	8	134
HPV56 L2	10	134
HPV56 L2	10	148
HPV56 L2	11	414
HPV56 L2	9	365
HPV56 L2	11	365
HPV56 L2	9	95
HPV56 L2	9	111
HPV56 L2	10	191
HPV56 L2	10	304
HPV56 L2	9	105
HPV56 L2	9	247
HPV56 L2	10	247
HPV56 L2	8	386
HPV56 L2	8	136
HPV56 L2	9	288
HPV56 L2	9	135
HPV56 L2	9	149
HPV56 L2	9	39
HPV56 L2	10	415
HPV56 L2	8	52
HPV56 L2	8	112
HPV56 L2	11	112
HPV56 L2	9	408
HPV56 L2	11	408
HPV56 L2	9	389
HPV56 L2	10	104
HPV56 L2	8	84
HPV56 L2	10	31
HPV56 L2	8	430
HPV56 L2	10	430
HPV56 L2	11	430
HPV56 L2	11	443
HPV56 L2	9	431
HPV56 L2	10	431
HPV56 L2	11	71
HPV56 L2	8	319

Table XA HPV6A  
HLA-A24 Supermotif Peptides

2	3	4			
E1	10	377	E2	8	35
E1	11	392	E2	9	35
L2	9	238	E2	10	35
L2	10	238	E1	8	488
L2	8	275	L1	9	153
E1	9	251	E1	10	14
E1	11	251	E6	8	131
E5	9	23	E6	11	131
E5	10	23	E6	8	31
E5	11	23	E1	10	640
L2	8	286	E4	9	64
L2	11	286	E1	8	529
E2	8	72	E1	9	529
E2	11	72	E6	9	140
L2	10	112	E6	10	140
E1	11	22	E5	8	75
E4	8	14	E5	11	75
E4	9	14	E6	8	104
E4	11	14	E1	9	385
E1	11	520	E1	10	385
E1	10	207	E1	8	49
L1	8	81	E5	9	39
L2	8	421	E5	11	39
L2	9	421	E1	8	369
E1	10	554	E1	10	369
E1	11	554	L1	9	219
E6	8	37	L2	10	278
E6	10	37	E6	10	96
E5	8	79	E6	11	96
E1	9	319	E7	8	75
L1	11	22	E7	9	75
E1	11	296	E7	10	75
E4	9	61	L2	9	404
L2	10	14	E1	8	570
E1	8	525	E1	10	570
E1	9	525	E1	11	570
E6	11	10	L2	11	347
E1	10	77	L2	10	396
E1	11	77	E2	9	313
E1	10	101	E1	11	81
L1	9	43	E2	9	25
E1	10	601	L1	8	366
E1	9	271	L1	11	366
L1	11	384	E7	10	14
E6	8	47	L1	11	208
E6	9	47	E1	10	203
L1	8	25	E1	11	46
L1	9	25	L1	10	195
L1	10	25	E2	11	141
E1	10	612	L2	10	344
E1	9	215	L1	9	198
E1	10	215	E1	9	481
E5	8	27	E1	11	481
E5	10	27	E1	10	73
E5	11	27	L1	8	331
E6	8	67	L1	10	331
E6	11	67	E1	8	534
E6	9	137	L1	11	411
E2	9	296	L2	11	30
			E6	8	99

Table XA HPV6A  
HLA-A24 Supermotif Peptides

L2	11	258	L1	10	369
E2	10	136	E6	8	126
E1	9	236	E1	8	454
L1	9	146	E1	10	454
L1	10	229	E1	11	454
E2	9	130	L2	8	428
E6	9	69	L2	9	428
E1	9	453	E5	8	40
E1	11	453	E5	10	40
L2	9	192	E5	9	68
E1	9	105	E1	10	393
E1	11	105	E2	11	346
L2	10	120	L2	8	398
E6	10	42	L2	10	398
L1	11	453	E1	9	446
E1	8	197	E1	10	446
E1	10	604	L1	8	245
E1	11	604	E1	8	457
E1	9	131	E1	9	457
E2	10	17	L2	8	239
E2	9	74	L2	9	239
E2	10	74	L2	11	239
E1	10	417	E1	9	587
E1	11	417	E2	8	171
E1	11	360	E5	9	28
E2	11	100	E5	10	28
E7	10	73	E5	8	24
E7	11	73	E5	9	24
E6	10	92	E5	10	24
E6	11	92	E5	11	24
L2	8	135	L1	10	441
E4	9	75	L1	9	33
E2	9	185	L1	10	33
E7	10	39	L2	8	434
E1	9	39	L2	9	434
E6	8	113	L1	10	200
E6	9	113	E1	8	241
L1	10	262	E2	8	361
L1	11	262	L2	8	433
L1	8	103	L2	9	433
L1	9	381	L2	10	433
L1	8	443	L1	8	318
E7	10	78	L1	9	318
E2	10	205	E1	10	243
E1	9	339	E1	11	194
E1	8	379	E1	9	326
L1	8	364	E2	9	156
L1	10	364	E1	9	350
L1	9	357	L1	10	101
L1	11	357	E7	8	22
E2	9	86	E1	8	217
E1	9	613	E1	11	217
E1	11	613	L1	10	400
L1	9	243	L2	8	292
L1	10	243	L1	9	144
E5	10	67	L1	11	144
L1	8	244	E2	8	55
L1	9	244	E1	10	273
E1	8	220	E1	8	191
L1	8	369	E1	9	191

Table XA HPV6A  
HLA-A24 Supermotif Peptides

L2	10	215	E7	11	5
L2	11	215	E2	11	32
L2	8	25	E1	8	75
L2	8	64	L2	9	318
L2	11	64	E1	10	412
E1	8	436	L1	9	370
E1	11	436	L1	10	32
E7	9	85	L1	11	32
L1	9	407	E5	8	21
L2	10	413	E5	11	21
E1	8	467	E5	10	31
E1	10	467	E5	11	31
L2	8	75	L2	9	113
L1	9	222	L2	9	279
L1	10	222	E6	9	97
E5	8	11	E6	10	97
E5	11	11	E1	10	195
E4	8	90	L2	8	178
E4	10	90	E5	9	32
E1	8	316	E5	10	32
L2	9	51	L2	10	44
L1	9	111	L2	11	44
L1	10	111	E5	8	17
E2	10	242	E6	8	120
L1	8	113	E6	10	120
L1	11	113	L2	8	405
E1	8	16	L2	8	429
E1	8	44	E1	11	56
E6	11	58	E1	9	571
L1	11	64	E1	10	571
L1	8	468	L1	8	376
L2	8	312	L1	10	376
L2	9	312	L1	11	376
L2	10	312	E1	11	341
E2	10	53	L2	9	185
L2	9	177	L2	11	185
E6	8	119	L2	11	131
E6	9	119	L1	10	187
E6	11	119	L2	8	247
E1	9	264	E1	11	476
E1	11	264	L2	9	121
E4	8	59	L2	11	121
E4	11	59	E1	10	443
E2	10	78	E2	11	287
E2	10	310	E1	10	23
E4	10	10	L2	10	104
E6	9	25	L2	11	104
L1	8	387	E5	8	34
L1	11	387	E5	10	34
E4	10	26	E5	9	41
L2	8	306	E5	11	41
E1	9	581	L2	10	348
L1	9	361	E1	10	531
L1	10	361	E1	11	531
L1	11	361	E6	9	43
E2	8	29	L1	10	286
E1	8	502	E2	8	157
E1	9	502	E2	11	157
E1	10	502	L1	9	79
E7	9	5	L1	10	79

Table XA HPV6A  
HLA-A24 Supermotif Peptides

E2	10	120	E1	8	557
E1	8	211	E5	9	16
E1	10	211	E6	11	101
E1	11	211	E1	10	491
L1	8	462	E2	8	314
L1	9	449	L1	11	186
L1	11	449	L2	9	246
E1	8	433	E5	8	33
E1	11	433	E5	9	33
E6	8	73	E5	11	33
E6	10	73	L1	8	41
E2	10	351	L1	9	41
E1	9	312	L1	11	41
E1	10	312	E1	10	521
E1	11	312	E1	11	521
E2	9	359	E1	9	540
E2	10	359	E1	9	208
E1	8	254	E1	11	208
E1	9	254	E7	11	83
E6	11	128	E4	8	8
E1	8	357	E1	11	198
E1	10	357	E2	8	82
L2	11	22	E2	11	82
E1	8	420	E7	8	82
E2	9	84	E5	9	59
E2	11	84	E5	10	59
E6	10	18	E5	11	59
E4	8	42	E5	11	55
L1	10	56	E5	8	51
L2	11	34	E5	9	51
E2	11	147	E5	10	51
E6	11	116	E5	11	51
E6	8	52	E1	9	298
E6	10	52	E1	10	298
E2	11	63	E1	11	298
L1	10	61	E5	8	69
L1	8	19	E5	8	60
L1	10	71	E5	9	60
L2	8	46	E5	10	60
L2	9	46	E5	11	60
E2	8	177	E5	9	72
E1	11	85	E5	10	72
E1	10	578	E5	11	72
L1	8	226	E1	9	563
E4	8	18	E5	10	56
E1	9	401	E2	8	42
E2	9	311	E2	10	42
E2	11	311	E5	8	52
L1	9	87	E5	9	52
L1	11	87	E5	10	52
L1	10	242	E1	8	132
L1	11	242	E1	9	358
L2	9	397	L2	10	23
L2	11	397	E6	9	121
L1	8	302	E1	9	555
E1	11	66	E1	10	555
E6	8	54	E5	8	49
L2	8	107	E5	9	49
E1	8	255	E5	10	49
E1	11	255	E5	11	49

Table XA HPV6A  
HLA-A24 Supermotif Peptides

E5	11	70	L2	8	38
E1	9	268	L2	10	38
E1	10	268	E1	11	96
E6	9	38	E2	8	127
E6	11	38	L2	9	385
E5	8	61	L1	11	142
E5	9	61	E2	9	348
E5	10	61	E1	9	609
L2	9	338	E1	8	439
L2	11	338	E1	9	439
E5	8	73	E1	10	594
E5	9	73	E1	8	456
E5	10	73	E1	9	456
E1	8	514	E1	10	456
E1	9	514	L2	8	415
E5	8	47	L2	9	325
E5	9	47	L2	11	325
E5	10	47	L1	11	217
E5	11	47	L2	10	189
L1	8	295	E1	11	442
L1	9	295	E6	11	110
E1	8	564	L1	9	183
E7	10	67	L1	8	458
L1	8	95	L2	10	73
E5	9	57	L1	11	109
E5	11	57	E7	8	47
E1	8	261	E1	8	562
E2	9	18	E1	10	562
E2	9	43	E5	9	64
E4	9	11	E5	10	64
E4	11	11	E1	8	258
E5	8	53	E1	10	258
E5	9	53	E1	11	258
E4	8	5	L2	9	389
E4	9	5	L2	10	389
E4	11	5	L2	11	389
E1	8	320	L2	10	337
E1	8	306	E1	9	513
E2	8	151	E1	10	513
E2	9	151	E1	11	545
E1	10	47	L2	9	408
L1	9	196	E2	9	354
L1	11	196	E2	10	354
L1	8	154	L2	8	183
E1	9	274	L2	11	183
E1	10	361	L1	11	426
E2	10	101	L2	9	359
L1	10	1	L1	8	90
E2	9	170	L2	9	96
E1	10	568	E2	9	258
E1	8	451	E2	10	258
E1	11	451	L2	8	171
L1	11	31	L2	9	171
E1	8	300	L2	10	171
E1	9	300	L2	9	426
L1	10	445	L2	10	426
E1	8	539	L2	11	426
E1	10	539	E7	10	20
L1	9	438	E5	10	19
E6	9	21	L1	8	266

Table XA HPV6A  
HLA-A24 Supermotif Peptides

L1	10	175	E1	11	266
L1	11	16	L1	8	456
L2	11	418	L1	9	456
L2	9	363	L1	10	456
L2	10	363	E6	10	76
L2	9	382	L1	9	66
E2	9	91	E6	9	125
E2	11	91	L2	8	298
E4	11	71	L2	8	316
E6	9	60	L2	11	316
E6	11	60	E2	9	7
L1	8	237	E2	10	7
L1	9	237	L1	11	241
L1	10	237	E1	8	125
L1	8	435	L2	10	245
E1	9	90	L1	9	40
E5	8	66	L1	10	40
E5	11	66	E2	9	303
L1	9	368	E2	10	303
L1	11	368	E1	8	616
E1	10	355	E7	11	66
E2	9	163	L1	9	94
E2	8	345	E1	11	324
E1	8	445	E1	9	293
E1	10	445	L1	8	279
E1	11	445	L1	9	279
E2	9	289	L2	9	221
E5	10	7	L1	8	140
E5	11	7	E1	11	583
L2	8	43	E2	11	301
L2	11	43	L2	11	295
E6	11	28	L1	8	414
E6	8	15	E1	9	219
E6	10	15	E1	8	493
L1	11	151	L1	11	440
L1	8	301	E1	9	547
L1	9	301	E1	11	547
E6	10	50	L2	8	153
E7	9	81	L2	10	267
L2	8	16	L2	11	267
E4	8	4	E5	8	30
E4	9	4	E5	11	30
E4	10	4	E2	8	207
L1	11	232	L2	8	392
L1	8	250	E1	9	247
E2	9	48	E1	10	247
E2	8	76	L1	9	375
E1	9	305	L1	11	375
L1	9	210	L2	11	103
L1	11	210	L1	11	285
E2	8	103	E1	8	60
E1	10	128	L1	10	86
E1	8	344	L2	9	49
L2	9	231	L2	11	49
L2	10	231	L2	8	106
L2	8	233	L2	9	106
E1	8	363	E1	11	490
E2	11	183	E2	9	81
E1	10	425	L1	9	294
E1	9	266	L1	10	294

Table XA HPV6A  
HLA-A24 Supermotif Peptides

E1	8	260	L1	8	408
E1	9	260	E1	8	556
E6	11	23	E1	9	556
L2	10	304	E5	8	15
E2	8	150	E5	10	15
E2	9	150	E7	9	7
E2	10	150	E5	8	50
E2	9	23	E5	9	50
E2	11	23	E5	10	50
E2	9	180	E5	11	50
E5	8	14	E1	10	297
E5	9	14	E1	11	297
E5	11	14	E5	10	71
L2	10	374	E5	11	71
L2	9	241	E2	9	93
E6	10	7	E2	10	93
E2	8	201	E6	8	26
E1	10	289	L1	9	377
E1	11	289	L1	10	377
E1	10	331	E1	11	408
E1	11	331	E2	11	128
L1	8	348	L1	10	388
L1	11	348	E6	8	39
L1	8	189	E6	10	39
L1	8	392	E1	11	232
L1	10	392	L1	8	223
E2	10	40	L1	9	223
E5	8	45	L1	11	223
E5	9	45	E6	8	142
E5	10	45	E1	9	585
E5	11	45	E1	11	585
L2	9	260	E6	10	11
E1	11	185	E5	8	62
E2	11	198	E5	9	62
L2	10	145	E5	11	62
L2	11	145	L1	9	332
L1	8	343	L2	10	151
E2	8	144	L1	11	345
E6	10	45	E5	10	12
E6	11	45	E5	11	12
E1	8	485	L2	11	150
E1	10	485	E4	8	76
E1	11	485	E6	11	87
L2	9	345	L2	8	386
E6	9	19	E4	9	91
E6	11	19	E1	9	290
E1	8	588	E1	10	290
L2	11	406	E6	10	88
E1	8	586	E6	11	88
E1	10	586	E4	9	73
L2	9	39	E4	11	73
E1	10	97	E1	9	332
E6	9	12	E1	10	332
E6	11	12	L2	11	387
E2	8	355	E1	9	78
E2	9	355	E1	10	78
E2	11	355	E4	8	92
L2	10	184	L1	11	328
E1	8	294	L1	9	57
E7	8	86	L1	11	57

Table XA HPV6A  
HLA-A24 Supermotif Peptides

E6	10	132	E2	9	137
E2	11	336	E1	9	426
L1	10	412	E5	8	36
L1	10	349	E1	8	340
L1	11	349	E1	8	530
L2	8	52	E1	11	530
L2	8	427	E1	11	464
L2	9	427	E5	8	58
L2	10	427	E5	10	58
E1	11	346	E5	11	58
E1	8	333	E1	8	267
E1	9	333	E1	10	267
E5	9	20	E1	11	267
L2	10	31	E2	8	92
E1	11	499	E2	10	92
L1	9	393	E2	11	92
E6	9	53	E6	8	141
E4	9	7	E6	9	141
E1	8	275	E4	10	72
E2	9	41	E1	8	237
E2	11	41	L2	11	440
L1	8	73	L2	10	441
L1	10	73	E1	9	486
E5	8	48	E1	10	486
E5	9	48	L2	8	319
E5	10	48	L1	10	385
E5	11	48	E4	8	12
E5	8	46	E4	10	12
E5	9	46	E4	11	12
E5	10	46	E1	10	86
E5	11	46	L2	8	435
L1	8	382	E1	9	579
L2	10	419	E1	11	579
L2	11	419	E5	8	54
E7	8	6	L1	9	230
E7	10	6	E1	9	532
L2	8	364	E1	10	532
L2	9	364	L1	8	358
L1	8	27	L1	10	358
L2	9	146	E1	11	536
L2	10	146	E2	9	159
E1	10	584	E2	10	159
E1	11	238	L1	9	350
E5	8	25	L1	10	350
E5	9	25	E5	9	43
E5	10	25	E5	10	43
L1	10	329	E5	11	43
E2	8	349	E1	8	402
L1	9	72	E4	8	6
L1	11	72	E4	10	6
L1	8	58	E2	11	168
L1	10	58	L1	9	287
E7	9	68	E2	8	138
E5	9	35	E1	8	91
E4	8	65	L1	8	26
L2	11	253	L1	9	26
E1	9	602	E2	8	131
E5	8	42	E2	10	158
E5	10	42	E2	11	158
E5	11	42			

Table XB HPV6B  
HLA-A24 Supermotif Peptides

2	3	4			
E1	10	377	E1	9	234
E5B	9	21	E1	11	234
E5B	10	21	E6	8	67
E5B	11	21	E6	11	67
E1	11	392	E6	9	137
L2	9	238	E2	9	296
L2	10	238	E2	8	35
L2	8	275	E2	9	35
E1	9	251	E2	10	35
E1	11	251	E1	8	488
ESA	9	23	L1	9	153
ESA	10	23	E1	10	14
ESA	11	23	E6	8	131
L2	8	286	E6	11	131
L2	11	286	E6	8	31
E2	8	72	E1	10	640
E2	11	72	E4	9	74
L2	10	112	E1	8	529
E1	11	22	E1	9	529
E4	8	24	E6	9	140
E4	9	24	E6	10	140
E4	11	24	ESA	8	75
E1	11	520	ESA	10	75
E1	10	207	ESA	11	75
L1	8	81	E6	8	104
L2	8	421	E1	9	385
L2	9	421	E1	10	385
E1	10	554	E1	8	49
E1	11	554	E1	8	369
E6	8	37	E1	10	369
E6	10	37	L1	9	219
ESA	8	79	L2	10	278
E1	9	319	E6	10	96
L1	11	22	E6	11	96
E1	11	296	E7	8	75
E4	9	71	E7	9	75
L2	10	14	E7	10	75
E1	8	525	L2	9	403
E1	9	525	E1	8	570
E6	11	10	E1	10	570
E1	10	77	E1	11	570
E1	11	77	L2	11	347
E1	10	101	L2	10	395
L1	9	43	E2	9	25
E1	10	601	E2	9	313
E1	9	271	E1	11	81
E1	10	271	L1	8	366
L1	11	384	L1	11	366
E6	8	47	E7	10	14
E6	9	47	L1	11	208
L1	8	25	E1	10	203
L1	9	25	E1	11	46
L1	10	25	L1	10	195
E1	10	612	L2	10	344
E1	9	215	L1	9	198
E1	10	215	E1	9	481
ESA	8	27	E1	11	481
ESA	10	27	E1	10	73
ESA	11	27	L1	8	331
			L1	10	331

Table XB HPV6B  
HLA-A24 Supermotif Peptides

E5B	8	11	E1	9	613
E5B	9	11	E1	11	613
E2	9	143	L1	9	243
E1	8	534	L1	10	243
L1	11	411	E5A	10	67
L2	11	30	L1	8	244
E6	8	99	L1	9	244
L2	11	258	E1	8	220
E2	9	348	L1	8	369
E2	10	136	L1	10	369
E1	9	236	E6	8	126
L1	9	146	E5A	9	16
L1	10	229	E1	8	454
E2	9	130	E1	10	454
E6	9	69	E1	11	454
E1	9	453	L2	8	428
E1	11	453	L2	9	428
E5A	9	39	E5B	8	22
E5A	11	39	E5B	9	22
E1	9	105	E5B	10	22
E1	11	105	E5B	11	22
L2	10	120	E5A	8	40
E6	10	42	E5A	10	40
L1	11	453	E2	11	346
E1	8	197	E5A	9	68
E1	10	604	E1	10	393
E1	11	604	L2	8	397
E1	9	131	L2	10	397
E2	10	17	E1	9	446
E2	9	74	E1	10	446
E2	10	74	L1	8	245
E1	10	417	L2	8	239
E1	11	417	L2	9	239
E1	11	360	L2	11	239
E2	11	100	E1	8	457
E7	10	73	E1	9	457
E7	11	73	E1	9	587
E6	10	92	E2	8	171
E6	11	92	E5A	9	28
L2	8	135	E5A	10	28
E4	9	85	E5A	8	24
E2	9	185	E5A	9	24
E7	10	39	E5A	10	24
E1	9	39	E5A	11	24
E6	8	113	L1	10	441
E6	9	113	L1	9	33
L1	10	262	L1	10	33
L1	11	262	L2	8	434
L1	8	103	L2	9	434
L1	9	381	L1	10	200
L1	8	443	E1	8	241
E7	10	78	E2	8	361
E2	10	205	L2	8	433
E1	9	339	L2	9	433
E1	8	379	L2	10	433
L1	8	364	L1	8	318
L1	10	364	L1	9	318
L1	9	357	E1	10	243
L1	11	357	E1	11	194
E2	9	86	E1	9	326

Table XB HPV6B  
HLA-A24 Supermotif Peptides

E2	9	156	E6	10	50
E1	9	350	E4	10	20
L1	10	101	E6	9	25
E7	8	22	L1	8	387
E1	8	217	L1	11	387
E1	11	217	E4	10	36
L1	10	400	L2	8	306
L2	8	292	E1	9	581
E5B	8	15	L1	9	361
E5B	9	15	L1	10	361
L1	9	144	L1	11	361
L1	11	144	E2	8	29
E5B	8	25	E1	8	502
E5B	10	25	E1	9	502
E2	8	55	E1	10	502
E1	8	273	E7	9	5
E1	10	273	E7	11	5
E1	8	191	E2	11	183
E1	9	191	E2	11	32
L2	10	215	E1	8	75
L2	11	215	L2	9	318
L2	8	25	E1	10	412
L2	8	64	E5B	8	61
L2	11	64	E5B	9	61
E1	8	436	E5B	10	61
E1	11	436	E5B	11	61
L1	9	407	L1	9	370
E7	9	85	L1	10	32
L2	11	412	L1	11	32
E1	8	467	E5A	8	21
E1	10	467	E5A	11	21
L1	9	222	E5A	10	31
L1	10	222	E5A	11	31
E5A	8	11	L2	9	113
E5A	11	11	L2	9	279
E4	8	100	E6	9	97
E4	10	100	E6	10	97
E1	8	316	E1	10	195
L2	9	51	E5A	9	32
L1	9	111	E5A	10	32
L1	10	111	L2	10	44
E2	10	242	L2	11	44
L1	8	113	E5A	8	17
L1	11	113	E6	8	120
E1	8	16	E6	10	120
E1	8	44	L2	8	404
E6	11	58	L2	8	429
L1	11	64	E1	11	56
L1	8	468	E1	9	571
L2	8	312	E1	10	571
L2	9	312	L1	8	376
L2	10	312	L1	10	376
E2	10	53	L1	11	376
E6	8	119	E1	11	341
E6	9	119	L2	11	131
E6	11	119	L1	10	187
E1	9	264	L2	8	247
E1	11	264	E5B	8	23
E2	10	78	E5B	9	23
E2	10	310	E5B	10	23

Table XB HPV6B  
HLA-A24 Supermotif Peptides

E1	11	476	E1	11	85
L2	9	121	E1	10	578
L2	11	121	L1	8	226
E1	10	443	E4	8	28
E2	11	287	E1	9	401
E1	10	23	E4	8	8
L2	10	104	E4	9	8
L2	11	104	E4	11	8
E5A	8	34	E2	9	311
E5A	10	34	E2	11	311
E5A	9	41	L1	9	87
E5A	11	41	L1	11	87
L2	10	348	L1	10	242
E1	10	531	L1	11	242
E1	11	531	L2	9	396
E6	9	43	L2	11	396
L1	10	286	L1	8	302
E2	8	157	E1	11	66
E2	11	157	E6	8	54
L1	9	79	L2	8	107
L1	10	79	E1	8	255
E2	10	120	E1	11	255
E1	8	211	E1	8	557
E1	10	211	E6	11	101
E1	11	211	E1	10	491
L1	8	462	E2	8	314
L1	9	449	L1	11	186
L1	11	449	L2	9	246
E1	8	433	E5A	8	33
E1	11	433	E5A	9	33
E6	8	73	E5A	11	33
E6	10	73	L1	8	41
E2	10	351	L1	9	41
E1	9	312	L1	11	41
E1	10	312	E5B	9	18
E1	11	312	E5B	10	18
E2	9	359	E1	10	521
E2	10	359	E1	11	521
E1	8	254	E1	9	540
E1	9	254	E1	9	208
E6	11	128	E1	11	208
E1	8	357	E7	11	83
E1	10	357	E4	8	18
L2	11	22	E1	11	198
E1	8	420	E7	8	82
E6	10	18	E5A	9	59
E4	8	52	E5A	10	59
L1	10	56	E5A	11	59
L2	11	34	E5A	11	55
E2	11	147	E5A	8	51
E6	11	116	E5A	9	51
E6	8	52	E5A	10	51
E6	10	52	E5A	11	51
E2	11	63	E1	9	298
L1	10	61	E1	10	298
L1	8	19	E1	11	298
L1	10	71	E2	8	82
L2	8	46	E2	11	82
L2	9	46	E5A	8	69
E2	8	177	E5A	8	60

Table XB HPV6B  
HLA-A24 Supermotif Peptides

ESA	9	60	E4	8	15
ESA	10	60	E4	9	15
ESA	11	60	E4	11	15
ESA	9	72	E1	8	320
ESA	10	72	ESB	9	26
ESA	11	72	E1	8	306
E1	9	563	E2	8	151
ESA	10	56	E2	9	151
E2	8	42	E1	10	47
E2	10	42	L1	9	196
ESA	8	52	L1	11	196
ESA	9	52	L1	8	154
ESA	10	52	E1	9	274
ESB	11	3	E1	10	361
E1	8	132	E2	10	101
E1	9	358	L1	10	1
L2	10	23	E2	9	170
E6	9	121	E1	10	568
E1	8	458	E1	8	451
E1	9	555	E1	11	451
E1	10	555	L1	11	31
ESA	8	49	E4	11	5
ESA	9	49	E1	8	300
ESA	10	49	E1	9	300
ESA	11	49	L1	10	445
ESA	11	70	E1	8	539
E1	9	268	E1	10	539
E1	10	268	L1	9	438
E6	9	38	E6	9	21
E6	11	38	L2	8	38
ESA	8	61	L2	10	38
ESA	9	61	E1	11	96
ESA	10	61	E2	8	127
L2	9	338	E1	8	607
L2	11	338	E1	11	607
ESA	8	73	L2	8	385
ESA	9	73	L1	11	142
ESA	10	73	E1	9	609
E1	8	514	E1	8	439
E1	9	514	E1	9	439
ESA	8	47	E1	10	594
ESA	9	47	E1	10	226
ESA	10	47	E1	8	456
ESA	11	47	E1	9	456
L1	8	295	E1	10	456
L1	9	295	L2	9	414
E1	8	564	L2	9	325
E7	10	67	L2	11	325
L1	8	95	L1	11	217
ESB	8	16	L2	10	189
ESB	11	16	E1	11	442
ESA	9	57	E4	8	69
ESA	11	57	E4	11	69
E1	8	261	E6	11	110
E2	9	18	L1	9	183
E2	9	43	L1	8	458
E4	9	21	L1	11	109
E4	11	21	E7	8	47
ESA	8	53	E1	8	562
ESA	9	53	E1	10	562

Table XB HPV6B  
HLA-A24 Supermotif Peptides

ESA	9	64	ESB	9	6
ESA	10	64	ESB	11	6
L2	10	73	E2	9	289
L2	8	389	ESA	10	7
L2	9	389	ESA	11	7
L2	10	389	L2	8	43
E1	8	258	L2	11	43
E1	10	258	E6	11	28
E1	11	258	E6	8	15
L2	10	337	E6	10	15
E1	9	513	L1	11	151
E1	10	513	L1	8	301
E1	11	545	L1	9	301
L2	9	407	E7	9	81
E2	9	354	L2	8	16
E2	10	354	E4	8	14
L1	11	426	E4	9	14
L2	9	359	E4	10	14
L1	8	90	L1	11	232
L2	8	183	L1	8	250
L2	11	183	E2	9	48
L2	9	96	E2	8	76
E2	9	258	E1	9	305
E2	10	258	L1	9	210
L2	8	171	L1	11	210
L2	9	171	E2	8	103
L2	10	171	E1	10	128
L2	9	426	L2	8	75
L2	10	426	E1	8	344
L2	11	426	L2	9	231
E7	10	20	L2	10	231
ESA	10	19	L2	8	233
L1	8	266	E1	8	363
L1	10	175	E1	10	425
L1	11	16	E1	9	266
L2	9	363	E1	11	266
L2	10	363	L1	8	456
L2	9	382	L1	9	456
L2	11	382	L1	10	456
E2	9	91	E6	10	76
E2	11	91	L1	9	66
E4	11	81	E6	9	125
E6	9	60	L2	8	298
E6	11	60	L2	8	316
L1	8	237	L2	11	316
L1	9	237	E2	9	7
L1	10	237	E2	10	7
L1	8	435	L1	11	241
E1	9	90	E1	8	125
ESA	8	66	L2	10	245
ESA	11	66	L1	9	40
L1	9	368	L1	10	40
L1	11	368	E2	9	303
E1	10	355	E2	10	303
E2	9	163	E1	8	616
E2	8	345	E7	11	66
E1	8	445	L1	9	94
E1	10	445	E2	9	84
E1	11	445	E2	11	84
ESB	8	6	E1	11	324

Table XB HPV6B  
HLA-A24 Supermotif Peptides

E1	9	293	L1	8	189
L1	8	279	L1	8	392
L1	9	279	L1	10	392
L2	9	221	E2	10	40
L1	8	140	E5A	8	45
E1	11	583	E5A	9	45
E2	11	301	E5A	10	45
L2	11	295	E5A	11	45
L1	8	414	L2	9	260
E1	9	219	E1	11	185
E1	8	493	E2	11	198
L1	11	440	L2	10	145
E1	9	547	L2	11	145
E1	11	547	L1	8	343
L2	8	153	E6	10	45
L2	10	267	E6	11	45
L2	11	267	E1	8	485
E5A	8	30	E1	10	485
E5A	11	30	E1	11	485
E2	8	207	L2	9	345
E1	9	247	E5A	8	15
E1	10	247	E5A	10	15
L1	9	375	E6	9	19
L1	11	375	E6	11	19
L2	11	103	E1	8	588
L1	11	285	L2	11	405
E1	8	60	E1	8	586
L1	10	86	E1	10	586
L2	9	49	L2	9	39
L2	11	49	E1	10	97
L2	8	106	E6	9	12
L2	9	106	E6	11	12
E1	11	490	E2	8	355
E2	9	81	E2	9	355
L2	8	391	E2	11	355
L1	9	294	E1	8	294
L1	10	294	L1	8	408
E1	8	260	E1	8	556
E1	9	260	E1	9	556
E6	11	23	E7	9	7
L2	10	304	E5A	8	50
E2	8	150	E5A	9	50
E2	9	150	E5A	10	50
E2	10	150	E5A	11	50
E2	9	23	E1	10	297
E2	11	23	E1	11	297
E5A	8	14	E5A	10	71
E5A	9	14	E5A	11	71
E5A	11	14	E7	8	86
E2	9	180	E2	9	93
L2	10	374	E2	10	93
L2	9	241	E6	8	26
E6	10	7	L1	9	377
E2	8	201	L1	10	377
E1	10	289	E1	11	408
E1	11	289	E2	11	128
E1	10	331	E5B	10	59
E1	11	331	E5B	11	59
L1	8	348	L1	10	388
L1	11	348	E6	8	39

Table XB HPV6B  
HLA-A24 Supermotif Peptides

E6	10	39	E1	11	499
L1	8	223	L1	9	393
L1	9	223	E6	9	53
L1	11	223	E4	9	17
E1	11	232	E1	8	275
E6	8	142	E2	9	41
E5B	8	63	E2	11	41
E5B	9	63	L1	8	73
E1	9	585	L1	10	73
E1	11	585	ESA	8	48
E6	10	11	ESA	9	48
ESA	8	62	ESA	10	48
ESA	9	62	ESA	11	48
ESA	11	62	ESA	8	46
L1	9	332	ESA	9	46
L2	10	151	ESA	10	46
L1	11	345	ESA	11	46
ESA	10	12	E4	9	10
ESA	11	12	E4	10	10
L2	11	150	L1	8	382
E4	8	86	E7	8	6
E6	11	87	E7	10	6
L2	11	386	E5B	11	58
E4	9	101	L2	8	364
E2	11	212	L2	9	364
E1	9	290	L2	11	418
E1	10	290	L1	8	27
E6	10	88	L2	9	185
E6	11	88	L2	11	185
E4	9	83	L2	9	146
E4	11	83	L2	10	146
E1	9	332	E1	10	584
E1	10	332	E1	11	238
L2	10	387	ESA	8	25
L2	11	387	ESA	9	25
E1	9	78	ESA	10	25
E1	10	78	L1	10	329
L2	10	184	E2	8	349
E4	8	102	L1	9	72
L1	11	328	L1	11	72
L1	9	57	L1	8	58
L1	11	57	L1	10	58
E6	10	132	E7	9	68
E5B	8	12	ESA	9	35
E5B	11	12	E4	8	75
E2	8	144	L2	11	253
E2	11	336	E1	9	602
L1	10	412	ESA	8	42
L1	10	349	ESA	10	42
L1	11	349	ESA	11	42
E2	10	213	E2	9	137
L2	8	52	E1	9	426
L2	8	427	ESA	8	36
L2	9	427	E1	8	340
L2	10	427	E1	8	530
E1	11	346	E1	11	530
E1	8	333	E5B	10	13
E1	9	333	E5B	11	13
ESA	9	20	E1	11	464
L2	10	31	E5B	10	17

Table XB HPV6B  
HLA-A24 Supermotif Peptides

ESB	11	17
E5A	8	58
E5A	10	58
E5A	11	58
E1	8	267
E1	10	267
E1	11	267
E2	8	92
E2	10	92
E2	11	92
E6	8	141
E6	9	141
E4	10	82
E1	8	237
L2	11	440
L2	10	441
E1	9	486
E1	10	486
L2	8	319
L1	10	385
E4	8	22
E4	10	22
E4	11	22
E1	10	86
L2	8	435
E1	9	579
E1	11	579
E5A	8	54
L1	9	230
E1	9	532
E1	10	532
L1	8	358
L1	10	358
E1	11	536
E2	9	159
E2	10	159
L1	9	350
L1	10	350
E2	9	214
E5A	9	43
E5A	10	43
E5A	11	43
E5B	8	62
E5B	9	62
E5B	10	62
E1	8	402
E4	8	16
E4	10	16
E4	8	9
E4	10	9
E4	11	9
E2	11	168
L1	9	287
E2	8	138
E1	8	91
L1	8	26
L1	9	26
E2	8	131
E2	10	158
E2	11	158

Table X C HPV11  
HLA-A24 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
E5	9	23	E1	10	612
E5	11	23	E1	9	215
E1	10	377	E1	10	215
E1	11	392	E2	10	298
L2	9	237	E5	8	27
L2	8	274	E5	9	27
L2	9	215	E5	10	27
L2	10	215	E5	11	27
E1	9	251	E2	8	35
E1	11	251	E2	9	35
E5	9	22	E6	8	67
E5	10	22	E6	11	67
E5	11	22	E6	9	137
E5	8	79	E2	9	295
E2	8	72	E1	8	488
E2	11	72	L1	9	154
L2	8	285	E7	9	71
L2	11	285	E1	10	14
E1	11	22	E1	10	289
E1	11	520	E1	11	289
L1	8	81	E5	8	73
L2	8	417	E5	9	73
L2	9	417	E5	10	73
E1	10	554	E6	8	31
E1	11	554	E1	10	640
E6	8	37	E4	9	73
E6	10	37	E6	9	140
E4	8	24	E6	10	140
E4	9	24	E1	8	529
E4	11	24	E1	9	529
E1	9	319	E5	8	75
L1	11	22	E5	10	75
L2	10	22	E5	11	75
E1	8	525	E6	8	104
E1	9	525	E6	11	104
E6	11	10	E1	9	385
E5	8	11	E1	10	385
E1	10	77	E1	8	49
E1	11	77	E5	9	39
L1	8	349	E5	11	39
L1	11	349	L2	8	429
E5	9	25	L2	9	429
E5	10	25	L2	10	429
E5	11	25	E1	8	369
E1	10	101	E1	10	369
L1	9	43	L1	9	220
E5	8	26	E2	9	25
E5	10	26	L2	10	277
E1	10	601	E6	10	96
E1	9	271	E6	11	96
E1	10	271	E7	8	75
E6	11	45	E7	9	75
L1	11	385	E7	10	75
E6	9	47	E1	10	203
L1	8	25	E1	8	570
L1	9	25	E1	10	570
L1	10	25	E1	11	570
E1	9	486	L2	9	399
E1	10	486	L2	10	346
			E1	11	81

Table X C HPV11  
HLA-A24 Supermotif Peptides

E7	9	81	L1	8	444
L1	8	367	E2	10	205
L1	11	367	L2	10	119
E7	10	14	E1	9	339
L1	11	209	E1	8	379
L1	9	439	L1	9	358
E1	11	46	L1	11	358
L1	10	196	E2	8	130
L2	10	343	E2	9	130
L1	9	199	E2	10	130
E1	9	481	E1	9	613
E1	11	481	E1	11	613
E1	8	191	E5	10	67
E1	9	191	E5	11	67
E2	8	96	L1	9	244
L1	8	332	L1	10	244
L1	10	332	L1	8	370
E5	8	12	L1	10	370
E5	9	12	E6	8	126
E1	8	534	E1	8	454
L1	11	412	E1	10	454
L1	8	125	E1	11	454
L2	11	29	L2	8	424
L2	11	257	L2	9	424
L2	10	391	E1	9	494
E1	9	236	E5	9	68
L1	9	147	E5	10	68
L1	10	230	E1	10	393
L1	8	365	E2	11	345
L1	10	365	E1	9	446
E1	9	453	E1	10	446
E1	11	453	E1	8	457
E6	8	113	E1	9	457
E6	9	113	L2	8	238
E1	9	105	L2	11	238
E1	11	105	E5	8	16
E6	10	42	E5	9	20
E2	9	312	E5	11	20
L1	11	454	E1	9	587
E1	8	197	E1	8	220
E6	9	69	L2	8	393
E1	10	604	L2	10	393
E1	11	604	E5	8	23
E1	9	131	E5	9	23
E2	8	17	E5	10	23
E2	10	17	E5	11	23
E1	10	417	E5	8	40
E1	11	417	E5	10	40
E2	9	74	L1	10	442
E1	11	360	L1	9	33
E2	11	100	L1	10	33
E2	8	66	L2	8	430
E2	10	66	L2	9	430
E6	10	92	L1	8	245
E6	11	92	L1	9	245
E1	10	128	L1	10	201
E2	9	185	E1	8	241
E1	9	39	E2	8	360
L1	8	103	L1	8	319
L1	9	382	L1	9	319

Table X C HPV11  
HLA-A24 Supermotif Peptides

E1	10	243	E4	10	36
E1	11	194	L2	8	36
E1	9	326	L2	9	36
E2	9	156	L2	11	36
L1	10	101	L2	11	148
E7	8	22	L2	10	188
E2	8	55	L1	9	362
E1	8	217	L1	10	362
E1	11	217	L1	11	362
L1	10	401	E2	11	183
L2	8	291	E2	11	32
L1	9	145	E1	8	75
L1	11	145	E1	10	412
E1	8	273	L1	9	371
E1	10	273	L1	10	32
L2	8	24	L1	11	32
E1	10	431	E4	11	5
L1	9	408	E5	10	34
E1	11	296	L2	9	278
E7	9	85	E1	10	195
L2	11	408	E6	8	120
E1	8	467	E6	10	120
E1	10	467	L2	8	177
E4	8	99	E5	9	35
E4	10	99	E6	9	97
L1	9	223	E6	10	97
L1	10	223	L2	10	43
L1	11	262	L2	11	43
L2	9	50	E5	8	17
L1	9	111	E5	8	28
L1	10	111	E5	9	28
E1	8	316	E5	10	28
L1	8	113	E1	11	408
L1	11	113	E2	9	30
E1	8	16	L2	8	400
E1	8	44	L2	8	425
L1	11	64	L1	8	377
L2	8	311	L1	10	377
L2	9	311	L1	11	377
E2	10	53	E1	11	56
E6	8	119	E1	11	341
E6	9	119	L2	9	184
E6	11	119	L2	11	184
L2	9	176	L2	10	286
E2	8	29	L2	11	130
E2	10	29	L1	10	188
E1	9	264	E1	10	23
E1	11	264	E5	10	31
E2	10	136	E1	10	443
E2	10	78	E2	11	286
E2	10	309	L2	10	103
E5	8	7	L2	11	103
E5	9	7	L2	9	347
E5	10	7	E6	9	43
E5	11	7	E2	9	137
E4	10	20	L1	10	287
E1	9	305	E2	8	157
E6	9	25	E2	11	157
L1	8	388	L1	9	79
L1	11	388	L1	10	79

Table X C HPV11  
HLA-A24 Supermotif Peptides

E2	10	120	L1	8	303
E1	8	211	E1	11	66
E1	10	211	E5	10	19
E1	8	493	L2	8	158
E1	10	493	L2	8	106
L1	8	463	E1	8	255
L1	9	450	E1	11	255
L1	11	450	E5	8	33
E6	8	73	E5	11	33
E6	10	73	E1	8	557
E1	9	312	E1	10	491
E1	10	312	E5	9	16
E1	11	312	E6	11	101
E1	8	254	E5	8	36
E1	9	254	L1	11	187
E6	11	116	L1	8	41
E6	11	128	L1	9	41
E1	8	357	L1	11	41
E1	10	357	E1	10	521
E1	8	420	E1	9	540
E1	10	420	E2	10	15
E4	8	53	E7	11	83
E6	10	18	E2	8	42
E2	9	84	E2	10	42
E2	11	84	E4	8	18
L1	10	56	E4	9	18
E7	10	39	E1	11	198
E1	8	433	E7	8	82
E1	11	433	E5	9	59
L2	11	33	E5	10	59
E2	9	358	E5	11	59
E2	10	358	E5	11	55
E6	8	99	E5	8	51
L1	10	61	E5	9	51
E2	11	147	E5	10	51
L1	8	19	E5	11	51
L1	10	71	E1	9	298
E6	8	52	E1	10	298
E6	10	52	E1	11	298
L2	8	45	E5	8	69
L2	9	45	E5	9	69
L1	11	122	E5	8	60
E2	8	177	E5	9	60
E2	8	306	E5	10	60
E1	11	85	E5	11	60
E1	10	578	E1	9	563
L1	8	227	E5	10	56
E4	8	28	E5	8	52
E1	8	401	E5	9	52
E1	9	401	E5	10	52
E4	8	8	E5	11	4
E4	9	8	E1	8	514
E4	11	8	E1	9	514
L1	9	87	E1	8	132
L1	11	87	E1	9	358
E2	9	310	E5	8	70
E2	11	310	E5	11	70
L1	10	243	E1	9	555
L1	11	243	E1	10	555
E5	9	15	E5	8	49

Table X C HPV11  
HLA-A24 Supermotif Peptides

E5	9	49	L1	11	31
E5	10	49	E1	8	300
E5	11	49	E1	9	300
E1	9	268	E2	9	254
E1	10	268	L1	10	446
E2	8	103	E6	10	50
E7	8	48	E1	8	539
L2	8	368	E1	10	539
E6	9	38	E6	9	21
E6	11	38	E2	8	248
E5	8	61	E5	8	54
E5	9	61	E5	9	54
E5	10	61	L2	8	381
L2	9	337	E1	10	97
L2	11	337	L1	11	143
E5	8	47	E2	8	127
E5	9	47	E2	11	127
E5	10	47	E1	9	609
E5	11	47	E1	8	439
L1	8	296	E1	9	439
L1	9	296	E6	9	60
E7	9	5	E6	11	60
E7	11	5	E1	10	594
E1	8	564	E1	8	456
L2	9	245	E1	9	456
E7	10	67	E1	10	456
L1	8	95	L2	9	410
E5	9	57	E4	8	4
E5	11	57	E1	11	442
E1	8	261	E6	8	110
E2	9	18	E6	11	110
E4	8	25	L1	11	218
E4	10	25	L1	9	184
E4	11	25	L2	9	157
E4	9	21	L1	8	459
E4	11	21	L2	10	72
E5	8	53	L1	11	109
E5	9	53	E1	8	562
E4	8	15	E1	10	562
E4	9	15	E5	9	64
E4	11	15	L2	8	385
E1	8	320	L2	9	385
E1	8	306	E1	8	258
E1	10	47	E1	10	258
L1	9	197	E1	11	258
L1	11	197	E1	9	513
L1	8	155	E1	10	513
E1	9	274	E7	8	47
E5	8	1	E7	9	47
E1	10	361	E4	8	68
E4	9	1	L2	10	336
E4	11	1	E1	11	545
E2	10	101	L2	9	403
L1	10	1	E2	9	353
L2	9	304	E2	10	353
E2	9	170	L2	11	182
E6	11	58	L1	11	427
E1	10	568	L2	8	123
E1	8	451	L2	11	206
E1	11	451	L1	8	90

Table X C HPV11  
HLA-A24 Supermotif Peptides

E6	11	87	L2	8	232
L2	9	95	E1	8	363
L2	8	170	E6	10	132
L2	9	170	E1	9	266
L2	10	170	E1	11	266
L2	9	422	E2	9	86
L2	10	422	E6	10	76
L2	11	422	L1	9	66
E7	10	20	E6	9	125
L2	10	358	L2	11	294
L2	11	358	L2	8	297
L1	11	16	L2	9	297
L2	9	324	L2	8	315
L2	11	324	E2	9	7
E5	10	19	E2	10	7
E5	11	19	E1	8	125
L2	10	251	L1	11	242
E2	9	91	E4	11	59
E2	11	91	L1	9	40
E4	11	80	L1	10	40
L1	8	238	E2	9	302
L1	9	238	E2	10	302
L1	10	238	E1	8	616
L1	8	436	E7	8	4
E5	11	66	E7	10	4
L1	9	369	L2	10	244
L1	11	369	E7	11	66
E1	10	355	L1	9	94
E2	9	163	E1	11	324
E2	8	344	E1	9	293
E1	8	445	L1	8	473
E1	10	445	L2	9	220
E1	11	445	L1	8	141
L1	8	457	E1	11	583
L1	9	457	E2	8	300
L1	10	457	E2	11	300
E5	10	7	L1	8	415
E5	11	7	E1	9	219
L2	8	42	L1	11	441
L2	11	42	E1	9	247
E6	11	28	E1	10	247
E6	8	15	E2	8	207
E6	10	15	E2	8	23
L1	11	152	E2	9	23
L1	8	302	E2	11	23
L1	9	302	E6	9	12
E2	11	14	E6	11	12
E7	10	78	E1	9	547
E2	9	288	E1	11	547
E4	8	14	L2	10	266
E4	9	14	L2	11	266
E4	10	14	E1	8	422
L1	11	233	L1	9	376
L1	8	251	L1	11	376
E2	9	48	E5	8	30
L1	9	211	E5	11	30
L1	11	211	L2	11	102
E1	8	344	L1	11	286
L2	9	230	E1	9	350
L2	10	230	L1	10	86

Table X C HPV11  
HLA-A24 Supermotif Peptides

L2	9	48	E2	8	354
L2	11	48	E2	9	354
E6	11	23	E2	11	354
L2	8	105	L2	10	183
L2	9	105	E5	10	71
E1	11	490	E5	11	71
L2	9	259	L1	8	409
L1	9	295	E1	8	294
L1	10	295	E1	10	207
E1	8	260	E1	8	556
E1	9	260	E1	9	556
L2	10	303	E5	8	15
E2	11	260	E5	10	15
E1	11	206	E7	9	7
E2	9	180	E5	8	50
E2	11	245	E5	9	50
L2	8	209	E5	10	50
L2	10	370	E5	11	50
L2	9	240	E1	10	297
E1	11	185	E1	11	297
E6	10	7	E7	8	86
E4	8	85	E2	9	93
E1	10	331	E2	10	93
E1	11	331	E2	11	93
E2	8	201	E6	8	26
E2	8	151	L1	9	378
E2	9	151	L1	10	378
E2	9	257	L1	10	389
E1	8	60	E6	8	39
L2	8	152	E6	10	39
E1	8	436	E1	11	232
E1	11	436	E6	8	142
L1	8	190	E1	9	585
E2	8	348	E1	11	585
L1	8	393	L2	8	37
L1	10	393	L2	10	37
E2	10	40	E5	9	14
E5	8	45	E5	11	14
E5	9	45	E5	8	62
E5	10	45	E5	9	62
E5	11	45	E5	11	62
L1	10	176	E1	11	116
L1	8	344	L1	9	333
E2	11	198	L2	9	150
L2	11	144	L2	10	150
L2	9	378	E5	10	13
L2	11	378	L2	10	149
L2	10	366	L2	11	149
E1	9	501	E5	11	12
E1	10	501	E5	8	55
E1	11	501	L2	11	382
L2	9	344	E4	9	100
E6	9	19	E1	9	290
E6	11	19	E1	10	290
E1	8	588	L1	8	224
L2	11	401	L1	9	224
E1	8	586	L1	11	224
E1	10	586	E6	10	88
L2	9	38	E6	11	88
E2	10	261	L1	10	263

Table X C HPV11  
HLA-A24 Supermotif Peptides

L1	11	263	L2	11	414
E1	9	332	L2	8	325
E1	10	332	L2	10	325
L2	10	383	E2	10	148
L2	11	383	E2	11	148
E1	9	78	E1	10	584
E1	10	78	L2	8	246
E4	9	82	E1	11	238
E4	11	82	E5	8	24
E2	11	63	E5	9	24
E4	8	101	E5	10	24
L1	11	329	L1	10	330
L1	9	57	E7	9	68
L1	11	57	E5	9	20
E5	8	13	E5	10	20
E5	11	13	L1	9	72
E1	10	531	L1	11	72
E1	11	531	E4	8	2
L1	10	413	E4	10	2
E2	11	335	L1	8	58
L1	10	350	L1	10	58
L1	11	350	L2	9	120
L2	8	51	L2	11	120
L2	8	423	E6	9	53
L2	9	423	E2	8	132
L2	10	423	E5	9	41
E5	8	21	E5	11	41
E5	9	21	E4	8	74
E5	11	21	E6	8	54
E1	11	346	L2	9	252
E1	8	333	L2	11	252
E1	9	333	E1	9	602
L2	10	30	E5	11	60
E1	11	499	E5	8	42
L1	9	394	E5	10	42
E5	9	27	E5	11	42
E5	9	32	L2	9	392
E2	9	41	L2	11	392
E2	11	41	E1	8	340
E4	9	17	E5	10	14
E4	10	17	E5	11	18
E1	8	275	E1	11	464
L1	8	73	E5	8	58
L1	10	73	E5	10	58
E5	8	48	E5	11	58
E5	9	48	E1	8	267
E5	10	48	E1	10	267
E5	11	48	E1	11	267
E5	8	46	E2	9	102
E5	9	46	E2	8	92
E5	10	46	E2	10	92
E5	11	46	E2	11	92
E4	9	10	E6	8	141
E4	10	10	E6	9	141
L1	8	383	E4	10	81
E2	10	128	E1	8	530
E2	11	128	E1	11	530
E7	8	6	E1	8	237
E7	10	6	L2	11	436
L2	10	145	L2	10	437

Table X C HPV11  
HLA-A24 Supermotif Peptides

E5	9	76
E5	10	76
E5	11	76
L1	10	386
E4	8	22
E4	10	22
E4	11	22
E6	10	105
E1	10	86
L2	8	431
E1	9	579
E1	11	579
E5	8	54
E2	8	138
L1	9	231
L1	8	246
L2	9	367
E1	9	532
E1	10	532
L1	8	359
L1	10	359
E1	11	536
E5	10	61
E2	9	159
E2	10	159
L1	9	351
L1	10	351
L2	8	305
E5	9	43
E5	10	43
E5	11	43
L1	9	288
E1	8	402
L1	8	26
L1	9	26
E4	8	16
E4	10	16
E4	11	16
E4	8	9
E4	10	9
E4	11	9
E2	11	168
E1	8	502
E1	9	502
E1	10	502
E2	8	131
E2	9	131
E2	10	158
E2	11	158

Table XI  
HLA-B7 Supermotif Peptides

1	2	3	4				
HPV16 E1	10	559	HPV16 E7	8	5		
HPV16 E1	9	308	HPV16 E7	9	5		
HPV16 E1	10	308	HPV16 E7	11	5		
HPV16 E1	11	308	HPV16 L1	10	461		
HPV16 E1	10	592	HPV16 L1	10	211		
HPV16 E1	11	592	HPV16 L1	11	211		
HPV16 E1	8	467	HPV16 L1	8	465		
HPV16 E1	9	467	HPV16 L1	9	465		
HPV16 E1	10	467	HPV16 L1	11	465		
HPV16 E1	11	599	HPV16 L1	8	266		
HPV16 E1	8	309	HPV16 L1	9	266		
HPV16 E1	9	309	HPV16 L1	10	266		
HPV16 E1	10	309	HPV16 L1	11	266		
HPV16 E1	11	309	HPV16 L1	11	76		
HPV16 E1	9	560	HPV16 L1	8	488		
HPV16 E1	11	560	HPV16 L1	9	488		
HPV16 E1	8	511	HPV16 L1	11	488		
HPV16 E1	10	511	HPV16 L1	8	318		
HPV16 E1	11	511	HPV16 L1	9	318		
HPV16 E1	11	552	HPV16 L1	11	503		
HPV16 E1	10	93	HPV16 L1	8	80		
HPV16 E1	9	107	HPV16 L1	9	80		
HPV16 E1	10	336	HPV16 L1	8	188		
HPV16 E1	11	336	HPV16 L1	8	335		
HPV16 E1	9	189	HPV16 L1	9	103		
HPV16 E1	10	189	HPV16 L1	9	39		
HPV16 E1	8	244	HPV16 L1	10	39		
HPV16 E1	11	244	HPV16 L1	8	31		
HPV16 E1	11	526	HPV16 L1	9	31		
HPV16 E1	8	576	HPV16 L1	8	118		
HPV16 E1	9	576	HPV16 L1	9	118		
HPV16 E1	10	576	HPV16 L1	10	118		
HPV16 E1	11	576	HPV16 L1	8	207		
HPV16 E2	11	105	HPV16 L1	10	207		
HPV16 E2	11	195	HPV16 L1	11	207		
HPV16 E2	9	218	HPV16 L1	9	459		
HPV16 E2	10	218	HPV16 L1	10	435		
HPV16 E2	11	218	HPV16 L1	9	212		
HPV16 E2	11	352	HPV16 L1	10	212		
HPV16 E2	8	249	HPV16 L1	11	434		
HPV16 E2	9	249	HPV16 L1	8	40		
HPV16 E2	9	207	HPV16 L1	9	40		
HPV16 E2	10	207	HPV16 L1	8	433		
HPV16 E2	10	286	HPV16 L1	8	199		
HPV16 E2	11	59	HPV16 L1	10	458		
HPV16 E5	10	69	HPV16 L1	11	320		
HPV16 E5	10	30	HPV16 L1	11	514		
HPV16 E6	9	118	HPV16 L1	9	88		
HPV16 E6	9	11	HPV16 L1	11	88		
HPV16 E6	8	101	HPV16 L1	9	246		
HPV16 E6	11	101	HPV16 L1	8	257		
HPV16 E6	8	19	HPV16 L2	9	278		
HPV16 E6	10	65	HPV16 L2	10	278		
HPV16 E6	8	15	HPV16 L2	11	278		
HPV16 E7	9	46	HPV16 L2	8	424		
HPV16 E7	10	46	HPV16 L2	8	119		
HPV16 E7	11	40	HPV16 L2	9	87		
HPV16 E7	8	16	HPV16 L2	9	28		
HPV16 E7	10	16	HPV16 L2	11	239		
			HPV16 L2	8	280		

Table XI  
HLA-B7 Supermotif Peptides

HPV16 L2	9	280	HPV16 L2	8	123
HPV16 L2	10	280	HPV16 L2	11	123
HPV16 L2	8	102	HPV16 L2	9	385
HPV16 L2	11	165	HPV16 L2	10	385
HPV16 L2	10	96	HPV16 L2	9	382
HPV16 L2	11	96	HPV18 E1	10	566
HPV16 L2	8	413	HPV18 E1	8	518
HPV16 L2	8	99	HPV18 E1	9	518
HPV16 L2	10	99	HPV18 E1	10	518
HPV16 L2	11	99	HPV18 E1	11	518
HPV16 L2	9	394	HPV18 E1	10	599
HPV16 L2	9	400	HPV18 E1	11	599
HPV16 L2	11	400	HPV18 E1	9	484
HPV16 L2	8	216	HPV18 E1	10	484
HPV16 L2	10	216	HPV18 E1	8	576
HPV16 L2	9	416	HPV18 E1	10	576
HPV16 L2	10	428	HPV18 E1	11	576
HPV16 L2	9	33	HPV18 E1	11	559
HPV16 L2	10	33	HPV18 E1	8	641
HPV16 L2	10	73	HPV18 E1	10	641
HPV16 L2	9	408	HPV18 E1	9	193
HPV16 L2	11	408	HPV18 E1	8	251
HPV16 L2	8	196	HPV18 E1	11	251
HPV16 L2	8	126	HPV18 E1	11	606
HPV16 L2	10	126	HPV18 E1	9	567
HPV16 L2	9	357	HPV18 E1	8	316
HPV16 L2	10	357	HPV18 E1	9	316
HPV16 L2	8	462	HPV18 E1	10	316
HPV16 L2	10	462	HPV18 E1	11	316
HPV16 L2	11	462	HPV18 E1	9	263
HPV16 L2	9	254	HPV18 E1	9	315
HPV16 L2	11	206	HPV18 E1	10	315
HPV16 L2	9	160	HPV18 E1	11	315
HPV16 L2	10	160	HPV18 E1	9	447
HPV16 L2	8	29	HPV18 E1	9	97
HPV16 L2	9	127	HPV18 E1	9	110
HPV16 L2	8	91	HPV18 E1	8	343
HPV16 L2	8	79	HPV18 E1	10	343
HPV16 L2	9	79	HPV18 E1	11	343
HPV16 L2	11	79	HPV18 E1	8	474
HPV16 L2	11	171	HPV18 E1	9	474
HPV16 L2	11	291	HPV18 E1	8	307
HPV16 L2	9	90	HPV18 E1	8	583
HPV16 L2	9	78	HPV18 E1	10	583
HPV16 L2	10	78	HPV18 E1	11	583
HPV16 L2	8	220	HPV18 E2	9	261
HPV16 L2	9	220	HPV18 E2	10	261
HPV16 L2	8	434	HPV18 E2	8	352
HPV16 L2	10	434	HPV18 E2	9	352
HPV16 L2	9	173	HPV18 E2	11	352
HPV16 L2	11	173	HPV18 E2	8	248
HPV16 L2	11	142	HPV18 E2	9	226
HPV16 L2	9	214	HPV18 E2	10	3
HPV16 L2	10	214	HPV18 E2	9	224
HPV16 L2	11	345	HPV18 E2	11	224
HPV16 L2	8	245	HPV18 E2	11	271
HPV16 L2	11	380	HPV18 E2	11	63
HPV16 L2	9	431	HPV18 E5	8	59
HPV16 L2	10	431	HPV18 E5	10	59
HPV16 L2	11	431	HPV18 E5	11	59

Table XI  
HLA-B7 Supermotif Peptides

HPV18 E5	8	23	HPV18 L1	10	343
HPV18 E5	9	23	HPV18 L1	8	153
HPV18 E5	10	23	HPV18 L1	9	153
HPV18 E5	11	23	HPV18 L1	10	153
HPV18 E5	8	45	HPV18 L1	8	108
HPV18 E5	9	45	HPV18 L1	9	247
HPV18 E5	10	45	HPV18 L1	10	247
HPV18 E5	11	45	HPV18 L1	8	469
HPV18 E5	9	20	HPV18 L1	9	469
HPV18 E5	11	20	HPV18 L1	8	75
HPV18 E6	9	6	HPV18 L1	9	75
HPV18 E6	10	60	HPV18 L1	8	470
HPV18 E6	9	110	HPV18 L1	11	470
HPV18 E6	8	14	HPV18 L1	8	76
HPV18 E6	9	113	HPV18 L1	10	471
HPV18 E6	8	10	HPV18 L1	8	25
HPV18 E7	8	16	HPV18 L1	9	25
HPV18 E7	10	16	HPV18 L1	10	25
HPV18 E7	11	16	HPV18 L1	11	25
HPV18 E7	8	55	HPV18 L1	11	239
HPV18 E7	10	55	HPV18 L1	8	66
HPV18 E7	9	3	HPV18 L1	9	66
HPV18 E7	10	3	HPV18 L1	8	353
HPV18 E7	11	3	HPV18 L1	9	353
HPV18 E7	11	21	HPV18 L1	9	411
HPV18 L1	9	495	HPV18 L1	8	398
HPV18 L1	8	223	HPV18 L1	10	398
HPV18 L1	9	223	HPV18 L1	9	90
HPV18 L1	11	549	HPV18 L1	11	113
HPV18 L1	10	246	HPV18 L1	10	413
HPV18 L1	11	246	HPV18 L1	9	281
HPV18 L1	8	501	HPV18 L1	9	468
HPV18 L1	9	501	HPV18 L1	10	468
HPV18 L1	11	501	HPV18 L1	9	292
HPV18 L1	8	301	HPV18 L1	8	524
HPV18 L1	9	301	HPV18 L1	9	524
HPV18 L1	11	301	HPV18 L1	11	524
HPV18 L1	8	56	HPV18 L2	8	421
HPV18 L1	9	56	HPV18 L2	10	421
HPV18 L1	10	56	HPV18 L2	9	327
HPV18 L1	9	19	HPV18 L2	9	27
HPV18 L1	11	19	HPV18 L2	11	266
HPV18 L1	10	543	HPV18 L2	8	100
HPV18 L1	10	23	HPV18 L2	8	208
HPV18 L1	11	23	HPV18 L2	11	208
HPV18 L1	9	123	HPV18 L2	9	257
HPV18 L1	11	123	HPV18 L2	10	94
HPV18 L1	8	557	HPV18 L2	11	94
HPV18 L1	10	557	HPV18 L2	8	223
HPV18 L1	11	539	HPV18 L2	9	223
HPV18 L1	8	370	HPV18 L2	8	97
HPV18 L1	9	138	HPV18 L2	10	97
HPV18 L1	8	27	HPV18 L2	11	97
HPV18 L1	9	27	HPV18 L2	8	85
HPV18 L1	10	27	HPV18 L2	9	85
HPV18 L1	11	27	HPV18 L2	8	444
HPV18 L1	8	15	HPV18 L2	10	444
HPV18 L1	9	74	HPV18 L2	11	444
HPV18 L1	10	74	HPV18 L2	10	72
HPV18 L1	9	343	HPV18 L2	11	72

Table XI  
HLA-B7 Supermotif Peptides

HPV18 L2	8	407	HPV31 E1	10	491
HPV18 L2	10	407	HPV31 E1	11	491
HPV18 L2	11	407	HPV31 E1	9	288
HPV18 L2	8	215	HPV31 E1	10	288
HPV18 L2	11	253	HPV31 E1	11	288
HPV18 L2	9	159	HPV31 E1	9	236
HPV18 L2	10	159	HPV31 E1	10	92
HPV18 L2	11	238	HPV31 E1	9	106
HPV18 L2	8	28	HPV31 E1	10	506
HPV18 L2	8	89	HPV31 E1	11	506
HPV18 L2	11	284	HPV31 E1	10	316
HPV18 L2	9	88	HPV31 E1	11	316
HPV18 L2	8	244	HPV31 E1	9	169
HPV18 L2	10	119	HPV31 E1	10	169
HPV18 L2	10	329	HPV31 E1	8	447
HPV18 L2	11	329	HPV31 E1	9	447
HPV18 L2	9	324	HPV31 E1	8	556
HPV18 L2	10	324	HPV31 E1	9	556
HPV18 L2	10	418	HPV31 E1	10	556
HPV18 L2	11	418	HPV31 E1	11	556
HPV18 L2	10	375	HPV31 E2	11	105
HPV18 L2	9	213	HPV31 E2	8	289
HPV18 L2	10	213	HPV31 E2	10	289
HPV18 L2	9	144	HPV31 E2	11	195
HPV18 L2	9	184	HPV31 E2	11	257
HPV18 L2	9	271	HPV31 E2	11	359
HPV18 L2	10	271	HPV31 E2	10	293
HPV18 L2	9	32	HPV31 E2	9	59
HPV18 L2	10	32	HPV31 E2	11	59
HPV18 L2	9	389	HPV31 E5	10	69
HPV18 L2	11	389	HPV31 E5	9	30
HPV18 L2	8	170	HPV31 E5	10	30
HPV18 L2	11	170	HPV31 E5	11	30
HPV18 L2	9	361	HPV31 E5	8	55
HPV18 L2	10	361	HPV31 E5	9	55
HPV18 L2	11	361	HPV31 E5	10	55
HPV18 L2	11	359	HPV31 E5	11	55
HPV18 L2	9	397	HPV31 E6	9	111
HPV18 L2	11	397	HPV31 E6	8	21
HPV18 L2	9	451	HPV31 E6	11	21
HPV18 L2	10	451	HPV31 E6	9	4
HPV18 L2	11	451	HPV31 E6	8	8
HPV18 L2	8	414	HPV31 E6	11	8
HPV18 L2	10	414	HPV31 E6	8	142
HPV31 E1	8	458	HPV31 E6	10	58
HPV31 E1	9	458	HPV31 E7	8	91
HPV31 E1	11	458	HPV31 E7	9	46
HPV31 E1	10	539	HPV31 E7	10	46
HPV31 E1	10	572	HPV31 E7	10	28
HPV31 E1	11	572	HPV31 E7	11	28
HPV31 E1	11	128	HPV31 E7	10	16
HPV31 E1	11	523	HPV31 E7	8	5
HPV31 E1	11	579	HPV31 E7	9	5
HPV31 E1	8	289	HPV31 E7	11	5
HPV31 E1	9	289	HPV31 L1	10	433
HPV31 E1	10	289	HPV31 L1	10	488
HPV31 E1	11	289	HPV31 L1	10	186
HPV31 E1	9	540	HPV31 L1	11	186
HPV31 E1	11	540	HPV31 L1	8	440
HPV31 E1	8	491	HPV31 L1	9	440

Table XI  
HLA-B7 Supermotif Peptides

HPV31 L1	11	440	HPV31 L2	11	234
HPV31 L1	8	241	HPV31 L2	10	96
HPV31 L1	9	241	HPV31 L2	11	96
HPV31 L1	10	241	HPV31 L2	10	421
HPV31 L1	11	241	HPV31 L2	9	406
HPV31 L1	8	463	HPV31 L2	8	99
HPV31 L1	9	463	HPV31 L2	10	99
HPV31 L1	11	463	HPV31 L2	11	99
HPV31 L1	8	293	HPV31 L2	8	125
HPV31 L1	9	293	HPV31 L2	10	125
HPV31 L1	10	139	HPV31 L2	11	125
HPV31 L1	10	52	HPV31 L2	8	211
HPV31 L1	11	52	HPV31 L2	10	211
HPV31 L1	10	436	HPV31 L2	10	123
HPV31 L1	11	436	HPV31 L2	9	401
HPV31 L1	8	163	HPV31 L2	11	401
HPV31 L1	8	310	HPV31 L2	9	87
HPV31 L1	9	78	HPV31 L2	9	33
HPV31 L1	9	13	HPV31 L2	10	33
HPV31 L1	10	13	HPV31 L2	8	191
HPV31 L1	8	396	HPV31 L2	9	327
HPV31 L1	10	396	HPV31 L2	9	249
HPV31 L1	8	93	HPV31 L2	9	155
HPV31 L1	9	93	HPV31 L2	10	155
HPV31 L1	10	93	HPV31 L2	11	166
HPV31 L1	10	57	HPV31 L2	9	126
HPV31 L1	9	187	HPV31 L2	10	126
HPV31 L1	10	187	HPV31 L2	8	91
HPV31 L1	10	410	HPV31 L2	11	91
HPV31 L1	8	14	HPV31 L2	11	284
HPV31 L1	9	14	HPV31 L2	8	216
HPV31 L1	11	478	HPV31 L2	11	216
HPV31 L1	8	5	HPV31 L2	9	90
HPV31 L1	9	5	HPV31 L2	8	78
HPV31 L1	8	174	HPV31 L2	10	78
HPV31 L1	8	182	HPV31 L2	11	372
HPV31 L1	10	182	HPV31 L2	9	168
HPV31 L1	11	409	HPV31 L2	10	168
HPV31 L1	11	295	HPV31 L2	11	168
HPV31 L1	9	63	HPV31 L2	10	141
HPV31 L1	11	63	HPV31 L2	10	209
HPV31 L1	9	221	HPV31 L2	8	427
HPV31 L1	8	232	HPV31 L2	10	409
HPV31 L1	9	232	HPV31 L2	11	409
HPV31 L2	9	271	HPV31 L2	9	393
HPV31 L2	10	271	HPV31 L2	11	393
HPV31 L2	11	271	HPV31 L2	10	73
HPV31 L2	8	240	HPV31 L2	9	387
HPV31 L2	8	414	HPV33 E1	8	3
HPV31 L2	10	414	HPV33 E1	10	3
HPV31 L2	11	414	HPV33 E1	11	301
HPV31 L2	9	424	HPV33 E1	10	585
HPV31 L2	10	424	HPV33 E1	11	585
HPV31 L2	11	424	HPV33 E1	9	470
HPV31 L2	9	28	HPV33 E1	10	470
HPV31 L2	8	273	HPV33 E1	8	293
HPV31 L2	9	273	HPV33 E1	8	460
HPV31 L2	10	273	HPV33 E1	9	460
HPV31 L2	8	102	HPV33 E1	11	592
HPV31 L2	11	160	HPV33 E1	10	302

Table XI  
HLA-B7 Supermotif Peptides

HPV33 E1	11	302	HPV33 L1	11	180
HPV33 E1	11	553	HPV33 L1	10	483
HPV33 E1	8	504	HPV33 L1	10	185
HPV33 E1	10	504	HPV33 L1	11	185
HPV33 E1	11	504	HPV33 L1	8	438
HPV33 E1	9	433	HPV33 L1	9	438
HPV33 E1	8	237	HPV33 L1	11	438
HPV33 E1	10	237	HPV33 L1	8	240
HPV33 E1	11	237	HPV33 L1	9	240
HPV33 E1	8	329	HPV33 L1	10	240
HPV33 E1	10	329	HPV33 L1	11	240
HPV33 E1	11	329	HPV33 L1	8	461
HPV33 E1	8	518	HPV33 L1	9	461
HPV33 E1	11	518	HPV33 L1	11	461
HPV33 E1	8	569	HPV33 L1	8	292
HPV33 E1	10	569	HPV33 L1	9	292
HPV33 E1	11	569	HPV33 L1	8	476
HPV33 E2	10	195	HPV33 L1	8	163
HPV33 E2	9	247	HPV33 L1	8	309
HPV33 E2	11	340	HPV33 L1	9	78
HPV33 E2	10	294	HPV33 L1	9	13
HPV33 E2	8	26	HPV33 L1	10	13
HPV33 E2	10	26	HPV33 L1	8	394
HPV33 E2	11	26	HPV33 L1	10	394
HPV33 E2	10	341	HPV33 L1	8	93
HPV33 E2	11	341	HPV33 L1	9	93
HPV33 E2	9	238	HPV33 L1	10	93
HPV33 E2	9	229	HPV33 L1	8	54
HPV33 E2	11	59	HPV33 L1	9	54
HPV33 E5	8	59	HPV33 L1	10	54
HPV33 E5	10	59	HPV33 L1	9	432
HPV33 E5	10	20	HPV33 L1	9	186
HPV33 E5	11	20	HPV33 L1	10	186
HPV33 E5	9	45	HPV33 L1	11	407
HPV33 E5	10	45	HPV33 L1	10	408
HPV33 E5	11	45	HPV33 L1	11	164
HPV33 E6	9	111	HPV33 L1	8	14
HPV33 E6	11	111	HPV33 L1	9	14
HPV33 E6	8	94	HPV33 L1	10	139
HPV33 E6	11	94	HPV33 L1	8	5
HPV33 E6	8	35	HPV33 L1	9	5
HPV33 E6	9	35	HPV33 L1	8	406
HPV33 E6	11	35	HPV33 L1	9	63
HPV33 E6	8	8	HPV33 L1	11	63
HPV33 E6	11	8	HPV33 L1	10	431
HPV33 E6	8	58	HPV33 L2	9	173
HPV33 E6	10	58	HPV33 L2	10	173
HPV33 E7	8	18	HPV33 L2	11	173
HPV33 E7	11	18	HPV33 L2	9	276
HPV33 E7	8	5	HPV33 L2	10	276
HPV33 E7	9	5	HPV33 L2	11	276
HPV33 E7	11	5	HPV33 L2	10	120
HPV33 E7	8	46	HPV33 L2	9	27
HPV33 E7	9	46	HPV33 L2	11	239
HPV33 E7	10	46	HPV33 L2	8	278
HPV33 E7	9	40	HPV33 L2	9	278
HPV33 E7	11	40	HPV33 L2	10	278
HPV33 E7	8	16	HPV33 L2	8	261
HPV33 E7	10	16	HPV33 L2	9	77
HPV33 L1	9	180	HPV33 L2	9	165

Table XI  
HLA-B7 Supermotif Peptides

HPV33 L2	11	165	HPV33 L2	11	338
HPV33 L2	8	428	HPV45 E1	10	552
HPV33 L2	11	428	HPV45 E1	8	562
HPV33 L2	8	415	HPV45 E1	10	562
HPV33 L2	10	415	HPV45 E1	11	562
HPV33 L2	8	456	HPV45 E1	9	179
HPV33 L2	10	456	HPV45 E1	8	504
HPV33 L2	11	456	HPV45 E1	9	504
HPV33 L2	8	407	HPV45 E1	10	504
HPV33 L2	9	407	HPV45 E1	11	504
HPV33 L2	8	98	HPV45 E1	9	301
HPV33 L2	10	98	HPV45 E1	10	301
HPV33 L2	11	98	HPV45 E1	11	301
HPV33 L2	8	170	HPV45 E1	10	585
HPV33 L2	8	216	HPV45 E1	11	585
HPV33 L2	10	216	HPV45 E1	9	470
HPV33 L2	9	32	HPV45 E1	10	470
HPV33 L2	10	32	HPV45 E1	9	627
HPV33 L2	11	394	HPV45 E1	9	249
HPV33 L2	10	83	HPV45 E1	11	545
HPV33 L2	8	196	HPV45 E1	8	237
HPV33 L2	9	123	HPV45 E1	11	237
HPV33 L2	9	160	HPV45 E1	11	592
HPV33 L2	10	160	HPV45 E1	9	553
HPV33 L2	11	171	HPV45 E1	8	302
HPV33 L2	8	28	HPV45 E1	9	302
HPV33 L2	8	78	HPV45 E1	10	302
HPV33 L2	11	78	HPV45 E1	11	302
HPV33 L2	8	90	HPV45 E1	9	433
HPV33 L2	11	90	HPV45 E1	9	97
HPV33 L2	9	86	HPV45 E1	9	110
HPV33 L2	11	346	HPV45 E1	8	329
HPV33 L2	11	289	HPV45 E1	10	329
HPV33 L2	9	89	HPV45 E1	11	329
HPV33 L2	8	220	HPV45 E1	8	460
HPV33 L2	9	220	HPV45 E1	9	460
HPV33 L2	8	274	HPV45 E1	10	460
HPV33 L2	9	274	HPV45 E1	8	293
HPV33 L2	11	274	HPV45 E1	8	569
HPV33 L2	9	425	HPV45 E1	10	569
HPV33 L2	10	425	HPV45 E1	11	569
HPV33 L2	11	425	HPV45 E2	9	355
HPV33 L2	9	419	HPV45 E2	11	355
HPV33 L2	10	419	HPV45 E2	8	240
HPV33 L2	8	245	HPV45 E2	10	66
HPV33 L2	10	329	HPV45 E2	10	5
HPV33 L2	10	412	HPV45 E2	10	238
HPV33 L2	11	412	HPV45 E2	11	65
HPV33 L2	9	185	HPV45 E6	9	6
HPV33 L2	10	138	HPV45 E6	8	14
HPV33 L2	9	214	HPV45 E6	9	113
HPV33 L2	10	214	HPV45 E6	8	10
HPV33 L2	10	375	HPV45 E7	8	22
HPV33 L2	11	375	HPV45 E7	11	22
HPV33 L2	11	125	HPV45 E7	9	16
HPV33 L2	9	402	HPV45 E7	11	16
HPV33 L2	10	72	HPV45 E7	8	56
HPV33 L2	11	72	HPV45 E7	10	56
HPV33 L2	9	422	HPV45 E7	9	3
HPV33 L2	8	338	HPV45 E7	10	3

Table XI  
HLA-B7 Supermotif Peptides

HPV45 E7	11	3	HPV45 L2	11	208
HPV45 L1	10	212	HPV45 L2	9	257
HPV45 L1	11	212	HPV45 L2	11	266
HPV45 L1	8	386	HPV45 L2	10	94
HPV45 L1	8	469	HPV45 L2	11	94
HPV45 L1	9	469	HPV45 L2	8	445
HPV45 L1	11	469	HPV45 L2	10	445
HPV45 L1	8	267	HPV45 L2	11	445
HPV45 L1	9	267	HPV45 L2	8	223
HPV45 L1	11	267	HPV45 L2	8	97
HPV45 L1	8	21	HPV45 L2	10	97
HPV45 L1	9	21	HPV45 L2	11	97
HPV45 L1	10	21	HPV45 L2	8	85
HPV45 L1	8	511	HPV45 L2	9	85
HPV45 L1	8	338	HPV45 L2	8	244
HPV45 L1	9	104	HPV45 L2	9	452
HPV45 L1	9	39	HPV45 L2	10	452
HPV45 L1	10	39	HPV45 L2	11	452
HPV45 L1	8	119	HPV45 L2	8	408
HPV45 L1	9	119	HPV45 L2	9	377
HPV45 L1	10	119	HPV45 L2	9	159
HPV45 L1	11	73	HPV45 L2	10	159
HPV45 L1	8	464	HPV45 L2	11	253
HPV45 L1	11	464	HPV45 L2	10	355
HPV45 L1	9	213	HPV45 L2	8	28
HPV45 L1	10	213	HPV45 L2	11	354
HPV45 L1	8	437	HPV45 L2	8	89
HPV45 L1	9	437	HPV45 L2	11	284
HPV45 L1	8	40	HPV45 L2	9	88
HPV45 L1	9	40	HPV45 L2	9	324
HPV45 L1	8	438	HPV45 L2	11	324
HPV45 L1	11	438	HPV45 L2	10	419
HPV45 L1	8	41	HPV45 L2	11	419
HPV45 L1	10	439	HPV45 L2	11	137
HPV45 L1	8	208	HPV45 L2	9	213
HPV45 L1	10	208	HPV45 L2	9	360
HPV45 L1	9	515	HPV45 L2	11	360
HPV45 L1	8	525	HPV45 L2	9	184
HPV45 L1	8	31	HPV45 L2	9	144
HPV45 L1	9	31	HPV45 L2	9	271
HPV45 L1	11	507	HPV45 L2	10	271
HPV45 L1	8	321	HPV45 L2	9	398
HPV45 L1	9	463	HPV45 L2	10	398
HPV45 L1	8	189	HPV45 L2	11	398
HPV45 L1	9	189	HPV45 L2	10	72
HPV45 L1	9	89	HPV45 L2	11	72
HPV45 L1	11	89	HPV45 L2	9	390
HPV45 L1	9	247	HPV45 L2	11	390
HPV45 L1	10	381	HPV45 L2	11	170
HPV45 L1	9	436	HPV45 L2	10	119
HPV45 L1	10	436	HPV45 L2	9	415
HPV45 L1	10	79	HPV45 L2	8	370
HPV45 L1	11	79	HPV56 E2	11	138
HPV45 L1	9	258	HPV56 E2	10	243
HPV45 L1	8	492	HPV56 E2	9	229
HPV45 L1	9	492	HPV56 E2	10	229
HPV45 L1	11	492	HPV56 E2	8	300
HPV45 L2	9	27	HPV56 E2	9	300
HPV45 L2	8	100	HPV56 E2	8	182
HPV45 L2	8	208	HPV56 E2	9	186

Table XI  
HLA-B7 Supermotif Peptides

HPV56 E2	9	151	HPV56 L1	11	465
HPV56 E2	9	2	HPV56 L1	8	40
HPV56 E2	11	2	HPV56 L1	9	40
HPV56 E6	8	61	HPV56 L1	8	440
HPV56 E6	10	61	HPV56 L1	8	196
HPV56 E6	11	61	HPV56 L1	8	227
HPV56 E6	8	24	HPV56 L1	9	227
HPV56 E6	11	24	HPV56 L1	11	328
HPV56 E6	9	7	HPV56 L1	8	51
HPV56 E6	8	11	HPV56 L1	9	265
HPV56 E6	11	11	HPV56 L1	11	265
HPV56 E6	10	111	HPV56 L2	9	271
HPV56 E7	8	46	HPV56 L2	10	271
HPV56 E7	8	16	HPV56 L2	11	271
HPV56 E7	8	63	HPV56 L2	9	358
HPV56 E7	9	63	HPV56 L2	10	358
HPV56 E7	10	63	HPV56 L2	11	391
HPV56 E7	8	5	HPV56 L2	11	170
HPV56 E7	9	5	HPV56 L2	8	223
HPV56 E7	11	5	HPV56 L2	9	223
HPV56 L1	9	521	HPV56 L2	9	27
HPV56 L1	11	219	HPV56 L2	9	238
HPV56 L1	8	472	HPV56 L2	11	238
HPV56 L1	9	472	HPV56 L2	8	273
HPV56 L1	11	472	HPV56 L2	9	273
HPV56 L1	8	11	HPV56 L2	10	273
HPV56 L1	10	11	HPV56 L2	8	100
HPV56 L1	11	11	HPV56 L2	8	208
HPV56 L1	8	318	HPV56 L2	11	208
HPV56 L1	9	318	HPV56 L2	8	412
HPV56 L1	10	318	HPV56 L2	8	97
HPV56 L1	8	30	HPV56 L2	10	97
HPV56 L1	10	30	HPV56 L2	11	97
HPV56 L1	8	495	HPV56 L2	8	215
HPV56 L1	9	495	HPV56 L2	9	215
HPV56 L1	11	495	HPV56 L2	8	195
HPV56 L1	9	96	HPV56 L2	10	119
HPV56 L1	11	96	HPV56 L2	10	453
HPV56 L1	8	343	HPV56 L2	11	453
HPV56 L1	9	111	HPV56 L2	8	376
HPV56 L1	9	48	HPV56 L2	8	373
HPV56 L1	10	48	HPV56 L2	10	373
HPV56 L1	11	48	HPV56 L2	11	373
HPV56 L1	8	126	HPV56 L2	8	409
HPV56 L1	9	126	HPV56 L2	10	409
HPV56 L1	10	126	HPV56 L2	11	409
HPV56 L1	10	220	HPV56 L2	11	253
HPV56 L1	9	12	HPV56 L2	9	159
HPV56 L1	10	12	HPV56 L2	10	159
HPV56 L1	11	12	HPV56 L2	8	89
HPV56 L1	8	319	HPV56 L2	10	335
HPV56 L1	9	319	HPV56 L2	11	284
HPV56 L1	8	320	HPV56 L2	8	244
HPV56 L1	9	466	HPV56 L2	9	88
HPV56 L1	10	466	HPV56 L2	8	77
HPV56 L1	8	49	HPV56 L2	11	77
HPV56 L1	9	49	HPV56 L2	9	324
HPV56 L1	10	49	HPV56 L2	11	324
HPV56 L1	11	441	HPV56 L2	11	266
HPV56 L1	10	465	HPV56 L2	9	422

Table XI  
HLA-B7 Supermotif Peptides

HPV56 L2	10	422
HPV56 L2	11	422
HPV56 L2	8	85
HPV56 L2	9	85
HPV56 L2	9	399
HPV56 L2	10	399
HPV56 L2	11	399
HPV56 L2	9	213
HPV56 L2	10	213
HPV56 L2	11	213
HPV56 L2	8	368
HPV56 L2	9	184
HPV56 L2	9	144
HPV56 L2	10	72
HPV56 L2	11	72
HPV56 L2	8	419
HPV56 L2	9	416
HPV56 L2	11	416

Table XI A. HPV 6A  
HLA-B7 Supermotif Peptides

2	3	4			
L2	9	271	E1	9	478
L2	10	271	E1	10	478
L2	8	118	L2	8	206
E1	10	337	E2	10	257
E1	11	337	E2	11	257
E2	8	326	L2	10	425
E2	10	326	L2	11	425
L2	10	410	L1	10	117
L1	8	158	L2	8	188
E4	11	39	L2	11	188
L2	8	217	L2	11	336
L2	9	217	L2	10	362
L2	8	98	L2	11	362
L2	10	98	L1	9	46
L2	11	98	E1	8	301
L2	9	182	E2	10	208
E1	10	181	E1	9	455
E5	9	77	E1	10	455
E5	10	77	E1	11	455
E5	11	77	L2	9	32
L2	9	27	L2	10	32
L1	10	181	L2	8	193
L1	11	181	L2	8	450
E1	10	560	L2	9	450
L2	11	236	L2	10	450
L2	8	101	E2	9	352
L1	8	89	E2	11	352
L1	9	89	L1	8	432
L1	10	89	L1	10	432
E7	8	19	L1	11	432
E7	11	19	E6	9	109
L1	8	236	L2	9	79
L1	9	236	L2	10	79
L1	10	236	L1	8	305
L1	11	236	L1	8	74
L1	8	434	L1	9	74
L1	9	434	L2	8	422
L1	11	434	E5	8	18
L2	11	354	E5	9	18
E1	9	257	E5	11	18
E1	11	257	E1	11	591
E1	9	309	L1	8	134
E1	10	309	L1	10	134
E1	11	309	E1	11	544
L2	11	162	L1	8	390
L2	10	95	L1	10	390
L2	11	95	L2	10	358
L1	8	265	L2	9	157
L1	9	265	L1	8	15
E2	10	90	L1	11	15
E1	9	593	L2	9	251
E1	10	593	L2	11	251
E1	11	593	L2	9	123
L2	10	407	E7	10	17
L2	9	402	E1	8	479
L2	11	402	E1	9	479
L2	8	85	E1	11	479
L2	9	85	L2	8	28
L2	10	85	E4	8	28
			E1	8	310

Table XI A. HPV 6A  
HLA-B7 Supermotif Peptides

E1	9	310	E1	10	93
E1	10	310	E2	9	323
E1	11	310	E2	10	323
L1	9	182	E2	11	323
L1	10	182	L1	8	402
E2	8	60	E1	9	107
E1	9	561	L2	11	417
E1	11	561	E1	10	89
L1	10	404	E1	11	89
L1	8	13	L2	9	138
L1	9	13	E2	9	215
L1	10	13	E4	8	62
E4	8	32	E4	11	62
L1	11	403	L1	10	427
L1	9	12	L2	8	414
L1	10	12	L2	9	414
L1	11	12	E1	8	468
E2	9	235	E1	9	468
E2	8	353	E1	10	468
E2	10	353	E5	8	63
E2	11	353	E5	10	63
L2	9	170	E5	11	63
L2	10	170	L2	9	375
L2	11	170	E4	9	27
L2	8	90	E2	10	234
L2	9	90	L2	8	242
E1	10	527	L1	11	290
E1	11	527	L1	11	174
E1	9	118	E2	11	221
E1	10	118	L2	10	213
E7	9	46	E1	9	641
E7	10	46	L1	9	59
E1	8	512	L1	11	59
E1	9	512	L2	11	72
E1	10	512	L2	10	388
E1	11	512	L2	11	388
E7	8	16	L2	8	122
E7	11	16	L2	10	122
L2	10	169	E2	9	59
L2	11	169	L1	10	11
L2	8	167	L1	11	11
L2	8	381	E4	9	66
L2	10	381	L1	8	227
L2	10	284	L1	9	227
L2	11	284	L1	8	457
L1	9	481	L1	9	457
L1	10	481	E6	10	59
E1	11	225	SF 1168107 v1		
E4	9	31			
L2	9	89			
L2	10	89			
L2	10	219			
L2	11	219			
L1	8	3			
L1	9	3			
E2	8	246			
E2	9	246			
E2	11	246			
L2	10	324			
E1	9	93			

Table XI B. HPV 6B  
HLA-B7 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	271	L2	9	401
L2	10	271	L2	11	401
L2	8	118	L2	8	85
E1	10	337	L2	9	85
E1	11	337	L2	10	85
E2	8	326	E1	9	478
E2	10	326	E1	10	478
L2	10	409	L2	8	206
E4	8	3	E2	10	257
E4	9	3	E2	11	257
E4	10	3	L2	10	425
E4	11	3	L2	11	425
L1	8	158	L1	10	117
E4	11	49	L2	8	188
L2	8	217	L2	11	188
L2	9	217	L2	11	336
L2	8	98	L2	10	362
L2	10	98	L2	11	362
L2	11	98	L1	9	46
E1	10	181	E1	8	301
L2	9	182	E2	10	208
E5A	8	77	E1	9	455
E5A	9	77	E1	10	455
E5A	10	77	E1	11	455
E5A	11	77	L2	9	32
L2	9	27	L2	10	32
L1	10	181	L2	8	193
L1	11	181	L2	8	450
E1	10	560	L2	9	450
L2	11	236	L2	10	450
L2	8	101	E2	9	352
L1	8	89	E2	11	352
L1	9	89	L1	8	432
L1	10	89	L1	10	432
E7	8	19	L1	11	432
E7	11	19	E6	9	109
L1	8	236	L2	9	79
L1	9	236	L2	10	79
L1	10	236	L1	8	305
L1	11	236	L1	8	74
L1	8	434	L1	9	74
L1	9	434	L2	8	422
L1	11	434	E5A	8	18
L2	11	354	E5A	9	18
E1	9	257	E5A	11	18
E1	11	257	E1	11	591
E1	9	309	L1	8	134
E1	10	309	L1	10	134
E1	11	309	E1	11	544
L2	11	162	L1	8	390
L2	10	95	L1	10	390
L2	11	95	L2	10	358
L1	8	265	L2	9	157
L1	9	265	L1	8	15
E2	10	90	L1	11	15
E1	9	593	L2	9	251
E1	10	593	L2	11	251
E1	11	593	L2	9	123
L2	10	406	E7	10	17
			E1	8	479

Table XI B. HPV 6B  
HLA-B7 Supermotif Peptides

E1	9	479	E2	8	246
E1	11	479	E2	9	246
L2	8	28	E2	11	246
E4	8	38	L2	10	324
E1	8	310	E1	9	93
E1	9	310	E1	10	93
E1	10	310	E4	8	68
E1	11	310	E4	9	68
L1	9	182	L1	8	402
L1	10	182	E1	9	107
E2	8	60	E1	10	89
E1	9	561	E1	11	89
E1	11	561	L2	9	138
L1	10	404	L2	9	419
L1	8	13	L2	10	419
L1	9	13	L2	11	419
L1	10	13	E2	8	215
E4	8	42	E2	9	215
L1	11	403	E4	8	72
L1	9	12	E4	11	72
L1	10	12	L1	10	427
L1	11	12	L2	9	413
E2	9	235	L2	10	413
E2	8	353	E1	8	468
E2	10	353	E1	9	468
E2	11	353	E1	10	468
L2	9	170	E5A	8	63
L2	10	170	E5A	10	63
L2	11	170	E5A	11	63
L2	8	90	L2	9	375
L2	9	90	E4	9	37
E1	10	527	E2	10	234
E1	11	527	L2	8	242
E1	9	118	L1	11	290
E1	10	118	L1	11	174
E7	9	46	L2	10	213
E7	10	46	E1	9	641
E1	8	512	L1	9	59
E1	9	512	L1	11	59
E1	10	512	L2	11	72
E1	11	512	L2	9	388
E7	8	16	L2	10	388
E7	11	16	L2	11	388
L2	10	169	L2	8	122
L2	11	169	L2	10	122
L2	8	167	E2	9	59
L2	8	381	L1	10	11
L2	10	381	L1	11	11
L2	10	284	E4	9	76
L2	11	284	L1	8	227
L1	9	481	L1	9	227
L1	10	481	L1	8	457
E1	11	225	L1	9	457
E4	9	41	E6	10	59
L2	9	89			
L2	10	89			
L2	10	219			
L2	11	219			
L1	8	3			
L1	9	3			

Table XI C. HPV11  
HLA-B7 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	270	L2	10	84
L2	10	270	L2	9	397
E1	10	337	L2	11	397
E1	11	337	E1	10	478
E2	8	325	E2	8	243
E2	10	325	E2	10	243
L1	8	159	E2	11	243
E4	11	50	L2	8	205
L2	8	97	L2	11	205
L2	10	97	L2	10	421
L2	11	97	L2	11	421
L2	9	181	L1	10	117
E4	9	47	L2	11	335
L2	9	26	L1	9	46
L1	10	182	L2	9	355
L1	11	182	E1	8	301
E1	10	560	E1	9	455
L2	11	235	E1	10	455
L2	11	353	E1	11	455
L2	8	100	L2	9	31
L1	8	89	L2	10	31
L1	9	89	L2	8	192
L1	10	89	L2	8	446
E7	8	19	L2	9	446
E7	11	19	L2	10	446
L2	11	357	L2	10	71
L1	8	237	L2	11	71
L1	9	237	E2	9	351
L1	10	237	E2	11	351
L1	11	237	L2	9	78
L1	8	435	L2	10	78
L1	9	435	E6	9	109
L1	11	435	L2	10	2
L2	10	350	L1	8	306
E1	9	257	L1	8	74
E1	11	257	L1	9	74
E1	9	309	L2	10	212
E1	11	309	L2	8	418
L2	11	161	E5	8	18
E2	8	210	E5	9	18
L2	10	94	E5	11	18
L2	11	94	E1	11	591
L1	8	266	L1	8	135
L1	9	266	L1	10	135
E2	10	90	L2	9	156
E5	8	77	L2	10	156
E5	9	77	E1	11	544
E5	10	77	L1	8	391
E5	11	77	L1	10	391
E6	10	59	L1	8	15
E1	9	593	L1	11	15
E1	10	593	L2	9	250
E1	11	593	L2	11	250
L1	8	458	E4	8	48
L1	9	458	E7	10	17
L2	8	216	E1	9	479
L2	9	216	E1	11	479
L2	10	402	L2	8	27
L2	8	84	E4	8	38
L2	9	84	E1	8	310
			E1	10	310

Table XI C. HPV11  
HLA-B7 Supermotif Peptides

E1	11	310	L2	10	323
L1	9	183	E1	10	89
L1	10	183	E1	11	89
E1	9	561	L2	9	137
E1	11	561	L2	9	415
E4	8	43	L2	10	415
L1	10	405	L2	11	415
L1	8	13	E2	10	215
L1	9	13	E4	11	71
L1	10	13	L1	10	428
E4	9	42	L2	9	409
L1	11	404	L2	10	409
L1	9	12	E1	8	468
L1	10	12	E1	9	468
L1	11	12	E1	10	468
E2	8	352	E5	8	63
E2	10	352	E5	10	63
E2	11	352	L2	9	371
L2	9	122	E4	9	37
L2	9	169	L2	8	241
L2	10	169	L1	11	291
L2	11	169	E1	9	641
L2	8	89	E4	8	3
L2	9	89	E4	9	3
E1	10	527	E4	10	3
E1	11	527	E4	11	3
E1	9	118	L1	9	59
E1	10	118	L1	11	59
E1	8	512	L1	9	217
E1	9	512	L2	9	384
E1	10	512	L2	10	384
E1	11	512	L2	11	384
E7	9	46	L1	10	11
E7	10	46	L1	11	11
E7	8	16	L2	8	121
E7	11	16	L2	10	121
L2	10	168	E5	8	4
L2	11	168	E4	9	75
L2	8	166	L1	8	228
L2	10	283	L1	9	228
L2	11	283			
L1	10	482			
E1	11	225			
E4	8	67			
E4	9	67			
E4	10	41			
L2	9	88			
L2	10	88			
L2	10	218			
L2	11	218			
L1	8	3			
L1	9	3			
E2	9	195			
E2	9	322			
E2	10	322			
E2	11	322			
E1	9	93			
E1	10	93			
L2	11	76			
L1	8	403			
E1	9	107			

Table XII  
HLA-B27 Supermotif Peptides

1	2	3	4				
HPV16 E1	10	67		HPV16 E1	8	446	
HPV16 E1	9	203		HPV16 E1	9	446	
HPV16 E1	9	209		HPV16 E1	11	446	
HPV16 E1	11	209		HPV16 E1	8	491	
HPV16 E1	9	516		HPV16 E1	9	491	
HPV16 E1	11	516		HPV16 E1	11	491	
HPV16 E1	8	399		HPV16 E1	8	229	
HPV16 E1	10	399		HPV16 E1	10	229	
HPV16 E1	8	76		HPV16 E1	11	229	
HPV16 E1	10	76		HPV16 E1	8	286	
HPV16 E1	11	76		HPV16 E1	9	286	
HPV16 E1	9	627		HPV16 E1	8	581	
HPV16 E1	8	606		HPV16 E1	8	468	
HPV16 E1	9	431		HPV16 E1	9	468	
HPV16 E1	10	416		HPV16 E1	11	468	
HPV16 E1	11	416		HPV16 E1	8	310	
HPV16 E1	8	26		HPV16 E1	9	310	
HPV16 E1	8	291		HPV16 E1	10	310	
HPV16 E1	10	291		HPV16 E1	11	310	
HPV16 E1	11	116		HPV16 E1	8	108	
HPV16 E1	10	182		HPV16 E1	8	78	
HPV16 E1	9	211		HPV16 E1	9	78	
HPV16 E1	11	226		HPV16 E1	9	347	
HPV16 E1	10	284		HPV16 E1	11	347	
HPV16 E1	11	284		HPV16 E1	10	341	
HPV16 E1	9	482		HPV16 E1	11	150	
HPV16 E1	10	482		HPV16 E1	9	183	
HPV16 E1	8	79		HPV16 E1	11	410	
HPV16 E1	8	251		HPV16 E1	8	88	
HPV16 E1	10	251		HPV16 E1	11	88	
HPV16 E1	11	251		HPV16 E1	11	124	
HPV16 E1	8	426		HPV16 E1	8	506	
HPV16 E1	8	550		HPV16 E1	9	506	
HPV16 E1	8	469		HPV16 E1	11	506	
HPV16 E1	10	469		HPV16 E1	9	295	
HPV16 E1	11	469		HPV16 E1	11	295	
HPV16 E1	9	417		HPV16 E1	10	504	
HPV16 E1	10	417		HPV16 E1	11	504	
HPV16 E1	8	413		HPV16 E1	8	119	
HPV16 E1	10	413		HPV16 E1	9	119	
HPV16 E1	9	87		HPV16 E1	9	614	
HPV16 E1	10	262		HPV16 E1	10	574	
HPV16 E1	8	579		HPV16 E1	11	574	
HPV16 E1	10	579		HPV16 E1	11	402	
HPV16 E1	8	557		HPV16 E1	9	549	
HPV16 E1	8	460		HPV16 E1	8	439	
HPV16 E1	10	86		HPV16 E1	10	439	
HPV16 E1	9	393		HPV16 E1	9	609	
HPV16 E1	10	393		HPV16 E1	10	281	
HPV16 E1	8	198		HPV16 E1	9	412	
HPV16 E1	9	198		HPV16 E1	11	412	
HPV16 E1	10	198		HPV16 E1	8	322	
HPV16 E1	11	198		HPV16 E1	11	322	
HPV16 E1	9	536		HPV16 E2	9	46	
HPV16 E1	10	536		HPV16 E2	9	28	
HPV16 E1	8	312		HPV16 E2	11	28	
HPV16 E1	9	312		HPV16 E2	8	90	
HPV16 E1	10	312		HPV16 E2	10	90	
HPV16 E1	11	312		HPV16 E2	8	176	
				HPV16 E2	9	176	

Table XII  
HLA-B27 Supermotif Peptides

HPV16 E2	11	176	HPV16 E2	8	213
HPV16 E2	8	171	HPV16 E2	9	213
HPV16 E2	8	51	HPV16 E2	9	342
HPV16 E2	9	51	HPV16 E2	11	342
HPV16 E2	8	305	HPV16 E2	10	6
HPV16 E2	10	305	HPV16 E2	11	6
HPV16 E2	11	305	HPV16 E2	8	65
HPV16 E2	9	323	HPV16 E2	9	65
HPV16 E2	10	323	HPV16 E2	11	65
HPV16 E2	11	323	HPV16 E2	8	179
HPV16 E2	8	328	HPV16 E2	10	179
HPV16 E2	10	328	HPV16 E2	9	135
HPV16 E2	8	258	HPV16 E2	11	135
HPV16 E2	10	258	HPV16 E2	8	222
HPV16 E2	11	258	HPV16 E2	10	17
HPV16 E2	8	110	HPV16 E2	9	254
HPV16 E2	10	110	HPV16 E2	8	186
HPV16 E2	10	211	HPV16 E2	9	186
HPV16 E2	11	211	HPV16 E2	8	160
HPV16 E2	8	164	HPV16 E2	9	160
HPV16 E2	8	307	HPV16 E2	10	160
HPV16 E2	9	307	HPV16 E2	10	289
HPV16 E2	8	112	HPV16 E2	8	326
HPV16 E2	10	112	HPV16 E2	10	326
HPV16 E2	8	52	HPV16 E2	9	350
HPV16 E2	11	52	HPV16 E2	8	319
HPV16 E2	9	327	HPV16 E2	9	33
HPV16 E2	11	327	HPV16 E2	10	33
HPV16 E2	8	34	HPV16 E2	11	33
HPV16 E2	9	34	HPV16 E2	8	44
HPV16 E2	10	34	HPV16 E2	11	44
HPV16 E2	11	34	HPV16 E2	9	303
HPV16 E2	9	306	HPV16 E2	10	303
HPV16 E2	10	306	HPV16 E5	8	57
HPV16 E2	9	111	HPV16 E5	9	57
HPV16 E2	11	111	HPV16 E5	10	57
HPV16 E2	9	257	HPV16 E5	11	57
HPV16 E2	11	257	HPV16 E5	8	74
HPV16 E2	8	298	HPV16 E5	9	74
HPV16 E2	8	291	HPV16 E5	8	29
HPV16 E2	11	291	HPV16 E5	11	29
HPV16 E2	8	26	HPV16 E6	10	40
HPV16 E2	11	26	HPV16 E6	11	40
HPV16 E2	11	301	HPV16 E6	10	71
HPV16 E2	9	129	HPV16 E6	9	127
HPV16 E2	10	129	HPV16 E6	9	14
HPV16 E2	11	129	HPV16 E6	8	132
HPV16 E2	8	36	HPV16 E6	8	54
HPV16 E2	9	36	HPV16 E6	8	137
HPV16 E2	11	36	HPV16 E6	9	30
HPV16 E2	10	217	HPV16 E6	10	30
HPV16 E2	11	217	HPV16 E6	10	108
HPV16 E2	8	55	HPV16 E6	10	135
HPV16 E2	9	55	HPV16 E6	8	128
HPV16 E2	10	55	HPV16 E6	10	74
HPV16 E2	9	67	HPV16 E6	8	45
HPV16 E2	11	67	HPV16 E6	9	45
HPV16 E2	8	181	HPV16 E6	10	45
HPV16 E2	10	353	HPV16 E6	8	1
HPV16 E2	11	353	HPV16 E6	9	1

Table XII  
HLA-B27 Supermotif Peptides

HPV16 E6	8	100	HPV16 L1	8	79
HPV16 E6	9	100	HPV16 L1	9	79
HPV16 E6	11	16	HPV16 L1	10	79
HPV16 E6	10	130	HPV16 L1	8	468
HPV16 E6	10	123	HPV16 L1	10	468
HPV16 E6	9	124	HPV16 L1	9	500
HPV16 E6	8	84	HPV16 L1	9	477
HPV16 E6	10	17	HPV16 L1	9	467
HPV16 E6	8	46	HPV16 L1	11	467
HPV16 E6	9	46	HPV16 L1	9	390
HPV16 E6	9	78	HPV16 L1	11	390
HPV16 E6	11	78	HPV16 L1	8	276
HPV16 E6	9	150	HPV16 L1	11	276
HPV16 E6	8	61	HPV16 L1	10	107
HPV16 E6	9	61	HPV16 L1	11	107
HPV16 E6	8	83	HPV16 L1	8	84
HPV16 E6	9	83	HPV16 L1	11	84
HPV16 E7	8	50	HPV16 L1	9	150
HPV16 E7	9	59	HPV16 L1	11	150
HPV16 E7	11	59	HPV16 L1	9	334
HPV16 E7	8	48	HPV16 L1	9	242
HPV16 E7	10	48	HPV16 L1	10	288
HPV16 E7	8	76	HPV16 L1	9	169
HPV16 E7	9	76	HPV16 L1	9	462
HPV16 E7	8	8	HPV16 L1	11	462
HPV16 E7	10	65	HPV16 L1	10	504
HPV16 E7	8	1	HPV16 L1	8	89
HPV16 E7	11	1	HPV16 L1	10	89
HPV16 E7	8	72	HPV16 L1	11	89
HPV16 E7	11	72	HPV16 L1	10	340
HPV16 L1	8	524	HPV16 L1	8	122
HPV16 L1	9	55	HPV16 L1	10	122
HPV16 L1	9	405	HPV16 L1	8	391
HPV16 L1	10	405	HPV16 L1	10	391
HPV16 L1	9	187	HPV16 L1	11	391
HPV16 L1	9	255	HPV16 L1	9	284
HPV16 L1	10	255	HPV16 L1	10	284
HPV16 L1	10	479	HPV16 L1	9	492
HPV16 L1	11	386	HPV16 L1	11	492
HPV16 L1	11	99	HPV16 L1	10	277
HPV16 L1	8	344	HPV16 L1	11	277
HPV16 L1	8	145	HPV16 L1	9	45
HPV16 L1	9	196	HPV16 L1	10	45
HPV16 L1	10	196	HPV16 L1	11	45
HPV16 L1	11	196	HPV16 L1	10	66
HPV16 L1	8	134	HPV16 L1	11	66
HPV16 L1	10	134	HPV16 L1	8	363
HPV16 L1	8	491	HPV16 L1	10	363
HPV16 L1	10	491	HPV16 L1	11	363
HPV16 L1	9	101	HPV16 L1	8	283
HPV16 L1	11	101	HPV16 L1	10	283
HPV16 L1	8	417	HPV16 L1	11	283
HPV16 L1	9	417	HPV16 L1	8	61
HPV16 L1	8	303	HPV16 L1	9	61
HPV16 L1	10	303	HPV16 L1	10	61
HPV16 L1	11	303	HPV16 L1	11	61
HPV16 L1	9	78	HPV16 L1	9	21
HPV16 L1	10	78	HPV16 L1	10	21
HPV16 L1	11	78	HPV16 L1	11	21
HPV16 L1	8	261	HPV16 L1	9	381

Table XII  
HLA-B27 Supermotif Peptides

HPV16 L1	10	381	HPV16 L2	11	314
HPV16 L1	8	177	HPV16 L2	10	324
HPV16 L1	9	177	HPV16 L2	8	235
HPV16 L1	8	444	HPV16 L2	9	235
HPV16 L1	9	444	HPV16 L2	10	89
HPV16 L1	10	444	HPV18 E1	10	269
HPV16 L1	8	96	HPV18 E1	8	578
HPV16 L2	9	7	HPV18 E1	9	578
HPV16 L2	9	322	HPV18 E1	8	298
HPV16 L2	11	22	HPV18 E1	10	298
HPV16 L2	10	179	HPV18 E1	8	125
HPV16 L2	8	317	HPV18 E1	8	406
HPV16 L2	10	317	HPV18 E1	10	406
HPV16 L2	11	317	HPV18 E1	8	276
HPV16 L2	8	38	HPV18 E1	9	276
HPV16 L2	9	38	HPV18 E1	10	276
HPV16 L2	11	38	HPV18 E1	11	276
HPV16 L2	8	68	HPV18 E1	8	25
HPV16 L2	11	3	HPV18 E1	8	602
HPV16 L2	8	11	HPV18 E1	10	602
HPV16 L2	9	11	HPV18 E1	8	613
HPV16 L2	10	460	HPV18 E1	8	236
HPV16 L2	8	457	HPV18 E1	9	236
HPV16 L2	9	457	HPV18 E1	11	236
HPV16 L2	10	457	HPV18 E1	8	555
HPV16 L2	10	4	HPV18 E1	10	555
HPV16 L2	8	8	HPV18 E1	9	101
HPV16 L2	11	8	HPV18 E1	9	621
HPV16 L2	8	448	HPV18 E1	10	70
HPV16 L2	8	455	HPV18 E1	9	218
HPV16 L2	10	455	HPV18 E1	11	233
HPV16 L2	11	455	HPV18 E1	8	258
HPV16 L2	9	312	HPV18 E1	9	258
HPV16 L2	11	312	HPV18 E1	10	258
HPV16 L2	8	34	HPV18 E1	11	258
HPV16 L2	9	34	HPV18 E1	8	291
HPV16 L2	8	459	HPV18 E1	11	291
HPV16 L2	11	459	HPV18 E1	9	489
HPV16 L2	9	456	HPV18 E1	10	489
HPV16 L2	10	456	HPV18 E1	8	498
HPV16 L2	11	456	HPV18 E1	9	498
HPV16 L2	8	458	HPV18 E1	11	498
HPV16 L2	9	458	HPV18 E1	9	575
HPV16 L2	10	297	HPV18 E1	11	575
HPV16 L2	9	353	HPV18 E1	8	433
HPV16 L2	9	304	HPV18 E1	8	557
HPV16 L2	9	219	HPV18 E1	11	417
HPV16 L2	10	219	HPV18 E1	8	123
HPV16 L2	8	296	HPV18 E1	10	123
HPV16 L2	11	296	HPV18 E1	11	476
HPV16 L2	9	229	HPV18 E1	9	424
HPV16 L2	10	229	HPV18 E1	10	424
HPV16 L2	9	190	HPV18 E1	8	629
HPV16 L2	10	247	HPV18 E1	8	82
HPV16 L2	11	247	HPV18 E1	9	82
HPV16 L2	9	10	HPV18 E1	8	305
HPV16 L2	10	10	HPV18 E1	9	305
HPV16 L2	10	77	HPV18 E1	10	305
HPV16 L2	11	77	HPV18 E1	8	564
HPV16 L2	9	314	HPV18 E1	11	409

Table XII  
HLA-B27 Supermotif Peptides

HPV18 E1	10	471	HPV18 E2	11	73
HPV18 E1	11	471	HPV18 E2	9	237
HPV18 E1	9	400	HPV18 E2	10	237
HPV18 E1	10	400	HPV18 E2	9	50
HPV18 E1	9	205	HPV18 E2	10	21
HPV18 E1	10	205	HPV18 E2	10	311
HPV18 E1	11	205	HPV18 E2	8	295
HPV18 E1	10	648	HPV18 E2	10	295
HPV18 E1	8	319	HPV18 E2	11	52
HPV18 E1	9	319	HPV18 E2	8	256
HPV18 E1	10	319	HPV18 E2	11	256
HPV18 E1	11	319	HPV18 E2	8	328
HPV18 E1	10	286	HPV18 E2	10	328
HPV18 E1	8	453	HPV18 E2	9	181
HPV18 E1	9	453	HPV18 E2	11	181
HPV18 E1	11	453	HPV18 E2	10	10
HPV18 E1	10	543	HPV18 E2	11	10
HPV18 E1	8	209	HPV18 E2	8	114
HPV18 E1	9	209	HPV18 E2	10	114
HPV18 E1	10	209	HPV18 E2	11	114
HPV18 E1	10	581	HPV18 E2	8	176
HPV18 E1	8	475	HPV18 E2	8	74
HPV18 E1	8	317	HPV18 E2	9	74
HPV18 E1	9	317	HPV18 E2	10	74
HPV18 E1	10	317	HPV18 E2	11	159
HPV18 E1	11	317	HPV18 E2	10	290
HPV18 E1	8	111	HPV18 E2	8	40
HPV18 E1	9	354	HPV18 E2	9	40
HPV18 E1	11	354	HPV18 E2	10	40
HPV18 E1	8	122	HPV18 E2	11	40
HPV18 E1	9	122	HPV18 E2	9	308
HPV18 E1	11	122	HPV18 E2	9	115
HPV18 E1	10	423	HPV18 E2	10	115
HPV18 E1	11	423	HPV18 E2	11	115
HPV18 E1	10	348	HPV18 E2	8	299
HPV18 E1	9	556	HPV18 E2	8	292
HPV18 E1	8	420	HPV18 E2	11	292
HPV18 E1	10	420	HPV18 E2	8	306
HPV18 E1	11	127	HPV18 E2	11	306
HPV18 E1	8	513	HPV18 E2	8	59
HPV18 E1	9	438	HPV18 E2	10	59
HPV18 E1	8	588	HPV18 E2	8	128
HPV18 E1	11	588	HPV18 E2	9	128
HPV18 E1	9	293	HPV18 E2	10	128
HPV18 E1	9	523	HPV18 E2	11	128
HPV18 E1	8	75	HPV18 E2	9	4
HPV18 E1	10	75	HPV18 E2	9	258
HPV18 E1	11	75	HPV18 E2	10	258
HPV18 E1	9	616	HPV18 E2	11	222
HPV18 E1	8	446	HPV18 E2	9	342
HPV18 E1	10	446	HPV18 E2	10	342
HPV18 E1	8	288	HPV18 E2	11	342
HPV18 E1	10	288	HPV18 E2	10	307
HPV18 E1	11	288	HPV18 E2	11	279
HPV18 E1	9	419	HPV18 E2	8	158
HPV18 E1	11	419	HPV18 E2	9	71
HPV18 E1	8	329	HPV18 E2	11	71
HPV18 E1	11	329	HPV18 E2	8	27
HPV18 E2	9	73	HPV18 E2	10	27
HPV18 E2	10	73	HPV18 E2	11	27

Table XII  
HLA-B27 Supermotif Peptides

HPV18 E2	8	69	HPV18 E6	9	56
HPV18 E2	9	69	HPV18 E7	11	70
HPV18 E2	11	69	HPV18 E7	11	51
HPV18 E2	8	89	HPV18 E7	9	66
HPV18 E2	10	89	HPV18 E7	10	66
HPV18 E2	11	111	HPV18 E7	11	66
HPV18 E2	8	344	HPV18 E7	9	72
HPV18 E2	9	344	HPV18 E7	9	13
HPV18 E2	8	247	HPV18 E7	11	13
HPV18 E2	9	247	HPV18 E7	8	83
HPV18 E2	8	191	HPV18 E7	9	83
HPV18 E2	8	165	HPV18 E7	8	1
HPV18 E2	9	165	HPV18 E7	11	1
HPV18 E2	10	165	HPV18 E7	10	45
HPV18 E2	11	218	HPV18 E7	8	4
HPV18 E2	10	337	HPV18 E7	9	4
HPV18 E2	11	337	HPV18 E7	10	4
HPV18 E2	8	91	HPV18 E7	8	47
HPV18 E2	8	313	HPV18 E7	8	57
HPV18 E2	10	313	HPV18 E7	10	52
HPV18 E2	10	304	HPV18 E7	11	52
HPV18 E5	9	18	HPV18 L1	11	231
HPV18 E5	11	18	HPV18 L1	8	559
HPV18 E5	9	64	HPV18 L1	8	318
HPV18 E6	11	2	HPV18 L1	11	318
HPV18 E6	8	65	HPV18 L1	9	80
HPV18 E6	11	65	HPV18 L1	10	80
HPV18 E6	8	138	HPV18 L1	9	290
HPV18 E6	10	35	HPV18 L1	11	290
HPV18 E6	11	35	HPV18 L1	8	504
HPV18 E6	8	91	HPV18 L1	10	504
HPV18 E6	9	91	HPV18 L1	8	228
HPV18 E6	11	91	HPV18 L1	10	515
HPV18 E6	8	123	HPV18 L1	8	422
HPV18 E6	9	123	HPV18 L1	11	422
HPV18 E6	11	148	HPV18 L1	11	134
HPV18 E6	8	127	HPV18 L1	8	379
HPV18 E6	8	49	HPV18 L1	8	180
HPV18 E6	10	66	HPV18 L1	8	43
HPV18 E6	10	103	HPV18 L1	11	43
HPV18 E6	11	75	HPV18 L1	8	169
HPV18 E6	8	124	HPV18 L1	10	169
HPV18 E6	11	124	HPV18 L1	8	527
HPV18 E6	10	106	HPV18 L1	10	527
HPV18 E6	10	118	HPV18 L1	10	375
HPV18 E6	8	78	HPV18 L1	8	453
HPV18 E6	9	78	HPV18 L1	9	453
HPV18 E6	8	143	HPV18 L1	8	338
HPV18 E6	9	61	HPV18 L1	11	374
HPV18 E6	11	61	HPV18 L1	8	29
HPV18 E6	10	109	HPV18 L1	9	29
HPV18 E6	8	151	HPV18 L1	11	29
HPV18 E6	9	119	HPV18 L1	8	10
HPV18 E6	8	79	HPV18 L1	9	10
HPV18 E6	10	125	HPV18 L1	9	513
HPV18 E6	9	9	HPV18 L1	8	506
HPV18 E6	9	73	HPV18 L1	11	251
HPV18 E6	10	8	HPV18 L1	9	50
HPV18 E6	10	12	HPV18 L1	10	50
HPV18 E6	8	56	HPV18 L1	11	50

Table XII  
HLA-B27 Supermotif Peptides

HPV18 L1	8	311	HPV18 L1	8	480
HPV18 L1	11	311	HPV18 L1	9	480
HPV18 L1	8	499	HPV18 L1	8	131
HPV18 L1	10	499	HPV18 L2	8	7
HPV18 L1	11	499	HPV18 L2	11	7
HPV18 L1	10	142	HPV18 L2	9	315
HPV18 L1	11	142	HPV18 L2	11	21
HPV18 L1	11	185	HPV18 L2	9	42
HPV18 L1	9	369	HPV18 L2	11	42
HPV18 L1	8	119	HPV18 L2	10	372
HPV18 L1	10	119	HPV18 L2	9	76
HPV18 L1	11	119	HPV18 L2	8	67
HPV18 L1	10	323	HPV18 L2	9	4
HPV18 L1	8	124	HPV18 L2	11	4
HPV18 L1	10	124	HPV18 L2	8	430
HPV18 L1	11	124	HPV18 L2	9	430
HPV18 L1	9	544	HPV18 L2	11	430
HPV18 L1	9	24	HPV18 L2	8	280
HPV18 L1	10	24	HPV18 L2	8	446
HPV18 L1	11	24	HPV18 L2	9	446
HPV18 L1	8	157	HPV18 L2	10	446
HPV18 L1	10	157	HPV18 L2	11	446
HPV18 L1	10	319	HPV18 L2	8	10
HPV18 L1	8	427	HPV18 L2	9	10
HPV18 L1	10	427	HPV18 L2	8	447
HPV18 L1	11	427	HPV18 L2	9	447
HPV18 L1	9	528	HPV18 L2	10	447
HPV18 L1	8	545	HPV18 L2	8	449
HPV18 L1	10	312	HPV18 L2	11	449
HPV18 L1	11	312	HPV18 L2	9	445
HPV18 L1	8	193	HPV18 L2	10	445
HPV18 L1	9	556	HPV18 L2	11	445
HPV18 L1	11	556	HPV18 L2	8	33
HPV18 L1	9	426	HPV18 L2	9	33
HPV18 L1	11	426	HPV18 L2	8	224
HPV18 L1	10	101	HPV18 L2	11	224
HPV18 L1	11	101	HPV18 L2	11	118
HPV18 L1	9	277	HPV18 L2	10	267
HPV18 L1	10	420	HPV18 L2	11	267
HPV18 L1	8	5	HPV18 L2	9	9
HPV18 L1	10	5	HPV18 L2	10	9
HPV18 L1	11	5	HPV18 L2	8	448
HPV18 L1	9	37	HPV18 L2	9	448
HPV18 L1	10	37	HPV18 L2	10	290
HPV18 L1	11	37	HPV18 L2	10	8
HPV18 L1	9	204	HPV18 L2	11	8
HPV18 L1	9	386	HPV18 L2	8	219
HPV18 L1	10	386	HPV18 L2	9	219
HPV18 L1	8	65	HPV18 L2	10	3
HPV18 L1	9	65	HPV18 L2	9	228
HPV18 L1	10	65	HPV18 L2	10	228
HPV18 L1	8	96	HPV18 L2	9	297
HPV18 L1	9	96	HPV18 L2	10	297
HPV18 L1	11	96	HPV18 L2	8	289
HPV18 L1	10	12	HPV18 L2	11	289
HPV18 L1	11	12	HPV18 L2	8	363
HPV18 L1	8	22	HPV18 L2	9	363
HPV18 L1	11	22	HPV18 L2	10	363
HPV18 L1	8	212	HPV18 L2	9	189
HPV18 L1	9	212	HPV18 L2	8	433

Table XII  
HLA-B27 Supermotif Peptides

HPV18 L2	9	433	HPV31 E1	10	397
HPV18 L2	10	433	HPV31 E1	8	559
HPV18 L2	11	433	HPV31 E1	10	559
HPV18 L2	10	87	HPV31 E1	8	537
HPV18 L2	9	243	HPV31 E1	10	444
HPV18 L2	9	307	HPV31 E1	11	444
HPV18 L2	11	307	HPV31 E1	8	440
HPV18 L2	10	317	HPV31 E1	10	85
HPV18 L2	11	317	HPV31 E1	9	373
HPV18 L2	10	294	HPV31 E1	10	373
HPV18 L2	9	218	HPV31 E1	8	178
HPV18 L2	10	218	HPV31 E1	9	178
HPV18 L2	8	320	HPV31 E1	10	178
HPV31 E1	9	496	HPV31 E1	11	178
HPV31 E1	10	379	HPV31 E1	10	516
HPV31 E1	10	264	HPV31 E1	8	292
HPV31 E1	11	264	HPV31 E1	9	292
HPV31 E1	8	121	HPV31 E1	10	292
HPV31 E1	10	242	HPV31 E1	11	292
HPV31 E1	9	607	HPV31 E1	8	426
HPV31 E1	8	575	HPV31 E1	9	426
HPV31 E1	10	575	HPV31 E1	11	426
HPV31 E1	8	586	HPV31 E1	8	209
HPV31 E1	9	411	HPV31 E1	10	209
HPV31 E1	8	25	HPV31 E1	11	209
HPV31 E1	10	554	HPV31 E1	8	266
HPV31 E1	11	554	HPV31 E1	9	266
HPV31 E1	8	77	HPV31 E1	8	448
HPV31 E1	9	77	HPV31 E1	11	448
HPV31 E1	11	275	HPV31 E1	8	290
HPV31 E1	8	271	HPV31 E1	9	290
HPV31 E1	10	271	HPV31 E1	10	290
HPV31 E1	10	396	HPV31 E1	11	290
HPV31 E1	11	396	HPV31 E1	8	107
HPV31 E1	11	164	HPV31 E1	9	327
HPV31 E1	10	321	HPV31 E1	11	327
HPV31 E1	10	70	HPV31 E1	11	390
HPV31 E1	8	261	HPV31 E1	8	87
HPV31 E1	10	261	HPV31 E1	11	87
HPV31 E1	9	618	HPV31 E1	11	123
HPV31 E1	9	191	HPV31 E1	8	486
HPV31 E1	10	191	HPV31 E1	9	486
HPV31 E1	8	231	HPV31 E1	11	486
HPV31 E1	10	231	HPV31 E1	10	484
HPV31 E1	11	231	HPV31 E1	11	484
HPV31 E1	9	183	HPV31 E1	8	118
HPV31 E1	8	551	HPV31 E1	9	118
HPV31 E1	9	551	HPV31 E1	11	118
HPV31 E1	9	189	HPV31 E1	8	561
HPV31 E1	11	189	HPV31 E1	9	594
HPV31 E1	9	462	HPV31 E1	8	171
HPV31 E1	10	462	HPV31 E1	11	382
HPV31 E1	11	455	HPV31 E1	9	423
HPV31 E1	8	406	HPV31 E1	11	423
HPV31 E1	8	530	HPV31 E1	9	529
HPV31 E1	10	449	HPV31 E1	10	259
HPV31 E1	8	393	HPV31 E1	8	509
HPV31 E1	10	393	HPV31 E1	11	509
HPV31 E1	9	86	HPV31 E1	9	589
HPV31 E1	9	397	HPV31 E1	8	419

Table XII  
HLA-B27 Supermotif Peptides

HPV31 E1	10	419	HPV31 E2	9	259
HPV31 E1	9	392	HPV31 E2	9	349
HPV31 E1	11	392	HPV31 E2	11	349
HPV31 E1	8	302	HPV31 E2	10	6
HPV31 E1	11	302	HPV31 E2	11	6
HPV31 E2	9	67	HPV31 E2	8	65
HPV31 E2	11	67	HPV31 E2	9	65
HPV31 E2	10	175	HPV31 E2	11	65
HPV31 E2	9	46	HPV31 E2	8	23
HPV31 E2	9	28	HPV31 E2	10	23
HPV31 E2	11	28	HPV31 E2	11	23
HPV31 E2	11	251	HPV31 E2	10	313
HPV31 E2	10	17	HPV31 E2	8	255
HPV31 E2	9	163	HPV31 E2	8	284
HPV31 E2	8	333	HPV31 E2	8	186
HPV31 E2	10	333	HPV31 E2	9	186
HPV31 E2	8	181	HPV31 E2	10	186
HPV31 E2	8	335	HPV31 E2	8	160
HPV31 E2	10	335	HPV31 E2	9	160
HPV31 E2	11	335	HPV31 E2	10	160
HPV31 E2	10	252	HPV31 E2	10	125
HPV31 E2	11	252	HPV31 E2	9	357
HPV31 E2	9	296	HPV31 E2	8	134
HPV31 E2	10	296	HPV31 E2	9	33
HPV31 E2	8	51	HPV31 E2	10	33
HPV31 E2	9	51	HPV31 E2	11	33
HPV31 E2	11	51	HPV31 E2	8	44
HPV31 E2	8	36	HPV31 E2	11	44
HPV31 E2	9	36	HPV31 E2	8	87
HPV31 E2	11	36	HPV31 E2	8	315
HPV31 E2	8	112	HPV31 E2	9	310
HPV31 E2	10	112	HPV31 E2	10	310
HPV31 E2	8	34	HPV31 E5	8	74
HPV31 E2	9	34	HPV31 E5	8	29
HPV31 E2	10	34	HPV31 E5	10	29
HPV31 E2	11	34	HPV31 E5	11	29
HPV31 E2	9	334	HPV31 E5	8	57
HPV31 E2	11	334	HPV31 E5	9	57
HPV31 E2	9	111	HPV31 E5	10	57
HPV31 E2	11	111	HPV31 E5	11	57
HPV31 E2	11	182	HPV31 E6	10	33
HPV31 E2	9	176	HPV31 E6	11	33
HPV31 E2	11	176	HPV31 E6	9	120
HPV31 E2	9	24	HPV31 E6	8	89
HPV31 E2	10	24	HPV31 E6	11	89
HPV31 E2	8	305	HPV31 E6	9	7
HPV31 E2	11	305	HPV31 E6	8	125
HPV31 E2	8	298	HPV31 E6	11	2
HPV31 E2	11	298	HPV31 E6	8	76
HPV31 E2	8	110	HPV31 E6	9	76
HPV31 E2	10	110	HPV31 E6	8	130
HPV31 E2	9	262	HPV31 E6	9	130
HPV31 E2	8	308	HPV31 E6	11	130
HPV31 E2	11	308	HPV31 E6	10	101
HPV31 E2	8	129	HPV31 E6	8	121
HPV31 E2	9	129	HPV31 E6	11	122
HPV31 E2	10	129	HPV31 E6	10	123
HPV31 E2	11	129	HPV31 E6	8	12
HPV31 E2	8	55	HPV31 E6	10	12
HPV31 E2	10	55	HPV31 E6	10	67

Table XII  
HLA-B27 Supermotif Peptides

HPV31 E6	8	93	HPV31 L1	9	365
HPV31 E6	9	93	HPV31 L1	11	365
HPV31 E6	9	59	HPV31 L1	8	251
HPV31 E6	11	59	HPV31 L1	11	251
HPV31 E6	10	9	HPV31 L1	10	82
HPV31 E6	11	9	HPV31 L1	11	82
HPV31 E6	10	116	HPV31 L1	9	309
HPV31 E6	9	117	HPV31 L1	9	144
HPV31 E6	9	10	HPV31 L1	10	263
HPV31 E6	10	10	HPV31 L1	9	437
HPV31 E6	9	141	HPV31 L1	10	437
HPV31 E6	8	71	HPV31 L1	11	437
HPV31 E6	9	71	HPV31 L1	10	479
HPV31 E6	11	71	HPV31 L1	9	58
HPV31 E6	10	64	HPV31 L1	9	53
HPV31 E6	10	140	HPV31 L1	10	53
HPV31 E6	9	54	HPV31 L1	11	53
HPV31 E6	10	79	HPV31 L1	8	64
HPV31 E7	9	61	HPV31 L1	10	64
HPV31 E7	8	76	HPV31 L1	11	64
HPV31 E7	9	76	HPV31 L1	8	435
HPV31 E7	10	65	HPV31 L1	11	435
HPV31 E7	8	1	HPV31 L1	10	315
HPV31 E7	11	1	HPV31 L1	8	97
HPV31 L1	10	40	HPV31 L1	10	97
HPV31 L1	11	40	HPV31 L1	10	259
HPV31 L1	9	380	HPV31 L1	8	366
HPV31 L1	10	380	HPV31 L1	10	366
HPV31 L1	9	162	HPV31 L1	11	366
HPV31 L1	9	230	HPV31 L1	9	467
HPV31 L1	10	230	HPV31 L1	11	467
HPV31 L1	11	230	HPV31 L1	10	252
HPV31 L1	10	454	HPV31 L1	11	252
HPV31 L1	8	481	HPV31 L1	9	19
HPV31 L1	11	481	HPV31 L1	10	19
HPV31 L1	9	442	HPV31 L1	9	217
HPV31 L1	11	442	HPV31 L1	8	338
HPV31 L1	11	361	HPV31 L1	10	338
HPV31 L1	9	356	HPV31 L1	11	338
HPV31 L1	10	356	HPV31 L1	9	29
HPV31 L1	11	74	HPV31 L1	11	258
HPV31 L1	8	319	HPV31 L1	9	76
HPV31 L1	8	120	HPV31 L1	11	76
HPV31 L1	10	171	HPV31 L1	8	4
HPV31 L1	11	171	HPV31 L1	9	4
HPV31 L1	8	484	HPV31 L1	10	4
HPV31 L1	8	109	HPV31 L1	8	35
HPV31 L1	10	109	HPV31 L1	9	35
HPV31 L1	8	466	HPV31 L1	11	35
HPV31 L1	10	466	HPV31 L1	8	152
HPV31 L1	8	392	HPV31 L1	9	152
HPV31 L1	9	392	HPV31 L1	9	475
HPV31 L1	8	278	HPV31 L1	8	419
HPV31 L1	10	278	HPV31 L1	9	419
HPV31 L1	11	278	HPV31 L1	8	71
HPV31 L1	8	59	HPV31 L2	9	218
HPV31 L1	11	59	HPV31 L2	9	315
HPV31 L1	9	452	HPV31 L2	11	22
HPV31 L1	8	236	HPV31 L2	8	412
HPV31 L1	11	191	HPV31 L2	10	412

Table XII  
HLA-B27 Supermotif Peptides

HPV31 L2	9	37	HPV31 L2	11	230
HPV31 L2	10	37	HPV31 L2	9	214
HPV31 L2	10	174	HPV31 L2	10	214
HPV31 L2	8	68	HPV33 E1	9	509
HPV31 L2	10	89	HPV33 E1	9	392
HPV31 L2	8	11	HPV33 E1	10	392
HPV31 L2	9	11	HPV33 E1	8	284
HPV31 L2	9	449	HPV33 E1	10	284
HPV31 L2	10	449	HPV33 E1	9	620
HPV31 L2	11	449	HPV33 E1	8	222
HPV31 L2	10	4	HPV33 E1	10	222
HPV31 L2	8	8	HPV33 E1	11	102
HPV31 L2	11	8	HPV33 E1	8	263
HPV31 L2	10	453	HPV33 E1	9	263
HPV31 L2	8	441	HPV33 E1	10	263
HPV31 L2	8	448	HPV33 E1	10	334
HPV31 L2	10	448	HPV33 E1	10	409
HPV31 L2	11	448	HPV33 E1	11	409
HPV31 L2	9	305	HPV33 E1	9	424
HPV31 L2	11	305	HPV33 E1	8	25
HPV31 L2	8	46	HPV33 E1	9	204
HPV31 L2	9	46	HPV33 E1	10	204
HPV31 L2	10	46	HPV33 E1	8	453
HPV31 L2	11	301	HPV33 E1	11	219
HPV31 L2	9	124	HPV33 E1	8	274
HPV31 L2	11	124	HPV33 E1	10	274
HPV31 L2	8	34	HPV33 E1	11	274
HPV31 L2	9	34	HPV33 E1	8	315
HPV31 L2	11	241	HPV33 E1	11	315
HPV31 L2	8	452	HPV33 E1	9	475
HPV31 L2	11	452	HPV33 E1	10	475
HPV31 L2	8	451	HPV33 E1	10	248
HPV31 L2	9	451	HPV33 E1	10	272
HPV31 L2	10	290	HPV33 E1	8	543
HPV31 L2	8	215	HPV33 E1	8	406
HPV31 L2	9	215	HPV33 E1	10	406
HPV31 L2	8	450	HPV33 E1	11	462
HPV31 L2	9	450	HPV33 E1	11	86
HPV31 L2	10	450	HPV33 E1	9	410
HPV31 L2	10	267	HPV33 E1	10	410
HPV31 L2	11	267	HPV33 E1	8	572
HPV31 L2	9	224	HPV33 E1	10	572
HPV31 L2	10	224	HPV33 E1	8	191
HPV31 L2	11	3	HPV33 E1	10	191
HPV31 L2	9	297	HPV33 E1	11	191
HPV31 L2	8	289	HPV33 E1	8	550
HPV31 L2	11	289	HPV33 E1	9	487
HPV31 L2	9	368	HPV33 E1	10	457
HPV31 L2	10	368	HPV33 E1	11	457
HPV31 L2	9	185	HPV33 E1	9	386
HPV31 L2	9	10	HPV33 E1	10	386
HPV31 L2	10	10	HPV33 E1	10	244
HPV31 L2	9	7	HPV33 E1	11	244
HPV31 L2	9	77	HPV33 E1	8	305
HPV31 L2	11	77	HPV33 E1	9	305
HPV31 L2	9	307	HPV33 E1	10	305
HPV31 L2	11	307	HPV33 E1	11	305
HPV31 L2	10	317	HPV33 E1	8	439
HPV31 L2	8	230	HPV33 E1	10	439
HPV31 L2	9	230	HPV33 E1	11	439

Table XII  
HLA-B27 Supermotif Peptides

HPV33 E1	10	529	HPV33 E2	8	110
HPV33 E1	9	623	HPV33 E2	10	110
HPV33 E1	11	115	HPV33 E2	8	168
HPV33 E1	8	113	HPV33 E2	9	168
HPV33 E1	8	279	HPV33 E2	11	168
HPV33 E1	9	279	HPV33 E2	8	150
HPV33 E1	8	461	HPV33 E2	9	150
HPV33 E1	9	303	HPV33 E2	10	150
HPV33 E1	10	303	HPV33 E2	11	150
HPV33 E1	11	303	HPV33 E2	8	160
HPV33 E1	8	340	HPV33 E2	9	160
HPV33 E1	9	340	HPV33 E2	11	160
HPV33 E1	11	340	HPV33 E2	8	36
HPV33 E1	8	250	HPV33 E2	9	36
HPV33 E1	11	250	HPV33 E2	11	36
HPV33 E1	11	403	HPV33 E2	10	125
HPV33 E1	10	87	HPV33 E2	9	111
HPV33 E1	11	87	HPV33 E2	11	111
HPV33 E1	11	123	HPV33 E2	8	286
HPV33 E1	8	411	HPV33 E2	11	286
HPV33 E1	9	411	HPV33 E2	8	279
HPV33 E1	8	121	HPV33 E2	11	279
HPV33 E1	8	499	HPV33 E2	8	293
HPV33 E1	11	499	HPV33 E2	11	293
HPV33 E1	8	277	HPV33 E2	8	289
HPV33 E1	10	277	HPV33 E2	11	289
HPV33 E1	11	277	HPV33 E2	8	313
HPV33 E1	10	497	HPV33 E2	9	313
HPV33 E1	8	574	HPV33 E2	11	313
HPV33 E1	9	607	HPV33 E2	11	263
HPV33 E1	10	607	HPV33 E2	8	218
HPV33 E1	10	567	HPV33 E2	11	107
HPV33 E1	9	196	HPV33 E2	9	265
HPV33 E1	11	395	HPV33 E2	10	265
HPV33 E1	9	542	HPV33 E2	10	228
HPV33 E1	9	602	HPV33 E2	11	227
HPV33 E1	8	432	HPV33 E2	8	52
HPV33 E1	10	432	HPV33 E2	11	52
HPV33 E1	9	202	HPV33 E2	8	316
HPV33 E1	11	202	HPV33 E2	10	316
HPV33 E1	9	405	HPV33 E2	11	316
HPV33 E1	11	405	HPV33 E2	10	83
HPV33 E1	9	120	HPV33 E2	8	65
HPV33 E2	9	46	HPV33 E2	9	65
HPV33 E2	8	176	HPV33 E2	11	65
HPV33 E2	9	176	HPV33 E2	8	179
HPV33 E2	11	176	HPV33 E2	10	179
HPV33 E2	10	6	HPV33 E2	9	67
HPV33 E2	11	6	HPV33 E2	11	67
HPV33 E2	8	55	HPV33 E2	9	241
HPV33 E2	9	55	HPV33 E2	10	241
HPV33 E2	10	55	HPV33 E2	10	277
HPV33 E2	8	124	HPV33 E2	8	186
HPV33 E2	11	124	HPV33 E2	9	186
HPV33 E2	9	22	HPV33 E2	9	338
HPV33 E2	8	31	HPV33 E2	9	33
HPV33 E2	11	31	HPV33 E2	10	33
HPV33 E2	9	13	HPV33 E2	11	33
HPV33 E2	8	164	HPV33 E2	8	296
HPV33 E2	8	171	HPV33 E2	9	291

Table XII  
HLA-B27 Supermotif Peptides

HPV33 E2	10	291	HPV33 E7	9	8
HPV33 E5	8	47	HPV33 E7	8	76
HPV33 E5	9	47	HPV33 E7	9	76
HPV33 E5	10	47	HPV33 E7	8	1
HPV33 E5	11	47	HPV33 E7	11	1
HPV33 E5	8	19	HPV33 E7	9	65
HPV33 E5	11	19	HPV33 L1	9	58
HPV33 E6	10	33	HPV33 L1	8	475
HPV33 E6	11	33	HPV33 L1	9	475
HPV33 E6	8	63	HPV33 L1	9	162
HPV33 E6	11	63	HPV33 L1	9	378
HPV33 E6	8	114	HPV33 L1	10	378
HPV33 E6	9	7	HPV33 L1	9	229
HPV33 E6	8	125	HPV33 L1	8	168
HPV33 E6	9	125	HPV33 L1	9	435
HPV33 E6	8	130	HPV33 L1	11	435
HPV33 E6	9	130	HPV33 L1	10	452
HPV33 E6	11	130	HPV33 L1	8	359
HPV33 E6	9	23	HPV33 L1	11	359
HPV33 E6	10	101	HPV33 L1	11	210
HPV33 E6	8	93	HPV33 L1	11	74
HPV33 E6	9	93	HPV33 L1	8	318
HPV33 E6	9	34	HPV33 L1	8	120
HPV33 E6	10	34	HPV33 L1	9	171
HPV33 E6	11	115	HPV33 L1	10	171
HPV33 E6	10	123	HPV33 L1	8	441
HPV33 E6	11	123	HPV33 L1	10	441
HPV33 E6	10	116	HPV33 L1	8	109
HPV33 E6	8	12	HPV33 L1	10	109
HPV33 E6	10	67	HPV33 L1	8	464
HPV33 E6	11	122	HPV33 L1	10	464
HPV33 E6	10	9	HPV33 L1	8	390
HPV33 E6	11	9	HPV33 L1	9	390
HPV33 E6	8	38	HPV33 L1	8	277
HPV33 E6	9	38	HPV33 L1	10	277
HPV33 E6	10	38	HPV33 L1	10	52
HPV33 E6	11	38	HPV33 L1	11	52
HPV33 E6	9	117	HPV33 L1	9	363
HPV33 E6	8	77	HPV33 L1	11	363
HPV33 E6	9	71	HPV33 L1	8	59
HPV33 E6	11	71	HPV33 L1	11	59
HPV33 E6	8	142	HPV33 L1	10	473
HPV33 E6	8	92	HPV33 L1	11	473
HPV33 E6	9	92	HPV33 L1	9	450
HPV33 E6	10	92	HPV33 L1	8	235
HPV33 E6	9	140	HPV33 L1	8	250
HPV33 E6	10	140	HPV33 L1	11	250
HPV33 E6	9	54	HPV33 L1	10	82
HPV33 E6	8	76	HPV33 L1	11	82
HPV33 E6	9	76	HPV33 L1	9	308
HPV33 E7	8	58	HPV33 L1	9	216
HPV33 E7	10	58	HPV33 L1	9	134
HPV33 E7	10	39	HPV33 L1	9	262
HPV33 E7	9	3	HPV33 L1	10	262
HPV33 E7	10	3	HPV33 L1	9	144
HPV33 E7	11	3	HPV33 L1	8	433
HPV33 E7	8	4	HPV33 L1	11	433
HPV33 E7	9	4	HPV33 L1	8	64
HPV33 E7	10	4	HPV33 L1	10	64
HPV33 E7	8	8	HPV33 L1	11	64

Table XII  
HLA-B27 Supermotif Peptides

HPV33 L1	10	314	HPV33 L2	9	45
HPV33 L1	8	97	HPV33 L2	10	45
HPV33 L1	10	97	HPV33 L2	8	449
HPV33 L1	10	258	HPV33 L2	10	449
HPV33 L1	8	364	HPV33 L2	11	449
HPV33 L1	10	364	HPV33 L2	11	246
HPV33 L1	11	364	HPV33 L2	8	33
HPV33 L1	9	465	HPV33 L2	9	33
HPV33 L1	11	465	HPV33 L2	8	269
HPV33 L1	10	251	HPV33 L2	8	378
HPV33 L1	11	251	HPV33 L2	11	2
HPV33 L1	9	19	HPV33 L2	9	296
HPV33 L1	10	19	HPV33 L2	9	9
HPV33 L1	10	40	HPV33 L2	10	9
HPV33 L1	11	40	HPV33 L2	8	453
HPV33 L1	8	29	HPV33 L2	11	453
HPV33 L1	9	29	HPV33 L2	10	295
HPV33 L1	8	337	HPV33 L2	10	8
HPV33 L1	11	487	HPV33 L2	11	8
HPV33 L1	8	257	HPV33 L2	8	452
HPV33 L1	11	257	HPV33 L2	9	452
HPV33 L1	9	76	HPV33 L2	8	451
HPV33 L1	11	76	HPV33 L2	9	451
HPV33 L1	8	4	HPV33 L2	10	451
HPV33 L1	9	4	HPV33 L2	9	450
HPV33 L1	10	4	HPV33 L2	10	450
HPV33 L1	9	354	HPV33 L2	11	450
HPV33 L1	10	354	HPV33 L2	9	229
HPV33 L1	8	152	HPV33 L2	10	229
HPV33 L1	9	152	HPV33 L2	9	219
HPV33 L1	8	417	HPV33 L2	10	219
HPV33 L1	9	417	HPV33 L2	8	294
HPV33 L1	8	71	HPV33 L2	11	294
HPV33 L2	9	320	HPV33 L2	9	302
HPV33 L2	11	21	HPV33 L2	8	7
HPV33 L2	9	335	HPV33 L2	11	7
HPV33 L2	11	335	HPV33 L2	9	312
HPV33 L2	10	179	HPV33 L2	11	312
HPV33 L2	8	315	HPV33 L2	8	387
HPV33 L2	10	315	HPV33 L2	10	387
HPV33 L2	11	315	HPV33 L2	9	373
HPV33 L2	8	67	HPV33 L2	8	235
HPV33 L2	10	247	HPV33 L2	9	235
HPV33 L2	11	247	HPV33 L2	10	299
HPV33 L2	10	3	HPV45 E1	10	255
HPV33 L2	10	322	HPV45 E1	8	564
HPV33 L2	11	322	HPV45 E1	9	564
HPV33 L2	10	88	HPV45 E1	8	284
HPV33 L2	8	10	HPV45 E1	10	284
HPV33 L2	9	10	HPV45 E1	8	125
HPV33 L2	10	454	HPV45 E1	8	392
HPV33 L2	9	4	HPV45 E1	9	392
HPV33 L2	11	4	HPV45 E1	10	392
HPV33 L2	9	348	HPV45 E1	8	262
HPV33 L2	11	348	HPV45 E1	9	262
HPV33 L2	9	169	HPV45 E1	10	262
HPV33 L2	8	442	HPV45 E1	11	262
HPV33 L2	9	310	HPV45 E1	8	588
HPV33 L2	11	310	HPV45 E1	10	588
HPV33 L2	8	45	HPV45 E1	8	599

Table XII  
HLA-B27 Supermotif Peptides

HPV45 E1	8	222	HPV45 E1	11	439
HPV45 E1	9	222	HPV45 E1	10	529
HPV45 E1	10	222	HPV45 E1	8	195
HPV45 E1	11	222	HPV45 E1	9	195
HPV45 E1	8	541	HPV45 E1	10	195
HPV45 E1	10	541	HPV45 E1	10	567
HPV45 E1	8	25	HPV45 E1	9	279
HPV45 E1	9	607	HPV45 E1	8	180
HPV45 E1	10	70	HPV45 E1	11	180
HPV45 E1	9	204	HPV45 E1	8	461
HPV45 E1	11	219	HPV45 E1	9	461
HPV45 E1	8	244	HPV45 E1	8	303
HPV45 E1	10	244	HPV45 E1	9	303
HPV45 E1	11	244	HPV45 E1	10	303
HPV45 E1	9	121	HPV45 E1	11	303
HPV45 E1	10	121	HPV45 E1	8	111
HPV45 E1	8	277	HPV45 E1	9	340
HPV45 E1	11	277	HPV45 E1	11	340
HPV45 E1	9	475	HPV45 E1	10	409
HPV45 E1	10	475	HPV45 E1	11	409
HPV45 E1	8	122	HPV45 E1	10	334
HPV45 E1	9	122	HPV45 E1	11	403
HPV45 E1	11	122	HPV45 E1	9	542
HPV45 E1	8	484	HPV45 E1	11	127
HPV45 E1	9	484	HPV45 E1	8	499
HPV45 E1	11	484	HPV45 E1	9	499
HPV45 E1	8	248	HPV45 E1	11	93
HPV45 E1	10	248	HPV45 E1	9	424
HPV45 E1	8	419	HPV45 E1	8	574
HPV45 E1	8	543	HPV45 E1	11	574
HPV45 E1	8	196	HPV45 E1	8	518
HPV45 E1	9	196	HPV45 E1	11	518
HPV45 E1	8	123	HPV45 E1	9	509
HPV45 E1	10	123	HPV45 E1	9	602
HPV45 E1	8	462	HPV45 E1	8	432
HPV45 E1	11	462	HPV45 E1	10	432
HPV45 E1	8	406	HPV45 E1	8	274
HPV45 E1	10	406	HPV45 E1	10	274
HPV45 E1	9	410	HPV45 E1	11	274
HPV45 E1	10	410	HPV45 E1	9	405
HPV45 E1	8	615	HPV45 E1	11	405
HPV45 E1	8	82	HPV45 E1	8	315
HPV45 E1	9	82	HPV45 E1	11	315
HPV45 E1	8	291	HPV45 E2	9	75
HPV45 E1	9	291	HPV45 E2	10	75
HPV45 E1	10	291	HPV45 E2	11	75
HPV45 E1	8	550	HPV45 E2	9	52
HPV45 E1	11	395	HPV45 E2	10	23
HPV45 E1	10	457	HPV45 E2	10	315
HPV45 E1	11	457	HPV45 E2	8	299
HPV45 E1	9	386	HPV45 E2	10	299
HPV45 E1	10	386	HPV45 E2	9	153
HPV45 E1	8	450	HPV45 E2	10	153
HPV45 E1	8	305	HPV45 E2	11	54
HPV45 E1	9	305	HPV45 E2	9	183
HPV45 E1	10	305	HPV45 E2	11	183
HPV45 E1	11	305	HPV45 E2	10	12
HPV45 E1	10	272	HPV45 E2	11	12
HPV45 E1	8	439	HPV45 E2	8	116
HPV45 E1	9	439	HPV45 E2	10	116

Table XII  
HLA-B27 Supermotif Peptides

HPV45 E2	11	116	HPV45 E2	9	248
HPV45 E2	8	178	HPV45 E2	10	308
HPV45 E2	8	120	HPV45 E6	11	2
HPV45 E2	11	262	HPV45 E6	8	65
HPV45 E2	9	260	HPV45 E6	11	65
HPV45 E2	8	76	HPV45 E6	10	35
HPV45 E2	9	76	HPV45 E6	11	35
HPV45 E2	10	76	HPV45 E6	8	123
HPV45 E2	10	294	HPV45 E6	9	123
HPV45 E2	8	167	HPV45 E6	8	91
HPV45 E2	9	167	HPV45 E6	9	91
HPV45 E2	10	167	HPV45 E6	11	91
HPV45 E2	8	42	HPV45 E6	11	148
HPV45 E2	9	42	HPV45 E6	8	40
HPV45 E2	11	42	HPV45 E6	9	40
HPV45 E2	9	117	HPV45 E6	10	40
HPV45 E2	10	117	HPV45 E6	8	127
HPV45 E2	11	117	HPV45 E6	8	49
HPV45 E2	8	249	HPV45 E6	10	66
HPV45 E2	8	303	HPV45 E6	10	103
HPV45 E2	11	303	HPV45 E6	11	75
HPV45 E2	8	296	HPV45 E6	8	124
HPV45 E2	11	296	HPV45 E6	11	124
HPV45 E2	9	85	HPV45 E6	11	117
HPV45 E2	8	310	HPV45 E6	10	121
HPV45 E2	11	310	HPV45 E6	11	121
HPV45 E2	8	306	HPV45 E6	10	106
HPV45 E2	9	306	HPV45 E6	9	150
HPV45 E2	10	1	HPV45 E6	8	78
HPV45 E2	8	61	HPV45 E6	9	78
HPV45 E2	10	61	HPV45 E6	9	9
HPV45 E2	8	130	HPV45 E6	9	119
HPV45 E2	9	130	HPV45 E6	10	125
HPV45 E2	10	130	HPV45 E6	10	118
HPV45 E2	11	130	HPV45 E6	8	151
HPV45 E2	9	330	HPV45 E6	8	73
HPV45 E2	11	330	HPV45 E6	9	73
HPV45 E2	9	6	HPV45 E6	10	12
HPV45 E2	11	6	HPV45 E6	8	56
HPV45 E2	9	239	HPV45 E6	9	56
HPV45 E2	11	224	HPV45 E7	11	52
HPV45 E2	10	259	HPV45 E7	9	67
HPV45 E2	8	345	HPV45 E7	11	67
HPV45 E2	9	345	HPV45 E7	11	71
HPV45 E2	11	345	HPV45 E7	9	13
HPV45 E2	11	283	HPV45 E7	8	84
HPV45 E2	10	311	HPV45 E7	9	84
HPV45 E2	9	73	HPV45 E7	8	1
HPV45 E2	11	73	HPV45 E7	11	1
HPV45 E2	8	29	HPV45 E7	8	4
HPV45 E2	10	29	HPV45 E7	9	4
HPV45 E2	11	29	HPV45 E7	10	4
HPV45 E2	8	71	HPV45 E7	8	58
HPV45 E2	9	71	HPV45 E7	10	53
HPV45 E2	11	71	HPV45 E7	11	53
HPV45 E2	8	91	HPV45 E7	10	46
HPV45 E2	10	91	HPV45 L1	8	159
HPV45 E2	8	266	HPV45 L1	10	2
HPV45 E2	8	58	HPV45 L1	11	2
HPV45 E2	11	58	HPV45 L1	9	197

Table XII  
HLA-B27 Supermotif Peptides

HPV45 L1	11	197	HPV45 L1	10	395
HPV45 L1	8	284	HPV45 L1	11	395
HPV45 L1	10	284	HPV45 L1	9	496
HPV45 L1	11	284	HPV45 L1	11	513
HPV45 L1	9	45	HPV45 L1	10	278
HPV45 L1	10	45	HPV45 L1	11	278
HPV45 L1	9	256	HPV45 L1	9	394
HPV45 L1	11	256	HPV45 L1	11	394
HPV45 L1	8	472	HPV45 L1	10	66
HPV45 L1	10	472	HPV45 L1	11	66
HPV45 L1	8	194	HPV45 L1	9	524
HPV45 L1	10	483	HPV45 L1	9	55
HPV45 L1	9	466	HPV45 L1	9	243
HPV45 L1	11	466	HPV45 L1	10	388
HPV45 L1	8	390	HPV45 L1	8	366
HPV45 L1	11	390	HPV45 L1	10	366
HPV45 L1	11	100	HPV45 L1	9	170
HPV45 L1	8	76	HPV45 L1	9	354
HPV45 L1	8	8	HPV45 L1	10	354
HPV45 L1	11	8	HPV45 L1	8	30
HPV45 L1	8	347	HPV45 L1	9	30
HPV45 L1	8	146	HPV45 L1	10	30
HPV45 L1	8	135	HPV45 L1	8	61
HPV45 L1	10	135	HPV45 L1	9	61
HPV45 L1	8	495	HPV45 L1	11	61
HPV45 L1	10	495	HPV45 L1	8	178
HPV45 L1	10	343	HPV45 L1	9	178
HPV45 L1	8	421	HPV45 L1	8	448
HPV45 L1	9	421	HPV45 L1	9	448
HPV45 L1	8	304	HPV45 L1	8	97
HPV45 L1	10	391	HPV45 L2	8	7
HPV45 L1	10	514	HPV45 L2	11	7
HPV45 L1	11	342	HPV45 L2	11	21
HPV45 L1	9	481	HPV45 L2	9	42
HPV45 L1	8	474	HPV45 L2	11	42
HPV45 L1	11	217	HPV45 L2	8	310
HPV45 L1	9	15	HPV45 L2	10	310
HPV45 L1	10	15	HPV45 L2	11	310
HPV45 L1	11	15	HPV45 L2	9	76
HPV45 L1	8	277	HPV45 L2	8	67
HPV45 L1	11	277	HPV45 L2	9	315
HPV45 L1	9	311	HPV45 L2	9	365
HPV45 L1	10	311	HPV45 L2	11	365
HPV45 L1	10	108	HPV45 L2	9	4
HPV45 L1	11	108	HPV45 L2	11	4
HPV45 L1	9	151	HPV45 L2	8	431
HPV45 L1	11	151	HPV45 L2	9	431
HPV45 L1	9	337	HPV45 L2	11	431
HPV45 L1	8	85	HPV45 L2	10	364
HPV45 L1	10	85	HPV45 L2	8	280
HPV45 L1	11	85	HPV45 L2	8	447
HPV45 L1	10	289	HPV45 L2	9	447
HPV45 L1	8	90	HPV45 L2	10	447
HPV45 L1	10	90	HPV45 L2	11	447
HPV45 L1	11	90	HPV45 L2	8	10
HPV45 L1	8	123	HPV45 L2	9	10
HPV45 L1	10	123	HPV45 L2	8	450
HPV45 L1	9	285	HPV45 L2	11	450
HPV45 L1	10	285	HPV45 L2	8	448
HPV45 L1	8	395	HPV45 L2	9	448

Table XII  
HLA-B27 Supermotif Peptides

HPV45 L2	10	448	HPV56 E2	9	54
HPV45 L2	8	33	HPV56 E2	10	54
HPV45 L2	9	33	HPV56 E2	11	54
HPV45 L2	9	446	HPV56 E2	8	119
HPV45 L2	10	446	HPV56 E2	9	119
HPV45 L2	11	446	HPV56 E2	11	119
HPV45 L2	11	371	HPV56 E2	10	185
HPV45 L2	11	224	HPV56 E2	8	247
HPV45 L2	9	9	HPV56 E2	11	247
HPV45 L2	10	9	HPV56 E2	8	240
HPV45 L2	8	449	HPV56 E2	8	37
HPV45 L2	9	449	HPV56 E2	9	37
HPV45 L2	10	290	HPV56 E2	10	37
HPV45 L2	10	8	HPV56 E2	10	228
HPV45 L2	11	8	HPV56 E2	11	228
HPV45 L2	8	219	HPV56 E2	9	275
HPV45 L2	9	219	HPV56 E2	10	275
HPV45 L2	9	189	HPV56 E2	11	275
HPV45 L2	10	3	HPV56 E2	8	245
HPV45 L2	9	228	HPV56 E2	10	245
HPV45 L2	9	297	HPV56 E2	8	187
HPV45 L2	10	297	HPV56 E2	9	89
HPV45 L2	8	289	HPV56 E2	8	255
HPV45 L2	11	289	HPV56 E2	10	255
HPV45 L2	9	243	HPV56 E2	9	290
HPV45 L2	10	87	HPV56 E2	11	290
HPV45 L2	11	307	HPV56 E2	10	180
HPV45 L2	10	317	HPV56 E2	8	296
HPV45 L2	11	317	HPV56 E2	9	296
HPV45 L2	10	294	HPV56 E2	11	296
HPV45 L2	10	221	HPV56 E2	8	67
HPV45 L2	9	218	HPV56 E2	9	67
HPV45 L2	10	218	HPV56 E2	10	67
HPV45 L2	8	234	HPV56 E2	11	67
HPV45 L2	9	234	HPV56 E2	9	197
HPV45 L2	8	320	HPV56 E2	8	103
HPV45 L2	9	320	HPV56 E2	9	103
HPV56 E2	9	10	HPV56 E2	10	238
HPV56 E2	11	10	HPV56 E2	8	129
HPV56 E2	10	202	HPV56 E2	9	129
HPV56 E2	9	118	HPV56 E2	9	298
HPV56 E2	10	118	HPV56 E2	10	298
HPV56 E2	8	8	HPV56 E2	11	298
HPV56 E2	9	8	HPV56 E2	11	268
HPV56 E2	11	8	HPV56 E2	10	285
HPV56 E2	9	123	HPV56 E2	11	285
HPV56 E2	8	146	HPV56 E2	8	257
HPV56 E2	11	146	HPV56 E2	9	252
HPV56 E2	8	250	HPV56 E2	10	252
HPV56 E2	11	250	HPV56 E2	11	252
HPV56 E2	9	232	HPV56 E6	9	132
HPV56 E2	8	53	HPV56 E6	8	36
HPV56 E2	10	53	HPV56 E6	10	36
HPV56 E2	11	53	HPV56 E6	11	36
HPV56 E2	9	106	HPV56 E6	8	66
HPV56 E2	11	184	HPV56 E6	11	66
HPV56 E2	11	162	HPV56 E6	8	123
HPV56 E2	8	107	HPV56 E6	9	123
HPV56 E2	9	181	HPV56 E6	10	123
HPV56 E2	11	50	HPV56 E6	9	10

Table XII  
HLA-B27 Supermotif Peptides

HPV56 E6	8	128	HPV56 E7	11	79
HPV56 E6	9	16	HPV56 L1	8	475
HPV56 E6	11	16	HPV56 L1	10	475
HPV56 E6	10	104	HPV56 L1	8	291
HPV56 E6	9	37	HPV56 L1	11	291
HPV56 E6	10	37	HPV56 L1	8	390
HPV56 E6	8	96	HPV56 L1	11	390
HPV56 E6	9	96	HPV56 L1	9	412
HPV56 E6	8	125	HPV56 L1	10	412
HPV56 E6	11	125	HPV56 L1	11	412
HPV56 E6	9	120	HPV56 L1	9	263
HPV56 E6	11	120	HPV56 L1	11	263
HPV56 E6	8	15	HPV56 L1	10	449
HPV56 E6	10	15	HPV56 L1	11	449
HPV56 E6	9	53	HPV56 L1	8	201
HPV56 E6	11	53	HPV56 L1	9	469
HPV56 E6	10	12	HPV56 L1	11	469
HPV56 E6	11	12	HPV56 L1	8	130
HPV56 E6	8	124	HPV56 L1	10	130
HPV56 E6	9	124	HPV56 L1	9	244
HPV56 E6	8	77	HPV56 L1	11	244
HPV56 E6	10	77	HPV56 L1	11	107
HPV56 E6	11	77	HPV56 L1	8	352
HPV56 E6	10	126	HPV56 L1	8	153
HPV56 E6	8	74	HPV56 L1	8	185
HPV56 E6	9	74	HPV56 L1	9	185
HPV56 E6	11	74	HPV56 L1	9	299
HPV56 E6	9	147	HPV56 L1	11	299
HPV56 E6	8	95	HPV56 L1	9	316
HPV56 E6	9	95	HPV56 L1	10	316
HPV56 E6	10	95	HPV56 L1	11	316
HPV56 E6	8	41	HPV56 L1	8	142
HPV56 E6	9	41	HPV56 L1	10	142
HPV56 E6	9	76	HPV56 L1	8	498
HPV56 E6	11	76	HPV56 L1	9	64
HPV56 E6	8	57	HPV56 L1	8	424
HPV56 E6	9	57	HPV56 L1	9	424
HPV56 E6	8	79	HPV56 L1	8	14
HPV56 E6	9	79	HPV56 L1	9	14
HPV56 E6	11	79	HPV56 L1	11	14
HPV56 E7	8	53	HPV56 L1	8	269
HPV56 E7	9	53	HPV56 L1	9	397
HPV56 E7	11	53	HPV56 L1	11	397
HPV56 E7	10	50	HPV56 L1	8	284
HPV56 E7	11	50	HPV56 L1	11	284
HPV56 E7	9	68	HPV56 L1	10	115
HPV56 E7	10	41	HPV56 L1	11	115
HPV56 E7	9	45	HPV56 L1	9	342
HPV56 E7	9	3	HPV56 L1	10	44
HPV56 E7	10	3	HPV56 L1	10	296
HPV56 E7	11	3	HPV56 L1	11	158
HPV56 E7	10	61	HPV56 L1	8	97
HPV56 E7	11	61	HPV56 L1	10	97
HPV56 E7	8	83	HPV56 L1	11	97
HPV56 E7	9	83	HPV56 L1	10	348
HPV56 E7	11	83	HPV56 L1	8	398
HPV56 E7	8	1	HPV56 L1	10	398
HPV56 E7	11	1	HPV56 L1	11	398
HPV56 E7	9	55	HPV56 L1	10	292
HPV56 E7	8	79	HPV56 L1	10	391

Table XII  
HLA-B27 Supermotif Peptides

HPV56 L1	10	285	HPV56 L2	8	37
HPV56 L1	11	285	HPV56 L2	9	37
HPV56 L1	9	250	HPV56 L2	11	37
HPV56 L1	10	250	HPV56 L2	9	228
HPV56 L1	9	54	HPV56 L2	9	9
HPV56 L1	10	54	HPV56 L2	10	9
HPV56 L1	8	386	HPV56 L2	8	450
HPV56 L1	11	386	HPV56 L2	9	450
HPV56 L1	10	75	HPV56 L2	10	290
HPV56 L1	11	75	HPV56 L2	8	308
HPV56 L1	9	88	HPV56 L2	10	308
HPV56 L1	11	204	HPV56 L2	8	219
HPV56 L1	8	92	HPV56 L2	9	219
HPV56 L1	10	92	HPV56 L2	10	8
HPV56 L1	11	92	HPV56 L2	11	8
HPV56 L1	8	507	HPV56 L2	8	449
HPV56 L1	8	371	HPV56 L2	9	449
HPV56 L1	11	371	HPV56 L2	10	449
HPV56 L1	8	63	HPV56 L2	8	448
HPV56 L1	10	63	HPV56 L2	9	448
HPV56 L1	9	109	HPV56 L2	10	448
HPV56 L1	11	109	HPV56 L2	11	448
HPV56 L1	8	39	HPV56 L2	9	447
HPV56 L1	9	39	HPV56 L2	10	447
HPV56 L1	10	39	HPV56 L2	11	447
HPV56 L1	8	70	HPV56 L2	8	446
HPV56 L1	9	70	HPV56 L2	10	446
HPV56 L1	10	70	HPV56 L2	11	446
HPV56 L1	11	70	HPV56 L2	9	297
HPV56 L1	8	477	HPV56 L2	9	76
HPV56 L1	8	9	HPV56 L2	11	427
HPV56 L1	10	9	HPV56 L2	8	155
HPV56 L1	8	104	HPV56 L2	9	155
HPV56 L1	8	451	HPV56 L2	8	289
HPV56 L1	9	451	HPV56 L2	11	289
HPV56 L2	10	371	HPV56 L2	9	307
HPV56 L2	10	3	HPV56 L2	11	307
HPV56 L2	10	87	HPV56 L2	8	7
HPV56 L2	9	315	HPV56 L2	11	7
HPV56 L2	11	21	HPV56 L2	9	202
HPV56 L2	9	42	HPV56 L2	8	150
HPV56 L2	10	42	HPV56 L2	10	317
HPV56 L2	9	243	HPV56 L2	11	317
HPV56 L2	9	218	HPV56 L2	8	234
HPV56 L2	10	218	HPV56 L2	9	234
HPV56 L2	9	445	HPV56 L2	10	294
HPV56 L2	11	445	HPV56 L2	8	227
HPV56 L2	8	67	HPV56 L2	10	227
HPV56 L2	9	4			
HPV56 L2	11	4			
HPV56 L2	9	189			
HPV56 L2	8	375			
HPV56 L2	9	375			
HPV56 L2	8	10			
HPV56 L2	9	10			
HPV56 L2	8	451			
HPV56 L2	8	33			
HPV56 L2	9	33			
HPV56 L2	8	224			
HPV56 L2	11	224			

Table XII A HPV6A  
HLA-B27 Supermotif Peptides

2	3	4			
E1	10	263	E2	11	69
E2	9	67	L1	8	314
E2	11	67	L1	8	116
E2	11	154	E1	9	210
L2	10	78	E1	11	210
E2	9	46	L2	8	310
E2	11	46	L2	10	310
E2	11	5	L2	11	310
E1	10	400	E6	9	72
E1	9	390	E6	11	72
E6	10	124	E1	9	483
L2	9	315	E1	10	483
L2	8	443	E2	8	114
L2	10	443	E6	11	135
L2	11	443	E7	9	3
E1	8	292	E7	11	3
E1	10	292	L1	10	460
E1	8	201	L2	8	67
E1	9	201	E1	8	245
E6	10	34	E1	11	245
E6	11	34	E2	10	328
E6	8	17	E4	9	16
E6	11	17	E4	10	16
L1	9	225	E2	8	358
E1	9	410	E2	10	358
E2	9	306	E2	11	358
E2	10	306	E2	8	308
E1	8	230	L2	11	283
E1	9	549	E1	9	244
E1	10	549	L2	9	268
E1	8	596	L2	10	268
E1	10	596	L1	9	386
E1	8	188	L2	10	317
E1	9	188	E1	8	427
E1	11	188	E6	10	102
E4	9	52	E7	8	76
E1	9	348	E7	9	76
E1	11	348	E2	8	356
L2	9	36	E2	10	356
L2	10	36	L2	8	280
E1	8	164	E1	8	414
L1	8	429	E1	10	414
L1	11	429	E2	9	329
L1	10	448	L2	9	311
L1	9	431	L2	10	311
L1	11	431	L2	11	311
E2	9	176	E6	9	118
E1	9	615	E6	10	118
E6	8	70	E1	8	551
E6	11	70	E2	8	307
E1	9	212	E2	9	307
E1	10	212	E2	9	28
E1	9	356	E2	11	111
E1	11	356	E1	8	120
E1	11	227	E4	8	17
E2	8	164	E4	9	17
L1	11	70	L2	8	10
L2	10	176	L2	9	10
E2	9	69	E2	10	112
			E1	9	83

Table XII A HPV6A  
HLA-B27 Supermotif Peptides

E2	10	6	E1	8	119
E2	11	6	E1	9	119
L2	8	445	L2	8	33
L2	9	445	L1	8	60
L2	10	445	L1	11	60
E1	10	123	E4	10	40
E6	8	138	E1	8	108
E6	11	138	L2	8	218
E1	10	465	L2	10	220
E4	8	15	E1	8	25
E4	10	15	L2	11	361
E4	11	15	L1	10	310
E4	11	9	E1	9	253
L2	11	229	E1	10	253
E4	11	25	L2	11	244
E1	8	580	L1	10	93
E1	10	580	E2	11	342
E2	8	297	E2	8	37
E1	10	199	E6	8	78
E1	11	199	E2	9	357
E7	8	8	E2	11	357
L1	9	446	E2	11	309
E1	10	82	E1	8	448
E2	10	83	E1	10	448
E6	9	51	E1	11	448
E6	11	51	L1	8	360
L2	9	45	L1	10	360
L2	10	45	L1	11	360
E1	9	204	E7	8	4
E1	8	447	E7	10	4
E1	9	447	E1	8	411
E1	11	447	E1	11	411
L1	11	246	L1	10	247
E7	8	1	L1	11	247
E7	11	1	L1	9	461
E2	11	77	E1	8	550
E6	10	24	E1	9	550
L2	9	305	E1	8	419
E2	8	36	E1	9	419
E2	9	36	L2	9	9
L1	9	359	L2	10	9
L1	11	359	L2	8	447
E1	9	418	L2	9	444
E1	10	418	L2	10	444
E1	10	537	L2	11	444
L1	10	78	E4	9	41
L1	11	78	E1	8	84
E2	10	27	L2	10	290
L1	9	212	L2	10	8
E1	11	285	L2	11	8
L1	11	55	L2	8	446
E1	9	68	L2	9	446
L1	9	278	E1	9	124
L1	10	278	L2	11	7
L1	9	139	E1	8	507
E2	11	327	E2	11	52
E2	9	324	E4	9	58
E1	10	311	L2	9	187
E1	11	311	L2	8	148
E1	8	469	E1	9	501

Table XII A HPV6A  
HLA-B27 Supermotif Peptides

E1	10	501	2	9	413
E1	11	501			
E1	9	432			
L1	9	18			
L2	9	297			
L1	10	39			
L1	11	39			
L2	8	289			
L2	11	289			
E1	9	287			
E1	10	57			
E1	11	57			
E1	9	74			
E6	8	122			
E1	8	572			
E1	9	572			
E4	11	87			
E6	9	93			
E6	10	93			
E2	8	181			
E1	9	129			
E1	11	129			
E1	11	116			
E1	10	342			
L2	11	307			
L1	8	333			
E1	8	582			
E2	10	148			
E2	11	148			
E1	11	403			
E2	11	119			
E6	10	117			
E6	11	117			
E2	11	350			
E1	11	122			
E1	10	186			
E1	11	186			
E1	8	610			
E2	10	33			
E2	11	33			
E6	9	133			
E1	8	440			
L1	9	2			
L1	8	34			
L1	9	34			
E2	10	337			
E2	11	337			
E2	8	44			
E2	11	44			
L1	11	355			
E1	9	413			
E1	11	413			
L1	11	436			
E6	8	48			
L1	8	147			
E1	11	577			
E6	9	77			
E2	10	302			
E2	11	302			
L1	8	67			

Table XII B. HPV6B  
HLA-B27 Supermotif Peptides

2	3	4			
E1	10	263	E2	11	69
E2	9	67	L1	8	314
E2	11	67	L1	8	116
E2	11	154	E1	9	210
L2	10	78	E1	11	210
E2	9	46	L2	8	310
E2	11	46	L2	10	310
E2	11	5	L2	11	310
E1	10	400	E6	9	72
E1	9	390	E6	11	72
E6	10	124	E1	9	483
L2	9	315	E1	10	483
L2	8	443	E2	8	114
L2	10	443	E4	9	7
L2	11	443	E4	10	7
E1	8	292	E6	11	135
E1	10	292	E7	9	3
E1	8	201	E7	11	3
E1	9	201	L1	10	460
E6	10	34	L2	8	67
E6	11	34	E1	8	245
E6	8	17	E1	11	245
E6	11	17	E2	10	328
L1	9	225	E2	10	27
E1	9	410	E4	9	26
E1	8	230	E4	10	26
E2	9	306	E2	8	358
E2	10	306	E2	10	358
E1	9	549	E2	11	358
E1	10	549	E2	8	308
E1	8	596	L2	11	283
E1	10	596	E1	9	244
E1	8	188	L2	9	268
E1	9	188	L2	10	268
E1	11	188	L1	9	386
E4	9	62	L2	10	317
E1	9	348	E1	8	427
E1	11	348	E6	10	102
L2	9	36	E7	8	76
L2	10	36	E7	9	76
E1	8	164	L2	8	280
L1	8	429	E1	8	414
L1	11	429	E1	10	414
L1	10	448	E2	9	329
L1	9	431	L2	9	311
L1	11	431	L2	10	311
E2	9	176	L2	11	311
E1	9	615	E6	9	118
E6	8	70	E6	10	118
E6	11	70	E1	8	551
E1	9	212	E6	11	49
E1	10	212	ESB	8	50
E1	9	356	ESB	11	50
E1	11	356	E2	9	28
E1	9	227	E2	11	111
E1	11	227	E1	8	120
E2	8	164	E4	8	27
L1	11	70	E4	9	27
E2	9	69	L2	8	10
			L2	9	10

Table XII B. HPV6B  
HLA-B27 Supermotif Peptides

E2	10	112	L1	10	278
E1	9	83	L1	9	139
E2	10	6	E2	11	327
E2	11	6	E1	10	311
L2	8	445	E1	11	311
L2	9	445	E1	8	469
L2	10	445	E1	8	119
E1	10	123	E1	9	119
E6	8	138	L2	8	33
E6	11	138	L1	8	60
E1	10	465	L1	11	60
E2	8	26	E4	10	50
E2	11	26	E1	8	108
E4	8	25	L2	8	218
E4	10	25	L2	10	220
E4	11	25	E1	8	25
E4	11	19	L2	11	361
L2	11	229	L1	10	310
E4	11	35	E1	9	253
E1	8	580	E1	10	253
E1	10	580	L2	11	244
E2	8	297	L1	10	93
E1	10	199	E2	11	342
E1	11	199	E2	8	37
E7	8	8	E6	8	78
L1	9	446	E2	11	309
E1	10	82	E1	8	448
E6	9	51	E1	10	448
E6	11	51	E1	11	448
L2	9	45	E2	8	307
L2	10	45	E2	9	307
E1	9	204	L1	8	360
E1	8	447	L1	10	360
E1	9	447	L1	11	360
E1	11	447	E7	8	4
L1	11	246	E7	10	4
E2	10	83	E1	8	411
E7	8	1	E1	11	411
E7	11	1	L1	10	247
E2	11	77	L1	11	247
E6	10	24	L1	9	461
L2	9	305	E1	8	550
E5B	9	60	E1	9	550
E5B	10	60	E1	8	419
E5B	11	60	E1	9	419
E2	8	36	L2	9	9
E2	9	36	L2	10	9
L1	9	359	L2	8	447
L1	11	359	L2	9	444
E1	9	418	L2	10	444
E1	10	418	L2	11	444
E1	10	537	E4	9	51
L1	10	78	E1	8	84
L1	11	78	L2	10	290
E5B	9	49	L2	10	8
L1	9	212	L2	11	8
E1	11	285	L2	8	446
L1	11	55	L2	9	446
E1	9	68	E1	9	124
L1	9	278	L2	11	7

Table XII B. HPV6B  
HLA-B27 Supermotif Peptides

E1	8	507	L1	8	147
E2	11	52	E1	11	577
E2	9	357	E6	9	77
E2	11	357	E2	10	302
L2	9	187	E2	11	302
L2	8	148	L1	8	67
E1	9	501	L1	9	413
E1	10	501			
E1	11	501			
E2	9	324			
E1	9	432			
L1	9	18			
L2	9	297			
L1	10	39			
L1	11	39			
L2	8	289			
L2	11	289			
E1	9	287			
E1	10	57			
E1	11	57			
E1	9	74			
E6	8	122			
E4	11	97			
E1	8	572			
E1	9	572			
E2	8	181			
E6	9	93			
E6	10	93			
E1	9	129			
E1	11	129			
E1	11	116			
E1	10	342			
L2	11	307			
L1	8	333			
E1	8	582			
E2	10	148			
E2	11	148			
E1	11	403			
E2	11	119			
E6	10	117			
E6	11	117			
E2	11	350			
E1	11	122			
E1	10	186			
E1	11	186			
E1	8	610			
E2	10	33			
E2	11	33			
E6	9	133			
E1	8	440			
L1	9	2			
L1	8	34			
L1	9	34			
E2	8	44			
E2	11	44			
L1	11	355			
E1	9	413			
E1	11	413			
E6	8	48			
L1	11	436			

SF 1168114 v1

Table XII C. HPV11  
HLA-B27 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
E1	10	263	E1	9	212
E1	9	74	E1	9	356
E2	11	154	E1	11	356
E2	9	46	E1	11	227
E2	11	46	E2	8	164
E2	11	5	L1	11	70
E2	10	83	E2	9	299
E1	9	400	L2	10	175
E1	10	400	E2	9	69
E1	9	390	E2	11	69
E6	10	124	L1	8	315
E2	10	241	L1	8	116
L2	9	314	E6	8	122
L2	8	439	E1	9	210
L2	10	439	E1	11	210
L2	11	439	E6	9	72
E1	8	292	E6	11	72
E1	10	292	E1	9	483
E6	8	107	E1	10	483
E6	11	107	E4	9	7
E5	9	6	E4	10	7
E5	10	6	L2	8	66
E5	11	6	E6	11	135
E2	8	279	L1	10	461
E2	11	279	E7	9	3
E1	8	201	E7	11	3
E5	11	49	L1	9	472
E6	8	17	E1	8	245
E6	11	17	E1	11	245
L1	9	226	E2	8	44
E1	9	410	E2	11	44
E6	10	34	E2	10	27
E6	11	34	E2	8	327
E7	8	41	E2	10	327
E7	11	38	E6	10	108
E2	9	305	E2	8	357
E1	9	549	E2	10	357
E1	10	549	E2	11	357
E1	8	596	L2	11	282
E1	10	596	E1	9	244
E4	10	66	E2	8	26
E1	8	230	E2	11	26
E1	8	188	L2	9	267
E1	9	188	L2	10	267
E1	11	188	L1	9	387
E1	9	348	E1	9	492
E1	11	348	E1	11	492
E1	8	25	E6	10	102
L2	9	35	E2	8	355
L2	10	35	E2	10	355
L1	8	430	E2	8	36
L1	11	430	L2	8	279
L1	10	449	E7	8	76
L1	9	432	E7	9	76
L1	11	432	E1	9	204
E4	8	27	E2	8	255
E4	9	27	E2	11	255
E1	8	162	E1	8	414
E1	9	615	E1	10	414
			E6	9	118

Table XII C. HPV11  
HLA-B27 Supermotif Peptides

E6	10	118	L1	11	55
E2	9	28	E5	8	52
E2	11	28	E5	10	52
E2	11	308	E5	11	52
E1	8	551	E1	9	68
E1	8	419	L1	9	279
E1	9	419	L1	10	279
E1	11	419	L1	9	140
E2	11	111	E2	9	326
E1	8	120	E2	11	326
L2	8	9	E1	10	311
L2	9	9	E1	11	311
E1	9	83	E1	8	469
E2	10	6	E1	8	119
E2	11	6	E1	9	119
E1	10	123	L2	8	32
E6	8	138	L1	8	60
E6	11	138	L1	11	60
E1	9	208	L2	11	213
E1	11	208	E4	10	51
E1	10	465	E1	8	108
E2	9	43	L2	8	217
E4	8	19	L2	10	219
E4	11	19	L2	9	310
E1	8	580	L2	10	310
E1	10	580	L2	8	360
E6	10	24	L2	9	360
E4	11	35	L2	8	187
E2	8	296	L2	11	187
E1	10	199	L1	10	311
E7	8	8	E1	9	253
L1	9	447	E1	10	253
E6	10	117	E2	9	176
E6	11	117	L2	11	243
E1	10	82	L1	10	93
E6	8	98	E2	11	341
E6	9	98	E6	8	78
E6	9	51	E2	9	356
E6	11	51	E2	11	356
L2	9	44	E1	8	448
L2	10	44	E1	10	448
E1	8	447	E1	11	448
E1	9	447	L1	8	361
E1	11	447	L1	10	361
L1	11	247	L1	11	361
E7	8	1	E1	8	411
E7	11	1	E1	11	411
E2	11	77	L1	10	248
E2	8	31	L1	11	248
E1	9	418	L1	9	462
E1	10	418	E1	8	550
L1	9	360	E1	9	550
L1	11	360	L2	9	8
E1	10	537	L2	10	8
E1	10	304	L2	8	443
L2	8	147	E4	9	52
L1	10	78	E1	8	84
L1	11	78	L2	10	289
L1	9	213	L2	10	7
E1	11	285	L2	11	7

Table XII C. HPV11  
HLA-B27 Supermotif Peptides

L2	8	442	E1	11	577
L2	9	442	L1	11	470
E1	9	124	E6	9	77
L2	11	6	E2	10	301
L2	8	441	E2	11	301
L2	9	441	L1	8	67
L2	10	441	L1	9	414
L2	9	440			
L2	10	440			
L2	11	440			
E1	8	507			
E5	8	63			
E5	10	63			
E5	11	63			
E2	11	52			
E6	11	3			
E1	8	572			
E1	9	572			
L1	11	346			
L1	9	18			
E1	9	287			
L2	9	296			
L2	10	296			
L1	10	39			
L1	11	39			
L2	8	288			
L2	11	288			
E1	8	582			
E2	11	135			
E4	11	96			
E2	9	67			
E2	11	67			
E1	9	432			
E1	10	186			
E1	11	186			
E1	9	129			
E1	11	129			
E1	10	342			
L2	11	306			
L1	8	334			
L1	8	289			
E1	11	403			
E2	11	119			
E1	11	122			
L1	8	27			
E1	11	317			
E1	8	610			
E2	10	33			
E2	11	33			
E6	9	133			
E1	8	440			
L1	9	2			
L1	8	34			
L1	9	34			
L1	11	437			
L1	11	356			
E1	9	413			
E1	11	413			
E6	8	48			
L1	8	148			

SF 1168116 v1

Table XIII  
HLA-B58 Supermotif Peptides

1	2	3	4				
HPV16 E1	11	316	HPV16 E1	9	586		
HPV16 E1	9	239	HPV16 E1	9	477		
HPV16 E1	10	239	HPV16 E1	10	477		
HPV16 E1	10	317	HPV16 E1	9	163		
HPV16 E1	10	205	HPV16 E1	8	571		
HPV16 E1	11	205	HPV16 E1	9	571		
HPV16 E1	8	478	HPV16 E1	8	12		
HPV16 E1	9	478	HPV16 E1	9	12		
HPV16 E1	11	478	HPV16 E1	10	12		
HPV16 E1	11	389	HPV16 E1	9	68		
HPV16 E1	10	406	HPV16 E1	8	348		
HPV16 E1	8	524	HPV16 E1	10	348		
HPV16 E1	9	524	HPV16 E1	8	184		
HPV16 E1	8	405	HPV16 E1	11	184		
HPV16 E1	11	405	HPV16 E1	10	238		
HPV16 E1	8	269	HPV16 E1	11	238		
HPV16 E1	9	269	HPV16 E1	8	247		
HPV16 E1	10	269	HPV16 E1	9	247		
HPV16 E1	11	269	HPV16 E1	8	375		
HPV16 E1	8	353	HPV16 E1	9	375		
HPV16 E1	9	353	HPV16 E1	11	329		
HPV16 E1	11	353	HPV16 E1	9	98		
HPV16 E1	10	515	HPV16 E1	8	326		
HPV16 E1	9	523	HPV16 E1	8	106		
HPV16 E1	10	523	HPV16 E1	10	106		
HPV16 E1	10	81	HPV16 E1	8	204		
HPV16 E1	11	81	HPV16 E1	11	204		
HPV16 E1	8	41	HPV16 E1	11	111		
HPV16 E1	9	41	HPV16 E1	8	610		
HPV16 E1	11	41	HPV16 E1	11	610		
HPV16 E1	8	372	HPV16 E1	9	505		
HPV16 E1	9	372	HPV16 E1	10	505		
HPV16 E1	11	372	HPV16 E1	8	483		
HPV16 E1	9	131	HPV16 E1	9	483		
HPV16 E1	10	249	HPV16 E1	11	483		
HPV16 E1	9	633	HPV16 E1	10	227		
HPV16 E1	11	573	HPV16 E1	8	394		
HPV16 E1	9	43	HPV16 E1	9	394		
HPV16 E1	10	43	HPV16 E1	9	230		
HPV16 E1	11	43	HPV16 E1	10	230		
HPV16 E1	8	384	HPV16 E1	11	230		
HPV16 E1	9	384	HPV16 E1	10	323		
HPV16 E1	10	384	HPV16 E1	11	323		
HPV16 E1	11	335	HPV16 E1	9	252		
HPV16 E1	8	75	HPV16 E1	10	252		
HPV16 E1	9	75	HPV16 E1	11	252		
HPV16 E1	11	75	HPV16 E1	8	199		
HPV16 E1	11	22	HPV16 E1	9	199		
HPV16 E1	9	65	HPV16 E1	10	199		
HPV16 E1	8	63	HPV16 E1	11	199		
HPV16 E1	9	63	HPV16 E1	8	267		
HPV16 E1	11	63	HPV16 E1	9	267		
HPV16 E1	9	152	HPV16 E1	10	267		
HPV16 E1	10	288	HPV16 E1	11	267		
HPV16 E1	11	288	HPV16 E1	8	513		
HPV16 E1	8	140	HPV16 E1	9	513		
HPV16 E1	8	219	HPV16 E1	8	382		
HPV16 E1	8	613	HPV16 E1	10	382		
HPV16 E1	10	613	HPV16 E1	11	382		
			HPV16 E1	8	208		

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 E1	10	208	HPV16 E1	8	315
HPV16 E1	8	95	HPV16 E1	8	66
HPV16 E1	10	294	HPV16 E1	11	66
HPV16 E1	8	357	HPV16 E1	10	458
HPV16 E1	9	357	HPV16 E1	11	72
HPV16 E1	8	457	HPV16 E1	8	200
HPV16 E1	11	457	HPV16 E1	9	200
HPV16 E1	8	191	HPV16 E1	10	200
HPV16 E1	9	243	HPV16 E1	10	217
HPV16 E1	9	59	HPV16 E1	9	641
HPV16 E1	11	59	HPV16 E1	10	545
HPV16 E1	10	454	HPV16 E1	11	545
HPV16 E1	11	454	HPV16 E1	11	92
HPV16 E1	11	488	HPV16 E1	8	300
HPV16 E1	9	420	HPV16 E1	8	363
HPV16 E1	8	569	HPV16 E1	11	379
HPV16 E1	10	569	HPV16 E1	10	171
HPV16 E1	11	569	HPV16 E2	8	220
HPV16 E1	8	202	HPV16 E2	9	220
HPV16 E1	10	202	HPV16 E2	10	220
HPV16 E1	8	538	HPV16 E2	10	143
HPV16 E1	10	538	HPV16 E2	8	221
HPV16 E1	8	503	HPV16 E2	9	221
HPV16 E1	11	503	HPV16 E2	10	40
HPV16 E1	8	386	HPV16 E2	11	309
HPV16 E1	11	396	HPV16 E2	10	174
HPV16 E1	9	136	HPV16 E2	11	174
HPV16 E1	10	136	HPV16 E2	8	294
HPV16 E1	9	480	HPV16 E2	10	294
HPV16 E1	11	480	HPV16 E2	8	263
HPV16 E1	10	245	HPV16 E2	9	263
HPV16 E1	11	245	HPV16 E2	9	338
HPV16 E1	9	61	HPV16 E2	10	338
HPV16 E1	10	61	HPV16 E2	9	22
HPV16 E1	11	61	HPV16 E2	11	22
HPV16 E1	9	398	HPV16 E2	8	260
HPV16 E1	11	398	HPV16 E2	9	260
HPV16 E1	9	265	HPV16 E2	11	260
HPV16 E1	10	265	HPV16 E2	11	246
HPV16 E1	11	265	HPV16 E2	11	142
HPV16 E1	9	118	HPV16 E2	8	80
HPV16 E1	10	118	HPV16 E2	9	2
HPV16 E1	8	188	HPV16 E2	11	200
HPV16 E1	10	188	HPV16 E2	9	230
HPV16 E1	11	188	HPV16 E2	8	187
HPV16 E1	8	343	HPV16 E2	11	252
HPV16 E1	8	120	HPV16 E2	8	356
HPV16 E1	9	414	HPV16 E2	10	356
HPV16 E1	8	313	HPV16 E2	8	68
HPV16 E1	9	313	HPV16 E2	10	68
HPV16 E1	10	313	HPV16 E2	10	45
HPV16 E1	8	615	HPV16 E2	9	329
HPV16 E1	10	390	HPV16 E2	9	354
HPV16 E1	9	172	HPV16 E2	10	354
HPV16 E1	8	314	HPV16 E2	8	62
HPV16 E1	9	314	HPV16 E2	9	62
HPV16 E1	8	231	HPV16 E2	11	62
HPV16 E1	9	231	HPV16 E2	10	347
HPV16 E1	10	231	HPV16 E2	8	103
HPV16 E1	11	231	HPV16 E2	11	16

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 E2	11	77	HPV16 E5	8	53
HPV16 E2	8	282	HPV16 E5	9	53
HPV16 E2	10	282	HPV16 E5	10	53
HPV16 E2	9	84	HPV16 E5	11	53
HPV16 E2	11	84	HPV16 E5	8	54
HPV16 E2	8	272	HPV16 E5	9	54
HPV16 E2	8	296	HPV16 E5	10	54
HPV16 E2	10	296	HPV16 E5	11	54
HPV16 E2	8	127	HPV16 E5	9	7
HPV16 E2	11	127	HPV16 E5	10	7
HPV16 E2	8	284	HPV16 E5	11	7
HPV16 E2	8	219	HPV16 E5	8	5
HPV16 E2	9	219	HPV16 E5	9	5
HPV16 E2	10	219	HPV16 E5	11	5
HPV16 E2	11	219	HPV16 E5	8	75
HPV16 E2	10	106	HPV16 E5	10	51
HPV16 E2	10	60	HPV16 E5	11	51
HPV16 E2	11	60	HPV16 E5	8	12
HPV16 E2	10	196	HPV16 E5	10	12
HPV16 E2	9	71	HPV16 E5	11	12
HPV16 E2	11	165	HPV16 E5	9	34
HPV16 E2	8	330	HPV16 E5	10	34
HPV16 E2	8	264	HPV16 E5	11	34
HPV16 E2	10	201	HPV16 E5	11	1
HPV16 E2	11	201	HPV16 E5	8	55
HPV16 E2	10	206	HPV16 E5	9	55
HPV16 E2	11	206	HPV16 E5	10	55
HPV16 E2	11	316	HPV16 E5	11	55
HPV16 E2	8	23	HPV16 E5	8	8
HPV16 E2	10	23	HPV16 E5	9	8
HPV16 E2	11	23	HPV16 E5	10	8
HPV16 E2	10	317	HPV16 E5	8	37
HPV16 E2	11	269	HPV16 E5	9	37
HPV16 E2	9	313	HPV16 E5	10	37
HPV16 E2	9	197	HPV16 E5	11	37
HPV16 E2	10	253	HPV16 E5	9	52
HPV16 E2	11	285	HPV16 E5	10	52
HPV16 E2	9	64	HPV16 E5	11	52
HPV16 E2	10	64	HPV16 E5	8	6
HPV16 E2	9	97	HPV16 E5	10	6
HPV16 E2	11	205	HPV16 E5	11	6
HPV16 E2	8	358	HPV16 E5	8	40
HPV16 E2	9	333	HPV16 E5	9	40
HPV16 E2	8	145	HPV16 E5	10	40
HPV16 E2	10	145	HPV16 E5	11	40
HPV16 E2	11	145	HPV16 E5	8	9
HPV16 E2	11	321	HPV16 E5	9	9
HPV16 E2	10	134	HPV16 E5	11	9
HPV16 E2	8	92	HPV16 E5	8	36
HPV16 E2	10	92	HPV16 E5	9	36
HPV16 E2	11	92	HPV16 E5	10	36
HPV16 E2	9	178	HPV16 E5	11	36
HPV16 E2	11	178	HPV16 E5	8	39
HPV16 E2	8	87	HPV16 E5	9	39
HPV16 E2	11	87	HPV16 E5	10	39
HPV16 E2	8	312	HPV16 E5	11	39
HPV16 E2	10	312	HPV16 E6	8	23
HPV16 E2	8	131	HPV16 E6	11	23
HPV16 E2	9	131	HPV16 E6	8	52
HPV16 E2	11	115	HPV16 E6	9	52

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 E6	10	52	HPV16 L1	11	34
HPV16 E6	8	92	HPV16 L1	9	378
HPV16 E6	9	80	HPV16 L1	8	481
HPV16 E6	11	80	HPV16 L1	10	481
HPV16 E6	8	27	HPV16 L1	8	506
HPV16 E6	9	27	HPV16 L1	11	236
HPV16 E6	11	148	HPV16 L1	8	232
HPV16 E6	8	151	HPV16 L1	10	232
HPV16 E6	10	149	HPV16 L1	11	291
HPV16 E6	8	28	HPV16 L1	8	305
HPV16 E6	11	28	HPV16 L1	9	305
HPV16 E6	11	93	HPV16 L1	8	323
HPV16 E6	8	67	HPV16 L1	10	323
HPV16 E6	10	67	HPV16 L1	11	323
HPV16 E6	11	67	HPV16 L1	8	198
HPV16 E6	10	77	HPV16 L1	9	198
HPV16 E6	8	88	HPV16 L1	11	307
HPV16 E7	9	30	HPV16 L1	9	438
HPV16 E7	8	62	HPV16 L1	10	438
HPV16 E7	8	4	HPV16 L1	8	64
HPV16 E7	9	4	HPV16 L1	8	62
HPV16 E7	10	4	HPV16 L1	9	62
HPV16 E7	8	18	HPV16 L1	10	62
HPV16 E7	11	18	HPV16 L1	8	418
HPV16 E7	9	85	HPV16 L1	11	418
HPV16 E7	10	41	HPV16 L1	11	457
HPV16 E7	8	6	HPV16 L1	10	452
HPV16 E7	10	6	HPV16 L1	10	143
HPV16 E7	9	44	HPV16 L1	10	173
HPV16 E7	11	44	HPV16 L1	8	374
HPV16 E7	10	70	HPV16 L1	8	11
HPV16 E7	9	49	HPV16 L1	10	11
HPV16 E7	8	77	HPV16 L1	11	11
HPV16 E7	11	77	HPV16 L1	8	407
HPV16 E7	8	31	HPV16 L1	10	407
HPV16 E7	9	71	HPV16 L1	11	407
HPV16 E7	10	19	HPV16 L1	8	501
HPV16 E7	11	55	HPV16 L1	8	243
HPV16 L1	10	372	HPV16 L1	8	69
HPV16 L1	8	158	HPV16 L1	10	69
HPV16 L1	10	158	HPV16 L1	8	409
HPV16 L1	8	35	HPV16 L1	9	409
HPV16 L1	10	35	HPV16 L1	9	27
HPV16 L1	11	371	HPV16 L1	11	27
HPV16 L1	10	251	HPV16 L1	11	414
HPV16 L1	11	251	HPV16 L1	10	164
HPV16 L1	9	329	HPV16 L1	9	157
HPV16 L1	10	329	HPV16 L1	11	157
HPV16 L1	11	329	HPV16 L1	8	421
HPV16 L1	8	154	HPV16 L1	10	421
HPV16 L1	9	154	HPV16 L1	8	383
HPV16 L1	10	154	HPV16 L1	9	218
HPV16 L1	9	228	HPV16 L1	10	218
HPV16 L1	8	120	HPV16 L1	8	460
HPV16 L1	10	120	HPV16 L1	11	460
HPV16 L1	8	361	HPV16 L1	8	32
HPV16 L1	10	361	HPV16 L1	11	32
HPV16 L1	10	442	HPV16 L1	10	321
HPV16 L1	11	442	HPV16 L1	8	319
HPV16 L1	9	34	HPV16 L1	10	515

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 L1	10	497	HPV16 L2	8	116
HPV16 L1	9	240	HPV16 L2	11	116
HPV16 L1	11	240	HPV16 L2	11	442
HPV16 L1	9	289	HPV16 L2	8	334
HPV16 L1	9	341	HPV16 L2	11	334
HPV16 L1	11	341	HPV16 L2	10	84
HPV16 L1	9	364	HPV16 L2	10	376
HPV16 L1	10	364	HPV16 L2	9	140
HPV16 L1	11	364	HPV16 L2	8	176
HPV16 L1	8	56	HPV16 L2	9	111
HPV16 L1	9	482	HPV16 L2	8	466
HPV16 L1	9	159	HPV16 L2	8	268
HPV16 L1	10	308	HPV16 L2	10	268
HPV16 L1	11	308	HPV16 L2	11	268
HPV16 L1	11	49	HPV16 L2	10	330
HPV16 L1	9	422	HPV16 L2	8	181
HPV16 L1	11	422	HPV16 L2	8	321
HPV16 L1	8	365	HPV16 L2	10	321
HPV16 L1	9	365	HPV16 L2	9	118
HPV16 L1	10	365	HPV16 L2	8	404
HPV16 L1	11	521	HPV16 L2	10	63
HPV16 L1	8	410	HPV16 L2	11	63
HPV16 L1	11	410	HPV16 L2	10	49
HPV16 L1	9	523	HPV16 L2	8	433
HPV16 L1	9	309	HPV16 L2	9	433
HPV16 L1	10	309	HPV16 L2	11	433
HPV16 L1	11	327	HPV16 L2	8	218
HPV16 L1	11	376	HPV16 L2	10	218
HPV16 L1	11	114	HPV16 L2	11	218
HPV16 L1	9	252	HPV16 L2	8	26
HPV16 L1	10	252	HPV16 L2	11	26
HPV16 L1	11	65	HPV16 L2	8	65
HPV16 L1	8	517	HPV16 L2	9	65
HPV16 L1	10	522	HPV16 L2	11	65
HPV16 L1	10	237	HPV16 L2	11	76
HPV16 L1	9	362	HPV16 L2	8	354
HPV16 L1	11	362	HPV16 L2	8	440
HPV16 L1	9	516	HPV16 L2	9	440
HPV16 L1	8	379	HPV16 L2	8	41
HPV16 L1	11	379	HPV16 L2	11	41
HPV16 L1	8	54	HPV16 L2	8	277
HPV16 L1	10	54	HPV16 L2	10	277
HPV16 L1	11	204	HPV16 L2	11	277
HPV16 L1	9	264	HPV16 L2	9	188
HPV16 L1	10	264	HPV16 L2	11	188
HPV16 L1	11	264	HPV16 L2	8	420
HPV16 L1	8	91	HPV16 L2	9	420
HPV16 L1	9	91	HPV16 L2	11	420
HPV16 L1	11	91	HPV16 L2	9	374
HPV16 L1	10	44	HPV16 L2	8	243
HPV16 L1	11	44	HPV16 L2	10	243
HPV16 L1	8	48	HPV16 L2	10	135
HPV16 L1	8	3	HPV16 L2	11	135
HPV16 L1	9	3	HPV16 L2	8	250
HPV16 L1	8	326	HPV16 L2	11	250
HPV16 L1	8	126	HPV16 L2	9	318
HPV16 L1	8	470	HPV16 L2	10	318
HPV16 L2	11	355	HPV16 L2	11	318
HPV16 L2	8	82	HPV16 L2	8	39
HPV16 L2	11	15	HPV16 L2	10	39

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 L2	8	86	HPV16 L2	10	6
HPV16 L2	10	86	HPV16 L2	9	269
HPV16 L2	11	390	HPV16 L2	10	269
HPV16 L2	11	183	HPV16 L2	10	184
HPV16 L2	8	294	HPV16 L2	9	185
HPV16 L2	10	294	HPV16 L2	11	212
HPV16 L2	11	273	HPV16 L2	8	138
HPV16 L2	9	397	HPV16 L2	9	138
HPV16 L2	10	397	HPV16 L2	11	138
HPV16 L2	9	208	HPV16 L2	8	189
HPV16 L2	8	174	HPV16 L2	10	189
HPV16 L2	10	174	HPV16 L2	9	331
HPV16 L2	10	240	HPV16 L2	11	331
HPV16 L2	11	240	HPV16 L2	8	186
HPV16 L2	10	143	HPV16 L2	11	186
HPV16 L2	10	292	HPV16 L2	10	213
HPV16 L2	8	395	HPV16 L2	11	213
HPV16 L2	11	395	HPV16 L2	8	387
HPV16 L2	8	255	HPV16 L2	10	387
HPV16 L2	9	100	HPV16 L2	8	378
HPV16 L2	10	100	HPV16 L2	9	347
HPV16 L2	10	124	HPV16 L2	10	347
HPV16 L2	8	386	HPV16 L2	11	347
HPV16 L2	9	386	HPV16 L2	9	81
HPV16 L2	11	386	HPV16 L2	8	112
HPV16 L2	10	346	HPV16 L2	10	352
HPV16 L2	11	346	HPV16 L2	8	359
HPV16 L2	10	166	HPV16 L2	10	359
HPV16 L2	8	383	HPV16 L2	11	359
HPV16 L2	11	383	HPV16 L2	9	388
HPV16 L2	8	80	HPV16 L2	9	295
HPV16 L2	10	80	HPV16 L2	8	137
HPV16 L2	8	161	HPV16 L2	9	137
HPV16 L2	9	161	HPV16 L2	10	137
HPV16 L2	11	246	HPV16 L2	9	377
HPV16 L2	10	172	HPV16 L2	10	121
HPV16 L2	8	358	HPV16 L2	8	156
HPV16 L2	9	358	HPV16 L2	8	398
HPV16 L2	11	358	HPV16 L2	9	398
HPV16 L2	11	120	HPV16 L2	11	398
HPV16 L2	9	24	HPV16 L2	8	141
HPV16 L2	10	24	HPV16 L2	9	244
HPV16 L2	8	423	HPV16 L2	8	231
HPV16 L2	9	423	HPV16 L2	11	231
HPV16 L2	8	342	HPV16 L2	11	351
HPV16 L2	11	310	HPV16 L2	9	136
HPV16 L2	8	12	HPV16 L2	10	136
HPV16 L2	9	5	HPV16 L2	11	136
HPV16 L2	11	5	HPV16 L2	8	350
HPV16 L2	8	315	HPV16 L2	11	153
HPV16 L2	10	315	HPV16 L2	8	287
HPV16 L2	9	298	HPV16 L2	8	411
HPV16 L2	10	9	HPV16 L2	10	411
HPV16 L2	11	9	HPV16 L2	9	106
HPV16 L2	8	313	HPV16 L2	10	106
HPV16 L2	10	313	HPV16 L2	8	203
HPV16 L2	8	230	HPV16 L2	9	155
HPV16 L2	9	230	HPV16 L2	10	303
HPV16 L2	10	335	HPV16 L2	8	228
HPV16 L2	8	6	HPV16 L2	10	228

Table XIII  
HLA-B58 Supermotif Peptides

HPV16 L2	11	228	HPV18 E1	8	44
HPV16 L2	10	437	HPV18 E1	8	92
HPV16 L2	11	437	HPV18 E1	9	172
HPV16 L2	8	349	HPV18 E1	9	55
HPV16 L2	9	349	HPV18 E1	8	11
HPV18 E1	11	396	HPV18 E1	9	11
HPV18 E1	10	397	HPV18 E1	10	11
HPV18 E1	10	324	HPV18 E1	8	473
HPV18 E1	8	40	HPV18 E1	9	473
HPV18 E1	9	40	HPV18 E1	10	473
HPV18 E1	11	40	HPV18 E1	8	182
HPV18 E1	10	413	HPV18 E1	11	182
HPV18 E1	8	531	HPV18 E1	9	71
HPV18 E1	9	531	HPV18 E1	11	71
HPV18 E1	8	412	HPV18 E1	8	254
HPV18 E1	11	412	HPV18 E1	9	254
HPV18 E1	9	139	HPV18 E1	8	198
HPV18 E1	11	139	HPV18 E1	10	198
HPV18 E1	8	160	HPV18 E1	9	32
HPV18 E1	9	160	HPV18 E1	11	132
HPV18 E1	10	437	HPV18 E1	11	336
HPV18 E1	8	240	HPV18 E1	10	506
HPV18 E1	9	240	HPV18 E1	11	506
HPV18 E1	11	240	HPV18 E1	10	552
HPV18 E1	9	196	HPV18 E1	11	552
HPV18 E1	10	196	HPV18 E1	10	116
HPV18 E1	9	635	HPV18 E1	8	333
HPV18 E1	8	78	HPV18 E1	10	461
HPV18 E1	9	530	HPV18 E1	11	461
HPV18 E1	10	530	HPV18 E1	9	590
HPV18 E1	9	134	HPV18 E1	10	590
HPV18 E1	11	134	HPV18 E1	9	124
HPV18 E1	9	359	HPV18 E1	10	234
HPV18 E1	10	359	HPV18 E1	11	234
HPV18 E1	8	391	HPV18 E1	8	401
HPV18 E1	9	391	HPV18 E1	9	401
HPV18 E1	10	391	HPV18 E1	10	292
HPV18 E1	10	637	HPV18 E1	8	490
HPV18 E1	8	106	HPV18 E1	9	490
HPV18 E1	11	106	HPV18 E1	11	490
HPV18 E1	9	42	HPV18 E1	8	259
HPV18 E1	10	42	HPV18 E1	9	259
HPV18 E1	10	522	HPV18 E1	10	259
HPV18 E1	9	342	HPV18 E1	11	259
HPV18 E1	11	342	HPV18 E1	8	237
HPV18 E1	10	52	HPV18 E1	10	237
HPV18 E1	10	220	HPV18 E1	11	237
HPV18 E1	11	220	HPV18 E1	8	389
HPV18 E1	8	540	HPV18 E1	9	389
HPV18 E1	8	379	HPV18 E1	10	389
HPV18 E1	9	379	HPV18 E1	11	389
HPV18 E1	10	379	HPV18 E1	8	215
HPV18 E1	11	379	HPV18 E1	10	215
HPV18 E1	9	587	HPV18 E1	8	364
HPV18 E1	9	64	HPV18 E1	9	364
HPV18 E1	11	309	HPV18 E1	10	224
HPV18 E1	11	89	HPV18 E1	8	109
HPV18 E1	8	226	HPV18 E1	10	109
HPV18 E1	8	130	HPV18 E1	8	376
HPV18 E1	11	212	HPV18 E1	9	376

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 E1	11	376	HPV18 E1	11	533
HPV18 E1	8	520	HPV18 E1	10	150
HPV18 E1	9	520	HPV18 E1	8	532
HPV18 E1	8	350	HPV18 E1	11	532
HPV18 E1	8	571	HPV18 E1	11	323
HPV18 E1	10	295	HPV18 E1	8	297
HPV18 E1	11	295	HPV18 E1	9	297
HPV18 E1	8	382	HPV18 E1	11	297
HPV18 E1	9	382	HPV18 E1	11	244
HPV18 E1	10	495	HPV18 E1	11	149
HPV18 E1	11	495	HPV18 E1	8	536
HPV18 E1	8	545	HPV18 E1	11	536
HPV18 E1	10	545	HPV18 E1	11	268
HPV18 E1	9	39	HPV18 E1	11	386
HPV18 E1	10	39	HPV18 E2	10	49
HPV18 E1	11	119	HPV18 E2	10	245
HPV18 E1	8	393	HPV18 E2	11	245
HPV18 E1	8	96	HPV18 E2	9	154
HPV18 E1	10	96	HPV18 E2	10	154
HPV18 E1	8	510	HPV18 E2	11	154
HPV18 E1	11	510	HPV18 E2	8	214
HPV18 E1	9	487	HPV18 E2	9	246
HPV18 E1	11	487	HPV18 E2	10	246
HPV18 E1	9	577	HPV18 E2	8	282
HPV18 E1	10	577	HPV18 E2	9	282
HPV18 E1	8	485	HPV18 E2	11	282
HPV18 E1	9	485	HPV18 E2	8	205
HPV18 E1	11	485	HPV18 E2	10	205
HPV18 E1	10	252	HPV18 E2	9	146
HPV18 E1	11	252	HPV18 E2	9	26
HPV18 E1	9	60	HPV18 E2	11	26
HPV18 E1	10	60	HPV18 E2	11	202
HPV18 E1	11	60	HPV18 E2	9	31
HPV18 E1	11	21	HPV18 E2	10	31
HPV18 E1	9	405	HPV18 E2	9	354
HPV18 E1	11	405	HPV18 E2	10	354
HPV18 E1	9	67	HPV18 E2	9	139
HPV18 E1	9	649	HPV18 E2	8	210
HPV18 E1	9	421	HPV18 E2	9	210
HPV18 E1	8	320	HPV18 E2	10	6
HPV18 E1	9	320	HPV18 E2	8	340
HPV18 E1	10	320	HPV18 E2	11	340
HPV18 E1	10	330	HPV18 E2	8	48
HPV18 E1	11	330	HPV18 E2	11	48
HPV18 E1	8	622	HPV18 E2	9	324
HPV18 E1	8	321	HPV18 E2	10	324
HPV18 E1	9	321	HPV18 E2	11	235
HPV18 E1	11	93	HPV18 E2	10	148
HPV18 E1	11	302	HPV18 E2	11	187
HPV18 E1	10	511	HPV18 E2	8	309
HPV18 E1	10	245	HPV18 E2	9	338
HPV18 E1	11	245	HPV18 E2	10	338
HPV18 E1	8	65	HPV18 E2	10	223
HPV18 E1	11	65	HPV18 E2	9	68
HPV18 E1	10	183	HPV18 E2	10	68
HPV18 E1	9	512	HPV18 E2	10	316
HPV18 E1	9	238	HPV18 E2	8	72
HPV18 E1	10	238	HPV18 E2	10	72
HPV18 E1	11	238	HPV18 E2	11	72
HPV18 E1	10	533	HPV18 E2	8	75

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 E2	9	75	HPV18 E2	11	322
HPV18 E2	8	70	HPV18 E2	10	96
HPV18 E2	10	70	HPV18 E2	11	96
HPV18 E2	11	152	HPV18 E2	10	228
HPV18 E2	9	329	HPV18 E5	8	47
HPV18 E2	8	238	HPV18 E5	9	47
HPV18 E2	9	238	HPV18 E5	11	47
HPV18 E2	10	254	HPV18 E5	8	29
HPV18 E2	11	86	HPV18 E5	9	29
HPV18 E2	8	12	HPV18 E5	10	29
HPV18 E2	9	12	HPV18 E5	11	29
HPV18 E2	8	8	HPV18 E5	8	50
HPV18 E2	11	81	HPV18 E5	9	50
HPV18 E2	11	144	HPV18 E5	10	50
HPV18 E2	9	133	HPV18 E5	8	43
HPV18 E2	10	133	HPV18 E5	10	43
HPV18 E2	11	133	HPV18 E5	11	43
HPV18 E2	8	297	HPV18 E5	9	2
HPV18 E2	10	297	HPV18 E5	11	2
HPV18 E2	8	107	HPV18 E5	8	46
HPV18 E2	9	185	HPV18 E5	9	46
HPV18 E2	8	285	HPV18 E5	10	46
HPV18 E2	9	348	HPV18 E5	8	24
HPV18 E2	11	348	HPV18 E5	9	24
HPV18 E2	10	64	HPV18 E5	10	24
HPV18 E2	8	225	HPV18 E5	11	24
HPV18 E2	10	225	HPV18 E5	8	48
HPV18 E2	10	272	HPV18 E5	10	48
HPV18 E2	9	88	HPV18 E5	11	48
HPV18 E2	11	88	HPV18 E5	9	44
HPV18 E2	8	56	HPV18 E5	10	44
HPV18 E2	10	56	HPV18 E5	11	44
HPV18 E2	11	56	HPV18 E5	8	31
HPV18 E2	11	2	HPV18 E5	9	31
HPV18 E2	8	343	HPV18 E5	10	31
HPV18 E2	9	343	HPV18 E5	11	31
HPV18 E2	10	343	HPV18 E6	9	63
HPV18 E2	11	244	HPV18 E6	10	63
HPV18 E2	9	213	HPV18 E6	8	18
HPV18 E2	9	229	HPV18 E6	11	18
HPV18 E2	9	317	HPV18 E6	8	83
HPV18 E2	9	206	HPV18 E6	11	83
HPV18 E2	8	230	HPV18 E6	11	88
HPV18 E2	11	230	HPV18 E6	8	47
HPV18 E2	8	318	HPV18 E6	9	47
HPV18 E2	10	236	HPV18 E6	10	47
HPV18 E2	11	236	HPV18 E6	8	62
HPV18 E2	10	153	HPV18 E6	10	62
HPV18 E2	11	153	HPV18 E6	11	62
HPV18 E2	8	207	HPV18 E6	9	30
HPV18 E2	11	207	HPV18 E6	10	30
HPV18 E2	9	350	HPV18 E6	9	36
HPV18 E2	10	350	HPV18 E6	10	36
HPV18 E2	11	350	HPV18 E6	8	41
HPV18 E2	8	136	HPV18 E6	9	41
HPV18 E2	9	136	HPV18 E6	9	93
HPV18 E2	10	212	HPV18 E6	10	93
HPV18 E2	8	157	HPV18 E6	11	93
HPV18 E2	9	157	HPV18 E6	8	95
HPV18 E2	9	232	HPV18 E6	9	95

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 E6	9	22	HPV18 L1	10	155
HPV18 E6	8	114	HPV18 L1	9	317
HPV18 E6	8	7	HPV18 L1	8	517
HPV18 E6	11	7	HPV18 L1	10	517
HPV18 E6	8	23	HPV18 L1	11	271
HPV18 E6	11	23	HPV18 L1	8	267
HPV18 E6	10	81	HPV18 L1	10	358
HPV18 E6	10	72	HPV18 L1	11	358
HPV18 E7	8	6	HPV18 L1	8	99
HPV18 E7	10	6	HPV18 L1	9	233
HPV18 E7	9	33	HPV18 L1	11	326
HPV18 E7	8	69	HPV18 L1	11	194
HPV18 E7	9	77	HPV18 L1	8	97
HPV18 E7	10	77	HPV18 L1	10	97
HPV18 E7	8	5	HPV18 L1	8	30
HPV18 E7	9	5	HPV18 L1	10	30
HPV18 E7	11	5	HPV18 L1	11	30
HPV18 E7	11	31	HPV18 L1	8	454
HPV18 E7	9	94	HPV18 L1	11	454
HPV18 E7	9	92	HPV18 L1	8	488
HPV18 E7	11	92	HPV18 L1	10	488
HPV18 E7	9	53	HPV18 L1	8	443
HPV18 E7	10	53	HPV18 L1	10	443
HPV18 E7	8	84	HPV18 L1	11	443
HPV18 E7	11	84	HPV18 L1	9	376
HPV18 E7	8	79	HPV18 L1	11	376
HPV18 E7	11	79	HPV18 L1	10	178
HPV18 E7	8	78	HPV18 L1	9	241
HPV18 E7	9	78	HPV18 L1	11	241
HPV18 L1	10	494	HPV18 L1	8	445
HPV18 L1	10	195	HPV18 L1	9	445
HPV18 L1	8	345	HPV18 L1	11	403
HPV18 L1	11	407	HPV18 L1	8	104
HPV18 L1	11	419	HPV18 L1	10	104
HPV18 L1	9	196	HPV18 L1	11	62
HPV18 L1	8	552	HPV18 L1	10	298
HPV18 L1	11	552	HPV18 L1	11	298
HPV18 L1	9	222	HPV18 L1	11	450
HPV18 L1	10	222	HPV18 L1	8	457
HPV18 L1	8	406	HPV18 L1	10	457
HPV18 L1	9	441	HPV18 L1	11	84
HPV18 L1	10	441	HPV18 L1	9	253
HPV18 L1	11	493	HPV18 L1	10	253
HPV18 L1	8	418	HPV18 L1	10	70
HPV18 L1	9	364	HPV18 L1	11	70
HPV18 L1	10	364	HPV18 L1	8	496
HPV18 L1	11	364	HPV18 L1	11	496
HPV18 L1	8	189	HPV18 L1	10	114
HPV18 L1	9	263	HPV18 L1	8	224
HPV18 L1	8	276	HPV18 L1	9	558
HPV18 L1	10	276	HPV18 L1	8	344
HPV18 L1	8	396	HPV18 L1	9	344
HPV18 L1	10	396	HPV18 L1	10	550
HPV18 L1	8	330	HPV18 L1	8	67
HPV18 L1	9	330	HPV18 L1	8	354
HPV18 L1	9	478	HPV18 L1	9	399
HPV18 L1	10	478	HPV18 L1	10	540
HPV18 L1	11	478	HPV18 L1	8	91
HPV18 L1	10	191	HPV18 L1	9	472
HPV18 L1	8	155	HPV18 L1	11	472

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 L1	10	533	HPV18 L2	9	6
HPV18 L1	9	287	HPV18 L2	10	201
HPV18 L1	10	287	HPV18 L2	9	381
HPV18 L1	10	334	HPV18 L2	11	381
HPV18 L1	8	410	HPV18 L2	8	423
HPV18 L1	10	410	HPV18 L2	8	341
HPV18 L1	11	484	HPV18 L2	10	341
HPV18 L1	10	214	HPV18 L2	11	341
HPV18 L1	9	324	HPV18 L2	11	303
HPV18 L1	9	299	HPV18 L2	8	273
HPV18 L1	10	299	HPV18 L2	10	273
HPV18 L1	11	299	HPV18 L2	9	109
HPV18 L1	9	551	HPV18 L2	8	455
HPV18 L1	8	127	HPV18 L2	10	369
HPV18 L1	10	127	HPV18 L2	11	200
HPV18 L1	9	192	HPV18 L2	9	162
HPV18 L1	9	458	HPV18 L2	8	296
HPV18 L1	11	458	HPV18 L2	10	296
HPV18 L1	8	555	HPV18 L2	11	296
HPV18 L1	10	555	HPV18 L2	9	122
HPV18 L1	11	100	HPV18 L2	11	157
HPV18 L1	10	272	HPV18 L2	8	306
HPV18 L1	8	400	HPV18 L2	10	306
HPV18 L1	10	408	HPV18 L2	10	314
HPV18 L1	8	234	HPV18 L2	10	62
HPV18 L1	8	446	HPV18 L2	11	62
HPV18 L1	11	446	HPV18 L2	8	25
HPV18 L1	11	362	HPV18 L2	11	25
HPV18 L1	11	149	HPV18 L2	8	64
HPV18 L1	9	474	HPV18 L2	9	64
HPV18 L1	10	474	HPV18 L2	11	64
HPV18 L1	8	197	HPV18 L2	8	188
HPV18 L1	9	554	HPV18 L2	10	188
HPV18 L1	11	554	HPV18 L2	9	432
HPV18 L1	9	397	HPV18 L2	10	432
HPV18 L1	11	397	HPV18 L2	11	432
HPV18 L1	8	473	HPV18 L2	10	183
HPV18 L1	10	473	HPV18 L2	8	310
HPV18 L1	11	473	HPV18 L2	10	310
HPV18 L1	10	553	HPV18 L2	11	310
HPV18 L1	9	486	HPV18 L2	10	124
HPV18 L1	10	486	HPV18 L2	8	37
HPV18 L1	10	79	HPV18 L2	9	37
HPV18 L1	11	79	HPV18 L2	11	37
HPV18 L1	8	126	HPV18 L2	8	134
HPV18 L1	9	126	HPV18 L2	10	134
HPV18 L1	11	126	HPV18 L2	8	292
HPV18 L1	9	200	HPV18 L2	8	326
HPV18 L1	11	200	HPV18 L2	10	326
HPV18 L1	10	208	HPV18 L2	10	323
HPV18 L1	8	89	HPV18 L2	11	323
HPV18 L1	10	89	HPV18 L2	10	378
HPV18 L1	8	361	HPV18 L2	9	210
HPV18 L1	8	161	HPV18 L2	10	152
HPV18 L1	9	352	HPV18 L2	11	152
HPV18 L1	10	352	HPV18 L2	9	405
HPV18 L1	8	425	HPV18 L2	10	405
HPV18 L1	10	425	HPV18 L2	8	143
HPV18 L1	9	4	HPV18 L2	10	143
HPV18 L1	11	4	HPV18 L2	10	130

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 L2	11	130	HPV18 L2	10	132
HPV18 L2	8	249	HPV18 L2	8	380
HPV18 L2	11	249	HPV18 L2	10	380
HPV18 L2	8	40	HPV18 L2	8	340
HPV18 L2	11	40	HPV18 L2	9	340
HPV18 L2	9	263	HPV18 L2	11	340
HPV18 L2	8	242	HPV18 L2	9	379
HPV18 L2	10	242	HPV18 L2	11	379
HPV18 L2	8	287	HPV18 L2	9	202
HPV18 L2	10	287	HPV18 L2	10	48
HPV18 L2	9	391	HPV18 L2	10	246
HPV18 L2	10	391	HPV18 L2	11	246
HPV18 L2	10	254	HPV18 L2	8	211
HPV18 L2	8	160	HPV18 L2	11	211
HPV18 L2	9	160	HPV18 L2	8	110
HPV18 L2	11	160	HPV18 L2	8	393
HPV18 L2	10	285	HPV18 L2	8	382
HPV18 L2	9	422	HPV18 L2	10	382
HPV18 L2	8	328	HPV18 L2	10	212
HPV18 L2	11	328	HPV18 L2	11	212
HPV18 L2	8	362	HPV18 L2	11	147
HPV18 L2	9	362	HPV18 L2	9	153
HPV18 L2	10	362	HPV18 L2	10	153
HPV18 L2	11	362	HPV18 L2	8	365
HPV18 L2	11	245	HPV18 L2	10	365
HPV18 L2	8	145	HPV18 L2	8	409
HPV18 L2	9	408	HPV18 L2	9	409
HPV18 L2	10	408	HPV18 L2	8	420
HPV18 L2	9	419	HPV18 L2	9	420
HPV18 L2	10	419	HPV18 L2	11	420
HPV18 L2	9	98	HPV18 L2	9	131
HPV18 L2	10	98	HPV18 L2	10	131
HPV18 L2	9	120	HPV18 L2	11	131
HPV18 L2	11	120	HPV18 L2	8	367
HPV18 L2	9	376	HPV18 L2	9	114
HPV18 L2	8	86	HPV18 L2	9	125
HPV18 L2	11	86	HPV18 L2	10	186
HPV18 L2	8	185	HPV18 L2	9	288
HPV18 L2	11	185	HPV18 L2	8	392
HPV18 L2	11	216	HPV18 L2	9	392
HPV18 L2	9	23	HPV18 L2	10	148
HPV18 L2	10	23	HPV18 L2	11	411
HPV18 L2	9	172	HPV18 L2	8	38
HPV18 L2	10	172	HPV18 L2	10	38
HPV18 L2	11	172	HPV18 L2	11	261
HPV18 L2	8	5	HPV18 L2	8	154
HPV18 L2	10	5	HPV18 L2	9	154
HPV18 L2	8	11	HPV18 L2	8	136
HPV18 L2	8	229	HPV18 L2	9	366
HPV18 L2	9	229	HPV18 L2	8	410
HPV18 L2	9	268	HPV18 L2	9	135
HPV18 L2	10	268	HPV18 L2	10	221
HPV18 L2	8	308	HPV18 L2	11	221
HPV18 L2	10	308	HPV18 L2	9	339
HPV18 L2	8	77	HPV18 L2	10	339
HPV18 L2	8	364	HPV18 L2	11	2
HPV18 L2	9	364	HPV18 L2	8	150
HPV18 L2	11	364	HPV18 L2	11	417
HPV18 L2	8	132	HPV18 L2	8	234
HPV18 L2	9	132	HPV18 L2	9	234

Table XIII  
HLA-B58 Supermotif Peptides

HPV18 L2	9	104	HPV31 E1	11	80
HPV18 L2	10	104	HPV31 E1	9	64
HPV18 L2	10	113	HPV31 E1	11	315
HPV18 L2	9	387	HPV31 E1	8	168
HPV18 L2	11	387	HPV31 E1	10	168
HPV18 L2	8	47	HPV31 E1	11	168
HPV18 L2	11	47	HPV31 E1	8	139
HPV18 L2	8	351	HPV31 E1	8	593
HPV18 L2	9	351	HPV31 E1	10	593
HPV18 L2	11	351	HPV31 E1	9	566
HPV18 L2	8	384	HPV31 E1	9	457
HPV18 L2	8	374	HPV31 E1	10	457
HPV18 L2	11	374	HPV31 E1	11	91
HPV18 L2	8	227	HPV31 E1	8	11
HPV18 L2	10	227	HPV31 E1	9	11
HPV18 L2	11	227	HPV31 E1	10	11
HPV18 L2	8	400	HPV31 E1	10	386
HPV31 E1	11	296	HPV31 E1	10	225
HPV31 E1	9	219	HPV31 E1	11	225
HPV31 E1	10	219	HPV31 E1	8	78
HPV31 E1	10	297	HPV31 E1	9	71
HPV31 E1	10	185	HPV31 E1	11	71
HPV31 E1	11	185	HPV31 E1	8	328
HPV31 E1	8	504	HPV31 E1	10	328
HPV31 E1	9	504	HPV31 E1	9	560
HPV31 E1	10	370	HPV31 E1	8	355
HPV31 E1	8	263	HPV31 E1	9	355
HPV31 E1	11	263	HPV31 E1	11	309
HPV31 E1	8	249	HPV31 E1	8	471
HPV31 E1	9	249	HPV31 E1	9	471
HPV31 E1	10	249	HPV31 E1	11	471
HPV31 E1	11	249	HPV31 E1	8	105
HPV31 E1	8	213	HPV31 E1	10	105
HPV31 E1	9	213	HPV31 E1	9	97
HPV31 E1	11	213	HPV31 E1	8	280
HPV31 E1	10	495	HPV31 E1	10	479
HPV31 E1	9	503	HPV31 E1	11	479
HPV31 E1	10	503	HPV31 E1	10	268
HPV31 E1	8	364	HPV31 E1	11	268
HPV31 E1	9	364	HPV31 E1	8	184
HPV31 E1	10	364	HPV31 E1	11	184
HPV31 E1	8	352	HPV31 E1	11	532
HPV31 E1	9	352	HPV31 E1	8	590
HPV31 E1	11	352	HPV31 E1	11	590
HPV31 E1	9	613	HPV31 E1	9	485
HPV31 E1	9	130	HPV31 E1	10	485
HPV31 E1	8	366	HPV31 E1	8	374
HPV31 E1	9	39	HPV31 E1	9	374
HPV31 E1	10	39	HPV31 E1	9	210
HPV31 E1	9	42	HPV31 E1	10	210
HPV31 E1	10	42	HPV31 E1	11	210
HPV31 E1	9	332	HPV31 E1	8	463
HPV31 E1	10	332	HPV31 E1	9	463
HPV31 E1	8	74	HPV31 E1	11	463
HPV31 E1	9	74	HPV31 E1	8	119
HPV31 E1	11	74	HPV31 E1	10	119
HPV31 E1	8	62	HPV31 E1	9	232
HPV31 E1	9	62	HPV31 E1	10	232
HPV31 E1	11	62	HPV31 E1	8	179
HPV31 E1	10	80	HPV31 E1	9	179

Table XIII  
HLA-B\*58 Supermotif Peptides

HPV31 E1	10	179	HPV31 E1	9	211
HPV31 E1	8	247	HPV31 E1	10	211
HPV31 E1	9	247	HPV31 E1	11	211
HPV31 E1	10	247	HPV31 E1	11	616
HPV31 E1	11	247	HPV31 E1	8	295
HPV31 E1	8	493	HPV31 E1	9	120
HPV31 E1	9	493	HPV31 E1	8	65
HPV31 E1	8	362	HPV31 E1	11	65
HPV31 E1	10	362	HPV31 E1	8	180
HPV31 E1	11	362	HPV31 E1	9	180
HPV31 E1	8	437	HPV31 E1	8	333
HPV31 E1	11	437	HPV31 E1	9	333
HPV31 E1	8	94	HPV31 E1	11	333
HPV31 E1	10	94	HPV31 E1	8	505
HPV31 E1	9	584	HPV31 E1	11	505
HPV31 E1	10	584	HPV31 E1	10	218
HPV31 E1	8	337	HPV31 E1	11	218
HPV31 E1	9	337	HPV31 E1	8	227
HPV31 E1	11	468	HPV31 E1	9	227
HPV31 E1	8	306	HPV31 E1	10	413
HPV31 E1	8	549	HPV31 E1	11	413
HPV31 E1	10	549	HPV31 E1	9	434
HPV31 E1	11	549	HPV31 E1	10	434
HPV31 E1	8	518	HPV31 E1	11	434
HPV31 E1	10	518	HPV31 E1	10	197
HPV31 E1	8	483	HPV31 E1	9	621
HPV31 E1	11	483	HPV31 E1	9	525
HPV31 E1	9	117	HPV31 E1	10	525
HPV31 E1	10	117	HPV31 E1	11	525
HPV31 E1	9	135	HPV31 E1	9	223
HPV31 E1	10	135	HPV31 E1	8	343
HPV31 E1	9	460	HPV31 E1	8	481
HPV31 E1	11	460	HPV31 E1	9	481
HPV31 E1	8	170	HPV31 E1	10	481
HPV31 E1	9	170	HPV31 E1	11	359
HPV31 E1	9	60	HPV31 E2	10	277
HPV31 E1	10	60	HPV31 E2	11	277
HPV31 E1	11	60	HPV31 E2	9	278
HPV31 E1	11	378	HPV31 E2	10	278
HPV31 E1	9	67	HPV31 E2	8	291
HPV31 E1	9	245	HPV31 E2	9	228
HPV31 E1	10	245	HPV31 E2	9	330
HPV31 E1	11	245	HPV31 E2	10	330
HPV31 E1	10	207	HPV31 E2	11	330
HPV31 E1	8	323	HPV31 E2	8	280
HPV31 E1	9	394	HPV31 E2	8	145
HPV31 E1	8	293	HPV31 E2	8	301
HPV31 E1	9	293	HPV31 E2	10	301
HPV31 E1	10	293	HPV31 E2	9	22
HPV31 E1	10	303	HPV31 E2	11	22
HPV31 E1	11	303	HPV31 E2	10	265
HPV31 E1	8	595	HPV31 E2	11	265
HPV31 E1	10	438	HPV31 E2	8	268
HPV31 E1	8	98	HPV31 E2	10	268
HPV31 E1	8	40	HPV31 E2	11	268
HPV31 E1	9	40	HPV31 E2	11	174
HPV31 E1	11	40	HPV31 E2	9	197
HPV31 E1	8	294	HPV31 E2	11	197
HPV31 E1	9	294	HPV31 E2	8	80
HPV31 E1	8	211	HPV31 E2	9	2

Table XIII  
HLA-B58 Supermotif Peptides

HPV31 E2	8	207	HPV31 E2	8	346
HPV31 E2	11	207	HPV31 E2	9	346
HPV31 E2	8	200	HPV31 E2	8	232
HPV31 E2	9	200	HPV31 E2	9	97
HPV31 E2	11	200	HPV31 E2	8	222
HPV31 E2	8	171	HPV31 E2	9	222
HPV31 E2	8	179	HPV31 E2	8	347
HPV31 E2	10	179	HPV31 E2	11	347
HPV31 E2	9	231	HPV31 E2	11	292
HPV31 E2	8	187	HPV31 E2	9	221
HPV31 E2	9	187	HPV31 E2	10	221
HPV31 E2	8	52	HPV31 E2	10	220
HPV31 E2	10	52	HPV31 E2	11	220
HPV31 E2	11	52	HPV31 E2	9	287
HPV31 E2	10	205	HPV31 E2	10	287
HPV31 E2	9	345	HPV31 E2	9	64
HPV31 E2	10	345	HPV31 E2	10	64
HPV31 E2	11	165	HPV31 E2	8	365
HPV31 E2	8	66	HPV31 E2	8	363
HPV31 E2	10	66	HPV31 E2	10	363
HPV31 E2	8	68	HPV31 E2	11	328
HPV31 E2	10	68	HPV31 E2	8	92
HPV31 E2	11	68	HPV31 E2	10	92
HPV31 E2	10	45	HPV31 E2	11	92
HPV31 E2	11	226	HPV31 E2	8	131
HPV31 E2	8	312	HPV31 E2	9	131
HPV31 E2	11	312	HPV31 E2	11	131
HPV31 E2	8	62	HPV31 E2	11	115
HPV31 E2	9	62	HPV31 E5	8	40
HPV31 E2	11	62	HPV31 E5	9	40
HPV31 E2	8	103	HPV31 E5	10	40
HPV31 E2	8	337	HPV31 E5	11	40
HPV31 E2	9	337	HPV31 E5	8	53
HPV31 E2	9	84	HPV31 E5	10	53
HPV31 E2	11	84	HPV31 E5	11	53
HPV31 E2	8	254	HPV31 E5	9	52
HPV31 E2	9	254	HPV31 E5	11	52
HPV31 E2	8	127	HPV31 E5	8	6
HPV31 E2	10	127	HPV31 E5	10	6
HPV31 E2	11	127	HPV31 E5	11	6
HPV31 E2	11	219	HPV31 E5	9	34
HPV31 E2	9	355	HPV31 E5	10	34
HPV31 E2	11	355	HPV31 E5	11	34
HPV31 E2	9	361	HPV31 E5	9	7
HPV31 E2	10	361	HPV31 E5	10	7
HPV31 E2	8	60	HPV31 E5	11	7
HPV31 E2	10	60	HPV31 E5	9	54
HPV31 E2	11	60	HPV31 E5	10	54
HPV31 E2	9	290	HPV31 E5	11	54
HPV31 E2	10	106	HPV31 E5	8	9
HPV31 E2	8	71	HPV31 E5	9	9
HPV31 E2	9	71	HPV31 E5	11	9
HPV31 E2	9	283	HPV31 E5	8	36
HPV31 E2	8	96	HPV31 E5	9	36
HPV31 E2	10	96	HPV31 E5	10	36
HPV31 E2	11	285	HPV31 E5	11	36
HPV31 E2	11	276	HPV31 E5	8	39
HPV31 E2	8	201	HPV31 E5	9	39
HPV31 E2	10	201	HPV31 E5	10	39
HPV31 E2	11	201	HPV31 E5	11	39

Table XIII  
HLA-B58 Supermotif Peptides

HPV31 E6	8	63	HPV31 L1	8	129
HPV31 E6	11	63	HPV31 L1	9	129
HPV31 E6	11	57	HPV31 L1	9	203
HPV31 E6	8	39	HPV31 L1	11	203
HPV31 E6	9	39	HPV31 L1	8	216
HPV31 E6	8	45	HPV31 L1	10	216
HPV31 E6	9	45	HPV31 L1	9	353
HPV31 E6	10	45	HPV31 L1	8	336
HPV31 E6	8	47	HPV31 L1	10	336
HPV31 E6	9	15	HPV31 L1	10	417
HPV31 E6	9	37	HPV31 L1	11	417
HPV31 E6	10	37	HPV31 L1	9	8
HPV31 E6	11	37	HPV31 L1	11	8
HPV31 E6	9	91	HPV31 L1	8	270
HPV31 E6	10	91	HPV31 L1	9	270
HPV31 E6	11	91	HPV31 L1	8	95
HPV31 E6	8	5	HPV31 L1	10	95
HPV31 E6	11	5	HPV31 L1	8	456
HPV31 E6	10	17	HPV31 L1	10	456
HPV31 E6	8	16	HPV31 L1	11	211
HPV31 E6	11	16	HPV31 L1	8	207
HPV31 E6	11	86	HPV31 L1	8	38
HPV31 E6	9	73	HPV31 L1	8	280
HPV31 E6	11	73	HPV31 L1	9	280
HPV31 E6	9	132	HPV31 L1	9	413
HPV31 E6	9	70	HPV31 L1	10	413
HPV31 E6	10	70	HPV31 L1	8	298
HPV31 E6	8	81	HPV31 L1	10	298
HPV31 E6	11	81	HPV31 L1	11	298
HPV31 E7	10	19	HPV31 L1	8	173
HPV31 E7	8	30	HPV31 L1	9	173
HPV31 E7	9	30	HPV31 L1	11	282
HPV31 E7	8	48	HPV31 L1	8	141
HPV31 E7	10	48	HPV31 L1	10	141
HPV31 E7	8	18	HPV31 L1	11	266
HPV31 E7	11	18	HPV31 L1	8	36
HPV31 E7	8	4	HPV31 L1	10	36
HPV31 E7	9	4	HPV31 L1	8	393
HPV31 E7	10	4	HPV31 L1	11	393
HPV31 E7	8	62	HPV31 L1	8	349
HPV31 E7	8	6	HPV31 L1	10	118
HPV31 E7	10	6	HPV31 L1	10	148
HPV31 E7	9	44	HPV31 L1	8	382
HPV31 E7	11	44	HPV31 L1	10	382
HPV31 E7	9	70	HPV31 L1	11	382
HPV31 E7	10	70	HPV31 L1	9	181
HPV31 E7	8	31	HPV31 L1	11	181
HPV31 E7	8	71	HPV31 L1	10	482
HPV31 E7	9	71	HPV31 L1	8	54
HPV31 E7	9	49	HPV31 L1	9	54
HPV31 E7	11	55	HPV31 L1	10	54
HPV31 L1	10	347	HPV31 L1	8	218
HPV31 L1	8	285	HPV31 L1	8	357
HPV31 L1	9	285	HPV31 L1	9	357
HPV31 L1	8	9	HPV31 L1	8	384
HPV31 L1	10	9	HPV31 L1	9	384
HPV31 L1	11	346	HPV31 L1	9	407
HPV31 L1	9	304	HPV31 L1	8	43
HPV31 L1	10	304	HPV31 L1	10	43
HPV31 L1	11	304	HPV31 L1	9	1

Table XIII  
HLA-B58 Supermotif Peptides

HPV31 L1	11	1	HPV31 L1	8	66
HPV31 L1	8	343	HPV31 L1	9	66
HPV31 L1	10	389	HPV31 L1	11	66
HPV31 L1	11	389	HPV31 L1	10	18
HPV31 L1	11	179	HPV31 L1	11	18
HPV31 L1	11	351	HPV31 L1	8	28
HPV31 L1	9	227	HPV31 L1	10	28
HPV31 L1	10	227	HPV31 L1	8	301
HPV31 L1	9	193	HPV31 L1	8	101
HPV31 L1	10	193	HPV31 L2	9	24
HPV31 L1	9	397	HPV31 L2	10	24
HPV31 L1	11	397	HPV31 L2	9	340
HPV31 L1	9	489	HPV31 L2	9	85
HPV31 L1	8	6	HPV31 L2	11	85
HPV31 L1	11	6	HPV31 L2	10	367
HPV31 L1	9	411	HPV31 L2	11	367
HPV31 L1	11	411	HPV31 L2	9	311
HPV31 L1	10	296	HPV31 L2	10	311
HPV31 L1	8	294	HPV31 L2	11	311
HPV31 L1	10	472	HPV31 L2	10	15
HPV31 L1	9	425	HPV31 L2	11	15
HPV31 L1	9	316	HPV31 L2	8	226
HPV31 L1	11	316	HPV31 L2	9	135
HPV31 L1	8	476	HPV31 L2	10	135
HPV31 L1	9	264	HPV31 L2	11	135
HPV31 L1	9	339	HPV31 L2	11	342
HPV31 L1	10	339	HPV31 L2	10	358
HPV31 L1	11	339	HPV31 L2	8	364
HPV31 L1	8	30	HPV31 L2	9	139
HPV31 L1	11	30	HPV31 L2	10	84
HPV31 L1	8	385	HPV31 L2	9	111
HPV31 L1	11	385	HPV31 L2	11	111
HPV31 L1	9	457	HPV31 L2	8	331
HPV31 L1	11	487	HPV31 L2	10	331
HPV31 L1	11	39	HPV31 L2	8	171
HPV31 L1	8	490	HPV31 L2	9	253
HPV31 L1	8	358	HPV31 L2	10	253
HPV31 L1	10	283	HPV31 L2	11	253
HPV31 L1	11	283	HPV31 L2	8	404
HPV31 L1	11	23	HPV31 L2	11	404
HPV31 L1	8	340	HPV31 L2	8	263
HPV31 L1	9	340	HPV31 L2	9	263
HPV31 L1	10	340	HPV31 L2	8	459
HPV31 L1	11	340	HPV31 L2	11	361
HPV31 L1	11	290	HPV31 L2	8	314
HPV31 L1	10	212	HPV31 L2	10	314
HPV31 L1	11	432	HPV31 L2	10	339
HPV31 L1	9	284	HPV31 L2	8	310
HPV31 L1	10	284	HPV31 L2	10	310
HPV31 L1	11	302	HPV31 L2	11	310
HPV31 L1	11	89	HPV31 L2	10	63
HPV31 L1	11	423	HPV31 L2	11	63
HPV31 L1	8	354	HPV31 L2	10	49
HPV31 L1	11	354	HPV31 L2	8	26
HPV31 L1	8	408	HPV31 L2	11	26
HPV31 L1	9	337	HPV31 L2	8	65
HPV31 L1	11	337	HPV31 L2	9	65
HPV31 L1	9	239	HPV31 L2	11	65
HPV31 L1	10	239	HPV31 L2	9	413
HPV31 L1	11	239	HPV31 L2	11	413

Table XIII  
HLA-B58 Supermotif Peptides

HPV31 L2	8	38	HPV31 L2	10	415
HPV31 L2	9	38	HPV31 L2	8	425
HPV31 L2	11	38	HPV31 L2	9	425
HPV31 L2	8	41	HPV31 L2	10	425
HPV31 L2	11	41	HPV31 L2	8	127
HPV31 L2	8	280	HPV31 L2	9	127
HPV31 L2	8	270	HPV31 L2	8	378
HPV31 L2	10	270	HPV31 L2	9	378
HPV31 L2	11	270	HPV31 L2	10	378
HPV31 L2	10	134	HPV31 L2	9	303
HPV31 L2	11	134	HPV31 L2	11	303
HPV31 L2	11	323	HPV31 L2	8	12
HPV31 L2	9	183	HPV31 L2	8	308
HPV31 L2	11	183	HPV31 L2	10	308
HPV31 L2	10	205	HPV31 L2	9	5
HPV31 L2	8	245	HPV31 L2	11	5
HPV31 L2	11	245	HPV31 L2	10	9
HPV31 L2	10	23	HPV31 L2	11	9
HPV31 L2	11	23	HPV31 L2	8	306
HPV31 L2	8	225	HPV31 L2	10	306
HPV31 L2	9	225	HPV31 L2	9	239
HPV31 L2	8	423	HPV31 L2	11	14
HPV31 L2	10	423	HPV31 L2	8	341
HPV31 L2	11	423	HPV31 L2	10	384
HPV31 L2	8	238	HPV31 L2	10	324
HPV31 L2	10	238	HPV31 L2	8	181
HPV31 L2	11	178	HPV31 L2	11	181
HPV31 L2	9	395	HPV31 L2	9	180
HPV31 L2	10	395	HPV31 L2	10	179
HPV31 L2	8	75	HPV31 L2	8	207
HPV31 L2	11	75	HPV31 L2	9	374
HPV31 L2	8	287	HPV31 L2	10	374
HPV31 L2	10	287	HPV31 L2	8	396
HPV31 L2	8	256	HPV31 L2	9	396
HPV31 L2	10	390	HPV31 L2	8	151
HPV31 L2	8	292	HPV31 L2	8	184
HPV31 L2	8	169	HPV31 L2	10	184
HPV31 L2	9	169	HPV31 L2	8	6
HPV31 L2	10	169	HPV31 L2	10	6
HPV31 L2	8	328	HPV31 L2	8	346
HPV31 L2	11	328	HPV31 L2	10	346
HPV31 L2	9	142	HPV31 L2	11	346
HPV31 L2	10	285	HPV31 L2	11	208
HPV31 L2	10	217	HPV31 L2	10	76
HPV31 L2	11	366	HPV31 L2	8	379
HPV31 L2	8	250	HPV31 L2	9	379
HPV31 L2	8	29	HPV31 L2	8	80
HPV31 L2	10	373	HPV31 L2	10	80
HPV31 L2	11	373	HPV31 L2	8	137
HPV31 L2	9	79	HPV31 L2	9	137
HPV31 L2	11	79	HPV31 L2	11	137
HPV31 L2	10	161	HPV31 L2	8	375
HPV31 L2	10	235	HPV31 L2	9	375
HPV31 L2	11	235	HPV31 L2	11	375
HPV31 L2	8	156	HPV31 L2	8	380
HPV31 L2	9	156	HPV31 L2	10	129
HPV31 L2	8	388	HPV31 L2	11	266
HPV31 L2	10	167	HPV31 L2	9	288
HPV31 L2	11	167	HPV31 L2	9	206
HPV31 L2	9	415	HPV31 L2	8	345

Table XIII  
HLA-B58 Supermotif Peptides

HPV31 L2	9	345	HPV33 E1	8	118
HPV31 L2	11	345	HPV33 E1	11	118
HPV31 L2	11	148	HPV33 E1	10	508
HPV31 L2	8	136	HPV33 E1	8	177
HPV31 L2	9	136	HPV33 E1	11	177
HPV31 L2	10	136	HPV33 E1	8	365
HPV31 L2	8	39	HPV33 E1	9	365
HPV31 L2	10	39	HPV33 E1	11	365
HPV31 L2	8	140	HPV33 E1	10	167
HPV31 L2	11	140	HPV33 E1	9	42
HPV31 L2	8	426	HPV33 E1	10	42
HPV31 L2	9	426	HPV33 E1	9	130
HPV31 L2	8	128	HPV33 E1	9	53
HPV31 L2	11	128	HPV33 E1	8	377
HPV31 L2	9	344	HPV33 E1	9	377
HPV31 L2	10	344	HPV33 E1	10	377
HPV31 L2	10	343	HPV33 E1	11	566
HPV31 L2	11	343	HPV33 E1	8	62
HPV31 L2	9	391	HPV33 E1	9	62
HPV31 L2	11	391	HPV33 E1	11	62
HPV31 L2	11	383	HPV33 E1	9	64
HPV31 L2	8	82	HPV33 E1	8	206
HPV31 L2	9	93	HPV33 E1	10	206
HPV31 L2	10	430	HPV33 E1	11	206
HPV31 L2	11	430	HPV33 E1	9	148
HPV31 L2	9	106	HPV33 E1	11	160
HPV31 L2	10	106	HPV33 E1	10	38
HPV31 L2	9	150	HPV33 E1	11	38
HPV31 L2	8	198	HPV33 E1	11	295
HPV31 L2	8	455	HPV33 E1	10	173
HPV31 L2	10	455	HPV33 E1	9	139
HPV31 L2	11	455	HPV33 E1	8	89
HPV31 L2	8	356	HPV33 E1	9	89
HPV31 L2	8	223	HPV33 E1	8	606
HPV31 L2	10	223	HPV33 E1	10	606
HPV31 L2	11	223	HPV33 E1	11	606
HPV31 L2	10	296	HPV33 E1	8	446
HPV33 E1	11	382	HPV33 E1	11	446
HPV33 E1	8	90	HPV33 E1	10	451
HPV33 E1	11	90	HPV33 E1	9	9
HPV33 E1	9	96	HPV33 E1	10	9
HPV33 E1	10	96	HPV33 E1	8	44
HPV33 E1	10	383	HPV33 E1	8	564
HPV33 E1	9	104	HPV33 E1	9	564
HPV33 E1	8	65	HPV33 E1	10	327
HPV33 E1	8	83	HPV33 E1	8	341
HPV33 E1	9	83	HPV33 E1	10	341
HPV33 E1	9	310	HPV33 E1	10	251
HPV33 E1	10	310	HPV33 E1	9	573
HPV33 E1	10	633	HPV33 E1	9	192
HPV33 E1	8	276	HPV33 E1	10	192
HPV33 E1	9	276	HPV33 E1	11	192
HPV33 E1	11	276	HPV33 E1	8	368
HPV33 E1	9	92	HPV33 E1	9	368
HPV33 E1	10	92	HPV33 E1	10	492
HPV33 E1	9	226	HPV33 E1	11	492
HPV33 E1	11	226	HPV33 E1	11	322
HPV33 E1	9	14	HPV33 E1	9	32
HPV33 E1	10	14	HPV33 E1	10	210
HPV33 E1	11	14	HPV33 E1	9	538

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 E1	10	538	HPV33 E1	11	496
HPV33 E1	11	538	HPV33 E1	8	379
HPV33 E1	9	236	HPV33 E1	9	135
HPV33 E1	11	236	HPV33 E1	10	135
HPV33 E1	8	628	HPV33 E1	9	473
HPV33 E1	9	520	HPV33 E1	11	473
HPV33 E1	10	520	HPV33 E1	8	195
HPV33 E1	10	231	HPV33 E1	10	195
HPV33 E1	11	231	HPV33 E1	10	560
HPV33 E1	9	407	HPV33 E1	8	471
HPV33 E1	8	197	HPV33 E1	9	471
HPV33 E1	11	197	HPV33 E1	11	471
HPV33 E1	10	463	HPV33 E1	9	238
HPV33 E1	10	220	HPV33 E1	10	238
HPV33 E1	8	603	HPV33 E1	11	238
HPV33 E1	11	603	HPV33 E1	9	60
HPV33 E1	9	498	HPV33 E1	10	60
HPV33 E1	8	387	HPV33 E1	11	60
HPV33 E1	9	387	HPV33 E1	10	391
HPV33 E1	8	476	HPV33 E1	11	391
HPV33 E1	9	476	HPV33 E1	8	94
HPV33 E1	11	476	HPV33 E1	11	94
HPV33 E1	8	425	HPV33 E1	8	308
HPV33 E1	11	425	HPV33 E1	11	308
HPV33 E1	9	223	HPV33 E1	10	103
HPV33 E1	8	375	HPV33 E1	11	545
HPV33 E1	9	375	HPV33 E1	8	306
HPV33 E1	10	375	HPV33 E1	9	306
HPV33 E1	11	375	HPV33 E1	10	306
HPV33 E1	8	506	HPV33 E1	10	316
HPV33 E1	9	506	HPV33 E1	8	608
HPV33 E1	8	350	HPV33 E1	9	608
HPV33 E1	9	350	HPV33 E1	10	95
HPV33 E1	8	291	HPV33 E1	11	95
HPV33 E1	9	291	HPV33 E1	9	634
HPV33 E1	10	291	HPV33 E1	10	161
HPV33 E1	8	260	HPV33 E1	8	193
HPV33 E1	9	260	HPV33 E1	9	193
HPV33 E1	10	260	HPV33 E1	10	193
HPV33 E1	11	260	HPV33 E1	9	39
HPV33 E1	8	362	HPV33 E1	10	39
HPV33 E1	9	362	HPV33 E1	10	447
HPV33 E1	10	362	HPV33 E1	11	447
HPV33 E1	11	362	HPV33 E1	9	317
HPV33 E1	10	281	HPV33 E1	8	224
HPV33 E1	11	281	HPV33 E1	11	224
HPV33 E1	10	576	HPV33 E1	11	110
HPV33 E1	8	336	HPV33 E1	9	328
HPV33 E1	10	1	HPV33 E1	11	328
HPV33 E1	11	481	HPV33 E1	8	240
HPV33 E1	8	562	HPV33 E1	9	240
HPV33 E1	10	562	HPV33 E1	8	283
HPV33 E1	11	562	HPV33 E1	9	283
HPV33 E1	8	531	HPV33 E1	11	283
HPV33 E1	10	531	HPV33 E1	9	182
HPV33 E1	10	80	HPV33 E1	10	182
HPV33 E1	11	80	HPV33 E1	8	517
HPV33 E1	9	57	HPV33 E1	9	517
HPV33 E1	10	57	HPV33 E1	8	522
HPV33 E1	8	496	HPV33 E1	11	522

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 E1	8	595	HPV33 E2	8	127
HPV33 E1	11	595	HPV33 E2	11	127
HPV33 E1	11	372	HPV33 E2	8	230
HPV33 E2	9	223	HPV33 E2	11	230
HPV33 E2	8	224	HPV33 E2	8	248
HPV33 E2	9	175	HPV33 E2	11	248
HPV33 E2	10	175	HPV33 E2	10	60
HPV33 E2	9	64	HPV33 E2	11	60
HPV33 E2	10	64	HPV33 E2	9	27
HPV33 E2	11	258	HPV33 E2	10	27
HPV33 E2	11	245	HPV33 E2	9	196
HPV33 E2	10	40	HPV33 E2	9	342
HPV33 E2	8	269	HPV33 E2	10	342
HPV33 E2	9	269	HPV33 E2	10	222
HPV33 E2	11	269	HPV33 E2	11	213
HPV33 E2	8	145	HPV33 E2	8	96
HPV33 E2	10	145	HPV33 E2	8	266
HPV33 E2	11	145	HPV33 E2	9	266
HPV33 E2	8	261	HPV33 E2	11	266
HPV33 E2	10	174	HPV33 E2	11	5
HPV33 E2	11	174	HPV33 E2	9	301
HPV33 E2	9	235	HPV33 E2	11	200
HPV33 E2	10	235	HPV33 E2	8	270
HPV33 E2	10	143	HPV33 E2	10	270
HPV33 E2	9	232	HPV33 E2	8	205
HPV33 E2	11	20	HPV33 E2	10	45
HPV33 E2	8	282	HPV33 E2	8	236
HPV33 E2	10	282	HPV33 E2	9	236
HPV33 E2	8	80	HPV33 E2	11	236
HPV33 E2	8	51	HPV33 E2	11	310
HPV33 E2	9	51	HPV33 E2	8	197
HPV33 E2	9	336	HPV33 E2	11	89
HPV33 E2	11	336	HPV33 E2	8	233
HPV33 E2	8	4	HPV33 E2	11	233
HPV33 E2	8	346	HPV33 E2	8	326
HPV33 E2	9	204	HPV33 E2	9	326
HPV33 E2	8	68	HPV33 E2	10	326
HPV33 E2	10	68	HPV33 E2	11	323
HPV33 E2	11	68	HPV33 E2	8	148
HPV33 E2	9	84	HPV33 E2	10	148
HPV33 E2	11	84	HPV33 E2	11	148
HPV33 E2	8	23	HPV33 E2	8	92
HPV33 E2	11	23	HPV33 E2	10	92
HPV33 E2	8	66	HPV33 E2	11	92
HPV33 E2	10	66	HPV33 E2	9	178
HPV33 E2	9	180	HPV33 E2	11	178
HPV33 E2	8	63	HPV33 E2	8	300
HPV33 E2	10	63	HPV33 E2	10	300
HPV33 E2	11	63	HPV33 E2	8	87
HPV33 E2	11	82	HPV33 E2	8	44
HPV33 E2	10	240	HPV33 E2	11	44
HPV33 E2	11	240	HPV33 E2	8	131
HPV33 E2	11	77	HPV33 E2	9	131
HPV33 E2	8	9	HPV33 E2	10	131
HPV33 E2	10	9	HPV33 E5	8	44
HPV33 E2	11	9	HPV33 E5	10	44
HPV33 E2	9	315	HPV33 E5	11	44
HPV33 E2	11	315	HPV33 E5	8	26
HPV33 E2	8	284	HPV33 E5	9	26
HPV33 E2	10	284	HPV33 E5	10	26

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 E5	11	26	HPV33 E7	10	44
HPV33 E5	8	24	HPV33 E7	11	44
HPV33 E5	9	24	HPV33 E7	8	77
HPV33 E5	10	24	HPV33 E7	11	77
HPV33 E5	11	24	HPV33 E7	8	31
HPV33 E5	8	15	HPV33 E7	9	71
HPV33 E5	9	15	HPV33 E7	8	72
HPV33 E5	10	15	HPV33 E7	11	72
HPV33 E5	8	27	HPV33 E7	11	63
HPV33 E5	9	27	HPV33 E7	11	55
HPV33 E5	10	27	HPV33 L1	10	179
HPV33 E5	11	27	HPV33 L1	11	482
HPV33 E5	8	29	HPV33 L1	8	284
HPV33 E5	9	29	HPV33 L1	9	284
HPV33 E5	10	29	HPV33 L1	9	411
HPV33 E5	11	29	HPV33 L1	10	411
HPV33 E6	9	4	HPV33 L1	8	9
HPV33 E6	9	20	HPV33 L1	10	9
HPV33 E6	8	47	HPV33 L1	10	345
HPV33 E6	8	45	HPV33 L1	9	351
HPV33 E6	9	45	HPV33 L1	8	129
HPV33 E6	10	45	HPV33 L1	9	202
HPV33 E6	9	73	HPV33 L1	8	95
HPV33 E6	11	73	HPV33 L1	10	95
HPV33 E6	10	128	HPV33 L1	8	335
HPV33 E6	11	128	HPV33 L1	10	335
HPV33 E6	10	70	HPV33 L1	10	415
HPV33 E6	11	50	HPV33 L1	11	415
HPV33 E6	11	86	HPV33 L1	9	8
HPV33 E6	10	17	HPV33 L1	11	8
HPV33 E6	10	90	HPV33 L1	8	269
HPV33 E6	11	90	HPV33 L1	9	269
HPV33 E6	8	39	HPV33 L1	9	303
HPV33 E6	9	39	HPV33 L1	10	303
HPV33 E6	10	39	HPV33 L1	11	303
HPV33 E6	8	141	HPV33 L1	8	454
HPV33 E6	9	141	HPV33 L1	10	454
HPV33 E6	9	10	HPV33 L1	9	50
HPV33 E6	10	10	HPV33 L1	8	141
HPV33 E6	8	21	HPV33 L1	10	141
HPV33 E6	11	21	HPV33 L1	8	279
HPV33 E6	9	132	HPV33 L1	10	297
HPV33 E6	8	81	HPV33 L1	11	297
HPV33 E7	10	73	HPV33 L1	8	38
HPV33 E7	11	73	HPV33 L1	9	226
HPV33 E7	8	48	HPV33 L1	10	226
HPV33 E7	9	30	HPV33 L1	11	265
HPV33 E7	11	85	HPV33 L1	10	281
HPV33 E7	9	59	HPV33 L1	11	281
HPV33 E7	11	59	HPV33 L1	8	391
HPV33 E7	11	28	HPV33 L1	11	391
HPV33 E7	10	70	HPV33 L1	10	118
HPV33 E7	8	62	HPV33 L1	9	474
HPV33 E7	8	47	HPV33 L1	10	474
HPV33 E7	9	47	HPV33 L1	8	217
HPV33 E7	10	19	HPV33 L1	10	211
HPV33 E7	8	6	HPV33 L1	8	43
HPV33 E7	10	6	HPV33 L1	10	43
HPV33 E7	11	6	HPV33 L1	10	148
HPV33 E7	9	44	HPV33 L1	8	382

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 L1	9	382	HPV33 L1	11	301
HPV33 L1	11	382	HPV33 L1	11	89
HPV33 L1	9	405	HPV33 L1	11	421
HPV33 L1	9	1	HPV33 L1	9	489
HPV33 L1	11	1	HPV33 L1	8	485
HPV33 L1	10	237	HPV33 L1	9	282
HPV33 L1	11	237	HPV33 L1	10	282
HPV33 L1	11	387	HPV33 L1	11	282
HPV33 L1	11	178	HPV33 L1	9	336
HPV33 L1	10	57	HPV33 L1	9	174
HPV33 L1	9	192	HPV33 L1	8	66
HPV33 L1	10	192	HPV33 L1	9	66
HPV33 L1	8	181	HPV33 L1	11	66
HPV33 L1	10	181	HPV33 L1	10	18
HPV33 L1	11	181	HPV33 L1	11	18
HPV33 L1	9	409	HPV33 L1	8	28
HPV33 L1	11	409	HPV33 L1	9	28
HPV33 L1	8	6	HPV33 L1	10	28
HPV33 L1	11	6	HPV33 L1	8	380
HPV33 L1	10	165	HPV33 L1	10	380
HPV33 L1	11	165	HPV33 L1	11	380
HPV33 L1	8	55	HPV33 L1	8	300
HPV33 L1	9	55	HPV33 L1	8	101
HPV33 L1	8	293	HPV33 L1	8	36
HPV33 L1	9	484	HPV33 L1	9	36
HPV33 L1	10	470	HPV33 L1	10	36
HPV33 L1	9	423	HPV33 L1	8	443
HPV33 L1	9	214	HPV33 L2	8	81
HPV33 L1	11	214	HPV33 L2	9	23
HPV33 L1	8	263	HPV33 L2	10	23
HPV33 L1	9	263	HPV33 L2	11	308
HPV33 L1	9	315	HPV33 L2	10	14
HPV33 L1	11	315	HPV33 L2	8	385
HPV33 L1	11	338	HPV33 L2	10	385
HPV33 L1	8	30	HPV33 L2	8	101
HPV33 L1	10	488	HPV33 L2	11	206
HPV33 L1	9	455	HPV33 L2	8	431
HPV33 L1	11	289	HPV33 L2	10	431
HPV33 L1	8	410	HPV33 L2	11	431
HPV33 L1	10	410	HPV33 L2	10	264
HPV33 L1	11	410	HPV33 L2	10	401
HPV33 L1	8	490	HPV33 L2	9	350
HPV33 L1	11	39	HPV33 L2	9	136
HPV33 L1	8	227	HPV33 L2	10	95
HPV33 L1	9	227	HPV33 L2	11	95
HPV33 L1	11	227	HPV33 L2	9	115
HPV33 L1	11	23	HPV33 L2	8	176
HPV33 L1	10	339	HPV33 L2	9	258
HPV33 L1	8	352	HPV33 L2	11	258
HPV33 L1	11	352	HPV33 L2	11	149
HPV33 L1	8	383	HPV33 L2	9	110
HPV33 L1	10	383	HPV33 L2	11	110
HPV33 L1	11	383	HPV33 L2	9	384
HPV33 L1	8	283	HPV33 L2	11	384
HPV33 L1	9	283	HPV33 L2	8	301
HPV33 L1	10	283	HPV33 L2	10	301
HPV33 L1	11	349	HPV33 L2	11	183
HPV33 L1	9	238	HPV33 L2	8	460
HPV33 L1	10	238	HPV33 L2	11	163
HPV33 L1	11	238	HPV33 L2	10	437

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 L2	11	437	HPV33 L2	11	275
HPV33 L2	10	319	HPV33 L2	11	119
HPV33 L2	8	64	HPV33 L2	10	126
HPV33 L2	9	64	HPV33 L2	9	121
HPV33 L2	11	64	HPV33 L2	11	121
HPV33 L2	10	62	HPV33 L2	11	411
HPV33 L2	11	62	HPV33 L2	8	166
HPV33 L2	10	48	HPV33 L2	10	166
HPV33 L2	8	218	HPV33 L2	10	79
HPV33 L2	10	218	HPV33 L2	8	161
HPV33 L2	11	218	HPV33 L2	9	161
HPV33 L2	8	37	HPV33 L2	8	124
HPV33 L2	9	37	HPV33 L2	9	416
HPV33 L2	11	37	HPV33 L2	8	186
HPV33 L2	8	25	HPV33 L2	11	186
HPV33 L2	11	25	HPV33 L2	8	191
HPV33 L2	8	75	HPV33 L2	11	191
HPV33 L2	9	75	HPV33 L2	11	153
HPV33 L2	11	75	HPV33 L2	8	11
HPV33 L2	8	374	HPV33 L2	8	313
HPV33 L2	11	374	HPV33 L2	10	313
HPV33 L2	8	336	HPV33 L2	8	5
HPV33 L2	10	336	HPV33 L2	10	5
HPV33 L2	8	297	HPV33 L2	9	388
HPV33 L2	8	40	HPV33 L2	8	134
HPV33 L2	11	40	HPV33 L2	9	134
HPV33 L2	8	285	HPV33 L2	11	134
HPV33 L2	9	273	HPV33 L2	11	13
HPV33 L2	10	273	HPV33 L2	10	150
HPV33 L2	10	424	HPV33 L2	10	207
HPV33 L2	11	424	HPV33 L2	10	418
HPV33 L2	9	155	HPV33 L2	11	418
HPV33 L2	8	292	HPV33 L2	10	184
HPV33 L2	10	292	HPV33 L2	11	212
HPV33 L2	8	250	HPV33 L2	8	145
HPV33 L2	11	250	HPV33 L2	11	145
HPV33 L2	10	22	HPV33 L2	9	354
HPV33 L2	11	22	HPV33 L2	10	354
HPV33 L2	8	311	HPV33 L2	11	382
HPV33 L2	10	311	HPV33 L2	8	156
HPV33 L2	11	328	HPV33 L2	8	38
HPV33 L2	8	243	HPV33 L2	10	38
HPV33 L2	10	243	HPV33 L2	10	213
HPV33 L2	10	405	HPV33 L2	11	213
HPV33 L2	11	405	HPV33 L2	8	189
HPV33 L2	8	397	HPV33 L2	10	189
HPV33 L2	9	397	HPV33 L2	9	6
HPV33 L2	8	231	HPV33 L2	11	352
HPV33 L2	11	231	HPV33 L2	9	80
HPV33 L2	8	174	HPV33 L2	8	133
HPV33 L2	9	174	HPV33 L2	9	133
HPV33 L2	10	174	HPV33 L2	10	133
HPV33 L2	10	240	HPV33 L2	8	111
HPV33 L2	11	240	HPV33 L2	10	111
HPV33 L2	9	139	HPV33 L2	8	389
HPV33 L2	10	290	HPV33 L2	9	244
HPV33 L2	10	172	HPV33 L2	9	293
HPV33 L2	11	172	HPV33 L2	8	417
HPV33 L2	8	275	HPV33 L2	11	417
HPV33 L2	10	275	HPV33 L2	10	353

Table XIII  
HLA-B58 Supermotif Peptides

HPV33 L2	11	353	HPV45 E1	8	106
HPV33 L2	8	351	HPV45 E1	11	106
HPV33 L2	8	137	HPV45 E1	10	623
HPV33 L2	11	137	HPV45 E1	9	42
HPV33 L2	9	386	HPV45 E1	10	42
HPV33 L2	11	386	HPV45 E1	10	508
HPV33 L2	9	132	HPV45 E1	9	328
HPV33 L2	10	132	HPV45 E1	11	328
HPV33 L2	11	132	HPV45 E1	10	52
HPV33 L2	9	392	HPV45 E1	9	143
HPV33 L2	9	105	HPV45 E1	8	365
HPV33 L2	10	105	HPV45 E1	9	365
HPV33 L2	9	144	HPV45 E1	11	365
HPV33 L2	8	203	HPV45 E1	9	573
HPV33 L2	9	188	HPV45 E1	9	64
HPV33 L2	11	188	HPV45 E1	10	38
HPV33 L2	10	131	HPV45 E1	11	38
HPV33 L2	11	131	HPV45 E1	11	295
HPV33 L2	9	92	HPV45 E1	11	21
HPV33 L2	8	366	HPV45 E1	10	146
HPV33 L2	8	356	HPV45 E1	11	89
HPV33 L2	10	356	HPV45 E1	8	212
HPV33 L2	11	356	HPV45 E1	9	579
HPV33 L2	8	228	HPV45 E1	8	130
HPV33 L2	10	228	HPV45 E1	8	44
HPV33 L2	11	228	HPV45 E1	8	92
HPV45 E1	11	382	HPV45 E1	8	11
HPV45 E1	8	144	HPV45 E1	9	11
HPV45 E1	10	383	HPV45 E1	10	11
HPV45 E1	10	310	HPV45 E1	8	459
HPV45 E1	10	198	HPV45 E1	9	459
HPV45 E1	11	198	HPV45 E1	10	459
HPV45 E1	8	193	HPV45 E1	11	459
HPV45 E1	9	193	HPV45 E1	9	71
HPV45 E1	10	193	HPV45 E1	11	71
HPV45 E1	11	193	HPV45 E1	10	519
HPV45 E1	8	40	HPV45 E1	11	519
HPV45 E1	9	40	HPV45 E1	9	32
HPV45 E1	11	40	HPV45 E1	11	132
HPV45 E1	8	517	HPV45 E1	11	322
HPV45 E1	9	517	HPV45 E1	10	447
HPV45 E1	10	251	HPV45 E1	11	447
HPV45 E1	8	398	HPV45 E1	10	492
HPV45 E1	11	398	HPV45 E1	11	492
HPV45 E1	11	139	HPV45 E1	10	538
HPV45 E1	9	182	HPV45 E1	11	538
HPV45 E1	10	182	HPV45 E1	10	116
HPV45 E1	10	423	HPV45 E1	8	184
HPV45 E1	8	226	HPV45 E1	10	184
HPV45 E1	9	226	HPV45 E1	8	197
HPV45 E1	11	226	HPV45 E1	11	197
HPV45 E1	9	621	HPV45 E1	9	124
HPV45 E1	8	78	HPV45 E1	10	220
HPV45 E1	9	516	HPV45 E1	11	220
HPV45 E1	10	516	HPV45 E1	8	387
HPV45 E1	9	134	HPV45 E1	9	387
HPV45 E1	11	134	HPV45 E1	8	476
HPV45 E1	9	345	HPV45 E1	9	476
HPV45 E1	10	345	HPV45 E1	11	476
HPV45 E1	9	170	HPV45 E1	9	245

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 E1	10	245	HPV45 E1	9	391
HPV45 E1	11	245	HPV45 E1	10	391
HPV45 E1	8	223	HPV45 E1	11	391
HPV45 E1	9	223	HPV45 E1	9	67
HPV45 E1	10	223	HPV45 E1	8	192
HPV45 E1	11	223	HPV45 E1	9	192
HPV45 E1	8	375	HPV45 E1	10	192
HPV45 E1	9	375	HPV45 E1	11	192
HPV45 E1	10	375	HPV45 E1	11	165
HPV45 E1	11	375	HPV45 E1	9	407
HPV45 E1	8	506	HPV45 E1	8	306
HPV45 E1	9	506	HPV45 E1	9	306
HPV45 E1	8	201	HPV45 E1	10	306
HPV45 E1	10	201	HPV45 E1	10	316
HPV45 E1	8	350	HPV45 E1	8	608
HPV45 E1	9	350	HPV45 E1	8	171
HPV45 E1	10	210	HPV45 E1	10	166
HPV45 E1	8	109	HPV45 E1	8	307
HPV45 E1	10	109	HPV45 E1	9	307
HPV45 E1	11	103	HPV45 E1	11	288
HPV45 E1	8	362	HPV45 E1	8	65
HPV45 E1	9	362	HPV45 E1	11	65
HPV45 E1	11	362	HPV45 E1	9	39
HPV45 E1	8	336	HPV45 E1	10	39
HPV45 E1	8	557	HPV45 E1	8	224
HPV45 E1	10	281	HPV45 E1	9	224
HPV45 E1	11	281	HPV45 E1	10	224
HPV45 E1	8	368	HPV45 E1	11	224
HPV45 E1	9	368	HPV45 E1	11	309
HPV45 E1	10	231	HPV45 E1	8	240
HPV45 E1	11	231	HPV45 E1	9	240
HPV45 E1	10	481	HPV45 E1	8	283
HPV45 E1	11	481	HPV45 E1	9	283
HPV45 E1	8	154	HPV45 E1	11	283
HPV45 E1	11	174	HPV45 E1	8	325
HPV45 E1	8	531	HPV45 E1	9	325
HPV45 E1	10	531	HPV45 E1	9	635
HPV45 E1	11	119	HPV45 E1	9	576
HPV45 E1	9	498	HPV45 E1	10	576
HPV45 E1	10	498	HPV45 E1	8	522
HPV45 E1	8	379	HPV45 E1	11	522
HPV45 E1	8	496	HPV45 E1	11	254
HPV45 E1	11	496	HPV45 E1	11	372
HPV45 E1	8	96	HPV45 E2	9	156
HPV45 E1	10	96	HPV45 E2	10	156
HPV45 E1	9	473	HPV45 E2	11	156
HPV45 E1	11	473	HPV45 E2	9	226
HPV45 E1	10	152	HPV45 E2	11	226
HPV45 E1	9	563	HPV45 E2	10	234
HPV45 E1	10	563	HPV45 E2	10	247
HPV45 E1	8	471	HPV45 E2	8	216
HPV45 E1	9	471	HPV45 E2	11	216
HPV45 E1	11	471	HPV45 E2	8	286
HPV45 E1	8	250	HPV45 E2	9	286
HPV45 E1	11	250	HPV45 E2	11	286
HPV45 E1	10	238	HPV45 E2	8	207
HPV45 E1	11	238	HPV45 E2	10	207
HPV45 E1	9	60	HPV45 E2	11	141
HPV45 E1	10	60	HPV45 E2	9	28
HPV45 E1	11	60	HPV45 E2	11	28

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 E2	11	204	HPV45 E2	8	229
HPV45 E2	8	171	HPV45 E2	9	208
HPV45 E2	8	212	HPV45 E2	10	276
HPV45 E2	9	212	HPV45 E2	8	227
HPV45 E2	9	8	HPV45 E2	10	227
HPV45 E2	10	8	HPV45 E2	8	155
HPV45 E2	9	148	HPV45 E2	10	155
HPV45 E2	10	148	HPV45 E2	11	155
HPV45 E2	8	50	HPV45 E2	10	51
HPV45 E2	11	50	HPV45 E2	11	233
HPV45 E2	11	237	HPV45 E2	8	209
HPV45 E2	10	225	HPV45 E2	11	209
HPV45 E2	9	70	HPV45 E2	9	277
HPV45 E2	10	70	HPV45 E2	9	228
HPV45 E2	8	361	HPV45 E2	10	214
HPV45 E2	9	36	HPV45 E2	8	159
HPV45 E2	11	146	HPV45 E2	9	159
HPV45 E2	8	57	HPV45 E2	9	353
HPV45 E2	9	57	HPV45 E2	11	353
HPV45 E2	8	74	HPV45 E2	10	326
HPV45 E2	10	74	HPV45 E2	11	326
HPV45 E2	11	74	HPV45 E2	10	98
HPV45 E2	8	77	HPV45 E2	11	98
HPV45 E2	9	77	HPV45 E2	8	313
HPV45 E2	8	72	HPV45 E2	8	317
HPV45 E2	10	72	HPV45 E2	10	317
HPV45 E2	8	154	HPV45 E6	9	63
HPV45 E2	9	154	HPV45 E6	10	63
HPV45 E2	11	154	HPV45 E6	8	37
HPV45 E2	11	88	HPV45 E6	9	37
HPV45 E2	8	14	HPV45 E6	11	37
HPV45 E2	9	14	HPV45 E6	8	18
HPV45 E2	8	10	HPV45 E6	11	18
HPV45 E2	9	256	HPV45 E6	11	88
HPV45 E2	9	336	HPV45 E6	8	47
HPV45 E2	11	83	HPV45 E6	9	47
HPV45 E2	9	341	HPV45 E6	10	47
HPV45 E2	10	341	HPV45 E6	8	30
HPV45 E2	8	301	HPV45 E6	10	30
HPV45 E2	10	301	HPV45 E6	10	60
HPV45 E2	9	187	HPV45 E6	9	93
HPV45 E2	9	33	HPV45 E6	10	93
HPV45 E2	10	33	HPV45 E6	11	93
HPV45 E2	9	357	HPV45 E6	9	36
HPV45 E2	10	357	HPV45 E6	10	36
HPV45 E2	8	109	HPV45 E6	8	83
HPV45 E2	9	347	HPV45 E6	11	83
HPV45 E2	9	332	HPV45 E6	8	95
HPV45 E2	8	265	HPV45 E6	9	95
HPV45 E2	9	265	HPV45 E6	9	22
HPV45 E2	8	289	HPV45 E6	10	22
HPV45 E2	11	189	HPV45 E6	8	114
HPV45 E2	11	246	HPV45 E6	8	7
HPV45 E2	9	90	HPV45 E6	11	7
HPV45 E2	11	90	HPV45 E6	8	41
HPV45 E2	11	4	HPV45 E6	9	41
HPV45 E2	8	15	HPV45 E6	8	23
HPV45 E2	11	15	HPV45 E6	9	23
HPV45 E2	9	215	HPV45 E6	11	23
HPV45 E2	11	275	HPV45 E6	10	28

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 E6	8	62	HPV45 L1	9	157
HPV45 E6	10	62	HPV45 L1	10	157
HPV45 E6	11	62	HPV45 L1	8	313
HPV45 E6	10	81	HPV45 L1	8	121
HPV45 E6	9	72	HPV45 L1	10	121
HPV45 E6	10	72	HPV45 L1	9	283
HPV45 E7	8	6	HPV45 L1	11	283
HPV45 E7	10	6	HPV45 L1	8	485
HPV45 E7	8	41	HPV45 L1	10	485
HPV45 E7	10	41	HPV45 L1	11	237
HPV45 E7	9	34	HPV45 L1	8	82
HPV45 E7	10	78	HPV45 L1	11	82
HPV45 E7	9	47	HPV45 L1	8	233
HPV45 E7	11	32	HPV45 L1	10	326
HPV45 E7	9	95	HPV45 L1	11	326
HPV45 E7	10	92	HPV45 L1	8	64
HPV45 E7	10	75	HPV45 L1	9	199
HPV45 E7	9	54	HPV45 L1	11	160
HPV45 E7	10	54	HPV45 L1	8	62
HPV45 E7	8	5	HPV45 L1	10	62
HPV45 E7	9	5	HPV45 L1	8	422
HPV45 E7	11	5	HPV45 L1	11	422
HPV45 E7	8	85	HPV45 L1	8	411
HPV45 E7	11	85	HPV45 L1	10	411
HPV45 E7	8	80	HPV45 L1	11	411
HPV45 E7	11	80	HPV45 L1	9	166
HPV45 E7	9	79	HPV45 L1	11	166
HPV45 E7	9	93	HPV45 L1	8	328
HPV45 E7	11	93	HPV45 L1	9	328
HPV45 E7	8	45	HPV45 L1	9	344
HPV45 E7	11	45	HPV45 L1	11	344
HPV45 L1	11	517	HPV45 L1	10	144
HPV45 L1	10	161	HPV45 L1	8	413
HPV45 L1	8	523	HPV45 L1	9	413
HPV45 L1	10	523	HPV45 L1	11	371
HPV45 L1	11	375	HPV45 L1	8	69
HPV45 L1	10	518	HPV45 L1	10	69
HPV45 L1	9	162	HPV45 L1	11	69
HPV45 L1	8	374	HPV45 L1	11	1
HPV45 L1	9	409	HPV45 L1	11	27
HPV45 L1	10	409	HPV45 L1	10	264
HPV45 L1	9	332	HPV45 L1	11	264
HPV45 L1	10	332	HPV45 L1	11	418
HPV45 L1	11	332	HPV45 L1	8	425
HPV45 L1	11	34	HPV45 L1	10	425
HPV45 L1	8	155	HPV45 L1	11	49
HPV45 L1	10	155	HPV45 L1	9	219
HPV45 L1	11	155	HPV45 L1	10	219
HPV45 L1	9	229	HPV45 L1	8	383
HPV45 L1	8	242	HPV45 L1	11	383
HPV45 L1	10	242	HPV45 L1	8	516
HPV45 L1	11	461	HPV45 L1	8	190
HPV45 L1	8	364	HPV45 L1	8	32
HPV45 L1	10	364	HPV45 L1	9	80
HPV45 L1	8	296	HPV45 L1	10	80
HPV45 L1	9	296	HPV45 L1	11	299
HPV45 L1	9	446	HPV45 L1	10	508
HPV45 L1	10	446	HPV45 L1	11	508
HPV45 L1	11	446	HPV45 L1	11	387
HPV45 L1	8	157	HPV45 L1	9	440

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 L1	11	440	HPV45 L1	9	477
HPV45 L1	10	501	HPV45 L1	9	320
HPV45 L1	8	87	HPV45 L1	8	393
HPV45 L1	9	87	HPV45 L1	10	393
HPV45 L1	11	87	HPV45 L2	9	6
HPV45 L1	9	253	HPV45 L2	8	381
HPV45 L1	10	253	HPV45 L2	10	381
HPV45 L1	10	180	HPV45 L2	8	327
HPV45 L1	9	290	HPV45 L2	11	327
HPV45 L1	9	367	HPV45 L2	9	114
HPV45 L1	8	56	HPV45 L2	10	201
HPV45 L1	9	265	HPV45 L2	9	382
HPV45 L1	10	265	HPV45 L2	11	382
HPV45 L1	11	265	HPV45 L2	8	357
HPV45 L1	8	158	HPV45 L2	9	423
HPV45 L1	9	158	HPV45 L2	10	328
HPV45 L1	8	93	HPV45 L2	11	328
HPV45 L1	10	93	HPV45 L2	11	303
HPV45 L1	11	93	HPV45 L2	8	340
HPV45 L1	9	486	HPV45 L2	10	340
HPV45 L1	9	426	HPV45 L2	11	340
HPV45 L1	11	426	HPV45 L2	8	273
HPV45 L1	11	65	HPV45 L2	10	273
HPV45 L1	10	521	HPV45 L2	8	343
HPV45 L1	11	115	HPV45 L2	9	343
HPV45 L1	10	238	HPV45 L2	11	343
HPV45 L1	8	368	HPV45 L2	9	109
HPV45 L1	10	376	HPV45 L2	11	109
HPV45 L1	9	519	HPV45 L2	10	148
HPV45 L1	10	35	HPV45 L2	8	456
HPV45 L1	11	35	HPV45 L2	11	200
HPV45 L1	8	414	HPV45 L2	9	162
HPV45 L1	11	414	HPV45 L2	8	296
HPV45 L1	9	522	HPV45 L2	10	296
HPV45 L1	11	522	HPV45 L2	11	296
HPV45 L1	8	163	HPV45 L2	9	122
HPV45 L1	11	330	HPV45 L2	11	157
HPV45 L1	9	442	HPV45 L2	8	306
HPV45 L1	10	442	HPV45 L2	8	368
HPV45 L1	8	520	HPV45 L2	10	368
HPV45 L1	11	520	HPV45 L2	8	64
HPV45 L1	10	462	HPV45 L2	9	64
HPV45 L1	9	365	HPV45 L2	11	64
HPV45 L1	11	365	HPV45 L2	10	62
HPV45 L1	8	329	HPV45 L2	11	62
HPV45 L1	8	441	HPV45 L2	8	188
HPV45 L1	10	441	HPV45 L2	10	188
HPV45 L1	11	441	HPV45 L2	8	25
HPV45 L1	9	102	HPV45 L2	11	25
HPV45 L1	11	102	HPV45 L2	10	206
HPV45 L1	10	44	HPV45 L2	10	183
HPV45 L1	11	44	HPV45 L2	9	433
HPV45 L1	8	92	HPV45 L2	10	433
HPV45 L1	9	92	HPV45 L2	11	433
HPV45 L1	11	92	HPV45 L2	8	37
HPV45 L1	8	54	HPV45 L2	9	37
HPV45 L1	10	54	HPV45 L2	11	37
HPV45 L1	10	174	HPV45 L2	8	134
HPV45 L1	8	127	HPV45 L2	10	134
HPV45 L1	10	196	HPV45 L2	8	292

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 L2	9	326	HPV45 L2	8	229
HPV45 L2	9	338	HPV45 L2	8	11
HPV45 L2	10	338	HPV45 L2	10	308
HPV45 L2	10	323	HPV45 L2	8	77
HPV45 L2	9	210	HPV45 L2	8	339
HPV45 L2	10	152	HPV45 L2	9	339
HPV45 L2	11	152	HPV45 L2	11	339
HPV45 L2	8	143	HPV45 L2	8	394
HPV45 L2	10	143	HPV45 L2	9	202
HPV45 L2	10	130	HPV45 L2	8	132
HPV45 L2	11	130	HPV45 L2	9	132
HPV45 L2	8	366	HPV45 L2	10	132
HPV45 L2	10	366	HPV45 L2	10	48
HPV45 L2	8	40	HPV45 L2	10	246
HPV45 L2	11	40	HPV45 L2	11	246
HPV45 L2	9	263	HPV45 L2	9	288
HPV45 L2	8	287	HPV45 L2	8	211
HPV45 L2	10	287	HPV45 L2	11	211
HPV45 L2	8	242	HPV45 L2	9	153
HPV45 L2	10	242	HPV45 L2	10	153
HPV45 L2	8	375	HPV45 L2	8	110
HPV45 L2	11	375	HPV45 L2	10	110
HPV45 L2	9	392	HPV45 L2	8	383
HPV45 L2	10	392	HPV45 L2	10	383
HPV45 L2	8	422	HPV45 L2	10	379
HPV45 L2	10	422	HPV45 L2	9	362
HPV45 L2	8	160	HPV45 L2	10	212
HPV45 L2	9	160	HPV45 L2	8	154
HPV45 L2	11	160	HPV45 L2	9	154
HPV45 L2	10	285	HPV45 L2	11	358
HPV45 L2	9	356	HPV45 L2	8	424
HPV45 L2	10	138	HPV45 L2	9	380
HPV45 L2	10	254	HPV45 L2	11	380
HPV45 L2	11	245	HPV45 L2	8	393
HPV45 L2	8	378	HPV45 L2	9	393
HPV45 L2	11	378	HPV45 L2	8	155
HPV45 L2	8	361	HPV45 L2	10	186
HPV45 L2	10	361	HPV45 L2	9	268
HPV45 L2	8	416	HPV45 L2	10	268
HPV45 L2	9	98	HPV45 L2	11	418
HPV45 L2	10	98	HPV45 L2	11	238
HPV45 L2	9	120	HPV45 L2	9	131
HPV45 L2	11	120	HPV45 L2	10	131
HPV45 L2	9	420	HPV45 L2	11	131
HPV45 L2	10	420	HPV45 L2	8	38
HPV45 L2	8	86	HPV45 L2	10	38
HPV45 L2	11	86	HPV45 L2	11	261
HPV45 L2	8	185	HPV45 L2	8	136
HPV45 L2	11	185	HPV45 L2	10	359
HPV45 L2	10	267	HPV45 L2	9	135
HPV45 L2	11	267	HPV45 L2	11	426
HPV45 L2	8	145	HPV45 L2	10	113
HPV45 L2	11	216	HPV45 L2	11	2
HPV45 L2	9	23	HPV45 L2	8	150
HPV45 L2	10	23	HPV45 L2	8	249
HPV45 L2	9	172	HPV45 L2	11	249
HPV45 L2	10	172	HPV45 L2	9	104
HPV45 L2	11	172	HPV45 L2	10	104
HPV45 L2	8	5	HPV45 L2	11	104
HPV45 L2	10	5	HPV45 L2	8	388

Table XIII  
HLA-B58 Supermotif Peptides

HPV45 L2	9	388	HPV56 E2	9	169
HPV45 L2	11	388	HPV56 E2	10	169
HPV45 L2	8	47	HPV56 E2	11	169
HPV45 L2	11	47	HPV56 E2	10	26
HPV45 L2	8	350	HPV56 E2	8	271
HPV45 L2	9	373	HPV56 E2	10	271
HPV45 L2	10	373	HPV56 E2	11	271
HPV45 L2	8	385	HPV56 E2	10	168
HPV45 L2	11	385	HPV56 E2	11	168
HPV45 L2	8	227	HPV56 E2	8	170
HPV45 L2	10	227	HPV56 E2	9	170
HPV45 L2	8	401	HPV56 E2	10	170
HPV56 E2	8	13	HPV56 E2	9	27
HPV56 E2	9	13	HPV56 E2	11	27
HPV56 E2	10	13	HPV56 E2	11	167
HPV56 E2	9	92	HPV56 E2	8	165
HPV56 E2	10	92	HPV56 E2	9	164
HPV56 E2	11	92	HPV56 E2	8	75
HPV56 E2	8	195	HPV56 E2	11	179
HPV56 E2	11	195	HPV56 E2	10	150
HPV56 E2	9	140	HPV56 E2	9	142
HPV56 E2	11	140	HPV56 E2	10	35
HPV56 E2	8	39	HPV56 E2	11	35
HPV56 E2	10	117	HPV56 E2	9	270
HPV56 E2	11	117	HPV56 E2	11	270
HPV56 E2	9	134	HPV56 E2	8	278
HPV56 E2	8	23	HPV56 E2	8	111
HPV56 E2	8	288	HPV56 E2	11	111
HPV56 E2	11	288	HPV56 E6	11	89
HPV56 E2	9	66	HPV56 E6	8	50
HPV56 E2	10	66	HPV56 E6	8	92
HPV56 E2	11	66	HPV56 E6	11	92
HPV56 E2	11	201	HPV56 E6	8	48
HPV56 E2	10	20	HPV56 E6	9	48
HPV56 E2	11	20	HPV56 E6	10	48
HPV56 E2	8	11	HPV56 E6	10	131
HPV56 E2	10	11	HPV56 E6	9	94
HPV56 E2	11	11	HPV56 E6	10	94
HPV56 E2	8	9	HPV56 E6	11	94
HPV56 E2	10	9	HPV56 E6	10	31
HPV56 E2	11	258	HPV56 E6	9	18
HPV56 E2	8	233	HPV56 E6	10	18
HPV56 E2	10	163	HPV56 E6	8	113
HPV56 E2	11	108	HPV56 E6	9	40
HPV56 E2	8	295	HPV56 E6	10	40
HPV56 E2	9	295	HPV56 E6	11	110
HPV56 E2	10	295	HPV56 E6	11	145
HPV56 E2	11	25	HPV56 E6	8	42
HPV56 E2	8	46	HPV56 E6	9	13
HPV56 E2	9	292	HPV56 E6	10	13
HPV56 E2	11	292	HPV56 E6	10	146
HPV56 E2	9	216	HPV56 E6	9	135
HPV56 E2	8	14	HPV56 E6	8	63
HPV56 E2	9	14	HPV56 E6	9	63
HPV56 E2	10	196	HPV56 E6	10	63
HPV56 E2	8	143	HPV56 E6	11	63
HPV56 E2	11	143	HPV56 E6	9	73
HPV56 E2	10	144	HPV56 E6	10	73
HPV56 E2	9	272	HPV56 E6	8	84
HPV56 E2	10	272	HPV56 E6	11	84

Table XIII  
HLA-B58 Supermotif Peptides

HPV56 E7	11	30	HPV56 L1	9	206
HPV56 E7	9	92	HPV56 L1	8	25
HPV56 E7	11	92	HPV56 L1	9	25
HPV56 E7	8	56	HPV56 L1	10	25
HPV56 E7	9	15	HPV56 L1	8	331
HPV56 E7	9	94	HPV56 L1	10	331
HPV56 E7	8	6	HPV56 L1	11	331
HPV56 E7	10	6	HPV56 L1	8	73
HPV56 E7	8	52	HPV56 L1	8	506
HPV56 E7	9	52	HPV56 L1	9	506
HPV56 E7	10	52	HPV56 L1	8	71
HPV56 E7	11	49	HPV56 L1	9	71
HPV56 E7	9	77	HPV56 L1	10	71
HPV56 E7	10	77	HPV56 L1	8	378
HPV56 E7	10	31	HPV56 L1	11	378
HPV56 E7	8	78	HPV56 L1	10	181
HPV56 E7	9	78	HPV56 L1	8	414
HPV56 L1	11	58	HPV56 L1	9	414
HPV56 L1	8	381	HPV56 L1	10	414
HPV56 L1	10	381	HPV56 L1	11	414
HPV56 L1	8	327	HPV56 L1	8	334
HPV56 L1	8	514	HPV56 L1	8	251
HPV56 L1	8	444	HPV56 L1	9	251
HPV56 L1	10	444	HPV56 L1	9	93
HPV56 L1	11	444	HPV56 L1	10	93
HPV56 L1	10	37	HPV56 L1	9	474
HPV56 L1	11	37	HPV56 L1	11	474
HPV56 L1	9	195	HPV56 L1	8	222
HPV56 L1	8	389	HPV56 L1	8	78
HPV56 L1	9	389	HPV56 L1	10	78
HPV56 L1	8	274	HPV56 L1	8	416
HPV56 L1	9	274	HPV56 L1	9	416
HPV56 L1	10	274	HPV56 L1	10	151
HPV56 L1	11	274	HPV56 L1	9	385
HPV56 L1	10	486	HPV56 L1	9	439
HPV56 L1	8	176	HPV56 L1	11	36
HPV56 L1	9	60	HPV56 L1	9	421
HPV56 L1	10	60	HPV56 L1	11	421
HPV56 L1	11	60	HPV56 L1	10	271
HPV56 L1	8	162	HPV56 L1	11	271
HPV56 L1	9	236	HPV56 L1	10	376
HPV56 L1	11	236	HPV56 L1	8	428
HPV56 L1	8	369	HPV56 L1	10	428
HPV56 L1	10	369	HPV56 L1	9	91
HPV56 L1	9	337	HPV56 L1	11	91
HPV56 L1	10	337	HPV56 L1	9	226
HPV56 L1	11	337	HPV56 L1	10	226
HPV56 L1	8	249	HPV56 L1	11	197
HPV56 L1	10	249	HPV56 L1	11	511
HPV56 L1	11	249	HPV56 L1	8	41
HPV56 L1	10	164	HPV56 L1	10	329
HPV56 L1	11	164	HPV56 L1	8	467
HPV56 L1	8	303	HPV56 L1	9	467
HPV56 L1	9	303	HPV56 L1	11	467
HPV56 L1	9	290	HPV56 L1	8	50
HPV56 L1	8	488	HPV56 L1	9	50
HPV56 L1	10	488	HPV56 L1	8	522
HPV56 L1	9	148	HPV56 L1	9	260
HPV56 L1	10	148	HPV56 L1	10	260
HPV56 L1	8	240	HPV56 L1	9	297

Table XIII  
HLA-B58 Supermotif Peptides

HPV56 L1	11	297	HPV56 L2	11	357
HPV56 L1	9	349	HPV56 L2	8	169
HPV56 L1	11	349	HPV56 L2	9	114
HPV56 L1	11	519	HPV56 L2	9	109
HPV56 L1	10	372	HPV56 L2	11	109
HPV56 L1	8	65	HPV56 L2	10	94
HPV56 L1	9	272	HPV56 L2	11	94
HPV56 L1	10	272	HPV56 L2	10	398
HPV56 L1	11	272	HPV56 L2	11	398
HPV56 L1	8	417	HPV56 L2	8	457
HPV56 L1	11	417	HPV56 L2	8	437
HPV56 L1	10	520	HPV56 L2	9	437
HPV56 L1	8	100	HPV56 L2	8	382
HPV56 L1	10	100	HPV56 L2	10	382
HPV56 L1	9	165	HPV56 L2	11	200
HPV56 L1	10	165	HPV56 L2	8	296
HPV56 L1	11	74	HPV56 L2	10	296
HPV56 L1	10	379	HPV56 L2	9	122
HPV56 L1	8	261	HPV56 L2	8	287
HPV56 L1	9	261	HPV56 L2	10	287
HPV56 L1	11	261	HPV56 L2	9	51
HPV56 L1	9	489	HPV56 L2	8	314
HPV56 L1	9	373	HPV56 L2	10	314
HPV56 L1	9	380	HPV56 L2	8	64
HPV56 L1	11	380	HPV56 L2	9	64
HPV56 L1	11	335	HPV56 L2	11	64
HPV56 L1	9	445	HPV56 L2	10	48
HPV56 L1	10	445	HPV56 L2	8	75
HPV56 L1	8	215	HPV56 L2	10	75
HPV56 L1	9	215	HPV56 L2	9	434
HPV56 L1	10	215	HPV56 L2	10	434
HPV56 L1	11	215	HPV56 L2	11	434
HPV56 L1	9	370	HPV56 L2	8	25
HPV56 L1	8	326	HPV56 L2	11	25
HPV56 L1	9	326	HPV56 L2	8	258
HPV56 L1	9	513	HPV56 L2	10	206
HPV56 L1	9	443	HPV56 L2	8	62
HPV56 L1	11	443	HPV56 L2	10	62
HPV56 L1	8	99	HPV56 L2	11	62
HPV56 L1	9	99	HPV56 L2	10	60
HPV56 L1	11	99	HPV56 L2	8	310
HPV56 L1	10	53	HPV56 L2	10	310
HPV56 L1	11	53	HPV56 L2	11	310
HPV56 L1	10	87	HPV56 L2	8	190
HPV56 L1	9	214	HPV56 L2	11	190
HPV56 L1	10	214	HPV56 L2	10	221
HPV56 L1	11	214	HPV56 L2	11	221
HPV56 L1	8	134	HPV56 L2	9	326
HPV56 L2	9	222	HPV56 L2	10	323
HPV56 L2	10	222	HPV56 L2	9	210
HPV56 L2	9	383	HPV56 L2	8	182
HPV56 L2	11	383	HPV56 L2	11	182
HPV56 L2	11	303	HPV56 L2	11	157
HPV56 L2	10	246	HPV56 L2	8	143
HPV56 L2	11	246	HPV56 L2	10	143
HPV56 L2	9	367	HPV56 L2	10	130
HPV56 L2	10	14	HPV56 L2	11	130
HPV56 L2	9	6	HPV56 L2	8	229
HPV56 L2	11	260	HPV56 L2	8	38
HPV56 L2	10	357	HPV56 L2	10	38

Table XIII  
HLA-B58 Supermotif Peptides

HPV56 L2	8	263	HPV56 L2	8	133
HPV56 L2	9	263	HPV56 L2	9	133
HPV56 L2	10	338	HPV56 L2	11	133
HPV56 L2	11	338	HPV56 L2	11	147
HPV56 L2	10	380	HPV56 L2	8	110
HPV56 L2	9	23	HPV56 L2	10	110
HPV56 L2	10	23	HPV56 L2	8	154
HPV56 L2	11	361	HPV56 L2	9	154
HPV56 L2	9	342	HPV56 L2	10	154
HPV56 L2	10	342	HPV56 L2	9	79
HPV56 L2	11	342	HPV56 L2	10	212
HPV56 L2	9	385	HPV56 L2	11	212
HPV56 L2	8	239	HPV56 L2	10	183
HPV56 L2	10	239	HPV56 L2	8	134
HPV56 L2	11	239	HPV56 L2	10	134
HPV56 L2	10	285	HPV56 L2	10	148
HPV56 L2	8	86	HPV56 L2	11	414
HPV56 L2	11	86	HPV56 L2	8	390
HPV56 L2	11	245	HPV56 L2	10	186
HPV56 L2	10	267	HPV56 L2	10	261
HPV56 L2	11	267	HPV56 L2	11	261
HPV56 L2	10	78	HPV56 L2	9	131
HPV56 L2	9	98	HPV56 L2	10	131
HPV56 L2	10	98	HPV56 L2	11	131
HPV56 L2	9	410	HPV56 L2	8	386
HPV56 L2	10	410	HPV56 L2	11	386
HPV56 L2	8	185	HPV56 L2	8	136
HPV56 L2	11	185	HPV56 L2	9	288
HPV56 L2	8	145	HPV56 L2	9	135
HPV56 L2	10	328	HPV56 L2	11	2
HPV56 L2	11	328	HPV56 L2	8	280
HPV56 L2	10	421	HPV56 L2	8	270
HPV56 L2	11	421	HPV56 L2	10	270
HPV56 L2	8	364	HPV56 L2	11	270
HPV56 L2	10	364	HPV56 L2	8	366
HPV56 L2	9	172	HPV56 L2	10	366
HPV56 L2	10	172	HPV56 L2	8	249
HPV56 L2	11	172	HPV56 L2	10	152
HPV56 L2	8	306	HPV56 L2	11	152
HPV56 L2	10	306	HPV56 L2	8	389
HPV56 L2	8	11	HPV56 L2	9	389
HPV56 L2	8	5	HPV56 L2	11	236
HPV56 L2	10	5	HPV56 L2	9	104
HPV56 L2	11	370	HPV56 L2	10	104
HPV56 L2	9	339	HPV56 L2	8	84
HPV56 L2	10	339	HPV56 L2	9	84
HPV56 L2	11	13	HPV56 L2	10	84
HPV56 L2	8	435	HPV56 L2	8	40
HPV56 L2	9	435	HPV56 L2	11	40
HPV56 L2	10	435	HPV56 L2	8	351
HPV56 L2	11	435	HPV56 L2	11	351
HPV56 L2	10	362	HPV56 L2	8	402
HPV56 L2	8	132			
HPV56 L2	9	132			
HPV56 L2	10	132			
HPV56 L2	9	153			
HPV56 L2	10	153			
HPV56 L2	11	153			
HPV56 L2	8	211			
HPV56 L2	11	211			

SF 1168117 v1

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

2	3	4			
E6	9	62	E2	8	260
L1	9	234	L2	10	204
L1	10	234	E1	9	42
L1	11	234	E1	10	42
L2	10	329	E1	9	134
L2	11	329	L2	11	266
E5	8	9	E1	8	387
E5	9	9	E1	9	53
E5	10	9	E7	8	62
E1	11	206	E1	9	353
E1	10	318	E1	10	353
L2	9	340	E7	9	44
L2	10	340	E7	11	44
E4	8	2	E7	10	31
E4	10	2	E2	9	143
E4	11	2	E2	10	143
E2	11	322	E2	8	141
L2	9	288	E2	11	141
L1	9	36	L2	10	344
E6	8	6	L1	9	198
E6	11	6	E1	9	481
E1	11	330	E1	11	481
E2	10	197	E1	10	73
L1	9	342	L1	8	331
L1	11	22	L1	10	331
E1	11	296	L2	11	369
E4	9	61	E1	8	534
L2	10	14	L1	11	411
E1	8	525	E1	9	71
E1	9	525	E1	9	178
E6	11	10	E2	11	174
E1	10	77	L2	9	274
E1	11	77	E1	10	250
E6	11	64	E1	8	143
E1	9	234	E2	8	66
E1	11	234	E2	10	66
E2	8	124	L2	8	173
E2	9	124	E1	11	336
E2	10	124	L1	9	299
E2	11	124	L1	10	299
L1	9	157	L1	11	299
L1	10	341	E1	11	100
E1	8	406	E1	8	373
L1	9	374	E1	8	103
L1	10	374	E1	11	103
E7	9	71	E2	8	80
E1	10	14	E2	10	80
E1	11	14	E2	8	293
E6	8	131	E2	10	293
E6	11	131	E4	11	55
E2	8	9	E2	11	39
E2	10	9	E7	10	73
E2	11	9	E7	11	73
E1	8	524	E6	9	92
E1	9	524	E6	10	92
E1	10	524	E6	11	92
L1	9	24	L2	8	135
L1	10	24	L2	10	135
L1	11	24	E4	9	75
			L1	11	206

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

L1	8	80	E4	10	90
L1	9	80	E1	9	415
L2	9	442	E1	8	189
L2	11	442	E1	10	189
L1	10	49	E1	11	189
L1	11	49	E2	8	330
L1	8	450	L1	8	35
L1	10	450	L1	10	35
E1	9	587	E2	9	338
L1	8	202	E2	10	338
L2	8	314	E1	10	246
L2	10	314	E1	11	246
E1	8	11	E2	9	149
E1	9	11	E2	10	149
E1	10	11	E2	11	149
L2	10	431	E1	11	176
L2	11	431	E6	8	25
L1	8	275	E6	9	25
L2	10	62	L1	8	387
L2	11	62	L1	11	387
E1	10	431	E4	10	26
L2	10	48	L2	8	306
L1	10	293	E1	9	581
L1	11	293	L2	11	149
L2	11	303	E5	9	8
E1	10	632	E5	10	8
E1	8	88	E5	11	8
E1	11	88	L2	8	40
E2	8	179	L2	11	40
E2	10	179	E1	9	98
E2	11	189	E1	11	376
E1	8	191	E5	8	22
E1	9	191	E5	10	22
L2	8	215	E5	11	22
L2	10	215	L2	8	326
L2	11	215	L2	10	326
L2	8	25	L2	8	287
L2	11	25	L2	10	287
L2	8	64	L2	11	180
L2	9	64	E1	9	32
L2	11	64	E5	10	37
E1	8	436	E5	11	37
E1	9	436	E1	8	248
E1	11	436	E1	9	248
E1	11	145	E1	8	492
E7	9	85	E1	9	492
L1	9	407	E1	10	500
L1	10	407	E1	11	500
L2	10	413	E1	8	327
E1	8	467	L2	11	323
E1	10	467	E1	8	106
E1	11	467	E1	10	106
E1	9	147	L2	8	405
L2	8	75	L2	8	429
L1	9	222	E1	11	56
L1	10	222	E1	9	571
E5	8	11	E1	10	571
E5	10	11	L1	8	376
E5	11	11	L1	10	376
E4	8	90	L1	11	376

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

E1	11	341	E1	9	358
L2	11	82	L2	9	23
L2	9	185	L2	10	23
L2	11	185	E6	9	121
L2	11	131	E1	9	555
L1	10	187	E1	10	555
L1	11	187	E1	11	555
E4	11	83	E5	8	49
L2	8	247	E5	9	49
E2	10	45	E5	10	49
E1	11	553	E5	11	49
E2	8	325	E5	11	70
E2	9	325	E1	8	268
E2	11	325	E1	9	268
L1	9	311	E1	10	268
L1	11	311	E1	11	268
E6	11	123	E1	8	115
E1	10	228	L2	8	372
E1	11	228	E6	9	38
L1	8	213	E6	11	38
E1	10	286	E5	8	61
E1	8	484	E5	9	61
E1	9	484	E5	10	61
E1	11	484	L1	10	233
E2	9	84	L1	11	233
E2	11	84	E4	8	1
E6	10	18	E4	9	1
E4	8	42	E4	11	1
E1	8	231	L2	8	87
E1	9	231	L2	11	87
L1	10	56	L1	11	383
E2	8	165	E1	10	546
E1	8	351	E1	11	489
E1	11	351	L2	8	115
E4	9	13	E2	9	71
E4	10	13	E2	8	249
E4	10	60	E2	11	249
L1	8	42	E6	8	36
L1	10	42	E6	9	36
L1	8	378	E6	11	36
L1	9	378	E1	8	607
E1	10	218	E1	11	607
L1	8	439	L2	8	270
E2	8	51	L2	10	270
E2	9	51	L2	11	270
E1	8	458	E1	10	389
E1	9	259	E6	9	5
E1	10	259	E1	11	600
E6	8	22	E1	8	270
E6	11	22	E1	9	270
E1	9	605	E1	10	270
E1	10	605	E1	11	270
L1	9	401	L1	8	352
L2	8	390	L1	11	352
L2	9	390	E4	9	57
L2	10	390	E4	10	57
L2	8	240	E1	8	59
L2	10	240	E1	9	59
E1	8	132	E1	8	395
E1	11	132	E1	9	395

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

E2	9	279	E2	11	233
E2	10	279	E1	10	128
E1	8	634	E1	8	344
E2	8	281	E1	8	205
E2	10	281	E1	8	391
E1	8	504	L1	9	259
E1	11	504	L2	8	227
E2	9	22	L1	10	53
E2	10	22	L2	8	11
L2	8	38	L2	10	308
L2	10	38	L1	8	472
E1	11	96	L1	11	334
E2	8	127	E1	8	288
E2	11	127	E1	11	288
L1	8	289	E1	10	324
L2	9	385	E1	11	324
L2	10	237	L1	9	476
L2	11	237	E1	9	293
L2	8	124	L1	8	279
L2	9	285	L1	9	279
L2	10	285	L1	10	279
L2	8	139	L1	8	379
E5	8	78	L1	11	379
E5	9	78	L2	11	111
E5	10	78	L2	11	77
E2	8	216	E6	11	3
E2	11	196	L2	10	181
L2	9	99	E2	8	283
L2	10	99	L2	11	13
L1	8	4	E6	8	9
L2	8	80	E2	9	282
L1	9	391	L1	11	297
L1	11	391	E7	9	32
L2	10	163	L1	9	451
L2	9	408	L2	9	133
E2	9	354	L2	10	133
E2	10	354	E1	9	506
L2	8	183	E1	10	506
L2	11	183	L2	8	391
E4	8	67	L2	9	391
L1	11	426	L1	11	85
L2	9	359	L1	11	38
L1	8	90	E1	10	505
L2	8	328	E1	11	505
L2	11	328	L1	8	37
E1	10	636	E2	9	224
E1	11	636	E2	8	225
L1	8	177	E2	9	200
L1	10	177	L1	9	347
L1	11	177	E2	8	23
E1	11	399	E2	9	23
L2	8	400	E2	11	23
E1	8	314	E4	8	86
E1	9	314	E4	10	86
E1	10	314	E2	9	180
L1	10	466	E5	8	14
E2	9	245	E5	9	14
L1	9	210	E5	11	14
L1	11	210	L1	10	335
E2	8	103	L2	10	374

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

L2	9	241	E5	9	62
E6	10	7	E5	11	62
E2	8	201	L1	9	332
E1	10	289	L2	9	151
E1	11	289	L2	10	151
E2	10	190	L1	11	345
E1	10	331	E4	10	84
E1	11	331	E5	9	12
L1	11	7	E5	10	12
L1	8	348	E5	11	12
L1	11	348	L2	9	136
E6	9	40	L2	11	136
E1	8	192	L2	10	150
L2	8	420	L2	11	150
L2	9	420	E4	8	76
L2	10	420	E6	11	87
L2	8	409	L2	8	386
L2	11	409	E4	9	91
L2	9	216	E1	11	317
L2	10	216	L2	8	339
E6	9	8	L2	10	339
L2	10	83	L2	11	339
L2	11	83	E1	10	239
L2	8	186	L2	8	97
L2	10	186	L2	9	97
L2	8	147	L2	11	97
L2	9	147	E1	8	291
L2	8	152	E1	9	291
L2	9	152	E1	11	291
L2	10	132	E2	10	64
L2	11	132	L1	10	114
L1	10	346	L1	8	62
E4	9	85	L1	9	62
E4	11	85	L1	11	62
E5	8	13	E5	8	29
E5	9	13	E5	9	29
E5	10	13	E2	9	206
L2	11	373	L1	10	17
L1	8	280	L1	11	17
L1	9	280	L2	9	105
L1	9	188	L2	10	105
L1	10	188	E1	11	92
E5	8	44	L1	8	296
E5	9	44	E2	10	223
E5	10	44	E2	8	199
E5	11	44	E2	10	199
E6	8	39	L2	10	259
E6	10	39	L2	11	144
E1	8	232	L2	9	419
E1	11	232	L2	10	419
L1	8	223	L2	11	419
L1	9	223	E7	11	55
L1	11	223	E7	8	6
E6	8	142	E7	10	6
E1	9	585	L2	8	364
E1	11	585	L2	9	364
E6	10	11	L2	8	165
L2	8	137	L2	10	379
L2	10	137	L1	8	27
E5	8	62	L2	9	146

Table XIII A. HPV6A  
HLA-B58 Supermotif Peptides

L2	10	146
E1	10	584
L1	8	97
E2	8	92
E2	10	92
E2	11	92
E6	8	141
E6	9	141
E4	10	72
E6	8	61
E6	10	61
L2	9	349
E6	8	82
E1	11	262
E1	11	76
E6	8	46
E6	9	46
E6	10	46
E2	8	87
L2	8	225
L2	10	225
L2	10	296
E6	8	44
E6	10	44
E6	11	44
E2	9	159
E2	10	159
E2	11	159
L1	9	350
L1	10	350
E2	10	214
E5	9	43
E5	10	43
E5	11	43

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

2	3	4	L1	11	24
E6	9	62	E2	9	338
L1	9	234	E2	10	338
L1	10	234	E2	8	260
L1	11	234	L2	10	204
L2	10	329	E1	9	42
L2	11	329	E1	10	42
E5A	8	9	E1	9	134
E5A	9	9	L2	11	266
E5A	10	9	E1	8	387
E1	11	206	E1	9	53
E1	10	318	E7	8	62
L2	9	340	E1	9	353
L2	10	340	E1	10	353
E4	8	12	E7	9	44
E4	10	12	E7	11	44
E4	11	12	E7	10	31
L2	9	288	L2	10	344
E2	11	322	L1	9	198
L1	9	36	E1	9	481
E6	8	6	E1	11	481
E6	11	6	E1	10	73
E1	11	330	L1	8	331
E2	10	197	L1	10	331
L1	9	342	E5B	8	11
L1	11	22	E5B	9	11
E1	11	296	E2	9	143
E4	9	71	E2	10	143
L2	10	14	L2	11	369
E1	8	525	E1	8	534
E1	9	525	L1	11	411
E6	11	10	E1	9	71
E1	10	77	E1	9	178
E1	11	77	E2	11	174
E6	11	64	L2	9	274
E5B	8	20	E1	10	250
E5B	10	20	E1	8	143
E5B	11	20	E2	8	66
E2	8	124	E2	10	66
E2	9	124	L2	8	173
E2	10	124	E1	11	336
E2	11	124	L1	9	299
L1	9	157	L1	10	299
L1	10	341	L1	11	299
E1	8	406	E1	11	100
L1	9	374	E1	8	373
L1	10	374	E1	8	103
E7	9	71	E1	11	103
E1	10	14	E2	8	80
E1	11	14	E2	10	80
E6	8	131	E2	8	293
E6	11	131	E2	10	293
E2	8	9	E4	11	65
E2	10	9	E2	11	39
E2	11	9	E7	10	73
E1	8	524	E7	11	73
E1	9	524	E6	9	92
E1	10	524	E6	10	92
L1	9	24	E6	11	92
L1	10	24	L2	8	135

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

L2	10	135	L1	9	222
E4	9	85	L1	10	222
L1	11	206	E5A	8	11
L1	8	80	E5A	10	11
L1	9	80	E5A	11	11
L2	9	442	E4	8	100
L2	11	442	E4	10	100
L1	10	49	E1	9	415
L1	11	49	E1	8	189
L2	8	415	E1	10	189
L1	8	450	E1	11	189
L1	10	450	E2	8	330
E1	9	587	L1	8	35
L1	8	202	L1	10	35
E4	8	2	E1	10	246
E4	9	2	E1	11	246
E4	10	2	E2	9	149
L2	8	314	E2	10	149
L2	10	314	E2	11	149
E1	8	11	E1	11	176
E1	9	11	E6	8	25
E1	10	11	E6	9	25
L2	10	431	L1	8	387
L2	11	431	L1	11	387
L1	8	275	E4	10	36
L2	10	62	L2	8	306
L2	11	62	E1	9	581
E1	10	431	L2	11	149
L2	10	48	E5A	9	8
L1	10	293	E5A	10	8
L1	11	293	E5A	11	8
L2	11	303	L2	8	40
E1	10	632	L2	11	40
E1	8	88	E1	9	98
E1	11	88	E1	11	376
E2	8	179	E5A	8	22
E2	10	179	E5A	10	22
E2	11	189	E5A	11	22
E1	8	191	L2	8	326
E1	9	191	L2	10	326
L2	8	215	L2	8	287
L2	10	215	L2	10	287
L2	11	215	L2	11	180
L2	8	25	E1	9	32
L2	11	25	E1	8	248
L2	8	64	E1	9	248
L2	9	64	E5A	10	37
L2	11	64	E5A	11	37
E1	8	436	E1	8	492
E1	9	436	E1	9	492
E1	11	436	E2	8	356
E1	11	145	E2	10	356
L1	9	407	E1	10	500
L1	10	407	E1	11	500
E7	9	85	E1	8	327
L2	11	412	L2	11	323
E1	8	467	E1	8	106
E1	10	467	E1	10	106
E1	11	467	L2	8	404
E1	9	147	L2	8	429

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

E1	11	56	E1	8	132
E1	9	571	E1	11	132
E1	10	571	E1	9	358
L1	8	376	L2	9	23
L1	10	376	L2	10	23
L1	11	376	E6	9	121
E1	11	341	E1	8	458
L2	11	82	E1	9	555
L2	11	131	E1	10	555
L1	10	187	E1	11	555
L1	11	187	E5A	8	49
E4	11	93	E5A	9	49
L2	8	247	E5A	10	49
E2	10	45	E5A	11	49
E1	11	553	E5A	11	70
E2	8	325	E1	8	268
E2	9	325	E1	9	268
E2	11	325	E1	10	268
L1	9	311	E1	11	268
L1	11	311	E1	8	115
E6	11	123	L2	8	372
E1	8	228	E6	9	38
E1	10	228	E6	11	38
E1	11	228	E5A	8	61
L1	8	213	E5A	9	61
E1	10	286	E5A	10	61
E1	8	484	L1	10	233
E1	9	484	L1	11	233
E1	11	484	E4	8	11
E6	10	18	E4	9	11
E4	8	52	E4	11	11
E1	8	231	L2	8	87
E1	9	231	L2	11	87
L1	10	56	L1	11	383
E2	8	165	E1	10	546
E1	8	351	E1	11	489
E1	11	351	L2	8	115
E4	9	23	E2	9	71
E4	10	23	E2	8	249
E4	10	70	E2	11	249
L1	8	42	E6	8	36
L1	10	42	E6	9	36
L1	8	378	E6	11	36
L1	9	378	L2	8	270
E1	10	218	L2	10	270
L1	8	439	L2	11	270
E2	8	51	E1	10	389
E2	9	51	E6	9	5
L2	8	390	E1	11	600
L2	9	390	E1	8	270
E1	9	259	E1	9	270
E1	10	259	E1	10	270
E6	8	22	E1	11	270
E6	11	22	L1	8	352
E1	9	605	L1	11	352
E1	10	605	E1	8	59
L1	9	401	E1	9	59
L2	8	240	E1	8	395
L2	10	240	E1	9	395
ESB	11	3	E2	9	279

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

E2	10	279	E1	10	314
E4	9	67	L1	10	466
E4	10	67	E2	9	245
E1	8	634	L1	9	210
E2	8	281	L1	11	210
E2	10	281	E2	8	103
E1	8	504	E2	11	233
E1	11	504	E1	10	128
E2	9	22	L2	8	75
E2	10	22	E1	8	344
L2	8	38	E1	8	205
L2	10	38	E1	8	391
E1	11	96	L1	9	259
E2	8	127	L2	8	227
E2	11	127	L1	10	53
E1	8	607	L2	8	11
E1	11	607	L2	10	308
L1	8	289	L1	8	472
L2	8	385	L1	11	334
L2	10	237	E1	8	288
L2	11	237	E1	11	288
L2	8	124	E2	9	84
L2	9	285	E2	11	84
L2	10	285	E1	10	324
L2	8	139	E1	11	324
L2	8	420	L1	9	476
L2	9	420	E1	9	293
L2	10	420	L1	8	279
E5A	8	78	L1	9	279
E5A	9	78	L1	10	279
E5A	10	78	L1	8	379
E2	8	216	L1	11	379
E2	11	196	L2	11	111
L2	9	99	L2	11	77
L2	10	99	E6	11	3
L1	8	4	L2	10	181
L2	8	80	E2	8	283
L1	9	391	L2	11	13
L1	11	391	E6	8	9
L2	10	163	E2	9	282
L2	9	407	L1	11	297
E2	9	354	E7	9	32
E2	10	354	L1	9	451
E4	8	77	L2	9	133
L1	11	426	L2	10	133
L2	9	359	E1	9	506
L1	8	90	E1	10	506
L2	8	183	E2	10	323
L2	11	183	E2	11	323
L2	8	328	L1	11	85
L2	11	328	L1	11	38
E1	10	636	E1	10	505
E1	11	636	E1	11	505
L1	8	177	L1	8	37
L1	10	177	E2	9	224
L1	11	177	E2	8	225
E1	11	399	E2	9	200
L2	8	399	L1	9	347
E1	8	314	E2	8	23
E1	9	314	E2	9	23

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

E2	11	23	E5B	8	63
E5A	8	14	E5B	9	63
E5A	9	14	E1	9	585
E5A	11	14	E1	11	585
E4	8	96	E6	10	11
E4	10	96	L2	8	137
E2	9	180	L2	10	137
L1	10	335	E5A	8	62
L2	10	374	E5A	9	62
L2	9	241	E5A	11	62
E6	10	7	L1	9	332
E2	8	201	L2	9	151
E1	10	289	L2	10	151
E1	11	289	L1	11	345
E2	10	190	E5A	9	12
E1	10	331	E5A	10	12
E1	11	331	E5A	11	12
L1	11	7	E4	10	94
L1	8	348	L2	9	136
L1	11	348	L2	11	136
E6	9	40	L2	10	150
E1	8	192	L2	11	150
L2	8	408	E4	8	86
L2	11	408	E6	11	87
L2	9	216	L2	11	386
L2	10	216	E4	9	101
E6	9	8	E2	11	212
L2	10	83	E1	11	317
L2	11	83	L2	8	339
L2	8	186	L2	10	339
L2	10	186	L2	11	339
L2	8	147	E1	10	239
L2	9	147	L2	8	97
L2	8	152	L2	9	97
L2	9	152	L2	11	97
L2	10	132	E1	8	291
L2	11	132	E1	9	291
L1	10	346	E1	11	291
E5A	8	13	E2	10	64
E5A	9	13	L1	10	114
E5A	10	13	L1	8	62
E4	9	95	L1	9	62
E4	11	95	L1	11	62
L2	11	373	E5A	8	29
L1	8	280	E5A	9	29
L1	9	280	E2	9	206
L1	9	188	L1	10	17
L1	10	188	L1	11	17
E5A	8	44	L2	9	105
E5A	9	44	L2	10	105
E5A	10	44	E1	11	92
E5A	11	44	L1	8	296
E6	8	39	E2	10	223
E6	10	39	E2	8	199
L1	8	223	E2	10	199
L1	9	223	L2	10	259
L1	11	223	L2	11	144
E1	8	232	E7	11	55
E1	11	232	E7	8	6
E6	8	142	E7	10	6

Table XIII B HPV6B  
HLA-B58 Supermotif Peptides

ESB	11	58
L2	8	364
L2	9	364
L2	10	418
L2	11	418
L2	8	165
L2	10	379
L1	8	27
L2	9	185
L2	11	185
L2	9	146
L2	10	146
E1	10	584
L1	8	97
E2	8	92
E2	10	92
E2	11	92
E6	8	141
E6	9	141
E4	10	82
E6	8	61
E6	10	61
L2	9	349
E6	8	82
E1	11	262
E1	11	76
E6	8	46
E6	9	46
E6	10	46
E2	8	87
L2	8	225
L2	10	225
L2	10	296
E6	8	44
E6	10	44
E6	11	44
E2	9	159
E2	10	159
E2	11	159
L1	9	350
L1	10	350
E2	9	214
E2	10	214
E5A	9	43
E5A	10	43
E5A	11	43
ESB	8	62
ESB	9	62
ESB	10	62

SF 1168121 v1

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
E5	8	9	E1	10	250
E5	9	9	E1	10	73
E5	10	9	E1	8	607
E6	9	62	E1	11	607
L1	9	235	E7	9	44
L1	10	235	E7	11	44
L1	11	235	E6	9	5
L2	10	328	E1	9	524
L2	11	328	E1	10	524
L2	9	339	L1	9	24
L2	10	339	L1	10	24
E4	8	12	L1	11	24
E4	10	12	L2	10	203
E4	11	12	E1	9	42
L2	8	86	E1	10	42
L2	11	86	E1	9	134
E2	8	282	E1	8	387
E5	8	10	E2	8	292
E5	9	10	E2	10	292
E5	11	10	E7	8	62
L2	10	405	E1	9	353
E2	11	321	E1	10	353
L1	9	36	E7	10	31
E6	8	6	E2	8	259
E6	11	6	E1	9	435
E1	11	330	E1	10	435
L1	9	343	E2	10	143
E2	10	197	L2	10	343
L1	11	22	L1	9	199
L2	9	22	E1	9	481
L2	10	22	E1	11	481
E1	8	525	E1	11	164
E1	9	525	E1	8	191
E6	11	10	E1	9	191
E5	8	11	E2	8	96
E5	10	11	L1	8	332
E5	11	11	L1	10	332
E1	10	77	E5	8	12
E1	11	77	E5	9	12
L1	8	349	E1	8	534
L1	11	349	L1	11	412
E6	11	64	E1	9	71
E1	9	234	L2	9	273
E1	11	234	E1	11	336
E1	8	406	E2	8	324
L1	9	158	E2	9	324
L1	10	342	E2	11	324
E1	9	506	E2	11	174
L1	9	375	L1	9	300
L1	10	375	L1	10	300
E2	10	194	L1	11	300
E7	9	71	L2	8	172
E1	10	14	E1	8	373
E1	11	14	E1	8	103
E1	10	289	E1	11	103
E1	11	289	L2	11	265
E2	8	9	E2	8	80
E2	10	9	E2	10	80
E2	11	9	L2	8	134
			L2	10	134

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

E2	11	39	E1	10	467
E2	8	66	E1	11	467
E2	10	66	L1	9	169
E6	9	92	E4	8	99
E6	10	92	E4	10	99
E6	11	92	L1	9	223
E1	10	128	L1	10	223
E6	8	61	L1	11	262
E6	10	61	E1	8	189
L1	11	207	E1	10	189
L1	8	80	E1	11	189
L1	9	80	E1	9	415
L2	9	438	L1	8	35
L2	11	438	L1	10	35
E5	8	24	E2	8	280
E5	9	24	E2	10	280
E5	10	24	E1	10	246
E5	11	24	E1	11	246
L2	8	411	E1	8	349
L2	10	295	E1	10	349
L2	11	295	E1	9	581
L1	8	451	L2	8	361
L1	10	451	E6	8	25
E5	8	20	E6	9	25
E5	9	20	L1	8	388
E5	11	20	L1	11	388
E1	9	587	E4	10	36
L2	10	61	L1	8	290
L2	11	61	L2	8	36
L1	8	203	L2	9	36
L2	10	313	L2	11	36
L2	10	427	L2	11	148
L2	11	427	E5	9	8
E4	9	61	E5	10	8
E1	8	11	E5	11	8
E1	9	11	E1	8	248
E1	10	11	E1	9	248
L2	8	63	L2	8	39
L2	9	63	L2	11	39
L2	11	63	E5	8	22
L2	10	47	E5	10	22
L1	10	294	E5	11	22
L1	11	294	E1	11	376
L2	11	302	L2	11	179
E1	10	632	E5	10	37
E1	8	88	E5	11	37
E1	11	88	E1	9	32
L2	8	74	E1	9	571
E2	8	179	E1	10	571
E2	10	179	E1	8	327
E2	11	189	E1	8	95
L2	8	24	E1	8	106
L2	11	24	E1	10	106
E1	10	431	L2	11	322
L1	9	408	E1	10	500
L1	10	408	E1	11	500
E1	11	296	L2	8	400
E7	9	85	L2	11	81
L2	11	408	L2	8	425
E1	8	467	L1	8	377

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

L1	10	377	L2	10	375
L1	11	377	L2	8	239
E1	11	56	L2	10	239
E1	11	341	E7	11	55
L2	9	184	E5	11	4
L2	11	184	E1	8	514
L2	8	286	E1	9	514
L2	10	286	E1	8	132
L2	11	130	E1	11	132
L1	10	188	E1	9	358
L1	11	188	E5	8	70
E4	11	92	E5	11	70
E2	10	45	E1	9	555
L1	9	312	E1	10	555
L1	11	312	E1	11	555
E6	11	123	E5	8	49
L2	10	21	E5	9	49
L2	11	21	E5	10	49
L1	10	347	E5	11	49
E1	8	484	E1	8	268
E1	9	484	E1	9	268
E1	11	484	E1	10	268
E1	10	228	E1	11	268
E1	11	228	E2	8	103
L1	8	214	E7	8	48
E5	8	50	L2	8	368
E5	10	50	E6	9	38
E5	11	50	E6	11	38
E1	10	286	E5	8	61
E4	8	53	E5	9	61
E6	10	18	E5	10	61
E2	9	84	E1	8	115
E2	11	84	L1	10	234
L1	10	56	L1	11	234
E1	8	351	E4	8	11
E1	11	351	E4	9	11
E2	8	82	E4	11	11
E2	11	82	L1	11	384
E4	9	23	L1	8	440
E4	10	23	E5	9	62
E2	8	313	E5	10	62
L1	8	42	E5	11	62
L1	10	42	E1	10	546
L1	8	379	E1	9	421
L1	9	379	E1	11	489
E1	9	605	L2	8	114
E1	10	605	E2	9	71
E1	10	218	E2	8	329
E2	8	51	E6	8	36
E2	9	51	E6	9	36
L2	8	386	E6	11	36
L2	9	386	L2	8	269
E5	8	29	L2	10	269
E5	9	29	L2	11	269
E1	8	458	E1	10	389
E6	8	22	E1	11	100
E6	11	22	E1	11	600
E1	9	259	E1	8	270
E1	10	259	E1	9	270
L1	9	402	E1	10	270

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

E1	11	270	E1	9	314
E1	8	504	E1	10	314
E1	11	504	E4	9	84
L1	8	353	L2	8	377
L1	11	353	L2	10	377
E2	9	22	L2	11	365
E2	10	22	L1	9	211
E1	8	395	L1	11	211
E1	9	395	E1	8	344
E1	8	634	E1	8	391
E1	8	59	L2	8	214
E1	9	59	L2	10	214
E2	9	347	L2	11	214
E2	8	248	L1	9	260
E2	11	248	L2	8	226
E5	8	54	E1	11	553
E5	9	54	E1	10	318
L2	8	381	E2	11	240
L2	8	85	L2	8	10
L2	9	85	L2	10	307
L2	10	236	L1	8	280
L2	11	236	L1	9	280
E5	8	78	L1	10	280
E5	9	78	E1	8	205
E5	10	78	L1	11	335
L2	8	138	E2	10	256
L2	9	284	E2	11	256
L2	10	284	L1	9	477
L2	8	416	E1	10	324
L2	9	416	E1	11	324
L2	10	416	E1	9	293
E2	9	216	L1	8	473
E2	8	196	E1	8	231
E2	11	196	E1	9	231
L2	9	98	E2	9	281
L2	10	98	E2	9	225
L1	8	4	L1	8	380
E2	9	244	L1	11	380
L2	10	162	L2	11	110
L1	9	392	L2	10	180
L1	11	392	L1	11	475
L2	9	403	E6	8	9
E2	9	353	L1	9	348
E2	10	353	L1	11	298
L2	8	182	E7	9	32
L2	11	182	E2	9	337
L1	11	427	E2	10	337
L2	8	123	L1	9	452
E4	8	76	L2	9	132
L2	11	206	L2	10	132
L1	8	90	L1	11	85
E6	11	87	L1	11	38
L2	8	327	L1	8	37
L2	11	327	L2	9	208
E1	10	636	E2	9	200
E1	11	636	L1	8	281
E1	10	399	L1	9	281
E1	11	399	E2	8	150
L2	8	395	E2	9	150
E1	8	314	E2	10	150

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

E2	11	260	E5	8	14
E4	8	95	E5	9	14
E4	10	95	E5	11	14
E1	11	206	L2	8	136
E2	9	180	L2	10	136
L1	10	336	E5	8	62
E2	8	245	E5	9	62
E2	11	245	E5	11	62
L2	8	209	E1	11	116
L2	10	370	L1	9	333
L2	9	240	E4	10	93
E1	11	185	L2	9	150
E6	10	7	L2	10	150
L2	9	135	E5	8	13
L2	11	135	E5	9	13
E4	8	85	E5	10	13
E2	10	190	L2	10	149
E1	10	331	L2	11	149
E1	11	331	E5	9	12
E2	8	201	E5	10	12
L1	11	7	E5	11	12
E6	9	40	E5	8	55
E5	8	21	L2	11	382
E5	10	21	E4	9	100
E5	11	21	L2	8	338
L2	8	404	L2	10	338
L2	11	404	L2	11	338
E6	9	8	E1	10	239
E1	8	192	E1	9	98
E6	10	11	E2	11	252
L2	8	185	L2	8	96
L2	10	185	L2	9	96
L2	9	287	L2	11	96
L2	10	131	E1	8	291
L2	11	131	E1	9	291
L2	10	207	E1	11	291
E2	9	149	E5	8	25
E2	10	149	E5	9	25
E2	11	149	E5	11	25
E4	9	94	E2	10	224
E4	11	94	E2	10	64
L2	11	369	L1	10	114
L2	8	151	L1	8	62
L2	9	151	L1	9	62
L1	9	189	L1	11	62
L1	10	189	E2	9	206
E5	8	44	L1	10	17
E5	9	44	L1	11	17
E5	10	44	L2	9	104
E5	11	44	L2	10	104
L1	11	175	L2	10	258
E6	8	39	E1	11	92
E6	10	39	L1	8	297
E1	8	232	E2	8	199
E1	11	232	E2	10	199
E6	8	142	L2	11	143
E1	9	585	E7	8	6
E1	11	585	E7	10	6
L2	8	37	L2	9	145
L2	10	37	L2	10	145

Table XIII C. HPV11  
HLA-B58 Supermotif Peptides

L2	10	414
L2	11	414
L2	8	325
L2	10	325
E2	10	148
E2	11	148
E1	10	584
L2	8	246
L1	8	97
E2	8	92
E2	10	92
E2	11	92
E6	8	141
E6	9	141
E4	10	81
E1	8	530
E1	11	530
E6	8	82
L2	8	348
E1	11	262
E1	11	76
E6	8	44
E6	10	44
E6	11	44
E6	8	46
E6	9	46
E6	10	46
E1	10	139
L1	10	49
L1	11	49
L2	8	224
L2	10	224
E2	10	336
E2	11	336
E2	9	159
E2	10	159
E2	11	159
L1	9	351
L1	10	351
E2	11	214
L2	8	305
E5	9	43
E5	10	43
E5	11	43

Table XIV  
HLA-B62 Supermotif Peptides

1	2	3	4				
HPV16 E1	10	112		HPV16 E1	11	463	
HPV16 E1	11	112		HPV16 E1	9	493	
HPV16 E1	9	539		HPV16 E1	10	493	
HPV16 E1	11	539		HPV16 E1	9	445	
HPV16 E1	8	69		HPV16 E1	10	445	
HPV16 E1	9	459		HPV16 E1	8	456	
HPV16 E1	9	318		HPV16 E1	9	456	
HPV16 E1	9	206		HPV16 E1	8	453	
HPV16 E1	10	206		HPV16 E1	11	453	
HPV16 E1	10	73		HPV16 E1	10	592	
HPV16 E1	11	73		HPV16 E1	11	592	
HPV16 E1	10	380		HPV16 E1	8	501	
HPV16 E1	9	82		HPV16 E1	9	501	
HPV16 E1	10	82		HPV16 E1	10	501	
HPV16 E1	11	82		HPV16 E1	8	466	
HPV16 E1	10	23		HPV16 E1	9	466	
HPV16 E1	11	23		HPV16 E1	10	466	
HPV16 E1	11	237		HPV16 E1	11	466	
HPV16 E1	8	114		HPV16 E1	8	325	
HPV16 E1	9	114		HPV16 E1	9	325	
HPV16 E1	8	472		HPV16 E1	10	242	
HPV16 E1	9	259		HPV16 E1	8	519	
HPV16 E1	10	259		HPV16 E1	11	519	
HPV16 E1	9	304		HPV16 E1	8	487	
HPV16 E1	10	559		HPV16 E1	8	272	
HPV16 E1	8	187		HPV16 E1	10	272	
HPV16 E1	9	187		HPV16 E1	8	450	
HPV16 E1	11	187		HPV16 E1	10	450	
HPV16 E1	10	101		HPV16 E1	11	450	
HPV16 E1	10	640		HPV16 E1	8	179	
HPV16 E1	8	299		HPV16 E1	8	216	
HPV16 E1	9	299		HPV16 E1	11	216	
HPV16 E1	10	97		HPV16 E1	9	263	
HPV16 E1	8	368		HPV16 E1	11	263	
HPV16 E1	9	368		HPV16 E1	10	194	
HPV16 E1	10	368		HPV16 E1	8	467	
HPV16 E1	8	548		HPV16 E1	9	467	
HPV16 E1	10	548		HPV16 E1	10	467	
HPV16 E1	9	374		HPV16 E1	11	340	
HPV16 E1	10	374		HPV16 E1	8	264	
HPV16 E1	10	603		HPV16 E1	10	264	
HPV16 E1	11	603		HPV16 E1	11	264	
HPV16 E1	8	356		HPV16 E1	8	369	
HPV16 E1	9	356		HPV16 E1	9	369	
HPV16 E1	10	356		HPV16 E1	11	369	
HPV16 E1	10	213		HPV16 E1	8	401	
HPV16 E1	11	213		HPV16 E1	10	442	
HPV16 E1	9	308		HPV16 E1	8	52	
HPV16 E1	10	308		HPV16 E1	11	52	
HPV16 E1	11	308		HPV16 E1	8	517	
HPV16 E1	8	138		HPV16 E1	10	517	
HPV16 E1	10	138		HPV16 E1	9	400	
HPV16 E1	9	331		HPV16 E1	8	296	
HPV16 E1	10	331		HPV16 E1	10	296	
HPV16 E1	8	51		HPV16 E1	11	296	
HPV16 E1	9	51		HPV16 E1	9	292	
HPV16 E1	8	392		HPV16 E1	8	311	
HPV16 E1	10	392		HPV16 E1	9	311	
HPV16 E1	11	392		HPV16 E1	10	311	
				HPV16 E1	11	311	

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 E1	9	77	HPV16 E1	9	94
HPV16 E1	10	77	HPV16 E1	8	190
HPV16 E1	9	440	HPV16 E1	9	190
HPV16 E1	8	418	HPV16 E1	10	553
HPV16 E1	9	418	HPV16 E1	11	553
HPV16 E1	11	418	HPV16 E1	11	302
HPV16 E1	10	117	HPV16 E1	8	309
HPV16 E1	11	117	HPV16 E1	9	309
HPV16 E1	8	563	HPV16 E1	10	309
HPV16 E1	9	297	HPV16 E1	11	309
HPV16 E1	10	297	HPV16 E1	9	560
HPV16 E1	11	297	HPV16 E1	11	560
HPV16 E1	9	562	HPV16 E1	10	600
HPV16 E1	8	254	HPV16 E1	8	441
HPV16 E1	9	254	HPV16 E1	11	441
HPV16 E1	11	254	HPV16 E1	9	381
HPV16 E1	8	293	HPV16 E1	11	381
HPV16 E1	11	293	HPV16 E1	8	556
HPV16 E1	9	490	HPV16 E1	9	556
HPV16 E1	10	490	HPV16 E1	8	419
HPV16 E1	10	464	HPV16 E1	10	419
HPV16 E1	11	464	HPV16 E1	11	359
HPV16 E1	8	494	HPV16 E1	8	511
HPV16 E1	9	494	HPV16 E1	10	511
HPV16 E1	10	346	HPV16 E1	11	511
HPV16 E1	9	510	HPV16 E1	9	256
HPV16 E1	11	510	HPV16 E1	8	84
HPV16 E1	8	255	HPV16 E1	9	84
HPV16 E1	10	255	HPV16 E1	10	125
HPV16 E1	11	48	HPV16 E1	11	582
HPV16 E1	9	554	HPV16 E1	11	552
HPV16 E1	10	554	HPV16 E1	9	342
HPV16 E1	11	554	HPV16 E1	8	432
HPV16 E1	11	544	HPV16 E1	11	432
HPV16 E1	8	91	HPV16 E1	9	246
HPV16 E1	10	583	HPV16 E1	10	246
HPV16 E1	11	306	HPV16 E1	9	250
HPV16 E1	8	207	HPV16 E1	11	250
HPV16 E1	9	207	HPV16 E1	8	266
HPV16 E1	11	207	HPV16 E1	9	266
HPV16 E1	10	520	HPV16 E1	10	266
HPV16 E1	8	305	HPV16 E1	11	266
HPV16 E1	10	360	HPV16 E1	8	484
HPV16 E1	11	360	HPV16 E1	10	484
HPV16 E1	9	273	HPV16 E1	11	484
HPV16 E1	11	193	HPV16 E1	10	489
HPV16 E1	10	567	HPV16 E1	11	489
HPV16 E1	8	105	HPV16 E1	8	634
HPV16 E1	9	105	HPV16 E1	9	546
HPV16 E1	11	105	HPV16 E1	10	546
HPV16 E1	10	535	HPV16 E1	8	421
HPV16 E1	11	535	HPV16 E1	10	93
HPV16 E1	11	599	HPV16 E1	9	107
HPV16 E1	8	196	HPV16 E1	10	397
HPV16 E1	10	196	HPV16 E1	8	358
HPV16 E1	11	196	HPV16 E1	11	423
HPV16 E1	9	512	HPV16 E1	10	185
HPV16 E1	10	512	HPV16 E1	11	185
HPV16 E1	8	561	HPV16 E1	9	289
HPV16 E1	10	561	HPV16 E1	10	289

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 E1	8	253	HPV16 E2	11	41
HPV16 E1	9	253	HPV16 E2	11	228
HPV16 E1	10	253	HPV16 E2	9	69
HPV16 E1	9	407	HPV16 E2	11	69
HPV16 E1	10	336	HPV16 E2	11	105
HPV16 E1	11	336	HPV16 E2	8	63
HPV16 E1	9	189	HPV16 E2	10	63
HPV16 E1	10	189	HPV16 E2	11	63
HPV16 E1	8	244	HPV16 E2	8	314
HPV16 E1	11	244	HPV16 E2	9	109
HPV16 E1	8	60	HPV16 E2	11	109
HPV16 E1	10	60	HPV16 E2	11	195
HPV16 E1	11	60	HPV16 E2	9	11
HPV16 E1	8	525	HPV16 E2	11	5
HPV16 E1	11	498	HPV16 E2	8	124
HPV16 E1	8	85	HPV16 E2	11	124
HPV16 E1	11	85	HPV16 E2	8	25
HPV16 E1	9	197	HPV16 E2	9	25
HPV16 E1	10	197	HPV16 E2	9	344
HPV16 E1	11	197	HPV16 E2	8	96
HPV16 E1	11	345	HPV16 E2	10	96
HPV16 E1	9	443	HPV16 E2	8	209
HPV16 E1	11	443	HPV16 E2	9	74
HPV16 E1	11	526	HPV16 E2	10	74
HPV16 E1	8	555	HPV16 E2	11	48
HPV16 E1	9	555	HPV16 E2	8	185
HPV16 E1	10	555	HPV16 E2	9	185
HPV16 E1	8	83	HPV16 E2	10	185
HPV16 E1	9	83	HPV16 E2	8	118
HPV16 E1	10	83	HPV16 E2	8	204
HPV16 E1	9	361	HPV16 E2	11	100
HPV16 E1	10	361	HPV16 E2	11	346
HPV16 E1	9	24	HPV16 E2	8	168
HPV16 E1	10	24	HPV16 E2	11	168
HPV16 E1	9	584	HPV16 E2	9	163
HPV16 E1	11	584	HPV16 E2	9	156
HPV16 E1	8	274	HPV16 E2	8	150
HPV16 E1	9	425	HPV16 E2	9	150
HPV16 E1	8	339	HPV16 E2	10	150
HPV16 E1	8	509	HPV16 E2	11	150
HPV16 E1	10	509	HPV16 E2	10	190
HPV16 E1	8	576	HPV16 E2	11	190
HPV16 E1	9	576	HPV16 E2	8	29
HPV16 E1	10	576	HPV16 E2	10	29
HPV16 E1	11	576	HPV16 E2	10	53
HPV16 E1	9	531	HPV16 E2	11	53
HPV16 E1	10	531	HPV16 E2	8	136
HPV16 E1	8	261	HPV16 E2	10	136
HPV16 E1	11	261	HPV16 E2	8	214
HPV16 E1	8	578	HPV16 E2	9	290
HPV16 E1	9	578	HPV16 E2	8	35
HPV16 E1	11	578	HPV16 E2	9	35
HPV16 E1	10	58	HPV16 E2	10	35
HPV16 E1	9	90	HPV16 E2	9	218
HPV16 E1	9	448	HPV16 E2	10	218
HPV16 E1	10	448	HPV16 E2	11	218
HPV16 E2	8	72	HPV16 E2	8	56
HPV16 E2	11	72	HPV16 E2	9	56
HPV16 E2	11	331	HPV16 E2	11	210
HPV16 E2	9	41	HPV16 E2	8	193

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 E2	11	352	HPV16 E2	9	297
HPV16 E2	8	288	HPV16 E2	9	93
HPV16 E2	11	288	HPV16 E2	10	93
HPV16 E2	10	332	HPV16 E2	11	93
HPV16 E2	8	351	HPV16 E2	8	334
HPV16 E2	8	255	HPV16 E2	10	310
HPV16 E2	11	255	HPV16 E2	10	128
HPV16 E2	11	182	HPV16 E2	11	128
HPV16 E2	10	256	HPV16 E2	10	286
HPV16 E2	8	70	HPV16 E2	10	116
HPV16 E2	10	70	HPV16 E2	9	357
HPV16 E2	8	94	HPV16 E2	9	146
HPV16 E2	9	94	HPV16 E2	10	146
HPV16 E2	10	94	HPV16 E2	8	192
HPV16 E2	8	75	HPV16 E2	9	192
HPV16 E2	9	75	HPV16 E2	11	59
HPV16 E2	8	249	HPV16 E2	11	119
HPV16 E2	9	249	HPV16 E2	10	169
HPV16 E2	8	9	HPV16 E2	8	147
HPV16 E2	11	9	HPV16 E2	9	147
HPV16 E2	8	325	HPV16 E2	11	147
HPV16 E2	9	325	HPV16 E2	10	341
HPV16 E2	11	325	HPV16 E2	8	138
HPV16 E2	9	287	HPV16 E2	10	138
HPV16 E2	8	76	HPV16 E2	11	138
HPV16 E2	8	151	HPV16 E2	9	102
HPV16 E2	9	151	HPV16 E2	9	159
HPV16 E2	10	151	HPV16 E2	10	159
HPV16 E2	9	191	HPV16 E2	11	159
HPV16 E2	10	191	HPV16 E5	8	26
HPV16 E2	8	349	HPV16 E5	9	26
HPV16 E2	10	349	HPV16 E5	11	26
HPV16 E2	8	57	HPV16 E5	9	24
HPV16 E2	11	278	HPV16 E5	10	24
HPV16 E2	8	37	HPV16 E5	11	24
HPV16 E2	10	37	HPV16 E5	8	20
HPV16 E2	9	7	HPV16 E5	9	20
HPV16 E2	10	7	HPV16 E5	10	20
HPV16 E2	9	212	HPV16 E5	8	60
HPV16 E2	10	212	HPV16 E5	9	60
HPV16 E2	8	98	HPV16 E5	10	60
HPV16 E2	9	207	HPV16 E5	9	72
HPV16 E2	10	207	HPV16 E5	10	72
HPV16 E2	9	348	HPV16 E5	11	72
HPV16 E2	11	348	HPV16 E5	8	15
HPV16 E2	8	85	HPV16 E5	9	15
HPV16 E2	10	85	HPV16 E5	11	15
HPV16 E2	8	261	HPV16 E5	8	66
HPV16 E2	10	261	HPV16 E5	9	66
HPV16 E2	11	261	HPV16 E5	8	64
HPV16 E2	8	198	HPV16 E5	9	64
HPV16 E2	9	144	HPV16 E5	10	64
HPV16 E2	11	144	HPV16 E5	11	64
HPV16 E2	8	355	HPV16 E5	8	43
HPV16 E2	9	355	HPV16 E5	9	43
HPV16 E2	11	355	HPV16 E5	11	43
HPV16 E2	9	61	HPV16 E5	8	44
HPV16 E2	10	61	HPV16 E5	10	44
HPV16 E2	8	3	HPV16 E5	11	44
HPV16 E2	10	78	HPV16 E5	10	69

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 E5	8	61	HPV16 E6	10	58
HPV16 E5	9	61	HPV16 E6	11	58
HPV16 E5	11	61	HPV16 E6	8	73
HPV16 E5	8	73	HPV16 E6	11	73
HPV16 E5	9	73	HPV16 E6	9	118
HPV16 E5	10	73	HPV16 E6	8	37
HPV16 E5	8	42	HPV16 E6	9	37
HPV16 E5	9	42	HPV16 E6	8	32
HPV16 E5	10	42	HPV16 E6	9	11
HPV16 E5	9	28	HPV16 E6	9	25
HPV16 E5	9	11	HPV16 E6	10	25
HPV16 E5	11	11	HPV16 E6	11	25
HPV16 E5	8	16	HPV16 E6	8	96
HPV16 E5	10	16	HPV16 E6	11	96
HPV16 E5	8	22	HPV16 E6	10	48
HPV16 E5	11	22	HPV16 E6	11	9
HPV16 E5	8	27	HPV16 E6	8	125
HPV16 E5	10	27	HPV16 E6	11	125
HPV16 E5	8	32	HPV16 E6	8	2
HPV16 E5	11	32	HPV16 E6	11	34
HPV16 E5	8	47	HPV16 E6	9	59
HPV16 E5	10	47	HPV16 E6	10	59
HPV16 E5	11	47	HPV16 E6	11	59
HPV16 E5	10	33	HPV16 E6	8	79
HPV16 E5	11	33	HPV16 E6	10	79
HPV16 E5	9	48	HPV16 E6	9	18
HPV16 E5	10	48	HPV16 E6	8	101
HPV16 E5	9	45	HPV16 E6	11	101
HPV16 E5	10	45	HPV16 E6	9	41
HPV16 E5	9	3	HPV16 E6	10	41
HPV16 E5	10	3	HPV16 E6	11	129
HPV16 E5	11	3	HPV16 E6	11	122
HPV16 E5	9	70	HPV16 E6	11	107
HPV16 E5	11	70	HPV16 E6	9	44
HPV16 E5	9	31	HPV16 E6	10	44
HPV16 E5	10	30	HPV16 E6	11	44
HPV16 E5	8	41	HPV16 E6	8	19
HPV16 E5	9	41	HPV16 E6	8	26
HPV16 E5	10	41	HPV16 E6	9	26
HPV16 E5	11	41	HPV16 E6	10	26
HPV16 E5	8	35	HPV16 E6	11	134
HPV16 E5	9	35	HPV16 E6	10	65
HPV16 E5	10	35	HPV16 E6	10	102
HPV16 E5	11	35	HPV16 E6	11	116
HPV16 E5	8	10	HPV16 E6	8	12
HPV16 E5	10	10	HPV16 E6	11	12
HPV16 E5	8	21	HPV16 E6	11	20
HPV16 E5	9	21	HPV16 E6	10	21
HPV16 E5	8	46	HPV16 E6	8	43
HPV16 E5	9	46	HPV16 E6	10	43
HPV16 E5	11	46	HPV16 E6	11	43
HPV16 E5	8	50	HPV16 E6	8	42
HPV16 E5	11	50	HPV16 E6	9	42
HPV16 E5	9	63	HPV16 E6	11	42
HPV16 E5	10	63	HPV16 E6	10	97
HPV16 E5	11	63	HPV16 E6	11	97
HPV16 E5	11	68	HPV16 E6	8	15
HPV16 E6	9	68	HPV16 E6	11	89
HPV16 E6	10	68	HPV16 E6	10	29
HPV16 E6	8	110	HPV16 E6	11	29

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 E6	10	94	HPV16 L1	11	397
HPV16 E7	9	68	HPV16 L1	11	300
HPV16 E7	8	75	HPV16 L1	9	225
HPV16 E7	9	75	HPV16 L1	10	225
HPV16 E7	10	75	HPV16 L1	8	465
HPV16 E7	9	81	HPV16 L1	9	465
HPV16 E7	10	81	HPV16 L1	11	465
HPV16 E7	9	14	HPV16 L1	9	486
HPV16 E7	10	14	HPV16 L1	10	486
HPV16 E7	8	21	HPV16 L1	11	486
HPV16 E7	9	37	HPV16 L1	9	412
HPV16 E7	9	46	HPV16 L1	8	17
HPV16 E7	10	46	HPV16 L1	9	17
HPV16 E7	11	40	HPV16 L1	11	17
HPV16 E7	8	43	HPV16 L1	8	266
HPV16 E7	10	43	HPV16 L1	9	266
HPV16 E7	10	73	HPV16 L1	10	266
HPV16 E7	11	73	HPV16 L1	11	266
HPV16 E7	8	82	HPV16 L1	8	279
HPV16 E7	9	82	HPV16 L1	9	279
HPV16 E7	8	83	HPV16 L1	8	132
HPV16 E7	11	83	HPV16 L1	10	132
HPV16 E7	8	15	HPV16 L1	8	474
HPV16 E7	9	15	HPV16 L1	10	474
HPV16 E7	11	15	HPV16 L1	10	245
HPV16 E7	11	12	HPV16 L1	8	400
HPV16 E7	8	16	HPV16 L1	10	400
HPV16 E7	10	16	HPV16 L1	10	5
HPV16 E7	9	66	HPV16 L1	9	494
HPV16 E7	11	66	HPV16 L1	11	76
HPV16 E7	10	78	HPV16 L1	8	488
HPV16 E7	8	86	HPV16 L1	9	488
HPV16 E7	9	7	HPV16 L1	11	488
HPV16 E7	11	64	HPV16 L1	8	318
HPV16 E7	8	5	HPV16 L1	9	318
HPV16 E7	9	5	HPV16 L1	8	402
HPV16 E7	11	5	HPV16 L1	10	402
HPV16 E7	8	69	HPV16 L1	11	25
HPV16 E7	11	69	HPV16 L1	9	282
HPV16 L1	11	451	HPV16 L1	11	282
HPV16 L1	9	373	HPV16 L1	8	446
HPV16 L1	9	233	HPV16 L1	8	348
HPV16 L1	10	461	HPV16 L1	9	348
HPV16 L1	8	342	HPV16 L1	10	348
HPV16 L1	10	342	HPV16 L1	8	142
HPV16 L1	8	330	HPV16 L1	11	142
HPV16 L1	9	330	HPV16 L1	8	499
HPV16 L1	10	330	HPV16 L1	10	499
HPV16 L1	10	292	HPV16 L1	10	431
HPV16 L1	11	292	HPV16 L1	9	93
HPV16 L1	9	70	HPV16 L1	11	93
HPV16 L1	10	205	HPV16 L1	8	136
HPV16 L1	11	172	HPV16 L1	8	166
HPV16 L1	9	183	HPV16 L1	10	166
HPV16 L1	10	211	HPV16 L1	10	130
HPV16 L1	11	211	HPV16 L1	9	140
HPV16 L1	8	454	HPV16 L1	10	140
HPV16 L1	9	249	HPV16 L1	8	22
HPV16 L1	11	484	HPV16 L1	9	22
HPV16 L1	8	397	HPV16 L1	10	22

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 L1	8	285	HPV16 L1	10	263
HPV16 L1	9	285	HPV16 L1	11	263
HPV16 L1	8	102	HPV16 L1	8	325
HPV16 L1	10	102	HPV16 L1	9	325
HPV16 L1	9	424	HPV16 L1	11	58
HPV16 L1	11	8	HPV16 L1	8	311
HPV16 L1	9	86	HPV16 L1	8	476
HPV16 L1	11	86	HPV16 L1	10	476
HPV16 L1	11	221	HPV16 L1	8	367
HPV16 L1	10	85	HPV16 L1	8	118
HPV16 L1	8	406	HPV16 L1	9	118
HPV16 L1	9	406	HPV16 L1	10	118
HPV16 L1	11	406	HPV16 L1	8	207
HPV16 L1	8	151	HPV16 L1	10	207
HPV16 L1	10	151	HPV16 L1	11	207
HPV16 L1	11	151	HPV16 L1	8	353
HPV16 L1	11	262	HPV16 L1	8	296
HPV16 L1	11	503	HPV16 L1	9	19
HPV16 L1	8	80	HPV16 L1	11	19
HPV16 L1	9	80	HPV16 L1	10	77
HPV16 L1	8	188	HPV16 L1	11	77
HPV16 L1	8	335	HPV16 L1	8	247
HPV16 L1	8	178	HPV16 L1	11	247
HPV16 L1	9	90	HPV16 L1	8	213
HPV16 L1	10	90	HPV16 L1	9	213
HPV16 L1	8	46	HPV16 L1	8	489
HPV16 L1	9	46	HPV16 L1	10	489
HPV16 L1	10	46	HPV16 L1	11	138
HPV16 L1	8	184	HPV16 L1	8	466
HPV16 L1	11	216	HPV16 L1	10	466
HPV16 L1	8	68	HPV16 L1	9	459
HPV16 L1	9	68	HPV16 L1	10	435
HPV16 L1	11	68	HPV16 L1	9	212
HPV16 L1	11	148	HPV16 L1	10	212
HPV16 L1	8	495	HPV16 L1	11	434
HPV16 L1	9	103	HPV16 L1	8	40
HPV16 L1	9	39	HPV16 L1	9	40
HPV16 L1	10	39	HPV16 L1	8	41
HPV16 L1	8	31	HPV16 L1	11	43
HPV16 L1	9	31	HPV16 L1	8	331
HPV16 L1	11	496	HPV16 L1	9	331
HPV16 L1	8	239	HPV16 L1	9	403
HPV16 L1	10	239	HPV16 L1	11	403
HPV16 L1	10	398	HPV16 L1	11	181
HPV16 L1	9	432	HPV16 L1	8	280
HPV16 L1	11	339	HPV16 L1	11	280
HPV16 L1	8	94	HPV16 L1	10	26
HPV16 L1	10	94	HPV16 L1	8	433
HPV16 L1	10	9	HPV16 L1	8	2
HPV16 L1	8	87	HPV16 L1	9	2
HPV16 L1	10	87	HPV16 L1	10	2
HPV16 L1	8	124	HPV16 L1	10	100
HPV16 L1	10	124	HPV16 L1	9	67
HPV16 L1	8	1	HPV16 L1	10	67
HPV16 L1	9	1	HPV16 L1	9	123
HPV16 L1	10	1	HPV16 L1	11	123
HPV16 L1	11	1	HPV16 L1	8	253
HPV16 L1	8	226	HPV16 L1	9	253
HPV16 L1	9	226	HPV16 L1	11	253
HPV16 L1	11	226	HPV16 L1	11	271

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 L1	8	28	HPV16 L2	9	278
HPV16 L1	10	28	HPV16 L2	10	278
HPV16 L1	11	28	HPV16 L2	11	278
HPV16 L1	9	174	HPV16 L2	8	424
HPV16 L1	11	174	HPV16 L2	8	119
HPV16 L1	10	419	HPV16 L2	9	87
HPV16 L1	9	324	HPV16 L2	9	28
HPV16 L1	10	324	HPV16 L2	11	31
HPV16 L1	8	199	HPV16 L2	9	147
HPV16 L1	8	423	HPV16 L2	10	415
HPV16 L1	10	423	HPV16 L2	9	285
HPV16 L1	8	439	HPV16 L2	10	285
HPV16 L1	9	439	HPV16 L2	8	367
HPV16 L1	9	238	HPV16 L2	11	239
HPV16 L1	11	238	HPV16 L2	8	280
HPV16 L1	9	408	HPV16 L2	9	280
HPV16 L1	10	408	HPV16 L2	10	280
HPV16 L1	10	458	HPV16 L2	8	102
HPV16 L1	11	320	HPV16 L2	11	165
HPV16 L1	11	514	HPV16 L2	10	96
HPV16 L1	9	121	HPV16 L2	11	96
HPV16 L1	11	121	HPV16 L2	9	422
HPV16 L1	8	219	HPV16 L2	10	422
HPV16 L1	9	219	HPV16 L2	9	43
HPV16 L1	11	358	HPV16 L2	11	43
HPV16 L1	9	36	HPV16 L2	8	261
HPV16 L1	8	220	HPV16 L2	8	195
HPV16 L1	9	10	HPV16 L2	9	195
HPV16 L1	11	10	HPV16 L2	10	340
HPV16 L1	8	413	HPV16 L2	10	114
HPV16 L1	9	88	HPV16 L2	10	373
HPV16 L1	11	88	HPV16 L2	8	242
HPV16 L1	9	246	HPV16 L2	9	242
HPV16 L1	10	359	HPV16 L2	11	242
HPV16 L1	8	47	HPV16 L2	10	201
HPV16 L1	9	47	HPV16 L2	11	283
HPV16 L1	8	30	HPV16 L2	8	259
HPV16 L1	9	30	HPV16 L2	9	259
HPV16 L1	10	30	HPV16 L2	10	259
HPV16 L1	9	416	HPV16 L2	10	364
HPV16 L1	10	416	HPV16 L2	11	364
HPV16 L1	9	302	HPV16 L2	10	226
HPV16 L1	11	302	HPV16 L2	8	413
HPV16 L1	9	260	HPV16 L2	8	99
HPV16 L1	8	7	HPV16 L2	10	99
HPV16 L1	10	38	HPV16 L2	11	99
HPV16 L1	11	38	HPV16 L2	9	52
HPV16 L1	8	389	HPV16 L2	8	439
HPV16 L1	10	389	HPV16 L2	9	439
HPV16 L1	8	275	HPV16 L2	10	439
HPV16 L1	9	275	HPV16 L2	10	32
HPV16 L1	8	257	HPV16 L2	11	32
HPV16 L1	8	53	HPV16 L2	8	145
HPV16 L1	9	53	HPV16 L2	11	145
HPV16 L1	11	53	HPV16 L2	9	45
HPV16 L2	9	144	HPV16 L2	10	45
HPV16 L2	10	356	HPV16 L2	11	45
HPV16 L2	11	356	HPV16 L2	9	394
HPV16 L2	9	293	HPV16 L2	9	400
HPV16 L2	11	293	HPV16 L2	11	400

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 L2	8	216	HPV16 L2	9	215
HPV16 L2	10	216	HPV16 L2	11	215
HPV16 L2	9	416	HPV16 L2	9	429
HPV16 L2	10	428	HPV16 L2	11	429
HPV16 L2	9	33	HPV16 L2	9	74
HPV16 L2	10	33	HPV16 L2	8	409
HPV16 L2	10	73	HPV16 L2	10	409
HPV16 L2	9	408	HPV16 L2	8	29
HPV16 L2	11	408	HPV16 L2	9	127
HPV16 L2	8	196	HPV16 L2	8	91
HPV16 L2	8	126	HPV16 L2	8	79
HPV16 L2	10	126	HPV16 L2	9	79
HPV16 L2	8	286	HPV16 L2	11	79
HPV16 L2	9	286	HPV16 L2	11	171
HPV16 L2	8	430	HPV16 L2	9	435
HPV16 L2	10	430	HPV16 L2	8	221
HPV16 L2	11	430	HPV16 L2	9	97
HPV16 L2	10	105	HPV16 L2	10	97
HPV16 L2	11	105	HPV16 L2	10	381
HPV16 L2	9	202	HPV16 L2	8	88
HPV16 L2	9	248	HPV16 L2	11	88
HPV16 L2	10	248	HPV16 L2	8	44
HPV16 L2	10	23	HPV16 L2	10	44
HPV16 L2	11	23	HPV16 L2	11	44
HPV16 L2	8	35	HPV16 L2	9	17
HPV16 L2	11	35	HPV16 L2	9	233
HPV16 L2	8	323	HPV16 L2	10	233
HPV16 L2	11	323	HPV16 L2	11	233
HPV16 L2	8	236	HPV16 L2	8	234
HPV16 L2	11	427	HPV16 L2	9	234
HPV16 L2	8	249	HPV16 L2	10	234
HPV16 L2	9	249	HPV16 L2	8	305
HPV16 L2	9	357	HPV16 L2	9	461
HPV16 L2	10	357	HPV16 L2	11	461
HPV16 L2	8	462	HPV16 L2	11	291
HPV16 L2	10	462	HPV16 L2	9	90
HPV16 L2	11	462	HPV16 L2	9	78
HPV16 L2	9	341	HPV16 L2	10	78
HPV16 L2	8	46	HPV16 L2	8	220
HPV16 L2	9	46	HPV16 L2	9	220
HPV16 L2	10	46	HPV16 L2	8	319
HPV16 L2	8	108	HPV16 L2	9	319
HPV16 L2	10	108	HPV16 L2	10	319
HPV16 L2	9	410	HPV16 L2	10	274
HPV16 L2	11	410	HPV16 L2	11	274
HPV16 L2	9	454	HPV16 L2	9	360
HPV16 L2	11	454	HPV16 L2	10	360
HPV16 L2	8	276	HPV16 L2	11	360
HPV16 L2	9	276	HPV16 L2	9	125
HPV16 L2	11	276	HPV16 L2	11	125
HPV16 L2	10	407	HPV16 L2	11	134
HPV16 L2	9	419	HPV16 L2	11	104
HPV16 L2	10	419	HPV16 L2	8	389
HPV16 L2	9	254	HPV16 L2	8	107
HPV16 L2	11	206	HPV16 L2	9	107
HPV16 L2	9	160	HPV16 L2	11	107
HPV16 L2	10	160	HPV16 L2	9	50
HPV16 L2	8	417	HPV16 L2	11	50
HPV16 L2	11	417	HPV16 L2	8	434
HPV16 L2	8	215	HPV16 L2	10	434

Table XIV  
HLA-B62 Supermotif Peptides

HPV16 L2	9	167	HPV18 E1	8	422
HPV16 L2	9	122	HPV18 E1	11	422
HPV16 L2	10	384	HPV18 E1	9	199
HPV16 L2	11	384	HPV18 E1	11	79
HPV16 L2	9	40	HPV18 E1	9	216
HPV16 L2	8	332	HPV18 E1	11	216
HPV16 L2	10	332	HPV18 E1	8	273
HPV16 L2	9	438	HPV18 E1	9	273
HPV16 L2	10	438	HPV18 E1	10	273
HPV16 L2	11	438	HPV18 E1	11	273
HPV16 L2	8	399	HPV18 E1	8	479
HPV16 L2	10	399	HPV18 E1	9	311
HPV16 L2	10	187	HPV18 E1	10	566
HPV16 L2	9	85	HPV18 E1	10	404
HPV16 L2	11	85	HPV18 E1	9	628
HPV16 L2	10	311	HPV18 E1	11	203
HPV16 L2	11	265	HPV18 E1	8	363
HPV16 L2	9	173	HPV18 E1	9	363
HPV16 L2	11	173	HPV18 E1	10	363
HPV16 L2	11	142	HPV18 E1	8	381
HPV16 L2	9	214	HPV18 E1	9	381
HPV16 L2	10	214	HPV18 E1	10	381
HPV16 L2	11	345	HPV18 E1	11	30
HPV16 L2	8	245	HPV18 E1	10	610
HPV16 L2	11	380	HPV18 E1	11	610
HPV16 L2	10	16	HPV18 E1	11	115
HPV16 L2	10	232	HPV18 E1	8	62
HPV16 L2	11	232	HPV18 E1	9	62
HPV16 L2	8	209	HPV18 E1	11	62
HPV16 L2	10	154	HPV18 E1	9	108
HPV16 L2	8	168	HPV18 E1	11	108
HPV16 L2	9	431	HPV18 E1	8	375
HPV16 L2	10	431	HPV18 E1	9	375
HPV16 L2	11	431	HPV18 E1	10	375
HPV16 L2	8	123	HPV18 E1	11	366
HPV16 L2	11	123	HPV18 E1	8	518
HPV16 L2	9	385	HPV18 E1	9	518
HPV16 L2	10	385	HPV18 E1	10	518
HPV16 L2	9	382	HPV18 E1	11	518
HPV16 L2	8	393	HPV18 E1	8	59
HPV16 L2	10	393	HPV18 E1	10	59
HPV16 L2	11	72	HPV18 E1	11	59
HPV16 L2	8	447	HPV18 E1	10	104
HPV16 L2	9	447	HPV18 E1	9	141
HPV16 L2	10	453	HPV18 E1	8	74
HPV18 E1	9	246	HPV18 E1	9	74
HPV18 E1	10	246	HPV18 E1	11	74
HPV18 E1	10	22	HPV18 E1	9	338
HPV18 E1	11	22	HPV18 E1	10	338
HPV18 E1	9	546	HPV18 E1	8	50
HPV18 E1	8	68	HPV18 E1	8	497
HPV18 E1	10	387	HPV18 E1	9	497
HPV18 E1	11	387	HPV18 E1	10	497
HPV18 E1	9	325	HPV18 E1	10	265
HPV18 E1	10	213	HPV18 E1	9	500
HPV18 E1	11	526	HPV18 E1	10	500
HPV18 E1	10	66	HPV18 E1	8	460
HPV18 E1	8	72	HPV18 E1	11	460
HPV18 E1	10	72	HPV18 E1	8	463
HPV18 E1	11	72	HPV18 E1	9	463

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 E1	11	470	HPV18 E1	11	318
HPV18 E1	8	399	HPV18 E1	11	559
HPV18 E1	10	399	HPV18 E1	8	210
HPV18 E1	11	399	HPV18 E1	9	210
HPV18 E1	9	452	HPV18 E1	8	524
HPV18 E1	10	452	HPV18 E1	8	206
HPV18 E1	10	599	HPV18 E1	9	206
HPV18 E1	11	599	HPV18 E1	10	206
HPV18 E1	8	508	HPV18 E1	11	206
HPV18 E1	9	508	HPV18 E1	8	281
HPV18 E1	10	508	HPV18 E1	9	561
HPV18 E1	9	356	HPV18 E1	10	561
HPV18 E1	8	332	HPV18 E1	11	561
HPV18 E1	9	332	HPV18 E1	8	261
HPV18 E1	8	223	HPV18 E1	9	261
HPV18 E1	11	223	HPV18 E1	11	261
HPV18 E1	8	300	HPV18 E1	11	313
HPV18 E1	8	494	HPV18 E1	9	388
HPV18 E1	11	494	HPV18 E1	10	388
HPV18 E1	9	484	HPV18 E1	11	388
HPV18 E1	10	484	HPV18 E1	9	304
HPV18 E1	9	121	HPV18 E1	10	304
HPV18 E1	10	121	HPV18 E1	11	304
HPV18 E1	8	279	HPV18 E1	10	204
HPV18 E1	10	279	HPV18 E1	11	204
HPV18 E1	10	249	HPV18 E1	11	285
HPV18 E1	9	270	HPV18 E1	9	570
HPV18 E1	11	270	HPV18 E1	9	214
HPV18 E1	8	576	HPV18 E1	11	214
HPV18 E1	10	576	HPV18 E1	10	527
HPV18 E1	11	576	HPV18 E1	8	312
HPV18 E1	8	83	HPV18 E1	11	47
HPV18 E1	8	306	HPV18 E1	10	367
HPV18 E1	9	306	HPV18 E1	11	188
HPV18 E1	11	352	HPV18 E1	10	574
HPV18 E1	10	569	HPV18 E1	8	428
HPV18 E1	9	266	HPV18 E1	8	641
HPV18 E1	8	271	HPV18 E1	10	641
HPV18 E1	10	271	HPV18 E1	9	193
HPV18 E1	11	271	HPV18 E1	8	251
HPV18 E1	8	501	HPV18 E1	11	251
HPV18 E1	9	501	HPV18 E1	11	606
HPV18 E1	10	353	HPV18 E1	10	158
HPV18 E1	8	562	HPV18 E1	11	158
HPV18 E1	9	562	HPV18 E1	8	191
HPV18 E1	10	562	HPV18 E1	9	191
HPV18 E1	8	262	HPV18 E1	11	191
HPV18 E1	10	262	HPV18 E1	8	568
HPV18 E1	10	314	HPV18 E1	11	568
HPV18 E1	11	314	HPV18 E1	11	551
HPV18 E1	11	347	HPV18 E1	8	448
HPV18 E1	9	23	HPV18 E1	11	448
HPV18 E1	10	23	HPV18 E1	8	98
HPV18 E1	10	449	HPV18 E1	10	560
HPV18 E1	8	439	HPV18 E1	11	560
HPV18 E1	11	439	HPV18 E1	8	519
HPV18 E1	11	647	HPV18 E1	9	519
HPV18 E1	8	318	HPV18 E1	10	519
HPV18 E1	9	318	HPV18 E1	9	567
HPV18 E1	10	318	HPV18 E1	8	316

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 E1	9	316	HPV18 E1	11	53
HPV18 E1	10	316	HPV18 E1	9	296
HPV18 E1	11	316	HPV18 E1	10	296
HPV18 E1	8	194	HPV18 E1	8	591
HPV18 E1	11	194	HPV18 E1	9	591
HPV18 E1	10	607	HPV18 E1	11	591
HPV18 E1	8	457	HPV18 E1	10	31
HPV18 E1	10	457	HPV18 E1	11	505
HPV18 E1	11	457	HPV18 E1	9	81
HPV18 E1	8	563	HPV18 E1	10	81
HPV18 E1	9	563	HPV18 E1	9	280
HPV18 E1	8	200	HPV18 E1	8	339
HPV18 E1	8	426	HPV18 E1	9	339
HPV18 E1	10	426	HPV18 E1	8	307
HPV18 E1	9	263	HPV18 E1	9	450
HPV18 E1	9	315	HPV18 E1	11	450
HPV18 E1	10	315	HPV18 E1	9	368
HPV18 E1	11	315	HPV18 E1	8	346
HPV18 E1	8	456	HPV18 E1	9	432
HPV18 E1	9	456	HPV18 E1	10	516
HPV18 E1	11	456	HPV18 E1	11	516
HPV18 E1	10	80	HPV18 E1	8	583
HPV18 E1	11	80	HPV18 E1	10	583
HPV18 E1	10	589	HPV18 E1	11	583
HPV18 E1	11	589	HPV18 E1	8	243
HPV18 E1	11	626	HPV18 E1	8	585
HPV18 E1	8	102	HPV18 E1	9	585
HPV18 E1	10	128	HPV18 E1	11	585
HPV18 E1	9	349	HPV18 E1	8	408
HPV18 E1	8	294	HPV18 E1	11	542
HPV18 E1	11	294	HPV18 E1	9	455
HPV18 E1	9	447	HPV18 E1	10	455
HPV18 E1	8	425	HPV18 E2	8	76
HPV18 E1	9	425	HPV18 E2	11	76
HPV18 E1	11	425	HPV18 E2	11	45
HPV18 E1	9	553	HPV18 E2	8	351
HPV18 E1	10	553	HPV18 E2	9	351
HPV18 E1	9	117	HPV18 E2	10	351
HPV18 E1	9	97	HPV18 E2	10	82
HPV18 E1	9	110	HPV18 E2	10	87
HPV18 E1	11	430	HPV18 E2	10	132
HPV18 E1	8	322	HPV18 E2	11	132
HPV18 E1	11	179	HPV18 E2	10	14
HPV18 E1	9	253	HPV18 E2	8	156
HPV18 E1	10	253	HPV18 E2	9	156
HPV18 E1	8	197	HPV18 E2	10	156
HPV18 E1	9	197	HPV18 E2	8	29
HPV18 E1	11	197	HPV18 E2	9	29
HPV18 E1	8	260	HPV18 E2	11	29
HPV18 E1	9	260	HPV18 E2	8	315
HPV18 E1	10	260	HPV18 E2	11	315
HPV18 E1	10	303	HPV18 E2	9	78
HPV18 E1	11	303	HPV18 E2	10	78
HPV18 E1	9	414	HPV18 E2	11	104
HPV18 E1	8	343	HPV18 E2	8	190
HPV18 E1	10	343	HPV18 E2	9	190
HPV18 E1	11	343	HPV18 E2	11	346
HPV18 E1	8	474	HPV18 E2	9	54
HPV18 E1	9	474	HPV18 E2	10	54
HPV18 E1	9	53	HPV18 E2	11	253

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 E2	9	161	HPV18 E2	8	140
HPV18 E2	9	261	HPV18 E2	11	140
HPV18 E2	10	261	HPV18 E2	9	57
HPV18 E2	8	118	HPV18 E2	10	57
HPV18 E2	9	291	HPV18 E2	9	97
HPV18 E2	9	60	HPV18 E2	10	97
HPV18 E2	11	289	HPV18 E2	9	7
HPV18 E2	8	358	HPV18 E2	10	3
HPV18 E2	8	352	HPV18 E2	9	224
HPV18 E2	9	352	HPV18 E2	11	224
HPV18 E2	11	352	HPV18 E2	11	271
HPV18 E2	8	55	HPV18 E2	10	341
HPV18 E2	9	55	HPV18 E2	11	341
HPV18 E2	11	55	HPV18 E2	8	349
HPV18 E2	9	34	HPV18 E2	10	349
HPV18 E2	10	280	HPV18 E2	11	349
HPV18 E2	11	280	HPV18 E2	8	211
HPV18 E2	10	257	HPV18 E2	11	211
HPV18 E2	11	257	HPV18 E2	10	231
HPV18 E2	10	219	HPV18 E2	8	197
HPV18 E2	8	39	HPV18 E2	11	63
HPV18 E2	9	39	HPV18 E2	9	15
HPV18 E2	10	39	HPV18 E2	8	356
HPV18 E2	11	39	HPV18 E2	10	356
HPV18 E2	8	98	HPV18 E2	9	37
HPV18 E2	9	98	HPV18 E2	10	37
HPV18 E2	9	83	HPV18 E2	11	37
HPV18 E2	8	221	HPV18 E2	11	173
HPV18 E2	8	79	HPV18 E2	8	143
HPV18 E2	9	79	HPV18 E2	8	135
HPV18 E2	8	1	HPV18 E2	9	135
HPV18 E2	10	67	HPV18 E2	10	135
HPV18 E2	11	67	HPV18 E2	9	164
HPV18 E2	9	196	HPV18 E2	10	164
HPV18 E2	8	262	HPV18 E2	11	164
HPV18 E2	9	262	HPV18 E5	8	27
HPV18 E2	9	357	HPV18 E5	9	27
HPV18 E2	8	33	HPV18 E5	10	27
HPV18 E2	10	33	HPV18 E5	11	27
HPV18 E2	8	38	HPV18 E5	8	13
HPV18 E2	9	38	HPV18 E5	10	13
HPV18 E2	10	38	HPV18 E5	11	13
HPV18 E2	11	38	HPV18 E5	10	11
HPV18 E2	9	220	HPV18 E5	9	6
HPV18 E2	8	80	HPV18 E5	10	6
HPV18 E2	8	61	HPV18 E5	11	6
HPV18 E2	9	305	HPV18 E5	8	57
HPV18 E2	9	11	HPV18 E5	10	57
HPV18 E2	10	11	HPV18 E5	11	37
HPV18 E2	8	248	HPV18 E5	8	65
HPV18 E2	9	298	HPV18 E5	8	19
HPV18 E2	10	203	HPV18 E5	10	19
HPV18 E2	9	226	HPV18 E5	8	40
HPV18 E2	8	32	HPV18 E5	10	40
HPV18 E2	9	32	HPV18 E5	11	40
HPV18 E2	11	32	HPV18 E5	9	4
HPV18 E2	8	233	HPV18 E5	11	4
HPV18 E2	8	355	HPV18 E5	8	63
HPV18 E2	9	355	HPV18 E5	10	63
HPV18 E2	11	355	HPV18 E5	8	62

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 E5	9	62	HPV18 E5	11	53
HPV18 E5	11	62	HPV18 E6	8	68
HPV18 E5	9	58	HPV18 E6	11	68
HPV18 E5	11	58	HPV18 E6	8	105
HPV18 E5	9	22	HPV18 E6	11	105
HPV18 E5	10	22	HPV18 E6	8	108
HPV18 E5	11	22	HPV18 E6	11	108
HPV18 E5	8	59	HPV18 E6	8	32
HPV18 E5	10	59	HPV18 E6	10	32
HPV18 E5	11	59	HPV18 E6	8	27
HPV18 E5	8	23	HPV18 E6	10	16
HPV18 E5	9	23	HPV18 E6	10	51
HPV18 E5	10	23	HPV18 E6	9	6
HPV18 E5	11	23	HPV18 E6	10	29
HPV18 E5	8	35	HPV18 E6	11	29
HPV18 E5	9	35	HPV18 E6	9	20
HPV18 E5	8	61	HPV18 E6	11	20
HPV18 E5	9	61	HPV18 E6	9	77
HPV18 E5	10	61	HPV18 E6	10	77
HPV18 E5	8	1	HPV18 E6	8	40
HPV18 E5	10	1	HPV18 E6	9	40
HPV18 E5	8	21	HPV18 E6	10	40
HPV18 E5	10	21	HPV18 E6	10	43
HPV18 E5	11	21	HPV18 E6	11	43
HPV18 E5	9	60	HPV18 E6	8	53
HPV18 E5	10	60	HPV18 E6	11	53
HPV18 E5	11	60	HPV18 E6	10	97
HPV18 E5	8	3	HPV18 E6	10	136
HPV18 E5	10	3	HPV18 E6	8	120
HPV18 E5	8	45	HPV18 E6	11	120
HPV18 E5	9	45	HPV18 E6	10	60
HPV18 E5	10	45	HPV18 E6	9	13
HPV18 E5	11	45	HPV18 E6	11	117
HPV18 E5	8	25	HPV18 E6	8	92
HPV18 E5	9	25	HPV18 E6	10	92
HPV18 E5	10	25	HPV18 E6	11	92
HPV18 E5	11	25	HPV18 E6	9	110
HPV18 E5	8	51	HPV18 E6	11	102
HPV18 E5	9	51	HPV18 E6	8	14
HPV18 E5	11	51	HPV18 E6	9	25
HPV18 E5	8	42	HPV18 E6	10	25
HPV18 E5	9	42	HPV18 E6	9	150
HPV18 E5	11	42	HPV18 E6	9	113
HPV18 E5	8	34	HPV18 E6	8	111
HPV18 E5	9	34	HPV18 E6	11	111
HPV18 E5	10	34	HPV18 E6	8	74
HPV18 E5	9	20	HPV18 E6	10	149
HPV18 E5	11	20	HPV18 E6	8	10
HPV18 E5	9	41	HPV18 E6	11	59
HPV18 E5	10	41	HPV18 E6	10	24
HPV18 E5	8	33	HPV18 E6	11	24
HPV18 E5	9	33	HPV18 E6	10	84
HPV18 E5	10	33	HPV18 E6	10	89
HPV18 E5	11	33	HPV18 E6	11	89
HPV18 E5	9	39	HPV18 E6	8	37
HPV18 E5	11	39	HPV18 E6	9	37
HPV18 E5	8	15	HPV18 E6	11	37
HPV18 E5	9	15	HPV18 E6	8	38
HPV18 E5	9	53	HPV18 E6	10	38
HPV18 E5	10	53	HPV18 E6	11	38

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 E6	10	54	HPV18 L1	10	377
HPV18 E6	11	54	HPV18 L1	8	218
HPV18 E7	8	63	HPV18 L1	9	218
HPV18 E7	10	63	HPV18 L1	8	310
HPV18 E7	8	24	HPV18 L1	9	310
HPV18 E7	8	82	HPV18 L1	8	2
HPV18 E7	9	82	HPV18 L1	9	2
HPV18 E7	10	82	HPV18 L1	11	2
HPV18 E7	10	40	HPV18 L1	10	246
HPV18 E7	8	16	HPV18 L1	11	246
HPV18 E7	10	16	HPV18 L1	8	490
HPV18 E7	11	16	HPV18 L1	10	286
HPV18 E7	8	55	HPV18 L1	11	286
HPV18 E7	10	55	HPV18 L1	11	350
HPV18 E7	8	90	HPV18 L1	9	284
HPV18 E7	11	90	HPV18 L1	8	122
HPV18 E7	9	86	HPV18 L1	10	122
HPV18 E7	11	86	HPV18 L1	11	520
HPV18 E7	9	3	HPV18 L1	8	512
HPV18 E7	10	3	HPV18 L1	10	512
HPV18 E7	11	3	HPV18 L1	8	433
HPV18 E7	9	43	HPV18 L1	11	433
HPV18 E7	8	14	HPV18 L1	9	260
HPV18 E7	10	14	HPV18 L1	10	260
HPV18 E7	9	46	HPV18 L1	8	501
HPV18 E7	11	21	HPV18 L1	9	501
HPV18 E7	11	11	HPV18 L1	11	501
HPV18 E7	8	73	HPV18 L1	8	301
HPV18 E7	11	73	HPV18 L1	9	301
HPV18 E7	8	8	HPV18 L1	11	301
HPV18 E7	10	74	HPV18 L1	9	522
HPV18 E7	10	61	HPV18 L1	10	522
HPV18 E7	9	17	HPV18 L1	11	522
HPV18 E7	10	17	HPV18 L1	9	448
HPV18 E7	9	56	HPV18 L1	8	203
HPV18 E7	10	22	HPV18 L1	10	203
HPV18 E7	9	88	HPV18 L1	8	167
HPV18 E7	10	88	HPV18 L1	10	167
HPV18 E7	8	87	HPV18 L1	8	314
HPV18 E7	10	87	HPV18 L1	9	314
HPV18 E7	11	87	HPV18 L1	10	280
HPV18 E7	10	71	HPV18 L1	8	436
HPV18 E7	9	7	HPV18 L1	10	436
HPV18 E7	8	93	HPV18 L1	8	49
HPV18 E7	10	93	HPV18 L1	10	49
HPV18 E7	11	60	HPV18 L1	11	49
HPV18 E7	10	12	HPV18 L1	8	56
HPV18 E7	9	75	HPV18 L1	9	56
HPV18 E7	11	75	HPV18 L1	10	56
HPV18 L1	11	225	HPV18 L1	8	438
HPV18 L1	8	487	HPV18 L1	10	438
HPV18 L1	9	487	HPV18 L1	8	145
HPV18 L1	11	487	HPV18 L1	8	535
HPV18 L1	10	63	HPV18 L1	8	177
HPV18 L1	11	63	HPV18 L1	11	177
HPV18 L1	9	495	HPV18 L1	10	342
HPV18 L1	8	223	HPV18 L1	11	342
HPV18 L1	9	223	HPV18 L1	9	19
HPV18 L1	11	549	HPV18 L1	11	19
HPV18 L1	8	377	HPV18 L1	10	543

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 L1	8	171	HPV18 L1	8	8
HPV18 L1	8	415	HPV18 L1	10	8
HPV18 L1	11	415	HPV18 L1	11	8
HPV18 L1	8	383	HPV18 L1	8	14
HPV18 L1	9	383	HPV18 L1	9	14
HPV18 L1	10	383	HPV18 L1	8	103
HPV18 L1	10	165	HPV18 L1	9	103
HPV18 L1	9	175	HPV18 L1	11	103
HPV18 L1	10	175	HPV18 L1	9	138
HPV18 L1	10	467	HPV18 L1	8	27
HPV18 L1	11	467	HPV18 L1	9	27
HPV18 L1	8	38	HPV18 L1	10	27
HPV18 L1	9	38	HPV18 L1	11	27
HPV18 L1	10	38	HPV18 L1	8	15
HPV18 L1	11	38	HPV18 L1	9	74
HPV18 L1	9	13	HPV18 L1	10	74
HPV18 L1	10	13	HPV18 L1	8	274
HPV18 L1	10	23	HPV18 L1	10	274
HPV18 L1	11	23	HPV18 L1	10	434
HPV18 L1	9	428	HPV18 L1	8	296
HPV18 L1	10	428	HPV18 L1	8	476
HPV18 L1	11	428	HPV18 L1	11	476
HPV18 L1	8	40	HPV18 L1	8	159
HPV18 L1	9	40	HPV18 L1	10	159
HPV18 L1	10	40	HPV18 L1	8	33
HPV18 L1	11	40	HPV18 L1	9	33
HPV18 L1	8	39	HPV18 L1	9	343
HPV18 L1	9	39	HPV18 L1	10	343
HPV18 L1	10	39	HPV18 L1	8	261
HPV18 L1	11	39	HPV18 L1	9	261
HPV18 L1	8	46	HPV18 L1	11	261
HPV18 L1	10	46	HPV18 L1	10	36
HPV18 L1	11	46	HPV18 L1	11	36
HPV18 L1	9	460	HPV18 L1	8	153
HPV18 L1	9	47	HPV18 L1	9	153
HPV18 L1	10	47	HPV18 L1	10	153
HPV18 L1	8	219	HPV18 L1	8	108
HPV18 L1	9	9	HPV18 L1	8	388
HPV18 L1	10	9	HPV18 L1	8	510
HPV18 L1	8	32	HPV18 L1	10	510
HPV18 L1	9	32	HPV18 L1	9	54
HPV18 L1	10	32	HPV18 L1	10	54
HPV18 L1	9	123	HPV18 L1	11	54
HPV18 L1	11	123	HPV18 L1	8	52
HPV18 L1	8	360	HPV18 L1	9	52
HPV18 L1	9	360	HPV18 L1	11	52
HPV18 L1	10	186	HPV18 L1	10	199
HPV18 L1	11	186	HPV18 L1	11	207
HPV18 L1	9	505	HPV18 L1	8	57
HPV18 L1	8	557	HPV18 L1	9	57
HPV18 L1	10	557	HPV18 L1	8	282
HPV18 L1	11	539	HPV18 L1	11	282
HPV18 L1	8	370	HPV18 L1	8	248
HPV18 L1	9	120	HPV18 L1	9	248
HPV18 L1	10	120	HPV18 L1	8	525
HPV18 L1	8	213	HPV18 L1	10	525
HPV18 L1	11	213	HPV18 L1	11	173
HPV18 L1	10	423	HPV18 L1	8	28
HPV18 L1	9	125	HPV18 L1	9	28
HPV18 L1	10	125	HPV18 L1	10	28

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 L1	8	26	HPV18 L1	11	150
HPV18 L1	9	26	HPV18 L1	9	518
HPV18 L1	10	26	HPV18 L1	8	475
HPV18 L1	11	26	HPV18 L1	9	475
HPV18 L1	10	240	HPV18 L1	9	335
HPV18 L1	8	20	HPV18 L1	11	335
HPV18 L1	10	20	HPV18 L1	11	306
HPV18 L1	9	247	HPV18 L1	10	455
HPV18 L1	10	247	HPV18 L1	8	353
HPV18 L1	8	469	HPV18 L1	9	353
HPV18 L1	9	469	HPV18 L1	9	411
HPV18 L1	8	75	HPV18 L1	8	242
HPV18 L1	9	75	HPV18 L1	10	242
HPV18 L1	8	470	HPV18 L1	8	365
HPV18 L1	11	470	HPV18 L1	9	365
HPV18 L1	8	76	HPV18 L1	10	365
HPV18 L1	10	471	HPV18 L1	10	485
HPV18 L1	11	333	HPV18 L1	11	485
HPV18 L1	8	412	HPV18 L1	11	78
HPV18 L1	11	412	HPV18 L1	9	209
HPV18 L1	8	216	HPV18 L1	11	209
HPV18 L1	10	216	HPV18 L1	10	404
HPV18 L1	11	216	HPV18 L1	9	541
HPV18 L1	9	439	HPV18 L1	8	442
HPV18 L1	11	439	HPV18 L1	9	442
HPV18 L1	8	315	HPV18 L1	11	442
HPV18 L1	11	315	HPV18 L1	9	273
HPV18 L1	8	366	HPV18 L1	11	273
HPV18 L1	9	366	HPV18 L1	9	444
HPV18 L1	8	137	HPV18 L1	10	444
HPV18 L1	10	137	HPV18 L1	10	327
HPV18 L1	11	297	HPV18 L1	11	327
HPV18 L1	9	102	HPV18 L1	8	398
HPV18 L1	10	102	HPV18 L1	10	398
HPV18 L1	9	158	HPV18 L1	9	90
HPV18 L1	11	158	HPV18 L1	9	215
HPV18 L1	8	25	HPV18 L1	11	215
HPV18 L1	9	25	HPV18 L1	9	156
HPV18 L1	10	25	HPV18 L1	11	156
HPV18 L1	11	25	HPV18 L1	9	409
HPV18 L1	11	239	HPV18 L1	11	409
HPV18 L1	8	66	HPV18 L1	9	105
HPV18 L1	9	66	HPV18 L1	11	105
HPV18 L1	9	6	HPV18 L1	8	254
HPV18 L1	10	6	HPV18 L1	9	254
HPV18 L1	10	135	HPV18 L1	8	331
HPV18 L1	8	81	HPV18 L1	11	393
HPV18 L1	9	81	HPV18 L1	9	71
HPV18 L1	8	288	HPV18 L1	10	71
HPV18 L1	9	288	HPV18 L1	8	255
HPV18 L1	11	288	HPV18 L1	8	7
HPV18 L1	11	93	HPV18 L1	9	7
HPV18 L1	8	459	HPV18 L1	11	7
HPV18 L1	10	459	HPV18 L1	8	449
HPV18 L1	9	31	HPV18 L1	11	113
HPV18 L1	10	31	HPV18 L1	10	413
HPV18 L1	11	31	HPV18 L1	9	281
HPV18 L1	9	359	HPV18 L1	9	468
HPV18 L1	10	359	HPV18 L1	10	468
HPV18 L1	10	150	HPV18 L1	11	532

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 L1	9	136	HPV18 L2	9	169
HPV18 L1	11	136	HPV18 L2	9	443
HPV18 L1	10	394	HPV18 L2	11	443
HPV18 L1	8	82	HPV18 L2	8	241
HPV18 L1	9	452	HPV18 L2	9	241
HPV18 L1	10	452	HPV18 L2	11	241
HPV18 L1	9	45	HPV18 L2	11	276
HPV18 L1	11	45	HPV18 L2	9	51
HPV18 L1	9	337	HPV18 L2	8	429
HPV18 L1	8	73	HPV18 L2	9	429
HPV18 L1	10	73	HPV18 L2	10	429
HPV18 L1	11	73	HPV18 L2	8	223
HPV18 L1	9	295	HPV18 L2	9	223
HPV18 L1	11	35	HPV18 L2	8	97
HPV18 L1	9	292	HPV18 L2	10	97
HPV18 L1	8	524	HPV18 L2	11	97
HPV18 L1	9	524	HPV18 L2	8	85
HPV18 L1	11	524	HPV18 L2	9	85
HPV18 L1	8	129	HPV18 L2	10	167
HPV18 L1	10	129	HPV18 L2	11	167
HPV18 L1	8	88	HPV18 L2	8	279
HPV18 L1	9	88	HPV18 L2	9	279
HPV18 L1	11	88	HPV18 L2	9	44
HPV18 L2	9	286	HPV18 L2	10	44
HPV18 L2	11	286	HPV18 L2	11	44
HPV18 L2	8	421	HPV18 L2	8	444
HPV18 L2	10	421	HPV18 L2	10	444
HPV18 L2	9	327	HPV18 L2	11	444
HPV18 L2	9	27	HPV18 L2	10	72
HPV18 L2	9	278	HPV18 L2	11	72
HPV18 L2	10	278	HPV18 L2	8	416
HPV18 L2	11	322	HPV18 L2	10	103
HPV18 L2	10	404	HPV18 L2	11	103
HPV18 L2	11	404	HPV18 L2	8	43
HPV18 L2	9	142	HPV18 L2	10	43
HPV18 L2	11	142	HPV18 L2	11	43
HPV18 L2	11	129	HPV18 L2	10	22
HPV18 L2	10	349	HPV18 L2	11	22
HPV18 L2	11	349	HPV18 L2	8	34
HPV18 L2	10	346	HPV18 L2	11	34
HPV18 L2	8	354	HPV18 L2	8	106
HPV18 L2	11	266	HPV18 L2	8	248
HPV18 L2	8	100	HPV18 L2	9	248
HPV18 L2	9	83	HPV18 L2	8	407
HPV18 L2	10	83	HPV18 L2	10	407
HPV18 L2	11	83	HPV18 L2	11	407
HPV18 L2	8	270	HPV18 L2	8	215
HPV18 L2	10	270	HPV18 L2	8	45
HPV18 L2	11	270	HPV18 L2	9	45
HPV18 L2	10	396	HPV18 L2	10	45
HPV18 L2	11	30	HPV18 L2	10	338
HPV18 L2	8	194	HPV18 L2	11	338
HPV18 L2	8	334	HPV18 L2	11	253
HPV18 L2	8	208	HPV18 L2	9	159
HPV18 L2	11	208	HPV18 L2	10	159
HPV18 L2	9	257	HPV18 L2	11	238
HPV18 L2	10	94	HPV18 L2	10	386
HPV18 L2	11	94	HPV18 L2	8	325
HPV18 L2	8	175	HPV18 L2	9	325
HPV18 L2	8	169	HPV18 L2	11	325

Table XIV  
HLA-B62 Supermotif Peptides

HPV18 L2	10	209	HPV18 L2	8	105
HPV18 L2	9	415	HPV18 L2	9	105
HPV18 L2	9	73	HPV18 L2	8	406
HPV18 L2	10	73	HPV18 L2	9	406
HPV18 L2	8	214	HPV18 L2	11	406
HPV18 L2	9	214	HPV18 L2	10	262
HPV18 L2	8	390	HPV18 L2	10	304
HPV18 L2	10	390	HPV18 L2	9	213
HPV18 L2	11	390	HPV18 L2	10	213
HPV18 L2	11	337	HPV18 L2	9	144
HPV18 L2	8	28	HPV18 L2	9	184
HPV18 L2	8	89	HPV18 L2	9	311
HPV18 L2	10	171	HPV18 L2	10	311
HPV18 L2	11	171	HPV18 L2	11	425
HPV18 L2	8	258	HPV18 L2	8	388
HPV18 L2	9	95	HPV18 L2	10	388
HPV18 L2	10	95	HPV18 L2	11	293
HPV18 L2	10	360	HPV18 L2	10	217
HPV18 L2	11	360	HPV18 L2	11	217
HPV18 L2	8	398	HPV18 L2	11	140
HPV18 L2	10	398	HPV18 L2	9	271
HPV18 L2	8	312	HPV18 L2	10	271
HPV18 L2	9	312	HPV18 L2	9	32
HPV18 L2	10	232	HPV18 L2	10	32
HPV18 L2	11	232	HPV18 L2	9	389
HPV18 L2	9	233	HPV18 L2	11	389
HPV18 L2	10	233	HPV18 L2	8	170
HPV18 L2	8	298	HPV18 L2	11	170
HPV18 L2	9	298	HPV18 L2	9	361
HPV18 L2	10	225	HPV18 L2	10	361
HPV18 L2	11	284	HPV18 L2	11	361
HPV18 L2	9	88	HPV18 L2	11	359
HPV18 L2	8	244	HPV18 L2	9	397
HPV18 L2	10	119	HPV18 L2	11	397
HPV18 L2	8	220	HPV18 L2	9	451
HPV18 L2	11	220	HPV18 L2	10	451
HPV18 L2	8	316	HPV18 L2	11	451
HPV18 L2	11	316	HPV18 L2	11	81
HPV18 L2	10	450	HPV18 L2	10	31
HPV18 L2	11	450	HPV18 L2	11	31
HPV18 L2	11	166	HPV18 L2	11	112
HPV18 L2	11	151	HPV18 L2	8	414
HPV18 L2	11	102	HPV18 L2	10	414
HPV18 L2	9	49	HPV18 L2	8	332
HPV18 L2	11	49	HPV18 L2	10	332
HPV18 L2	9	247	HPV18 L2	9	427
HPV18 L2	10	247	HPV18 L2	10	427
HPV18 L2	10	329	HPV18 L2	11	427
HPV18 L2	11	329	HPV18 L2	11	71
HPV18 L2	9	324	HPV18 L2	8	436
HPV18 L2	10	324	HPV18 L2	9	436
HPV18 L2	10	418	HPV18 L2	11	231
HPV18 L2	11	418	HPV31 E1	11	111
HPV18 L2	10	375	HPV31 E1	9	519
HPV18 L2	8	235	HPV31 E1	11	519
HPV18 L2	9	149	HPV31 E1	8	68
HPV18 L2	10	412	HPV31 E1	9	439
HPV18 L2	8	377	HPV31 E1	10	533
HPV18 L2	11	377	HPV31 E1	11	533
HPV18 L2	9	39	HPV31 E1	9	298

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E1	9	186	HPV31 E1	11	572
HPV31 E1	10	186	HPV31 E1	11	206
HPV31 E1	8	458	HPV31 E1	8	433
HPV31 E1	9	458	HPV31 E1	10	433
HPV31 E1	11	458	HPV31 E1	11	433
HPV31 E1	10	66	HPV31 E1	11	499
HPV31 E1	8	72	HPV31 E1	8	467
HPV31 E1	10	72	HPV31 E1	8	305
HPV31 E1	11	72	HPV31 E1	9	305
HPV31 E1	10	360	HPV31 E1	8	252
HPV31 E1	11	22	HPV31 E1	10	252
HPV31 E1	9	81	HPV31 E1	11	403
HPV31 E1	10	81	HPV31 E1	8	446
HPV31 E1	9	113	HPV31 E1	9	446
HPV31 E1	8	279	HPV31 E1	10	446
HPV31 E1	9	279	HPV31 E1	8	196
HPV31 E1	9	239	HPV31 E1	11	196
HPV31 E1	10	239	HPV31 E1	10	222
HPV31 E1	9	284	HPV31 E1	9	243
HPV31 E1	10	539	HPV31 E1	11	243
HPV31 E1	11	217	HPV31 E1	11	478
HPV31 E1	10	100	HPV31 E1	10	287
HPV31 E1	10	620	HPV31 E1	11	287
HPV31 E1	8	96	HPV31 E1	8	381
HPV31 E1	10	96	HPV31 E1	10	422
HPV31 E1	8	421	HPV31 E1	8	497
HPV31 E1	11	421	HPV31 E1	9	380
HPV31 E1	8	336	HPV31 E1	10	276
HPV31 E1	9	336	HPV31 E1	11	276
HPV31 E1	10	336	HPV31 E1	9	272
HPV31 E1	11	46	HPV31 E1	8	291
HPV31 E1	8	528	HPV31 E1	9	291
HPV31 E1	10	528	HPV31 E1	10	291
HPV31 E1	8	348	HPV31 E1	11	291
HPV31 E1	9	348	HPV31 E1	8	412
HPV31 E1	10	348	HPV31 E1	11	412
HPV31 E1	9	311	HPV31 E1	11	286
HPV31 E1	10	311	HPV31 E1	9	470
HPV31 E1	9	354	HPV31 E1	10	470
HPV31 E1	10	354	HPV31 E1	8	543
HPV31 E1	10	583	HPV31 E1	9	277
HPV31 E1	11	583	HPV31 E1	10	277
HPV31 E1	8	193	HPV31 E1	11	277
HPV31 E1	10	193	HPV31 E1	8	273
HPV31 E1	11	193	HPV31 E1	9	542
HPV31 E1	8	137	HPV31 E1	8	234
HPV31 E1	10	137	HPV31 E1	11	234
HPV31 E1	8	50	HPV31 E1	9	256
HPV31 E1	11	443	HPV31 E1	9	534
HPV31 E1	8	372	HPV31 E1	10	534
HPV31 E1	10	372	HPV31 E1	11	534
HPV31 E1	11	372	HPV31 E1	11	128
HPV31 E1	9	473	HPV31 E1	8	474
HPV31 E1	10	473	HPV31 E1	9	474
HPV31 E1	9	425	HPV31 E1	10	326
HPV31 E1	10	425	HPV31 E1	9	490
HPV31 E1	8	436	HPV31 E1	11	490
HPV31 E1	9	436	HPV31 E1	10	235
HPV31 E1	8	199	HPV31 E1	8	244
HPV31 E1	10	572	HPV31 E1	10	244

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E1	11	244	HPV31 E1	9	236
HPV31 E1	11	175	HPV31 E1	8	429
HPV31 E1	11	258	HPV31 E1	9	429
HPV31 E1	10	563	HPV31 E1	11	429
HPV31 E1	10	500	HPV31 E1	9	145
HPV31 E1	8	187	HPV31 E1	8	83
HPV31 E1	9	187	HPV31 E1	10	176
HPV31 E1	11	187	HPV31 E1	11	176
HPV31 E1	8	285	HPV31 E1	8	267
HPV31 E1	10	255	HPV31 E1	11	267
HPV31 E1	8	257	HPV31 E1	10	124
HPV31 E1	8	535	HPV31 E1	11	562
HPV31 E1	9	535	HPV31 E1	8	398
HPV31 E1	10	535	HPV31 E1	9	398
HPV31 E1	10	47	HPV31 E1	9	322
HPV31 E1	11	47	HPV31 E1	8	526
HPV31 E1	9	253	HPV31 E1	9	526
HPV31 E1	11	143	HPV31 E1	10	526
HPV31 E1	10	340	HPV31 E1	8	246
HPV31 E1	11	340	HPV31 E1	9	246
HPV31 E1	10	547	HPV31 E1	10	246
HPV31 E1	8	104	HPV31 E1	11	246
HPV31 E1	9	104	HPV31 E1	10	469
HPV31 E1	11	104	HPV31 E1	11	469
HPV31 E1	11	523	HPV31 E1	10	92
HPV31 E1	11	579	HPV31 E1	9	106
HPV31 E1	8	59	HPV31 E1	8	338
HPV31 E1	10	59	HPV31 E1	9	269
HPV31 E1	11	59	HPV31 E1	10	269
HPV31 E1	9	55	HPV31 E1	8	233
HPV31 E1	9	492	HPV31 E1	9	233
HPV31 E1	10	492	HPV31 E1	9	387
HPV31 E1	8	541	HPV31 E1	10	506
HPV31 E1	10	541	HPV31 E1	11	506
HPV31 E1	9	93	HPV31 E1	10	316
HPV31 E1	11	93	HPV31 E1	11	316
HPV31 E1	8	289	HPV31 E1	9	169
HPV31 E1	9	289	HPV31 E1	10	169
HPV31 E1	10	289	HPV31 E1	9	226
HPV31 E1	11	289	HPV31 E1	10	226
HPV31 E1	9	540	HPV31 E1	10	23
HPV31 E1	11	540	HPV31 E1	11	84
HPV31 E1	10	524	HPV31 E1	9	177
HPV31 E1	11	524	HPV31 E1	10	177
HPV31 E1	10	580	HPV31 E1	11	177
HPV31 E1	8	430	HPV31 E1	11	325
HPV31 E1	10	430	HPV31 E1	8	349
HPV31 E1	11	430	HPV31 E1	9	349
HPV31 E1	9	361	HPV31 E1	11	349
HPV31 E1	11	361	HPV31 E1	8	254
HPV31 E1	8	536	HPV31 E1	11	254
HPV31 E1	9	536	HPV31 E1	8	447
HPV31 E1	8	399	HPV31 E1	9	447
HPV31 E1	11	339	HPV31 E1	10	144
HPV31 E1	8	491	HPV31 E1	8	82
HPV31 E1	10	491	HPV31 E1	9	82
HPV31 E1	11	491	HPV31 E1	9	341
HPV31 E1	9	288	HPV31 E1	10	341
HPV31 E1	10	288	HPV31 E1	9	564
HPV31 E1	11	288	HPV31 E1	11	564

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E1	8	319	HPV31 E2	10	143
HPV31 E1	9	405	HPV31 E2	10	190
HPV31 E1	8	489	HPV31 E2	11	190
HPV31 E1	10	489	HPV31 E2	8	150
HPV31 E1	8	556	HPV31 E2	9	150
HPV31 E1	9	556	HPV31 E2	10	150
HPV31 E1	10	556	HPV31 E2	11	150
HPV31 E1	11	556	HPV31 E2	8	29
HPV31 E1	9	511	HPV31 E2	10	29
HPV31 E1	10	511	HPV31 E2	8	35
HPV31 E1	8	558	HPV31 E2	9	35
HPV31 E1	9	558	HPV31 E2	10	35
HPV31 E1	11	558	HPV31 E2	8	164
HPV31 E1	11	515	HPV31 E2	8	297
HPV31 E1	9	428	HPV31 E2	9	297
HPV31 E1	10	428	HPV31 E2	11	257
HPV31 E1	9	89	HPV31 E2	9	56
HPV31 E2	8	72	HPV31 E2	8	295
HPV31 E2	11	72	HPV31 E2	10	295
HPV31 E2	8	338	HPV31 E2	11	295
HPV31 E2	8	229	HPV31 E2	9	304
HPV31 E2	11	229	HPV31 E2	11	359
HPV31 E2	9	69	HPV31 E2	8	193
HPV31 E2	10	69	HPV31 E2	8	210
HPV31 E2	11	69	HPV31 E2	8	358
HPV31 E2	9	61	HPV31 E2	8	260
HPV31 E2	10	61	HPV31 E2	11	260
HPV31 E2	11	105	HPV31 E2	11	316
HPV31 E2	10	286	HPV31 E2	10	261
HPV31 E2	11	286	HPV31 E2	8	42
HPV31 E2	8	140	HPV31 E2	10	42
HPV31 E2	9	140	HPV31 E2	8	70
HPV31 E2	9	109	HPV31 E2	9	70
HPV31 E2	11	109	HPV31 E2	10	70
HPV31 E2	9	307	HPV31 E2	8	75
HPV31 E2	8	289	HPV31 E2	10	78
HPV31 E2	10	289	HPV31 E2	11	77
HPV31 E2	9	11	HPV31 E2	8	94
HPV31 E2	10	40	HPV31 E2	9	94
HPV31 E2	8	124	HPV31 E2	10	94
HPV31 E2	11	124	HPV31 E2	8	303
HPV31 E2	8	204	HPV31 E2	10	303
HPV31 E2	11	204	HPV31 E2	10	282
HPV31 E2	9	74	HPV31 E2	8	9
HPV31 E2	11	100	HPV31 E2	11	9
HPV31 E2	11	48	HPV31 E2	9	294
HPV31 E2	9	320	HPV31 E2	11	294
HPV31 E2	8	185	HPV31 E2	10	317
HPV31 E2	9	185	HPV31 E2	8	95
HPV31 E2	10	185	HPV31 E2	9	95
HPV31 E2	11	185	HPV31 E2	11	95
HPV31 E2	8	118	HPV31 E2	9	191
HPV31 E2	11	353	HPV31 E2	10	191
HPV31 E2	11	195	HPV31 E2	8	151
HPV31 E2	8	168	HPV31 E2	9	151
HPV31 E2	11	168	HPV31 E2	10	151
HPV31 E2	9	50	HPV31 E2	8	321
HPV31 E2	10	50	HPV31 E2	8	57
HPV31 E2	9	209	HPV31 E2	11	57
HPV31 E2	10	156	HPV31 E2	8	25

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E2	9	25	HPV31 E5	11	26
HPV31 E2	8	37	HPV31 E5	8	20
HPV31 E2	10	37	HPV31 E5	9	20
HPV31 E2	9	7	HPV31 E5	10	20
HPV31 E2	10	7	HPV31 E5	9	3
HPV31 E2	8	311	HPV31 E5	10	3
HPV31 E2	9	311	HPV31 E5	11	3
HPV31 E2	9	53	HPV31 E5	8	66
HPV31 E2	10	53	HPV31 E5	9	66
HPV31 E2	8	98	HPV31 E5	8	15
HPV31 E2	10	348	HPV31 E5	9	15
HPV31 E2	11	5	HPV31 E5	10	15
HPV31 E2	9	266	HPV31 E5	11	15
HPV31 E2	10	266	HPV31 E5	9	24
HPV31 E2	8	198	HPV31 E5	10	24
HPV31 E2	10	198	HPV31 E5	11	24
HPV31 E2	11	198	HPV31 E5	9	72
HPV31 E2	9	269	HPV31 E5	10	72
HPV31 E2	10	269	HPV31 E5	10	48
HPV31 E2	11	269	HPV31 E5	10	69
HPV31 E2	8	63	HPV31 E5	8	46
HPV31 E2	10	63	HPV31 E5	9	11
HPV31 E2	11	63	HPV31 E5	11	11
HPV31 E2	9	364	HPV31 E5	8	45
HPV31 E2	8	3	HPV31 E5	9	45
HPV31 E2	9	128	HPV31 E5	8	16
HPV31 E2	10	128	HPV31 E5	9	16
HPV31 E2	11	128	HPV31 E5	10	16
HPV31 E2	9	93	HPV31 E5	8	22
HPV31 E2	10	93	HPV31 E5	11	22
HPV31 E2	11	93	HPV31 E5	8	44
HPV31 E2	10	293	HPV31 E5	9	44
HPV31 E2	10	116	HPV31 E5	10	44
HPV31 E2	8	356	HPV31 E5	8	43
HPV31 E2	10	356	HPV31 E5	9	43
HPV31 E2	8	362	HPV31 E5	10	43
HPV31 E2	9	362	HPV31 E5	11	43
HPV31 E2	11	362	HPV31 E5	8	42
HPV31 E2	8	192	HPV31 E5	9	42
HPV31 E2	9	192	HPV31 E5	10	42
HPV31 E2	9	41	HPV31 E5	11	42
HPV31 E2	11	41	HPV31 E5	8	27
HPV31 E2	9	59	HPV31 E5	10	27
HPV31 E2	11	59	HPV31 E5	8	32
HPV31 E2	11	119	HPV31 E5	9	32
HPV31 E2	11	147	HPV31 E5	11	32
HPV31 E2	10	58	HPV31 E5	9	1
HPV31 E2	10	344	HPV31 E5	11	1
HPV31 E2	11	344	HPV31 E5	8	5
HPV31 E2	10	138	HPV31 E5	9	5
HPV31 E2	11	138	HPV31 E5	11	5
HPV31 E2	9	102	HPV31 E5	9	70
HPV31 E2	9	159	HPV31 E5	11	70
HPV31 E2	10	159	HPV31 E5	8	56
HPV31 E2	11	159	HPV31 E5	9	56
HPV31 E5	8	61	HPV31 E5	10	56
HPV31 E5	9	61	HPV31 E5	11	56
HPV31 E5	11	61	HPV31 E5	8	31
HPV31 E5	8	26	HPV31 E5	9	31
HPV31 E5	9	26	HPV31 E5	10	31

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E5	9	30	HPV31 E6	10	95
HPV31 E5	10	30	HPV31 E6	8	35
HPV31 E5	11	30	HPV31 E6	9	35
HPV31 E5	8	10	HPV31 E6	11	35
HPV31 E5	10	10	HPV31 E6	9	61
HPV31 E5	8	55	HPV31 E6	10	61
HPV31 E5	9	55	HPV31 E6	8	118
HPV31 E5	10	55	HPV31 E6	11	118
HPV31 E5	11	55	HPV31 E6	8	21
HPV31 E5	8	35	HPV31 E6	11	21
HPV31 E5	9	35	HPV31 E6	11	52
HPV31 E5	10	35	HPV31 E6	8	11
HPV31 E5	11	35	HPV31 E6	9	11
HPV31 E5	8	37	HPV31 E6	11	11
HPV31 E5	9	37	HPV31 E6	10	90
HPV31 E5	10	37	HPV31 E6	11	90
HPV31 E5	11	37	HPV31 E6	11	115
HPV31 E5	8	41	HPV31 E6	8	72
HPV31 E5	9	41	HPV31 E6	10	72
HPV31 E5	10	41	HPV31 E6	11	100
HPV31 E5	11	41	HPV31 E6	11	127
HPV31 E5	8	8	HPV31 E6	9	4
HPV31 E5	9	8	HPV31 E6	11	109
HPV31 E5	10	8	HPV31 E6	8	36
HPV31 E5	10	51	HPV31 E6	10	36
HPV31 E5	8	73	HPV31 E6	11	36
HPV31 E5	9	73	HPV31 E6	11	27
HPV31 E5	11	47	HPV31 E6	8	8
HPV31 E5	9	28	HPV31 E6	11	8
HPV31 E5	11	28	HPV31 E6	8	142
HPV31 E5	8	12	HPV31 E6	10	82
HPV31 E5	10	12	HPV31 E6	10	87
HPV31 E5	11	12	HPV31 E6	10	58
HPV31 E5	8	21	HPV31 E6	9	42
HPV31 E5	9	21	HPV31 E6	11	42
HPV31 E5	8	33	HPV31 E7	8	91
HPV31 E5	10	33	HPV31 E7	9	59
HPV31 E5	11	33	HPV31 E7	11	59
HPV31 E5	8	64	HPV31 E7	9	68
HPV31 E5	9	64	HPV31 E7	11	68
HPV31 E5	10	64	HPV31 E7	8	75
HPV31 E5	11	64	HPV31 E7	9	75
HPV31 E5	8	50	HPV31 E7	10	75
HPV31 E5	11	50	HPV31 E7	8	21
HPV31 E5	11	68	HPV31 E7	9	14
HPV31 E5	9	63	HPV31 E7	10	36
HPV31 E5	10	63	HPV31 E7	9	81
HPV31 E5	11	63	HPV31 E7	10	81
HPV31 E6	9	18	HPV31 E7	9	46
HPV31 E6	11	18	HPV31 E7	10	46
HPV31 E6	8	103	HPV31 E7	11	88
HPV31 E6	8	66	HPV31 E7	10	43
HPV31 E6	11	66	HPV31 E7	10	78
HPV31 E6	9	111	HPV31 E7	10	89
HPV31 E6	8	30	HPV31 E7	8	82
HPV31 E6	9	20	HPV31 E7	9	82
HPV31 E6	8	25	HPV31 E7	8	83
HPV31 E6	8	14	HPV31 E7	10	28
HPV31 E6	10	14	HPV31 E7	11	28
HPV31 E6	10	41	HPV31 E7	8	8

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 E7	9	79	HPV31 L1	10	241
HPV31 E7	11	79	HPV31 L1	11	241
HPV31 E7	8	15	HPV31 L1	8	254
HPV31 E7	11	15	HPV31 L1	9	254
HPV31 E7	11	27	HPV31 L1	8	107
HPV31 E7	10	16	HPV31 L1	10	107
HPV31 E7	10	73	HPV31 L1	8	449
HPV31 E7	11	73	HPV31 L1	10	449
HPV31 E7	8	77	HPV31 L1	8	375
HPV31 E7	11	77	HPV31 L1	10	375
HPV31 E7	9	66	HPV31 L1	9	469
HPV31 E7	11	66	HPV31 L1	8	463
HPV31 E7	9	7	HPV31 L1	9	463
HPV31 E7	11	64	HPV31 L1	11	463
HPV31 E7	8	5	HPV31 L1	8	293
HPV31 E7	9	5	HPV31 L1	9	293
HPV31 E7	11	5	HPV31 L1	8	377
HPV31 E7	8	72	HPV31 L1	10	377
HPV31 E7	11	72	HPV31 L1	8	323
HPV31 E7	9	37	HPV31 L1	9	323
HPV31 E7	8	12	HPV31 L1	10	323
HPV31 E7	11	12	HPV31 L1	8	117
HPV31 E7	8	69	HPV31 L1	11	117
HPV31 E7	10	69	HPV31 L1	10	105
HPV31 E7	11	69	HPV31 L1	9	68
HPV31 E7	9	11	HPV31 L1	11	68
HPV31 L1	9	348	HPV31 L1	10	406
HPV31 L1	8	398	HPV31 L1	10	139
HPV31 L1	10	398	HPV31 L1	8	111
HPV31 L1	8	426	HPV31 L1	9	115
HPV31 L1	10	180	HPV31 L1	10	115
HPV31 L1	9	213	HPV31 L1	9	399
HPV31 L1	11	213	HPV31 L1	8	388
HPV31 L1	10	433	HPV31 L1	11	388
HPV31 L1	10	488	HPV31 L1	10	52
HPV31 L1	8	317	HPV31 L1	11	52
HPV31 L1	10	317	HPV31 L1	11	196
HPV31 L1	8	305	HPV31 L1	9	61
HPV31 L1	9	305	HPV31 L1	11	61
HPV31 L1	10	305	HPV31 L1	8	381
HPV31 L1	11	147	HPV31 L1	9	381
HPV31 L1	9	158	HPV31 L1	11	381
HPV31 L1	10	186	HPV31 L1	10	60
HPV31 L1	11	186	HPV31 L1	11	237
HPV31 L1	9	224	HPV31 L1	10	436
HPV31 L1	9	387	HPV31 L1	11	436
HPV31 L1	11	459	HPV31 L1	8	163
HPV31 L1	8	372	HPV31 L1	8	310
HPV31 L1	11	372	HPV31 L1	8	153
HPV31 L1	11	275	HPV31 L1	9	65
HPV31 L1	9	200	HPV31 L1	10	65
HPV31 L1	10	200	HPV31 L1	8	20
HPV31 L1	8	440	HPV31 L1	9	20
HPV31 L1	9	440	HPV31 L1	8	159
HPV31 L1	11	440	HPV31 L1	8	470
HPV31 L1	9	461	HPV31 L1	8	42
HPV31 L1	10	461	HPV31 L1	9	42
HPV31 L1	11	461	HPV31 L1	11	42
HPV31 L1	8	241	HPV31 L1	9	78
HPV31 L1	9	241	HPV31 L1	9	13

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 L1	10	13	HPV31 L1	9	5
HPV31 L1	11	471	HPV31 L1	10	75
HPV31 L1	8	214	HPV31 L1	8	228
HPV31 L1	10	214	HPV31 L1	9	228
HPV31 L1	10	373	HPV31 L1	11	228
HPV31 L1	8	69	HPV31 L1	11	51
HPV31 L1	10	69	HPV31 L1	8	414
HPV31 L1	8	99	HPV31 L1	9	414
HPV31 L1	10	99	HPV31 L1	8	2
HPV31 L1	11	314	HPV31 L1	10	2
HPV31 L1	10	238	HPV31 L1	11	2
HPV31 L1	11	238	HPV31 L1	9	149
HPV31 L1	8	201	HPV31 L1	11	149
HPV31 L1	9	201	HPV31 L1	10	394
HPV31 L1	11	201	HPV31 L1	9	299
HPV31 L1	8	300	HPV31 L1	10	299
HPV31 L1	9	300	HPV31 L1	8	174
HPV31 L1	9	32	HPV31 L1	10	424
HPV31 L1	11	32	HPV31 L1	8	194
HPV31 L1	8	451	HPV31 L1	9	194
HPV31 L1	10	451	HPV31 L1	8	271
HPV31 L1	8	342	HPV31 L1	8	286
HPV31 L1	9	342	HPV31 L1	11	246
HPV31 L1	8	396	HPV31 L1	9	383
HPV31 L1	10	396	HPV31 L1	10	383
HPV31 L1	8	93	HPV31 L1	8	182
HPV31 L1	9	93	HPV31 L1	10	182
HPV31 L1	10	93	HPV31 L1	11	409
HPV31 L1	10	57	HPV31 L1	11	295
HPV31 L1	8	328	HPV31 L1	9	96
HPV31 L1	10	220	HPV31 L1	11	96
HPV31 L1	8	222	HPV31 L1	10	267
HPV31 L1	11	222	HPV31 L1	11	267
HPV31 L1	8	188	HPV31 L1	9	44
HPV31 L1	9	188	HPV31 L1	11	333
HPV31 L1	8	464	HPV31 L1	9	10
HPV31 L1	10	464	HPV31 L1	8	195
HPV31 L1	11	113	HPV31 L1	9	63
HPV31 L1	9	187	HPV31 L1	11	63
HPV31 L1	10	187	HPV31 L1	9	221
HPV31 L1	10	410	HPV31 L1	10	334
HPV31 L1	8	14	HPV31 L1	8	62
HPV31 L1	9	14	HPV31 L1	10	62
HPV31 L1	9	434	HPV31 L1	8	21
HPV31 L1	8	15	HPV31 L1	8	391
HPV31 L1	11	17	HPV31 L1	9	391
HPV31 L1	8	306	HPV31 L1	10	391
HPV31 L1	9	306	HPV31 L1	9	277
HPV31 L1	9	378	HPV31 L1	11	277
HPV31 L1	11	378	HPV31 L1	9	235
HPV31 L1	11	156	HPV31 L1	10	12
HPV31 L1	8	255	HPV31 L1	11	12
HPV31 L1	9	41	HPV31 L1	8	364
HPV31 L1	10	41	HPV31 L1	10	364
HPV31 L1	8	77	HPV31 L1	8	250
HPV31 L1	10	77	HPV31 L1	9	250
HPV31 L1	9	98	HPV31 L1	8	232
HPV31 L1	11	98	HPV31 L1	9	232
HPV31 L1	11	478	HPV31 L1	8	445
HPV31 L1	8	5	HPV31 L1	8	27

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 L1	9	27	HPV31 L2	10	213
HPV31 L1	11	27	HPV31 L2	11	213
HPV31 L2	8	143	HPV31 L2	9	175
HPV31 L2	9	286	HPV31 L2	8	125
HPV31 L2	11	286	HPV31 L2	10	125
HPV31 L2	9	271	HPV31 L2	11	125
HPV31 L2	10	271	HPV31 L2	8	279
HPV31 L2	11	271	HPV31 L2	9	279
HPV31 L2	8	240	HPV31 L2	9	45
HPV31 L2	8	414	HPV31 L2	10	45
HPV31 L2	10	414	HPV31 L2	11	45
HPV31 L2	11	414	HPV31 L2	8	211
HPV31 L2	9	424	HPV31 L2	10	211
HPV31 L2	10	424	HPV31 L2	10	123
HPV31 L2	11	424	HPV31 L2	9	401
HPV31 L2	8	376	HPV31 L2	11	401
HPV31 L2	10	376	HPV31 L2	9	87
HPV31 L2	11	376	HPV31 L2	9	33
HPV31 L2	9	28	HPV31 L2	10	33
HPV31 L2	11	133	HPV31 L2	8	191
HPV31 L2	9	278	HPV31 L2	8	114
HPV31 L2	10	278	HPV31 L2	10	114
HPV31 L2	10	400	HPV31 L2	10	105
HPV31 L2	8	322	HPV31 L2	11	105
HPV31 L2	8	354	HPV31 L2	9	197
HPV31 L2	10	354	HPV31 L2	8	35
HPV31 L2	8	273	HPV31 L2	11	35
HPV31 L2	9	273	HPV31 L2	10	242
HPV31 L2	10	273	HPV31 L2	11	242
HPV31 L2	8	102	HPV31 L2	10	302
HPV31 L2	11	160	HPV31 L2	8	231
HPV31 L2	11	234	HPV31 L2	10	231
HPV31 L2	10	96	HPV31 L2	8	244
HPV31 L2	11	96	HPV31 L2	9	244
HPV31 L2	9	43	HPV31 L2	8	176
HPV31 L2	11	43	HPV31 L2	8	108
HPV31 L2	8	116	HPV31 L2	10	108
HPV31 L2	11	31	HPV31 L2	9	447
HPV31 L2	11	408	HPV31 L2	11	447
HPV31 L2	8	190	HPV31 L2	8	335
HPV31 L2	9	190	HPV31 L2	8	269
HPV31 L2	9	334	HPV31 L2	9	269
HPV31 L2	10	196	HPV31 L2	11	269
HPV31 L2	11	276	HPV31 L2	8	204
HPV31 L2	8	237	HPV31 L2	11	204
HPV31 L2	9	237	HPV31 L2	9	327
HPV31 L2	11	237	HPV31 L2	9	249
HPV31 L2	10	421	HPV31 L2	9	155
HPV31 L2	8	433	HPV31 L2	10	155
HPV31 L2	9	433	HPV31 L2	8	370
HPV31 L2	9	113	HPV31 L2	9	410
HPV31 L2	11	113	HPV31 L2	10	410
HPV31 L2	11	351	HPV31 L2	8	402
HPV31 L2	10	221	HPV31 L2	10	402
HPV31 L2	9	406	HPV31 L2	9	210
HPV31 L2	8	99	HPV31 L2	11	210
HPV31 L2	10	99	HPV31 L2	11	122
HPV31 L2	11	99	HPV31 L2	8	88
HPV31 L2	9	52	HPV31 L2	11	88
HPV31 L2	8	213	HPV31 L2	9	422

Table XIV  
HLA-B62 Supermotif Peptides

HPV31 L2	11	422	HPV31 L2	10	149
HPV31 L2	9	100	HPV31 L2	9	40
HPV31 L2	10	100	HPV31 L2	8	312
HPV31 L2	8	394	HPV31 L2	9	312
HPV31 L2	10	394	HPV31 L2	10	312
HPV31 L2	11	394	HPV31 L2	9	347
HPV31 L2	9	74	HPV31 L2	10	347
HPV31 L2	11	166	HPV31 L2	11	347
HPV31 L2	9	126	HPV31 L2	8	304
HPV31 L2	10	126	HPV31 L2	10	304
HPV31 L2	8	91	HPV31 L2	9	168
HPV31 L2	11	91	HPV31 L2	10	168
HPV31 L2	9	97	HPV31 L2	11	168
HPV31 L2	10	97	HPV31 L2	10	141
HPV31 L2	10	92	HPV31 L2	10	209
HPV31 L2	8	44	HPV31 L2	8	427
HPV31 L2	10	44	HPV31 L2	9	16
HPV31 L2	11	44	HPV31 L2	10	16
HPV31 L2	9	243	HPV31 L2	11	227
HPV31 L2	10	243	HPV31 L2	8	416
HPV31 L2	8	17	HPV31 L2	9	416
HPV31 L2	9	17	HPV31 L2	10	362
HPV31 L2	10	228	HPV31 L2	8	254
HPV31 L2	11	228	HPV31 L2	9	254
HPV31 L2	8	417	HPV31 L2	10	254
HPV31 L2	9	229	HPV31 L2	8	392
HPV31 L2	10	229	HPV31 L2	10	392
HPV31 L2	11	429	HPV31 L2	9	81
HPV31 L2	8	219	HPV31 L2	9	232
HPV31 L2	8	298	HPV31 L2	10	32
HPV31 L2	11	284	HPV31 L2	11	32
HPV31 L2	8	216	HPV31 L2	8	163
HPV31 L2	11	216	HPV31 L2	10	409
HPV31 L2	9	90	HPV31 L2	11	409
HPV31 L2	8	78	HPV31 L2	9	393
HPV31 L2	10	78	HPV31 L2	11	393
HPV31 L2	8	316	HPV31 L2	10	73
HPV31 L2	11	316	HPV31 L2	9	387
HPV31 L2	9	454	HPV31 L2	9	377
HPV31 L2	11	454	HPV31 L2	10	377
HPV31 L2	8	94	HPV31 L2	11	377
HPV31 L2	9	332	HPV31 L2	8	440
HPV31 L2	11	332	HPV31 L2	9	440
HPV31 L2	9	431	HPV31 L2	10	446
HPV31 L2	10	431	HPV31 L2	11	72
HPV31 L2	11	431	HPV31 L2	8	386
HPV31 L2	9	325	HPV31 L2	10	386
HPV31 L2	11	325	HPV33 E1	10	596
HPV31 L2	8	86	HPV33 E1	11	596
HPV31 L2	10	86	HPV33 E1	9	532
HPV31 L2	10	182	HPV33 E1	11	532
HPV31 L2	11	104	HPV33 E1	8	84
HPV31 L2	8	107	HPV33 E1	10	546
HPV31 L2	9	107	HPV33 E1	11	546
HPV31 L2	11	107	HPV33 E1	8	311
HPV31 L2	11	260	HPV33 E1	9	311
HPV31 L2	9	50	HPV33 E1	8	318
HPV31 L2	11	50	HPV33 E1	10	373
HPV31 L2	11	372	HPV33 E1	11	373
HPV31 L2	9	162	HPV33 E1	9	81

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E1	10	81	HPV33 E1	10	11
HPV33 E1	11	81	HPV33 E1	9	512
HPV33 E1	11	22	HPV33 E1	11	512
HPV33 E1	11	230	HPV33 E1	8	480
HPV33 E1	8	259	HPV33 E1	9	470
HPV33 E1	9	259	HPV33 E1	10	470
HPV33 E1	10	259	HPV33 E1	8	163
HPV33 E1	11	259	HPV33 E1	11	256
HPV33 E1	8	465	HPV33 E1	9	266
HPV33 E1	9	297	HPV33 E1	8	267
HPV33 E1	8	494	HPV33 E1	8	200
HPV33 E1	9	494	HPV33 E1	9	200
HPV33 E1	10	494	HPV33 E1	11	200
HPV33 E1	9	367	HPV33 E1	9	400
HPV33 E1	10	367	HPV33 E1	8	293
HPV33 E1	10	46	HPV33 E1	8	460
HPV33 E1	8	78	HPV33 E1	9	460
HPV33 E1	8	349	HPV33 E1	8	59
HPV33 E1	9	349	HPV33 E1	10	59
HPV33 E1	10	349	HPV33 E1	11	59
HPV33 E1	8	3	HPV33 E1	8	72
HPV33 E1	10	3	HPV33 E1	10	72
HPV33 E1	8	541	HPV33 E1	11	72
HPV33 E1	10	541	HPV33 E1	8	484
HPV33 E1	9	324	HPV33 E1	9	484
HPV33 E1	10	324	HPV33 E1	8	394
HPV33 E1	9	516	HPV33 E1	10	435
HPV33 E1	10	516	HPV33 E1	10	124
HPV33 E1	10	537	HPV33 E1	8	510
HPV33 E1	11	537	HPV33 E1	11	510
HPV33 E1	8	361	HPV33 E1	8	393
HPV33 E1	9	361	HPV33 E1	9	393
HPV33 E1	10	361	HPV33 E1	9	285
HPV33 E1	11	361	HPV33 E1	8	304
HPV33 E1	11	352	HPV33 E1	9	304
HPV33 E1	11	301	HPV33 E1	10	304
HPV33 E1	8	137	HPV33 E1	11	304
HPV33 E1	11	137	HPV33 E1	8	412
HPV33 E1	8	169	HPV33 E1	9	249
HPV33 E1	10	50	HPV33 E1	9	245
HPV33 E1	8	449	HPV33 E1	10	245
HPV33 E1	9	449	HPV33 E1	8	247
HPV33 E1	10	486	HPV33 E1	11	247
HPV33 E1	11	456	HPV33 E1	9	483
HPV33 E1	8	385	HPV33 E1	10	483
HPV33 E1	10	385	HPV33 E1	11	271
HPV33 E1	11	385	HPV33 E1	9	47
HPV33 E1	8	212	HPV33 E1	9	555
HPV33 E1	10	585	HPV33 E1	9	438
HPV33 E1	11	585	HPV33 E1	11	438
HPV33 E1	8	265	HPV33 E1	9	290
HPV33 E1	10	265	HPV33 E1	10	290
HPV33 E1	10	399	HPV33 E1	11	290
HPV33 E1	8	459	HPV33 E1	8	556
HPV33 E1	9	459	HPV33 E1	8	286
HPV33 E1	10	459	HPV33 E1	10	257
HPV33 E1	8	209	HPV33 E1	11	257
HPV33 E1	11	209	HPV33 E1	8	184
HPV33 E1	10	235	HPV33 E1	9	339
HPV33 E1	8	11	HPV33 E1	10	339

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E1	9	503	HPV33 E1	10	111
HPV33 E1	11	503	HPV33 E1	8	292
HPV33 E1	9	547	HPV33 E1	9	292
HPV33 E1	10	547	HPV33 E1	8	58
HPV33 E1	11	547	HPV33 E1	9	58
HPV33 E1	8	513	HPV33 E1	11	58
HPV33 E1	10	513	HPV33 E1	10	482
HPV33 E1	8	298	HPV33 E1	11	482
HPV33 E1	10	353	HPV33 E1	11	243
HPV33 E1	8	443	HPV33 E1	9	252
HPV33 E1	10	443	HPV33 E1	8	54
HPV33 E1	11	443	HPV33 E1	8	237
HPV33 E1	8	346	HPV33 E1	10	237
HPV33 E1	9	346	HPV33 E1	11	237
HPV33 E1	11	346	HPV33 E1	11	390
HPV33 E1	9	199	HPV33 E1	8	149
HPV33 E1	10	199	HPV33 E1	11	149
HPV33 E1	9	71	HPV33 E1	8	93
HPV33 E1	11	71	HPV33 E1	9	93
HPV33 E1	10	31	HPV33 E1	8	307
HPV33 E1	9	627	HPV33 E1	9	307
HPV33 E1	10	289	HPV33 E1	8	239
HPV33 E1	11	289	HPV33 E1	9	239
HPV33 E1	10	155	HPV33 E1	10	239
HPV33 E1	11	592	HPV33 E1	8	183
HPV33 E1	8	175	HPV33 E1	9	183
HPV33 E1	10	175	HPV33 E1	8	329
HPV33 E1	10	189	HPV33 E1	10	329
HPV33 E1	10	181	HPV33 E1	11	329
HPV33 E1	11	181	HPV33 E1	8	518
HPV33 E1	10	519	HPV33 E1	11	518
HPV33 E1	11	519	HPV33 E1	8	140
HPV33 E1	8	434	HPV33 E1	9	282
HPV33 E1	11	434	HPV33 E1	10	282
HPV33 E1	10	554	HPV33 E1	9	577
HPV33 E1	9	505	HPV33 E1	11	577
HPV33 E1	10	505	HPV33 E1	11	337
HPV33 E1	10	302	HPV33 E1	10	23
HPV33 E1	11	302	HPV33 E1	11	491
HPV33 E1	11	553	HPV33 E1	9	190
HPV33 E1	10	593	HPV33 E1	11	190
HPV33 E1	9	374	HPV33 E1	8	246
HPV33 E1	10	374	HPV33 E1	9	246
HPV33 E1	11	374	HPV33 E1	10	338
HPV33 E1	8	549	HPV33 E1	11	338
HPV33 E1	9	549	HPV33 E1	8	325
HPV33 E1	8	437	HPV33 E1	9	325
HPV33 E1	10	437	HPV33 E1	8	548
HPV33 E1	8	504	HPV33 E1	9	548
HPV33 E1	10	504	HPV33 E1	10	548
HPV33 E1	11	504	HPV33 E1	9	436
HPV33 E1	11	146	HPV33 E1	11	436
HPV33 E1	8	280	HPV33 E1	9	354
HPV33 E1	11	280	HPV33 E1	8	332
HPV33 E1	11	575	HPV33 E1	8	502
HPV33 E1	9	335	HPV33 E1	10	502
HPV33 E1	9	433	HPV33 E1	8	569
HPV33 E1	8	539	HPV33 E1	10	569
HPV33 E1	9	539	HPV33 E1	11	569
HPV33 E1	10	539	HPV33 E1	9	524

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E1	10	524	HPV33 E2	10	294
HPV33 E1	8	571	HPV33 E2	8	112
HPV33 E1	9	571	HPV33 E2	10	112
HPV33 E1	11	571	HPV33 E2	8	47
HPV33 E1	11	528	HPV33 E2	10	264
HPV33 E1	8	441	HPV33 E2	11	264
HPV33 E1	9	441	HPV33 E2	8	151
HPV33 E1	10	441	HPV33 E2	9	151
HPV33 E2	10	249	HPV33 E2	10	151
HPV33 E2	10	78	HPV33 E2	11	165
HPV33 E2	9	41	HPV33 E2	8	35
HPV33 E2	11	41	HPV33 E2	9	35
HPV33 E2	8	237	HPV33 E2	10	35
HPV33 E2	10	237	HPV33 E2	8	62
HPV33 E2	9	10	HPV33 E2	9	62
HPV33 E2	10	10	HPV33 E2	11	62
HPV33 E2	9	288	HPV33 E2	8	42
HPV33 E2	10	195	HPV33 E2	10	42
HPV33 E2	9	25	HPV33 E2	8	26
HPV33 E2	11	25	HPV33 E2	10	26
HPV33 E2	10	17	HPV33 E2	11	26
HPV33 E2	9	247	HPV33 E2	8	75
HPV33 E2	8	3	HPV33 E2	8	94
HPV33 E2	9	3	HPV33 E2	9	94
HPV33 E2	9	74	HPV33 E2	10	94
HPV33 E2	10	298	HPV33 E2	8	147
HPV33 E2	8	328	HPV33 E2	9	147
HPV33 E2	11	328	HPV33 E2	11	147
HPV33 E2	8	185	HPV33 E2	9	202
HPV33 E2	9	185	HPV33 E2	11	202
HPV33 E2	10	185	HPV33 E2	8	272
HPV33 E2	11	100	HPV33 E2	8	239
HPV33 E2	11	334	HPV33 E2	11	239
HPV33 E2	8	70	HPV33 E2	10	341
HPV33 E2	9	70	HPV33 E2	11	341
HPV33 E2	10	70	HPV33 E2	11	221
HPV33 E2	9	325	HPV33 E2	8	29
HPV33 E2	10	325	HPV33 E2	10	29
HPV33 E2	11	325	HPV33 E2	9	345
HPV33 E2	8	319	HPV33 E2	8	203
HPV33 E2	11	156	HPV33 E2	10	203
HPV33 E2	10	190	HPV33 E2	9	332
HPV33 E2	10	53	HPV33 E2	11	48
HPV33 E2	11	53	HPV33 E2	11	182
HPV33 E2	9	278	HPV33 E2	9	238
HPV33 E2	8	56	HPV33 E2	8	331
HPV33 E2	9	56	HPV33 E2	10	331
HPV33 E2	8	187	HPV33 E2	9	330
HPV33 E2	9	139	HPV33 E2	11	330
HPV33 E2	10	139	HPV33 E2	10	329
HPV33 E2	11	340	HPV33 E2	8	95
HPV33 E2	11	276	HPV33 E2	9	95
HPV33 E2	8	14	HPV33 E2	8	71
HPV33 E2	8	339	HPV33 E2	9	71
HPV33 E2	8	242	HPV33 E2	9	191
HPV33 E2	9	242	HPV33 E2	8	57
HPV33 E2	8	34	HPV33 E2	8	292
HPV33 E2	9	34	HPV33 E2	9	292
HPV33 E2	10	34	HPV33 E2	9	7
HPV33 E2	11	34	HPV33 E2	10	7

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E2	8	37	HPV33 E5	8	42
HPV33 E2	10	37	HPV33 E5	9	42
HPV33 E2	9	229	HPV33 E5	10	42
HPV33 E2	9	285	HPV33 E5	8	5
HPV33 E2	9	61	HPV33 E5	9	5
HPV33 E2	10	61	HPV33 E5	11	5
HPV33 E2	8	302	HPV33 E5	8	10
HPV33 E2	8	28	HPV33 E5	9	10
HPV33 E2	9	28	HPV33 E5	10	10
HPV33 E2	11	28	HPV33 E5	8	23
HPV33 E2	10	90	HPV33 E5	9	23
HPV33 E2	8	85	HPV33 E5	10	23
HPV33 E2	10	85	HPV33 E5	11	23
HPV33 E2	9	93	HPV33 E5	8	48
HPV33 E2	10	93	HPV33 E5	9	48
HPV33 E2	11	93	HPV33 E5	10	48
HPV33 E2	10	128	HPV33 E5	11	48
HPV33 E2	11	128	HPV33 E5	8	22
HPV33 E2	9	146	HPV33 E5	9	22
HPV33 E2	10	146	HPV33 E5	10	22
HPV33 E2	8	181	HPV33 E5	11	22
HPV33 E2	8	267	HPV33 E5	8	54
HPV33 E2	10	267	HPV33 E5	9	54
HPV33 E2	11	267	HPV33 E5	11	54
HPV33 E2	8	337	HPV33 E5	8	17
HPV33 E2	10	337	HPV33 E5	10	17
HPV33 E2	8	343	HPV33 E5	11	37
HPV33 E2	9	343	HPV33 E5	9	18
HPV33 E2	11	343	HPV33 E5	8	32
HPV33 E2	8	72	HPV33 E5	9	32
HPV33 E2	11	72	HPV33 E5	10	32
HPV33 E2	8	192	HPV33 E5	11	32
HPV33 E2	11	59	HPV33 E5	10	38
HPV33 E2	8	11	HPV33 E5	8	59
HPV33 E2	9	11	HPV33 E5	10	59
HPV33 E2	11	11	HPV33 E5	8	35
HPV33 E2	8	344	HPV33 E5	9	35
HPV33 E2	10	344	HPV33 E5	8	33
HPV33 E2	11	119	HPV33 E5	9	33
HPV33 E2	9	102	HPV33 E5	10	33
HPV33 E2	8	159	HPV33 E5	11	33
HPV33 E2	9	159	HPV33 E5	9	1
HPV33 E2	10	159	HPV33 E5	10	1
HPV33 E2	10	138	HPV33 E5	11	1
HPV33 E2	11	138	HPV33 E5	8	61
HPV33 E5	9	63	HPV33 E5	11	61
HPV33 E5	9	14	HPV33 E5	9	21
HPV33 E5	10	14	HPV33 E5	10	21
HPV33 E5	11	14	HPV33 E5	11	21
HPV33 E5	9	9	HPV33 E5	8	46
HPV33 E5	10	9	HPV33 E5	9	46
HPV33 E5	11	9	HPV33 E5	10	46
HPV33 E5	8	12	HPV33 E5	11	46
HPV33 E5	11	12	HPV33 E5	9	60
HPV33 E5	9	56	HPV33 E5	10	20
HPV33 E5	11	56	HPV33 E5	11	20
HPV33 E5	8	3	HPV33 E5	8	25
HPV33 E5	9	3	HPV33 E5	9	25
HPV33 E5	10	3	HPV33 E5	10	25
HPV33 E5	11	3	HPV33 E5	11	25

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E5	8	16	HPV33 E6	9	37
HPV33 E5	9	16	HPV33 E6	10	37
HPV33 E5	11	16	HPV33 E6	11	37
HPV33 E5	9	45	HPV33 E6	11	127
HPV33 E5	10	45	HPV33 E6	8	58
HPV33 E5	11	45	HPV33 E6	10	58
HPV33 E5	8	6	HPV33 E6	11	109
HPV33 E5	10	6	HPV33 E6	10	95
HPV33 E5	8	36	HPV33 E6	11	95
HPV33 E5	8	34	HPV33 E6	8	36
HPV33 E5	9	34	HPV33 E6	10	36
HPV33 E5	10	34	HPV33 E6	11	36
HPV33 E5	8	31	HPV33 E6	8	112
HPV33 E5	9	31	HPV33 E6	10	112
HPV33 E5	10	31	HPV33 E6	11	82
HPV33 E5	11	31	HPV33 E6	10	22
HPV33 E5	8	40	HPV33 E6	10	87
HPV33 E5	10	40	HPV33 E6	8	11
HPV33 E5	11	40	HPV33 E6	9	11
HPV33 E5	9	53	HPV33 E6	9	91
HPV33 E5	10	53	HPV33 E6	10	91
HPV33 E5	9	58	HPV33 E6	11	91
HPV33 E5	11	58	HPV33 E6	10	51
HPV33 E6	9	18	HPV33 E6	9	52
HPV33 E6	11	18	HPV33 E6	11	52
HPV33 E6	8	103	HPV33 E7	8	45
HPV33 E6	8	66	HPV33 E7	9	45
HPV33 E6	11	66	HPV33 E7	10	45
HPV33 E6	9	111	HPV33 E7	11	45
HPV33 E6	11	111	HPV33 E7	9	68
HPV33 E6	8	16	HPV33 E7	8	75
HPV33 E6	11	16	HPV33 E7	9	75
HPV33 E6	8	30	HPV33 E7	10	75
HPV33 E6	10	14	HPV33 E7	8	21
HPV33 E6	9	120	HPV33 E7	9	14
HPV33 E6	8	98	HPV33 E7	10	14
HPV33 E6	11	27	HPV33 E7	8	18
HPV33 E6	8	89	HPV33 E7	11	18
HPV33 E6	11	89	HPV33 E7	9	37
HPV33 E6	8	41	HPV33 E7	8	43
HPV33 E6	10	41	HPV33 E7	10	43
HPV33 E6	8	69	HPV33 E7	11	43
HPV33 E6	11	69	HPV33 E7	9	79
HPV33 E6	11	2	HPV33 E7	11	79
HPV33 E6	9	61	HPV33 E7	8	5
HPV33 E6	10	61	HPV33 E7	9	5
HPV33 E6	8	118	HPV33 E7	11	5
HPV33 E6	11	118	HPV33 E7	8	82
HPV33 E6	8	72	HPV33 E7	9	82
HPV33 E6	10	72	HPV33 E7	8	83
HPV33 E6	10	64	HPV33 E7	8	88
HPV33 E6	8	94	HPV33 E7	9	81
HPV33 E6	11	94	HPV33 E7	10	81
HPV33 E6	8	35	HPV33 E7	8	46
HPV33 E6	9	35	HPV33 E7	9	46
HPV33 E6	11	35	HPV33 E7	10	46
HPV33 E6	8	8	HPV33 E7	8	80
HPV33 E6	11	8	HPV33 E7	10	80
HPV33 E6	11	100	HPV33 E7	11	80
HPV33 E6	10	28	HPV33 E7	8	66

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 E7	11	66	HPV33 L1	8	375
HPV33 E7	9	40	HPV33 L1	10	375
HPV33 E7	11	40	HPV33 L1	8	373
HPV33 E7	10	78	HPV33 L1	10	373
HPV33 E7	9	7	HPV33 L1	9	256
HPV33 E7	10	7	HPV33 L1	8	322
HPV33 E7	10	86	HPV33 L1	9	322
HPV33 E7	10	64	HPV33 L1	10	322
HPV33 E7	11	12	HPV33 L1	8	117
HPV33 E7	8	16	HPV33 L1	11	117
HPV33 E7	10	16	HPV33 L1	10	105
HPV33 L1	8	424	HPV33 L1	8	472
HPV33 L1	10	392	HPV33 L1	11	472
HPV33 L1	9	180	HPV33 L1	9	68
HPV33 L1	11	180	HPV33 L1	11	68
HPV33 L1	10	483	HPV33 L1	8	404
HPV33 L1	8	316	HPV33 L1	10	404
HPV33 L1	10	316	HPV33 L1	11	138
HPV33 L1	9	44	HPV33 L1	8	111
HPV33 L1	8	270	HPV33 L1	8	173
HPV33 L1	11	147	HPV33 L1	10	173
HPV33 L1	9	207	HPV33 L1	9	115
HPV33 L1	10	185	HPV33 L1	10	115
HPV33 L1	11	185	HPV33 L1	9	365
HPV33 L1	9	223	HPV33 L1	10	365
HPV33 L1	8	396	HPV33 L1	11	365
HPV33 L1	10	396	HPV33 L1	8	194
HPV33 L1	11	457	HPV33 L1	9	397
HPV33 L1	8	449	HPV33 L1	10	60
HPV33 L1	10	449	HPV33 L1	11	236
HPV33 L1	8	370	HPV33 L1	8	476
HPV33 L1	11	370	HPV33 L1	8	163
HPV33 L1	11	274	HPV33 L1	8	309
HPV33 L1	10	199	HPV33 L1	8	153
HPV33 L1	8	438	HPV33 L1	9	65
HPV33 L1	9	438	HPV33 L1	10	65
HPV33 L1	11	438	HPV33 L1	8	379
HPV33 L1	9	459	HPV33 L1	9	379
HPV33 L1	10	459	HPV33 L1	11	379
HPV33 L1	11	459	HPV33 L1	8	20
HPV33 L1	8	107	HPV33 L1	9	20
HPV33 L1	10	107	HPV33 L1	11	190
HPV33 L1	8	240	HPV33 L1	8	42
HPV33 L1	9	240	HPV33 L1	9	42
HPV33 L1	10	240	HPV33 L1	11	42
HPV33 L1	11	240	HPV33 L1	8	468
HPV33 L1	8	253	HPV33 L1	9	61
HPV33 L1	9	253	HPV33 L1	11	61
HPV33 L1	8	447	HPV33 L1	9	78
HPV33 L1	10	447	HPV33 L1	9	13
HPV33 L1	8	385	HPV33 L1	10	13
HPV33 L1	9	385	HPV33 L1	11	469
HPV33 L1	9	467	HPV33 L1	8	213
HPV33 L1	8	249	HPV33 L1	10	213
HPV33 L1	9	249	HPV33 L1	8	413
HPV33 L1	8	461	HPV33 L1	10	371
HPV33 L1	9	461	HPV33 L1	11	313
HPV33 L1	11	461	HPV33 L1	8	69
HPV33 L1	8	292	HPV33 L1	10	69
HPV33 L1	9	292	HPV33 L1	8	62

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 L1	10	62	HPV33 L1	11	149
HPV33 L1	8	99	HPV33 L1	9	298
HPV33 L1	10	99	HPV33 L1	10	298
HPV33 L1	9	200	HPV33 L1	10	422
HPV33 L1	11	200	HPV33 L1	8	304
HPV33 L1	8	299	HPV33 L1	9	304
HPV33 L1	9	299	HPV33 L1	10	304
HPV33 L1	8	341	HPV33 L1	8	2
HPV33 L1	8	394	HPV33 L1	10	2
HPV33 L1	10	394	HPV33 L1	11	2
HPV33 L1	8	93	HPV33 L1	8	193
HPV33 L1	9	93	HPV33 L1	9	193
HPV33 L1	10	93	HPV33 L1	10	266
HPV33 L1	8	54	HPV33 L1	11	266
HPV33 L1	9	54	HPV33 L1	9	212
HPV33 L1	10	54	HPV33 L1	11	212
HPV33 L1	8	327	HPV33 L1	9	381
HPV33 L1	11	221	HPV33 L1	10	381
HPV33 L1	8	187	HPV33 L1	8	406
HPV33 L1	9	187	HPV33 L1	9	96
HPV33 L1	8	439	HPV33 L1	11	96
HPV33 L1	10	439	HPV33 L1	9	346
HPV33 L1	8	462	HPV33 L1	11	430
HPV33 L1	10	462	HPV33 L1	11	332
HPV33 L1	11	113	HPV33 L1	9	10
HPV33 L1	9	432	HPV33 L1	8	386
HPV33 L1	9	186	HPV33 L1	9	63
HPV33 L1	10	186	HPV33 L1	11	63
HPV33 L1	11	407	HPV33 L1	10	431
HPV33 L1	10	408	HPV33 L1	10	333
HPV33 L1	11	164	HPV33 L1	8	21
HPV33 L1	8	14	HPV33 L1	11	401
HPV33 L1	9	14	HPV33 L1	9	389
HPV33 L1	8	15	HPV33 L1	10	389
HPV33 L1	11	17	HPV33 L1	9	276
HPV33 L1	9	376	HPV33 L1	11	276
HPV33 L1	11	376	HPV33 L1	8	362
HPV33 L1	8	305	HPV33 L1	10	362
HPV33 L1	9	305	HPV33 L1	9	234
HPV33 L1	8	254	HPV33 L1	10	12
HPV33 L1	11	254	HPV33 L1	11	12
HPV33 L1	10	139	HPV33 L1	8	27
HPV33 L1	8	347	HPV33 L1	9	27
HPV33 L1	9	41	HPV33 L1	10	27
HPV33 L1	10	41	HPV33 L1	11	27
HPV33 L1	8	77	HPV33 L2	8	140
HPV33 L1	10	77	HPV33 L2	11	82
HPV33 L1	9	98	HPV33 L2	9	291
HPV33 L1	11	98	HPV33 L2	11	291
HPV33 L1	8	5	HPV33 L2	9	173
HPV33 L1	9	5	HPV33 L2	10	173
HPV33 L1	10	75	HPV33 L2	11	173
HPV33 L1	8	51	HPV33 L2	9	276
HPV33 L1	11	51	HPV33 L2	10	276
HPV33 L1	8	285	HPV33 L2	11	276
HPV33 L1	11	32	HPV33 L2	10	120
HPV33 L1	11	245	HPV33 L2	9	27
HPV33 L1	8	412	HPV33 L2	9	283
HPV33 L1	9	412	HPV33 L2	10	283
HPV33 L1	9	149	HPV33 L2	10	272

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 L2	11	272	HPV33 L2	11	394
HPV33 L2	8	327	HPV33 L2	10	83
HPV33 L2	11	239	HPV33 L2	8	196
HPV33 L2	8	278	HPV33 L2	9	123
HPV33 L2	9	278	HPV33 L2	8	152
HPV33 L2	10	278	HPV33 L2	8	331
HPV33 L2	8	261	HPV33 L2	10	104
HPV33 L2	9	77	HPV33 L2	11	104
HPV33 L2	9	42	HPV33 L2	8	433
HPV33 L2	11	42	HPV33 L2	9	433
HPV33 L2	9	369	HPV33 L2	10	433
HPV33 L2	11	30	HPV33 L2	9	248
HPV33 L2	11	130	HPV33 L2	10	248
HPV33 L2	10	364	HPV33 L2	9	316
HPV33 L2	9	165	HPV33 L2	10	316
HPV33 L2	11	165	HPV33 L2	8	34
HPV33 L2	8	341	HPV33 L2	11	34
HPV33 L2	8	113	HPV33 L2	8	236
HPV33 L2	11	113	HPV33 L2	8	107
HPV33 L2	8	181	HPV33 L2	10	107
HPV33 L2	10	447	HPV33 L2	8	249
HPV33 L2	11	281	HPV33 L2	9	249
HPV33 L2	8	242	HPV33 L2	8	266
HPV33 L2	9	242	HPV33 L2	11	266
HPV33 L2	11	242	HPV33 L2	8	85
HPV33 L2	8	428	HPV33 L2	10	85
HPV33 L2	11	428	HPV33 L2	8	377
HPV33 L2	8	415	HPV33 L2	9	377
HPV33 L2	10	415	HPV33 L2	8	195
HPV33 L2	8	456	HPV33 L2	9	195
HPV33 L2	10	456	HPV33 L2	9	160
HPV33 L2	11	456	HPV33 L2	10	160
HPV33 L2	9	268	HPV33 L2	10	372
HPV33 L2	8	440	HPV33 L2	10	391
HPV33 L2	9	440	HPV33 L2	10	143
HPV33 L2	10	440	HPV33 L2	8	209
HPV33 L2	8	421	HPV33 L2	9	73
HPV33 L2	10	421	HPV33 L2	10	73
HPV33 L2	10	201	HPV33 L2	11	73
HPV33 L2	10	361	HPV33 L2	8	215
HPV33 L2	10	226	HPV33 L2	9	215
HPV33 L2	8	407	HPV33 L2	11	215
HPV33 L2	9	407	HPV33 L2	8	87
HPV33 L2	8	98	HPV33 L2	11	87
HPV33 L2	10	98	HPV33 L2	8	423
HPV33 L2	11	98	HPV33 L2	11	423
HPV33 L2	9	51	HPV33 L2	9	330
HPV33 L2	11	158	HPV33 L2	11	333
HPV33 L2	8	170	HPV33 L2	9	99
HPV33 L2	8	284	HPV33 L2	10	99
HPV33 L2	9	284	HPV33 L2	9	413
HPV33 L2	9	44	HPV33 L2	10	413
HPV33 L2	10	44	HPV33 L2	10	347
HPV33 L2	11	44	HPV33 L2	10	395
HPV33 L2	9	448	HPV33 L2	11	395
HPV33 L2	11	448	HPV33 L2	9	84
HPV33 L2	8	216	HPV33 L2	11	84
HPV33 L2	10	216	HPV33 L2	9	376
HPV33 L2	9	32	HPV33 L2	10	376
HPV33 L2	10	32	HPV33 L2	11	171

Table XIV  
HLA-B62 Supermotif Peptides

HPV33 L2	8	28	HPV33 L2	9	432
HPV33 L2	8	78	HPV33 L2	10	432
HPV33 L2	11	78	HPV33 L2	11	432
HPV33 L2	8	90	HPV33 L2	10	309
HPV33 L2	11	90	HPV33 L2	9	265
HPV33 L2	8	221	HPV33 L2	10	138
HPV33 L2	8	403	HPV33 L2	9	214
HPV33 L2	10	91	HPV33 L2	10	214
HPV33 L2	8	317	HPV33 L2	10	375
HPV33 L2	9	317	HPV33 L2	11	375
HPV33 L2	8	43	HPV33 L2	11	125
HPV33 L2	10	43	HPV33 L2	9	402
HPV33 L2	11	43	HPV33 L2	9	15
HPV33 L2	8	16	HPV33 L2	10	232
HPV33 L2	9	86	HPV33 L2	11	232
HPV33 L2	11	346	HPV33 L2	9	190
HPV33 L2	9	233	HPV33 L2	8	93
HPV33 L2	10	233	HPV33 L2	9	96
HPV33 L2	11	233	HPV33 L2	10	96
HPV33 L2	8	234	HPV33 L2	9	337
HPV33 L2	9	234	HPV33 L2	11	298
HPV33 L2	10	234	HPV33 L2	10	187
HPV33 L2	8	321	HPV33 L2	10	31
HPV33 L2	11	321	HPV33 L2	11	31
HPV33 L2	11	289	HPV33 L2	8	168
HPV33 L2	9	89	HPV33 L2	10	168
HPV33 L2	8	220	HPV33 L2	8	441
HPV33 L2	9	220	HPV33 L2	9	441
HPV33 L2	8	303	HPV33 L2	11	404
HPV33 L2	9	357	HPV33 L2	10	72
HPV33 L2	10	357	HPV33 L2	11	72
HPV33 L2	11	357	HPV33 L2	9	422
HPV33 L2	8	393	HPV33 L2	8	338
HPV33 L2	8	122	HPV33 L2	11	338
HPV33 L2	10	122	HPV33 L2	8	434
HPV33 L2	9	151	HPV33 L2	9	434
HPV33 L2	11	103	HPV33 L2	9	202
HPV33 L2	9	49	HPV33 L2	8	325
HPV33 L2	11	49	HPV33 L2	10	325
HPV33 L2	8	106	HPV33 L2	11	71
HPV33 L2	9	106	HPV45 E1	9	232
HPV33 L2	11	106	HPV45 E1	10	232
HPV33 L2	8	274	HPV45 E1	9	532
HPV33 L2	9	274	HPV45 E1	8	68
HPV33 L2	11	274	HPV45 E1	9	311
HPV33 L2	9	425	HPV45 E1	9	199
HPV33 L2	10	425	HPV45 E1	10	199
HPV33 L2	11	425	HPV45 E1	11	512
HPV33 L2	9	419	HPV45 E1	10	66
HPV33 L2	10	419	HPV45 E1	8	72
HPV33 L2	8	245	HPV45 E1	10	72
HPV33 L2	10	329	HPV45 E1	11	72
HPV33 L2	10	412	HPV45 E1	8	408
HPV33 L2	11	412	HPV45 E1	11	408
HPV33 L2	9	185	HPV45 E1	10	373
HPV33 L2	10	146	HPV45 E1	11	373
HPV33 L2	9	167	HPV45 E1	11	79
HPV33 L2	11	167	HPV45 E1	9	202
HPV33 L2	9	39	HPV45 E1	11	202
HPV33 L2	10	154	HPV45 E1	10	399

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 E1	8	465	HPV45 E1	10	483
HPV45 E1	8	259	HPV45 E1	8	446
HPV45 E1	9	259	HPV45 E1	11	446
HPV45 E1	10	259	HPV45 E1	11	456
HPV45 E1	11	259	HPV45 E1	8	385
HPV45 E1	9	297	HPV45 E1	10	385
HPV45 E1	10	552	HPV45 E1	11	385
HPV45 E1	10	390	HPV45 E1	9	486
HPV45 E1	11	390	HPV45 E1	10	486
HPV45 E1	10	634	HPV45 E1	8	449
HPV45 E1	10	206	HPV45 E1	9	449
HPV45 E1	11	206	HPV45 E1	9	438
HPV45 E1	9	614	HPV45 E1	10	438
HPV45 E1	8	349	HPV45 E1	10	585
HPV45 E1	9	349	HPV45 E1	11	585
HPV45 E1	10	349	HPV45 E1	8	494
HPV45 E1	9	108	HPV45 E1	9	494
HPV45 E1	11	108	HPV45 E1	10	494
HPV45 E1	8	361	HPV45 E1	9	342
HPV45 E1	9	361	HPV45 E1	10	626
HPV45 E1	10	361	HPV45 E1	8	318
HPV45 E1	9	367	HPV45 E1	8	209
HPV45 E1	10	367	HPV45 E1	11	209
HPV45 E1	10	46	HPV45 E1	8	286
HPV45 E1	11	352	HPV45 E1	8	480
HPV45 E1	8	562	HPV45 E1	11	480
HPV45 E1	10	562	HPV45 E1	9	470
HPV45 E1	11	562	HPV45 E1	10	470
HPV45 E1	9	179	HPV45 E1	8	443
HPV45 E1	11	30	HPV45 E1	10	443
HPV45 E1	10	596	HPV45 E1	11	443
HPV45 E1	11	596	HPV45 E1	8	265
HPV45 E1	11	115	HPV45 E1	10	265
HPV45 E1	8	186	HPV45 E1	10	235
HPV45 E1	10	189	HPV45 E1	9	256
HPV45 E1	11	189	HPV45 E1	11	256
HPV45 E1	8	504	HPV45 E1	8	83
HPV45 E1	9	504	HPV45 E1	8	292
HPV45 E1	10	504	HPV45 E1	9	292
HPV45 E1	11	504	HPV45 E1	11	338
HPV45 E1	9	301	HPV45 E1	11	491
HPV45 E1	10	301	HPV45 E1	10	555
HPV45 E1	11	301	HPV45 E1	9	627
HPV45 E1	8	59	HPV45 E1	8	257
HPV45 E1	10	59	HPV45 E1	10	257
HPV45 E1	11	59	HPV45 E1	11	257
HPV45 E1	8	62	HPV45 E1	10	339
HPV45 E1	9	62	HPV45 E1	11	333
HPV45 E1	11	62	HPV45 E1	9	23
HPV45 E1	9	101	HPV45 E1	10	23
HPV45 E1	9	141	HPV45 E1	10	435
HPV45 E1	11	141	HPV45 E1	8	425
HPV45 E1	8	74	HPV45 E1	11	425
HPV45 E1	9	74	HPV45 E1	8	304
HPV45 E1	11	74	HPV45 E1	9	304
HPV45 E1	9	324	HPV45 E1	10	304
HPV45 E1	10	324	HPV45 E1	11	304
HPV45 E1	8	50	HPV45 E1	9	249
HPV45 E1	8	483	HPV45 E1	11	545
HPV45 E1	9	483	HPV45 E1	8	510

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 E1	11	299	HPV45 E1	8	549
HPV45 E1	8	247	HPV45 E1	9	549
HPV45 E1	9	247	HPV45 E1	8	54
HPV45 E1	11	247	HPV45 E1	8	102
HPV45 E1	8	267	HPV45 E1	8	412
HPV45 E1	9	290	HPV45 E1	10	412
HPV45 E1	10	290	HPV45 E1	10	80
HPV45 E1	11	290	HPV45 E1	11	80
HPV45 E1	9	190	HPV45 E1	8	148
HPV45 E1	10	190	HPV45 E1	11	612
HPV45 E1	11	190	HPV45 E1	10	128
HPV45 E1	9	547	HPV45 E1	9	335
HPV45 E1	10	547	HPV45 E1	8	280
HPV45 E1	11	547	HPV45 E1	11	280
HPV45 E1	11	271	HPV45 E1	9	433
HPV45 E1	9	556	HPV45 E1	8	411
HPV45 E1	8	191	HPV45 E1	9	411
HPV45 E1	9	191	HPV45 E1	11	411
HPV45 E1	10	191	HPV45 E1	10	575
HPV45 E1	11	191	HPV45 E1	11	575
HPV45 E1	8	487	HPV45 E1	11	56
HPV45 E1	9	487	HPV45 E1	9	539
HPV45 E1	8	548	HPV45 E1	10	539
HPV45 E1	9	548	HPV45 E1	8	183
HPV45 E1	10	548	HPV45 E1	9	183
HPV45 E1	8	200	HPV45 E1	11	183
HPV45 E1	9	200	HPV45 E1	9	117
HPV45 E1	11	200	HPV45 E1	9	97
HPV45 E1	10	513	HPV45 E1	9	110
HPV45 E1	8	298	HPV45 E1	11	416
HPV45 E1	9	47	HPV45 E1	8	308
HPV45 E1	11	47	HPV45 E1	10	104
HPV45 E1	10	353	HPV45 E1	10	22
HPV45 E1	10	560	HPV45 E1	11	22
HPV45 E1	8	414	HPV45 E1	8	246
HPV45 E1	8	237	HPV45 E1	9	246
HPV45 E1	11	237	HPV45 E1	10	246
HPV45 E1	11	592	HPV45 E1	10	289
HPV45 E1	8	177	HPV45 E1	11	289
HPV45 E1	11	177	HPV45 E1	9	252
HPV45 E1	8	554	HPV45 E1	8	329
HPV45 E1	11	554	HPV45 E1	10	329
HPV45 E1	11	537	HPV45 E1	11	329
HPV45 E1	8	434	HPV45 E1	8	460
HPV45 E1	11	434	HPV45 E1	9	460
HPV45 E1	8	505	HPV45 E1	10	460
HPV45 E1	9	505	HPV45 E1	9	53
HPV45 E1	10	505	HPV45 E1	9	147
HPV45 E1	8	98	HPV45 E1	9	239
HPV45 E1	10	546	HPV45 E1	10	239
HPV45 E1	11	546	HPV45 E1	9	282
HPV45 E1	9	553	HPV45 E1	10	282
HPV45 E1	8	302	HPV45 E1	8	577
HPV45 E1	9	302	HPV45 E1	9	577
HPV45 E1	10	302	HPV45 E1	11	577
HPV45 E1	11	302	HPV45 E1	10	31
HPV45 E1	10	593	HPV45 E1	9	81
HPV45 E1	9	374	HPV45 E1	10	81
HPV45 E1	10	374	HPV45 E1	9	266
HPV45 E1	11	374	HPV45 E1	11	230

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 E1	9	400	HPV45 E2	11	293
HPV45 E1	8	293	HPV45 E2	10	48
HPV45 E1	9	436	HPV45 E2	10	335
HPV45 E1	11	436	HPV45 E2	9	355
HPV45 E1	8	75	HPV45 E2	11	355
HPV45 E1	10	75	HPV45 E2	8	219
HPV45 E1	11	75	HPV45 E2	10	59
HPV45 E1	9	354	HPV45 E2	9	2
HPV45 E1	9	418	HPV45 E2	8	240
HPV45 E1	8	332	HPV45 E2	10	284
HPV45 E1	10	502	HPV45 E2	11	284
HPV45 E1	11	502	HPV45 E2	8	41
HPV45 E1	8	569	HPV45 E2	9	41
HPV45 E1	10	569	HPV45 E2	10	41
HPV45 E1	11	569	HPV45 E2	9	17
HPV45 E1	8	229	HPV45 E2	8	100
HPV45 E1	8	571	HPV45 E2	9	100
HPV45 E1	9	571	HPV45 E2	8	81
HPV45 E1	11	571	HPV45 E2	9	81
HPV45 E1	8	394	HPV45 E2	8	3
HPV45 E1	11	528	HPV45 E2	10	69
HPV45 E1	9	441	HPV45 E2	11	69
HPV45 E1	10	441	HPV45 E2	9	198
HPV45 E2	8	78	HPV45 E2	9	67
HPV45 E2	11	78	HPV45 E2	10	66
HPV45 E2	11	47	HPV45 E2	9	360
HPV45 E2	10	84	HPV45 E2	8	35
HPV45 E2	10	16	HPV45 E2	10	35
HPV45 E2	10	89	HPV45 E2	9	218
HPV45 E2	9	305	HPV45 E2	8	40
HPV45 E2	10	305	HPV45 E2	9	40
HPV45 E2	10	134	HPV45 E2	10	40
HPV45 E2	11	134	HPV45 E2	11	40
HPV45 E2	8	158	HPV45 E2	8	82
HPV45 E2	9	158	HPV45 E2	8	63
HPV45 E2	10	158	HPV45 E2	8	43
HPV45 E2	8	31	HPV45 E2	10	43
HPV45 E2	9	31	HPV45 E2	9	309
HPV45 E2	11	31	HPV45 E2	9	13
HPV45 E2	9	351	HPV45 E2	10	13
HPV45 E2	11	351	HPV45 E2	10	263
HPV45 E2	8	319	HPV45 E2	11	263
HPV45 E2	9	80	HPV45 E2	10	142
HPV45 E2	10	80	HPV45 E2	11	142
HPV45 E2	11	106	HPV45 E2	9	302
HPV45 E2	11	258	HPV45 E2	8	9
HPV45 E2	8	343	HPV45 E2	9	9
HPV45 E2	10	343	HPV45 E2	10	205
HPV45 E2	11	343	HPV45 E2	11	113
HPV45 E2	8	192	HPV45 E2	8	34
HPV45 E2	9	192	HPV45 E2	9	34
HPV45 E2	11	349	HPV45 E2	11	34
HPV45 E2	11	334	HPV45 E2	9	235
HPV45 E2	9	56	HPV45 E2	8	358
HPV45 E2	10	56	HPV45 E2	9	358
HPV45 E2	8	150	HPV45 E2	11	358
HPV45 E2	10	150	HPV45 E2	8	354
HPV45 E2	10	255	HPV45 E2	10	354
HPV45 E2	9	295	HPV45 E2	9	99
HPV45 E2	9	62	HPV45 E2	10	99

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 E2	10	5	HPV45 E6	11	54
HPV45 E2	10	238	HPV45 E6	8	92
HPV45 E2	10	217	HPV45 E6	10	92
HPV45 E2	8	213	HPV45 E6	11	92
HPV45 E2	11	213	HPV45 E6	9	13
HPV45 E2	8	337	HPV45 E6	11	102
HPV45 E2	8	199	HPV45 E6	8	14
HPV45 E2	11	65	HPV45 E6	9	25
HPV45 E2	10	176	HPV45 E6	10	25
HPV45 E2	8	359	HPV45 E6	9	113
HPV45 E2	10	359	HPV45 E6	11	111
HPV45 E2	9	344	HPV45 E6	8	74
HPV45 E2	10	344	HPV45 E6	10	149
HPV45 E2	8	193	HPV45 E6	8	10
HPV45 E2	8	352	HPV45 E6	9	29
HPV45 E2	10	352	HPV45 E6	11	29
HPV45 E2	8	138	HPV45 E6	8	24
HPV45 E2	9	138	HPV45 E6	10	24
HPV45 E2	9	39	HPV45 E6	11	24
HPV45 E2	10	39	HPV45 E6	10	84
HPV45 E2	11	39	HPV45 E6	10	89
HPV45 E2	9	166	HPV45 E6	11	89
HPV45 E2	10	166	HPV45 E6	8	38
HPV45 E2	11	166	HPV45 E6	10	38
HPV45 E2	8	145	HPV45 E6	11	38
HPV45 E2	11	175	HPV45 E6	10	8
HPV45 E2	8	137	HPV45 E6	8	45
HPV45 E2	9	137	HPV45 E6	9	45
HPV45 E2	10	137	HPV45 E6	10	45
HPV45 E6	11	59	HPV45 E6	11	45
HPV45 E6	8	68	HPV45 E7	8	48
HPV45 E6	11	68	HPV45 E7	10	64
HPV45 E6	8	105	HPV45 E7	8	25
HPV45 E6	11	105	HPV45 E7	8	83
HPV45 E6	8	108	HPV45 E7	9	83
HPV45 E6	8	32	HPV45 E7	10	83
HPV45 E6	10	16	HPV45 E7	8	22
HPV45 E6	10	51	HPV45 E7	11	22
HPV45 E6	11	51	HPV45 E7	8	20
HPV45 E6	9	6	HPV45 E7	10	20
HPV45 E6	8	143	HPV45 E7	8	74
HPV45 E6	8	27	HPV45 E7	11	74
HPV45 E6	11	27	HPV45 E7	9	16
HPV45 E6	9	20	HPV45 E7	11	16
HPV45 E6	11	20	HPV45 E7	8	56
HPV45 E6	9	77	HPV45 E7	10	56
HPV45 E6	10	77	HPV45 E7	8	91
HPV45 E6	10	97	HPV45 E7	11	91
HPV45 E6	10	43	HPV45 E7	9	3
HPV45 E6	11	43	HPV45 E7	10	3
HPV45 E6	8	53	HPV45 E7	11	3
HPV45 E6	9	53	HPV45 E7	9	44
HPV45 E6	10	53	HPV45 E7	8	14
HPV45 E6	11	53	HPV45 E7	11	14
HPV45 E6	10	136	HPV45 E7	11	11
HPV45 E6	8	120	HPV45 E7	8	8
HPV45 E6	11	120	HPV45 E7	9	87
HPV45 E6	8	54	HPV45 E7	11	87
HPV45 E6	9	54	HPV45 E7	8	17
HPV45 E6	10	54	HPV45 E7	10	17

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 E7	11	17	HPV45 L1	8	280
HPV45 E7	9	57	HPV45 L1	9	280
HPV45 E7	10	23	HPV45 L1	9	416
HPV45 E7	9	89	HPV45 L1	10	246
HPV45 E7	10	89	HPV45 L1	8	404
HPV45 E7	8	88	HPV45 L1	10	404
HPV45 E7	10	88	HPV45 L1	8	14
HPV45 E7	11	88	HPV45 L1	10	14
HPV45 E7	10	72	HPV45 L1	11	14
HPV45 E7	9	7	HPV45 L1	8	21
HPV45 E7	10	86	HPV45 L1	9	21
HPV45 E7	8	94	HPV45 L1	10	21
HPV45 E7	10	94	HPV45 L1	8	406
HPV45 E7	9	76	HPV45 L1	10	406
HPV45 E7	10	12	HPV45 L1	8	351
HPV45 L1	11	191	HPV45 L1	9	351
HPV45 L1	8	103	HPV45 L1	10	351
HPV45 L1	10	103	HPV45 L1	9	141
HPV45 L1	10	28	HPV45 L1	10	141
HPV45 L1	11	28	HPV45 L1	9	10
HPV45 L1	8	345	HPV45 L1	11	10
HPV45 L1	10	345	HPV45 L1	8	111
HPV45 L1	11	205	HPV45 L1	8	503
HPV45 L1	11	164	HPV45 L1	8	143
HPV45 L1	8	88	HPV45 L1	11	143
HPV45 L1	10	88	HPV45 L1	10	131
HPV45 L1	8	184	HPV45 L1	8	511
HPV45 L1	9	184	HPV45 L1	8	137
HPV45 L1	8	276	HPV45 L1	11	292
HPV45 L1	9	276	HPV45 L1	10	435
HPV45 L1	10	212	HPV45 L1	11	435
HPV45 L1	11	212	HPV45 L1	9	396
HPV45 L1	10	252	HPV45 L1	10	396
HPV45 L1	11	252	HPV45 L1	11	396
HPV45 L1	9	188	HPV45 L1	8	221
HPV45 L1	10	188	HPV45 L1	9	12
HPV45 L1	11	318	HPV45 L1	10	12
HPV45 L1	9	250	HPV45 L1	8	11
HPV45 L1	11	488	HPV45 L1	10	11
HPV45 L1	10	480	HPV45 L1	11	11
HPV45 L1	8	401	HPV45 L1	8	5
HPV45 L1	11	401	HPV45 L1	9	5
HPV45 L1	9	301	HPV45 L1	10	5
HPV45 L1	11	301	HPV45 L1	11	5
HPV45 L1	9	226	HPV45 L1	9	428
HPV45 L1	10	226	HPV45 L1	8	185
HPV45 L1	8	386	HPV45 L1	8	152
HPV45 L1	8	469	HPV45 L1	10	152
HPV45 L1	9	469	HPV45 L1	11	152
HPV45 L1	11	469	HPV45 L1	9	473
HPV45 L1	8	267	HPV45 L1	8	338
HPV45 L1	9	267	HPV45 L1	9	86
HPV45 L1	11	267	HPV45 L1	10	86
HPV45 L1	9	490	HPV45 L1	8	467
HPV45 L1	10	490	HPV45 L1	10	467
HPV45 L1	11	490	HPV45 L1	11	467
HPV45 L1	8	169	HPV45 L1	8	179
HPV45 L1	10	169	HPV45 L1	11	179
HPV45 L1	8	133	HPV45 L1	9	91
HPV45 L1	10	133	HPV45 L1	10	91

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 L1	8	68	HPV45 L1	10	182
HPV45 L1	9	68	HPV45 L1	11	182
HPV45 L1	11	68	HPV45 L1	9	407
HPV45 L1	9	104	HPV45 L1	11	407
HPV45 L1	9	39	HPV45 L1	8	281
HPV45 L1	10	39	HPV45 L1	11	281
HPV45 L1	8	240	HPV45 L1	8	334
HPV45 L1	10	240	HPV45 L1	9	334
HPV45 L1	10	402	HPV45 L1	10	206
HPV45 L1	8	262	HPV45 L1	11	263
HPV45 L1	9	207	HPV45 L1	8	208
HPV45 L1	11	207	HPV45 L1	10	208
HPV45 L1	8	444	HPV45 L1	9	67
HPV45 L1	11	444	HPV45 L1	10	67
HPV45 L1	8	125	HPV45 L1	9	124
HPV45 L1	10	125	HPV45 L1	11	124
HPV45 L1	8	227	HPV45 L1	9	515
HPV45 L1	9	227	HPV45 L1	8	525
HPV45 L1	11	227	HPV45 L1	8	31
HPV45 L1	8	4	HPV45 L1	9	31
HPV45 L1	9	4	HPV45 L1	11	507
HPV45 L1	10	4	HPV45 L1	10	101
HPV45 L1	11	4	HPV45 L1	8	46
HPV45 L1	10	310	HPV45 L1	9	46
HPV45 L1	11	310	HPV45 L1	8	254
HPV45 L1	8	119	HPV45 L1	9	254
HPV45 L1	9	119	HPV45 L1	11	254
HPV45 L1	10	119	HPV45 L1	11	58
HPV45 L1	11	73	HPV45 L1	8	427
HPV45 L1	8	356	HPV45 L1	10	427
HPV45 L1	9	19	HPV45 L1	9	327
HPV45 L1	10	19	HPV45 L1	10	327
HPV45 L1	11	19	HPV45 L1	8	443
HPV45 L1	8	17	HPV45 L1	9	443
HPV45 L1	9	17	HPV45 L1	11	272
HPV45 L1	11	17	HPV45 L1	10	423
HPV45 L1	11	173	HPV45 L1	8	321
HPV45 L1	8	22	HPV45 L1	8	333
HPV45 L1	9	22	HPV45 L1	9	333
HPV45 L1	8	248	HPV45 L1	10	333
HPV45 L1	11	248	HPV45 L1	11	43
HPV45 L1	8	214	HPV45 L1	9	175
HPV45 L1	9	214	HPV45 L1	11	175
HPV45 L1	11	139	HPV45 L1	9	509
HPV45 L1	8	493	HPV45 L1	10	509
HPV45 L1	10	493	HPV45 L1	8	220
HPV45 L1	8	464	HPV45 L1	9	220
HPV45 L1	11	464	HPV45 L1	8	410
HPV45 L1	9	213	HPV45 L1	9	410
HPV45 L1	10	213	HPV45 L1	11	410
HPV45 L1	8	437	HPV45 L1	10	116
HPV45 L1	9	437	HPV45 L1	11	116
HPV45 L1	8	40	HPV45 L1	10	372
HPV45 L1	9	40	HPV45 L1	8	200
HPV45 L1	8	438	HPV45 L1	9	239
HPV45 L1	11	438	HPV45 L1	11	239
HPV45 L1	8	41	HPV45 L1	9	412
HPV45 L1	10	439	HPV45 L1	10	412
HPV45 L1	11	380	HPV45 L1	9	463
HPV45 L1	8	182	HPV45 L1	8	167

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 L1	10	167	HPV45 L2	8	100
HPV45 L1	9	181	HPV45 L2	9	83
HPV45 L1	11	181	HPV45 L2	10	83
HPV45 L1	9	377	HPV45 L2	11	83
HPV45 L1	9	122	HPV45 L2	11	30
HPV45 L1	11	122	HPV45 L2	10	397
HPV45 L1	8	478	HPV45 L2	11	397
HPV45 L1	9	70	HPV45 L2	10	348
HPV45 L1	10	70	HPV45 L2	8	331
HPV45 L1	8	297	HPV45 L2	10	331
HPV45 L1	11	361	HPV45 L2	8	194
HPV45 L1	9	36	HPV45 L2	11	129
HPV45 L1	10	36	HPV45 L2	8	333
HPV45 L1	10	165	HPV45 L2	8	208
HPV45 L1	10	293	HPV45 L2	11	208
HPV45 L1	11	293	HPV45 L2	9	257
HPV45 L1	8	417	HPV45 L2	11	266
HPV45 L1	8	189	HPV45 L2	10	94
HPV45 L1	9	189	HPV45 L2	11	94
HPV45 L1	9	89	HPV45 L2	8	169
HPV45 L1	11	89	HPV45 L2	8	175
HPV45 L1	9	247	HPV45 L2	8	241
HPV45 L1	10	381	HPV45 L2	9	241
HPV45 L1	9	436	HPV45 L2	11	241
HPV45 L1	10	436	HPV45 L2	11	276
HPV45 L1	10	79	HPV45 L2	8	445
HPV45 L1	11	79	HPV45 L2	10	445
HPV45 L1	11	500	HPV45 L2	11	445
HPV45 L1	10	362	HPV45 L2	9	51
HPV45 L1	8	47	HPV45 L2	8	430
HPV45 L1	11	78	HPV45 L2	9	430
HPV45 L1	9	420	HPV45 L2	10	430
HPV45 L1	10	420	HPV45 L2	8	223
HPV45 L1	9	303	HPV45 L2	8	97
HPV45 L1	8	38	HPV45 L2	10	97
HPV45 L1	10	38	HPV45 L2	11	97
HPV45 L1	11	38	HPV45 L2	8	85
HPV45 L1	9	261	HPV45 L2	9	85
HPV45 L1	9	258	HPV45 L2	8	244
HPV45 L1	8	492	HPV45 L2	10	167
HPV45 L1	9	492	HPV45 L2	9	406
HPV45 L1	11	492	HPV45 L2	10	406
HPV45 L1	8	95	HPV45 L2	8	279
HPV45 L1	9	95	HPV45 L2	9	279
HPV45 L1	10	95	HPV45 L2	8	407
HPV45 L1	8	53	HPV45 L2	9	407
HPV45 L1	9	53	HPV45 L2	9	44
HPV45 L1	11	53	HPV45 L2	10	44
HPV45 L2	9	286	HPV45 L2	11	44
HPV45 L2	11	286	HPV45 L2	9	452
HPV45 L2	9	139	HPV45 L2	10	452
HPV45 L2	9	27	HPV45 L2	11	452
HPV45 L2	10	405	HPV45 L2	10	103
HPV45 L2	11	405	HPV45 L2	11	103
HPV45 L2	9	278	HPV45 L2	8	43
HPV45 L2	10	278	HPV45 L2	10	43
HPV45 L2	11	322	HPV45 L2	11	43
HPV45 L2	9	142	HPV45 L2	9	311
HPV45 L2	11	142	HPV45 L2	10	311
HPV45 L2	9	345	HPV45 L2	10	22

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 L2	11	22	HPV45 L2	8	316
HPV45 L2	8	34	HPV45 L2	11	316
HPV45 L2	11	34	HPV45 L2	8	220
HPV45 L2	10	337	HPV45 L2	11	220
HPV45 L2	11	337	HPV45 L2	8	235
HPV45 L2	8	408	HPV45 L2	11	166
HPV45 L2	8	45	HPV45 L2	11	151
HPV45 L2	9	45	HPV45 L2	11	102
HPV45 L2	10	45	HPV45 L2	9	49
HPV45 L2	8	106	HPV45 L2	11	49
HPV45 L2	9	106	HPV45 L2	8	374
HPV45 L2	8	248	HPV45 L2	9	374
HPV45 L2	9	248	HPV45 L2	9	247
HPV45 L2	9	377	HPV45 L2	10	247
HPV45 L2	9	159	HPV45 L2	9	324
HPV45 L2	10	159	HPV45 L2	11	324
HPV45 L2	11	253	HPV45 L2	10	419
HPV45 L2	11	231	HPV45 L2	11	419
HPV45 L2	8	270	HPV45 L2	10	239
HPV45 L2	10	270	HPV45 L2	11	239
HPV45 L2	11	270	HPV45 L2	9	149
HPV45 L2	9	387	HPV45 L2	9	111
HPV45 L2	10	387	HPV45 L2	8	363
HPV45 L2	8	325	HPV45 L2	11	363
HPV45 L2	10	325	HPV45 L2	9	39
HPV45 L2	10	209	HPV45 L2	10	262
HPV45 L2	8	399	HPV45 L2	8	105
HPV45 L2	9	399	HPV45 L2	9	105
HPV45 L2	10	399	HPV45 L2	10	105
HPV45 L2	8	258	HPV45 L2	10	304
HPV45 L2	9	73	HPV45 L2	10	376
HPV45 L2	10	73	HPV45 L2	11	137
HPV45 L2	11	336	HPV45 L2	9	213
HPV45 L2	8	214	HPV45 L2	9	360
HPV45 L2	8	391	HPV45 L2	11	360
HPV45 L2	10	391	HPV45 L2	9	184
HPV45 L2	11	391	HPV45 L2	9	144
HPV45 L2	11	413	HPV45 L2	8	434
HPV45 L2	10	355	HPV45 L2	9	434
HPV45 L2	8	28	HPV45 L2	10	434
HPV45 L2	11	354	HPV45 L2	11	434
HPV45 L2	8	89	HPV45 L2	8	389
HPV45 L2	10	171	HPV45 L2	10	389
HPV45 L2	11	171	HPV45 L2	11	293
HPV45 L2	9	95	HPV45 L2	10	217
HPV45 L2	10	95	HPV45 L2	11	217
HPV45 L2	11	118	HPV45 L2	10	31
HPV45 L2	8	312	HPV45 L2	11	31
HPV45 L2	9	312	HPV45 L2	8	140
HPV45 L2	10	232	HPV45 L2	11	140
HPV45 L2	11	232	HPV45 L2	9	271
HPV45 L2	9	233	HPV45 L2	10	271
HPV45 L2	10	233	HPV45 L2	9	398
HPV45 L2	10	451	HPV45 L2	10	398
HPV45 L2	11	451	HPV45 L2	11	398
HPV45 L2	8	298	HPV45 L2	10	72
HPV45 L2	9	298	HPV45 L2	11	72
HPV45 L2	10	225	HPV45 L2	9	390
HPV45 L2	11	284	HPV45 L2	11	390
HPV45 L2	9	88	HPV45 L2	11	170

Table XIV  
HLA-B62 Supermotif Peptides

HPV45 L2	10	119	HPV56 E2	10	1
HPV45 L2	8	112	HPV56 E2	8	149
HPV45 L2	11	112	HPV56 E2	11	149
HPV45 L2	11	81	HPV56 E2	8	152
HPV45 L2	9	415	HPV56 E2	8	301
HPV45 L2	9	428	HPV56 E2	11	19
HPV45 L2	10	428	HPV56 E2	10	6
HPV45 L2	11	428	HPV56 E2	11	6
HPV45 L2	8	437	HPV56 E2	9	246
HPV45 L2	9	437	HPV56 E2	8	182
HPV45 L2	8	370	HPV56 E2	9	186
HPV45 L2	11	71	HPV56 E2	8	135
HPV56 E2	8	15	HPV56 E2	9	151
HPV56 E2	11	15	HPV56 E2	8	171
HPV56 E2	9	21	HPV56 E2	9	171
HPV56 E2	10	21	HPV56 E2	8	141
HPV56 E2	9	4	HPV56 E2	10	141
HPV56 E2	9	71	HPV56 E2	8	28
HPV56 E2	10	71	HPV56 E2	10	28
HPV56 E2	11	71	HPV56 E2	10	259
HPV56 E2	11	138	HPV56 E2	9	36
HPV56 E2	8	204	HPV56 E2	10	36
HPV56 E2	8	263	HPV56 E2	11	36
HPV56 E2	11	43	HPV56 E2	10	289
HPV56 E2	10	243	HPV56 E2	9	2
HPV56 E2	9	128	HPV56 E2	11	2
HPV56 E2	10	128	HPV56 E2	8	18
HPV56 E2	9	17	HPV56 E2	11	237
HPV56 E2	9	294	HPV56 E2	9	45
HPV56 E2	10	294	HPV56 E2	8	88
HPV56 E2	11	294	HPV56 E2	10	88
HPV56 E2	8	254	HPV56 E2	10	79
HPV56 E2	9	254	HPV56 E2	8	74
HPV56 E2	11	254	HPV56 E2	9	74
HPV56 E2	8	261	HPV56 E2	9	102
HPV56 E2	10	261	HPV56 E2	10	102
HPV56 E2	8	57	HPV56 E6	8	64
HPV56 E2	8	94	HPV56 E6	9	64
HPV56 E2	9	94	HPV56 E6	10	64
HPV56 E2	10	94	HPV56 E6	8	69
HPV56 E2	9	239	HPV56 E6	11	69
HPV56 E2	8	130	HPV56 E6	8	33
HPV56 E2	9	229	HPV56 E6	11	33
HPV56 E2	10	229	HPV56 E6	8	28
HPV56 E2	8	297	HPV56 E6	9	23
HPV56 E2	10	297	HPV56 E6	10	52
HPV56 E2	11	297	HPV56 E6	8	39
HPV56 E2	8	300	HPV56 E6	10	39
HPV56 E2	9	300	HPV56 E6	11	39
HPV56 E2	8	299	HPV56 E6	8	20
HPV56 E2	9	299	HPV56 E6	10	20
HPV56 E2	10	299	HPV56 E6	10	44
HPV56 E2	8	90	HPV56 E6	8	61
HPV56 E2	11	90	HPV56 E6	10	61
HPV56 E2	8	5	HPV56 E6	11	61
HPV56 E2	11	5	HPV56 E6	8	17
HPV56 E2	8	72	HPV56 E6	10	17
HPV56 E2	9	72	HPV56 E6	11	17
HPV56 E2	10	72	HPV56 E6	8	24
HPV56 E2	11	72	HPV56 E6	11	24

Table XIV  
HLA-B62 Supermotif Peptides

HPV56 E6	8	54	HPV56 E7	10	4
HPV56 E6	10	54	HPV56 E7	11	60
HPV56 E6	11	54	HPV56 E7	8	89
HPV56 E6	8	97	HPV56 E7	11	90
HPV56 E6	11	97	HPV56 E7	8	8
HPV56 E6	11	118	HPV56 E7	8	43
HPV56 E6	8	75	HPV56 E7	11	43
HPV56 E6	10	75	HPV56 E7	11	73
HPV56 E6	11	130	HPV56 E7	9	88
HPV56 E6	9	26	HPV56 E7	8	87
HPV56 E6	10	26	HPV56 E7	10	87
HPV56 E6	11	103	HPV56 E7	8	46
HPV56 E6	10	70	HPV56 E7	9	51
HPV56 E6	9	55	HPV56 E7	10	51
HPV56 E6	10	55	HPV56 E7	11	51
HPV56 E6	11	55	HPV56 E7	8	84
HPV56 E6	9	7	HPV56 E7	10	84
HPV56 E6	10	25	HPV56 E7	11	84
HPV56 E6	11	25	HPV56 E7	9	7
HPV56 E6	9	112	HPV56 E7	8	16
HPV56 E6	8	8	HPV56 E7	8	95
HPV56 E6	11	8	HPV56 E7	10	12
HPV56 E6	10	98	HPV56 E7	8	63
HPV56 E6	10	119	HPV56 E7	9	63
HPV56 E6	11	30	HPV56 E7	10	63
HPV56 E6	8	11	HPV56 E7	8	5
HPV56 E6	11	11	HPV56 E7	9	5
HPV56 E6	10	67	HPV56 E7	11	5
HPV56 E6	10	93	HPV56 E7	8	86
HPV56 E6	11	93	HPV56 E7	9	86
HPV56 E6	8	14	HPV56 E7	11	86
HPV56 E6	9	14	HPV56 E7	11	11
HPV56 E6	11	14	HPV56 E7	9	85
HPV56 E6	10	111	HPV56 E7	10	85
HPV56 E6	10	85	HPV56 L1	10	198
HPV56 E6	10	90	HPV56 L1	11	198
HPV56 E6	9	21	HPV56 L1	9	521
HPV56 E6	11	21	HPV56 L1	8	350
HPV56 E7	8	93	HPV56 L1	10	350
HPV56 E7	10	93	HPV56 L1	8	338
HPV56 E7	9	75	HPV56 L1	9	338
HPV56 E7	11	75	HPV56 L1	10	338
HPV56 E7	8	22	HPV56 L1	10	512
HPV56 E7	8	82	HPV56 L1	8	207
HPV56 E7	9	82	HPV56 L1	9	79
HPV56 E7	10	82	HPV56 L1	8	26
HPV56 E7	10	20	HPV56 L1	9	26
HPV56 E7	8	14	HPV56 L1	11	26
HPV56 E7	10	14	HPV56 L1	8	19
HPV56 E7	9	42	HPV56 L1	9	19
HPV56 E7	9	62	HPV56 L1	11	19
HPV56 E7	10	62	HPV56 L1	8	191
HPV56 E7	11	62	HPV56 L1	9	191
HPV56 E7	8	76	HPV56 L1	11	219
HPV56 E7	10	76	HPV56 L1	9	257
HPV56 E7	11	76	HPV56 L1	11	491
HPV56 E7	8	54	HPV56 L1	9	233
HPV56 E7	10	54	HPV56 L1	10	233
HPV56 E7	8	4	HPV56 L1	8	472
HPV56 E7	9	4	HPV56 L1	9	472

Table XIV  
HLA-B62 Supermotif Peptides

HPV56 L1	11	472	HPV56 L1	9	413
HPV56 L1	8	11	HPV56 L1	10	413
HPV56 L1	10	11	HPV56 L1	11	413
HPV56 L1	11	11	HPV56 L1	11	270
HPV56 L1	8	128	HPV56 L1	8	343
HPV56 L1	10	128	HPV56 L1	8	470
HPV56 L1	9	493	HPV56 L1	10	470
HPV56 L1	10	493	HPV56 L1	11	470
HPV56 L1	11	493	HPV56 L1	8	186
HPV56 L1	8	23	HPV56 L1	8	300
HPV56 L1	10	23	HPV56 L1	10	300
HPV56 L1	11	23	HPV56 L1	11	300
HPV56 L1	8	481	HPV56 L1	8	245
HPV56 L1	8	404	HPV56 L1	10	245
HPV56 L1	11	404	HPV56 L1	9	98
HPV56 L1	8	318	HPV56 L1	10	98
HPV56 L1	9	318	HPV56 L1	8	55
HPV56 L1	10	318	HPV56 L1	9	55
HPV56 L1	8	287	HPV56 L1	9	45
HPV56 L1	9	287	HPV56 L1	11	224
HPV56 L1	8	383	HPV56 L1	8	77
HPV56 L1	11	383	HPV56 L1	9	77
HPV56 L1	11	464	HPV56 L1	11	77
HPV56 L1	8	140	HPV56 L1	9	431
HPV56 L1	10	140	HPV56 L1	11	502
HPV56 L1	9	419	HPV56 L1	9	111
HPV56 L1	11	419	HPV56 L1	9	48
HPV56 L1	9	21	HPV56 L1	10	48
HPV56 L1	10	21	HPV56 L1	11	48
HPV56 L1	8	30	HPV56 L1	9	484
HPV56 L1	10	30	HPV56 L1	8	247
HPV56 L1	8	495	HPV56 L1	10	247
HPV56 L1	9	495	HPV56 L1	10	405
HPV56 L1	11	495	HPV56 L1	11	347
HPV56 L1	8	409	HPV56 L1	8	132
HPV56 L1	10	409	HPV56 L1	10	132
HPV56 L1	8	407	HPV56 L1	8	234
HPV56 L1	10	407	HPV56 L1	9	234
HPV56 L1	8	356	HPV56 L1	11	234
HPV56 L1	9	356	HPV56 L1	8	333
HPV56 L1	10	356	HPV56 L1	9	333
HPV56 L1	8	17	HPV56 L1	8	2
HPV56 L1	10	17	HPV56 L1	8	1
HPV56 L1	11	17	HPV56 L1	9	1
HPV56 L1	10	138	HPV56 L1	10	5
HPV56 L1	8	118	HPV56 L1	10	503
HPV56 L1	8	150	HPV56 L1	11	503
HPV56 L1	11	150	HPV56 L1	8	436
HPV56 L1	10	438	HPV56 L1	9	436
HPV56 L1	8	144	HPV56 L1	8	95
HPV56 L1	9	399	HPV56 L1	10	95
HPV56 L1	10	399	HPV56 L1	11	180
HPV56 L1	11	399	HPV56 L1	10	123
HPV56 L1	9	96	HPV56 L1	11	123
HPV56 L1	11	96	HPV56 L1	8	167
HPV56 L1	8	192	HPV56 L1	8	430
HPV56 L1	8	258	HPV56 L1	10	430
HPV56 L1	11	258	HPV56 L1	10	483
HPV56 L1	9	392	HPV56 L1	10	426
HPV56 L1	8	413	HPV56 L1	11	375

Table XIV  
HLA-B62 Supermotif Peptides

HPV56 L1	8	126	HPV56 L1	8	40
HPV56 L1	9	126	HPV56 L1	9	40
HPV56 L1	10	126	HPV56 L1	10	108
HPV56 L1	8	361	HPV56 L1	11	67
HPV56 L1	10	394	HPV56 L1	8	446
HPV56 L1	9	28	HPV56 L1	9	446
HPV56 L1	10	28	HPV56 L1	9	332
HPV56 L1	10	172	HPV56 L1	10	332
HPV56 L1	8	228	HPV56 L1	11	279
HPV56 L1	9	31	HPV56 L1	8	440
HPV56 L1	8	473	HPV56 L1	9	182
HPV56 L1	10	473	HPV56 L1	11	182
HPV56 L1	9	221	HPV56 L1	11	86
HPV56 L1	11	255	HPV56 L1	11	323
HPV56 L1	11	146	HPV56 L1	8	304
HPV56 L1	8	496	HPV56 L1	9	377
HPV56 L1	10	496	HPV56 L1	8	415
HPV56 L1	8	13	HPV56 L1	9	415
HPV56 L1	9	13	HPV56 L1	10	415
HPV56 L1	10	13	HPV56 L1	8	196
HPV56 L1	11	4	HPV56 L1	8	227
HPV56 L1	10	220	HPV56 L1	9	227
HPV56 L1	9	12	HPV56 L1	11	328
HPV56 L1	10	12	HPV56 L1	8	51
HPV56 L1	11	12	HPV56 L1	11	188
HPV56 L1	8	319	HPV56 L1	11	212
HPV56 L1	9	319	HPV56 L1	11	366
HPV56 L1	8	320	HPV56 L1	9	173
HPV56 L1	9	466	HPV56 L1	11	173
HPV56 L1	10	466	HPV56 L1	9	246
HPV56 L1	8	49	HPV56 L1	11	246
HPV56 L1	9	49	HPV56 L1	8	420
HPV56 L1	10	49	HPV56 L1	10	420
HPV56 L1	11	441	HPV56 L1	10	259
HPV56 L1	10	442	HPV56 L1	11	259
HPV56 L1	11	52	HPV56 L1	8	56
HPV56 L1	10	189	HPV56 L1	10	367
HPV56 L1	11	189	HPV56 L1	8	7
HPV56 L1	9	410	HPV56 L1	10	7
HPV56 L1	11	410	HPV56 L1	9	423
HPV56 L1	8	288	HPV56 L1	10	423
HPV56 L1	11	288	HPV56 L1	8	268
HPV56 L1	8	339	HPV56 L1	9	268
HPV56 L1	9	339	HPV56 L1	10	47
HPV56 L1	9	504	HPV56 L1	11	47
HPV56 L1	10	504	HPV56 L1	8	396
HPV56 L1	11	504	HPV56 L1	10	396
HPV56 L1	10	384	HPV56 L1	8	283
HPV56 L1	10	465	HPV56 L1	9	283
HPV56 L1	11	465	HPV56 L1	9	265
HPV56 L1	10	213	HPV56 L1	11	265
HPV56 L1	11	213	HPV56 L1	8	102
HPV56 L1	10	159	HPV56 L1	10	102
HPV56 L1	11	159	HPV56 L1	9	325
HPV56 L1	9	76	HPV56 L1	10	325
HPV56 L1	10	76	HPV56 L1	8	62
HPV56 L1	8	110	HPV56 L1	9	62
HPV56 L1	10	110	HPV56 L1	11	62
HPV56 L1	9	131	HPV56 L2	8	438
HPV56 L1	11	131	HPV56 L2	9	271

Table XIV  
HLA-B62 Supermotif Peptides

HPV56 L2	10	271	HPV56 L2	8	269
HPV56 L2	11	271	HPV56 L2	9	269
HPV56 L2	9	358	HPV56 L2	11	269
HPV56 L2	10	358	HPV56 L2	11	293
HPV56 L2	11	391	HPV56 L2	8	156
HPV56 L2	11	170	HPV56 L2	9	372
HPV56 L2	8	223	HPV56 L2	11	372
HPV56 L2	9	223	HPV56 L2	11	151
HPV56 L2	8	327	HPV56 L2	10	180
HPV56 L2	11	327	HPV56 L2	8	44
HPV56 L2	10	201	HPV56 L2	10	44
HPV56 L2	9	27	HPV56 L2	11	44
HPV56 L2	8	322	HPV56 L2	8	215
HPV56 L2	11	322	HPV56 L2	9	215
HPV56 L2	9	142	HPV56 L2	8	195
HPV56 L2	11	142	HPV56 L2	10	119
HPV56 L2	11	406	HPV56 L2	10	453
HPV56 L2	10	349	HPV56 L2	11	453
HPV56 L2	9	238	HPV56 L2	8	432
HPV56 L2	11	238	HPV56 L2	9	432
HPV56 L2	8	273	HPV56 L2	11	432
HPV56 L2	9	273	HPV56 L2	9	305
HPV56 L2	10	273	HPV56 L2	11	305
HPV56 L2	8	100	HPV56 L2	8	279
HPV56 L2	8	425	HPV56 L2	9	279
HPV56 L2	9	83	HPV56 L2	11	81
HPV56 L2	10	83	HPV56 L2	10	407
HPV56 L2	11	83	HPV56 L2	10	103
HPV56 L2	11	30	HPV56 L2	11	103
HPV56 L2	9	429	HPV56 L2	8	34
HPV56 L2	10	429	HPV56 L2	11	34
HPV56 L2	11	429	HPV56 L2	8	43
HPV56 L2	8	331	HPV56 L2	9	43
HPV56 L2	10	331	HPV56 L2	11	43
HPV56 L2	8	194	HPV56 L2	10	22
HPV56 L2	9	194	HPV56 L2	11	22
HPV56 L2	11	129	HPV56 L2	8	376
HPV56 L2	8	333	HPV56 L2	8	235
HPV56 L2	8	208	HPV56 L2	9	181
HPV56 L2	11	208	HPV56 L2	8	337
HPV56 L2	9	36	HPV56 L2	11	337
HPV56 L2	10	36	HPV56 L2	8	373
HPV56 L2	8	175	HPV56 L2	10	373
HPV56 L2	9	162	HPV56 L2	11	373
HPV56 L2	8	241	HPV56 L2	8	409
HPV56 L2	9	241	HPV56 L2	10	409
HPV56 L2	11	241	HPV56 L2	11	409
HPV56 L2	11	276	HPV56 L2	9	45
HPV56 L2	10	231	HPV56 L2	10	45
HPV56 L2	11	231	HPV56 L2	8	106
HPV56 L2	9	418	HPV56 L2	8	248
HPV56 L2	8	188	HPV56 L2	9	248
HPV56 L2	10	188	HPV56 L2	11	334
HPV56 L2	11	118	HPV56 L2	9	353
HPV56 L2	8	360	HPV56 L2	11	179
HPV56 L2	9	346	HPV56 L2	9	278
HPV56 L2	8	412	HPV56 L2	10	278
HPV56 L2	8	97	HPV56 L2	11	253
HPV56 L2	10	97	HPV56 L2	9	159
HPV56 L2	11	97	HPV56 L2	10	159

Table XIV  
HLA-B62 Supermotif Peptides

HPV56 L2	9	388	HPV56 L2	9	363
HPV56 L2	10	388	HPV56 L2	11	363
HPV56 L2	8	395	HPV56 L2	9	365
HPV56 L2	8	325	HPV56 L2	11	365
HPV56 L2	10	325	HPV56 L2	9	95
HPV56 L2	9	374	HPV56 L2	10	95
HPV56 L2	10	374	HPV56 L2	9	111
HPV56 L2	8	214	HPV56 L2	10	304
HPV56 L2	9	214	HPV56 L2	8	80
HPV56 L2	10	214	HPV56 L2	11	379
HPV56 L2	10	209	HPV56 L2	8	105
HPV56 L2	10	254	HPV56 L2	9	105
HPV56 L2	11	254	HPV56 L2	9	247
HPV56 L2	8	160	HPV56 L2	10	247
HPV56 L2	9	160	HPV56 L2	8	85
HPV56 L2	11	160	HPV56 L2	9	85
HPV56 L2	10	392	HPV56 L2	9	399
HPV56 L2	11	392	HPV56 L2	10	399
HPV56 L2	9	73	HPV56 L2	11	399
HPV56 L2	10	73	HPV56 L2	9	213
HPV56 L2	9	336	HPV56 L2	10	213
HPV56 L2	8	89	HPV56 L2	11	213
HPV56 L2	11	420	HPV56 L2	8	368
HPV56 L2	10	171	HPV56 L2	9	184
HPV56 L2	11	171	HPV56 L2	9	144
HPV56 L2	11	166	HPV56 L2	9	311
HPV56 L2	8	312	HPV56 L2	10	311
HPV56 L2	9	312	HPV56 L2	11	311
HPV56 L2	10	312	HPV56 L2	9	15
HPV56 L2	8	16	HPV56 L2	9	149
HPV56 L2	10	335	HPV56 L2	10	167
HPV56 L2	9	232	HPV56 L2	8	112
HPV56 L2	10	232	HPV56 L2	11	112
HPV56 L2	11	232	HPV56 L2	11	140
HPV56 L2	8	233	HPV56 L2	9	408
HPV56 L2	9	233	HPV56 L2	11	408
HPV56 L2	10	233	HPV56 L2	10	72
HPV56 L2	8	220	HPV56 L2	11	72
HPV56 L2	11	220	HPV56 L2	8	419
HPV56 L2	11	452	HPV56 L2	10	31
HPV56 L2	8	298	HPV56 L2	11	31
HPV56 L2	10	225	HPV56 L2	9	416
HPV56 L2	11	284	HPV56 L2	11	416
HPV56 L2	8	244	HPV56 L2	8	431
HPV56 L2	9	88	HPV56 L2	9	431
HPV56 L2	8	77	HPV56 L2	10	431
HPV56 L2	11	77	HPV56 L2	11	71
HPV56 L2	8	316			
HPV56 L2	11	316			
HPV56 L2	11	102			
HPV56 L2	9	262			
HPV56 L2	10	262			
HPV56 L2	9	49			
HPV56 L2	11	49			
HPV56 L2	9	324			
HPV56 L2	11	324			
HPV56 L2	11	266			
HPV56 L2	9	422			
HPV56 L2	10	422			
HPV56 L2	11	422			

SF 1168123 v1

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	286	E6	10	96
L2	11	286	L2	9	356
L2	10	112	L2	9	404
L2	11	112	E1	8	570
E1	11	112	E1	10	570
E1	11	22	L2	11	347
E2	10	250	L2	10	396
E4	8	14	E2	9	313
E1	11	520	E1	11	81
E1	10	207	E2	9	25
L1	8	81	L1	11	366
L2	8	421	E7	8	14
L2	9	421	L1	9	208
E6	8	37	L1	11	208
E6	10	37	E1	10	203
E5	8	79	E1	11	46
E5	9	79	L1	10	195
E1	9	319	L2	8	101
L2	9	271	L1	8	89
L2	10	271	L1	9	89
E1	10	337	E7	8	19
E1	11	337	L1	8	236
E2	8	326	L1	9	236
E2	10	326	L1	10	236
L2	10	410	L1	8	434
L1	8	158	L1	9	434
L2	9	217	L1	11	434
L2	8	98	L2	11	42
L2	11	98	E6	11	14
L2	9	182	L1	9	455
L2	9	327	L2	11	30
L2	8	341	L2	11	258
L2	9	341	E2	10	136
L1	8	312	E2	11	136
L1	10	312	L2	8	332
L1	8	300	L2	8	192
L1	9	300	L2	9	192
E4	10	3	E1	9	105
L1	9	43	L2	10	120
E1	10	601	L1	11	453
E6	8	67	E1	10	604
E6	11	67	E1	11	604
E6	9	137	E1	9	131
E2	10	35	E1	10	417
E5	9	77	E1	11	417
E5	10	77	E1	11	360
E5	11	77	E2	11	100
L2	9	27	L2	11	354
L1	10	181	E1	9	257
L1	11	181	E1	11	257
E1	10	560	E1	9	309
E2	9	11	L2	11	162
E2	8	252	L2	10	95
E4	9	64	L2	11	95
E4	11	64	L1	8	265
E1	8	369	L1	9	265
E1	10	369	E2	10	90
L1	9	219	E7	11	27
L2	10	278	L1	8	249
			L1	9	249

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

E2	9	341	L1	11	144
E2	10	341	E2	10	55
E2	8	185	E1	8	273
E2	9	185	E1	10	273
E1	10	141	L2	11	402
E1	9	39	L2	8	85
E1	10	39	L2	9	85
E6	8	113	L2	10	85
L1	11	262	E1	9	478
L1	10	103	E1	10	478
L1	9	381	L2	8	206
L1	8	443	E2	11	257
E2	10	205	L2	10	425
E1	8	220	L2	11	425
L1	8	369	L1	8	136
E6	8	126	L1	10	136
E1	8	454	E7	11	42
E1	11	454	E1	10	162
L2	8	428	E2	8	162
E5	9	40	E2	10	162
E1	10	494	E2	11	162
E5	9	68	L1	8	107
L1	8	119	E1	8	316
E1	10	393	L2	9	51
E1	11	393	L1	9	111
E2	11	346	L1	11	113
L2	8	398	L2	8	312
L2	10	398	L2	9	312
E1	9	446	L2	10	312
E1	10	446	L2	9	177
L1	8	245	E6	8	119
E1	8	457	E6	9	119
L2	9	239	E1	9	264
L2	11	239	E1	11	264
E1	10	593	E4	8	59
E1	11	593	E2	10	78
L2	10	407	E2	10	310
E2	11	290	E4	10	10
E1	11	252	L1	10	117
E1	11	127	L2	11	188
E2	8	171	L2	11	336
E5	8	28	L2	10	362
E5	9	28	E1	9	449
E5	10	28	L2	10	230
E5	8	24	L1	9	361
E5	9	24	L1	10	361
E5	11	24	L1	11	361
L1	9	318	E2	8	29
L1	10	318	E1	8	502
E1	10	243	E1	9	502
E1	8	326	E7	8	5
E1	9	326	E5	8	21
E2	9	156	E5	9	21
E7	9	22	E5	11	21
E1	8	217	L1	11	272
E1	11	217	E5	10	31
E2	9	50	E5	11	31
E2	10	50	L2	9	113
L2	8	292	L2	10	113
L2	10	223	L2	9	279

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

E6	9	97	E2	11	182
L2	8	178	E1	11	424
E5	9	32	L2	11	34
E5	10	32	E2	11	147
E5	11	32	E6	11	116
L2	9	44	E6	8	52
L2	10	44	E6	10	52
L2	11	44	E1	9	283
E5	8	17	E2	11	63
E5	9	17	L1	9	61
E5	10	17	L1	10	61
E6	8	120	L1	8	19
E1	8	301	L1	9	19
E1	10	455	L1	10	71
L2	9	32	L2	8	107
L2	8	193	E1	8	255
L2	8	450	E1	11	255
E2	11	352	E1	11	307
L1	11	191	E1	9	557
E1	9	313	E5	9	16
E1	10	313	E5	10	16
E1	11	313	E5	11	16
E1	8	265	E1	9	491
E1	10	265	E1	10	491
E1	11	265	E2	8	314
E1	11	476	L1	11	186
E7	11	11	L2	8	246
L2	9	121	L2	9	246
L2	11	121	E5	8	33
E1	10	443	E5	9	33
E1	10	23	E5	10	33
L2	10	104	E5	11	33
L2	11	104	L1	8	41
E5	8	34	L1	9	41
E5	9	34	L1	11	41
E5	10	34	E1	10	521
E5	8	41	E1	11	521
E1	8	433	E1	9	540
E1	11	433	E1	9	208
E6	8	73	E7	8	83
E6	10	73	E7	11	83
E1	10	312	E2	8	82
E1	11	312	E2	11	82
E1	9	254	E7	8	82
E1	8	357	E7	9	82
E1	10	357	E5	9	59
L2	10	22	E5	10	59
L2	11	22	E5	8	51
E1	9	114	E1	9	298
E1	8	420	E1	11	298
L1	10	432	E5	8	69
L1	11	432	E5	8	60
E6	9	109	E5	9	60
L2	9	79	E5	10	72
L1	8	169	E5	11	72
E6	9	94	E1	9	276
E6	11	49	E1	9	563
E2	8	47	E2	8	42
E2	10	47	L2	8	422
L1	8	148	E5	8	18

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

E5	9	18	E1	11	442
E5	11	18	E6	8	110
E2	8	94	E6	11	110
E2	9	94	L1	8	183
E5	10	65	L1	9	183
L1	10	367	L2	10	73
L1	11	309	L1	11	109
L1	8	231	E7	8	47
E1	9	511	E7	9	47
L2	9	399	E1	8	562
L1	11	465	E1	10	562
L1	8	209	E5	11	64
L1	10	209	E1	8	258
L2	9	338	E1	10	258
L2	11	338	L2	10	389
E5	9	73	L2	10	337
E5	10	73	L2	8	86
E7	9	29	L2	9	86
E5	8	47	L2	9	411
E1	8	277	L2	9	123
L1	9	295	E7	10	17
E1	8	564	E1	8	479
E7	10	67	E1	9	479
L1	10	95	E1	11	479
E1	8	306	L2	8	28
E2	9	56	E1	8	310
E2	8	151	L1	9	182
E2	9	151	L1	10	182
E1	10	47	E1	9	561
L1	9	196	E1	11	561
L1	11	196	L1	10	404
E1	9	274	L1	8	13
E1	11	274	L1	9	13
E1	10	361	L1	11	403
E1	10	568	L1	9	12
E1	11	451	L1	10	12
E1	9	300	E2	9	235
E1	8	539	E2	10	353
E1	10	539	E2	11	353
E6	9	21	L2	9	170
L1	8	337	L2	11	170
L1	8	134	L2	8	90
L1	10	134	L2	11	168
L1	8	390	L2	11	243
L1	10	390	L2	9	96
L2	10	358	L2	10	96
L2	9	157	E2	10	258
L2	9	251	L2	8	171
L2	11	251	L2	10	171
L1	8	323	L2	9	426
E1	10	304	L2	10	426
E6	8	75	L2	8	158
E6	11	75	E7	11	20
E2	9	348	E5	8	19
L2	9	325	E5	10	19
L2	11	325	E5	11	19
L1	11	217	L1	8	266
L2	10	189	L2	11	212
L2	11	189	L1	11	16
E1	9	94	E2	11	222

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

L2	10	418	L2	8	153
L2	11	418	L2	10	267
L2	9	363	L2	11	267
L2	8	252	E5	8	30
L2	10	252	E5	11	30
E5	11	7	L1	9	50
L2	10	43	L1	10	50
L2	11	43	E2	8	207
E1	10	31	L1	11	474
E6	10	15	E1	10	247
L1	11	372	L1	8	375
L1	8	301	L1	9	375
E6	10	50	L1	11	375
E7	9	81	L2	11	103
E7	10	81	E1	8	60
E7	10	28	L1	11	86
E4	9	4	L2	11	49
L1	8	250	L2	8	106
E2	9	48	L2	9	106
E2	11	48	E1	10	490
E1	9	305	E1	11	490
E1	10	527	E2	9	81
E1	11	527	L1	10	294
E1	10	118	E1	8	260
E7	9	46	E6	10	23
E7	10	46	E6	11	23
E1	8	512	L2	10	304
E7	11	16	E2	8	150
L2	10	169	E2	9	150
L2	8	381	E2	10	150
E2	9	344	E2	8	246
E7	10	80	E2	11	246
E7	11	80	L2	10	324
E2	10	244	E1	10	93
L2	9	231	E2	10	323
E2	8	57	E2	11	323
L2	8	298	L2	11	417
L2	8	316	E1	10	89
L2	11	316	E1	11	635
L2	9	449	E1	8	354
L1	11	241	E1	9	354
L2	9	245	E1	11	354
L2	10	245	E7	8	45
L1	9	40	E7	10	45
L1	10	40	E7	11	45
E2	10	303	L1	8	281
E1	8	616	L1	8	189
E7	11	66	L1	9	189
L1	11	94	L1	8	392
L2	11	284	E2	10	40
L2	9	89	E5	10	45
L1	8	3	L2	9	260
L1	9	3	E1	11	185
E1	8	69	E2	9	198
E1	11	69	E2	11	198
E1	11	117	L2	9	164
E2	8	343	L2	10	145
E2	10	343	L2	11	145
L1	8	140	L1	8	343
E1	11	583	L2	9	39

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

E1	10	97	E7	10	12
E6	9	12	E6	9	53
E2	8	355	E1	8	275
E2	9	355	E1	10	275
L2	10	184	E2	9	41
E1	8	294	L1	8	73
E7	8	86	E5	11	48
L1	8	408	E5	9	46
L1	9	408	L1	8	382
E1	10	556	L2	10	213
E5	8	15	L1	9	59
E5	10	15	L1	11	59
E5	11	15	L2	11	72
E5	9	50	L2	11	388
E1	10	297	L2	8	122
E5	11	71	L2	10	122
E2	9	93	L1	10	11
E2	10	93	L1	11	11
E6	8	26	E7	8	69
L1	9	377	E7	11	69
L1	10	377	E1	8	79
E1	11	408	E2	8	139
E2	10	128	E2	10	139
E2	11	128	E1	9	444
L1	10	388	E1	11	444
L2	9	138	L2	8	261
E2	9	215	E1	9	24
E4	11	62	E7	11	79
L1	10	427	E2	11	243
E1	9	468	L2	8	232
E1	10	468	E1	9	362
L2	9	375	E1	11	238
E2	10	234	L1	8	20
L2	8	242	E5	8	25
L2	8	360	E5	10	25
E1	11	30	E5	11	25
E1	8	526	L1	10	329
E1	11	526	E2	8	349
L2	9	380	L1	9	72
E1	8	148	L1	8	58
E6	10	88	L1	10	58
E4	11	73	E7	9	68
E2	9	191	E2	8	132
E1	9	332	E1	9	426
E1	10	332	E5	8	36
E1	9	78	E5	11	36
L2	11	378	E1	8	340
L1	11	328	E1	8	530
L1	9	57	E1	11	464
L1	11	57	E5	10	58
L1	10	8	E5	11	58
E2	8	192	E1	10	510
E1	11	346	E1	8	267
E1	8	333	E1	9	267
E1	9	333	E4	9	66
E5	9	20	E2	9	102
E5	10	20	E2	8	145
L2	10	31	E1	8	237
L1	8	190	L1	9	385
E1	11	499	E4	8	12

Table XIV A. HPV6A  
HLA-B62 Supermotif Peptides

E4	10	12
E6	10	105
E1	10	86
L2	8	435
E1	9	579
E1	11	579
L1	9	230
L2	9	371
L1	8	358
E1	11	536
L1	8	65
L1	9	65
E1	8	402
E2	11	168
L1	10	287
L1	8	10
L1	11	10
E2	8	138
E2	9	138
E2	11	138
E1	8	91
L1	8	26
L1	9	26
E2	8	131
E2	9	131

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	286	E4	9	74
L2	11	286	E4	11	74
L2	10	112	E1	8	369
L2	11	112	E1	10	369
E1	11	112	L1	9	219
E1	11	22	L2	10	278
E2	10	250	E6	10	96
E4	8	24	L2	9	403
E1	11	520	E1	8	570
E1	10	207	E1	10	570
L1	8	81	L2	11	347
L2	8	421	L2	10	395
L2	9	421	E2	9	25
E6	8	37	E2	9	313
E6	10	37	E1	11	81
E5A	8	79	L1	11	366
E5A	9	79	E7	8	14
E1	9	319	L1	9	208
L2	9	271	L1	11	208
L2	10	271	E1	10	203
E1	10	337	E1	11	46
E1	11	337	L1	10	195
E2	8	326	L2	8	101
E2	10	326	L1	8	89
L2	10	409	L1	9	89
E4	8	3	E7	8	19
E4	9	3	L1	8	236
L1	8	158	L1	9	236
L2	9	217	L1	10	236
L2	8	98	L1	8	434
L2	11	98	L1	9	434
L2	9	182	L1	11	434
L2	9	327	L2	11	42
L2	8	341	E6	11	14
L2	9	341	L1	9	455
L1	8	312	L2	11	30
L1	10	312	L2	11	258
L1	8	300	E2	9	348
L1	9	300	E2	10	136
E4	10	13	E2	11	136
L1	9	43	L2	8	332
E1	10	601	L2	8	192
E1	9	234	L2	9	192
E1	11	234	E1	9	105
E6	8	67	L2	10	120
E6	11	67	L1	11	453
E6	9	137	E1	10	604
E2	10	35	E1	11	604
E5A	8	77	E1	9	131
E5A	9	77	E1	10	417
E5A	10	77	E1	11	417
E5A	11	77	E1	11	360
L2	9	27	E2	11	100
L1	10	181	L2	11	354
L1	11	181	E1	9	257
E1	10	560	E1	11	257
E2	9	11	E1	9	309
E5B	9	5	L2	11	162
E2	8	252	L2	10	95
			L2	11	95

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

L1	8	265	L2	9	356
L1	9	265	E1	8	326
E2	10	90	E1	9	326
E7	11	27	E2	9	156
L1	8	249	E7	9	22
L1	9	249	ESB	10	28
E2	9	341	E1	8	217
E2	10	341	E1	11	217
E2	8	185	E2	9	50
E2	9	185	E2	10	50
E1	10	141	L2	8	292
E1	9	39	ESB	8	15
E1	10	39	ESB	9	15
E6	8	113	ESB	10	15
L1	11	262	L2	10	223
L1	10	103	L1	11	144
L1	9	381	ESB	8	25
L1	8	443	ESB	10	25
E2	10	205	E2	10	55
E1	8	220	E1	10	273
L1	8	369	L2	11	401
E6	8	126	L2	8	85
E5A	9	16	L2	9	85
E5A	10	16	L2	10	85
E5A	11	16	E1	9	478
E1	8	454	E1	10	478
E1	11	454	L2	8	206
L2	8	428	E2	11	257
ESB	11	22	L2	10	425
E5A	9	40	L2	11	425
E2	11	346	L1	8	136
E1	10	494	L1	10	136
E5A	9	68	E7	11	42
L1	8	119	E1	10	162
E1	10	393	E2	8	162
E1	11	393	E2	10	162
L2	8	397	E2	11	162
L2	10	397	L1	8	107
E1	9	446	E1	8	316
E1	10	446	L2	9	51
L1	8	245	L1	9	111
L2	9	239	L1	11	113
L2	11	239	L2	8	312
E1	8	457	L2	9	312
E1	10	593	L2	10	312
E1	11	593	L2	9	177
L2	10	406	E6	8	119
E2	11	290	E6	9	119
E1	11	252	E1	9	264
E1	11	127	E1	11	264
E2	8	171	E2	10	78
E5A	8	28	E2	10	310
E5A	9	28	E6	10	50
E5A	10	28	E4	10	20
E5A	8	24	L1	10	117
E5A	9	24	L2	11	188
E5A	11	24	L2	11	336
L1	9	318	L2	10	362
L1	10	318	E1	9	449
E1	10	243	L2	10	230

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

L1	9	361	E1	9	254
L1	10	361	E1	8	357
L1	11	361	E1	10	357
E2	8	29	L2	10	22
E1	8	502	L2	11	22
E1	9	502	E1	9	114
E7	8	5	E1	8	420
E5A	8	21	L1	10	432
E5A	9	21	L1	11	432
E5A	11	21	E6	9	109
L1	11	272	L2	9	79
E5A	10	31	L1	8	169
E5A	11	31	E6	9	94
L2	9	113	E2	8	47
L2	10	113	E2	10	47
L2	9	279	L1	8	148
E6	9	97	E1	11	424
L2	8	178	L2	11	34
E5A	9	32	E2	11	147
E5A	10	32	E6	11	116
E5A	11	32	E6	8	52
L2	9	44	E6	10	52
L2	10	44	E1	9	283
L2	11	44	E2	11	63
E5A	8	17	L1	9	61
E5A	9	17	L1	10	61
E5A	10	17	L1	8	19
E6	8	120	L1	9	19
E1	8	301	L1	10	71
E1	10	455	L2	8	107
L2	9	32	E1	8	255
L2	8	193	E1	11	255
L2	8	450	E1	11	307
E2	11	352	E1	9	557
L1	11	191	E1	9	491
E1	9	313	E1	10	491
E1	10	313	E2	8	314
E1	11	313	L1	11	186
E1	8	265	L2	8	246
E1	10	265	L2	9	246
E1	11	265	E5A	8	33
E5B	10	23	E5A	9	33
E1	11	476	E5A	10	33
E7	11	11	E5A	11	33
L2	9	121	L1	8	41
L2	11	121	L1	9	41
E1	10	443	L1	11	41
E1	10	23	E5B	9	18
L2	10	104	E1	10	521
L2	11	104	E1	11	521
E5A	8	34	E1	9	540
E5A	9	34	E1	9	208
E5A	10	34	E7	8	83
E5A	8	41	E7	11	83
E1	8	433	E7	8	82
E1	11	433	E7	9	82
E6	8	73	E5B	9	29
E6	10	73	E5A	9	59
E1	10	312	E5A	10	59
E1	11	312	E5A	8	51

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

ESB	8	30	L1	10	134
E1	9	298	L1	8	390
E1	11	298	L1	10	390
E2	8	82	L2	10	358
E2	11	82	L2	9	157
E5A	8	69	L2	9	251
E5A	8	60	L2	11	251
E5A	9	60	L1	8	323
E5A	10	72	E1	10	304
E5A	11	72	E6	8	75
E1	9	276	E6	11	75
E1	9	563	L2	9	325
E2	8	42	L2	11	325
L2	8	422	L1	11	217
E5A	8	18	L2	10	189
E5A	9	18	L2	11	189
E5A	11	18	E1	9	94
E2	8	94	E1	11	442
E2	9	94	E4	8	69
E5A	10	65	E6	8	110
L1	10	367	E6	11	110
L1	11	309	L1	8	183
L1	8	231	L1	9	183
E1	9	511	L1	11	109
L2	9	398	E7	8	47
L1	11	465	E7	9	47
L1	8	209	E1	8	562
L1	10	209	E1	10	562
L2	9	74	E5A	11	64
L2	9	338	L2	10	73
L2	11	338	L2	9	389
E5A	9	73	E1	8	258
E5A	10	73	E1	10	258
E7	9	29	L2	10	337
E1	8	277	L2	8	86
E5A	8	47	L2	9	86
L1	9	295	L2	9	410
E2	11	222	L2	9	123
E1	8	564	E7	10	17
E7	10	67	E1	8	479
L1	10	95	E1	9	479
E5B	9	26	E1	11	479
E1	8	306	L2	8	28
E2	9	56	E1	8	310
E2	8	151	L1	9	182
E2	9	151	L1	10	182
E1	10	47	E1	9	561
L1	9	196	E1	11	561
L1	11	196	L1	10	404
E1	9	274	L1	8	13
E1	11	274	L1	9	13
E1	10	361	L1	11	403
E1	10	568	L1	9	12
E1	11	451	L1	10	12
E1	9	300	E2	9	235
E1	8	539	E2	10	353
E1	10	539	E2	11	353
E6	9	21	L2	9	170
L1	8	337	L2	11	170
L1	8	134	L2	8	90

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

L2	11	168	L1	10	40
L2	11	243	E2	10	303
L2	9	96	E1	8	616
L2	10	96	E7	11	66
E2	10	258	L1	11	94
L2	8	171	L2	11	284
L2	10	171	L2	9	89
L2	9	426	L1	8	3
L2	10	426	L1	9	3
L2	8	158	E1	8	69
E7	11	20	E1	11	69
E5A	8	19	E1	11	117
E5A	10	19	E2	8	343
E5A	11	19	E2	10	343
L1	8	266	L1	8	140
L2	11	212	E1	11	583
L1	11	16	L2	8	153
L2	9	363	L2	10	267
L2	11	417	L2	11	267
L2	8	252	E5A	8	30
L2	10	252	E5A	11	30
E5A	10	7	L1	9	50
E5A	11	7	L1	10	50
L2	10	43	E2	8	207
L2	11	43	L1	11	474
E1	10	31	E1	10	247
E6	10	15	L1	8	375
L1	11	372	L1	9	375
L1	8	301	L1	11	375
E7	9	81	L2	11	103
E7	10	81	E1	8	60
E7	10	28	L1	11	86
E4	9	14	L2	11	49
L1	8	250	L2	8	106
E2	9	48	L2	9	106
E2	11	48	E1	10	490
E1	9	305	E1	11	490
E1	10	527	E2	9	81
E1	11	527	L1	10	294
E1	10	118	E1	8	260
E7	9	46	E6	10	23
E7	10	46	E6	11	23
E1	8	512	L2	10	304
E7	11	16	E2	8	150
L2	10	169	E2	9	150
L2	8	381	E2	10	150
E2	9	344	E2	8	246
E7	10	80	E2	11	246
E7	11	80	L2	10	324
E2	10	244	E1	10	93
L2	9	231	E4	8	68
E2	8	57	E4	9	68
L2	8	298	E1	10	89
L2	8	316	E1	11	635
L2	11	316	E1	8	354
L2	9	449	E1	9	354
L1	11	241	E1	11	354
L2	9	245	E7	8	45
L2	10	245	E7	10	45
L1	9	40	E7	11	45

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

L1	8	281	E1	10	332
L1	8	189	L2	11	387
L1	9	189	E1	9	78
L1	8	392	L2	11	378
E2	10	40	L2	10	184
ESA	10	45	L1	11	328
L2	9	260	L1	9	57
E1	11	185	L1	11	57
E2	9	198	L1	10	8
E2	11	198	E2	8	192
L2	9	164	E1	11	346
L2	10	145	E1	8	333
L2	11	145	E1	9	333
L1	8	343	ESA	9	20
L2	9	39	ESA	10	20
E1	10	97	L2	10	31
E6	9	12	L1	8	190
E2	8	355	E1	11	499
E2	9	355	E7	10	12
E1	8	294	E6	9	53
L1	8	408	E1	8	275
L1	9	408	E1	10	275
E1	10	556	E2	9	41
ESA	9	50	L1	8	73
E1	10	297	ESA	11	48
ESA	11	71	ESA	9	46
E7	8	86	E4	8	10
E2	9	93	L1	8	382
E2	10	93	L2	10	213
E6	8	26	L1	9	59
L1	9	377	L1	11	59
L1	10	377	L2	11	72
E1	11	408	L2	10	388
E2	10	128	L2	8	122
E2	11	128	L2	10	122
E5B	10	59	L1	10	11
E5B	11	59	L1	11	11
L1	10	388	E7	8	69
L2	9	138	E7	11	69
L2	9	419	E1	8	79
L2	10	419	E2	8	139
L2	11	419	E2	10	139
E2	9	215	E1	9	444
E4	11	72	E1	11	444
L1	10	427	L2	8	261
E1	9	468	E1	9	24
E1	10	468	ESA	11	6
L2	9	375	E7	11	79
E2	10	234	E2	11	243
L2	8	242	L2	8	232
L2	8	360	E1	9	362
E1	11	30	E1	11	238
E1	8	526	L1	8	20
E1	11	526	ESA	8	25
L2	9	380	ESA	10	25
E1	8	148	ESA	11	25
E6	10	88	L1	10	329
E4	11	83	E2	8	349
E2	9	191	L1	9	72
E1	9	332	L1	8	58

Table XIV B. HPV6B  
HLA-B62 Supermotif Peptides

L1	10	58
E7	9	68
E2	8	132
E1	9	426
ESA	8	36
ESA	11	36
E1	8	340
E1	8	530
ESB	10	13
ESB	11	13
E1	11	464
ESB	8	17
ESB	10	17
ESA	10	58
ESA	11	58
E1	10	510
E1	8	267
E1	9	267
E4	9	76
E2	9	102
E2	8	145
E1	8	237
L1	9	385
E4	8	22
E4	10	22
E6	10	105
E1	10	86
L2	8	435
E1	9	579
E1	11	579
L1	9	230
L2	9	371
L1	8	358
E1	11	536
L1	8	65
L1	9	65
E1	8	402
E4	8	9
E4	9	9
E2	11	168
L1	10	287
L1	8	10
L1	11	10
E2	8	138
E2	9	138
E2	11	138
E1	8	91
L1	8	26
L1	9	26
E2	8	131
E2	9	131

SF 1168125 v1

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

2	3	4		E6	10	96
L2	10	111		L2	8	191
L2	11	111		L2	9	191
E1	11	112		E1	10	203
L2	9	285		E1	8	570
L2	11	285		E1	10	570
E1	11	22		L2	9	399
E1	11	520		L2	10	346
L1	8	81		E1	11	81
L2	8	417		E7	9	81
L2	9	417		E7	10	81
E6	8	37		L1	11	367
E6	10	37		E7	8	14
E1	9	319		L1	9	209
L2	9	270		E1	11	46
L2	10	270		L1	10	196
E1	10	337		L2	11	353
E1	11	337		L2	8	100
E2	8	325		L1	8	89
L1	8	159		L1	9	89
L2	8	97		E7	8	19
L2	11	97		L2	11	357
L2	9	181		L1	8	237
L1	8	313		L1	9	237
L1	10	313		L1	10	237
E2	10	175		L1	8	435
L1	8	301		L1	9	435
L1	9	301		L1	11	435
E4	10	13		L1	9	456
E7	8	45		L2	11	41
E7	10	45		L1	8	125
E2	8	217		L2	11	29
E5	8	25		L1	10	216
E5	10	25		L2	11	257
E5	11	25		E6	8	113
L1	9	43		L2	8	331
E5	10	26		E1	9	105
E1	10	601		E2	9	312
E5	8	27		L1	11	454
E5	9	27		E1	8	197
E5	11	27		E6	9	69
E6	8	67		E1	10	604
E6	11	67		E1	11	604
E6	9	137		E1	9	131
L2	9	26		E2	8	17
L1	10	182		E2	10	17
L1	11	182		E1	10	417
E1	10	560		E1	11	417
E2	9	11		E1	11	360
E2	8	251		E2	11	100
E5	8	73		L2	10	350
E5	9	73		E1	9	257
E5	10	73		E1	11	257
E4	9	73		E1	9	309
E4	11	73		L2	11	161
E1	8	369		L2	10	94
E1	10	369		L2	11	94
L1	9	220		L1	9	266
E2	9	25		E2	10	90
L2	10	277		E7	11	27

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

L1	8	250	L2	8	291
L1	9	250	L2	10	222
E2	10	340	L1	11	145
E2	8	185	E1	8	273
E2	9	185	E1	10	273
E1	8	141	L2	8	84
E1	9	39	L2	10	84
E1	10	39	L2	11	397
L1	10	103	E1	10	478
E2	11	118	E2	10	243
L1	9	382	L2	10	421
L1	8	444	L2	11	421
E2	10	205	L1	8	137
L2	10	119	L1	10	137
L1	8	370	E1	10	160
E6	8	126	E2	8	162
E1	11	454	E2	10	162
L2	8	424	L2	8	309
E1	9	494	L2	10	309
E1	10	494	L2	11	309
E5	9	68	L1	8	107
E5	10	68	E1	10	173
E1	10	393	L2	9	50
E1	11	393	E1	8	316
E2	11	345	L1	11	113
E1	9	446	L2	8	311
E1	10	446	L2	9	311
E1	8	457	E6	8	119
L2	9	238	E6	9	119
L2	11	238	L2	9	176
E5	8	16	E2	8	29
E5	9	16	E1	9	264
E5	10	16	E1	11	264
E5	8	77	E2	10	136
E5	9	77	E2	11	136
E5	10	77	E2	10	78
E5	11	77	E2	10	309
E1	10	593	E5	8	7
E1	11	593	E5	10	7
L2	9	216	E4	10	20
L2	10	402	E1	9	305
E1	11	252	L1	10	117
L2	11	154	L2	11	335
E1	8	220	L1	9	46
L2	8	393	E1	9	449
L2	10	393	E4	11	64
E5	9	40	L2	10	188
L1	9	319	L2	11	188
L1	10	319	L1	9	362
E1	10	243	L1	10	362
E1	11	194	L1	11	362
E1	8	326	E5	8	34
E1	9	326	E5	9	34
E2	9	156	E5	10	34
E5	10	29	L2	9	112
E2	10	55	L2	10	112
E1	8	217	L2	9	278
E1	11	217	E1	10	195
E2	9	50	E6	8	120
E2	10	50	L2	8	177

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

E5	8	35	L1	9	61
E5	9	35	L1	10	61
E6	9	97	E2	11	147
L2	9	43	L1	8	19
L2	10	43	L1	9	19
L2	11	43	L1	10	71
E5	8	17	E6	8	52
E5	10	17	E6	10	52
E5	8	28	L2	8	106
E5	10	28	E1	8	255
E1	11	408	E1	11	255
L2	9	355	E1	11	307
E1	8	301	E5	8	33
E1	10	455	E5	9	33
L2	9	31	E5	10	33
L2	8	192	E5	11	33
L2	8	446	E1	9	557
L2	11	71	E1	9	491
E2	9	351	E1	10	491
E2	11	351	E5	9	16
L1	11	192	E5	11	16
E1	9	313	E5	8	36
E1	10	313	E5	11	36
E1	11	313	L1	11	187
E1	8	265	L1	8	41
E1	10	265	L1	9	41
E1	11	265	L1	11	41
E1	10	23	E1	10	521
E7	11	11	E1	9	540
E5	10	31	E2	10	15
E5	11	31	E7	8	83
E1	10	443	E7	11	83
L2	10	103	E2	8	42
L2	11	103	E4	9	18
E6	8	73	E7	8	82
E6	10	73	E7	9	82
E2	10	350	E5	8	31
E1	10	312	E5	9	30
E1	11	312	E5	9	59
E1	9	254	E5	10	59
E6	11	116	E5	8	51
E1	8	357	E1	9	298
E1	10	357	E1	11	298
E1	9	114	L1	8	119
E1	8	420	E5	8	69
E1	10	420	E5	9	69
E7	11	42	E5	8	60
L1	8	433	E5	9	60
L1	10	433	E1	9	276
L1	11	433	E1	9	563
E2	8	112	L2	10	212
E2	10	112	L2	8	418
E2	8	47	E5	9	18
L1	8	149	E5	11	18
E1	11	424	E7	11	79
E1	8	433	E2	8	139
E1	11	433	E2	10	139
L2	11	33	E2	8	94
E1	9	283	E2	9	94
L1	10	53	E5	10	65

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

L1	10	368	L1	8	218
L2	8	260	L1	11	218
E2	11	289	L1	8	184
E6	8	70	L1	9	184
E6	11	70	L2	8	157
L1	11	310	L2	9	157
L1	8	232	L2	10	72
E1	9	511	L1	9	118
L2	11	228	E1	8	562
L1	8	210	E1	10	562
E2	9	56	L2	11	211
L2	9	337	E5	11	64
L2	11	337	L2	8	385
L1	11	273	L2	9	385
E1	8	277	L2	10	385
E5	8	47	E1	8	258
L1	9	296	E1	10	258
E7	8	5	E7	8	47
E1	8	564	E4	8	68
L2	8	245	L2	10	336
L2	9	245	E7	10	17
E7	10	67	E1	9	479
L1	10	95	E1	11	479
E1	8	306	L2	8	27
E1	11	398	E1	8	310
E1	10	47	L1	9	183
L1	9	197	L1	10	183
L1	11	197	E1	9	561
E1	9	274	E1	11	561
E1	11	274	L1	10	405
E1	10	361	L1	8	13
E4	9	1	L1	9	13
E4	10	1	L1	11	404
E4	11	1	L1	9	12
E1	10	568	L1	10	12
E1	9	300	E2	8	352
E2	9	254	E2	10	352
E6	10	50	E2	11	352
E1	8	539	L2	9	122
E1	10	539	L2	9	169
E6	9	21	L2	11	169
L1	8	338	L2	8	89
L1	8	135	L2	11	167
L1	10	135	L2	11	242
L2	9	156	L2	9	95
L2	10	156	L2	10	95
L1	8	391	L2	8	170
L1	10	391	L2	10	170
L2	9	250	L2	9	422
E6	11	131	L2	10	422
E6	8	75	L1	8	267
E6	11	75	L2	10	358
E1	10	97	L1	11	16
E2	8	127	L2	11	413
E2	11	127	L2	9	324
E4	8	4	E5	8	19
L2	10	354	E5	10	19
E1	9	94	L2	8	251
E1	11	442	E5	11	7
E6	11	110	L2	10	42

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

L2	11	42	L1	8	376
E1	10	31	L1	9	376
L1	11	373	L1	11	376
E7	10	28	E5	8	30
L1	8	302	E5	11	30
E2	11	14	L2	11	102
E4	9	14	E2	9	81
L1	8	251	L1	11	86
E2	11	48	L2	11	48
E1	10	527	E6	10	23
E1	11	527	E6	11	23
E1	10	118	L2	8	105
E1	8	512	L2	9	105
E7	9	46	E1	10	490
E7	11	16	E1	11	490
L2	10	168	L2	9	259
E2	9	343	L1	10	295
L2	10	229	E1	8	260
L2	9	230	L2	9	406
E2	8	57	L2	10	303
L2	8	297	E2	9	195
L2	9	297	E2	10	322
L2	8	315	E2	11	322
L2	11	315	E1	10	93
L2	9	445	L2	10	323
L1	11	242	E1	10	89
L1	9	40	E1	11	635
L1	10	40	E1	8	354
E2	10	302	E1	9	354
E1	8	616	E1	11	354
E7	8	4	L2	9	376
E7	9	4	L1	8	282
L2	9	244	E2	8	151
L2	10	244	E2	9	151
E7	11	66	E2	9	257
L1	11	94	E2	10	257
L2	11	283	E1	8	60
E4	8	67	L2	8	152
E4	9	67	E1	8	436
L2	9	88	E1	9	436
L1	8	3	E1	11	436
L1	9	3	L1	8	190
E1	8	69	L1	9	190
E1	11	69	L2	9	163
E2	8	342	E2	8	348
E2	10	342	L1	8	393
L1	8	141	E2	10	40
E1	11	583	E5	10	45
E1	10	247	L1	8	344
E2	8	207	E2	9	198
E2	8	23	E2	11	198
E2	9	23	L2	10	144
E2	11	23	L2	11	144
E6	9	12	L2	9	38
L2	10	266	E2	10	261
L2	11	266	E2	8	354
L1	9	50	E2	9	354
L1	10	50	L2	10	183
E1	8	422	E2	10	249
L2	8	387	E5	10	71

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

E5	11	71	L2	8	164
L1	8	409	E1	11	499
L1	9	409	E7	10	12
E1	8	294	E5	9	27
E1	10	207	E5	9	32
E1	10	556	E5	10	32
E5	8	15	E5	11	32
E5	10	15	E2	9	41
E5	9	50	E4	10	17
E1	10	297	E1	8	275
E7	8	86	E1	10	275
E2	9	93	L1	8	73
E2	10	93	E5	11	48
E6	8	26	E5	9	46
L1	9	378	E4	8	10
L1	10	378	L1	8	383
L2	11	374	E2	10	128
L1	10	389	E2	11	128
L2	9	137	E4	8	3
L2	9	415	E4	9	3
L2	10	415	L1	9	59
L2	11	415	L1	11	59
E2	10	215	L1	9	217
E4	11	71	L2	9	384
L1	10	428	L2	10	384
E1	9	468	L2	11	384
E1	10	468	L1	10	11
L2	9	371	L1	11	11
L2	8	241	L2	8	121
L1	8	170	L2	10	121
E1	11	30	E1	8	79
E1	11	57	E1	9	444
E1	8	526	E1	11	444
E1	11	526	L2	9	359
E1	11	117	L2	9	394
E2	8	85	E4	10	83
L1	8	224	L2	8	231
L1	11	224	E1	9	362
E6	10	88	E1	11	238
E2	9	191	L1	8	20
E1	9	332	L1	10	330
E1	10	332	E7	9	68
L2	10	383	E5	9	20
L2	11	383	L1	9	72
E1	9	78	E4	8	2
E4	11	82	E4	9	2
E2	11	223	E4	10	2
E2	11	63	L1	8	58
L1	11	329	L1	10	58
L1	9	57	L2	9	120
L1	11	57	L2	11	120
L1	10	8	E6	9	53
E5	8	21	E5	8	41
E5	11	21	E1	9	426
E2	8	192	E1	8	340
E1	11	346	E5	10	14
E1	8	333	E5	11	14
E1	9	333	E5	8	18
L2	10	30	E5	10	18
L1	8	191	E1	11	464

Table XIV C. HPV11  
HLA B62 Supermotif Peptides

E5	10	58
E5	11	58
E1	10	510
E1	8	267
E1	9	267
E2	9	102
E4	9	75
E2	8	145
E1	8	237
L1	9	386
E4	8	22
E6	10	105
E1	10	86
L2	8	431
E1	9	579
E1	11	579
E2	8	138
E2	9	138
E2	11	138
L1	9	231
L1	8	246
L1	8	359
E1	11	536
E5	10	61
E5	11	61
L1	8	65
L1	9	65
L1	10	288
E1	8	402
L1	8	26
L1	9	26
E4	11	16
E4	8	9
E4	9	9
E2	11	168
E1	8	502
E1	9	502
L1	8	10
L1	11	10
E1	8	91
E2	8	131

Table XV  
HLA-A1 Motif Peptides

1	2	3	4				
HPV16 E1	11	248	HPV16 E2	9	151		
HPV16 E1	10	206	HPV16 E2	8	37		
HPV16 E1	8	524	HPV16 E2	10	23		
HPV16 E1	9	404	HPV16 E2	10	78		
HPV16 E1	10	522	HPV16 E2	11	128		
HPV16 E1	9	371	HPV16 E2	8	160		
HPV16 E1	8	372	HPV16 E2	10	145		
HPV16 E1	10	249	HPV16 E2	11	145		
HPV16 E1	10	356	HPV16 E2	8	147		
HPV16 E1	9	152	HPV16 E2	9	147		
HPV16 E1	9	594	HPV16 E2	11	92		
HPV16 E1	8	127	HPV16 E2	8	131		
HPV16 E1	10	162	HPV16 E5	11	53		
HPV16 E1	9	325	HPV16 E5	10	54		
HPV16 E1	10	272	HPV16 E6	11	51		
HPV16 E1	9	163	HPV16 E6	8	54		
HPV16 E1	8	571	HPV16 E6	8	76		
HPV16 E1	9	12	HPV16 E6	11	76		
HPV16 E1	11	568	HPV16 E6	8	92		
HPV16 E1	8	326	HPV16 E6	10	30		
HPV16 E1	9	369	HPV16 E6	9	80		
HPV16 E1	11	369	HPV16 E6	8	79		
HPV16 E1	11	323	HPV16 E6	10	79		
HPV16 E1	10	252	HPV16 E6	9	69		
HPV16 E1	11	521	HPV16 E6	10	77		
HPV16 E1	9	126	HPV16 E7	8	4		
HPV16 E1	9	312	HPV16 E7	8	18		
HPV16 E1	11	312	HPV16 E7	10	43		
HPV16 E1	9	357	HPV16 E7	10	2		
HPV16 E1	11	48	HPV16 E7	9	44		
HPV16 E1	9	207	HPV16 E7	8	16		
HPV16 E1	9	420	HPV16 E7	10	16		
HPV16 E1	10	593	HPV16 L1	9	373		
HPV16 E1	10	419	HPV16 L1	11	371		
HPV16 E1	11	80	HPV16 L1	10	251		
HPV16 E1	11	150	HPV16 L1	9	13		
HPV16 E1	8	313	HPV16 L1	8	154		
HPV16 E1	10	313	HPV16 L1	11	386		
HPV16 E1	8	421	HPV16 L1	11	307		
HPV16 E1	9	314	HPV16 L1	8	374		
HPV16 E1	8	315	HPV16 L1	11	11		
HPV16 E1	8	370	HPV16 L1	10	407		
HPV16 E1	10	370	HPV16 L1	8	463		
HPV16 E1	11	402	HPV16 L1	11	151		
HPV16 E2	9	11	HPV16 L1	10	152		
HPV16 E2	10	122	HPV16 L1	8	68		
HPV16 E2	11	22	HPV16 L1	8	31		
HPV16 E2	8	80	HPV16 L1	8	409		
HPV16 E2	8	171	HPV16 L1	9	169		
HPV16 E2	11	293	HPV16 L1	9	462		
HPV16 E2	10	328	HPV16 L1	11	247		
HPV16 E2	9	35	HPV16 L1	11	43		
HPV16 E2	10	35	HPV16 L1	10	328		
HPV16 E2	9	329	HPV16 L1	10	308		
HPV16 E2	9	94	HPV16 L1	11	50		
HPV16 E2	11	77	HPV16 L1	11	327		
HPV16 E2	8	296	HPV16 L1	9	252		
HPV16 E2	10	106	HPV16 L1	11	65		
HPV16 E2	8	151	HPV16 L1	11	379		
			HPV16 L1	10	293		

Table XV  
HLA-A1 Motif Peptides

HPV16 L1	10	44	HPV18 E1	11	409
HPV16 L1	8	268	HPV18 E1	9	400
HPV16 L1	8	53	HPV18 E1	9	319
HPV16 L1	9	53	HPV18 E1	11	319
HPV16 L2	10	443	HPV18 E1	11	376
HPV16 L2	11	443	HPV18 E1	9	214
HPV16 L2	9	259	HPV18 E1	10	600
HPV16 L2	10	317	HPV18 E1	8	320
HPV16 L2	11	317	HPV18 E1	10	320
HPV16 L2	10	63	HPV18 E1	9	321
HPV16 L2	11	218	HPV18 E1	8	322
HPV16 L2	8	65	HPV18 E1	10	377
HPV16 L2	8	440	HPV18 E1	10	533
HPV16 L2	8	41	HPV18 E1	11	532
HPV16 L2	8	320	HPV18 E2	10	154
HPV16 L2	9	320	HPV18 E2	11	154
HPV16 L2	9	439	HPV18 E2	11	132
HPV16 L2	10	243	HPV18 E2	8	156
HPV16 L2	8	250	HPV18 E2	9	156
HPV16 L2	9	11	HPV18 E2	8	29
HPV16 L2	9	318	HPV18 E2	11	26
HPV16 L2	10	318	HPV18 E2	9	354
HPV16 L2	11	318	HPV18 E2	8	176
HPV16 L2	10	39	HPV18 E2	11	352
HPV16 L2	11	183	HPV18 E2	9	329
HPV16 L2	10	294	HPV18 E2	10	133
HPV16 L2	10	397	HPV18 E2	11	133
HPV16 L2	8	386	HPV18 E2	8	128
HPV16 L2	11	383	HPV18 E2	8	297
HPV16 L2	9	358	HPV18 E2	10	353
HPV16 L2	8	221	HPV18 E2	11	56
HPV16 L2	8	342	HPV18 E2	9	296
HPV16 L2	8	12	HPV18 E2	10	27
HPV16 L2	11	9	HPV18 E2	11	230
HPV16 L2	10	184	HPV18 E2	10	231
HPV16 L2	9	185	HPV18 E2	9	165
HPV16 L2	8	186	HPV18 E2	9	15
HPV16 L2	11	62	HPV18 E2	8	157
HPV16 L2	9	40	HPV18 E2	9	232
HPV16 L2	8	359	HPV18 E2	11	173
HPV16 L2	11	359	HPV18 E2	8	135
HPV16 L2	9	295	HPV18 E2	9	135
HPV16 L2	9	398	HPV18 E5	10	30
HPV16 L2	9	244	HPV18 E5	11	43
HPV16 L2	9	385	HPV18 E5	9	23
HPV16 L2	11	437	HPV18 E5	8	24
HPV18 E1	8	578	HPV18 E5	9	45
HPV18 E1	10	213	HPV18 E5	10	44
HPV18 E1	8	531	HPV18 E6	8	27
HPV18 E1	9	411	HPV18 E6	11	46
HPV18 E1	10	529	HPV18 E6	9	4
HPV18 E1	9	378	HPV18 E6	8	49
HPV18 E1	8	379	HPV18 E6	11	71
HPV18 E1	8	130	HPV18 E6	11	62
HPV18 E1	9	484	HPV18 E6	10	25
HPV18 E1	9	11	HPV18 E6	10	3
HPV18 E1	10	576	HPV18 E6	11	89
HPV18 E1	8	401	HPV18 E6	10	72
HPV18 E1	10	259	HPV18 L1	9	495
HPV18 E1	11	528	HPV18 L1	8	345

Table XV  
HLA-A1 Motif Peptides

HPV18 L1	11	407	HPV18 L2	8	220
HPV18 L1	10	286	HPV18 L2	8	393
HPV18 L1	11	493	HPV18 L2	10	365
HPV18 L1	9	258	HPV18 L2	10	342
HPV18 L1	9	364	HPV18 L2	11	61
HPV18 L1	8	330	HPV18 L2	8	377
HPV18 L1	8	517	HPV18 L2	8	367
HPV18 L1	8	177	HPV18 L2	9	392
HPV18 L1	11	342	HPV18 L2	9	366
HPV18 L1	10	443	HPV18 L2	11	417
HPV18 L1	9	516	HPV18 L2	11	374
HPV18 L1	10	120	HPV31 E1	11	79
HPV18 L1	11	256	HPV31 E1	10	186
HPV18 L1	8	445	HPV31 E1	8	504
HPV18 L1	10	328	HPV31 E1	10	502
HPV18 L1	10	343	HPV31 E1	9	351
HPV18 L1	8	496	HPV31 E1	8	96
HPV18 L1	9	344	HPV31 E1	10	336
HPV18 L1	11	282	HPV31 E1	8	352
HPV18 L1	9	472	HPV31 E1	8	50
HPV18 L1	9	287	HPV31 E1	8	551
HPV18 L1	8	410	HPV31 E1	9	305
HPV18 L1	10	416	HPV31 E1	9	11
HPV18 L1	9	424	HPV31 E1	10	456
HPV18 L1	8	66	HPV31 E1	11	548
HPV18 L1	10	363	HPV31 E1	11	471
HPV18 L1	11	100	HPV31 E1	10	232
HPV18 L1	10	408	HPV31 E1	11	501
HPV18 L1	11	78	HPV31 E1	9	125
HPV18 L1	11	327	HPV31 E1	9	292
HPV18 L1	9	409	HPV31 E1	11	292
HPV18 L1	11	362	HPV31 E1	10	94
HPV18 L1	8	473	HPV31 E1	9	337
HPV18 L1	9	204	HPV31 E1	8	350
HPV18 L1	8	89	HPV31 E1	10	350
HPV18 L1	9	417	HPV31 E1	8	306
HPV18 L1	11	35	HPV31 E1	11	47
HPV18 L1	8	425	HPV31 E1	10	573
HPV18 L1	9	4	HPV31 E1	11	93
HPV18 L2	11	341	HPV31 E1	8	293
HPV18 L2	11	322	HPV31 E1	10	293
HPV18 L2	8	344	HPV31 E1	11	303
HPV18 L2	10	62	HPV31 E1	9	294
HPV18 L2	8	64	HPV31 E1	8	295
HPV18 L2	10	432	HPV31 E1	11	505
HPV18 L2	11	432	HPV31 E1	11	382
HPV18 L2	10	183	HPV31 E1	9	349
HPV18 L2	11	310	HPV31 E1	11	349
HPV18 L2	8	313	HPV31 E1	10	419
HPV18 L2	10	323	HPV31 E2	9	11
HPV18 L2	9	10	HPV31 E2	10	122
HPV18 L2	10	242	HPV31 E2	11	22
HPV18 L2	10	391	HPV31 E2	8	80
HPV18 L2	8	325	HPV31 E2	8	171
HPV18 L2	9	419	HPV31 E2	11	300
HPV18 L2	9	376	HPV31 E2	9	336
HPV18 L2	8	185	HPV31 E2	8	312
HPV18 L2	8	11	HPV31 E2	10	78
HPV18 L2	8	244	HPV31 E2	11	77
HPV18 L2	11	364	HPV31 E2	9	361

Table XV  
HLA-A1 Motif Peptides

HPV31 E2	10	106	HPV31 L1	10	18
HPV31 E2	8	37	HPV31 L1	8	28
HPV31 E2	9	311	HPV31 L1	8	243
HPV31 E2	11	128	HPV31 L2	9	311
HPV31 E2	10	93	HPV31 L2	10	311
HPV31 E2	8	362	HPV31 L2	11	311
HPV31 E2	8	160	HPV31 L2	10	253
HPV31 E2	11	92	HPV31 L2	11	237
HPV31 E2	8	131	HPV31 L2	8	433
HPV31 E5	11	53	HPV31 L2	10	436
HPV31 E5	10	54	HPV31 L2	11	436
HPV31 E6	8	63	HPV31 L2	10	63
HPV31 E6	11	44	HPV31 L2	8	65
HPV31 E6	10	14	HPV31 L2	11	38
HPV31 E6	8	47	HPV31 L2	8	41
HPV31 E6	11	69	HPV31 L2	8	313
HPV31 E6	8	72	HPV31 L2	9	313
HPV31 E6	10	72	HPV31 L2	8	245
HPV31 E6	9	15	HPV31 L2	9	11
HPV31 E6	11	22	HPV31 L2	9	348
HPV31 E6	8	16	HPV31 L2	10	238
HPV31 E6	9	73	HPV31 L2	11	178
HPV31 E6	10	23	HPV31 L2	10	287
HPV31 E6	10	70	HPV31 L2	9	378
HPV31 E7	8	4	HPV31 L2	8	12
HPV31 E7	10	43	HPV31 L2	8	216
HPV31 E7	9	17	HPV31 L2	11	9
HPV31 E7	9	44	HPV31 L2	11	309
HPV31 E7	10	16	HPV31 L2	11	62
HPV31 E7	10	2	HPV31 L2	8	181
HPV31 L1	8	285	HPV31 L2	9	180
HPV31 L1	10	226	HPV31 L2	10	179
HPV31 L1	8	129	HPV31 L2	8	346
HPV31 L1	8	270	HPV31 L2	11	346
HPV31 L1	10	127	HPV31 L2	8	379
HPV31 L1	9	356	HPV31 L2	9	40
HPV31 L1	9	269	HPV31 L2	9	288
HPV31 L1	11	282	HPV31 L2	9	345
HPV31 L1	10	382	HPV31 L2	10	39
HPV31 L1	8	438	HPV31 L2	10	344
HPV31 L1	11	126	HPV31 L2	11	343
HPV31 L1	8	357	HPV31 L2	8	255
HPV31 L1	8	384	HPV31 L2	10	377
HPV31 L1	8	43	HPV31 L2	11	430
HPV31 L1	9	144	HPV33 E1	9	226
HPV31 L1	9	227	HPV33 E1	8	364
HPV31 L1	9	437	HPV33 E1	9	364
HPV31 L1	11	222	HPV33 E1	10	349
HPV31 L1	10	410	HPV33 E1	8	365
HPV31 L1	9	411	HPV33 E1	9	587
HPV31 L1	11	17	HPV33 E1	9	470
HPV31 L1	8	5	HPV33 E1	8	564
HPV31 L1	10	303	HPV33 E1	11	192
HPV31 L1	8	412	HPV33 E1	11	514
HPV31 L1	10	283	HPV33 E1	9	125
HPV31 L1	11	24	HPV33 E1	9	520
HPV31 L1	9	383	HPV33 E1	10	124
HPV31 L1	11	302	HPV33 E1	9	305
HPV31 L1	11	354	HPV33 E1	9	350
HPV31 L1	10	268	HPV33 E1	9	362

Table XV  
HLA-A1 Motif Peptides

HPV33 E1	10	362	HPV33 L1	9	226
HPV33 E1	11	362	HPV33 L1	8	436
HPV33 E1	8	195	HPV33 L1	11	126
HPV33 E1	10	586	HPV33 L1	8	355
HPV33 E1	10	519	HPV33 L1	10	267
HPV33 E1	8	306	HPV33 L1	8	42
HPV33 E1	10	193	HPV33 L1	8	382
HPV33 E1	8	363	HPV33 L1	9	144
HPV33 E1	9	363	HPV33 L1	11	221
HPV33 E1	10	363	HPV33 L1	11	433
HPV33 E1	11	561	HPV33 L1	10	408
HPV33 E1	11	224	HPV33 L1	9	409
HPV33 E1	11	110	HPV33 L1	11	17
HPV33 E1	11	395	HPV33 L1	8	5
HPV33 E1	8	517	HPV33 L1	8	410
HPV33 E2	10	78	HPV33 L1	10	302
HPV33 E2	10	145	HPV33 L1	11	39
HPV33 E2	10	122	HPV33 L1	8	227
HPV33 E2	10	282	HPV33 L1	11	352
HPV33 E2	8	80	HPV33 L1	11	24
HPV33 E2	8	171	HPV33 L1	11	301
HPV33 E2	11	281	HPV33 L1	10	18
HPV33 E2	8	151	HPV33 L1	8	28
HPV33 E2	9	151	HPV33 L1	9	28
HPV33 E2	9	162	HPV33 L1	10	380
HPV33 E2	8	284	HPV33 L1	8	27
HPV33 E2	9	113	HPV33 L1	9	27
HPV33 E2	8	37	HPV33 L1	10	27
HPV33 E2	9	283	HPV33 L2	11	436
HPV33 E2	11	128	HPV33 L2	11	183
HPV33 E2	9	146	HPV33 L2	10	437
HPV33 E2	9	11	HPV33 L2	8	64
HPV33 E2	11	148	HPV33 L2	10	62
HPV33 E2	8	131	HPV33 L2	11	218
HPV33 E5	10	44	HPV33 L2	11	37
HPV33 E5	11	43	HPV33 L2	8	374
HPV33 E6	9	46	HPV33 L2	8	336
HPV33 E6	11	44	HPV33 L2	8	40
HPV33 E6	8	47	HPV33 L2	8	318
HPV33 E6	8	69	HPV33 L2	9	358
HPV33 E6	11	69	HPV33 L2	9	10
HPV33 E6	9	73	HPV33 L2	9	348
HPV33 E6	8	72	HPV33 L2	10	243
HPV33 E6	10	72	HPV33 L2	11	333
HPV33 E6	10	70	HPV33 L2	8	186
HPV33 E7	10	43	HPV33 L2	8	221
HPV33 E7	11	43	HPV33 L2	8	11
HPV33 E7	9	8	HPV33 L2	9	63
HPV33 E7	11	6	HPV33 L2	10	184
HPV33 E7	8	46	HPV33 L2	10	354
HPV33 E7	8	16	HPV33 L2	10	38
HPV33 E7	10	16	HPV33 L2	9	355
HPV33 L1	10	225	HPV33 L2	11	61
HPV33 L1	10	345	HPV33 L2	9	39
HPV33 L1	8	129	HPV33 L2	9	244
HPV33 L1	9	435	HPV33 L2	11	353
HPV33 L1	9	303	HPV33 L2	8	356
HPV33 L1	10	127	HPV33 L2	11	356
HPV33 L1	11	359	HPV45 E1	8	564
HPV33 L1	9	268	HPV45 E1	10	199

Table XV  
HLA-A1 Motif Peptides

HPV45 E1	8	517	HPV45 E6	8	38
HPV45 E1	9	397	HPV45 E6	11	62
HPV45 E1	10	515	HPV45 E6	9	72
HPV45 E1	9	364	HPV45 E6	10	72
HPV45 E1	10	562	HPV45 E7	10	20
HPV45 E1	8	365	HPV45 L1	11	375
HPV45 E1	8	130	HPV45 L1	10	252
HPV45 E1	9	470	HPV45 L1	9	224
HPV45 E1	11	459	HPV45 L1	9	332
HPV45 E1	10	519	HPV45 L1	11	461
HPV45 E1	8	387	HPV45 L1	8	296
HPV45 E1	10	245	HPV45 L1	8	313
HPV45 E1	11	514	HPV45 L1	8	485
HPV45 E1	11	395	HPV45 L1	8	143
HPV45 E1	9	386	HPV45 L1	9	392
HPV45 E1	9	305	HPV45 L1	11	222
HPV45 E1	11	305	HPV45 L1	10	411
HPV45 E1	11	362	HPV45 L1	9	484
HPV45 E1	9	200	HPV45 L1	10	86
HPV45 E1	8	414	HPV45 L1	8	413
HPV45 E1	10	586	HPV45 L1	10	294
HPV45 E1	10	412	HPV45 L1	10	311
HPV45 E1	8	306	HPV45 L1	11	310
HPV45 E1	10	306	HPV45 L1	11	383
HPV45 E1	9	307	HPV45 L1	11	248
HPV45 E1	8	308	HPV45 L1	8	464
HPV45 E1	10	363	HPV45 L1	9	440
HPV45 E2	11	134	HPV45 L1	9	253
HPV45 E2	8	158	HPV45 L1	8	31
HPV45 E2	9	158	HPV45 L1	10	331
HPV45 E2	11	28	HPV45 L1	11	65
HPV45 E2	8	178	HPV45 L1	10	376
HPV45 E2	10	186	HPV45 L1	11	43
HPV45 E2	8	167	HPV45 L1	11	330
HPV45 E2	9	167	HPV45 L1	10	462
HPV45 E2	11	151	HPV45 L1	8	441
HPV45 E2	9	300	HPV45 L1	10	384
HPV45 E2	8	154	HPV45 L1	11	293
HPV45 E2	9	17	HPV45 L1	9	170
HPV45 E2	8	130	HPV45 L1	8	54
HPV45 E2	8	301	HPV45 L1	8	393
HPV45 E2	9	187	HPV45 L1	9	53
HPV45 E2	9	357	HPV45 L2	11	340
HPV45 E2	9	332	HPV45 L2	8	343
HPV45 E2	10	356	HPV45 L2	8	64
HPV45 E2	10	29	HPV45 L2	10	62
HPV45 E2	11	155	HPV45 L2	10	183
HPV45 E2	8	159	HPV45 L2	10	433
HPV45 E6	9	37	HPV45 L2	11	433
HPV45 E6	11	35	HPV45 L2	9	365
HPV45 E6	8	27	HPV45 L2	9	10
HPV45 E6	9	4	HPV45 L2	8	366
HPV45 E6	8	127	HPV45 L2	11	375
HPV45 E6	8	49	HPV45 L2	10	392
HPV45 E6	10	71	HPV45 L2	9	377
HPV45 E6	11	71	HPV45 L2	9	342
HPV45 E6	10	25	HPV45 L2	8	378
HPV45 E6	11	46	HPV45 L2	10	361
HPV45 E6	10	3	HPV45 L2	9	420
HPV45 E6	11	89	HPV45 L2	8	185

Table XV  
HLA-A1 Motif Peptides

HPV45 L2	8	11	HPV56 L1	11	37
HPV45 L2	9	63	HPV56 L1	11	60
HPV45 L2	11	246	HPV56 L1	8	303
HPV45 L2	9	362	HPV56 L1	10	316
HPV45 L2	11	61	HPV56 L1	11	378
HPV45 L2	10	376	HPV56 L1	10	414
HPV45 L2	8	421	HPV56 L1	8	470
HPV45 L2	10	341	HPV56 L1	10	93
HPV45 L2	11	360	HPV56 L1	10	387
HPV45 L2	9	393	HPV56 L1	8	77
HPV45 L2	11	418	HPV56 L1	9	77
HPV45 L2	11	426	HPV56 L1	8	416
HPV45 L2	8	249	HPV56 L1	9	1
HPV56 E2	10	21	HPV56 L1	11	255
HPV56 E2	9	71	HPV56 L1	11	467
HPV56 E2	11	71	HPV56 L1	10	442
HPV56 E2	11	138	HPV56 L1	11	52
HPV56 E2	10	92	HPV56 L1	9	260
HPV56 E2	11	92	HPV56 L1	8	40
HPV56 E2	10	65	HPV56 L1	10	285
HPV56 E2	9	140	HPV56 L1	10	336
HPV56 E2	8	23	HPV56 L1	8	446
HPV56 E2	11	294	HPV56 L1	11	74
HPV56 E2	8	261	HPV56 L1	10	379
HPV56 E2	9	66	HPV56 L1	8	261
HPV56 E2	8	94	HPV56 L1	9	415
HPV56 E2	9	94	HPV56 L1	11	335
HPV56 E2	8	130	HPV56 L1	9	445
HPV56 E2	11	258	HPV56 L1	10	301
HPV56 E2	9	22	HPV56 L1	10	259
HPV56 E2	10	295	HPV56 L1	10	53
HPV56 E2	11	149	HPV56 L1	9	388
HPV56 E2	9	277	HPV56 L1	8	276
HPV56 E2	10	139	HPV56 L1	8	9
HPV56 E2	8	152	HPV56 L2	8	64
HPV56 E2	8	141	HPV56 L2	10	434
HPV56 E2	8	271	HPV56 L2	10	62
HPV56 E2	11	91	HPV56 L2	10	310
HPV56 E2	8	103	HPV56 L2	11	310
HPV56 E2	9	103	HPV56 L2	8	313
HPV56 E2	10	150	HPV56 L2	9	313
HPV56 E2	9	270	HPV56 L2	11	182
HPV56 E2	8	278	HPV56 L2	9	10
HPV56 E2	8	74	HPV56 L2	11	338
HPV56 E2	9	74	HPV56 L2	8	341
HPV56 E6	8	50	HPV56 L2	11	341
HPV56 E6	8	72	HPV56 L2	10	342
HPV56 E6	10	72	HPV56 L2	8	185
HPV56 E6	11	72	HPV56 L2	9	423
HPV56 E6	10	37	HPV56 L2	11	433
HPV56 E6	9	99	HPV56 L2	11	421
HPV56 E6	10	26	HPV56 L2	8	11
HPV56 E6	11	47	HPV56 L2	8	220
HPV56 E6	9	73	HPV56 L2	8	436
HPV56 E6	10	73	HPV56 L2	9	343
HPV56 E7	9	51	HPV56 L2	9	435
HPV56 L1	11	273	HPV56 L2	10	183
HPV56 L1	8	381	HPV56 L2	11	414
HPV56 L1	8	444	HPV56 L2	9	63
HPV56 L1	10	444			

Table XV A. HPV6A  
HLA-A1 Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	11	286	E1	8	132
L2	9	341	E1	9	358
L2	9	288	E6	9	38
L1	9	342	E6	11	38
E1	8	525	E2	8	151
E1	10	77	E2	9	151
L1	10	341	E1	10	568
E1	10	371	E1	8	395
E6	11	67	E1	10	594
E2	10	35	L1	11	217
E5	9	77	E7	10	17
E2	9	11	E1	8	479
E1	9	405	L1	11	426
E1	10	523	L1	11	16
E1	11	35	L2	8	342
E1	9	37	E1	8	314
E1	10	36	E1	10	128
E1	9	372	L2	8	11
L1	8	429	E2	8	37
E1	8	373	L1	8	3
E2	8	80	E1	8	69
E2	10	293	L1	9	279
E2	10	205	L1	10	298
L2	11	239	E2	9	150
L1	8	450	E2	10	150
E2	9	123	L1	11	297
E2	11	292	L1	11	38
L2	11	431	L1	9	347
L2	10	62	E2	9	180
E2	10	179	L2	9	241
L2	11	215	L1	8	348
L2	8	64	L1	11	348
L1	9	407	E6	9	40
L1	9	222	L2	11	61
L1	11	113	E1	8	572
E2	10	78	L1	8	408
E2	10	149	L1	9	377
E2	11	149	E2	11	128
L2	10	287	L1	8	351
E1	11	370	L1	10	427
L2	9	313	E1	9	129
E6	9	97	E1	11	129
E1	9	313	L1	10	346
E1	9	571	L1	8	280
L1	10	376	E5	11	44
L2	8	247	E6	8	39
L1	9	449	E6	10	39
E2	9	329	L1	8	223
E6	10	35	L1	11	345
L2	9	10	L2	11	339
L1	10	56	E2	8	152
L1	11	340	E2	11	148
E1	11	522	E1	11	403
E2	9	79	E1	8	79
E1	8	255	L1	10	114
L1	8	41	E2	9	206
E1	9	394	L1	10	17
L1	8	378	L2	8	364
L2	10	240	L1	8	27
			E5	8	36

Table XV A. HPV6A  
HLA-A1 Motif Peptides

E2	8	92
E2	11	178
L1	11	355
E4	8	12
L1	8	358
E2	9	159
E2	10	159
L1	9	350

SF 1168128 v1

Table XV B. HPV6B  
HLA-A1 Motif Peptides

2	3	4			
L2	11	286	E1	9	394
L2	9	341	L1	8	378
L2	9	288	L2	10	240
L1	9	342	E1	8	132
E1	8	525	E1	9	358
E1	10	77	E6	9	38
L1	10	341	E6	11	38
E1	10	371	E4	9	1
E6	11	67	E2	8	151
E2	10	35	E2	9	151
ESB	10	53	ESB	9	54
ESA	8	77	E1	10	568
ESA	9	77	E1	8	395
E2	9	11	E1	10	594
E1	9	405	L1	11	217
E1	10	523	E7	10	17
E1	11	35	E1	8	479
E1	9	37	L1	11	426
E1	10	36	L1	11	16
E1	9	372	L2	8	342
L1	8	429	E1	8	314
E1	8	373	E1	10	128
E2	8	80	L2	8	11
E2	10	293	E2	8	37
E2	10	205	L1	8	3
L2	11	239	E1	8	69
L1	8	450	L1	9	279
E2	9	123	L1	10	298
E2	11	292	E2	9	150
ESB	10	25	E2	10	150
L2	11	431	L1	11	297
L2	10	62	L1	11	38
E2	10	179	L1	9	347
L2	11	215	E2	9	180
L2	8	64	L2	9	241
L1	9	407	L1	8	348
L1	9	222	L1	11	348
L1	11	113	E6	9	40
E2	10	78	L2	11	61
E2	10	149	E1	8	572
E2	11	149	L1	8	408
L2	10	287	L1	9	377
E1	11	370	E2	11	128
L2	9	313	ESB	10	59
E6	9	97	L1	8	351
E1	9	313	L1	10	427
E1	9	571	E1	9	129
L1	10	376	E1	11	129
L2	8	247	L1	10	346
L1	9	449	L1	8	280
E2	9	329	ESA	11	44
E6	10	35	E6	8	39
L2	9	10	E6	10	39
L1	10	56	L1	8	223
L1	11	340	ESB	8	63
E1	11	522	L1	11	345
E2	9	79	L2	11	339
E1	8	255	E2	8	152
L1	8	41	E2	11	148
			E1	11	403

Table XV B. HPV6B  
HLA-A1 Motif Peptides

E1	8	79
L1	10	114
E2	9	206
L1	10	17
ESB	11	58
L2	8	364
L1	8	27
ESA	8	36
E2	8	92
E2	11	178
L1	11	355
E4	8	22
L1	8	358
E2	9	159
E2	10	159
L1	9	350
ESB	9	62

SF 1168129 v1

Table XV C. HPV11  
HLA-A1 Motif Peptides

2	3	4			
L2	10	339	L1	8	41
L2	9	62	L1	9	41
L1	9	343	E1	9	394
E1	8	525	L1	8	379
E1	10	77	L2	10	239
L1	8	349	E1	8	132
L1	11	349	E1	9	358
L1	10	342	E6	9	38
E2	8	124	E6	11	38
E1	10	371	E5	9	62
E5	11	49	E5	11	62
E6	11	67	E1	9	421
E2	9	11	E1	10	568
E1	9	405	L1	10	279
E1	10	523	E1	8	395
E1	11	35	E5	8	54
E1	8	570	E1	10	594
E1	10	570	L1	11	218
E2	10	292	E7	10	17
L1	8	125	L1	11	427
E1	10	36	L1	11	16
E1	9	37	E7	10	43
E1	9	372	L2	8	360
L1	8	430	E1	8	314
L2	8	341	L2	8	10
E1	8	373	E6	10	35
E2	8	80	L1	8	3
E1	10	128	E1	8	69
E2	10	205	L1	9	280
L2	11	238	L1	10	299
E5	9	77	E2	8	207
L2	11	295	E1	8	572
E2	9	123	L1	11	346
E2	11	291	L1	11	298
L2	11	427	L1	11	38
L2	8	63	L1	8	281
E2	10	179	E2	9	150
L1	9	408	E2	10	150
L1	9	223	E2	11	260
L1	11	113	E2	9	180
E5	9	64	L2	9	240
E2	10	78	E2	8	151
E1	11	370	E2	9	151
E1	9	313	L1	8	344
E1	9	571	E6	9	40
L1	10	377	L2	11	60
E1	10	420	L1	8	409
E2	9	328	L1	9	378
E7	11	42	L1	8	352
L2	9	9	L1	10	428
L1	10	347	E1	9	129
E5	10	50	E1	11	129
L1	10	56	E2	10	149
L1	11	122	E2	11	149
L1	11	341	E5	11	44
E1	11	522	E6	8	39
E2	9	79	E6	10	39
E1	8	255	L2	11	338
E5	8	36	E2	8	152
			E1	11	403

Table XV C. HPV11  
HLA-A1 Motif Peptides

E2	11	128
E1	8	79
L1	10	114
E2	9	206
L1	10	17
E2	11	148
L2	8	246
E2	8	92
L1	10	123
L1	8	239
E2	11	178
E4	8	22
E5	10	61
E2	9	159
E2	10	159
L1	9	351

Table XVI  
HLA-A3 Motif Peptides

1	2	3	4				
HPV16 E1	8	316		HPV16 E1	11	404	
HPV16 E1	10	239		HPV16 E1	10	522	
HPV16 E1	8	205		HPV16 E1	8	371	
HPV16 E1	11	205		HPV16 E1	9	371	
HPV16 E1	9	478		HPV16 E1	10	371	
HPV16 E1	11	514		HPV16 E1	9	50	
HPV16 E1	11	248		HPV16 E1	8	631	
HPV16 E1	9	383		HPV16 E1	9	631	
HPV16 E1	10	383		HPV16 E1	11	435	
HPV16 E1	9	240		HPV16 E1	10	541	
HPV16 E1	9	391		HPV16 E1	11	541	
HPV16 E1	10	391		HPV16 E1	9	368	
HPV16 E1	9	570		HPV16 E1	10	368	
HPV16 E1	11	570		HPV16 E1	11	368	
HPV16 E1	9	112		HPV16 E1	11	41	
HPV16 E1	10	112		HPV16 E1	8	372	
HPV16 E1	11	112		HPV16 E1	9	372	
HPV16 E1	8	69		HPV16 E1	10	249	
HPV16 E1	9	69		HPV16 E1	8	573	
HPV16 E1	11	69		HPV16 E1	10	573	
HPV16 E1	11	459		HPV16 E1	9	43	
HPV16 E1	10	206		HPV16 E1	8	384	
HPV16 E1	11	389		HPV16 E1	9	384	
HPV16 E1	8	406		HPV16 E1	11	384	
HPV16 E1	9	406		HPV16 E1	8	335	
HPV16 E1	10	406		HPV16 E1	11	548	
HPV16 E1	8	524		HPV16 E1	8	75	
HPV16 E1	8	82		HPV16 E1	11	22	
HPV16 E1	9	82		HPV16 E1	8	452	
HPV16 E1	10	23		HPV16 E1	10	452	
HPV16 E1	8	405		HPV16 E1	11	452	
HPV16 E1	9	405		HPV16 E1	9	11	
HPV16 E1	10	405		HPV16 E1	10	11	
HPV16 E1	11	405		HPV16 E1	10	374	
HPV16 E1	8	233		HPV16 E1	8	603	
HPV16 E1	9	233		HPV16 E1	10	603	
HPV16 E1	11	430		HPV16 E1	11	603	
HPV16 E1	8	234		HPV16 E1	9	356	
HPV16 E1	8	500		HPV16 E1	10	356	
HPV16 E1	9	500		HPV16 E1	10	221	
HPV16 E1	10	283		HPV16 E1	9	65	
HPV16 E1	8	114		HPV16 E1	9	63	
HPV16 E1	9	114		HPV16 E1	11	63	
HPV16 E1	10	114		HPV16 E1	9	152	
HPV16 E1	11	114		HPV16 E1	9	288	
HPV16 E1	8	472		HPV16 E1	11	140	
HPV16 E1	10	259		HPV16 E1	9	594	
HPV16 E1	8	304		HPV16 E1	8	612	
HPV16 E1	10	304		HPV16 E1	8	241	
HPV16 E1	9	101		HPV16 E1	8	486	
HPV16 E1	11	101		HPV16 E1	8	51	
HPV16 E1	10	515		HPV16 E1	8	392	
HPV16 E1	9	523		HPV16 E1	9	392	
HPV16 E1	8	81		HPV16 E1	8	463	
HPV16 E1	9	81		HPV16 E1	9	493	
HPV16 E1	10	81		HPV16 E1	9	445	
HPV16 E1	8	404		HPV16 E1	8	456	
HPV16 E1	9	404		HPV16 E1	9	453	
HPV16 E1	10	404		HPV16 E1	10	453	
				HPV16 E1	11	453	

Table XVI  
HLA-A3 Motif Peptides

HPV16 E1	8	219	HPV16 E1	11	52
HPV16 E1	9	219	HPV16 E1	8	204
HPV16 E1	11	613	HPV16 E1	9	204
HPV16 E1	9	71	HPV16 E1	10	111
HPV16 E1	10	71	HPV16 E1	11	111
HPV16 E1	9	586	HPV16 E1	11	282
HPV16 E1	8	501	HPV16 E1	8	403
HPV16 E1	10	477	HPV16 E1	9	403
HPV16 E1	10	14	HPV16 E1	10	403
HPV16 E1	10	100	HPV16 E1	11	403
HPV16 E1	8	632	HPV16 E1	10	210
HPV16 E1	9	334	HPV16 E1	10	492
HPV16 E1	9	437	HPV16 E1	8	517
HPV16 E1	11	437	HPV16 E1	11	400
HPV16 E1	10	436	HPV16 E1	8	311
HPV16 E1	8	176	HPV16 E1	10	311
HPV16 E1	9	176	HPV16 E1	10	610
HPV16 E1	10	162	HPV16 E1	10	505
HPV16 E1	11	466	HPV16 E1	10	483
HPV16 E1	9	325	HPV16 E1	11	483
HPV16 E1	11	242	HPV16 E1	10	394
HPV16 E1	9	272	HPV16 E1	10	230
HPV16 E1	10	272	HPV16 E1	11	230
HPV16 E1	11	272	HPV16 E1	11	323
HPV16 E1	10	174	HPV16 E1	10	252
HPV16 E1	11	174	HPV16 E1	8	199
HPV16 E1	9	163	HPV16 E1	11	199
HPV16 E1	10	496	HPV16 E1	8	382
HPV16 E1	8	571	HPV16 E1	10	382
HPV16 E1	10	571	HPV16 E1	11	382
HPV16 E1	8	12	HPV16 E1	8	208
HPV16 E1	9	12	HPV16 E1	11	521
HPV16 E1	10	450	HPV16 E1	11	540
HPV16 E1	9	216	HPV16 E1	9	126
HPV16 E1	11	216	HPV16 E1	8	485
HPV16 E1	9	68	HPV16 E1	9	485
HPV16 E1	10	68	HPV16 E1	8	70
HPV16 E1	8	507	HPV16 E1	10	70
HPV16 E1	10	507	HPV16 E1	11	70
HPV16 E1	11	507	HPV16 E1	8	563
HPV16 E1	8	348	HPV16 E1	9	562
HPV16 E1	11	238	HPV16 E1	10	276
HPV16 E1	9	375	HPV16 E1	8	254
HPV16 E1	9	499	HPV16 E1	10	254
HPV16 E1	10	499	HPV16 E1	9	277
HPV16 E1	8	113	HPV16 E1	11	277
HPV16 E1	9	113	HPV16 E1	10	474
HPV16 E1	10	113	HPV16 E1	9	620
HPV16 E1	11	113	HPV16 E1	8	357
HPV16 E1	8	532	HPV16 E1	9	357
HPV16 E1	11	473	HPV16 E1	9	191
HPV16 E1	10	194	HPV16 E1	10	243
HPV16 E1	11	194	HPV16 E1	9	59
HPV16 E1	8	326	HPV16 E1	10	59
HPV16 E1	8	369	HPV16 E1	11	59
HPV16 E1	9	369	HPV16 E1	11	48
HPV16 E1	10	369	HPV16 E1	9	222
HPV16 E1	11	369	HPV16 E1	8	278
HPV16 E1	10	401	HPV16 E1	10	278
HPV16 E1	11	401	HPV16 E1	8	544

Table XVI  
HLA-A3 Motif Peptides

HPV16 E1	9	544	HPV16 E1	8	600
HPV16 E1	10	583	HPV16 E1	11	600
HPV16 E1	9	303	HPV16 E1	8	61
HPV16 E1	11	303	HPV16 E1	9	61
HPV16 E1	8	408	HPV16 E1	11	61
HPV16 E1	10	408	HPV16 E1	9	398
HPV16 E1	11	408	HPV16 E1	11	495
HPV16 E1	10	444	HPV16 E1	8	449
HPV16 E1	8	306	HPV16 E1	11	449
HPV16 E1	11	306	HPV16 E1	8	441
HPV16 E1	9	207	HPV16 E1	9	381
HPV16 E1	8	144	HPV16 E1	11	381
HPV16 E1	9	305	HPV16 E1	8	143
HPV16 E1	8	454	HPV16 E1	9	143
HPV16 E1	9	454	HPV16 E1	9	419
HPV16 E1	10	454	HPV16 E1	10	419
HPV16 E1	8	420	HPV16 E1	11	419
HPV16 E1	9	420	HPV16 E1	8	118
HPV16 E1	10	420	HPV16 E1	10	118
HPV16 E1	8	422	HPV16 E1	8	343
HPV16 E1	11	422	HPV16 E1	8	120
HPV16 E1	8	273	HPV16 E1	8	80
HPV16 E1	9	273	HPV16 E1	9	80
HPV16 E1	10	273	HPV16 E1	10	80
HPV16 E1	10	569	HPV16 E1	11	80
HPV16 E1	8	202	HPV16 E1	8	462
HPV16 E1	9	202	HPV16 E1	9	462
HPV16 E1	10	202	HPV16 E1	10	125
HPV16 E1	11	202	HPV16 E1	9	109
HPV16 E1	8	471	HPV16 E1	10	619
HPV16 E1	9	471	HPV16 E1	11	582
HPV16 E1	9	630	HPV16 E1	8	313
HPV16 E1	10	630	HPV16 E1	10	313
HPV16 E1	10	367	HPV16 E1	11	313
HPV16 E1	11	367	HPV16 E1	9	615
HPV16 E1	8	605	HPV16 E1	9	432
HPV16 E1	9	605	HPV16 E1	10	390
HPV16 E1	11	605	HPV16 E1	11	390
HPV16 E1	9	54	HPV16 E1	10	42
HPV16 E1	11	597	HPV16 E1	9	611
HPV16 E1	8	16	HPV16 E1	8	455
HPV16 E1	11	193	HPV16 E1	9	455
HPV16 E1	9	567	HPV16 E1	9	218
HPV16 E1	8	105	HPV16 E1	10	218
HPV16 E1	8	543	HPV16 E1	11	99
HPV16 E1	9	543	HPV16 E1	9	175
HPV16 E1	10	543	HPV16 E1	10	175
HPV16 E1	9	386	HPV16 E1	8	164
HPV16 E1	8	396	HPV16 E1	11	161
HPV16 E1	11	396	HPV16 E1	11	173
HPV16 E1	8	196	HPV16 E1	9	250
HPV16 E1	9	196	HPV16 E1	9	484
HPV16 E1	10	196	HPV16 E1	10	484
HPV16 E1	11	196	HPV16 E1	8	621
HPV16 E1	11	527	HPV16 E1	8	421
HPV16 E1	10	593	HPV16 E1	9	421
HPV16 E1	10	561	HPV16 E1	9	314
HPV16 E1	10	190	HPV16 E1	10	314
HPV16 E1	10	302	HPV16 E1	9	231
HPV16 E1	8	245	HPV16 E1	10	231

Table XVI  
HLA-A3 Motif Peptides

HPV16 E1	11	231	HPV16 E1	10	18
HPV16 E1	9	497	HPV16 E1	11	18
HPV16 E1	11	497	HPV16 E1	10	271
HPV16 E1	8	315	HPV16 E1	11	271
HPV16 E1	9	315	HPV16 E1	8	425
HPV16 E1	8	66	HPV16 E1	10	339
HPV16 E1	11	66	HPV16 E1	8	509
HPV16 E1	8	72	HPV16 E1	9	509
HPV16 E1	9	72	HPV16 E1	11	379
HPV16 E1	11	72	HPV16 E1	11	258
HPV16 E1	8	232	HPV16 E1	8	476
HPV16 E1	9	232	HPV16 E1	11	476
HPV16 E1	10	232	HPV16 E1	10	333
HPV16 E1	9	572	HPV16 E1	10	215
HPV16 E1	11	572	HPV16 E1	9	531
HPV16 E1	11	354	HPV16 E1	8	261
HPV16 E1	8	587	HPV16 E1	9	578
HPV16 E1	8	13	HPV16 E1	11	578
HPV16 E1	11	13	HPV16 E1	10	58
HPV16 E1	8	44	HPV16 E1	11	58
HPV16 E1	10	324	HPV16 E1	8	20
HPV16 E1	8	289	HPV16 E1	9	20
HPV16 E1	9	253	HPV16 E2	9	220
HPV16 E1	11	253	HPV16 E2	9	270
HPV16 E1	8	407	HPV16 E2	11	41
HPV16 E1	9	407	HPV16 E2	8	221
HPV16 E1	11	407	HPV16 E2	10	63
HPV16 E1	10	200	HPV16 E2	11	314
HPV16 E1	11	200	HPV16 E2	8	40
HPV16 E1	11	565	HPV16 E2	8	300
HPV16 E1	8	433	HPV16 E2	9	300
HPV16 E1	8	370	HPV16 E2	9	174
HPV16 E1	9	370	HPV16 E2	9	294
HPV16 E1	10	370	HPV16 E2	10	294
HPV16 E1	11	370	HPV16 E2	11	294
HPV16 E1	10	49	HPV16 E2	8	173
HPV16 E1	8	102	HPV16 E2	10	173
HPV16 E1	10	102	HPV16 E2	9	122
HPV16 E1	11	102	HPV16 E2	10	122
HPV16 E1	8	585	HPV16 E2	8	124
HPV16 E1	10	585	HPV16 E2	8	25
HPV16 E1	8	498	HPV16 E2	10	25
HPV16 E1	10	498	HPV16 E2	11	25
HPV16 E1	11	498	HPV16 E2	8	263
HPV16 E1	8	197	HPV16 E2	9	263
HPV16 E1	9	197	HPV16 E2	9	338
HPV16 E1	10	197	HPV16 E2	8	22
HPV16 E1	8	275	HPV16 E2	11	22
HPV16 E1	11	275	HPV16 E2	11	260
HPV16 E1	11	345	HPV16 E2	10	246
HPV16 E1	11	443	HPV16 E2	10	96
HPV16 E1	8	217	HPV16 E2	8	39
HPV16 E1	10	217	HPV16 E2	9	39
HPV16 E1	11	217	HPV16 E2	10	162
HPV16 E1	8	545	HPV16 E2	11	162
HPV16 E1	9	24	HPV16 E2	10	149
HPV16 E1	9	584	HPV16 E2	11	149
HPV16 E1	11	584	HPV16 E2	8	209
HPV16 E1	8	274	HPV16 E2	10	209
HPV16 E1	9	274	HPV16 E2	10	74

Table XVI  
HLA-A3 Motif Peptides

HPV16 E2	9	48	HPV16 E2	11	268
HPV16 E2	8	80	HPV16 E2	9	103
HPV16 E2	8	233	HPV16 E2	10	103
HPV16 E2	10	233	HPV16 E2	11	103
HPV16 E2	9	204	HPV16 E2	11	77
HPV16 E2	11	204	HPV16 E2	9	335
HPV16 E2	10	121	HPV16 E2	8	49
HPV16 E2	11	121	HPV16 E2	11	280
HPV16 E2	9	346	HPV16 E2	9	21
HPV16 E2	8	168	HPV16 E2	9	282
HPV16 E2	10	168	HPV16 E2	11	282
HPV16 E2	11	168	HPV16 E2	8	84
HPV16 E2	8	108	HPV16 E2	8	296
HPV16 E2	10	293	HPV16 E2	9	296
HPV16 E2	11	293	HPV16 E2	10	296
HPV16 E2	8	123	HPV16 E2	11	296
HPV16 E2	9	123	HPV16 E2	10	127
HPV16 E2	9	163	HPV16 E2	9	284
HPV16 E2	10	163	HPV16 E2	10	9
HPV16 E2	10	156	HPV16 E2	11	9
HPV16 E2	11	230	HPV16 E2	8	219
HPV16 E2	9	113	HPV16 E2	10	219
HPV16 E2	9	29	HPV16 E2	9	250
HPV16 E2	11	53	HPV16 E2	10	250
HPV16 E2	8	136	HPV16 E2	8	245
HPV16 E2	8	214	HPV16 E2	11	245
HPV16 E2	10	214	HPV16 E2	10	266
HPV16 E2	10	290	HPV16 E2	11	266
HPV16 E2	9	35	HPV16 E2	9	287
HPV16 E2	10	35	HPV16 E2	8	106
HPV16 E2	11	35	HPV16 E2	10	106
HPV16 E2	8	252	HPV16 E2	9	60
HPV16 E2	8	30	HPV16 E2	10	60
HPV16 E2	9	210	HPV16 E2	8	12
HPV16 E2	11	210	HPV16 E2	8	95
HPV16 E2	8	193	HPV16 E2	11	95
HPV16 E2	9	267	HPV16 E2	11	120
HPV16 E2	10	267	HPV16 E2	8	170
HPV16 E2	8	288	HPV16 E2	9	170
HPV16 E2	8	45	HPV16 E2	11	170
HPV16 E2	9	45	HPV16 E2	10	345
HPV16 E2	8	299	HPV16 E2	8	76
HPV16 E2	9	299	HPV16 E2	8	235
HPV16 E2	10	299	HPV16 E2	8	151
HPV16 E2	9	172	HPV16 E2	9	151
HPV16 E2	11	172	HPV16 E2	11	151
HPV16 E2	8	292	HPV16 E2	10	191
HPV16 E2	11	292	HPV16 E2	10	57
HPV16 E2	11	255	HPV16 E2	8	27
HPV16 E2	9	329	HPV16 E2	9	27
HPV16 E2	9	354	HPV16 E2	11	27
HPV16 E2	9	215	HPV16 E2	9	343
HPV16 E2	11	215	HPV16 E2	9	304
HPV16 E2	8	62	HPV16 E2	11	304
HPV16 E2	11	62	HPV16 E2	8	37
HPV16 E2	11	4	HPV16 E2	9	37
HPV16 E2	10	256	HPV16 E2	10	37
HPV16 E2	8	347	HPV16 E2	11	37
HPV16 E2	8	268	HPV16 E2	8	7
HPV16 E2	9	268	HPV16 E2	11	242

Table XVI  
HLA-A3 Motif Peptides

HPV16 E2	8	165	HPV16 E2	9	147
HPV16 E2	11	165	HPV16 E2	9	58
HPV16 E2	8	330	HPV16 E2	11	58
HPV16 E2	8	264	HPV16 E2	8	321
HPV16 E2	8	98	HPV16 E2	9	321
HPV16 E2	9	206	HPV16 E2	11	321
HPV16 E2	11	206	HPV16 E2	10	134
HPV16 E2	9	316	HPV16 E2	11	92
HPV16 E2	10	23	HPV16 E2	10	337
HPV16 E2	8	317	HPV16 E2	9	167
HPV16 E2	11	317	HPV16 E2	11	167
HPV16 E2	10	261	HPV16 E2	11	155
HPV16 E2	11	261	HPV16 E2	10	102
HPV16 E2	11	144	HPV16 E2	11	102
HPV16 E2	8	269	HPV16 E2	10	178
HPV16 E2	10	269	HPV16 E2	11	178
HPV16 E2	8	104	HPV16 E2	9	312
HPV16 E2	9	104	HPV16 E2	8	131
HPV16 E2	10	104	HPV16 E2	9	159
HPV16 E2	8	313	HPV16 E2	10	159
HPV16 E2	9	24	HPV16 E5	8	53
HPV16 E2	11	24	HPV16 E5	11	53
HPV16 E2	9	107	HPV16 E5	8	56
HPV16 E2	8	322	HPV16 E5	11	56
HPV16 E2	10	322	HPV16 E5	10	54
HPV16 E2	9	247	HPV16 E5	9	7
HPV16 E2	8	355	HPV16 E5	8	59
HPV16 E2	11	81	HPV16 E5	10	59
HPV16 E2	8	61	HPV16 E5	11	20
HPV16 E2	9	61	HPV16 E5	9	5
HPV16 E2	10	78	HPV16 E5	11	5
HPV16 E2	8	297	HPV16 E5	9	60
HPV16 E2	9	297	HPV16 E5	8	72
HPV16 E2	10	297	HPV16 E5	9	72
HPV16 E2	11	297	HPV16 E5	10	66
HPV16 E2	10	93	HPV16 E5	8	65
HPV16 E2	10	334	HPV16 E5	11	65
HPV16 E2	11	310	HPV16 E5	9	64
HPV16 E2	9	128	HPV16 E5	11	43
HPV16 E2	11	128	HPV16 E5	10	44
HPV16 E2	8	285	HPV16 E5	11	44
HPV16 E2	11	285	HPV16 E5	8	51
HPV16 E2	9	146	HPV16 E5	10	51
HPV16 E2	10	146	HPV16 E5	8	61
HPV16 E2	9	10	HPV16 E5	8	12
HPV16 E2	10	10	HPV16 E5	8	23
HPV16 E2	9	262	HPV16 E5	10	4
HPV16 E2	10	262	HPV16 E5	8	71
HPV16 E2	8	152	HPV16 E5	9	71
HPV16 E2	10	152	HPV16 E5	10	71
HPV16 E2	9	192	HPV16 E5	8	73
HPV16 E2	9	64	HPV16 E5	9	11
HPV16 E2	9	97	HPV16 E5	9	22
HPV16 E2	8	205	HPV16 E5	8	32
HPV16 E2	10	205	HPV16 E5	8	47
HPV16 E2	10	315	HPV16 E5	10	47
HPV16 E2	11	333	HPV16 E5	11	47
HPV16 E2	10	145	HPV16 E5	9	48
HPV16 E2	11	145	HPV16 E5	10	48
HPV16 E2	8	147	HPV16 E5	11	48

Table XVI  
HLA-A3 Motif Peptides

HPV16 E5	9	45	HPV16 E6	8	125
HPV16 E5	10	45	HPV16 E6	9	125
HPV16 E5	11	3	HPV16 E6	9	33
HPV16 E5	8	70	HPV16 E6	8	34
HPV16 E5	9	70	HPV16 E6	9	80
HPV16 E5	10	70	HPV16 E6	9	59
HPV16 E5	11	70	HPV16 E6	10	59
HPV16 E5	9	31	HPV16 E6	8	72
HPV16 E5	9	58	HPV16 E6	9	75
HPV16 E5	11	58	HPV16 E6	10	75
HPV16 E5	9	55	HPV16 E6	11	75
HPV16 E5	8	8	HPV16 E6	8	79
HPV16 E5	9	52	HPV16 E6	10	79
HPV16 E5	8	6	HPV16 E6	11	57
HPV16 E5	10	6	HPV16 E6	8	117
HPV16 E5	10	10	HPV16 E6	9	117
HPV16 E5	11	9	HPV16 E6	10	22
HPV16 E5	10	21	HPV16 E6	8	126
HPV16 E5	8	46	HPV16 E6	11	126
HPV16 E5	9	46	HPV16 E6	9	107
HPV16 E5	11	46	HPV16 E6	10	106
HPV16 E5	8	50	HPV16 E6	9	44
HPV16 E5	9	50	HPV16 E6	10	44
HPV16 E5	11	50	HPV16 E6	11	44
HPV16 E5	10	63	HPV16 E6	8	8
HPV16 E5	8	68	HPV16 E6	10	8
HPV16 E5	10	68	HPV16 E6	11	8
HPV16 E5	11	68	HPV16 E6	8	144
HPV16 E6	9	53	HPV16 E6	10	144
HPV16 E6	10	53	HPV16 E6	11	144
HPV16 E6	9	7	HPV16 E6	11	112
HPV16 E6	11	7	HPV16 E6	9	134
HPV16 E6	8	68	HPV16 E6	8	102
HPV16 E6	9	68	HPV16 E6	9	116
HPV16 E6	10	68	HPV16 E6	10	116
HPV16 E6	8	146	HPV16 E6	8	10
HPV16 E6	9	146	HPV16 E6	9	10
HPV16 E6	8	70	HPV16 E6	11	21
HPV16 E6	10	70	HPV16 E6	8	43
HPV16 E6	10	58	HPV16 E6	10	43
HPV16 E6	11	58	HPV16 E6	11	43
HPV16 E6	11	73	HPV16 E6	10	142
HPV16 E6	9	143	HPV16 E6	11	62
HPV16 E6	11	143	HPV16 E6	8	55
HPV16 E6	9	23	HPV16 E6	8	131
HPV16 E6	10	37	HPV16 E6	11	5
HPV16 E6	11	37	HPV16 E6	9	145
HPV16 E6	11	51	HPV16 E6	10	145
HPV16 E6	10	63	HPV16 E6	11	89
HPV16 E6	8	32	HPV16 E6	10	6
HPV16 E6	10	32	HPV16 E6	9	140
HPV16 E6	11	105	HPV16 E6	11	29
HPV16 E6	11	36	HPV16 E6	8	94
HPV16 E6	8	48	HPV16 E6	9	93
HPV16 E6	10	52	HPV16 E6	8	69
HPV16 E6	11	52	HPV16 E6	9	69
HPV16 E6	8	92	HPV16 E6	11	69
HPV16 E6	10	92	HPV16 E6	10	139
HPV16 E6	9	31	HPV16 E6	9	67
HPV16 E6	11	31	HPV16 E6	10	67

Table XVI  
HLA-A3 Motif Peptides

HPV16 E6	11	67	HPV16 L1	10	373
HPV16 E6	8	39	HPV16 L1	9	233
HPV16 E6	9	39	HPV16 L1	11	233
HPV16 E6	9	91	HPV16 L1	8	158
HPV16 E6	11	91	HPV16 L1	11	292
HPV16 E6	8	77	HPV16 L1	10	70
HPV16 E6	9	77	HPV16 L1	11	70
HPV16 E6	10	77	HPV16 L1	11	371
HPV16 E7	8	42	HPV16 L1	10	251
HPV16 E7	9	42	HPV16 L1	8	128
HPV16 E7	10	42	HPV16 L1	9	329
HPV16 E7	11	42	HPV16 L1	8	153
HPV16 E7	9	58	HPV16 L1	9	153
HPV16 E7	10	68	HPV16 L1	10	153
HPV16 E7	11	39	HPV16 L1	11	153
HPV16 E7	10	14	HPV16 L1	9	235
HPV16 E7	8	4	HPV16 L1	9	223
HPV16 E7	8	35	HPV16 L1	11	223
HPV16 E7	11	35	HPV16 L1	8	249
HPV16 E7	9	37	HPV16 L1	9	249
HPV16 E7	8	18	HPV16 L1	9	484
HPV16 E7	10	57	HPV16 L1	10	484
HPV16 E7	9	3	HPV16 L1	11	484
HPV16 E7	10	88	HPV16 L1	10	397
HPV16 E7	8	2	HPV16 L1	11	300
HPV16 E7	10	2	HPV16 L1	9	225
HPV16 E7	8	38	HPV16 L1	8	270
HPV16 E7	9	89	HPV16 L1	9	270
HPV16 E7	11	67	HPV16 L1	8	154
HPV16 E7	11	13	HPV16 L1	9	154
HPV16 E7	11	87	HPV16 L1	10	154
HPV16 E7	8	53	HPV16 L1	9	228
HPV16 E7	9	41	HPV16 L1	8	120
HPV16 E7	10	41	HPV16 L1	11	113
HPV16 E7	11	41	HPV16 L1	10	442
HPV16 E7	11	47	HPV16 L1	8	17
HPV16 E7	8	44	HPV16 L1	9	17
HPV16 E7	9	44	HPV16 L1	8	171
HPV16 E7	8	70	HPV16 L1	9	464
HPV16 E7	9	49	HPV16 L1	11	441
HPV16 E7	8	66	HPV16 L1	9	378
HPV16 E7	11	63	HPV16 L1	10	378
HPV16 E7	11	56	HPV16 L1	8	474
HPV16 E7	10	64	HPV16 L1	10	474
HPV16 E7	8	90	HPV16 L1	10	273
HPV16 L1	10	372	HPV16 L1	11	231
HPV16 L1	11	372	HPV16 L1	8	109
HPV16 L1	9	162	HPV16 L1	9	109
HPV16 L1	9	453	HPV16 L1	10	5
HPV16 L1	11	453	HPV16 L1	8	494
HPV16 L1	9	127	HPV16 L1	9	494
HPV16 L1	10	483	HPV16 L1	10	494
HPV16 L1	11	483	HPV16 L1	8	481
HPV16 L1	8	411	HPV16 L1	8	506
HPV16 L1	8	498	HPV16 L1	8	236
HPV16 L1	9	498	HPV16 L1	8	282
HPV16 L1	8	63	HPV16 L1	9	282
HPV16 L1	11	63	HPV16 L1	11	282
HPV16 L1	11	451	HPV16 L1	8	446
HPV16 L1	9	373	HPV16 L1	11	446

Table XVI  
HLA-A3 Motif Peptides

HPV16 L1	9	356	HPV16 L1	11	151
HPV16 L1	10	232	HPV16 L1	8	90
HPV16 L1	9	186	HPV16 L1	10	90
HPV16 L1	8	224	HPV16 L1	11	90
HPV16 L1	10	224	HPV16 L1	8	46
HPV16 L1	9	269	HPV16 L1	10	46
HPV16 L1	10	269	HPV16 L1	11	46
HPV16 L1	8	110	HPV16 L1	8	69
HPV16 L1	8	437	HPV16 L1	11	69
HPV16 L1	9	437	HPV16 L1	8	404
HPV16 L1	10	437	HPV16 L1	9	152
HPV16 L1	9	348	HPV16 L1	10	152
HPV16 L1	10	142	HPV16 L1	11	152
HPV16 L1	8	499	HPV16 L1	9	248
HPV16 L1	8	93	HPV16 L1	10	248
HPV16 L1	10	93	HPV16 L1	8	485
HPV16 L1	9	305	HPV16 L1	9	485
HPV16 L1	8	323	HPV16 L1	10	485
HPV16 L1	11	323	HPV16 L1	11	272
HPV16 L1	8	198	HPV16 L1	10	355
HPV16 L1	11	307	HPV16 L1	9	490
HPV16 L1	8	438	HPV16 L1	8	139
HPV16 L1	9	438	HPV16 L1	11	184
HPV16 L1	10	64	HPV16 L1	8	68
HPV16 L1	9	62	HPV16 L1	9	68
HPV16 L1	9	392	HPV16 L1	11	148
HPV16 L1	11	392	HPV16 L1	8	495
HPV16 L1	8	285	HPV16 L1	9	495
HPV16 L1	8	102	HPV16 L1	11	495
HPV16 L1	10	102	HPV16 L1	8	409
HPV16 L1	10	452	HPV16 L1	10	409
HPV16 L1	9	254	HPV16 L1	10	87
HPV16 L1	8	250	HPV16 L1	11	87
HPV16 L1	11	250	HPV16 L1	8	234
HPV16 L1	8	349	HPV16 L1	10	234
HPV16 L1	10	332	HPV16 L1	9	281
HPV16 L1	11	332	HPV16 L1	10	281
HPV16 L1	11	401	HPV16 L1	9	27
HPV16 L1	10	185	HPV16 L1	8	226
HPV16 L1	11	86	HPV16 L1	11	226
HPV16 L1	9	143	HPV16 L1	11	263
HPV16 L1	8	374	HPV16 L1	9	325
HPV16 L1	9	374	HPV16 L1	11	325
HPV16 L1	11	11	HPV16 L1	9	157
HPV16 L1	10	407	HPV16 L1	9	16
HPV16 L1	10	501	HPV16 L1	10	16
HPV16 L1	11	501	HPV16 L1	8	385
HPV16 L1	9	108	HPV16 L1	10	347
HPV16 L1	10	108	HPV16 L1	10	58
HPV16 L1	9	493	HPV16 L1	8	311
HPV16 L1	10	493	HPV16 L1	8	476
HPV16 L1	11	493	HPV16 L1	10	421
HPV16 L1	9	480	HPV16 L1	9	383
HPV16 L1	8	505	HPV16 L1	10	383
HPV16 L1	9	505	HPV16 L1	9	296
HPV16 L1	10	304	HPV16 L1	9	460
HPV16 L1	9	197	HPV16 L1	10	460
HPV16 L1	11	406	HPV16 L1	11	460
HPV16 L1	8	151	HPV16 L1	8	104
HPV16 L1	10	151	HPV16 L1	9	119

Table XVI  
HLA-A3 Motif Peptides

HPV16 L1	11	258	HPV16 L1	9	422
HPV16 L1	9	436	HPV16 L1	8	365
HPV16 L1	10	436	HPV16 L1	9	365
HPV16 L1	11	436	HPV16 L1	8	375
HPV16 L1	8	190	HPV16 L1	8	519
HPV16 L1	9	77	HPV16 L1	9	519
HPV16 L1	10	247	HPV16 L1	10	519
HPV16 L1	11	247	HPV16 L1	11	519
HPV16 L1	10	489	HPV16 L1	8	521
HPV16 L1	9	138	HPV16 L1	9	521
HPV16 L1	10	321	HPV16 L1	10	521
HPV16 L1	10	515	HPV16 L1	9	410
HPV16 L1	11	515	HPV16 L1	8	523
HPV16 L1	11	43	HPV16 L1	9	309
HPV16 L1	9	497	HPV16 L1	10	309
HPV16 L1	10	497	HPV16 L1	10	12
HPV16 L1	8	450	HPV16 L1	11	12
HPV16 L1	10	222	HPV16 L1	11	50
HPV16 L1	8	399	HPV16 L1	11	4
HPV16 L1	8	487	HPV16 L1	8	471
HPV16 L1	11	331	HPV16 L1	10	471
HPV16 L1	9	403	HPV16 L1	11	471
HPV16 L1	8	181	HPV16 L1	8	229
HPV16 L1	11	354	HPV16 L1	8	423
HPV16 L1	8	280	HPV16 L1	8	439
HPV16 L1	10	280	HPV16 L1	9	408
HPV16 L1	11	280	HPV16 L1	11	408
HPV16 L1	10	26	HPV16 L1	9	327
HPV16 L1	10	179	HPV16 L1	11	327
HPV16 L1	9	445	HPV16 L1	11	376
HPV16 L1	9	100	HPV16 L1	10	114
HPV16 L1	10	100	HPV16 L1	9	252
HPV16 L1	9	67	HPV16 L1	11	252
HPV16 L1	10	67	HPV16 L1	9	448
HPV16 L1	9	364	HPV16 L1	10	448
HPV16 L1	10	364	HPV16 L1	9	65
HPV16 L1	8	56	HPV16 L1	11	65
HPV16 L1	11	482	HPV16 L1	8	517
HPV16 L1	8	328	HPV16 L1	9	517
HPV16 L1	10	328	HPV16 L1	10	517
HPV16 L1	9	115	HPV16 L1	11	517
HPV16 L1	8	144	HPV16 L1	8	520
HPV16 L1	8	92	HPV16 L1	9	520
HPV16 L1	9	92	HPV16 L1	10	520
HPV16 L1	11	92	HPV16 L1	11	520
HPV16 L1	9	322	HPV16 L1	8	522
HPV16 L1	8	306	HPV16 L1	9	522
HPV16 L1	8	253	HPV16 L1	11	362
HPV16 L1	10	253	HPV16 L1	9	516
HPV16 L1	8	271	HPV16 L1	10	516
HPV16 L1	8	28	HPV16 L1	11	516
HPV16 L1	11	28	HPV16 L1	8	379
HPV16 L1	10	324	HPV16 L1	9	379
HPV16 L1	8	518	HPV16 L1	11	379
HPV16 L1	9	518	HPV16 L1	11	36
HPV16 L1	10	518	HPV16 L1	8	54
HPV16 L1	11	518	HPV16 L1	9	54
HPV16 L1	10	308	HPV16 L1	10	54
HPV16 L1	11	308	HPV16 L1	11	167
HPV16 L1	8	49	HPV16 L1	10	227

Table XVI  
HLA-A3 Motif Peptides

HPV16 L1	11	98	HPV16 L2	9	282
HPV16 L1	10	293	HPV16 L2	10	282
HPV16 L1	9	71	HPV16 L2	8	329
HPV16 L1	10	71	HPV16 L2	8	445
HPV16 L1	11	141	HPV16 L2	9	445
HPV16 L1	10	264	HPV16 L2	9	31
HPV16 L1	11	264	HPV16 L2	10	415
HPV16 L1	9	91	HPV16 L2	9	285
HPV16 L1	10	91	HPV16 L2	8	261
HPV16 L1	10	44	HPV16 L2	10	258
HPV16 L1	8	48	HPV16 L2	11	258
HPV16 L1	9	48	HPV16 L2	10	340
HPV16 L1	8	326	HPV16 L2	9	111
HPV16 L1	10	326	HPV16 L2	8	465
HPV16 L1	10	447	HPV16 L2	9	465
HPV16 L1	11	447	HPV16 L2	11	242
HPV16 L1	8	357	HPV16 L2	8	283
HPV16 L1	9	47	HPV16 L2	9	283
HPV16 L1	10	47	HPV16 L2	11	283
HPV16 L1	10	126	HPV16 L2	8	466
HPV16 L1	11	195	HPV16 L2	11	268
HPV16 L1	9	30	HPV16 L2	11	181
HPV16 L1	8	338	HPV16 L2	8	321
HPV16 L1	10	161	HPV16 L2	10	321
HPV16 L1	11	396	HPV16 L2	9	444
HPV16 L1	11	75	HPV16 L2	10	444
HPV16 L1	8	268	HPV16 L2	9	259
HPV16 L1	10	268	HPV16 L2	10	259
HPV16 L1	11	268	HPV16 L2	11	59
HPV16 L1	9	302	HPV16 L2	10	300
HPV16 L1	9	260	HPV16 L2	10	364
HPV16 L1	8	7	HPV16 L2	11	226
HPV16 L1	9	38	HPV16 L2	10	63
HPV16 L1	8	389	HPV16 L2	9	433
HPV16 L1	8	275	HPV16 L2	11	433
HPV16 L1	10	275	HPV16 L2	11	218
HPV16 L1	11	275	HPV16 L2	10	26
HPV16 L1	9	470	HPV16 L2	8	65
HPV16 L1	11	470	HPV16 L2	9	61
HPV16 L1	8	53	HPV16 L2	8	440
HPV16 L1	9	53	HPV16 L2	10	440
HPV16 L1	10	53	HPV16 L2	8	41
HPV16 L1	11	53	HPV16 L2	8	260
HPV16 L2	9	441	HPV16 L2	9	260
HPV16 L2	8	241	HPV16 L2	8	320
HPV16 L2	10	443	HPV16 L2	9	320
HPV16 L2	11	443	HPV16 L2	11	320
HPV16 L2	11	25	HPV16 L2	8	306
HPV16 L2	10	288	HPV16 L2	10	306
HPV16 L2	11	288	HPV16 L2	10	60
HPV16 L2	11	356	HPV16 L2	8	439
HPV16 L2	10	293	HPV16 L2	9	439
HPV16 L2	11	293	HPV16 L2	11	439
HPV16 L2	8	13	HPV16 L2	8	32
HPV16 L2	11	13	HPV16 L2	11	32
HPV16 L2	9	82	HPV16 L2	10	45
HPV16 L2	9	15	HPV16 L2	11	45
HPV16 L2	11	15	HPV16 L2	11	344
HPV16 L2	8	442	HPV16 L2	10	243
HPV16 L2	11	442	HPV16 L2	10	135

Table XVI  
HLA-A3 Motif Peptides

HPV16 L2	8	250	HPV16 L2	8	450
HPV16 L2	8	286	HPV16 L2	9	450
HPV16 L2	8	430	HPV16 L2	10	450
HPV16 L2	10	105	HPV16 L2	11	450
HPV16 L2	9	248	HPV16 L2	8	80
HPV16 L2	10	248	HPV16 L2	11	80
HPV16 L2	8	318	HPV16 L2	11	246
HPV16 L2	9	318	HPV16 L2	9	172
HPV16 L2	10	318	HPV16 L2	10	172
HPV16 L2	11	318	HPV16 L2	9	358
HPV16 L2	10	39	HPV16 L2	8	221
HPV16 L2	8	35	HPV16 L2	10	221
HPV16 L2	8	323	HPV16 L2	11	44
HPV16 L2	8	284	HPV16 L2	9	17
HPV16 L2	10	284	HPV16 L2	8	342
HPV16 L2	8	75	HPV16 L2	9	310
HPV16 L2	11	427	HPV16 L2	8	234
HPV16 L2	8	249	HPV16 L2	9	234
HPV16 L2	9	249	HPV16 L2	8	12
HPV16 L2	9	183	HPV16 L2	9	12
HPV16 L2	11	183	HPV16 L2	9	305
HPV16 L2	9	294	HPV16 L2	11	305
HPV16 L2	10	294	HPV16 L2	8	5
HPV16 L2	10	108	HPV16 L2	9	5
HPV16 L2	8	454	HPV16 L2	11	5
HPV16 L2	11	454	HPV16 L2	8	315
HPV16 L2	8	271	HPV16 L2	9	315
HPV16 L2	8	363	HPV16 L2	11	315
HPV16 L2	11	363	HPV16 L2	8	298
HPV16 L2	8	276	HPV16 L2	10	69
HPV16 L2	11	273	HPV16 L2	11	9
HPV16 L2	9	397	HPV16 L2	10	313
HPV16 L2	10	397	HPV16 L2	11	313
HPV16 L2	9	150	HPV16 L2	8	6
HPV16 L2	8	174	HPV16 L2	10	6
HPV16 L2	9	240	HPV16 L2	10	14
HPV16 L2	11	292	HPV16 L2	8	316
HPV16 L2	8	395	HPV16 L2	10	316
HPV16 L2	11	395	HPV16 L2	11	316
HPV16 L2	8	281	HPV16 L2	9	64
HPV16 L2	10	281	HPV16 L2	8	319
HPV16 L2	11	281	HPV16 L2	9	319
HPV16 L2	10	30	HPV16 L2	10	319
HPV16 L2	11	414	HPV16 L2	10	274
HPV16 L2	10	279	HPV16 L2	10	360
HPV16 L2	10	432	HPV16 L2	11	360
HPV16 L2	8	217	HPV16 L2	9	125
HPV16 L2	8	417	HPV16 L2	11	134
HPV16 L2	9	215	HPV16 L2	11	104
HPV16 L2	10	215	HPV16 L2	8	389
HPV16 L2	9	429	HPV16 L2	8	107
HPV16 L2	9	74	HPV16 L2	11	107
HPV16 L2	10	124	HPV16 L2	10	269
HPV16 L2	8	386	HPV16 L2	8	184
HPV16 L2	11	386	HPV16 L2	10	184
HPV16 L2	9	346	HPV16 L2	9	185
HPV16 L2	10	346	HPV16 L2	9	212
HPV16 L2	11	346	HPV16 L2	8	186
HPV16 L2	10	166	HPV16 L2	8	213
HPV16 L2	11	383	HPV16 L2	11	213

Table XVI  
HLA-A3 Motif Peptides

HPV16 L2	10	387	HPV18 E1	11	396
HPV16 L2	8	347	HPV18 E1	10	397
HPV16 L2	9	347	HPV18 E1	11	397
HPV16 L2	10	347	HPV18 E1	8	390
HPV16 L2	9	167	HPV18 E1	9	390
HPV16 L2	10	384	HPV18 E1	10	390
HPV16 L2	10	81	HPV18 E1	8	636
HPV16 L2	9	27	HPV18 E1	11	636
HPV16 L2	8	83	HPV18 E1	8	383
HPV16 L2	11	299	HPV18 E1	9	398
HPV16 L2	8	62	HPV18 E1	10	398
HPV16 L2	11	62	HPV18 E1	11	398
HPV16 L2	9	70	HPV18 E1	10	246
HPV16 L2	9	40	HPV18 E1	11	546
HPV16 L2	9	438	HPV18 E1	9	68
HPV16 L2	10	438	HPV18 E1	11	466
HPV16 L2	8	399	HPV18 E1	10	387
HPV16 L2	8	311	HPV18 E1	11	387
HPV16 L2	10	182	HPV18 E1	9	284
HPV16 L2	8	112	HPV18 E1	11	284
HPV16 L2	8	359	HPV18 E1	10	213
HPV16 L2	11	359	HPV18 E1	11	40
HPV16 L2	9	388	HPV18 E1	8	413
HPV16 L2	8	295	HPV18 E1	9	413
HPV16 L2	9	295	HPV18 E1	10	413
HPV16 L2	11	295	HPV18 E1	8	531
HPV16 L2	10	211	HPV18 E1	9	531
HPV16 L2	8	137	HPV18 E1	11	216
HPV16 L2	8	156	HPV18 E1	11	504
HPV16 L2	8	398	HPV18 E1	8	412
HPV16 L2	9	398	HPV18 E1	9	412
HPV16 L2	9	244	HPV18 E1	10	412
HPV16 L2	11	231	HPV18 E1	11	412
HPV16 L2	9	136	HPV18 E1	9	618
HPV16 L2	11	153	HPV18 E1	9	290
HPV16 L2	10	154	HPV18 E1	10	290
HPV16 L2	8	151	HPV18 E1	8	483
HPV16 L2	11	287	HPV18 E1	10	483
HPV16 L2	9	222	HPV18 E1	11	483
HPV16 L2	11	238	HPV18 E1	8	479
HPV16 L2	8	168	HPV18 E1	8	311
HPV16 L2	9	106	HPV18 E1	10	311
HPV16 L2	11	210	HPV18 E1	8	160
HPV16 L2	9	155	HPV18 E1	11	437
HPV16 L2	9	328	HPV18 E1	9	240
HPV16 L2	8	366	HPV18 E1	11	196
HPV16 L2	9	464	HPV18 E1	9	635
HPV16 L2	10	464	HPV18 E1	9	78
HPV16 L2	8	48	HPV18 E1	10	78
HPV16 L2	10	393	HPV18 E1	11	78
HPV16 L2	11	72	HPV18 E1	9	530
HPV16 L2	10	447	HPV18 E1	10	530
HPV16 L2	11	447	HPV18 E1	8	411
HPV16 L2	8	453	HPV18 E1	9	411
HPV16 L2	9	453	HPV18 E1	10	411
HPV16 L2	11	303	HPV18 E1	11	411
HPV16 L2	9	228	HPV18 E1	10	275
HPV16 L2	10	437	HPV18 E1	10	529
HPV16 L2	11	437	HPV18 E1	11	529
HPV16 L2	8	349	HPV18 E1	9	49

Table XVI  
HLA-A3 Motif Peptides

HPV18 E1	11	8	HPV18 E1	8	619
HPV18 E1	9	548	HPV18 E1	8	493
HPV18 E1	10	548	HPV18 E1	8	643
HPV18 E1	11	548	HPV18 E1	8	248
HPV18 E1	9	628	HPV18 E1	11	248
HPV18 E1	8	203	HPV18 E1	8	50
HPV18 E1	11	203	HPV18 E1	8	497
HPV18 E1	9	363	HPV18 E1	9	500
HPV18 E1	10	363	HPV18 E1	9	460
HPV18 E1	10	228	HPV18 E1	11	460
HPV18 E1	10	381	HPV18 E1	8	463
HPV18 E1	11	134	HPV18 E1	10	463
HPV18 E1	8	391	HPV18 E1	8	470
HPV18 E1	9	391	HPV18 E1	8	399
HPV18 E1	11	391	HPV18 E1	9	399
HPV18 E1	10	637	HPV18 E1	10	399
HPV18 E1	11	637	HPV18 E1	9	452
HPV18 E1	9	42	HPV18 E1	8	226
HPV18 E1	10	522	HPV18 E1	9	226
HPV18 E1	8	342	HPV18 E1	8	130
HPV18 E1	10	52	HPV18 E1	8	508
HPV18 E1	11	30	HPV18 E1	8	465
HPV18 E1	10	634	HPV18 E1	8	212
HPV18 E1	8	459	HPV18 E1	11	212
HPV18 E1	10	459	HPV18 E1	10	13
HPV18 E1	8	594	HPV18 E1	9	341
HPV18 E1	10	594	HPV18 E1	9	444
HPV18 E1	10	256	HPV18 E1	11	444
HPV18 E1	11	442	HPV18 E1	9	257
HPV18 E1	8	639	HPV18 E1	10	443
HPV18 E1	9	639	HPV18 E1	9	223
HPV18 E1	11	639	HPV18 E1	11	223
HPV18 E1	9	10	HPV18 E1	11	494
HPV18 E1	10	10	HPV18 E1	11	92
HPV18 E1	8	610	HPV18 E1	11	644
HPV18 E1	10	610	HPV18 E1	8	11
HPV18 E1	11	610	HPV18 E1	9	11
HPV18 E1	9	115	HPV18 E1	10	473
HPV18 E1	10	115	HPV18 E1	9	279
HPV18 E1	11	115	HPV18 E1	10	279
HPV18 E1	9	62	HPV18 E1	11	279
HPV18 E1	10	62	HPV18 E1	10	249
HPV18 E1	11	62	HPV18 E1	11	249
HPV18 E1	9	375	HPV18 E1	9	71
HPV18 E1	10	375	HPV18 E1	10	499
HPV18 E1	8	379	HPV18 E1	11	514
HPV18 E1	9	379	HPV18 E1	8	355
HPV18 E1	9	587	HPV18 E1	8	270
HPV18 E1	8	64	HPV18 E1	8	83
HPV18 E1	9	64	HPV18 E1	9	198
HPV18 E1	10	309	HPV18 E1	8	440
HPV18 E1	9	104	HPV18 E1	11	51
HPV18 E1	10	74	HPV18 E1	9	247
HPV18 E1	10	57	HPV18 E1	11	352
HPV18 E1	9	482	HPV18 E1	8	282
HPV18 E1	11	482	HPV18 E1	11	282
HPV18 E1	9	601	HPV18 E1	8	569
HPV18 E1	10	362	HPV18 E1	10	569
HPV18 E1	11	362	HPV18 E1	11	569
HPV18 E1	8	539	HPV18 E1	9	32

Table XVI  
HLA-A3 Motif Peptides

HPV18 E1	9	506	HPV18 E1	9	261
HPV18 E1	10	506	HPV18 E1	10	261
HPV18 E1	8	552	HPV18 E1	8	313
HPV18 E1	8	116	HPV18 E1	9	388
HPV18 E1	9	116	HPV18 E1	10	388
HPV18 E1	10	116	HPV18 E1	11	388
HPV18 E1	11	116	HPV18 E1	10	204
HPV18 E1	8	461	HPV18 E1	8	285
HPV18 E1	10	461	HPV18 E1	10	285
HPV18 E1	9	590	HPV18 E1	9	570
HPV18 E1	10	590	HPV18 E1	10	570
HPV18 E1	10	617	HPV18 E1	8	364
HPV18 E1	10	289	HPV18 E1	9	364
HPV18 E1	11	289	HPV18 E1	8	224
HPV18 E1	8	410	HPV18 E1	10	224
HPV18 E1	9	410	HPV18 E1	11	224
HPV18 E1	10	410	HPV18 E1	8	376
HPV18 E1	11	410	HPV18 E1	9	376
HPV18 E1	9	202	HPV18 E1	11	376
HPV18 E1	11	579	HPV18 E1	8	571
HPV18 E1	8	219	HPV18 E1	9	571
HPV18 E1	8	299	HPV18 E1	11	480
HPV18 E1	11	472	HPV18 E1	9	229
HPV18 E1	9	439	HPV18 E1	9	382
HPV18 E1	8	647	HPV18 E1	8	415
HPV18 E1	9	647	HPV18 E1	10	415
HPV18 E1	8	318	HPV18 E1	11	415
HPV18 E1	10	318	HPV18 E1	10	340
HPV18 E1	9	468	HPV18 E1	9	214
HPV18 E1	10	468	HPV18 E1	9	312
HPV18 E1	8	401	HPV18 E1	10	495
HPV18 E1	10	401	HPV18 E1	8	429
HPV18 E1	8	292	HPV18 E1	11	429
HPV18 E1	8	490	HPV18 E1	11	47
HPV18 E1	10	490	HPV18 E1	9	478
HPV18 E1	11	490	HPV18 E1	8	403
HPV18 E1	10	259	HPV18 E1	11	403
HPV18 E1	11	259	HPV18 E1	10	77
HPV18 E1	10	237	HPV18 E1	11	77
HPV18 E1	8	524	HPV18 E1	8	612
HPV18 E1	8	206	HPV18 E1	9	612
HPV18 E1	11	206	HPV18 E1	11	612
HPV18 E1	8	389	HPV18 E1	11	361
HPV18 E1	9	389	HPV18 E1	11	604
HPV18 E1	10	389	HPV18 E1	8	15
HPV18 E1	11	389	HPV18 E1	9	574
HPV18 E1	10	283	HPV18 E1	8	428
HPV18 E1	8	215	HPV18 E1	9	428
HPV18 E1	11	274	HPV18 E1	8	119
HPV18 E1	11	528	HPV18 E1	9	119
HPV18 E1	10	547	HPV18 E1	10	119
HPV18 E1	11	547	HPV18 E1	9	393
HPV18 E1	10	627	HPV18 E1	11	487
HPV18 E1	8	69	HPV18 E1	10	158
HPV18 E1	11	69	HPV18 E1	9	191
HPV18 E1	9	129	HPV18 E1	9	577
HPV18 E1	9	464	HPV18 E1	8	485
HPV18 E1	8	281	HPV18 E1	9	485
HPV18 E1	9	281	HPV18 E1	10	600
HPV18 E1	8	261	HPV18 E1	8	642

Table XVI  
HLA-A3 Motif Peptides

HPV18 E1	9	642	HPV18 E1	8	322
HPV18 E1	9	568	HPV18 E1	9	322
HPV18 E1	11	568	HPV18 E1	11	245
HPV18 E1	8	551	HPV18 E1	8	65
HPV18 E1	9	551	HPV18 E1	9	310
HPV18 E1	8	448	HPV18 E1	11	310
HPV18 E1	8	519	HPV18 E1	8	239
HPV18 E1	8	252	HPV18 E1	10	239
HPV18 E1	8	607	HPV18 E1	9	534
HPV18 E1	11	607	HPV18 E1	11	534
HPV18 E1	9	60	HPV18 E1	8	377
HPV18 E1	11	60	HPV18 E1	10	377
HPV18 E1	9	405	HPV18 E1	11	377
HPV18 E1	10	67	HPV18 E1	8	227
HPV18 E1	8	195	HPV18 E1	11	227
HPV18 E1	10	451	HPV18 E1	10	41
HPV18 E1	8	211	HPV18 E1	11	521
HPV18 E1	9	211	HPV18 E1	8	241
HPV18 E1	8	54	HPV18 E1	11	56
HPV18 E1	10	457	HPV18 E1	10	645
HPV18 E1	10	146	HPV18 E1	11	645
HPV18 E1	11	200	HPV18 E1	9	462
HPV18 E1	9	426	HPV18 E1	11	462
HPV18 E1	10	426	HPV18 E1	8	12
HPV18 E1	11	426	HPV18 E1	11	12
HPV18 E1	8	80	HPV18 E1	10	488
HPV18 E1	9	80	HPV18 E1	8	43
HPV18 E1	10	80	HPV18 E1	10	197
HPV18 E1	11	80	HPV18 E1	9	260
HPV18 E1	8	148	HPV18 E1	10	260
HPV18 E1	10	589	HPV18 E1	11	260
HPV18 E1	11	589	HPV18 E1	8	414
HPV18 E1	11	626	HPV18 E1	9	414
HPV18 E1	11	102	HPV18 E1	11	414
HPV18 E1	10	128	HPV18 E1	9	238
HPV18 E1	8	320	HPV18 E1	11	238
HPV18 E1	10	320	HPV18 E1	10	533
HPV18 E1	11	320	HPV18 E1	8	572
HPV18 E1	9	622	HPV18 E1	11	572
HPV18 E1	8	33	HPV18 E1	8	532
HPV18 E1	8	380	HPV18 E1	11	532
HPV18 E1	11	380	HPV18 E1	11	296
HPV18 E1	9	496	HPV18 E1	8	591
HPV18 E1	8	469	HPV18 E1	9	591
HPV18 E1	9	469	HPV18 E1	11	591
HPV18 E1	9	225	HPV18 E1	8	323
HPV18 E1	10	225	HPV18 E1	10	297
HPV18 E1	8	507	HPV18 E1	9	159
HPV18 E1	9	507	HPV18 E1	10	48
HPV18 E1	8	120	HPV18 E1	8	105
HPV18 E1	9	120	HPV18 E1	10	481
HPV18 E1	11	120	HPV18 E1	8	592
HPV18 E1	10	135	HPV18 E1	10	592
HPV18 E1	8	117	HPV18 E1	10	217
HPV18 E1	9	117	HPV18 E1	10	31
HPV18 E1	10	117	HPV18 E1	10	505
HPV18 E1	11	117	HPV18 E1	11	505
HPV18 E1	9	321	HPV18 E1	8	81
HPV18 E1	10	321	HPV18 E1	9	81
HPV18 E1	10	93	HPV18 E1	10	81

Table XVI  
HLA-A3 Motif Peptides

HPV18 E1	8	280	HPV18 E2	8	29
HPV18 E1	9	280	HPV18 E2	11	315
HPV18 E1	10	280	HPV18 E2	11	26
HPV18 E1	11	339	HPV18 E2	11	31
HPV18 E1	10	17	HPV18 E2	9	354
HPV18 E1	11	17	HPV18 E2	9	139
HPV18 E1	10	278	HPV18 E2	10	210
HPV18 E1	11	278	HPV18 E2	8	175
HPV18 E1	10	346	HPV18 E2	9	175
HPV18 E1	8	432	HPV18 E2	10	167
HPV18 E1	9	516	HPV18 E2	11	167
HPV18 E1	11	516	HPV18 E2	10	78
HPV18 E1	9	536	HPV18 E2	9	104
HPV18 E1	11	536	HPV18 E2	11	104
HPV18 E1	10	268	HPV18 E2	11	125
HPV18 E1	11	386	HPV18 E2	10	268
HPV18 E1	9	538	HPV18 E2	11	268
HPV18 E1	8	492	HPV18 E2	10	294
HPV18 E1	9	492	HPV18 E2	11	294
HPV18 E1	8	137	HPV18 E2	8	117
HPV18 E1	10	222	HPV18 E2	9	117
HPV18 E1	9	585	HPV18 E2	8	331
HPV18 E1	11	585	HPV18 E2	8	85
HPV18 E1	10	408	HPV18 E2	9	161
HPV18 E1	11	408	HPV18 E2	11	235
HPV18 E1	8	19	HPV18 E2	9	251
HPV18 E1	9	19	HPV18 E2	11	259
HPV18 E2	9	269	HPV18 E2	8	53
HPV18 E2	10	269	HPV18 E2	10	291
HPV18 E2	11	269	HPV18 E2	8	338
HPV18 E2	11	245	HPV18 E2	9	338
HPV18 E2	8	147	HPV18 E2	9	20
HPV18 E2	9	45	HPV18 E2	8	46
HPV18 E2	9	82	HPV18 E2	10	19
HPV18 E2	10	82	HPV18 E2	8	289
HPV18 E2	11	82	HPV18 E2	8	68
HPV18 E2	10	154	HPV18 E2	9	68
HPV18 E2	11	154	HPV18 E2	10	316
HPV18 E2	8	270	HPV18 E2	11	72
HPV18 E2	9	270	HPV18 E2	8	75
HPV18 E2	10	270	HPV18 E2	8	300
HPV18 E2	11	270	HPV18 E2	9	300
HPV18 E2	10	214	HPV18 E2	10	300
HPV18 E2	10	246	HPV18 E2	9	28
HPV18 E2	8	252	HPV18 E2	9	129
HPV18 E2	10	260	HPV18 E2	8	293
HPV18 E2	11	260	HPV18 E2	11	293
HPV18 E2	8	301	HPV18 E2	9	116
HPV18 E2	9	301	HPV18 E2	10	116
HPV18 E2	11	132	HPV18 E2	11	18
HPV18 E2	10	282	HPV18 E2	8	152
HPV18 E2	10	205	HPV18 E2	9	152
HPV18 E2	9	14	HPV18 E2	9	329
HPV18 E2	10	14	HPV18 E2	10	329
HPV18 E2	8	156	HPV18 E2	8	238
HPV18 E2	9	156	HPV18 E2	9	238
HPV18 E2	11	156	HPV18 E2	11	238
HPV18 E2	9	146	HPV18 E2	11	281
HPV18 E2	11	209	HPV18 E2	11	267
HPV18 E2	10	126	HPV18 E2	9	39

Table XVI  
HLA-A3 Motif Peptides

HPV18 E2	10	39	HPV18 E2	10	305
HPV18 E2	11	39	HPV18 E2	8	11
HPV18 E2	11	12	HPV18 E2	9	343
HPV18 E2	11	8	HPV18 E2	8	244
HPV18 E2	11	333	HPV18 E2	11	213
HPV18 E2	10	81	HPV18 E2	10	13
HPV18 E2	11	81	HPV18 E2	11	13
HPV18 E2	11	204	HPV18 E2	9	283
HPV18 E2	9	144	HPV18 E2	11	283
HPV18 E2	11	144	HPV18 E2	8	298
HPV18 E2	10	133	HPV18 E2	10	298
HPV18 E2	11	133	HPV18 E2	11	298
HPV18 E2	8	44	HPV18 E2	9	229
HPV18 E2	10	44	HPV18 E2	10	229
HPV18 E2	8	67	HPV18 E2	9	317
HPV18 E2	9	67	HPV18 E2	9	206
HPV18 E2	10	67	HPV18 E2	8	230
HPV18 E2	8	297	HPV18 E2	9	230
HPV18 E2	9	297	HPV18 E2	11	230
HPV18 E2	11	297	HPV18 E2	8	318
HPV18 E2	8	107	HPV18 E2	8	233
HPV18 E2	9	107	HPV18 E2	8	355
HPV18 E2	10	107	HPV18 E2	8	140
HPV18 E2	8	170	HPV18 E2	10	236
HPV18 E2	8	185	HPV18 E2	11	236
HPV18 E2	9	185	HPV18 E2	8	153
HPV18 E2	9	285	HPV18 E2	11	153
HPV18 E2	9	64	HPV18 E2	9	155
HPV18 E2	10	64	HPV18 E2	10	155
HPV18 E2	11	64	HPV18 E2	8	145
HPV18 E2	10	353	HPV18 E2	10	145
HPV18 E2	9	249	HPV18 E2	8	330
HPV18 E2	11	249	HPV18 E2	9	330
HPV18 E2	9	288	HPV18 E2	8	273
HPV18 E2	8	272	HPV18 E2	8	186
HPV18 E2	9	272	HPV18 E2	9	57
HPV18 E2	8	262	HPV18 E2	10	57
HPV18 E2	9	262	HPV18 E2	9	243
HPV18 E2	8	16	HPV18 E2	8	207
HPV18 E2	8	84	HPV18 E2	8	286
HPV18 E2	9	84	HPV18 E2	11	286
HPV18 E2	9	33	HPV18 E2	10	120
HPV18 E2	8	38	HPV18 E2	9	211
HPV18 E2	10	38	HPV18 E2	8	231
HPV18 E2	11	38	HPV18 E2	10	231
HPV18 E2	9	220	HPV18 E2	10	334
HPV18 E2	8	216	HPV18 E2	8	136
HPV18 E2	8	80	HPV18 E2	8	212
HPV18 E2	11	80	HPV18 E2	8	157
HPV18 E2	10	56	HPV18 E2	10	157
HPV18 E2	11	56	HPV18 E2	9	232
HPV18 E2	10	2	HPV18 E2	9	335
HPV18 E2	10	242	HPV18 E2	11	335
HPV18 E2	11	119	HPV18 E2	9	62
HPV18 E2	10	61	HPV18 E2	11	62
HPV18 E2	8	122	HPV18 E2	10	150
HPV18 E2	8	314	HPV18 E2	11	150
HPV18 E2	10	160	HPV18 E2	10	138
HPV18 E2	8	305	HPV18 E2	8	322
HPV18 E2	9	305	HPV18 E2	10	183

Table XVI  
HLA-A3 Motif Peptides

HPV18 E2	11	183	HPV18 E5	8	42
HPV18 E2	9	240	HPV18 E5	9	42
HPV18 E2	10	173	HPV18 E5	9	41
HPV18 E2	11	173	HPV18 E5	10	41
HPV18 E2	10	143	HPV18 E5	9	31
HPV18 E2	10	228	HPV18 E5	9	39
HPV18 E2	11	228	HPV18 E5	11	39
HPV18 E2	8	135	HPV18 E6	9	63
HPV18 E2	9	135	HPV18 E6	10	63
HPV18 E2	9	164	HPV18 E6	8	64
HPV18 E2	10	164	HPV18 E6	9	64
HPV18 E5	9	49	HPV18 E6	11	64
HPV18 E5	9	47	HPV18 E6	9	48
HPV18 E5	11	47	HPV18 E6	10	48
HPV18 E5	9	29	HPV18 E6	9	131
HPV18 E5	11	29	HPV18 E6	9	141
HPV18 E5	11	9	HPV18 E6	9	68
HPV18 E5	10	56	HPV18 E6	11	105
HPV18 E5	11	27	HPV18 E6	10	70
HPV18 E5	9	11	HPV18 E6	11	70
HPV18 E5	8	8	HPV18 E6	8	27
HPV18 E5	11	55	HPV18 E6	10	27
HPV18 E5	10	10	HPV18 E6	9	58
HPV18 E5	10	6	HPV18 E6	10	58
HPV18 E5	9	57	HPV18 E6	10	83
HPV18 E5	11	57	HPV18 E6	8	5
HPV18 E5	8	50	HPV18 E6	9	5
HPV18 E5	11	37	HPV18 E6	8	46
HPV18 E5	11	5	HPV18 E6	11	46
HPV18 E5	8	43	HPV18 E6	8	29
HPV18 E5	11	43	HPV18 E6	10	77
HPV18 E5	8	40	HPV18 E6	8	40
HPV18 E5	10	40	HPV18 E6	9	40
HPV18 E5	11	40	HPV18 E6	10	40
HPV18 E5	9	7	HPV18 E6	11	40
HPV18 E5	8	58	HPV18 E6	8	43
HPV18 E5	10	58	HPV18 E6	11	43
HPV18 E5	11	58	HPV18 E6	10	47
HPV18 E5	9	22	HPV18 E6	11	47
HPV18 E5	10	22	HPV18 E6	10	53
HPV18 E5	11	22	HPV18 E6	11	53
HPV18 E5	9	2	HPV18 E6	8	97
HPV18 E5	10	28	HPV18 E6	11	97
HPV18 E5	8	61	HPV18 E6	10	62
HPV18 E5	8	1	HPV18 E6	11	62
HPV18 E5	10	1	HPV18 E6	8	120
HPV18 E5	8	46	HPV18 E6	9	120
HPV18 E5	10	46	HPV18 E6	8	139
HPV18 E5	10	21	HPV18 E6	11	139
HPV18 E5	11	21	HPV18 E6	10	130
HPV18 E5	8	60	HPV18 E6	8	69
HPV18 E5	9	60	HPV18 E6	11	69
HPV18 E5	8	24	HPV18 E6	8	67
HPV18 E5	9	24	HPV18 E6	10	67
HPV18 E5	8	3	HPV18 E6	8	50
HPV18 E5	8	25	HPV18 E6	8	117
HPV18 E5	8	48	HPV18 E6	9	117
HPV18 E5	10	48	HPV18 E6	10	117
HPV18 E5	10	44	HPV18 E6	11	117
HPV18 E5	8	12	HPV18 E6	8	92

Table XVI  
HLA-A3 Motif Peptides

HPV18 E6	10	36	HPV18 E7	9	65
HPV18 E6	11	52	HPV18 E7	8	63
HPV18 E6	9	102	HPV18 E7	9	63
HPV18 E6	10	101	HPV18 E7	11	63
HPV18 E6	8	41	HPV18 E7	10	81
HPV18 E6	9	41	HPV18 E7	10	42
HPV18 E6	10	41	HPV18 E7	11	42
HPV18 E6	9	1	HPV18 E7	9	82
HPV18 E6	10	1	HPV18 E7	9	40
HPV18 E6	11	129	HPV18 E7	9	20
HPV18 E6	8	100	HPV18 E7	8	77
HPV18 E6	11	100	HPV18 E7	9	77
HPV18 E6	10	95	HPV18 E7	10	77
HPV18 E6	11	114	HPV18 E7	9	43
HPV18 E6	9	111	HPV18 E7	10	43
HPV18 E6	10	111	HPV18 E7	11	43
HPV18 E6	8	137	HPV18 E7	11	48
HPV18 E6	9	137	HPV18 E7	9	59
HPV18 E6	10	137	HPV18 E7	8	41
HPV18 E6	9	26	HPV18 E7	11	41
HPV18 E6	11	26	HPV18 E7	10	5
HPV18 E6	9	144	HPV18 E7	8	73
HPV18 E6	10	144	HPV18 E7	9	62
HPV18 E6	11	144	HPV18 E7	10	62
HPV18 E6	9	107	HPV18 E7	8	89
HPV18 E6	11	107	HPV18 E7	9	94
HPV18 E6	8	57	HPV18 E7	11	74
HPV18 E6	10	57	HPV18 E7	8	64
HPV18 E6	11	57	HPV18 E7	10	64
HPV18 E6	8	3	HPV18 E7	10	61
HPV18 E6	10	3	HPV18 E7	11	61
HPV18 E6	11	3	HPV18 E7	9	38
HPV18 E6	8	126	HPV18 E7	11	38
HPV18 E6	9	126	HPV18 E7	11	92
HPV18 E6	10	126	HPV18 E7	9	50
HPV18 E6	10	135	HPV18 E7	10	50
HPV18 E6	11	135	HPV18 E7	9	88
HPV18 E6	8	74	HPV18 E7	10	71
HPV18 E6	10	140	HPV18 E7	8	79
HPV18 E6	11	82	HPV18 E7	8	95
HPV18 E6	8	59	HPV18 E7	8	78
HPV18 E6	9	59	HPV18 E7	9	78
HPV18 E6	11	24	HPV18 E7	8	7
HPV18 E6	9	84	HPV18 E7	10	93
HPV18 E6	9	96	HPV18 E7	8	60
HPV18 E6	11	89	HPV18 E7	11	60
HPV18 E6	9	37	HPV18 E7	10	75
HPV18 E6	11	37	HPV18 E7	11	75
HPV18 E6	10	44	HPV18 L1	10	494
HPV18 E6	8	38	HPV18 L1	11	195
HPV18 E6	10	38	HPV18 L1	9	162
HPV18 E6	11	38	HPV18 L1	9	300
HPV18 E6	9	54	HPV18 L1	10	300
HPV18 E6	10	54	HPV18 L1	8	447
HPV18 E6	11	54	HPV18 L1	11	115
HPV18 E6	8	72	HPV18 L1	8	225
HPV18 E6	9	72	HPV18 L1	11	225
HPV18 E6	10	72	HPV18 L1	8	487
HPV18 E7	11	80	HPV18 L1	9	487
HPV18 E7	9	6	HPV18 L1	11	487

Table XVI  
HLA-A3 Motif Peptides

HPV18 L1	11	63	HPV18 L1	8	317
HPV18 L1	11	268	HPV18 L1	9	317
HPV18 L1	8	345	HPV18 L1	9	309
HPV18 L1	11	407	HPV18 L1	10	309
HPV18 L1	9	419	HPV18 L1	11	309
HPV18 L1	10	419	HPV18 L1	10	308
HPV18 L1	10	196	HPV18 L1	11	308
HPV18 L1	8	552	HPV18 L1	9	144
HPV18 L1	9	552	HPV18 L1	8	59
HPV18 L1	10	552	HPV18 L1	8	49
HPV18 L1	8	163	HPV18 L1	11	49
HPV18 L1	8	222	HPV18 L1	8	530
HPV18 L1	10	222	HPV18 L1	9	530
HPV18 L1	11	222	HPV18 L1	10	530
HPV18 L1	8	42	HPV18 L1	8	517
HPV18 L1	10	42	HPV18 L1	8	271
HPV18 L1	8	218	HPV18 L1	11	482
HPV18 L1	8	310	HPV18 L1	9	221
HPV18 L1	9	310	HPV18 L1	11	221
HPV18 L1	10	310	HPV18 L1	9	244
HPV18 L1	11	310	HPV18 L1	8	259
HPV18 L1	10	2	HPV18 L1	10	259
HPV18 L1	11	2	HPV18 L1	9	304
HPV18 L1	8	493	HPV18 L1	10	304
HPV18 L1	11	493	HPV18 L1	9	329
HPV18 L1	8	418	HPV18 L1	11	329
HPV18 L1	10	418	HPV18 L1	10	116
HPV18 L1	11	418	HPV18 L1	9	117
HPV18 L1	8	245	HPV18 L1	8	145
HPV18 L1	8	188	HPV18 L1	11	535
HPV18 L1	9	188	HPV18 L1	8	177
HPV18 L1	10	86	HPV18 L1	10	177
HPV18 L1	11	86	HPV18 L1	11	342
HPV18 L1	9	270	HPV18 L1	11	358
HPV18 L1	9	258	HPV18 L1	9	383
HPV18 L1	11	258	HPV18 L1	9	175
HPV18 L1	8	284	HPV18 L1	10	175
HPV18 L1	9	284	HPV18 L1	8	38
HPV18 L1	8	122	HPV18 L1	10	13
HPV18 L1	10	122	HPV18 L1	11	13
HPV18 L1	11	122	HPV18 L1	9	30
HPV18 L1	9	520	HPV18 L1	9	428
HPV18 L1	10	520	HPV18 L1	11	428
HPV18 L1	11	520	HPV18 L1	9	41
HPV18 L1	9	260	HPV18 L1	11	41
HPV18 L1	8	305	HPV18 L1	8	285
HPV18 L1	9	305	HPV18 L1	11	285
HPV18 L1	9	364	HPV18 L1	9	58
HPV18 L1	8	189	HPV18 L1	11	437
HPV18 L1	9	263	HPV18 L1	9	94
HPV18 L1	11	148	HPV18 L1	10	226
HPV18 L1	8	330	HPV18 L1	8	542
HPV18 L1	10	330	HPV18 L1	11	542
HPV18 L1	10	478	HPV18 L1	10	40
HPV18 L1	10	203	HPV18 L1	11	39
HPV18 L1	11	203	HPV18 L1	11	46
HPV18 L1	10	257	HPV18 L1	10	47
HPV18 L1	11	202	HPV18 L1	11	219
HPV18 L1	8	155	HPV18 L1	10	9
HPV18 L1	10	155	HPV18 L1	8	488

Table XVI  
HLA-A3 Motif Peptides

HPV18 L1	10	488	HPV18 L1	11	1
HPV18 L1	10	443	HPV18 L1	10	269
HPV18 L1	9	360	HPV18 L1	11	307
HPV18 L1	11	360	HPV18 L1	10	328
HPV18 L1	9	492	HPV18 L1	11	298
HPV18 L1	8	500	HPV18 L1	8	261
HPV18 L1	9	500	HPV18 L1	11	261
HPV18 L1	10	143	HPV18 L1	9	36
HPV18 L1	8	421	HPV18 L1	10	36
HPV18 L1	9	529	HPV18 L1	10	382
HPV18 L1	10	529	HPV18 L1	10	457
HPV18 L1	11	529	HPV18 L1	11	70
HPV18 L1	9	516	HPV18 L1	8	510
HPV18 L1	8	507	HPV18 L1	10	54
HPV18 L1	10	507	HPV18 L1	8	52
HPV18 L1	11	507	HPV18 L1	8	496
HPV18 L1	8	232	HPV18 L1	10	496
HPV18 L1	9	186	HPV18 L1	8	224
HPV18 L1	10	186	HPV18 L1	9	224
HPV18 L1	11	186	HPV18 L1	8	558
HPV18 L1	10	505	HPV18 L1	9	558
HPV18 L1	8	125	HPV18 L1	10	558
HPV18 L1	10	125	HPV18 L1	11	558
HPV18 L1	11	125	HPV18 L1	9	344
HPV18 L1	9	217	HPV18 L1	8	293
HPV18 L1	8	440	HPV18 L1	11	293
HPV18 L1	8	187	HPV18 L1	8	414
HPV18 L1	9	187	HPV18 L1	9	414
HPV18 L1	10	187	HPV18 L1	10	414
HPV18 L1	9	283	HPV18 L1	10	57
HPV18 L1	10	283	HPV18 L1	10	282
HPV18 L1	10	519	HPV18 L1	11	282
HPV18 L1	11	519	HPV18 L1	10	525
HPV18 L1	8	521	HPV18 L1	9	173
HPV18 L1	9	521	HPV18 L1	11	173
HPV18 L1	10	521	HPV18 L1	8	28
HPV18 L1	9	316	HPV18 L1	11	28
HPV18 L1	10	316	HPV18 L1	10	26
HPV18 L1	9	48	HPV18 L1	8	16
HPV18 L1	9	367	HPV18 L1	10	16
HPV18 L1	10	367	HPV18 L1	11	20
HPV18 L1	11	367	HPV18 L1	8	550
HPV18 L1	10	220	HPV18 L1	10	550
HPV18 L1	9	526	HPV18 L1	11	550
HPV18 L1	8	174	HPV18 L1	9	399
HPV18 L1	10	174	HPV18 L1	8	540
HPV18 L1	11	174	HPV18 L1	10	540
HPV18 L1	11	8	HPV18 L1	8	91
HPV18 L1	9	14	HPV18 L1	9	472
HPV18 L1	10	14	HPV18 L1	10	472
HPV18 L1	8	103	HPV18 L1	11	472
HPV18 L1	9	103	HPV18 L1	8	412
HPV18 L1	10	103	HPV18 L1	10	412
HPV18 L1	9	178	HPV18 L1	11	412
HPV18 L1	8	445	HPV18 L1	8	121
HPV18 L1	10	445	HPV18 L1	9	121
HPV18 L1	8	104	HPV18 L1	11	121
HPV18 L1	9	104	HPV18 L1	10	243
HPV18 L1	8	531	HPV18 L1	10	378
HPV18 L1	9	531	HPV18 L1	8	216

Table XVI  
HLA-A3 Motif Peptides

HPV18 L1	10	216	HPV18 L1	9	541
HPV18 L1	9	439	HPV18 L1	11	442
HPV18 L1	10	315	HPV18 L1	9	444
HPV18 L1	11	315	HPV18 L1	11	444
HPV18 L1	10	366	HPV18 L1	11	327
HPV18 L1	11	366	HPV18 L1	9	362
HPV18 L1	8	137	HPV18 L1	11	362
HPV18 L1	9	287	HPV18 L1	11	92
HPV18 L1	8	410	HPV18 L1	10	149
HPV18 L1	10	410	HPV18 L1	8	474
HPV18 L1	9	484	HPV18 L1	9	474
HPV18 L1	11	484	HPV18 L1	9	197
HPV18 L1	10	214	HPV18 L1	8	554
HPV18 L1	8	205	HPV18 L1	10	554
HPV18 L1	9	205	HPV18 L1	11	397
HPV18 L1	9	102	HPV18 L1	8	473
HPV18 L1	10	102	HPV18 L1	9	473
HPV18 L1	11	102	HPV18 L1	10	473
HPV18 L1	11	547	HPV18 L1	8	553
HPV18 L1	8	6	HPV18 L1	9	553
HPV18 L1	9	112	HPV18 L1	11	553
HPV18 L1	9	135	HPV18 L1	8	105
HPV18 L1	10	135	HPV18 L1	11	105
HPV18 L1	8	561	HPV18 L1	9	331
HPV18 L1	8	81	HPV18 L1	10	71
HPV18 L1	10	299	HPV18 L1	11	71
HPV18 L1	11	299	HPV18 L1	9	486
HPV18 L1	10	548	HPV18 L1	10	486
HPV18 L1	9	551	HPV18 L1	10	79
HPV18 L1	10	551	HPV18 L1	8	384
HPV18 L1	11	551	HPV18 L1	10	262
HPV18 L1	8	127	HPV18 L1	11	477
HPV18 L1	9	127	HPV18 L1	9	55
HPV18 L1	8	363	HPV18 L1	11	133
HPV18 L1	10	363	HPV18 L1	8	176
HPV18 L1	8	179	HPV18 L1	9	176
HPV18 L1	8	288	HPV18 L1	11	176
HPV18 L1	10	93	HPV18 L1	10	106
HPV18 L1	8	459	HPV18 L1	9	126
HPV18 L1	8	31	HPV18 L1	10	126
HPV18 L1	10	359	HPV18 L1	8	89
HPV18 L1	9	150	HPV18 L1	9	89
HPV18 L1	11	518	HPV18 L1	10	89
HPV18 L1	8	475	HPV18 L1	8	361
HPV18 L1	11	335	HPV18 L1	10	361
HPV18 L1	8	306	HPV18 L1	10	161
HPV18 L1	9	458	HPV18 L1	8	230
HPV18 L1	9	555	HPV18 L1	10	230
HPV18 L1	11	555	HPV18 L1	8	373
HPV18 L1	11	100	HPV18 L1	9	417
HPV18 L1	8	400	HPV18 L1	11	417
HPV18 L1	10	408	HPV18 L1	11	110
HPV18 L1	8	485	HPV18 L1	10	303
HPV18 L1	10	485	HPV18 L1	11	303
HPV18 L1	11	485	HPV18 L1	8	18
HPV18 L1	11	78	HPV18 L1	9	337
HPV18 L1	9	446	HPV18 L1	8	73
HPV18 L1	9	489	HPV18 L1	9	73
HPV18 L1	11	85	HPV18 L1	9	295
HPV18 L1	8	264	HPV18 L1	10	35

Table XVI  
HLA-A3 Motif Peptides

HPV18 L1	11	35	HPV18 L2	8	64
HPV18 L1	8	425	HPV18 L2	9	60
HPV18 L1	8	4	HPV18 L2	10	432
HPV18 L1	9	4	HPV18 L2	11	432
HPV18 L1	10	4	HPV18 L2	8	183
HPV18 L1	8	88	HPV18 L2	10	183
HPV18 L1	9	88	HPV18 L2	9	310
HPV18 L1	10	88	HPV18 L2	10	310
HPV18 L1	11	88	HPV18 L2	11	310
HPV18 L2	11	255	HPV18 L2	10	124
HPV18 L2	8	222	HPV18 L2	11	292
HPV18 L2	9	222	HPV18 L2	10	318
HPV18 L2	10	222	HPV18 L2	11	431
HPV18 L2	10	286	HPV18 L2	11	190
HPV18 L2	11	286	HPV18 L2	8	313
HPV18 L2	9	423	HPV18 L2	9	313
HPV18 L2	8	12	HPV18 L2	8	428
HPV18 L2	11	12	HPV18 L2	9	428
HPV18 L2	8	341	HPV18 L2	10	59
HPV18 L2	11	341	HPV18 L2	11	167
HPV18 L2	9	275	HPV18 L2	8	279
HPV18 L2	10	275	HPV18 L2	10	44
HPV18 L2	9	278	HPV18 L2	10	323
HPV18 L2	11	322	HPV18 L2	10	210
HPV18 L2	11	129	HPV18 L2	11	210
HPV18 L2	10	349	HPV18 L2	10	152
HPV18 L2	11	354	HPV18 L2	11	152
HPV18 L2	9	273	HPV18 L2	10	130
HPV18 L2	11	273	HPV18 L2	8	249
HPV18 L2	9	109	HPV18 L2	8	416
HPV18 L2	11	109	HPV18 L2	11	43
HPV18 L2	9	260	HPV18 L2	8	34
HPV18 L2	9	343	HPV18 L2	10	34
HPV18 L2	10	343	HPV18 L2	8	299
HPV18 L2	10	108	HPV18 L2	10	299
HPV18 L2	8	36	HPV18 L2	8	248
HPV18 L2	8	194	HPV18 L2	9	248
HPV18 L2	8	334	HPV18 L2	10	242
HPV18 L2	9	169	HPV18 L2	9	287
HPV18 L2	8	455	HPV18 L2	10	287
HPV18 L2	11	348	HPV18 L2	10	391
HPV18 L2	8	454	HPV18 L2	11	338
HPV18 L2	9	454	HPV18 L2	8	277
HPV18 L2	11	371	HPV18 L2	10	277
HPV18 L2	8	443	HPV18 L2	10	355
HPV18 L2	11	443	HPV18 L2	11	305
HPV18 L2	11	241	HPV18 L2	8	1
HPV18 L2	8	276	HPV18 L2	9	1
HPV18 L2	9	276	HPV18 L2	10	1
HPV18 L2	11	276	HPV18 L2	11	1
HPV18 L2	8	296	HPV18 L2	8	345
HPV18 L2	11	296	HPV18 L2	10	79
HPV18 L2	10	306	HPV18 L2	11	285
HPV18 L2	11	306	HPV18 L2	10	422
HPV18 L2	10	181	HPV18 L2	8	357
HPV18 L2	8	314	HPV18 L2	10	272
HPV18 L2	11	58	HPV18 L2	8	325
HPV18 L2	8	429	HPV18 L2	11	209
HPV18 L2	10	62	HPV18 L2	9	415
HPV18 L2	10	25	HPV18 L2	9	214

Table XVI  
HLA-A3 Motif Peptides

HPV18 L2	11	390	HPV18 L2	11	309
HPV18 L2	8	439	HPV18 L2	11	151
HPV18 L2	9	439	HPV18 L2	9	247
HPV18 L2	10	439	HPV18 L2	10	247
HPV18 L2	11	439	HPV18 L2	10	246
HPV18 L2	8	362	HPV18 L2	11	246
HPV18 L2	9	362	HPV18 L2	9	211
HPV18 L2	10	362	HPV18 L2	10	211
HPV18 L2	11	362	HPV18 L2	8	110
HPV18 L2	11	245	HPV18 L2	10	110
HPV18 L2	9	419	HPV18 L2	8	393
HPV18 L2	9	120	HPV18 L2	8	212
HPV18 L2	9	376	HPV18 L2	9	212
HPV18 L2	8	185	HPV18 L2	11	212
HPV18 L2	10	216	HPV18 L2	8	424
HPV18 L2	8	258	HPV18 L2	11	424
HPV18 L2	11	258	HPV18 L2	11	147
HPV18 L2	10	360	HPV18 L2	9	153
HPV18 L2	11	360	HPV18 L2	10	153
HPV18 L2	8	312	HPV18 L2	8	365
HPV18 L2	9	312	HPV18 L2	9	365
HPV18 L2	10	312	HPV18 L2	10	365
HPV18 L2	10	172	HPV18 L2	10	235
HPV18 L2	9	233	HPV18 L2	9	149
HPV18 L2	8	5	HPV18 L2	10	13
HPV18 L2	8	11	HPV18 L2	9	111
HPV18 L2	9	11	HPV18 L2	10	412
HPV18 L2	9	229	HPV18 L2	8	420
HPV18 L2	8	295	HPV18 L2	9	26
HPV18 L2	9	295	HPV18 L2	8	15
HPV18 L2	8	291	HPV18 L2	8	121
HPV18 L2	9	298	HPV18 L2	9	173
HPV18 L2	11	298	HPV18 L2	8	61
HPV18 L2	10	281	HPV18 L2	11	61
HPV18 L2	11	281	HPV18 L2	11	123
HPV18 L2	9	268	HPV18 L2	9	69
HPV18 L2	8	308	HPV18 L2	8	377
HPV18 L2	9	308	HPV18 L2	9	131
HPV18 L2	11	308	HPV18 L2	8	367
HPV18 L2	8	364	HPV18 L2	9	114
HPV18 L2	9	364	HPV18 L2	9	125
HPV18 L2	10	364	HPV18 L2	8	288
HPV18 L2	11	364	HPV18 L2	9	288
HPV18 L2	10	68	HPV18 L2	11	288
HPV18 L2	8	220	HPV18 L2	9	392
HPV18 L2	10	220	HPV18 L2	10	148
HPV18 L2	11	220	HPV18 L2	11	411
HPV18 L2	10	450	HPV18 L2	8	261
HPV18 L2	8	132	HPV18 L2	8	154
HPV18 L2	9	340	HPV18 L2	9	154
HPV18 L2	8	274	HPV18 L2	8	366
HPV18 L2	10	274	HPV18 L2	9	366
HPV18 L2	11	274	HPV18 L2	10	293
HPV18 L2	8	269	HPV18 L2	11	293
HPV18 L2	8	115	HPV18 L2	9	217
HPV18 L2	8	126	HPV18 L2	11	217
HPV18 L2	11	24	HPV18 L2	9	80
HPV18 L2	9	63	HPV18 L2	9	221
HPV18 L2	8	309	HPV18 L2	10	221
HPV18 L2	10	309	HPV18 L2	11	221

Table XVI  
HLA-A3 Motif Peptides

HPV18 L2	9	236	HPV31 E1	8	385
HPV18 L2	10	259	HPV31 E1	9	385
HPV18 L2	11	180	HPV31 E1	10	385
HPV18 L2	9	182	HPV31 E1	11	385
HPV18 L2	11	182	HPV31 E1	9	113
HPV18 L2	10	339	HPV31 E1	10	113
HPV18 L2	8	2	HPV31 E1	11	113
HPV18 L2	9	2	HPV31 E1	9	477
HPV18 L2	10	2	HPV31 E1	11	477
HPV18 L2	11	2	HPV31 E1	10	239
HPV18 L2	8	150	HPV31 E1	8	284
HPV18 L2	11	417	HPV31 E1	10	284
HPV18 L2	8	234	HPV31 E1	8	213
HPV18 L2	11	234	HPV31 E1	9	213
HPV18 L2	9	14	HPV31 E1	9	100
HPV18 L2	10	113	HPV31 E1	11	100
HPV18 L2	8	81	HPV31 E1	8	620
HPV18 L2	11	31	HPV31 E1	10	495
HPV18 L2	8	112	HPV31 E1	8	503
HPV18 L2	11	112	HPV31 E1	9	503
HPV18 L2	8	351	HPV31 E1	8	384
HPV18 L2	9	453	HPV31 E1	9	384
HPV18 L2	10	453	HPV31 E1	10	384
HPV18 L2	8	442	HPV31 E1	11	384
HPV18 L2	9	442	HPV31 E1	9	502
HPV18 L2	10	332	HPV31 E1	10	502
HPV18 L2	8	427	HPV31 E1	8	553
HPV18 L2	9	427	HPV31 E1	10	553
HPV18 L2	10	427	HPV31 E1	8	351
HPV18 L2	8	436	HPV31 E1	9	351
HPV18 L2	11	436	HPV31 E1	10	351
HPV18 L2	8	374	HPV31 E1	9	49
HPV18 L2	11	374	HPV31 E1	8	611
HPV18 L2	11	227	HPV31 E1	9	611
HPV31 E1	8	296	HPV31 E1	11	8
HPV31 E1	10	219	HPV31 E1	10	521
HPV31 E1	8	185	HPV31 E1	11	521
HPV31 E1	11	185	HPV31 E1	8	96
HPV31 E1	11	369	HPV31 E1	8	421
HPV31 E1	11	494	HPV31 E1	9	336
HPV31 E1	9	363	HPV31 E1	10	336
HPV31 E1	10	363	HPV31 E1	8	364
HPV31 E1	9	220	HPV31 E1	9	364
HPV31 E1	9	371	HPV31 E1	11	364
HPV31 E1	10	371	HPV31 E1	8	352
HPV31 E1	9	550	HPV31 E1	9	352
HPV31 E1	11	550	HPV31 E1	9	366
HPV31 E1	9	111	HPV31 E1	9	42
HPV31 E1	11	111	HPV31 E1	11	528
HPV31 E1	8	68	HPV31 E1	9	348
HPV31 E1	11	68	HPV31 E1	10	348
HPV31 E1	11	439	HPV31 E1	11	348
HPV31 E1	10	186	HPV31 E1	8	74
HPV31 E1	8	504	HPV31 E1	9	62
HPV31 E1	8	81	HPV31 E1	10	62
HPV31 E1	9	81	HPV31 E1	11	62
HPV31 E1	10	370	HPV31 E1	8	80
HPV31 E1	11	370	HPV31 E1	9	80
HPV31 E1	10	263	HPV31 E1	10	80
HPV31 E1	11	410	HPV31 E1	10	606

Table XVI  
HLA-A3 Motif Peptides

HPV31 E1	8	432	HPV31 E1	10	222
HPV31 E1	10	432	HPV31 E1	11	222
HPV31 E1	9	416	HPV31 E1	9	78
HPV31 E1	10	416	HPV31 E1	10	78
HPV31 E1	10	229	HPV31 E1	11	78
HPV31 E1	9	10	HPV31 E1	8	71
HPV31 E1	10	10	HPV31 E1	9	71
HPV31 E1	10	354	HPV31 E1	11	71
HPV31 E1	10	201	HPV31 E1	8	487
HPV31 E1	8	583	HPV31 E1	10	487
HPV31 E1	10	583	HPV31 E1	11	487
HPV31 E1	11	583	HPV31 E1	8	456
HPV31 E1	8	64	HPV31 E1	10	456
HPV31 E1	9	64	HPV31 E1	11	456
HPV31 E1	8	315	HPV31 E1	11	162
HPV31 E1	9	574	HPV31 E1	8	328
HPV31 E1	10	335	HPV31 E1	9	560
HPV31 E1	11	335	HPV31 E1	9	355
HPV31 E1	8	592	HPV31 E1	8	112
HPV31 E1	8	466	HPV31 E1	10	112
HPV31 E1	8	221	HPV31 E1	11	112
HPV31 E1	11	221	HPV31 E1	11	51
HPV31 E1	8	50	HPV31 E1	8	512
HPV31 E1	8	443	HPV31 E1	8	478
HPV31 E1	8	372	HPV31 E1	10	478
HPV31 E1	9	372	HPV31 E1	11	478
HPV31 E1	9	473	HPV31 E1	11	453
HPV31 E1	10	473	HPV31 E1	11	174
HPV31 E1	9	425	HPV31 E1	11	471
HPV31 E1	8	436	HPV31 E1	9	479
HPV31 E1	10	436	HPV31 E1	10	479
HPV31 E1	8	199	HPV31 E1	9	268
HPV31 E1	11	593	HPV31 E1	9	544
HPV31 E1	9	566	HPV31 E1	10	381
HPV31 E1	11	566	HPV31 E1	11	381
HPV31 E1	9	433	HPV31 E1	8	184
HPV31 E1	11	433	HPV31 E1	9	184
HPV31 E1	9	457	HPV31 E1	10	110
HPV31 E1	10	457	HPV31 E1	11	262
HPV31 E1	10	476	HPV31 E1	9	619
HPV31 E1	10	13	HPV31 E1	8	383
HPV31 E1	8	612	HPV31 E1	9	383
HPV31 E1	8	417	HPV31 E1	10	383
HPV31 E1	9	417	HPV31 E1	11	383
HPV31 E1	11	417	HPV31 E1	9	552
HPV31 E1	9	230	HPV31 E1	11	552
HPV31 E1	9	305	HPV31 E1	10	190
HPV31 E1	9	252	HPV31 E1	10	424
HPV31 E1	10	252	HPV31 E1	8	497
HPV31 E1	11	252	HPV31 E1	11	380
HPV31 E1	9	157	HPV31 E1	9	441
HPV31 E1	8	11	HPV31 E1	10	441
HPV31 E1	9	11	HPV31 E1	8	291
HPV31 E1	8	386	HPV31 E1	10	291
HPV31 E1	9	386	HPV31 E1	10	590
HPV31 E1	10	386	HPV31 E1	10	485
HPV31 E1	8	225	HPV31 E1	10	374
HPV31 E1	11	446	HPV31 E1	10	210
HPV31 E1	9	196	HPV31 E1	11	210
HPV31 E1	11	196	HPV31 E1	11	463

Table XVI  
HLA-A3 Motif Peptides

HPV31 E1	8	119	HPV31 E1	8	253
HPV31 E1	10	232	HPV31 E1	9	253
HPV31 E1	8	179	HPV31 E1	10	253
HPV31 E1	9	412	HPV31 E1	10	549
HPV31 E1	8	362	HPV31 E1	8	451
HPV31 E1	10	362	HPV31 E1	9	283
HPV31 E1	11	362	HPV31 E1	11	283
HPV31 E1	10	501	HPV31 E1	9	53
HPV31 E1	11	501	HPV31 E1	11	53
HPV31 E1	11	520	HPV31 E1	9	610
HPV31 E1	9	125	HPV31 E1	10	610
HPV31 E1	10	69	HPV31 E1	10	347
HPV31 E1	11	69	HPV31 E1	11	347
HPV31 E1	8	442	HPV31 E1	9	182
HPV31 E1	9	442	HPV31 E1	10	182
HPV31 E1	8	188	HPV31 E1	11	182
HPV31 E1	10	454	HPV31 E1	11	577
HPV31 E1	8	286	HPV31 E1	10	156
HPV31 E1	11	286	HPV31 E1	8	15
HPV31 E1	9	202	HPV31 E1	9	547
HPV31 E1	8	543	HPV31 E1	8	104
HPV31 E1	10	543	HPV31 E1	8	601
HPV31 E1	9	542	HPV31 E1	8	117
HPV31 E1	11	542	HPV31 E1	10	117
HPV31 E1	8	234	HPV31 E1	8	376
HPV31 E1	10	234	HPV31 E1	9	55
HPV31 E1	9	256	HPV31 E1	9	507
HPV31 E1	10	256	HPV31 E1	11	507
HPV31 E1	9	437	HPV31 E1	10	573
HPV31 E1	10	153	HPV31 E1	10	541
HPV31 E1	10	94	HPV31 E1	11	93
HPV31 E1	9	584	HPV31 E1	10	170
HPV31 E1	10	584	HPV31 E1	8	524
HPV31 E1	8	337	HPV31 E1	9	524
HPV31 E1	9	337	HPV31 E1	10	524
HPV31 E1	8	258	HPV31 E1	8	580
HPV31 E1	10	258	HPV31 E1	11	580
HPV31 E1	10	563	HPV31 E1	9	60
HPV31 E1	8	388	HPV31 E1	11	60
HPV31 E1	10	388	HPV31 E1	9	67
HPV31 E1	11	388	HPV31 E1	8	475
HPV31 E1	8	350	HPV31 E1	11	475
HPV31 E1	9	350	HPV31 E1	10	430
HPV31 E1	10	350	HPV31 E1	9	361
HPV31 E1	11	350	HPV31 E1	11	361
HPV31 E1	8	402	HPV31 E1	9	399
HPV31 E1	11	402	HPV31 E1	11	399
HPV31 E1	11	500	HPV31 E1	8	323
HPV31 E1	9	187	HPV31 E1	9	176
HPV31 E1	9	285	HPV31 E1	10	176
HPV31 E1	8	255	HPV31 E1	11	176
HPV31 E1	10	255	HPV31 E1	8	420
HPV31 E1	11	255	HPV31 E1	9	420
HPV31 E1	8	257	HPV31 E1	8	260
HPV31 E1	9	257	HPV31 E1	10	267
HPV31 E1	11	257	HPV31 E1	10	124
HPV31 E1	8	400	HPV31 E1	10	599
HPV31 E1	10	400	HPV31 E1	11	562
HPV31 E1	8	306	HPV31 E1	8	293
HPV31 E1	11	47	HPV31 E1	10	293

Table XVI  
HLA-A3 Motif Peptides

HPV31 E1	11	293	HPV31 E1	11	218
HPV31 E1	11	303	HPV31 E1	10	48
HPV31 E1	9	595	HPV31 E1	8	101
HPV31 E1	8	438	HPV31 E1	10	101
HPV31 E1	9	154	HPV31 E1	11	101
HPV31 E1	10	99	HPV31 E1	8	565
HPV31 E1	11	414	HPV31 E1	10	565
HPV31 E1	8	158	HPV31 E1	8	177
HPV31 E1	9	95	HPV31 E1	9	177
HPV31 E1	8	585	HPV31 E1	10	177
HPV31 E1	9	585	HPV31 E1	11	325
HPV31 E1	11	585	HPV31 E1	8	349
HPV31 E1	8	365	HPV31 E1	9	349
HPV31 E1	10	365	HPV31 E1	10	349
HPV31 E1	10	41	HPV31 E1	11	349
HPV31 E1	9	591	HPV31 E1	8	254
HPV31 E1	10	472	HPV31 E1	9	254
HPV31 E1	11	472	HPV31 E1	11	254
HPV31 E1	9	435	HPV31 E1	8	413
HPV31 E1	11	435	HPV31 E1	8	434
HPV31 E1	9	198	HPV31 E1	10	434
HPV31 E1	8	526	HPV31 E1	8	197
HPV31 E1	9	401	HPV31 E1	10	197
HPV31 E1	11	98	HPV31 E1	8	525
HPV31 E1	11	40	HPV31 E1	9	525
HPV31 E1	9	294	HPV31 E1	9	223
HPV31 E1	10	294	HPV31 E1	10	223
HPV31 E1	9	211	HPV31 E1	9	564
HPV31 E1	10	211	HPV31 E1	11	564
HPV31 E1	11	211	HPV31 E1	10	17
HPV31 E1	11	281	HPV31 E1	10	251
HPV31 E1	8	295	HPV31 E1	11	251
HPV31 E1	9	295	HPV31 E1	10	319
HPV31 E1	8	65	HPV31 E1	8	405
HPV31 E1	11	65	HPV31 E1	8	489
HPV31 E1	8	212	HPV31 E1	9	489
HPV31 E1	9	212	HPV31 E1	8	481
HPV31 E1	10	212	HPV31 E1	11	359
HPV31 E1	8	214	HPV31 E1	8	241
HPV31 E1	11	334	HPV31 E1	11	238
HPV31 E1	11	617	HPV31 E1	9	465
HPV31 E1	8	567	HPV31 E1	10	313
HPV31 E1	10	567	HPV31 E1	10	195
HPV31 E1	8	12	HPV31 E1	9	511
HPV31 E1	11	12	HPV31 E1	9	558
HPV31 E1	8	43	HPV31 E1	11	558
HPV31 E1	10	304	HPV31 E1	8	19
HPV31 E1	8	224	HPV31 E2	9	277
HPV31 E1	9	224	HPV31 E2	10	277
HPV31 E1	8	269	HPV31 E2	8	278
HPV31 E1	9	233	HPV31 E2	9	278
HPV31 E1	11	233	HPV31 E2	8	279
HPV31 E1	11	152	HPV31 E2	8	188
HPV31 E1	8	387	HPV31 E2	10	208
HPV31 E1	9	387	HPV31 E2	9	229
HPV31 E1	11	387	HPV31 E2	10	229
HPV31 E1	11	180	HPV31 E2	11	229
HPV31 E1	8	545	HPV31 E2	8	61
HPV31 E1	11	545	HPV31 E2	9	61
HPV31 E1	11	505	HPV31 E2	9	291

Table XVI  
HLA-A3 Motif Peptides

HPV31 E2	9	239	HPV31 E2	10	235
HPV31 E2	10	228	HPV31 E2	11	235
HPV31 E2	11	228	HPV31 E2	9	187
HPV31 E2	8	27	HPV31 E2	9	113
HPV31 E2	9	27	HPV31 E2	9	29
HPV31 E2	11	27	HPV31 E2	10	35
HPV31 E2	8	272	HPV31 E2	11	35
HPV31 E2	8	307	HPV31 E2	8	164
HPV31 E2	9	307	HPV31 E2	10	297
HPV31 E2	10	307	HPV31 E2	10	52
HPV31 E2	9	330	HPV31 E2	8	30
HPV31 E2	11	145	HPV31 E2	8	295
HPV31 E2	8	40	HPV31 E2	10	15
HPV31 E2	9	301	HPV31 E2	11	15
HPV31 E2	10	301	HPV31 E2	8	304
HPV31 E2	11	301	HPV31 E2	11	304
HPV31 E2	8	351	HPV31 E2	11	275
HPV31 E2	9	122	HPV31 E2	9	205
HPV31 E2	10	122	HPV31 E2	9	345
HPV31 E2	8	22	HPV31 E2	11	165
HPV31 E2	11	22	HPV31 E2	8	193
HPV31 E2	10	268	HPV31 E2	8	210
HPV31 E2	11	268	HPV31 E2	8	45
HPV31 E2	8	124	HPV31 E2	9	306
HPV31 E2	9	174	HPV31 E2	10	306
HPV31 E2	10	174	HPV31 E2	11	306
HPV31 E2	8	39	HPV31 E2	8	299
HPV31 E2	9	39	HPV31 E2	11	299
HPV31 E2	10	162	HPV31 E2	10	155
HPV31 E2	10	149	HPV31 E2	11	14
HPV31 E2	11	149	HPV31 E2	9	26
HPV31 E2	11	234	HPV31 E2	10	26
HPV31 E2	10	204	HPV31 E2	8	230
HPV31 E2	9	48	HPV31 E2	9	230
HPV31 E2	11	197	HPV31 E2	10	230
HPV31 E2	8	80	HPV31 E2	11	42
HPV31 E2	9	80	HPV31 E2	8	312
HPV31 E2	11	185	HPV31 E2	11	4
HPV31 E2	9	118	HPV31 E2	8	62
HPV31 E2	11	207	HPV31 E2	11	62
HPV31 E2	10	121	HPV31 E2	9	103
HPV31 E2	11	121	HPV31 E2	10	103
HPV31 E2	8	200	HPV31 E2	11	103
HPV31 E2	9	200	HPV31 E2	9	342
HPV31 E2	8	171	HPV31 E2	8	49
HPV31 E2	8	168	HPV31 E2	10	78
HPV31 E2	9	168	HPV31 E2	11	78
HPV31 E2	10	168	HPV31 E2	11	77
HPV31 E2	11	168	HPV31 E2	8	337
HPV31 E2	8	108	HPV31 E2	8	271
HPV31 E2	10	300	HPV31 E2	9	271
HPV31 E2	11	300	HPV31 E2	9	153
HPV31 E2	8	123	HPV31 E2	9	21
HPV31 E2	9	123	HPV31 E2	8	170
HPV31 E2	9	209	HPV31 E2	9	170
HPV31 E2	9	156	HPV31 E2	8	303
HPV31 E2	9	179	HPV31 E2	9	303
HPV31 E2	10	179	HPV31 E2	10	254
HPV31 E2	8	231	HPV31 E2	9	127
HPV31 E2	9	231	HPV31 E2	10	127

Table XVI  
HLA-A3 Motif Peptides

HPV31 E2	8	219	HPV31 E2	10	329
HPV31 E2	11	219	HPV31 E2	8	331
HPV31 E2	9	361	HPV31 E2	9	107
HPV31 E2	10	9	HPV31 E2	8	180
HPV31 E2	11	9	HPV31 E2	9	180
HPV31 E2	8	60	HPV31 E2	8	81
HPV31 E2	9	60	HPV31 E2	10	341
HPV31 E2	10	60	HPV31 E2	8	128
HPV31 E2	8	290	HPV31 E2	9	128
HPV31 E2	10	290	HPV31 E2	11	128
HPV31 E2	9	294	HPV31 E2	10	93
HPV31 E2	8	106	HPV31 E2	8	232
HPV31 E2	10	106	HPV31 E2	9	97
HPV31 E2	8	12	HPV31 E2	8	222
HPV31 E2	11	120	HPV31 E2	8	292
HPV31 E2	11	317	HPV31 E2	11	292
HPV31 E2	9	283	HPV31 E2	9	221
HPV31 E2	10	96	HPV31 E2	8	240
HPV31 E2	10	191	HPV31 E2	10	220
HPV31 E2	8	151	HPV31 E2	11	116
HPV31 E2	9	151	HPV31 E2	8	362
HPV31 E2	11	151	HPV31 E2	10	146
HPV31 E2	10	57	HPV31 E2	9	10
HPV31 E2	11	57	HPV31 E2	10	10
HPV31 E2	8	238	HPV31 E2	11	267
HPV31 E2	10	238	HPV31 E2	9	199
HPV31 E2	9	350	HPV31 E2	10	199
HPV31 E2	8	25	HPV31 E2	9	192
HPV31 E2	10	25	HPV31 E2	11	287
HPV31 E2	11	25	HPV31 E2	9	64
HPV31 E2	8	37	HPV31 E2	11	340
HPV31 E2	9	37	HPV31 E2	9	147
HPV31 E2	10	37	HPV31 E2	9	58
HPV31 E2	11	37	HPV31 E2	10	58
HPV31 E2	8	7	HPV31 E2	11	58
HPV31 E2	9	311	HPV31 E2	8	328
HPV31 E2	10	247	HPV31 E2	9	328
HPV31 E2	11	247	HPV31 E2	11	328
HPV31 E2	10	276	HPV31 E2	11	92
HPV31 E2	11	276	HPV31 E2	9	167
HPV31 E2	10	288	HPV31 E2	10	167
HPV31 E2	8	206	HPV31 E2	11	167
HPV31 E2	9	53	HPV31 E2	10	178
HPV31 E2	8	98	HPV31 E2	11	178
HPV31 E2	8	201	HPV31 E2	10	344
HPV31 E2	11	242	HPV31 E2	10	102
HPV31 E2	8	346	HPV31 E2	11	102
HPV31 E2	11	324	HPV31 E2	8	131
HPV31 E2	10	198	HPV31 E2	9	159
HPV31 E2	11	198	HPV31 E2	10	159
HPV31 E2	9	269	HPV31 E5	8	53
HPV31 E2	10	269	HPV31 E5	11	53
HPV31 E2	11	269	HPV31 E5	8	59
HPV31 E2	10	63	HPV31 E5	10	59
HPV31 E2	11	216	HPV31 E5	11	14
HPV31 E2	8	104	HPV31 E5	8	61
HPV31 E2	9	104	HPV31 E5	11	20
HPV31 E2	10	104	HPV31 E5	9	60
HPV31 E2	11	227	HPV31 E5	10	66
HPV31 E2	8	329	HPV31 E5	10	15

Table XVI  
HLA-A3 Motif Peptides

HPV31 E5	9	72	HPV31 E6	8	25
HPV31 E5	9	52	HPV31 E6	10	25
HPV31 E5	11	48	HPV31 E6	10	14
HPV31 E5	10	6	HPV31 E6	8	39
HPV31 E5	8	46	HPV31 E6	9	39
HPV31 E5	9	11	HPV31 E6	10	45
HPV31 E5	8	17	HPV31 E6	11	45
HPV31 E5	8	23	HPV31 E6	8	47
HPV31 E5	8	71	HPV31 E6	9	47
HPV31 E5	10	71	HPV31 E6	10	129
HPV31 E5	9	45	HPV31 E6	8	95
HPV31 E5	9	16	HPV31 E6	10	85
HPV31 E5	9	22	HPV31 E6	8	61
HPV31 E5	10	44	HPV31 E6	9	61
HPV31 E5	11	43	HPV31 E6	10	61
HPV31 E5	8	32	HPV31 E6	9	60
HPV31 E5	9	32	HPV31 E6	10	60
HPV31 E5	11	5	HPV31 E6	11	60
HPV31 E5	8	70	HPV31 E6	8	118
HPV31 E5	9	70	HPV31 E6	9	118
HPV31 E5	11	70	HPV31 E6	8	137
HPV31 E5	8	56	HPV31 E6	8	128
HPV31 E5	11	56	HPV31 E6	11	128
HPV31 E5	9	31	HPV31 E6	9	52
HPV31 E5	10	31	HPV31 E6	8	65
HPV31 E5	9	58	HPV31 E6	9	94
HPV31 E5	11	58	HPV31 E6	8	11
HPV31 E5	10	10	HPV31 E6	8	72
HPV31 E5	9	7	HPV31 E6	9	72
HPV31 E5	10	54	HPV31 E6	10	72
HPV31 E5	8	8	HPV31 E6	8	110
HPV31 E5	8	65	HPV31 E6	9	110
HPV31 E5	11	65	HPV31 E6	8	119
HPV31 E5	8	51	HPV31 E6	9	100
HPV31 E5	10	51	HPV31 E6	10	99
HPV31 E5	8	73	HPV31 E6	9	15
HPV31 E5	8	12	HPV31 E6	9	37
HPV31 E5	10	21	HPV31 E6	10	37
HPV31 E5	8	33	HPV31 E6	11	37
HPV31 E5	11	9	HPV31 E6	11	50
HPV31 E5	9	64	HPV31 E6	8	1
HPV31 E5	9	50	HPV31 E6	10	1
HPV31 E5	11	50	HPV31 E6	11	1
HPV31 E5	8	68	HPV31 E6	9	127
HPV31 E5	10	68	HPV31 E6	9	5
HPV31 E5	11	68	HPV31 E6	9	109
HPV31 E5	10	63	HPV31 E6	10	109
HPV31 E6	9	46	HPV31 E6	10	36
HPV31 E6	10	46	HPV31 E6	11	36
HPV31 E6	10	18	HPV31 E6	8	135
HPV31 E6	9	136	HPV31 E6	10	135
HPV31 E6	11	66	HPV31 E6	11	55
HPV31 E6	8	63	HPV31 E6	8	124
HPV31 E6	10	63	HPV31 E6	9	68
HPV31 E6	10	56	HPV31 E6	10	68
HPV31 E6	11	44	HPV31 E6	8	27
HPV31 E6	11	98	HPV31 E6	11	17
HPV31 E6	9	57	HPV31 E6	8	16
HPV31 E6	10	75	HPV31 E6	9	82
HPV31 E6	8	20	HPV31 E6	11	105

Table XVI  
HLA-A3 Motif Peptides

HPV31 E6	8	48	HPV31 L1	9	483
HPV31 E6	9	133	HPV31 L1	11	37
HPV31 E6	10	133	HPV31 L1	8	473
HPV31 E6	10	51	HPV31 L1	9	473
HPV31 E6	8	87	HPV31 L1	10	473
HPV31 E6	9	86	HPV31 L1	11	473
HPV31 E6	8	62	HPV31 L1	9	348
HPV31 E6	9	62	HPV31 L1	10	348
HPV31 E6	11	62	HPV31 L1	8	398
HPV31 E6	8	73	HPV31 L1	8	426
HPV31 E6	9	73	HPV31 L1	11	426
HPV31 E6	10	132	HPV31 L1	11	208
HPV31 E6	11	132	HPV31 L1	8	491
HPV31 E6	10	23	HPV31 L1	9	491
HPV31 E6	11	84	HPV31 L1	10	491
HPV31 E6	8	70	HPV31 L1	11	491
HPV31 E6	10	70	HPV31 L1	8	285
HPV31 E6	11	70	HPV31 L1	9	285
HPV31 E6	10	81	HPV31 L1	11	346
HPV31 E7	11	42	HPV31 L1	8	103
HPV31 E7	9	58	HPV31 L1	9	304
HPV31 E7	10	68	HPV31 L1	8	185
HPV31 E7	10	14	HPV31 L1	8	128
HPV31 E7	10	48	HPV31 L1	9	128
HPV31 E7	10	36	HPV31 L1	10	128
HPV31 E7	8	18	HPV31 L1	9	210
HPV31 E7	8	35	HPV31 L1	9	198
HPV31 E7	11	35	HPV31 L1	11	198
HPV31 E7	8	4	HPV31 L1	8	224
HPV31 E7	10	57	HPV31 L1	9	224
HPV31 E7	11	87	HPV31 L1	9	459
HPV31 E7	10	88	HPV31 L1	10	459
HPV31 E7	8	38	HPV31 L1	11	459
HPV31 E7	10	78	HPV31 L1	10	372
HPV31 E7	9	89	HPV31 L1	11	275
HPV31 E7	9	54	HPV31 L1	9	200
HPV31 E7	11	67	HPV31 L1	8	129
HPV31 E7	11	13	HPV31 L1	9	129
HPV31 E7	10	53	HPV31 L1	9	203
HPV31 E7	11	47	HPV31 L1	11	203
HPV31 E7	9	44	HPV31 L1	8	245
HPV31 E7	11	9	HPV31 L1	9	245
HPV31 E7	8	70	HPV31 L1	11	88
HPV31 E7	10	2	HPV31 L1	9	353
HPV31 E7	11	77	HPV31 L1	10	353
HPV31 E7	11	32	HPV31 L1	10	417
HPV31 E7	11	56	HPV31 L1	8	146
HPV31 E7	9	49	HPV31 L1	9	439
HPV31 E7	8	90	HPV31 L1	11	416
HPV31 E7	9	37	HPV31 L1	8	370
HPV31 E7	8	12	HPV31 L1	8	270
HPV31 E7	8	55	HPV31 L1	10	270
HPV31 E7	9	11	HPV31 L1	8	95
HPV31 L1	10	347	HPV31 L1	8	449
HPV31 L1	11	347	HPV31 L1	10	449
HPV31 L1	9	102	HPV31 L1	9	127
HPV31 L1	8	386	HPV31 L1	10	127
HPV31 L1	10	458	HPV31 L1	11	127
HPV31 L1	11	458	HPV31 L1	11	371
HPV31 L1	9	137	HPV31 L1	10	248

Table XVI  
HLA-A3 Motif Peptides

HPV31 L1	8	206	HPV31 L1	11	468
HPV31 L1	8	84	HPV31 L1	9	455
HPV31 L1	9	84	HPV31 L1	10	279
HPV31 L1	8	469	HPV31 L1	9	172
HPV31 L1	9	469	HPV31 L1	11	381
HPV31 L1	10	469	HPV31 L1	8	357
HPV31 L1	8	456	HPV31 L1	10	357
HPV31 L1	8	211	HPV31 L1	11	357
HPV31 L1	8	257	HPV31 L1	8	431
HPV31 L1	11	421	HPV31 L1	8	65
HPV31 L1	9	331	HPV31 L1	10	65
HPV31 L1	9	161	HPV31 L1	11	65
HPV31 L1	9	184	HPV31 L1	8	20
HPV31 L1	8	199	HPV31 L1	11	20
HPV31 L1	10	199	HPV31 L1	8	379
HPV31 L1	9	244	HPV31 L1	9	223
HPV31 L1	10	244	HPV31 L1	10	223
HPV31 L1	9	205	HPV31 L1	8	460
HPV31 L1	8	85	HPV31 L1	9	460
HPV31 L1	8	138	HPV31 L1	10	460
HPV31 L1	9	323	HPV31 L1	11	247
HPV31 L1	10	117	HPV31 L1	10	330
HPV31 L1	11	117	HPV31 L1	10	160
HPV31 L1	8	68	HPV31 L1	9	465
HPV31 L1	10	68	HPV31 L1	11	465
HPV31 L1	10	38	HPV31 L1	8	114
HPV31 L1	9	280	HPV31 L1	11	159
HPV31 L1	8	413	HPV31 L1	8	470
HPV31 L1	9	413	HPV31 L1	9	470
HPV31 L1	8	298	HPV31 L1	11	470
HPV31 L1	11	298	HPV31 L1	8	42
HPV31 L1	8	173	HPV31 L1	9	42
HPV31 L1	11	282	HPV31 L1	8	384
HPV31 L1	9	367	HPV31 L1	10	384
HPV31 L1	11	367	HPV31 L1	8	43
HPV31 L1	8	349	HPV31 L1	10	209
HPV31 L1	9	349	HPV31 L1	9	256
HPV31 L1	9	229	HPV31 L1	9	1
HPV31 L1	8	225	HPV31 L1	8	343
HPV31 L1	11	225	HPV31 L1	10	389
HPV31 L1	8	324	HPV31 L1	11	238
HPV31 L1	10	307	HPV31 L1	8	201
HPV31 L1	11	307	HPV31 L1	11	201
HPV31 L1	11	376	HPV31 L1	9	300
HPV31 L1	11	388	HPV31 L1	11	300
HPV31 L1	9	118	HPV31 L1	8	360
HPV31 L1	10	118	HPV31 L1	10	322
HPV31 L1	10	427	HPV31 L1	9	32
HPV31 L1	10	382	HPV31 L1	10	32
HPV31 L1	11	61	HPV31 L1	8	451
HPV31 L1	10	482	HPV31 L1	9	342
HPV31 L1	11	443	HPV31 L1	11	351
HPV31 L1	10	126	HPV31 L1	9	227
HPV31 L1	11	126	HPV31 L1	11	227
HPV31 L1	9	83	HPV31 L1	9	397
HPV31 L1	10	83	HPV31 L1	8	496
HPV31 L1	9	480	HPV31 L1	9	496
HPV31 L1	8	468	HPV31 L1	8	79
HPV31 L1	9	468	HPV31 L1	8	233
HPV31 L1	10	468	HPV31 L1	11	233

Table XVI  
HLA-A3 Motif Peptides

HPV31 L1	10	183	HPV31 L1	11	67
HPV31 L1	8	165	HPV31 L1	8	412
HPV31 L1	10	222	HPV31 L1	9	412
HPV31 L1	11	222	HPV31 L1	10	412
HPV31 L1	10	464	HPV31 L1	9	297
HPV31 L1	9	113	HPV31 L1	8	281
HPV31 L1	9	489	HPV31 L1	8	228
HPV31 L1	10	489	HPV31 L1	10	228
HPV31 L1	11	489	HPV31 L1	9	51
HPV31 L1	9	411	HPV31 L1	10	51
HPV31 L1	10	411	HPV31 L1	8	414
HPV31 L1	11	411	HPV31 L1	8	2
HPV31 L1	10	296	HPV31 L1	11	2
HPV31 L1	11	17	HPV31 L1	10	299
HPV31 L1	9	472	HPV31 L1	9	358
HPV31 L1	10	472	HPV31 L1	10	358
HPV31 L1	11	472	HPV31 L1	10	283
HPV31 L1	9	425	HPV31 L1	11	283
HPV31 L1	10	197	HPV31 L1	8	23
HPV31 L1	8	374	HPV31 L1	8	340
HPV31 L1	8	462	HPV31 L1	9	340
HPV31 L1	11	306	HPV31 L1	11	340
HPV31 L1	9	378	HPV31 L1	8	492
HPV31 L1	8	156	HPV31 L1	9	492
HPV31 L1	11	329	HPV31 L1	10	492
HPV31 L1	8	255	HPV31 L1	9	271
HPV31 L1	10	255	HPV31 L1	11	432
HPV31 L1	10	154	HPV31 L1	9	284
HPV31 L1	8	476	HPV31 L1	10	284
HPV31 L1	10	476	HPV31 L1	9	428
HPV31 L1	11	476	HPV31 L1	11	428
HPV31 L1	9	41	HPV31 L1	11	24
HPV31 L1	10	41	HPV31 L1	11	142
HPV31 L1	8	77	HPV31 L1	8	355
HPV31 L1	10	77	HPV31 L1	10	355
HPV31 L1	9	339	HPV31 L1	8	204
HPV31 L1	10	339	HPV31 L1	10	204
HPV31 L1	8	30	HPV31 L1	8	286
HPV31 L1	11	30	HPV31 L1	8	246
HPV31 L1	9	75	HPV31 L1	9	383
HPV31 L1	10	75	HPV31 L1	11	383
HPV31 L1	9	385	HPV31 L1	9	302
HPV31 L1	11	457	HPV31 L1	11	302
HPV31 L1	11	487	HPV31 L1	10	89
HPV31 L1	9	39	HPV31 L1	9	423
HPV31 L1	11	39	HPV31 L1	11	423
HPV31 L1	8	490	HPV31 L1	8	354
HPV31 L1	9	490	HPV31 L1	9	354
HPV31 L1	10	490	HPV31 L1	11	354
HPV31 L1	11	490	HPV31 L1	8	494
HPV31 L1	8	303	HPV31 L1	10	494
HPV31 L1	10	303	HPV31 L1	11	494
HPV31 L1	11	55	HPV31 L1	11	337
HPV31 L1	10	352	HPV31 L1	8	493
HPV31 L1	11	352	HPV31 L1	9	493
HPV31 L1	9	90	HPV31 L1	11	493
HPV31 L1	8	119	HPV31 L1	11	267
HPV31 L1	9	119	HPV31 L1	11	44
HPV31 L1	8	67	HPV31 L1	11	10
HPV31 L1	9	67	HPV31 L1	10	239

Table XVI  
HLA-A3 Motif Peptides

HPV31 L1	11	239	HPV31 L2	10	15
HPV31 L1	10	202	HPV31 L2	11	15
HPV31 L1	11	73	HPV31 L2	9	135
HPV31 L1	8	446	HPV31 L2	10	376
HPV31 L1	10	446	HPV31 L2	11	376
HPV31 L1	11	446	HPV31 L2	9	275
HPV31 L1	10	268	HPV31 L2	10	275
HPV31 L1	10	45	HPV31 L2	8	360
HPV31 L1	11	116	HPV31 L2	10	360
HPV31 L1	9	66	HPV31 L2	8	438
HPV31 L1	10	66	HPV31 L2	9	438
HPV31 L1	10	18	HPV31 L2	8	435
HPV31 L1	9	22	HPV31 L2	11	435
HPV31 L1	8	28	HPV31 L2	8	350
HPV31 L1	9	28	HPV31 L2	11	133
HPV31 L1	10	28	HPV31 L2	9	278
HPV31 L1	8	301	HPV31 L2	8	322
HPV31 L1	10	301	HPV31 L2	8	354
HPV31 L1	10	422	HPV31 L2	10	358
HPV31 L1	8	332	HPV31 L2	10	116
HPV31 L1	10	62	HPV31 L2	8	31
HPV31 L1	11	62	HPV31 L2	8	146
HPV31 L1	10	21	HPV31 L2	9	334
HPV31 L1	10	101	HPV31 L2	9	111
HPV31 L1	11	170	HPV31 L2	11	111
HPV31 L1	8	313	HPV31 L2	10	331
HPV31 L1	10	136	HPV31 L2	10	259
HPV31 L1	8	243	HPV31 L2	10	253
HPV31 L1	10	243	HPV31 L2	11	253
HPV31 L1	11	243	HPV31 L2	8	458
HPV31 L1	8	391	HPV31 L2	9	458
HPV31 L1	9	277	HPV31 L2	8	276
HPV31 L1	9	235	HPV31 L2	9	276
HPV31 L1	9	12	HPV31 L2	11	276
HPV31 L1	8	364	HPV31 L2	11	237
HPV31 L1	8	250	HPV31 L2	10	404
HPV31 L1	10	250	HPV31 L2	11	404
HPV31 L1	11	250	HPV31 L2	9	263
HPV31 L1	10	50	HPV31 L2	8	459
HPV31 L1	11	50	HPV31 L2	9	361
HPV31 L1	9	445	HPV31 L2	8	433
HPV31 L1	11	445	HPV31 L2	10	433
HPV31 L1	8	27	HPV31 L2	8	118
HPV31 L1	9	27	HPV31 L2	8	314
HPV31 L1	10	27	HPV31 L2	9	310
HPV31 L1	11	27	HPV31 L2	10	310
HPV31 L2	11	357	HPV31 L2	11	310
HPV31 L2	11	25	HPV31 L2	9	437
HPV31 L2	11	143	HPV31 L2	10	437
HPV31 L2	10	281	HPV31 L2	8	131
HPV31 L2	11	281	HPV31 L2	10	436
HPV31 L2	10	286	HPV31 L2	11	436
HPV31 L2	11	286	HPV31 L2	11	59
HPV31 L2	11	13	HPV31 L2	9	113
HPV31 L2	10	367	HPV31 L2	11	351
HPV31 L2	8	311	HPV31 L2	11	221
HPV31 L2	9	311	HPV31 L2	9	61
HPV31 L2	10	311	HPV31 L2	10	63
HPV31 L2	11	311	HPV31 L2	10	26
HPV31 L2	9	15	HPV31 L2	8	65

Table XVI  
HLA-A3 Motif Peptides

HPV31 L2	11	213	HPV31 L2	8	212
HPV31 L2	9	413	HPV31 L2	10	410
HPV31 L2	10	38	HPV31 L2	9	210
HPV31 L2	11	38	HPV31 L2	10	210
HPV31 L2	8	41	HPV31 L2	11	122
HPV31 L2	11	280	HPV31 L2	11	394
HPV31 L2	10	134	HPV31 L2	10	29
HPV31 L2	8	233	HPV31 L2	10	373
HPV31 L2	10	233	HPV31 L2	10	161
HPV31 L2	11	403	HPV31 L2	8	443
HPV31 L2	8	432	HPV31 L2	9	443
HPV31 L2	9	432	HPV31 L2	10	443
HPV31 L2	11	432	HPV31 L2	11	443
HPV31 L2	8	313	HPV31 L2	8	235
HPV31 L2	9	313	HPV31 L2	9	167
HPV31 L2	10	60	HPV31 L2	10	415
HPV31 L2	8	279	HPV31 L2	9	425
HPV31 L2	10	144	HPV31 L2	9	127
HPV31 L2	10	45	HPV31 L2	11	44
HPV31 L2	11	45	HPV31 L2	9	243
HPV31 L2	11	205	HPV31 L2	10	243
HPV31 L2	8	245	HPV31 L2	8	17
HPV31 L2	8	114	HPV31 L2	9	17
HPV31 L2	8	35	HPV31 L2	8	378
HPV31 L2	10	231	HPV31 L2	9	378
HPV31 L2	11	423	HPV31 L2	9	303
HPV31 L2	8	277	HPV31 L2	8	417
HPV31 L2	10	277	HPV31 L2	9	229
HPV31 L2	9	145	HPV31 L2	11	429
HPV31 L2	8	299	HPV31 L2	8	12
HPV31 L2	10	299	HPV31 L2	8	219
HPV31 L2	8	244	HPV31 L2	9	298
HPV31 L2	9	244	HPV31 L2	11	298
HPV31 L2	11	176	HPV31 L2	8	308
HPV31 L2	10	177	HPV31 L2	9	308
HPV31 L2	10	238	HPV31 L2	11	308
HPV31 L2	9	178	HPV31 L2	8	2
HPV31 L2	11	178	HPV31 L2	10	2
HPV31 L2	10	395	HPV31 L2	11	2
HPV31 L2	11	75	HPV31 L2	8	5
HPV31 L2	9	287	HPV31 L2	9	5
HPV31 L2	10	287	HPV31 L2	11	5
HPV31 L2	8	447	HPV31 L2	10	69
HPV31 L2	11	447	HPV31 L2	11	9
HPV31 L2	8	256	HPV31 L2	10	306
HPV31 L2	8	349	HPV31 L2	11	306
HPV31 L2	9	349	HPV31 L2	9	239
HPV31 L2	8	269	HPV31 L2	10	14
HPV31 L2	10	390	HPV31 L2	11	14
HPV31 L2	11	292	HPV31 L2	9	30
HPV31 L2	11	285	HPV31 L2	8	309
HPV31 L2	9	217	HPV31 L2	10	309
HPV31 L2	10	217	HPV31 L2	11	309
HPV31 L2	11	366	HPV31 L2	9	130
HPV31 L2	8	250	HPV31 L2	8	112
HPV31 L2	8	274	HPV31 L2	10	112
HPV31 L2	10	274	HPV31 L2	9	405
HPV31 L2	11	274	HPV31 L2	10	405
HPV31 L2	10	272	HPV31 L2	8	62
HPV31 L2	8	407	HPV31 L2	11	62

Table XVI  
HLA-A3 Motif Peptides

HPV31 L2	9	64	HPV31 L2	8	362
HPV31 L2	9	332	HPV31 L2	9	254
HPV31 L2	11	332	HPV31 L2	10	254
HPV31 L2	9	431	HPV31 L2	8	392
HPV31 L2	10	431	HPV31 L2	10	293
HPV31 L2	9	260	HPV31 L2	10	81
HPV31 L2	8	181	HPV31 L2	9	434
HPV31 L2	9	180	HPV31 L2	11	115
HPV31 L2	8	179	HPV31 L2	9	117
HPV31 L2	10	179	HPV31 L2	9	232
HPV31 L2	9	207	HPV31 L2	11	232
HPV31 L2	10	207	HPV31 L2	11	32
HPV31 L2	9	374	HPV31 L2	8	163
HPV31 L2	9	396	HPV31 L2	9	82
HPV31 L2	8	151	HPV31 L2	10	430
HPV31 L2	8	6	HPV31 L2	11	430
HPV31 L2	10	6	HPV31 L2	9	150
HPV31 L2	8	346	HPV31 L2	11	455
HPV31 L2	11	346	HPV31 L2	9	321
HPV31 L2	8	208	HPV31 L2	9	353
HPV31 L2	9	208	HPV31 L2	9	457
HPV31 L2	11	208	HPV31 L2	10	457
HPV31 L2	10	76	HPV31 L2	10	262
HPV31 L2	8	379	HPV31 L2	8	48
HPV31 L2	11	80	HPV31 L2	10	440
HPV31 L2	9	162	HPV31 L2	11	440
HPV31 L2	10	149	HPV31 L2	8	446
HPV31 L2	8	375	HPV31 L2	9	446
HPV31 L2	11	375	HPV31 L2	9	223
HPV31 L2	9	27	HPV31 L2	11	296
HPV31 L2	9	359	HPV33 E1	11	382
HPV31 L2	11	359	HPV33 E1	8	90
HPV31 L2	8	397	HPV33 E1	8	96
HPV31 L2	9	70	HPV33 E1	9	96
HPV31 L2	8	40	HPV33 E1	10	96
HPV31 L2	9	40	HPV33 E1	10	383
HPV31 L2	8	312	HPV33 E1	11	383
HPV31 L2	9	312	HPV33 E1	11	104
HPV31 L2	10	312	HPV33 E1	11	40
HPV31 L2	10	347	HPV33 E1	9	2
HPV31 L2	11	347	HPV33 E1	8	376
HPV31 L2	8	304	HPV33 E1	9	376
HPV31 L2	10	129	HPV33 E1	10	376
HPV31 L2	11	266	HPV33 E1	8	61
HPV31 L2	8	288	HPV33 E1	10	61
HPV31 L2	9	288	HPV33 E1	11	452
HPV31 L2	11	288	HPV33 E1	8	448
HPV31 L2	10	206	HPV33 E1	9	448
HPV31 L2	11	206	HPV33 E1	11	448
HPV31 L2	9	345	HPV33 E1	9	384
HPV31 L2	11	148	HPV33 E1	10	384
HPV31 L2	8	136	HPV33 E1	9	635
HPV31 L2	9	39	HPV33 E1	9	10
HPV31 L2	10	39	HPV33 E1	9	563
HPV31 L2	8	426	HPV33 E1	11	563
HPV31 L2	8	128	HPV33 E1	8	596
HPV31 L2	11	128	HPV33 E1	10	596
HPV31 L2	10	344	HPV33 E1	11	596
HPV31 L2	11	343	HPV33 E1	8	84
HPV31 L2	9	391	HPV33 E1	8	311

Table XVI  
HLA-A3 Motif Peptides

HPV33 E1	8	81	HPV33 E1	9	516
HPV33 E1	9	81	HPV33 E1	11	99
HPV33 E1	10	81	HPV33 E1	8	117
HPV33 E1	11	81	HPV33 E1	9	76
HPV33 E1	8	83	HPV33 E1	11	76
HPV33 E1	9	83	HPV33 E1	8	98
HPV33 E1	9	310	HPV33 E1	8	580
HPV33 E1	8	398	HPV33 E1	8	445
HPV33 E1	9	398	HPV33 E1	9	445
HPV33 E1	10	398	HPV33 E1	10	445
HPV33 E1	11	398	HPV33 E1	11	445
HPV33 E1	8	469	HPV33 E1	8	74
HPV33 E1	10	469	HPV33 E1	11	74
HPV33 E1	11	469	HPV33 E1	8	537
HPV33 E1	8	465	HPV33 E1	9	537
HPV33 E1	8	297	HPV33 E1	10	537
HPV33 E1	10	297	HPV33 E1	9	361
HPV33 E1	8	633	HPV33 E1	10	361
HPV33 E1	11	633	HPV33 E1	11	361
HPV33 E1	9	276	HPV33 E1	10	214
HPV33 E1	10	276	HPV33 E1	8	242
HPV33 E1	9	226	HPV33 E1	10	242
HPV33 E1	9	14	HPV33 E1	10	295
HPV33 E1	9	490	HPV33 E1	8	19
HPV33 E1	11	490	HPV33 E1	9	19
HPV33 E1	8	494	HPV33 E1	8	89
HPV33 E1	8	397	HPV33 E1	9	89
HPV33 E1	9	397	HPV33 E1	9	587
HPV33 E1	10	397	HPV33 E1	10	587
HPV33 E1	11	397	HPV33 E1	10	348
HPV33 E1	8	77	HPV33 E1	11	348
HPV33 E1	10	77	HPV33 E1	8	605
HPV33 E1	11	77	HPV33 E1	8	479
HPV33 E1	8	364	HPV33 E1	10	479
HPV33 E1	9	364	HPV33 E1	8	449
HPV33 E1	10	364	HPV33 E1	10	449
HPV33 E1	10	41	HPV33 E1	8	456
HPV33 E1	10	52	HPV33 E1	8	385
HPV33 E1	10	515	HPV33 E1	9	385
HPV33 E1	10	534	HPV33 E1	8	212
HPV33 E1	11	534	HPV33 E1	9	212
HPV33 E1	10	367	HPV33 E1	8	446
HPV33 E1	8	614	HPV33 E1	9	446
HPV33 E1	11	614	HPV33 E1	10	446
HPV33 E1	9	78	HPV33 E1	11	446
HPV33 E1	10	78	HPV33 E1	8	451
HPV33 E1	11	78	HPV33 E1	10	9
HPV33 E1	9	349	HPV33 E1	10	13
HPV33 E1	10	349	HPV33 E1	10	489
HPV33 E1	8	365	HPV33 E1	8	625
HPV33 E1	9	365	HPV33 E1	11	625
HPV33 E1	9	42	HPV33 E1	9	265
HPV33 E1	9	53	HPV33 E1	10	265
HPV33 E1	8	377	HPV33 E1	11	265
HPV33 E1	9	377	HPV33 E1	8	399
HPV33 E1	11	377	HPV33 E1	9	399
HPV33 E1	8	566	HPV33 E1	10	399
HPV33 E1	10	566	HPV33 E1	9	209
HPV33 E1	9	62	HPV33 E1	11	209
HPV33 E1	11	541	HPV33 E1	11	235

Table XVI  
HLA-A3 Motif Peptides

HPV33 E1	8	11	HPV33 E1	10	396
HPV33 E1	9	480	HPV33 E1	11	396
HPV33 E1	8	564	HPV33 E1	9	88
HPV33 E1	10	564	HPV33 E1	10	88
HPV33 E1	9	327	HPV33 E1	10	203
HPV33 E1	10	500	HPV33 E1	8	455
HPV33 E1	11	500	HPV33 E1	9	455
HPV33 E1	8	624	HPV33 E1	11	488
HPV33 E1	9	624	HPV33 E1	10	124
HPV33 E1	9	256	HPV33 E1	11	393
HPV33 E1	8	341	HPV33 E1	10	612
HPV33 E1	9	573	HPV33 E1	8	304
HPV33 E1	10	573	HPV33 E1	10	304
HPV33 E1	11	192	HPV33 E1	11	412
HPV33 E1	9	368	HPV33 E1	10	463
HPV33 E1	9	468	HPV33 E1	10	603
HPV33 E1	11	468	HPV33 E1	10	387
HPV33 E1	11	51	HPV33 E1	11	476
HPV33 E1	11	514	HPV33 E1	9	425
HPV33 E1	8	525	HPV33 E1	10	245
HPV33 E1	9	125	HPV33 E1	8	375
HPV33 E1	9	333	HPV33 E1	9	375
HPV33 E1	11	333	HPV33 E1	10	375
HPV33 E1	11	347	HPV33 E1	11	375
HPV33 E1	8	415	HPV33 E1	11	533
HPV33 E1	11	415	HPV33 E1	9	613
HPV33 E1	8	266	HPV33 E1	9	450
HPV33 E1	9	266	HPV33 E1	10	467
HPV33 E1	10	266	HPV33 E1	10	615
HPV33 E1	8	267	HPV33 E1	8	247
HPV33 E1	9	267	HPV33 E1	10	247
HPV33 E1	8	268	HPV33 E1	8	271
HPV33 E1	11	268	HPV33 E1	10	271
HPV33 E1	8	200	HPV33 E1	9	270
HPV33 E1	9	200	HPV33 E1	11	270
HPV33 E1	8	400	HPV33 E1	10	269
HPV33 E1	9	400	HPV33 E1	9	555
HPV33 E1	11	400	HPV33 E1	9	438
HPV33 E1	9	492	HPV33 E1	11	438
HPV33 E1	10	492	HPV33 E1	8	556
HPV33 E1	9	32	HPV33 E1	8	350
HPV33 E1	8	210	HPV33 E1	9	350
HPV33 E1	10	210	HPV33 E1	8	362
HPV33 E1	11	210	HPV33 E1	9	362
HPV33 E1	8	538	HPV33 E1	10	362
HPV33 E1	9	538	HPV33 E1	11	362
HPV33 E1	11	187	HPV33 E1	10	576
HPV33 E1	10	236	HPV33 E1	8	336
HPV33 E1	8	628	HPV33 E1	9	215
HPV33 E1	9	520	HPV33 E1	10	1
HPV33 E1	11	520	HPV33 E1	8	401
HPV33 E1	11	231	HPV33 E1	10	401
HPV33 E1	10	394	HPV33 E1	11	401
HPV33 E1	11	394	HPV33 E1	11	12
HPV33 E1	8	197	HPV33 E1	11	466
HPV33 E1	9	197	HPV33 E1	10	413
HPV33 E1	11	197	HPV33 E1	8	481
HPV33 E1	9	632	HPV33 E1	9	298
HPV33 E1	8	396	HPV33 E1	10	562
HPV33 E1	9	396	HPV33 E1	8	80

Table XVI  
HLA-A3 Motif Peptides

HPV33 E1	9	80	HPV33 E1	11	306
HPV33 E1	10	80	HPV33 E1	8	109
HPV33 E1	11	80	HPV33 E1	9	95
HPV33 E1	8	598	HPV33 E1	10	95
HPV33 E1	9	598	HPV33 E1	11	95
HPV33 E1	11	598	HPV33 E1	10	634
HPV33 E1	11	8	HPV33 E1	9	464
HPV33 E1	10	443	HPV33 E1	10	225
HPV33 E1	11	443	HPV33 E1	8	493
HPV33 E1	9	199	HPV33 E1	9	493
HPV33 E1	10	199	HPV33 E1	8	366
HPV33 E1	11	71	HPV33 E1	11	366
HPV33 E1	10	31	HPV33 E1	9	604
HPV33 E1	9	627	HPV33 E1	9	211
HPV33 E1	9	57	HPV33 E1	10	211
HPV33 E1	10	57	HPV33 E1	8	43
HPV33 E1	11	57	HPV33 E1	8	539
HPV33 E1	9	379	HPV33 E1	9	414
HPV33 E1	8	389	HPV33 E1	10	111
HPV33 E1	8	195	HPV33 E1	11	111
HPV33 E1	9	195	HPV33 E1	8	58
HPV33 E1	10	195	HPV33 E1	9	58
HPV33 E1	11	195	HPV33 E1	10	58
HPV33 E1	9	560	HPV33 E1	11	58
HPV33 E1	9	189	HPV33 E1	9	243
HPV33 E1	10	189	HPV33 E1	8	54
HPV33 E1	8	471	HPV33 E1	10	193
HPV33 E1	9	471	HPV33 E1	11	193
HPV33 E1	8	107	HPV33 E1	11	239
HPV33 E1	10	107	HPV33 E1	8	447
HPV33 E1	10	586	HPV33 E1	9	447
HPV33 E1	11	586	HPV33 E1	10	447
HPV33 E1	10	519	HPV33 E1	8	309
HPV33 E1	8	434	HPV33 E1	10	309
HPV33 E1	10	554	HPV33 E1	9	296
HPV33 E1	8	238	HPV33 E1	11	296
HPV33 E1	11	593	HPV33 E1	8	363
HPV33 E1	8	60	HPV33 E1	9	363
HPV33 E1	9	60	HPV33 E1	10	363
HPV33 E1	11	60	HPV33 E1	11	363
HPV33 E1	10	326	HPV33 E1	9	565
HPV33 E1	9	374	HPV33 E1	11	565
HPV33 E1	10	374	HPV33 E1	8	227
HPV33 E1	11	374	HPV33 E1	11	630
HPV33 E1	10	437	HPV33 E1	8	15
HPV33 E1	10	94	HPV33 E1	10	232
HPV33 E1	11	94	HPV33 E1	10	183
HPV33 E1	8	308	HPV33 E1	11	224
HPV33 E1	9	308	HPV33 E1	11	110
HPV33 E1	11	308	HPV33 E1	11	558
HPV33 E1	10	275	HPV33 E1	8	328
HPV33 E1	11	275	HPV33 E1	9	577
HPV33 E1	8	273	HPV33 E1	11	577
HPV33 E1	10	264	HPV33 E1	10	240
HPV33 E1	11	264	HPV33 E1	8	82
HPV33 E1	8	575	HPV33 E1	9	82
HPV33 E1	11	575	HPV33 E1	10	82
HPV33 E1	9	335	HPV33 E1	9	101
HPV33 E1	8	306	HPV33 E1	8	578
HPV33 E1	10	306	HPV33 E1	10	578

Table XVI  
HLA-A3 Motif Peptides

HPV33 E1	8	299	HPV33 E2	8	173
HPV33 E1	8	491	HPV33 E2	10	142
HPV33 E1	10	491	HPV33 E2	8	3
HPV33 E1	11	491	HPV33 E2	11	74
HPV33 E1	8	190	HPV33 E2	11	298
HPV33 E1	9	190	HPV33 E2	9	282
HPV33 E1	9	246	HPV33 E2	10	282
HPV33 E1	11	246	HPV33 E2	11	282
HPV33 E1	11	338	HPV33 E2	8	80
HPV33 E1	11	182	HPV33 E2	11	115
HPV33 E1	8	517	HPV33 E2	9	100
HPV33 E1	10	100	HPV33 E2	11	100
HPV33 E1	10	17	HPV33 E2	10	244
HPV33 E1	11	17	HPV33 E2	10	325
HPV33 E1	10	332	HPV33 E2	10	156
HPV33 E1	8	418	HPV33 E2	10	278
HPV33 E1	8	502	HPV33 E2	11	155
HPV33 E1	9	502	HPV33 E2	9	15
HPV33 E1	9	522	HPV33 E2	11	4
HPV33 E1	11	522	HPV33 E2	11	68
HPV33 E1	9	595	HPV33 E2	8	287
HPV33 E1	11	595	HPV33 E2	10	287
HPV33 E1	11	372	HPV33 E2	11	287
HPV33 E1	9	478	HPV33 E2	8	280
HPV33 E1	11	478	HPV33 E2	11	280
HPV33 E1	10	208	HPV33 E2	8	14
HPV33 E1	8	234	HPV33 E2	10	14
HPV33 E1	9	524	HPV33 E2	8	242
HPV33 E1	9	571	HPV33 E2	8	34
HPV33 E1	11	571	HPV33 E2	11	34
HPV33 E1	11	254	HPV33 E2	10	23
HPV33 E2	9	223	HPV33 E2	8	180
HPV33 E2	8	224	HPV33 E2	8	151
HPV33 E2	10	210	HPV33 E2	9	151
HPV33 E2	8	246	HPV33 E2	11	151
HPV33 E2	10	246	HPV33 E2	8	165
HPV33 E2	11	246	HPV33 E2	11	165
HPV33 E2	10	69	HPV33 E2	8	63
HPV33 E2	8	249	HPV33 E2	8	103
HPV33 E2	10	249	HPV33 E2	9	103
HPV33 E2	10	78	HPV33 E2	10	103
HPV33 E2	11	41	HPV33 E2	11	54
HPV33 E2	9	258	HPV33 E2	8	16
HPV33 E2	10	10	HPV33 E2	9	250
HPV33 E2	9	245	HPV33 E2	11	243
HPV33 E2	11	245	HPV33 E2	10	35
HPV33 E2	8	40	HPV33 E2	8	62
HPV33 E2	9	288	HPV33 E2	9	62
HPV33 E2	10	288	HPV33 E2	10	42
HPV33 E2	10	269	HPV33 E2	10	240
HPV33 E2	10	145	HPV33 E2	8	77
HPV33 E2	9	211	HPV33 E2	11	77
HPV33 E2	8	25	HPV33 E2	10	129
HPV33 E2	10	25	HPV33 E2	8	49
HPV33 E2	8	235	HPV33 E2	8	147
HPV33 E2	10	235	HPV33 E2	11	9
HPV33 E2	9	143	HPV33 E2	8	162
HPV33 E2	11	232	HPV33 E2	9	162
HPV33 E2	8	39	HPV33 E2	10	162
HPV33 E2	9	39	HPV33 E2	11	162

Table XVI  
HLA-A3 Motif Peptides

HPV33 E2	9	123	HPV33 E2	11	254
HPV33 E2	8	216	HPV33 E2	8	257
HPV33 E2	9	216	HPV33 E2	10	257
HPV33 E2	10	216	HPV33 E2	8	144
HPV33 E2	11	216	HPV33 E2	11	144
HPV33 E2	8	318	HPV33 E2	9	24
HPV33 E2	11	315	HPV33 E2	11	24
HPV33 E2	8	284	HPV33 E2	10	214
HPV33 E2	9	284	HPV33 E2	11	214
HPV33 E2	11	284	HPV33 E2	9	234
HPV33 E2	9	272	HPV33 E2	11	234
HPV33 E2	8	230	HPV33 E2	11	324
HPV33 E2	8	248	HPV33 E2	10	149
HPV33 E2	9	248	HPV33 E2	11	149
HPV33 E2	11	248	HPV33 E2	11	128
HPV33 E2	8	239	HPV33 E2	9	146
HPV33 E2	11	239	HPV33 E2	8	310
HPV33 E2	9	60	HPV33 E2	10	233
HPV33 E2	10	60	HPV33 E2	8	267
HPV33 E2	11	60	HPV33 E2	8	343
HPV33 E2	8	27	HPV33 E2	8	118
HPV33 E2	11	27	HPV33 E2	9	118
HPV33 E2	9	342	HPV33 E2	10	116
HPV33 E2	8	222	HPV33 E2	11	116
HPV33 E2	10	222	HPV33 E2	8	273
HPV33 E2	9	113	HPV33 E2	11	268
HPV33 E2	9	29	HPV33 E2	8	152
HPV33 E2	8	203	HPV33 E2	10	152
HPV33 E2	9	76	HPV33 E2	9	326
HPV33 E2	8	332	HPV33 E2	11	148
HPV33 E2	9	48	HPV33 E2	9	117
HPV33 E2	11	213	HPV33 E2	10	117
HPV33 E2	8	71	HPV33 E2	9	58
HPV33 E2	8	57	HPV33 E2	11	58
HPV33 E2	10	57	HPV33 E2	9	102
HPV33 E2	9	292	HPV33 E2	10	102
HPV33 E2	8	7	HPV33 E2	11	102
HPV33 E2	8	37	HPV33 E2	9	309
HPV33 E2	10	37	HPV33 E2	11	121
HPV33 E2	11	37	HPV33 E2	8	170
HPV33 E2	9	256	HPV33 E2	9	170
HPV33 E2	11	256	HPV33 E2	11	170
HPV33 E2	9	266	HPV33 E2	9	167
HPV33 E2	10	5	HPV33 E2	10	167
HPV33 E2	11	98	HPV33 E2	11	167
HPV33 E2	8	285	HPV33 E2	8	154
HPV33 E2	10	285	HPV33 E2	9	159
HPV33 E2	8	61	HPV33 E2	10	159
HPV33 E2	9	61	HPV33 E2	11	159
HPV33 E2	10	61	HPV33 E2	10	178
HPV33 E2	8	301	HPV33 E2	9	300
HPV33 E2	11	200	HPV33 E2	8	44
HPV33 E2	9	270	HPV33 E2	10	44
HPV33 E2	11	270	HPV33 E2	8	131
HPV33 E2	11	304	HPV33 E5	8	63
HPV33 E2	10	305	HPV33 E5	8	51
HPV33 E2	11	209	HPV33 E5	9	50
HPV33 E2	9	45	HPV33 E5	9	12
HPV33 E2	9	236	HPV33 E5	11	56
HPV33 E2	11	236	HPV33 E5	10	3

Table XVI  
HLA-A3 Motif Peptides

HPV33 E5	9	42	HPV33 E6	11	14
HPV33 E5	10	42	HPV33 E6	10	4
HPV33 E5	8	5	HPV33 E6	8	32
HPV33 E5	8	44	HPV33 E6	9	56
HPV33 E5	10	44	HPV33 E6	11	98
HPV33 E5	8	49	HPV33 E6	8	27
HPV33 E5	10	49	HPV33 E6	9	27
HPV33 E5	8	2	HPV33 E6	8	41
HPV33 E5	11	2	HPV33 E6	8	47
HPV33 E5	11	10	HPV33 E6	9	47
HPV33 E5	8	23	HPV33 E6	10	45
HPV33 E5	9	48	HPV33 E6	11	45
HPV33 E5	11	48	HPV33 E6	9	60
HPV33 E5	8	13	HPV33 E6	10	60
HPV33 E5	10	11	HPV33 E6	8	69
HPV33 E5	8	22	HPV33 E6	9	69
HPV33 E5	9	22	HPV33 E6	10	69
HPV33 E5	11	32	HPV33 E6	11	69
HPV33 E5	11	38	HPV33 E6	8	61
HPV33 E5	8	35	HPV33 E6	9	61
HPV33 E5	10	33	HPV33 E6	8	118
HPV33 E5	9	62	HPV33 E6	9	118
HPV33 E5	9	1	HPV33 E6	8	62
HPV33 E5	8	61	HPV33 E6	11	62
HPV33 E5	10	61	HPV33 E6	11	105
HPV33 E5	9	21	HPV33 E6	10	99
HPV33 E5	10	21	HPV33 E6	9	73
HPV33 E5	8	46	HPV33 E6	8	128
HPV33 E5	11	46	HPV33 E6	10	128
HPV33 E5	8	60	HPV33 E6	11	128
HPV33 E5	9	60	HPV33 E6	8	72
HPV33 E5	11	60	HPV33 E6	10	72
HPV33 E5	8	41	HPV33 E6	9	64
HPV33 E5	10	41	HPV33 E6	8	65
HPV33 E5	11	41	HPV33 E6	8	110
HPV33 E5	9	4	HPV33 E6	9	110
HPV33 E5	8	43	HPV33 E6	10	15
HPV33 E5	9	43	HPV33 E6	9	100
HPV33 E5	11	43	HPV33 E6	8	70
HPV33 E5	9	34	HPV33 E6	9	70
HPV33 E5	9	40	HPV33 E6	10	70
HPV33 E5	11	40	HPV33 E6	11	50
HPV33 E5	9	58	HPV33 E6	8	1
HPV33 E5	10	58	HPV33 E6	10	1
HPV33 E5	11	58	HPV33 E6	10	25
HPV33 E6	8	137	HPV33 E6	11	25
HPV33 E6	9	137	HPV33 E6	9	127
HPV33 E6	8	138	HPV33 E6	11	127
HPV33 E6	11	138	HPV33 E6	8	86
HPV33 E6	8	48	HPV33 E6	9	86
HPV33 E6	9	46	HPV33 E6	10	59
HPV33 E6	10	46	HPV33 E6	11	59
HPV33 E6	9	133	HPV33 E6	8	109
HPV33 E6	11	133	HPV33 E6	9	109
HPV33 E6	8	136	HPV33 E6	10	109
HPV33 E6	9	136	HPV33 E6	8	95
HPV33 E6	10	136	HPV33 E6	8	36
HPV33 E6	11	66	HPV33 E6	10	36
HPV33 E6	10	30	HPV33 E6	11	36
HPV33 E6	11	44	HPV33 E6	8	17

Table XVI  
HLA-A3 Motif Peptides

HPV33 E6	11	29	HPV33 L1	8	175
HPV33 E6	8	3	HPV33 L1	9	102
HPV33 E6	11	3	HPV33 L1	10	456
HPV33 E6	9	135	HPV33 L1	11	456
HPV33 E6	10	135	HPV33 L1	11	142
HPV33 E6	11	135	HPV33 L1	8	471
HPV33 E6	8	124	HPV33 L1	10	471
HPV33 E6	10	124	HPV33 L1	11	471
HPV33 E6	9	68	HPV33 L1	8	37
HPV33 E6	10	68	HPV33 L1	11	37
HPV33 E6	11	68	HPV33 L1	11	424
HPV33 E6	8	39	HPV33 L1	8	284
HPV33 E6	9	39	HPV33 L1	9	284
HPV33 E6	10	39	HPV33 L1	8	411
HPV33 E6	8	141	HPV33 L1	9	411
HPV33 E6	9	10	HPV33 L1	10	44
HPV33 E6	9	129	HPV33 L1	9	270
HPV33 E6	10	129	HPV33 L1	10	225
HPV33 E6	8	87	HPV33 L1	9	207
HPV33 E6	8	11	HPV33 L1	11	207
HPV33 E6	10	51	HPV33 L1	10	345
HPV33 E6	8	119	HPV33 L1	11	345
HPV33 E6	9	52	HPV33 L1	8	103
HPV33 E6	10	132	HPV33 L1	8	128
HPV33 E6	10	84	HPV33 L1	9	128
HPV33 E6	11	84	HPV33 L1	9	209
HPV33 E7	10	50	HPV33 L1	9	197
HPV33 E7	10	57	HPV33 L1	8	223
HPV33 E7	10	68	HPV33 L1	9	223
HPV33 E7	9	42	HPV33 L1	8	396
HPV33 E7	11	42	HPV33 L1	9	457
HPV33 E7	10	14	HPV33 L1	10	457
HPV33 E7	11	30	HPV33 L1	11	457
HPV33 E7	10	36	HPV33 L1	8	449
HPV33 E7	9	37	HPV33 L1	10	370
HPV33 E7	11	85	HPV33 L1	11	274
HPV33 E7	8	59	HPV33 L1	8	244
HPV33 E7	11	67	HPV33 L1	9	244
HPV33 E7	11	13	HPV33 L1	9	351
HPV33 E7	8	38	HPV33 L1	10	351
HPV33 E7	11	38	HPV33 L1	8	129
HPV33 E7	8	88	HPV33 L1	9	202
HPV33 E7	8	70	HPV33 L1	10	202
HPV33 E7	8	41	HPV33 L1	8	95
HPV33 E7	10	41	HPV33 L1	11	88
HPV33 E7	11	6	HPV33 L1	10	415
HPV33 E7	9	44	HPV33 L1	8	269
HPV33 E7	10	44	HPV33 L1	10	269
HPV33 E7	8	2	HPV33 L1	8	146
HPV33 E7	10	2	HPV33 L1	10	196
HPV33 E7	8	66	HPV33 L1	9	437
HPV33 E7	9	32	HPV33 L1	9	303
HPV33 E7	10	31	HPV33 L1	8	447
HPV33 E7	11	49	HPV33 L1	10	447
HPV33 E7	11	56	HPV33 L1	8	385
HPV33 E7	10	7	HPV33 L1	9	127
HPV33 E7	11	63	HPV33 L1	10	127
HPV33 E7	10	86	HPV33 L1	10	247
HPV33 E7	10	64	HPV33 L1	9	248
HPV33 L1	11	482	HPV33 L1	11	248

Table XVI  
HLA-A3 Motif Peptides

HPV33 L1	11	260	HPV33 L1	9	466
HPV33 L1	11	205	HPV33 L1	10	466
HPV33 L1	8	84	HPV33 L1	11	466
HPV33 L1	9	84	HPV33 L1	9	453
HPV33 L1	9	403	HPV33 L1	8	172
HPV33 L1	8	467	HPV33 L1	9	172
HPV33 L1	9	467	HPV33 L1	11	172
HPV33 L1	10	467	HPV33 L1	11	478
HPV33 L1	8	249	HPV33 L1	8	429
HPV33 L1	10	249	HPV33 L1	8	65
HPV33 L1	11	249	HPV33 L1	10	65
HPV33 L1	8	454	HPV33 L1	11	65
HPV33 L1	9	50	HPV33 L1	11	379
HPV33 L1	10	50	HPV33 L1	8	20
HPV33 L1	11	50	HPV33 L1	11	20
HPV33 L1	8	256	HPV33 L1	8	43
HPV33 L1	9	256	HPV33 L1	11	43
HPV33 L1	11	419	HPV33 L1	8	377
HPV33 L1	9	330	HPV33 L1	11	344
HPV33 L1	9	161	HPV33 L1	8	458
HPV33 L1	10	206	HPV33 L1	9	458
HPV33 L1	8	198	HPV33 L1	10	458
HPV33 L1	9	243	HPV33 L1	11	246
HPV33 L1	10	243	HPV33 L1	10	306
HPV33 L1	8	204	HPV33 L1	11	306
HPV33 L1	8	85	HPV33 L1	10	160
HPV33 L1	9	322	HPV33 L1	10	267
HPV33 L1	10	117	HPV33 L1	9	463
HPV33 L1	11	117	HPV33 L1	8	114
HPV33 L1	9	472	HPV33 L1	8	42
HPV33 L1	10	472	HPV33 L1	9	42
HPV33 L1	11	472	HPV33 L1	11	159
HPV33 L1	8	68	HPV33 L1	8	468
HPV33 L1	10	68	HPV33 L1	9	468
HPV33 L1	8	404	HPV33 L1	11	468
HPV33 L1	11	297	HPV33 L1	11	61
HPV33 L1	10	38	HPV33 L1	8	382
HPV33 L1	9	226	HPV33 L1	10	382
HPV33 L1	11	226	HPV33 L1	11	382
HPV33 L1	10	281	HPV33 L1	10	62
HPV33 L1	11	281	HPV33 L1	11	62
HPV33 L1	8	173	HPV33 L1	8	208
HPV33 L1	10	173	HPV33 L1	10	208
HPV33 L1	9	365	HPV33 L1	9	255
HPV33 L1	11	365	HPV33 L1	10	255
HPV33 L1	8	224	HPV33 L1	9	1
HPV33 L1	11	224	HPV33 L1	11	237
HPV33 L1	8	323	HPV33 L1	11	200
HPV33 L1	9	222	HPV33 L1	9	299
HPV33 L1	10	222	HPV33 L1	11	299
HPV33 L1	9	118	HPV33 L1	9	57
HPV33 L1	10	118	HPV33 L1	8	358
HPV33 L1	10	425	HPV33 L1	10	321
HPV33 L1	8	474	HPV33 L1	9	395
HPV33 L1	9	474	HPV33 L1	8	79
HPV33 L1	10	474	HPV33 L1	9	94
HPV33 L1	10	126	HPV33 L1	11	232
HPV33 L1	11	126	HPV33 L1	9	137
HPV33 L1	9	83	HPV33 L1	10	221
HPV33 L1	10	83	HPV33 L1	11	221

Table XVI  
HLA-A3 Motif Peptides

HPV33 L1	10	462	HPV33 L1	8	245
HPV33 L1	9	113	HPV33 L1	8	412
HPV33 L1	9	409	HPV33 L1	10	298
HPV33 L1	10	409	HPV33 L1	9	490
HPV33 L1	11	409	HPV33 L1	10	490
HPV33 L1	8	165	HPV33 L1	9	39
HPV33 L1	11	165	HPV33 L1	11	39
HPV33 L1	11	55	HPV33 L1	8	227
HPV33 L1	9	484	HPV33 L1	10	227
HPV33 L1	10	484	HPV33 L1	8	23
HPV33 L1	11	484	HPV33 L1	8	486
HPV33 L1	11	17	HPV33 L1	9	486
HPV33 L1	9	470	HPV33 L1	10	486
HPV33 L1	11	470	HPV33 L1	11	486
HPV33 L1	11	414	HPV33 L1	8	352
HPV33 L1	10	402	HPV33 L1	9	352
HPV33 L1	8	460	HPV33 L1	11	352
HPV33 L1	8	372	HPV33 L1	8	2
HPV33 L1	9	376	HPV33 L1	11	2
HPV33 L1	8	156	HPV33 L1	9	383
HPV33 L1	11	305	HPV33 L1	10	383
HPV33 L1	8	254	HPV33 L1	8	283
HPV33 L1	10	254	HPV33 L1	9	283
HPV33 L1	11	254	HPV33 L1	10	283
HPV33 L1	10	154	HPV33 L1	9	228
HPV33 L1	11	328	HPV33 L1	9	426
HPV33 L1	8	347	HPV33 L1	11	426
HPV33 L1	9	347	HPV33 L1	11	24
HPV33 L1	8	481	HPV33 L1	8	444
HPV33 L1	8	263	HPV33 L1	10	444
HPV33 L1	9	41	HPV33 L1	11	444
HPV33 L1	10	41	HPV33 L1	10	166
HPV33 L1	8	77	HPV33 L1	8	203
HPV33 L1	10	77	HPV33 L1	9	203
HPV33 L1	8	30	HPV33 L1	11	132
HPV33 L1	8	488	HPV33 L1	11	266
HPV33 L1	9	488	HPV33 L1	9	381
HPV33 L1	11	488	HPV33 L1	11	381
HPV33 L1	9	75	HPV33 L1	11	349
HPV33 L1	10	75	HPV33 L1	10	238
HPV33 L1	11	455	HPV33 L1	11	238
HPV33 L1	8	491	HPV33 L1	9	301
HPV33 L1	9	491	HPV33 L1	11	301
HPV33 L1	8	410	HPV33 L1	10	89
HPV33 L1	9	410	HPV33 L1	11	31
HPV33 L1	10	410	HPV33 L1	9	421
HPV33 L1	10	350	HPV33 L1	8	489
HPV33 L1	11	350	HPV33 L1	10	489
HPV33 L1	9	90	HPV33 L1	11	489
HPV33 L1	8	119	HPV33 L1	8	485
HPV33 L1	9	119	HPV33 L1	9	485
HPV33 L1	8	67	HPV33 L1	10	485
HPV33 L1	9	67	HPV33 L1	11	485
HPV33 L1	11	67	HPV33 L1	9	282
HPV33 L1	11	280	HPV33 L1	10	282
HPV33 L1	8	51	HPV33 L1	11	282
HPV33 L1	9	51	HPV33 L1	11	10
HPV33 L1	10	51	HPV33 L1	9	174
HPV33 L1	8	285	HPV33 L1	9	448
HPV33 L1	10	32	HPV33 L1	10	201

Table XVI  
HLA-A3 Motif Peptides

HPV33 L1	11	201	HPV33 L2	11	436
HPV33 L1	11	374	HPV33 L2	8	360
HPV33 L1	11	73	HPV33 L2	9	283
HPV33 L1	10	329	HPV33 L2	10	272
HPV33 L1	9	45	HPV33 L2	10	327
HPV33 L1	11	116	HPV33 L2	8	431
HPV33 L1	9	66	HPV33 L2	10	431
HPV33 L1	10	66	HPV33 L2	11	369
HPV33 L1	10	18	HPV33 L2	11	130
HPV33 L1	8	28	HPV33 L2	11	364
HPV33 L1	9	28	HPV33 L2	8	176
HPV33 L1	10	28	HPV33 L2	8	263
HPV33 L1	9	22	HPV33 L2	11	36
HPV33 L1	10	380	HPV33 L2	11	258
HPV33 L1	8	348	HPV33 L2	10	149
HPV33 L1	8	300	HPV33 L2	9	110
HPV33 L1	10	300	HPV33 L2	11	110
HPV33 L1	10	420	HPV33 L2	9	260
HPV33 L1	8	331	HPV33 L2	11	260
HPV33 L1	10	21	HPV33 L2	9	430
HPV33 L1	10	101	HPV33 L2	11	430
HPV33 L1	10	170	HPV33 L2	8	459
HPV33 L1	11	170	HPV33 L2	9	459
HPV33 L1	8	312	HPV33 L2	8	113
HPV33 L1	9	36	HPV33 L2	8	447
HPV33 L1	11	369	HPV33 L2	9	447
HPV33 L1	10	49	HPV33 L2	10	447
HPV33 L1	11	49	HPV33 L2	8	281
HPV33 L1	8	242	HPV33 L2	9	281
HPV33 L1	10	242	HPV33 L2	11	281
HPV33 L1	11	242	HPV33 L2	11	242
HPV33 L1	9	276	HPV33 L2	8	301
HPV33 L1	8	362	HPV33 L2	11	301
HPV33 L1	9	234	HPV33 L2	11	183
HPV33 L1	9	12	HPV33 L2	8	460
HPV33 L1	9	443	HPV33 L2	8	163
HPV33 L1	11	443	HPV33 L2	11	163
HPV33 L1	8	27	HPV33 L2	8	440
HPV33 L1	9	27	HPV33 L2	11	440
HPV33 L1	10	27	HPV33 L2	8	421
HPV33 L1	11	27	HPV33 L2	10	421
HPV33 L2	9	81	HPV33 L2	10	437
HPV33 L2	8	367	HPV33 L2	11	437
HPV33 L2	9	438	HPV33 L2	8	128
HPV33 L2	10	438	HPV33 L2	11	58
HPV33 L2	8	241	HPV33 L2	11	226
HPV33 L2	8	82	HPV33 L2	8	64
HPV33 L2	10	291	HPV33 L2	10	62
HPV33 L2	11	291	HPV33 L2	11	218
HPV33 L2	10	286	HPV33 L2	10	37
HPV33 L2	11	286	HPV33 L2	11	37
HPV33 L2	11	12	HPV33 L2	10	25
HPV33 L2	9	308	HPV33 L2	8	75
HPV33 L2	9	14	HPV33 L2	9	60
HPV33 L2	10	14	HPV33 L2	8	349
HPV33 L2	9	280	HPV33 L2	10	379
HPV33 L2	10	280	HPV33 L2	8	374
HPV33 L2	8	439	HPV33 L2	11	374
HPV33 L2	9	439	HPV33 L2	8	336
HPV33 L2	8	436	HPV33 L2	11	297

Table XVI  
HLA-A3 Motif Peptides

HPV33 L2	8	40	HPV33 L2	11	420
HPV33 L2	11	285	HPV33 L2	8	217
HPV33 L2	8	318	HPV33 L2	9	73
HPV33 L2	8	74	HPV33 L2	10	73
HPV33 L2	9	74	HPV33 L2	9	215
HPV33 L2	10	59	HPV33 L2	10	215
HPV33 L2	8	284	HPV33 L2	8	423
HPV33 L2	10	44	HPV33 L2	11	333
HPV33 L2	11	44	HPV33 L2	9	413
HPV33 L2	8	448	HPV33 L2	10	347
HPV33 L2	9	448	HPV33 L2	9	376
HPV33 L2	11	448	HPV33 L2	10	376
HPV33 L2	9	273	HPV33 L2	10	126
HPV33 L2	9	155	HPV33 L2	9	121
HPV33 L2	9	292	HPV33 L2	11	411
HPV33 L2	10	292	HPV33 L2	8	166
HPV33 L2	8	250	HPV33 L2	10	166
HPV33 L2	11	250	HPV33 L2	8	444
HPV33 L2	10	104	HPV33 L2	9	444
HPV33 L2	8	433	HPV33 L2	10	444
HPV33 L2	11	433	HPV33 L2	11	444
HPV33 L2	10	307	HPV33 L2	11	79
HPV33 L2	9	248	HPV33 L2	10	161
HPV33 L2	10	248	HPV33 L2	8	186
HPV33 L2	10	311	HPV33 L2	8	221
HPV33 L2	11	311	HPV33 L2	10	221
HPV33 L2	8	34	HPV33 L2	11	326
HPV33 L2	10	334	HPV33 L2	10	267
HPV33 L2	8	282	HPV33 L2	8	317
HPV33 L2	10	282	HPV33 L2	9	317
HPV33 L2	8	414	HPV33 L2	11	43
HPV33 L2	10	107	HPV33 L2	8	16
HPV33 L2	8	249	HPV33 L2	11	191
HPV33 L2	9	249	HPV33 L2	11	153
HPV33 L2	9	328	HPV33 L2	8	234
HPV33 L2	10	243	HPV33 L2	9	234
HPV33 L2	11	405	HPV33 L2	8	11
HPV33 L2	8	359	HPV33 L2	10	455
HPV33 L2	9	359	HPV33 L2	8	300
HPV33 L2	11	231	HPV33 L2	9	300
HPV33 L2	8	372	HPV33 L2	8	313
HPV33 L2	10	372	HPV33 L2	9	313
HPV33 L2	10	391	HPV33 L2	11	313
HPV33 L2	8	174	HPV33 L2	8	5
HPV33 L2	10	174	HPV33 L2	10	5
HPV33 L2	8	240	HPV33 L2	9	303
HPV33 L2	9	240	HPV33 L2	11	303
HPV33 L2	8	290	HPV33 L2	10	13
HPV33 L2	11	290	HPV33 L2	11	13
HPV33 L2	9	172	HPV33 L2	11	271
HPV33 L2	10	172	HPV33 L2	10	259
HPV33 L2	11	119	HPV33 L2	9	112
HPV33 L2	8	279	HPV33 L2	9	127
HPV33 L2	10	279	HPV33 L2	8	314
HPV33 L2	11	279	HPV33 L2	10	314
HPV33 L2	8	408	HPV33 L2	11	314
HPV33 L2	10	277	HPV33 L2	10	406
HPV33 L2	10	429	HPV33 L2	9	63
HPV33 L2	8	420	HPV33 L2	10	357
HPV33 L2	9	420	HPV33 L2	11	357

Table XVI  
HLA-A3 Motif Peptides

HPV33 L2	8	393	HPV33 L2	10	434
HPV33 L2	8	122	HPV33 L2	11	237
HPV33 L2	8	151	HPV33 L2	9	366
HPV33 L2	11	103	HPV33 L2	9	252
HPV33 L2	8	106	HPV33 L2	9	458
HPV33 L2	11	106	HPV33 L2	10	458
HPV33 L2	9	150	HPV33 L2	8	446
HPV33 L2	10	418	HPV33 L2	9	446
HPV33 L2	11	418	HPV33 L2	10	446
HPV33 L2	10	184	HPV33 L2	11	446
HPV33 L2	9	212	HPV33 L2	8	47
HPV33 L2	10	354	HPV33 L2	8	356
HPV33 L2	8	156	HPV33 L2	11	356
HPV33 L2	9	38	HPV33 L2	9	228
HPV33 L2	10	38	HPV33 L2	8	381
HPV33 L2	8	213	HPV33 L2	11	71
HPV33 L2	11	213	HPV45 E1	11	382
HPV33 L2	9	6	HPV45 E1	10	383
HPV33 L2	9	167	HPV45 E1	11	383
HPV33 L2	11	167	HPV45 E1	8	198
HPV33 L2	10	80	HPV45 E1	11	198
HPV33 L2	9	26	HPV45 E1	8	376
HPV33 L2	9	162	HPV45 E1	9	376
HPV33 L2	8	61	HPV45 E1	10	376
HPV33 L2	11	61	HPV45 E1	8	622
HPV33 L2	11	24	HPV45 E1	11	622
HPV33 L2	8	39	HPV45 E1	11	507
HPV33 L2	9	39	HPV45 E1	9	384
HPV33 L2	10	154	HPV45 E1	10	384
HPV33 L2	9	432	HPV45 E1	11	384
HPV33 L2	8	309	HPV45 E1	8	369
HPV33 L2	8	133	HPV45 E1	10	232
HPV33 L2	8	111	HPV45 E1	11	490
HPV33 L2	10	111	HPV45 E1	11	532
HPV33 L2	9	244	HPV45 E1	11	452
HPV33 L2	8	293	HPV45 E1	9	270
HPV33 L2	9	293	HPV45 E1	11	270
HPV33 L2	11	293	HPV45 E1	10	199
HPV33 L2	11	417	HPV45 E1	8	512
HPV33 L2	10	211	HPV45 E1	10	193
HPV33 L2	11	353	HPV45 E1	11	40
HPV33 L2	9	132	HPV45 E1	8	517
HPV33 L2	10	298	HPV45 E1	9	517
HPV33 L2	11	298	HPV45 E1	11	202
HPV33 L2	9	222	HPV45 E1	8	399
HPV33 L2	9	435	HPV45 E1	9	399
HPV33 L2	10	370	HPV45 E1	10	399
HPV33 L2	10	238	HPV45 E1	8	398
HPV33 L2	11	238	HPV45 E1	9	398
HPV33 L2	8	304	HPV45 E1	10	398
HPV33 L2	10	304	HPV45 E1	11	398
HPV33 L2	11	31	HPV45 E1	9	604
HPV33 L2	8	168	HPV45 E1	9	276
HPV33 L2	10	168	HPV45 E1	10	276
HPV33 L2	10	441	HPV45 E1	8	465
HPV33 L2	11	441	HPV45 E1	8	297
HPV33 L2	9	392	HPV45 E1	10	297
HPV33 L2	9	105	HPV45 E1	11	423
HPV33 L2	11	210	HPV45 E1	9	226
HPV33 L2	10	131	HPV45 E1	8	634

Table XVI  
HLA-A3 Motif Peptides

HPV45 E1	9	621	HPV45 E1	8	365
HPV45 E1	9	78	HPV45 E1	9	365
HPV45 E1	10	78	HPV45 E1	9	573
HPV45 E1	11	78	HPV45 E1	11	573
HPV45 E1	9	516	HPV45 E1	8	64
HPV45 E1	10	516	HPV45 E1	9	64
HPV45 E1	8	397	HPV45 E1	10	295
HPV45 E1	9	397	HPV45 E1	10	146
HPV45 E1	10	397	HPV45 E1	10	74
HPV45 E1	11	397	HPV45 E1	9	587
HPV45 E1	10	261	HPV45 E1	10	348
HPV45 E1	8	377	HPV45 E1	11	348
HPV45 E1	9	377	HPV45 E1	8	525
HPV45 E1	11	377	HPV45 E1	8	605
HPV45 E1	10	515	HPV45 E1	9	18
HPV45 E1	11	515	HPV45 E1	10	18
HPV45 E1	11	8	HPV45 E1	8	479
HPV45 E1	9	534	HPV45 E1	8	234
HPV45 E1	10	534	HPV45 E1	11	234
HPV45 E1	11	534	HPV45 E1	8	483
HPV45 E1	9	614	HPV45 E1	9	446
HPV45 E1	9	349	HPV45 E1	11	446
HPV45 E1	10	349	HPV45 E1	8	456
HPV45 E1	9	361	HPV45 E1	8	385
HPV45 E1	10	361	HPV45 E1	9	385
HPV45 E1	10	214	HPV45 E1	10	385
HPV45 E1	10	367	HPV45 E1	9	486
HPV45 E1	11	134	HPV45 E1	8	449
HPV45 E1	10	623	HPV45 E1	10	449
HPV45 E1	11	623	HPV45 E1	9	438
HPV45 E1	9	42	HPV45 E1	8	212
HPV45 E1	10	508	HPV45 E1	9	212
HPV45 E1	8	328	HPV45 E1	9	579
HPV45 E1	10	52	HPV45 E1	11	579
HPV45 E1	11	30	HPV45 E1	8	130
HPV45 E1	10	620	HPV45 E1	8	19
HPV45 E1	8	445	HPV45 E1	9	19
HPV45 E1	10	445	HPV45 E1	8	494
HPV45 E1	8	455	HPV45 E1	8	138
HPV45 E1	9	455	HPV45 E1	9	327
HPV45 E1	8	242	HPV45 E1	9	430
HPV45 E1	10	242	HPV45 E1	11	430
HPV45 E1	11	428	HPV45 E1	9	243
HPV45 E1	8	625	HPV45 E1	8	168
HPV45 E1	9	625	HPV45 E1	10	429
HPV45 E1	9	10	HPV45 E1	8	626
HPV45 E1	10	10	HPV45 E1	9	209
HPV45 E1	8	596	HPV45 E1	11	209
HPV45 E1	10	596	HPV45 E1	11	480
HPV45 E1	11	596	HPV45 E1	8	11
HPV45 E1	8	115	HPV45 E1	9	11
HPV45 E1	9	115	HPV45 E1	11	459
HPV45 E1	10	115	HPV45 E1	9	443
HPV45 E1	11	115	HPV45 E1	10	443
HPV45 E1	8	186	HPV45 E1	9	265
HPV45 E1	11	186	HPV45 E1	10	265
HPV45 E1	8	189	HPV45 E1	11	265
HPV45 E1	9	189	HPV45 E1	10	235
HPV45 E1	10	189	HPV45 E1	11	235
HPV45 E1	11	189	HPV45 E1	9	71

Table XVI  
HLA-A3 Motif Peptides

HPV45 E1	8	181	HPV45 E1	9	375
HPV45 E1	10	485	HPV45 E1	10	375
HPV45 E1	8	500	HPV45 E1	11	375
HPV45 E1	11	500	HPV45 E1	10	269
HPV45 E1	8	341	HPV45 E1	8	201
HPV45 E1	8	256	HPV45 E1	11	260
HPV45 E1	8	83	HPV45 E1	11	514
HPV45 E1	10	519	HPV45 E1	10	533
HPV45 E1	10	57	HPV45 E1	11	533
HPV45 E1	8	426	HPV45 E1	10	613
HPV45 E1	8	561	HPV45 E1	11	69
HPV45 E1	11	561	HPV45 E1	9	129
HPV45 E1	11	51	HPV45 E1	8	299
HPV45 E1	9	233	HPV45 E1	8	247
HPV45 E1	11	338	HPV45 E1	9	247
HPV45 E1	10	491	HPV45 E1	10	247
HPV45 E1	11	491	HPV45 E1	8	267
HPV45 E1	8	268	HPV45 E1	9	267
HPV45 E1	11	268	HPV45 E1	11	84
HPV45 E1	10	555	HPV45 E1	8	190
HPV45 E1	11	555	HPV45 E1	9	190
HPV45 E1	11	466	HPV45 E1	10	190
HPV45 E1	9	32	HPV45 E1	8	271
HPV45 E1	8	447	HPV45 E1	10	271
HPV45 E1	10	447	HPV45 E1	9	556
HPV45 E1	9	492	HPV45 E1	10	556
HPV45 E1	10	492	HPV45 E1	10	467
HPV45 E1	8	538	HPV45 E1	8	350
HPV45 E1	8	116	HPV45 E1	9	350
HPV45 E1	9	116	HPV45 E1	8	210
HPV45 E1	10	116	HPV45 E1	10	210
HPV45 E1	11	116	HPV45 E1	11	210
HPV45 E1	10	184	HPV45 E1	10	103
HPV45 E1	8	197	HPV45 E1	8	362
HPV45 E1	9	197	HPV45 E1	9	362
HPV45 E1	10	603	HPV45 E1	11	362
HPV45 E1	10	275	HPV45 E1	8	557
HPV45 E1	11	275	HPV45 E1	9	557
HPV45 E1	9	633	HPV45 E1	9	215
HPV45 E1	8	396	HPV45 E1	9	368
HPV45 E1	9	396	HPV45 E1	11	231
HPV45 E1	10	396	HPV45 E1	8	401
HPV45 E1	11	396	HPV45 E1	10	401
HPV45 E1	8	205	HPV45 E1	11	401
HPV45 E1	11	565	HPV45 E1	9	200
HPV45 E1	8	285	HPV45 E1	9	298
HPV45 E1	9	425	HPV45 E1	10	481
HPV45 E1	8	304	HPV45 E1	8	415
HPV45 E1	10	304	HPV45 E1	11	415
HPV45 E1	8	387	HPV45 E1	9	154
HPV45 E1	10	387	HPV45 E1	8	174
HPV45 E1	8	476	HPV45 E1	9	464
HPV45 E1	10	476	HPV45 E1	8	389
HPV45 E1	11	476	HPV45 E1	11	389
HPV45 E1	10	245	HPV45 E1	10	77
HPV45 E1	11	245	HPV45 E1	11	77
HPV45 E1	10	223	HPV45 E1	8	598
HPV45 E1	8	510	HPV45 E1	9	598
HPV45 E1	10	510	HPV45 E1	11	598
HPV45 E1	8	375	HPV45 E1	10	360

Table XVI  
HLA-A3 Motif Peptides

HPV45 E1	11	360	HPV45 E1	8	366
HPV45 E1	11	347	HPV45 E1	11	366
HPV45 E1	11	590	HPV45 E1	8	351
HPV45 E1	9	560	HPV45 E1	10	172
HPV45 E1	8	414	HPV45 E1	9	482
HPV45 E1	9	414	HPV45 E1	9	448
HPV45 E1	8	119	HPV45 E1	11	448
HPV45 E1	9	119	HPV45 E1	9	211
HPV45 E1	10	119	HPV45 E1	10	211
HPV45 E1	10	498	HPV45 E1	8	493
HPV45 E1	9	379	HPV45 E1	9	493
HPV45 E1	11	473	HPV45 E1	10	326
HPV45 E1	11	152	HPV45 E1	9	167
HPV45 E1	9	563	HPV45 E1	8	120
HPV45 E1	8	471	HPV45 E1	9	120
HPV45 E1	9	471	HPV45 E1	11	120
HPV45 E1	10	586	HPV45 E1	10	135
HPV45 E1	11	554	HPV45 E1	11	135
HPV45 E1	8	537	HPV45 E1	11	56
HPV45 E1	9	537	HPV45 E1	11	183
HPV45 E1	8	434	HPV45 E1	8	117
HPV45 E1	8	505	HPV45 E1	9	117
HPV45 E1	8	238	HPV45 E1	10	117
HPV45 E1	8	593	HPV45 E1	11	117
HPV45 E1	11	593	HPV45 E1	11	171
HPV45 E1	9	60	HPV45 E1	10	166
HPV45 E1	11	60	HPV45 E1	9	307
HPV45 E1	9	391	HPV45 E1	10	307
HPV45 E1	8	192	HPV45 E1	8	308
HPV45 E1	11	192	HPV45 E1	9	308
HPV45 E1	10	437	HPV45 E1	9	104
HPV45 E1	8	442	HPV45 E1	8	65
HPV45 E1	10	442	HPV45 E1	9	296
HPV45 E1	11	442	HPV45 E1	11	296
HPV45 E1	9	374	HPV45 E1	8	225
HPV45 E1	10	374	HPV45 E1	10	225
HPV45 E1	11	374	HPV45 E1	9	520
HPV45 E1	8	54	HPV45 E1	11	520
HPV45 E1	11	102	HPV45 E1	8	363
HPV45 E1	9	412	HPV45 E1	10	363
HPV45 E1	10	412	HPV45 E1	11	363
HPV45 E1	11	412	HPV45 E1	8	213
HPV45 E1	11	165	HPV45 E1	11	213
HPV45 E1	8	80	HPV45 E1	10	41
HPV45 E1	9	80	HPV45 E1	8	227
HPV45 E1	10	80	HPV45 E1	11	631
HPV45 E1	11	80	HPV45 E1	8	580
HPV45 E1	8	148	HPV45 E1	10	580
HPV45 E1	8	451	HPV45 E1	8	12
HPV45 E1	11	612	HPV45 E1	10	474
HPV45 E1	10	128	HPV45 E1	8	43
HPV45 E1	11	112	HPV45 E1	9	246
HPV45 E1	8	306	HPV45 E1	10	246
HPV45 E1	10	306	HPV45 E1	11	246
HPV45 E1	11	306	HPV45 E1	8	558
HPV45 E1	9	608	HPV45 E1	11	558
HPV45 E1	9	575	HPV45 E1	9	224
HPV45 E1	10	575	HPV45 E1	11	224
HPV45 E1	11	575	HPV45 E1	11	239
HPV45 E1	8	33	HPV45 E1	11	282

Table XVI  
HLA-A3 Motif Peptides

HPV45 E1	8	577	HPV45 E2	10	16
HPV45 E1	9	577	HPV45 E2	9	226
HPV45 E1	11	577	HPV45 E2	9	234
HPV45 E1	8	309	HPV45 E2	10	216
HPV45 E1	10	240	HPV45 E2	11	216
HPV45 E1	10	283	HPV45 E2	10	115
HPV45 E1	9	511	HPV45 E2	8	254
HPV45 E1	11	178	HPV45 E2	10	254
HPV45 E1	8	105	HPV45 E2	8	305
HPV45 E1	10	203	HPV45 E2	9	305
HPV45 E1	8	578	HPV45 E2	10	305
HPV45 E1	10	578	HPV45 E2	11	134
HPV45 E1	10	31	HPV45 E2	10	286
HPV45 E1	8	81	HPV45 E2	8	274
HPV45 E1	9	81	HPV45 E2	9	274
HPV45 E1	10	81	HPV45 E2	10	274
HPV45 E1	8	266	HPV45 E2	11	274
HPV45 E1	9	266	HPV45 E2	10	207
HPV45 E1	10	266	HPV45 E2	8	158
HPV45 E1	8	400	HPV45 E2	9	158
HPV45 E1	9	400	HPV45 E2	11	158
HPV45 E1	11	400	HPV45 E2	11	211
HPV45 E1	11	325	HPV45 E2	10	169
HPV45 E1	8	576	HPV45 E2	11	169
HPV45 E1	9	576	HPV45 E2	10	128
HPV45 E1	10	576	HPV45 E2	8	31
HPV45 E1	10	17	HPV45 E2	11	28
HPV45 E1	11	17	HPV45 E2	8	171
HPV45 E1	10	264	HPV45 E2	9	171
HPV45 E1	11	264	HPV45 E2	10	212
HPV45 E1	8	418	HPV45 E2	10	80
HPV45 E1	10	332	HPV45 E2	11	106
HPV45 E1	9	502	HPV45 E2	9	8
HPV45 E1	11	502	HPV45 E2	9	148
HPV45 E1	9	522	HPV45 E2	10	148
HPV45 E1	11	522	HPV45 E2	11	127
HPV45 E1	10	254	HPV45 E2	10	50
HPV45 E1	11	372	HPV45 E2	10	298
HPV45 E1	9	524	HPV45 E2	11	298
HPV45 E1	8	478	HPV45 E2	9	170
HPV45 E1	9	478	HPV45 E2	10	170
HPV45 E1	8	137	HPV45 E2	8	119
HPV45 E1	9	137	HPV45 E2	9	119
HPV45 E1	10	208	HPV45 E2	8	150
HPV45 E1	8	469	HPV45 E2	9	255
HPV45 E1	10	469	HPV45 E2	11	237
HPV45 E1	11	469	HPV45 E2	8	225
HPV45 E1	9	571	HPV45 E2	10	225
HPV45 E1	11	571	HPV45 E2	8	55
HPV45 E1	10	394	HPV45 E2	9	261
HPV45 E1	11	394	HPV45 E2	8	242
HPV45 E2	10	156	HPV45 E2	9	242
HPV45 E2	11	156	HPV45 E2	11	242
HPV45 E2	9	157	HPV45 E2	10	295
HPV45 E2	10	157	HPV45 E2	8	124
HPV45 E2	9	78	HPV45 E2	8	293
HPV45 E2	9	47	HPV45 E2	10	21
HPV45 E2	9	84	HPV45 E2	8	48
HPV45 E2	10	84	HPV45 E2	8	70
HPV45 E2	9	16	HPV45 E2	9	70

Table XVI  
HLA-A3 Motif Peptides

HPV45 E2	8	36	HPV45 E2	11	67
HPV45 E2	9	146	HPV45 E2	11	271
HPV45 E2	11	146	HPV45 E2	10	112
HPV45 E2	8	219	HPV45 E2	8	114
HPV45 E2	11	74	HPV45 E2	11	114
HPV45 E2	8	77	HPV45 E2	8	253
HPV45 E2	10	77	HPV45 E2	9	253
HPV45 E2	8	304	HPV45 E2	11	253
HPV45 E2	9	304	HPV45 E2	8	18
HPV45 E2	10	304	HPV45 E2	8	177
HPV45 E2	11	304	HPV45 E2	9	177
HPV45 E2	8	168	HPV45 E2	9	35
HPV45 E2	11	168	HPV45 E2	8	218
HPV45 E2	9	30	HPV45 E2	9	218
HPV45 E2	8	297	HPV45 E2	8	40
HPV45 E2	11	297	HPV45 E2	11	40
HPV45 E2	9	118	HPV45 E2	11	222
HPV45 E2	10	118	HPV45 E2	8	82
HPV45 E2	8	86	HPV45 E2	11	82
HPV45 E2	11	20	HPV45 E2	9	244
HPV45 E2	8	154	HPV45 E2	10	4
HPV45 E2	9	232	HPV45 E2	10	63
HPV45 E2	11	232	HPV45 E2	8	43
HPV45 E2	11	121	HPV45 E2	10	43
HPV45 E2	9	273	HPV45 E2	11	43
HPV45 E2	10	273	HPV45 E2	8	309
HPV45 E2	11	273	HPV45 E2	9	309
HPV45 E2	9	22	HPV45 E2	8	13
HPV45 E2	11	49	HPV45 E2	10	15
HPV45 E2	10	41	HPV45 E2	11	15
HPV45 E2	10	272	HPV45 E2	11	215
HPV45 E2	11	272	HPV45 E2	9	287
HPV45 E2	11	14	HPV45 E2	11	287
HPV45 E2	11	10	HPV45 E2	8	302
HPV45 E2	8	256	HPV45 E2	10	302
HPV45 E2	11	336	HPV45 E2	11	302
HPV45 E2	10	83	HPV45 E2	8	9
HPV45 E2	11	83	HPV45 E2	8	275
HPV45 E2	11	206	HPV45 E2	9	275
HPV45 E2	8	46	HPV45 E2	10	275
HPV45 E2	10	46	HPV45 E2	11	321
HPV45 E2	8	69	HPV45 E2	9	208
HPV45 E2	9	69	HPV45 E2	8	276
HPV45 E2	10	69	HPV45 E2	9	276
HPV45 E2	9	341	HPV45 E2	8	227
HPV45 E2	8	301	HPV45 E2	10	322
HPV45 E2	9	301	HPV45 E2	8	235
HPV45 E2	11	301	HPV45 E2	8	358
HPV45 E2	9	187	HPV45 E2	11	155
HPV45 E2	11	33	HPV45 E2	9	51
HPV45 E2	9	357	HPV45 E2	8	233
HPV45 E2	8	109	HPV45 E2	10	233
HPV45 E2	9	109	HPV45 E2	8	333
HPV45 E2	10	109	HPV45 E2	8	149
HPV45 E2	9	332	HPV45 E2	9	149
HPV45 E2	9	289	HPV45 E2	8	209
HPV45 E2	9	292	HPV45 E2	8	277
HPV45 E2	8	67	HPV45 E2	8	290
HPV45 E2	9	67	HPV45 E2	11	290
HPV45 E2	10	67	HPV45 E2	8	172

Table XVI  
HLA-A3 Motif Peptides

HPV45 E2	10	122	HPV45 E6	9	53
HPV45 E2	9	213	HPV45 E6	10	53
HPV45 E2	10	337	HPV45 E6	11	53
HPV45 E2	11	285	HPV45 E6	8	120
HPV45 E2	8	214	HPV45 E6	9	120
HPV45 E2	8	159	HPV45 E6	8	128
HPV45 E2	10	159	HPV45 E6	8	30
HPV45 E2	9	338	HPV45 E6	8	60
HPV45 E2	9	64	HPV45 E6	8	69
HPV45 E2	11	64	HPV45 E6	11	69
HPV45 E2	8	138	HPV45 E6	8	54
HPV45 E2	10	152	HPV45 E6	9	54
HPV45 E2	11	185	HPV45 E6	10	54
HPV45 E2	9	166	HPV45 E6	11	54
HPV45 E2	10	166	HPV45 E6	10	36
HPV45 E2	10	145	HPV45 E6	8	67
HPV45 E2	9	317	HPV45 E6	10	67
HPV45 E2	10	175	HPV45 E6	10	122
HPV45 E2	11	175	HPV45 E6	8	50
HPV45 E2	8	137	HPV45 E6	8	92
HPV45 E2	9	137	HPV45 E6	10	52
HPV45 E6	9	63	HPV45 E6	11	52
HPV45 E6	10	63	HPV45 E6	9	102
HPV45 E6	8	64	HPV45 E6	10	101
HPV45 E6	9	64	HPV45 E6	10	1
HPV45 E6	11	64	HPV45 E6	8	100
HPV45 E6	11	31	HPV45 E6	11	100
HPV45 E6	9	48	HPV45 E6	10	83
HPV45 E6	10	48	HPV45 E6	8	139
HPV45 E6	9	37	HPV45 E6	11	139
HPV45 E6	11	37	HPV45 E6	10	95
HPV45 E6	9	141	HPV45 E6	10	22
HPV45 E6	11	141	HPV45 E6	9	114
HPV45 E6	8	142	HPV45 E6	11	114
HPV45 E6	10	142	HPV45 E6	8	111
HPV45 E6	11	142	HPV45 E6	9	111
HPV45 E6	8	59	HPV45 E6	10	111
HPV45 E6	9	59	HPV45 E6	8	144
HPV45 E6	9	68	HPV45 E6	9	144
HPV45 E6	11	105	HPV45 E6	10	144
HPV45 E6	10	32	HPV45 E6	11	144
HPV45 E6	9	58	HPV45 E6	9	137
HPV45 E6	10	58	HPV45 E6	10	137
HPV45 E6	8	5	HPV45 E6	9	26
HPV45 E6	9	5	HPV45 E6	11	26
HPV45 E6	10	70	HPV45 E6	8	46
HPV45 E6	11	70	HPV45 E6	11	46
HPV45 E6	11	51	HPV45 E6	9	107
HPV45 E6	8	27	HPV45 E6	11	107
HPV45 E6	10	27	HPV45 E6	8	57
HPV45 E6	11	27	HPV45 E6	10	57
HPV45 E6	10	77	HPV45 E6	11	57
HPV45 E6	8	97	HPV45 E6	8	3
HPV45 E6	11	97	HPV45 E6	10	3
HPV45 E6	8	43	HPV45 E6	11	3
HPV45 E6	11	43	HPV45 E6	9	126
HPV45 E6	10	47	HPV45 E6	10	126
HPV45 E6	11	47	HPV45 E6	11	135
HPV45 E6	9	4	HPV45 E6	8	74
HPV45 E6	10	4	HPV45 E6	8	41

Table XVI  
HLA-A3 Motif Peptides

HPV45 E6	9	41	HPV45 E7	10	94
HPV45 E6	10	41	HPV45 E7	10	76
HPV45 E6	8	29	HPV45 E7	8	65
HPV45 E6	9	29	HPV45 E7	8	45
HPV45 E6	8	24	HPV45 E7	9	45
HPV45 E6	11	24	HPV45 E7	10	45
HPV45 E6	9	84	HPV45 E7	11	45
HPV45 E6	10	140	HPV45 L1	9	517
HPV45 E6	11	89	HPV45 L1	11	517
HPV45 E6	8	38	HPV45 L1	11	161
HPV45 E6	10	38	HPV45 L1	9	128
HPV45 E6	11	38	HPV45 L1	9	266
HPV45 E6	9	23	HPV45 L1	10	266
HPV45 E6	9	28	HPV45 L1	9	83
HPV45 E6	10	28	HPV45 L1	8	191
HPV45 E6	10	62	HPV45 L1	8	103
HPV45 E6	11	62	HPV45 L1	11	28
HPV45 E6	8	34	HPV45 L1	11	234
HPV45 E6	8	72	HPV45 L1	9	523
HPV45 E6	9	72	HPV45 L1	11	523
HPV45 E6	10	72	HPV45 L1	11	375
HPV45 E7	11	81	HPV45 L1	8	518
HPV45 E7	11	42	HPV45 L1	10	518
HPV45 E7	9	6	HPV45 L1	11	518
HPV45 E7	9	64	HPV45 L1	10	162
HPV45 E7	10	82	HPV45 L1	8	164
HPV45 E7	10	43	HPV45 L1	8	88
HPV45 E7	11	43	HPV45 L1	10	88
HPV45 E7	9	83	HPV45 L1	11	88
HPV45 E7	8	41	HPV45 L1	8	184
HPV45 E7	10	20	HPV45 L1	8	276
HPV45 E7	8	74	HPV45 L1	9	276
HPV45 E7	9	34	HPV45 L1	10	276
HPV45 E7	8	78	HPV45 L1	11	276
HPV45 E7	9	44	HPV45 L1	8	129
HPV45 E7	10	44	HPV45 L1	8	188
HPV45 E7	11	44	HPV45 L1	10	188
HPV45 E7	8	47	HPV45 L1	11	188
HPV45 E7	9	47	HPV45 L1	8	211
HPV45 E7	11	62	HPV45 L1	8	154
HPV45 E7	8	61	HPV45 L1	9	154
HPV45 E7	10	63	HPV45 L1	11	154
HPV45 E7	9	21	HPV45 L1	10	51
HPV45 E7	8	90	HPV45 L1	11	51
HPV45 E7	11	32	HPV45 L1	9	236
HPV45 E7	9	95	HPV45 L1	9	224
HPV45 E7	11	75	HPV45 L1	11	224
HPV45 E7	9	39	HPV45 L1	8	250
HPV45 E7	10	39	HPV45 L1	9	250
HPV45 E7	9	51	HPV45 L1	9	488
HPV45 E7	10	51	HPV45 L1	10	488
HPV45 E7	11	51	HPV45 L1	11	488
HPV45 E7	9	89	HPV45 L1	9	301
HPV45 E7	11	49	HPV45 L1	9	226
HPV45 E7	8	54	HPV45 L1	8	271
HPV45 E7	10	5	HPV45 L1	9	271
HPV45 E7	10	72	HPV45 L1	9	332
HPV45 E7	8	96	HPV45 L1	11	114
HPV45 E7	11	93	HPV45 L1	8	155
HPV45 E7	8	7	HPV45 L1	10	155

Table XVI  
HLA-A3 Motif Peptides

HPV45 L1	9	229	HPV45 L1	8	510
HPV45 L1	11	461	HPV45 L1	9	510
HPV45 L1	8	296	HPV45 L1	10	12
HPV45 L1	10	296	HPV45 L1	11	11
HPV45 L1	10	446	HPV45 L1	10	5
HPV45 L1	10	169	HPV45 L1	11	185
HPV45 L1	11	169	HPV45 L1	10	411
HPV45 L1	10	223	HPV45 L1	9	328
HPV45 L1	8	157	HPV45 L1	11	328
HPV45 L1	8	313	HPV45 L1	8	460
HPV45 L1	8	121	HPV45 L1	10	109
HPV45 L1	8	283	HPV45 L1	8	389
HPV45 L1	9	283	HPV45 L1	9	497
HPV45 L1	9	275	HPV45 L1	10	497
HPV45 L1	10	275	HPV45 L1	11	497
HPV45 L1	11	275	HPV45 L1	9	484
HPV45 L1	10	274	HPV45 L1	8	475
HPV45 L1	11	274	HPV45 L1	10	475
HPV45 L1	9	110	HPV45 L1	11	475
HPV45 L1	8	14	HPV45 L1	8	198
HPV45 L1	11	14	HPV45 L1	8	305
HPV45 L1	8	24	HPV45 L1	8	152
HPV45 L1	8	498	HPV45 L1	9	152
HPV45 L1	9	498	HPV45 L1	10	152
HPV45 L1	10	498	HPV45 L1	11	152
HPV45 L1	8	485	HPV45 L1	10	473
HPV45 L1	8	237	HPV45 L1	8	91
HPV45 L1	11	450	HPV45 L1	10	91
HPV45 L1	9	359	HPV45 L1	11	91
HPV45 L1	10	82	HPV45 L1	9	183
HPV45 L1	9	187	HPV45 L1	8	408
HPV45 L1	11	187	HPV45 L1	8	153
HPV45 L1	9	210	HPV45 L1	9	153
HPV45 L1	8	225	HPV45 L1	10	153
HPV45 L1	10	225	HPV45 L1	9	249
HPV45 L1	9	270	HPV45 L1	10	249
HPV45 L1	10	270	HPV45 L1	8	489
HPV45 L1	9	295	HPV45 L1	9	489
HPV45 L1	11	295	HPV45 L1	10	489
HPV45 L1	9	351	HPV45 L1	9	282
HPV45 L1	9	141	HPV45 L1	10	282
HPV45 L1	10	141	HPV45 L1	9	335
HPV45 L1	8	111	HPV45 L1	10	335
HPV45 L1	11	503	HPV45 L1	11	335
HPV45 L1	8	143	HPV45 L1	10	358
HPV45 L1	10	143	HPV45 L1	10	186
HPV45 L1	11	326	HPV45 L1	8	140
HPV45 L1	8	9	HPV45 L1	10	140
HPV45 L1	9	396	HPV45 L1	11	140
HPV45 L1	11	396	HPV45 L1	9	494
HPV45 L1	8	251	HPV45 L1	8	68
HPV45 L1	11	251	HPV45 L1	9	68
HPV45 L1	8	352	HPV45 L1	10	68
HPV45 L1	9	13	HPV45 L1	9	144
HPV45 L1	9	23	HPV45 L1	8	413
HPV45 L1	11	405	HPV45 L1	10	413
HPV45 L1	9	59	HPV45 L1	8	69
HPV45 L1	8	142	HPV45 L1	9	69
HPV45 L1	9	142	HPV45 L1	8	499
HPV45 L1	11	142	HPV45 L1	9	499

Table XVI  
HLA-A3 Motif Peptides

HPV45 L1	9	1	HPV45 L1	9	253
HPV45 L1	10	235	HPV45 L1	9	452
HPV45 L1	11	273	HPV45 L1	8	171
HPV45 L1	10	294	HPV45 L1	9	171
HPV45 L1	11	264	HPV45 L1	9	67
HPV45 L1	8	227	HPV45 L1	10	67
HPV45 L1	11	227	HPV45 L1	11	67
HPV45 L1	10	350	HPV45 L1	9	367
HPV45 L1	11	4	HPV45 L1	8	56
HPV45 L1	11	310	HPV45 L1	9	101
HPV45 L1	10	425	HPV45 L1	10	101
HPV45 L1	8	49	HPV45 L1	8	529
HPV45 L1	8	383	HPV45 L1	8	46
HPV45 L1	9	383	HPV45 L1	11	46
HPV45 L1	10	383	HPV45 L1	10	77
HPV45 L1	11	383	HPV45 L1	10	265
HPV45 L1	10	19	HPV45 L1	11	265
HPV45 L1	8	17	HPV45 L1	8	93
HPV45 L1	8	516	HPV45 L1	9	93
HPV45 L1	10	516	HPV45 L1	11	93
HPV45 L1	8	190	HPV45 L1	10	487
HPV45 L1	9	190	HPV45 L1	11	487
HPV45 L1	8	526	HPV45 L1	8	331
HPV45 L1	10	526	HPV45 L1	10	331
HPV45 L1	11	526	HPV45 L1	8	81
HPV45 L1	8	259	HPV45 L1	11	81
HPV45 L1	11	259	HPV45 L1	8	145
HPV45 L1	10	209	HPV45 L1	8	254
HPV45 L1	10	22	HPV45 L1	10	58
HPV45 L1	10	248	HPV45 L1	8	427
HPV45 L1	11	248	HPV45 L1	10	327
HPV45 L1	9	139	HPV45 L1	8	443
HPV45 L1	11	139	HPV45 L1	8	272
HPV45 L1	10	493	HPV45 L1	11	486
HPV45 L1	9	80	HPV45 L1	9	426
HPV45 L1	11	299	HPV45 L1	11	65
HPV45 L1	8	508	HPV45 L1	8	521
HPV45 L1	10	508	HPV45 L1	9	521
HPV45 L1	11	508	HPV45 L1	11	521
HPV45 L1	9	387	HPV45 L1	10	115
HPV45 L1	10	387	HPV45 L1	8	368
HPV45 L1	9	440	HPV45 L1	10	376
HPV45 L1	10	440	HPV45 L1	9	519
HPV45 L1	11	440	HPV45 L1	10	519
HPV45 L1	10	380	HPV45 L1	11	519
HPV45 L1	11	380	HPV45 L1	11	35
HPV45 L1	8	87	HPV45 L1	11	43
HPV45 L1	9	87	HPV45 L1	8	453
HPV45 L1	11	87	HPV45 L1	9	414
HPV45 L1	8	468	HPV45 L1	8	522
HPV45 L1	9	468	HPV45 L1	10	522
HPV45 L1	11	168	HPV45 L1	9	163
HPV45 L1	10	346	HPV45 L1	11	457
HPV45 L1	10	182	HPV45 L1	11	50
HPV45 L1	9	407	HPV45 L1	10	300
HPV45 L1	10	281	HPV45 L1	8	230
HPV45 L1	11	281	HPV45 L1	9	509
HPV45 L1	10	334	HPV45 L1	10	509
HPV45 L1	11	334	HPV45 L1	11	410
HPV45 L1	11	357	HPV45 L1	9	116

Table XVI  
HLA-A3 Motif Peptides

HPV45 L1	9	412	HPV45 L1	10	53
HPV45 L1	11	412	HPV45 L1	11	53
HPV45 L1	9	330	HPV45 L2	9	6
HPV45 L1	11	330	HPV45 L2	10	286
HPV45 L1	11	57	HPV45 L2	11	286
HPV45 L1	8	442	HPV45 L2	8	12
HPV45 L1	9	442	HPV45 L2	11	12
HPV45 L1	8	520	HPV45 L2	9	114
HPV45 L1	9	520	HPV45 L2	9	357
HPV45 L1	10	520	HPV45 L2	10	357
HPV45 L1	10	462	HPV45 L2	10	423
HPV45 L1	11	365	HPV45 L2	9	14
HPV45 L1	8	329	HPV45 L2	9	303
HPV45 L1	10	329	HPV45 L2	8	340
HPV45 L1	8	441	HPV45 L2	11	340
HPV45 L1	9	441	HPV45 L2	9	275
HPV45 L1	10	441	HPV45 L2	10	275
HPV45 L1	8	478	HPV45 L2	9	278
HPV45 L1	8	70	HPV45 L2	9	345
HPV45 L1	9	297	HPV45 L2	9	273
HPV45 L1	10	36	HPV45 L2	11	273
HPV45 L1	11	36	HPV45 L2	8	343
HPV45 L1	8	102	HPV45 L2	9	343
HPV45 L1	9	102	HPV45 L2	11	343
HPV45 L1	10	44	HPV45 L2	9	109
HPV45 L1	10	228	HPV45 L2	10	148
HPV45 L1	11	445	HPV45 L2	10	348
HPV45 L1	9	20	HPV45 L2	10	108
HPV45 L1	11	99	HPV45 L2	8	36
HPV45 L1	11	293	HPV45 L2	10	331
HPV45 L1	9	92	HPV45 L2	8	194
HPV45 L1	10	92	HPV45 L2	11	129
HPV45 L1	8	54	HPV45 L2	8	333
HPV45 L1	9	54	HPV45 L2	8	456
HPV45 L1	10	54	HPV45 L2	11	347
HPV45 L1	8	360	HPV45 L2	8	455
HPV45 L1	10	47	HPV45 L2	9	455
HPV45 L1	9	78	HPV45 L2	11	241
HPV45 L1	11	78	HPV45 L2	8	276
HPV45 L1	10	127	HPV45 L2	9	276
HPV45 L1	8	196	HPV45 L2	11	276
HPV45 L1	10	196	HPV45 L2	8	296
HPV45 L1	8	341	HPV45 L2	11	296
HPV45 L1	8	477	HPV45 L2	11	306
HPV45 L1	9	477	HPV45 L2	10	181
HPV45 L1	8	385	HPV45 L2	8	314
HPV45 L1	9	385	HPV45 L2	11	58
HPV45 L1	11	385	HPV45 L2	8	430
HPV45 L1	9	75	HPV45 L2	8	64
HPV45 L1	10	269	HPV45 L2	10	62
HPV45 L1	11	269	HPV45 L2	10	25
HPV45 L1	8	7	HPV45 L2	9	60
HPV45 L1	10	7	HPV45 L2	8	183
HPV45 L1	10	303	HPV45 L2	10	183
HPV45 L1	8	38	HPV45 L2	10	433
HPV45 L1	9	38	HPV45 L2	11	433
HPV45 L1	9	261	HPV45 L2	11	292
HPV45 L1	8	393	HPV45 L2	8	321
HPV45 L1	8	53	HPV45 L2	10	318
HPV45 L1	9	53	HPV45 L2	11	318

Table XVI  
HLA-A3 Motif Peptides

HPV45 L2	11	432	HPV45 L2	9	420
HPV45 L2	11	190	HPV45 L2	8	185
HPV45 L2	11	180	HPV45 L2	10	267
HPV45 L2	8	313	HPV45 L2	10	216
HPV45 L2	9	313	HPV45 L2	11	118
HPV45 L2	8	429	HPV45 L2	8	312
HPV45 L2	9	429	HPV45 L2	9	312
HPV45 L2	10	59	HPV45 L2	10	312
HPV45 L2	8	279	HPV45 L2	10	172
HPV45 L2	10	44	HPV45 L2	9	233
HPV45 L2	10	338	HPV45 L2	8	5
HPV45 L2	10	210	HPV45 L2	10	5
HPV45 L2	11	210	HPV45 L2	8	11
HPV45 L2	10	152	HPV45 L2	9	11
HPV45 L2	11	152	HPV45 L2	10	302
HPV45 L2	10	130	HPV45 L2	8	295
HPV45 L2	11	43	HPV45 L2	9	295
HPV45 L2	8	366	HPV45 L2	8	222
HPV45 L2	8	34	HPV45 L2	9	222
HPV45 L2	10	34	HPV45 L2	8	291
HPV45 L2	8	346	HPV45 L2	10	451
HPV45 L2	8	299	HPV45 L2	9	298
HPV45 L2	10	299	HPV45 L2	11	298
HPV45 L2	11	337	HPV45 L2	10	281
HPV45 L2	9	287	HPV45 L2	11	281
HPV45 L2	10	287	HPV45 L2	11	225
HPV45 L2	10	242	HPV45 L2	9	308
HPV45 L2	8	375	HPV45 L2	11	308
HPV45 L2	11	375	HPV45 L2	10	68
HPV45 L2	10	392	HPV45 L2	8	220
HPV45 L2	9	106	HPV45 L2	10	220
HPV45 L2	8	248	HPV45 L2	11	220
HPV45 L2	9	248	HPV45 L2	10	235
HPV45 L2	8	277	HPV45 L2	10	13
HPV45 L2	10	277	HPV45 L2	9	339
HPV45 L2	8	1	HPV45 L2	8	394
HPV45 L2	9	1	HPV45 L2	8	274
HPV45 L2	10	1	HPV45 L2	10	274
HPV45 L2	11	1	HPV45 L2	11	274
HPV45 L2	11	422	HPV45 L2	8	344
HPV45 L2	9	342	HPV45 L2	10	344
HPV45 L2	10	342	HPV45 L2	8	115
HPV45 L2	10	79	HPV45 L2	8	309
HPV45 L2	9	387	HPV45 L2	10	309
HPV45 L2	11	285	HPV45 L2	11	309
HPV45 L2	10	356	HPV45 L2	9	63
HPV45 L2	11	356	HPV45 L2	11	24
HPV45 L2	8	404	HPV45 L2	11	151
HPV45 L2	10	272	HPV45 L2	8	374
HPV45 L2	11	209	HPV45 L2	9	374
HPV45 L2	8	258	HPV45 L2	9	247
HPV45 L2	9	214	HPV45 L2	10	247
HPV45 L2	11	391	HPV45 L2	8	132
HPV45 L2	11	413	HPV45 L2	10	246
HPV45 L2	11	245	HPV45 L2	11	246
HPV45 L2	8	378	HPV45 L2	8	288
HPV45 L2	8	361	HPV45 L2	9	288
HPV45 L2	10	361	HPV45 L2	11	288
HPV45 L2	8	416	HPV45 L2	9	211
HPV45 L2	9	120	HPV45 L2	10	211

Table XVI  
HLA-A3 Motif Peptides

HPV45 L2	9	153	HPV45 L2	8	350
HPV45 L2	10	153	HPV45 L2	9	454
HPV45 L2	8	110	HPV45 L2	10	454
HPV45 L2	9	362	HPV45 L2	8	444
HPV45 L2	11	362	HPV45 L2	11	444
HPV45 L2	8	212	HPV45 L2	9	428
HPV45 L2	9	212	HPV45 L2	10	428
HPV45 L2	11	212	HPV45 L2	8	437
HPV45 L2	8	154	HPV45 L2	9	437
HPV45 L2	9	154	HPV45 L2	11	437
HPV45 L2	8	237	HPV45 L2	9	373
HPV45 L2	8	358	HPV45 L2	10	373
HPV45 L2	9	358	HPV45 L2	11	385
HPV45 L2	11	358	HPV45 L2	9	227
HPV45 L2	9	424	HPV45 L2	11	401
HPV45 L2	9	149	HPV56 E2	9	177
HPV45 L2	9	26	HPV56 E2	10	177
HPV45 L2	8	15	HPV56 E2	10	12
HPV45 L2	8	121	HPV56 E2	10	21
HPV45 L2	9	173	HPV56 E2	8	178
HPV45 L2	10	402	HPV56 E2	9	178
HPV45 L2	8	61	HPV56 E2	11	178
HPV45 L2	11	61	HPV56 E2	8	249
HPV45 L2	9	69	HPV56 E2	9	249
HPV45 L2	8	363	HPV56 E2	10	249
HPV45 L2	10	363	HPV56 E2	8	52
HPV45 L2	11	363	HPV56 E2	8	4
HPV45 L2	10	105	HPV56 E2	9	4
HPV45 L2	8	304	HPV56 E2	8	71
HPV45 L2	10	376	HPV56 E2	9	71
HPV45 L2	9	393	HPV56 E2	11	71
HPV45 L2	8	155	HPV56 E2	9	13
HPV45 L2	9	268	HPV56 E2	10	92
HPV45 L2	11	418	HPV56 E2	11	92
HPV45 L2	9	131	HPV56 E2	10	176
HPV45 L2	8	359	HPV56 E2	11	176
HPV45 L2	10	359	HPV56 E2	8	113
HPV45 L2	8	425	HPV56 E2	9	113
HPV45 L2	11	426	HPV56 E2	10	105
HPV45 L2	10	293	HPV56 E2	10	65
HPV45 L2	11	293	HPV56 E2	8	195
HPV45 L2	9	217	HPV56 E2	9	195
HPV45 L2	11	217	HPV56 E2	8	140
HPV45 L2	9	80	HPV56 E2	9	140
HPV45 L2	10	113	HPV56 E2	8	213
HPV45 L2	11	147	HPV56 E2	10	213
HPV45 L2	9	182	HPV56 E2	8	117
HPV45 L2	11	182	HPV56 E2	9	193
HPV45 L2	11	31	HPV56 E2	10	193
HPV45 L2	8	2	HPV56 E2	11	193
HPV45 L2	9	2	HPV56 E2	9	56
HPV45 L2	10	2	HPV56 E2	8	43
HPV45 L2	11	2	HPV56 E2	9	43
HPV45 L2	8	150	HPV56 E2	11	43
HPV45 L2	9	236	HPV56 E2	8	191
HPV45 L2	8	249	HPV56 E2	11	191
HPV45 L2	11	104	HPV56 E2	10	199
HPV45 L2	8	388	HPV56 E2	8	23
HPV45 L2	11	112	HPV56 E2	10	288
HPV45 L2	8	81	HPV56 E2	9	154

Table XVI  
HLA-A3 Motif Peptides

HPV56 E2	10	154	HPV56 E2	11	1
HPV56 E2	10	128	HPV56 E2	9	70
HPV56 E2	8	61	HPV56 E2	10	70
HPV56 E2	11	64	HPV56 E2	8	83
HPV56 E2	8	194	HPV56 E2	8	292
HPV56 E2	9	194	HPV56 E2	11	149
HPV56 E2	10	194	HPV56 E2	8	3
HPV56 E2	10	121	HPV56 E2	9	3
HPV56 E2	11	294	HPV56 E2	10	3
HPV56 E2	8	261	HPV56 E2	9	139
HPV56 E2	9	261	HPV56 E2	10	139
HPV56 E2	9	122	HPV56 E2	10	230
HPV56 E2	9	231	HPV56 E2	8	183
HPV56 E2	11	231	HPV56 E2	8	152
HPV56 E2	9	99	HPV56 E2	11	152
HPV56 E2	10	99	HPV56 E2	11	236
HPV56 E2	9	66	HPV56 E2	10	301
HPV56 E2	11	66	HPV56 E2	8	175
HPV56 E2	8	94	HPV56 E2	11	175
HPV56 E2	9	94	HPV56 E2	10	6
HPV56 E2	11	94	HPV56 E2	9	253
HPV56 E2	8	201	HPV56 E2	10	98
HPV56 E2	10	201	HPV56 E2	11	98
HPV56 E2	8	104	HPV56 E2	8	246
HPV56 E2	11	104	HPV56 E2	9	246
HPV56 E2	10	59	HPV56 E2	11	246
HPV56 E2	11	210	HPV56 E2	11	188
HPV56 E2	8	239	HPV56 E2	8	222
HPV56 E2	10	239	HPV56 E2	10	220
HPV56 E2	8	130	HPV56 E2	8	14
HPV56 E2	8	297	HPV56 E2	9	212
HPV56 E2	9	297	HPV56 E2	11	212
HPV56 E2	11	20	HPV56 E2	9	93
HPV56 E2	9	283	HPV56 E2	10	93
HPV56 E2	10	211	HPV56 E2	8	279
HPV56 E2	11	281	HPV56 E2	11	223
HPV56 E2	11	11	HPV56 E2	8	196
HPV56 E2	9	248	HPV56 E2	9	169
HPV56 E2	10	248	HPV56 E2	10	169
HPV56 E2	11	248	HPV56 E2	11	266
HPV56 E2	9	51	HPV56 E2	8	171
HPV56 E2	8	203	HPV56 E2	11	171
HPV56 E2	9	286	HPV56 E2	8	141
HPV56 E2	11	120	HPV56 E2	11	40
HPV56 E2	8	241	HPV56 E2	8	112
HPV56 E2	11	241	HPV56 E2	9	112
HPV56 E2	11	258	HPV56 E2	10	112
HPV56 E2	9	233	HPV56 E2	9	214
HPV56 E2	11	108	HPV56 E2	10	282
HPV56 E2	8	90	HPV56 E2	11	28
HPV56 E2	9	90	HPV56 E2	10	259
HPV56 E2	9	260	HPV56 E2	11	259
HPV56 E2	10	260	HPV56 E2	8	271
HPV56 E2	10	295	HPV56 E2	10	168
HPV56 E2	11	295	HPV56 E2	11	168
HPV56 E2	8	46	HPV56 E2	8	170
HPV56 E2	9	46	HPV56 E2	9	170
HPV56 E2	10	46	HPV56 E2	8	234
HPV56 E2	9	1	HPV56 E2	11	167
HPV56 E2	10	1	HPV56 E2	8	155

Table XVI  
HLA-A3 Motif Peptides

HPV56 E2	9	155	HPV56 E6	11	44
HPV56 E2	8	75	HPV56 E6	10	48
HPV56 E2	9	7	HPV56 E6	11	48
HPV56 E2	8	91	HPV56 E6	9	88
HPV56 E2	11	91	HPV56 E6	10	88
HPV56 E2	8	262	HPV56 E6	8	141
HPV56 E2	8	95	HPV56 E6	11	141
HPV56 E2	10	95	HPV56 E6	8	137
HPV56 E2	10	172	HPV56 E6	8	121
HPV56 E2	11	172	HPV56 E6	9	121
HPV56 E2	8	179	HPV56 E6	9	27
HPV56 E2	10	179	HPV56 E6	11	27
HPV56 E2	10	150	HPV56 E6	8	54
HPV56 E2	10	237	HPV56 E6	10	54
HPV56 E2	9	302	HPV56 E6	11	54
HPV56 E2	9	45	HPV56 E6	8	75
HPV56 E2	10	45	HPV56 E6	10	75
HPV56 E2	11	45	HPV56 E6	9	99
HPV56 E2	9	270	HPV56 E6	10	99
HPV56 E2	11	137	HPV56 E6	8	71
HPV56 E2	8	278	HPV56 E6	9	71
HPV56 E2	9	278	HPV56 E6	10	71
HPV56 E2	8	111	HPV56 E6	11	71
HPV56 E2	9	111	HPV56 E6	9	140
HPV56 E2	10	111	HPV56 E6	10	26
HPV56 E2	11	111	HPV56 E6	8	70
HPV56 E2	8	74	HPV56 E6	9	70
HPV56 E2	9	74	HPV56 E6	10	70
HPV56 E2	9	102	HPV56 E6	11	70
HPV56 E2	10	102	HPV56 E6	8	31
HPV56 E6	9	49	HPV56 E6	9	113
HPV56 E6	10	49	HPV56 E6	9	40
HPV56 E6	8	89	HPV56 E6	10	40
HPV56 E6	9	89	HPV56 E6	9	55
HPV56 E6	9	64	HPV56 E6	10	55
HPV56 E6	10	64	HPV56 E6	8	47
HPV56 E6	8	100	HPV56 E6	11	47
HPV56 E6	9	100	HPV56 E6	11	25
HPV56 E6	8	122	HPV56 E6	10	112
HPV56 E6	11	122	HPV56 E6	8	4
HPV56 E6	10	139	HPV56 E6	10	4
HPV56 E6	9	69	HPV56 E6	8	98
HPV56 E6	10	69	HPV56 E6	10	98
HPV56 E6	11	69	HPV56 E6	11	98
HPV56 E6	8	50	HPV56 E6	8	119
HPV56 E6	9	50	HPV56 E6	9	119
HPV56 E6	10	33	HPV56 E6	10	119
HPV56 E6	11	33	HPV56 E6	11	119
HPV56 E6	9	59	HPV56 E6	9	110
HPV56 E6	8	60	HPV56 E6	8	42
HPV56 E6	8	101	HPV56 E6	11	108
HPV56 E6	8	28	HPV56 E6	10	58
HPV56 E6	10	28	HPV56 E6	8	30
HPV56 E6	11	28	HPV56 E6	9	30
HPV56 E6	8	23	HPV56 E6	9	67
HPV56 E6	10	52	HPV56 E6	11	67
HPV56 E6	8	39	HPV56 E6	11	138
HPV56 E6	10	39	HPV56 E6	11	32
HPV56 E6	11	39	HPV56 E6	9	136
HPV56 E6	11	20	HPV56 E6	8	90

Table XVI  
HLA-A3 Motif Peptides

HPV56 E6	8	68	HPV56 L1	11	381
HPV56 E6	10	68	HPV56 L1	8	514
HPV56 E6	11	68	HPV56 L1	8	444
HPV56 E6	8	65	HPV56 L1	9	444
HPV56 E6	9	65	HPV56 L1	10	444
HPV56 E6	11	65	HPV56 L1	9	37
HPV56 E6	10	21	HPV56 L1	11	37
HPV56 E6	10	135	HPV56 L1	8	512
HPV56 E6	10	63	HPV56 L1	10	512
HPV56 E6	11	63	HPV56 L1	11	79
HPV56 E6	8	35	HPV56 L1	8	26
HPV56 E6	9	35	HPV56 L1	8	19
HPV56 E6	8	82	HPV56 L1	8	191
HPV56 E6	10	87	HPV56 L1	8	195
HPV56 E6	11	87	HPV56 L1	11	195
HPV56 E6	8	73	HPV56 L1	8	136
HPV56 E6	9	73	HPV56 L1	8	389
HPV56 E6	10	73	HPV56 L1	10	389
HPV56 E7	10	93	HPV56 L1	11	389
HPV56 E7	10	75	HPV56 L1	9	274
HPV56 E7	10	33	HPV56 L1	10	274
HPV56 E7	8	35	HPV56 L1	9	161
HPV56 E7	10	37	HPV56 L1	9	243
HPV56 E7	8	39	HPV56 L1	10	243
HPV56 E7	11	70	HPV56 L1	9	231
HPV56 E7	11	92	HPV56 L1	11	231
HPV56 E7	9	42	HPV56 L1	8	257
HPV56 E7	10	42	HPV56 L1	9	257
HPV56 E7	8	62	HPV56 L1	9	491
HPV56 E7	9	62	HPV56 L1	10	491
HPV56 E7	11	74	HPV56 L1	11	491
HPV56 E7	10	60	HPV56 L1	9	233
HPV56 E7	11	60	HPV56 L1	10	486
HPV56 E7	9	94	HPV56 L1	8	278
HPV56 E7	8	52	HPV56 L1	9	278
HPV56 E7	11	52	HPV56 L1	11	176
HPV56 E7	8	49	HPV56 L1	10	60
HPV56 E7	11	49	HPV56 L1	11	60
HPV56 E7	8	73	HPV56 L1	8	162
HPV56 E7	8	77	HPV56 L1	9	236
HPV56 E7	10	84	HPV56 L1	10	236
HPV56 E7	8	95	HPV56 L1	11	121
HPV56 E7	11	40	HPV56 L1	8	23
HPV56 E7	10	71	HPV56 L1	11	23
HPV56 E7	9	85	HPV56 L1	8	481
HPV56 E7	11	59	HPV56 L1	9	337
HPV56 L1	9	135	HPV56 L1	10	230
HPV56 L1	10	273	HPV56 L1	8	448
HPV56 L1	11	273	HPV56 L1	11	448
HPV56 L1	10	298	HPV56 L1	10	404
HPV56 L1	9	149	HPV56 L1	10	308
HPV56 L1	11	149	HPV56 L1	8	303
HPV56 L1	8	72	HPV56 L1	10	303
HPV56 L1	11	72	HPV56 L1	10	140
HPV56 L1	11	241	HPV56 L1	11	419
HPV56 L1	8	198	HPV56 L1	8	290
HPV56 L1	10	198	HPV56 L1	9	290
HPV56 L1	8	58	HPV56 L1	11	290
HPV56 L1	8	381	HPV56 L1	9	117
HPV56 L1	10	381	HPV56 L1	10	21

Table XVI  
HLA-A3 Motif Peptides

HPV56 L1	8	501	HPV56 L1	11	45
HPV56 L1	10	501	HPV56 L1	11	168
HPV56 L1	8	33	HPV56 L1	8	78
HPV56 L1	8	488	HPV56 L1	9	18
HPV56 L1	9	364	HPV56 L1	9	190
HPV56 L1	10	148	HPV56 L1	8	411
HPV56 L1	9	25	HPV56 L1	10	160
HPV56 L1	9	194	HPV56 L1	9	256
HPV56 L1	8	232	HPV56 L1	10	256
HPV56 L1	10	232	HPV56 L1	8	492
HPV56 L1	9	277	HPV56 L1	9	492
HPV56 L1	10	277	HPV56 L1	10	492
HPV56 L1	8	238	HPV56 L1	9	22
HPV56 L1	9	356	HPV56 L1	9	289
HPV56 L1	10	17	HPV56 L1	10	289
HPV56 L1	8	118	HPV56 L1	10	340
HPV56 L1	8	150	HPV56 L1	11	340
HPV56 L1	10	150	HPV56 L1	10	363
HPV56 L1	8	331	HPV56 L1	8	147
HPV56 L1	11	331	HPV56 L1	11	147
HPV56 L1	10	73	HPV56 L1	8	505
HPV56 L1	9	506	HPV56 L1	10	505
HPV56 L1	9	71	HPV56 L1	8	77
HPV56 L1	9	399	HPV56 L1	9	77
HPV56 L1	11	399	HPV56 L1	9	502
HPV56 L1	8	357	HPV56 L1	11	502
HPV56 L1	10	235	HPV56 L1	8	416
HPV56 L1	11	235	HPV56 L1	10	416
HPV56 L1	11	20	HPV56 L1	9	151
HPV56 L1	9	32	HPV56 L1	8	385
HPV56 L1	9	68	HPV56 L1	10	36
HPV56 L1	8	437	HPV56 L1	9	421
HPV56 L1	10	378	HPV56 L1	10	242
HPV56 L1	11	378	HPV56 L1	11	242
HPV56 L1	9	414	HPV56 L1	9	199
HPV56 L1	10	414	HPV56 L1	8	234
HPV56 L1	8	334	HPV56 L1	11	234
HPV56 L1	10	334	HPV56 L1	9	333
HPV56 L1	11	192	HPV56 L1	11	333
HPV56 L1	8	258	HPV56 L1	8	2
HPV56 L1	11	258	HPV56 L1	9	2
HPV56 L1	10	89	HPV56 L1	9	1
HPV56 L1	10	116	HPV56 L1	10	1
HPV56 L1	9	500	HPV56 L1	11	5
HPV56 L1	11	500	HPV56 L1	10	355
HPV56 L1	11	478	HPV56 L1	11	315
HPV56 L1	8	392	HPV56 L1	9	436
HPV56 L1	10	413	HPV56 L1	8	95
HPV56 L1	11	413	HPV56 L1	10	95
HPV56 L1	9	93	HPV56 L1	11	95
HPV56 L1	10	93	HPV56 L1	9	123
HPV56 L1	8	300	HPV56 L1	8	91
HPV56 L1	11	300	HPV56 L1	11	91
HPV56 L1	8	245	HPV56 L1	10	28
HPV56 L1	8	98	HPV56 L1	9	197
HPV56 L1	10	98	HPV56 L1	11	197
HPV56 L1	11	98	HPV56 L1	8	511
HPV56 L1	8	55	HPV56 L1	9	511
HPV56 L1	10	55	HPV56 L1	11	511
HPV56 L1	11	55	HPV56 L1	9	127

Table XVI  
HLA-A3 Motif Peptides

HPV56 L1	8	266	HPV56 L1	9	100
HPV56 L1	10	266	HPV56 L1	11	100
HPV56 L1	11	266	HPV56 L1	9	487
HPV56 L1	10	31	HPV56 L1	8	152
HPV56 L1	10	255	HPV56 L1	9	330
HPV56 L1	11	255	HPV56 L1	10	67
HPV56 L1	9	146	HPV56 L1	8	446
HPV56 L1	9	13	HPV56 L1	10	446
HPV56 L1	10	329	HPV56 L1	10	332
HPV56 L1	9	467	HPV56 L1	8	279
HPV56 L1	10	467	HPV56 L1	9	74
HPV56 L1	11	467	HPV56 L1	11	74
HPV56 L1	9	50	HPV56 L1	8	456
HPV56 L1	8	522	HPV56 L1	9	379
HPV56 L1	9	522	HPV56 L1	10	379
HPV56 L1	10	522	HPV56 L1	8	261
HPV56 L1	11	522	HPV56 L1	10	261
HPV56 L1	9	442	HPV56 L1	11	489
HPV56 L1	10	442	HPV56 L1	9	373
HPV56 L1	11	442	HPV56 L1	8	526
HPV56 L1	11	52	HPV56 L1	9	526
HPV56 L1	8	471	HPV56 L1	8	524
HPV56 L1	9	471	HPV56 L1	9	524
HPV56 L1	11	485	HPV56 L1	10	524
HPV56 L1	8	494	HPV56 L1	11	524
HPV56 L1	8	406	HPV56 L1	8	86
HPV56 L1	10	189	HPV56 L1	8	380
HPV56 L1	9	410	HPV56 L1	9	380
HPV56 L1	8	288	HPV56 L1	11	380
HPV56 L1	10	288	HPV56 L1	9	262
HPV56 L1	11	288	HPV56 L1	11	460
HPV56 L1	11	339	HPV56 L1	10	490
HPV56 L1	11	362	HPV56 L1	11	490
HPV56 L1	9	504	HPV56 L1	11	59
HPV56 L1	11	504	HPV56 L1	8	216
HPV56 L1	8	384	HPV56 L1	8	237
HPV56 L1	9	384	HPV56 L1	9	237
HPV56 L1	11	35	HPV56 L1	9	304
HPV56 L1	9	260	HPV56 L1	11	377
HPV56 L1	11	260	HPV56 L1	8	415
HPV56 L1	11	213	HPV56 L1	9	415
HPV56 L1	11	297	HPV56 L1	11	415
HPV56 L1	9	178	HPV56 L1	9	335
HPV56 L1	11	159	HPV56 L1	11	335
HPV56 L1	9	76	HPV56 L1	11	66
HPV56 L1	10	76	HPV56 L1	8	445
HPV56 L1	8	110	HPV56 L1	9	445
HPV56 L1	11	519	HPV56 L1	11	445
HPV56 L1	10	508	HPV56 L1	8	525
HPV56 L1	11	508	HPV56 L1	9	525
HPV56 L1	9	455	HPV56 L1	10	525
HPV56 L1	10	372	HPV56 L1	8	523
HPV56 L1	8	65	HPV56 L1	9	523
HPV56 L1	9	108	HPV56 L1	10	523
HPV56 L1	10	108	HPV56 L1	11	523
HPV56 L1	11	272	HPV56 L1	9	215
HPV56 L1	9	417	HPV56 L1	8	57
HPV56 L1	10	520	HPV56 L1	9	57
HPV56 L1	11	520	HPV56 L1	9	513
HPV56 L1	8	100	HPV56 L1	8	443

Table XVI  
HLA-A3 Motif Peptides

HPV56 L1	9	443	HPV56 L2	9	438
HPV56 L1	10	443	HPV56 L2	10	438
HPV56 L1	11	443	HPV56 L2	11	438
HPV56 L1	9	29	HPV56 L2	8	12
HPV56 L1	11	408	HPV56 L2	11	12
HPV56 L1	11	106	HPV56 L2	9	383
HPV56 L1	10	24	HPV56 L2	11	246
HPV56 L1	10	193	HPV56 L2	10	367
HPV56 L1	10	301	HPV56 L2	9	14
HPV56 L1	10	80	HPV56 L2	9	6
HPV56 L1	9	141	HPV56 L2	9	275
HPV56 L1	10	420	HPV56 L2	10	275
HPV56 L1	9	99	HPV56 L2	8	345
HPV56 L1	10	99	HPV56 L2	8	322
HPV56 L1	10	53	HPV56 L2	10	142
HPV56 L1	10	214	HPV56 L2	10	349
HPV56 L1	8	365	HPV56 L2	9	30
HPV56 L1	9	56	HPV56 L2	9	429
HPV56 L1	10	56	HPV56 L2	10	429
HPV56 L1	10	134	HPV56 L2	11	357
HPV56 L1	9	480	HPV56 L2	10	29
HPV56 L1	10	281	HPV56 L2	8	257
HPV56 L1	11	281	HPV56 L2	9	257
HPV56 L1	8	346	HPV56 L2	10	331
HPV56 L1	8	203	HPV56 L2	8	194
HPV56 L1	9	388	HPV56 L2	10	194
HPV56 L1	11	388	HPV56 L2	11	129
HPV56 L1	8	276	HPV56 L2	8	333
HPV56 L1	10	276	HPV56 L2	9	114
HPV56 L1	11	276	HPV56 L2	9	109
HPV56 L1	11	16	HPV56 L2	8	457
HPV56 L1	9	7	HPV56 L2	8	437
HPV56 L1	10	7	HPV56 L2	9	437
HPV56 L1	8	310	HPV56 L2	10	437
HPV56 L1	8	268	HPV56 L2	11	437
HPV56 L1	9	268	HPV56 L2	10	382
HPV56 L1	9	47	HPV56 L2	8	344
HPV56 L1	8	396	HPV56 L2	9	344
HPV56 L1	8	283	HPV56 L2	8	456
HPV56 L1	9	283	HPV56 L2	9	456
HPV56 L1	10	283	HPV56 L2	8	444
HPV56 L1	11	283	HPV56 L2	9	444
HPV56 L1	9	85	HPV56 L2	9	162
HPV56 L1	8	62	HPV56 L2	11	241
HPV56 L1	9	62	HPV56 L2	8	276
HPV56 L1	10	62	HPV56 L2	9	276
HPV56 L1	11	62	HPV56 L2	11	276
HPV56 L1	11	453	HPV56 L2	8	296
HPV56 L2	8	222	HPV56 L2	9	287
HPV56 L2	9	222	HPV56 L2	10	287
HPV56 L2	10	222	HPV56 L2	11	418
HPV56 L2	11	41	HPV56 L2	8	314
HPV56 L2	11	230	HPV56 L2	9	217
HPV56 L2	8	264	HPV56 L2	11	217
HPV56 L2	10	286	HPV56 L2	10	292
HPV56 L2	11	286	HPV56 L2	11	292
HPV56 L2	9	69	HPV56 L2	11	58
HPV56 L2	10	281	HPV56 L2	11	118
HPV56 L2	11	281	HPV56 L2	8	360
HPV56 L2	8	438	HPV56 L2	8	64

Table XVI  
HLA-A3 Motif Peptides

HPV56 L2	10	434	HPV56 L2	11	338
HPV56 L2	11	434	HPV56 L2	11	361
HPV56 L2	10	25	HPV56 L2	9	248
HPV56 L2	8	258	HPV56 L2	8	1
HPV56 L2	8	62	HPV56 L2	9	1
HPV56 L2	10	62	HPV56 L2	10	1
HPV56 L2	9	60	HPV56 L2	11	1
HPV56 L2	10	60	HPV56 L2	8	121
HPV56 L2	9	310	HPV56 L2	9	278
HPV56 L2	10	310	HPV56 L2	10	278
HPV56 L2	11	310	HPV56 L2	10	342
HPV56 L2	8	269	HPV56 L2	11	342
HPV56 L2	9	293	HPV56 L2	8	395
HPV56 L2	10	293	HPV56 L2	8	239
HPV56 L2	11	293	HPV56 L2	11	285
HPV56 L2	10	428	HPV56 L2	8	274
HPV56 L2	11	428	HPV56 L2	10	274
HPV56 L2	11	372	HPV56 L2	11	274
HPV56 L2	11	190	HPV56 L2	10	272
HPV56 L2	8	221	HPV56 L2	8	417
HPV56 L2	9	221	HPV56 L2	8	216
HPV56 L2	10	221	HPV56 L2	10	216
HPV56 L2	11	221	HPV56 L2	9	359
HPV56 L2	8	163	HPV56 L2	9	374
HPV56 L2	8	313	HPV56 L2	10	374
HPV56 L2	9	313	HPV56 L2	9	214
HPV56 L2	10	59	HPV56 L2	10	214
HPV56 L2	11	59	HPV56 L2	10	209
HPV56 L2	11	180	HPV56 L2	11	209
HPV56 L2	8	44	HPV56 L2	11	254
HPV56 L2	10	44	HPV56 L2	11	160
HPV56 L2	11	44	HPV56 L2	10	392
HPV56 L2	9	210	HPV56 L2	11	392
HPV56 L2	10	210	HPV56 L2	9	336
HPV56 L2	11	210	HPV56 L2	8	196
HPV56 L2	9	182	HPV56 L2	8	369
HPV56 L2	11	182	HPV56 L2	10	267
HPV56 L2	9	143	HPV56 L2	10	78
HPV56 L2	10	130	HPV56 L2	11	78
HPV56 L2	8	279	HPV56 L2	9	410
HPV56 L2	9	279	HPV56 L2	8	185
HPV56 L2	8	81	HPV56 L2	8	441
HPV56 L2	8	302	HPV56 L2	9	441
HPV56 L2	8	34	HPV56 L2	10	441
HPV56 L2	10	34	HPV56 L2	11	441
HPV56 L2	9	43	HPV56 L2	11	433
HPV56 L2	11	43	HPV56 L2	8	312
HPV56 L2	10	235	HPV56 L2	9	312
HPV56 L2	9	263	HPV56 L2	10	312
HPV56 L2	11	141	HPV56 L2	8	421
HPV56 L2	10	242	HPV56 L2	11	421
HPV56 L2	10	255	HPV56 L2	8	364
HPV56 L2	11	255	HPV56 L2	9	364
HPV56 L2	10	161	HPV56 L2	10	306
HPV56 L2	9	393	HPV56 L2	11	306
HPV56 L2	10	393	HPV56 L2	8	233
HPV56 L2	10	299	HPV56 L2	9	233
HPV56 L2	11	299	HPV56 L2	10	68
HPV56 L2	10	181	HPV56 L2	8	11
HPV56 L2	8	337	HPV56 L2	9	11

Table XVI  
HLA-A3 Motif Peptides

HPV56 L2	8	5	HPV56 L2	9	80
HPV56 L2	10	5	HPV56 L2	10	247
HPV56 L2	8	295	HPV56 L2	11	261
HPV56 L2	9	295	HPV56 L2	9	131
HPV56 L2	8	291	HPV56 L2	11	146
HPV56 L2	11	291	HPV56 L2	8	288
HPV56 L2	8	309	HPV56 L2	9	288
HPV56 L2	10	309	HPV56 L2	11	288
HPV56 L2	11	309	HPV56 L2	8	149
HPV56 L2	8	220	HPV56 L2	8	2
HPV56 L2	9	220	HPV56 L2	9	2
HPV56 L2	10	220	HPV56 L2	10	2
HPV56 L2	11	220	HPV56 L2	11	2
HPV56 L2	11	298	HPV56 L2	8	280
HPV56 L2	11	225	HPV56 L2	11	280
HPV56 L2	10	339	HPV56 L2	11	366
HPV56 L2	10	13	HPV56 L2	11	112
HPV56 L2	8	436	HPV56 L2	11	408
HPV56 L2	9	436	HPV56 L2	8	249
HPV56 L2	10	436	HPV56 L2	11	152
HPV56 L2	11	436	HPV56 L2	9	236
HPV56 L2	11	381	HPV56 L2	11	236
HPV56 L2	9	343	HPV56 L2	8	31
HPV56 L2	10	343	HPV56 L2	11	31
HPV56 L2	8	115	HPV56 L2	8	47
HPV56 L2	11	24	HPV56 L2	8	351
HPV56 L2	9	268	HPV56 L2	9	321
HPV56 L2	10	262	HPV56 L2	11	348
HPV56 L2	9	435	HPV56 L2	8	424
HPV56 L2	10	435	HPV56 L2	9	455
HPV56 L2	11	435	HPV56 L2	10	455
HPV56 L2	10	362	HPV56 L2	8	443
HPV56 L2	11	362	HPV56 L2	9	443
HPV56 L2	8	132	HPV56 L2	10	443
HPV56 L2	10	153	HPV56 L2	8	431
HPV56 L2	8	211			
HPV56 L2	9	211			
HPV56 L2	10	211			
HPV56 L2	10	147			
HPV56 L2	8	110			
HPV56 L2	9	154			
HPV56 L2	9	79			
HPV56 L2	10	79			
HPV56 L2	8	212			
HPV56 L2	9	212			
HPV56 L2	11	212			
HPV56 L2	8	183			
HPV56 L2	10	183			
HPV56 L2	9	148			
HPV56 L2	11	414			
HPV56 L2	8	365			
HPV56 L2	9	26			
HPV56 L2	8	237			
HPV56 L2	10	237			
HPV56 L2	8	411			
HPV56 L2	9	63			
HPV56 L2	8	61			
HPV56 L2	9	61			
HPV56 L2	11	61			
HPV56 L2	8	80			

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

2	3	4			
E6	9	62	E6	11	37
E6	10	62	L1	11	203
L1	8	234	L1	8	487
L1	10	234	L1	9	487
L1	11	234	L1	10	487
L2	8	329	L1	11	487
E1	8	206	L2	11	12
E1	11	206	E2	8	322
L1	8	489	E2	9	322
L1	9	489	E2	10	322
L1	11	489	L2	8	288
L2	10	340	L2	9	288
L2	11	340	L2	11	288
E4	9	2	L1	8	36
E4	11	2	L1	11	36
E6	8	63	E1	8	330
E6	9	63	L1	9	342
E6	11	63	L1	8	22
E6	9	65	E1	8	407
E2	10	10	E1	9	407
L1	9	98	E1	10	407
L1	9	235	L2	9	14
L1	10	235	E1	8	525
L1	11	235	E6	9	10
E1	8	235	E6	11	10
E1	11	235	E6	9	86
E1	10	377	E1	8	77
E1	9	392	E1	9	77
E1	10	392	E1	10	77
E1	11	392	E1	9	101
L2	8	238	L1	10	43
L2	9	275	L1	11	43
L2	10	275	E2	8	231
E1	11	637	E2	9	231
L2	10	116	E2	10	231
L2	11	116	E2	11	231
E1	8	193	L1	8	483
E1	10	193	L1	10	483
E1	11	190	L1	11	483
E1	9	144	E1	8	601
E1	10	144	E1	11	601
E2	8	3	E6	8	64
L2	10	286	E6	10	64
L2	11	286	E1	9	234
E1	9	112	E2	8	124
E1	10	112	L1	8	157
L2	10	140	L1	11	157
L1	11	420	L1	10	341
E1	10	475	E1	8	406
E2	8	331	E1	9	406
E1	8	65	E1	10	406
E1	11	65	E1	11	406
E4	8	14	E7	10	57
L2	11	228	E7	9	58
E1	10	207	E6	8	66
L1	8	81	E1	11	215
L2	8	421	E2	9	299
E6	8	37	E2	10	299
E6	10	37	E2	11	299
			E7	8	59

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

E2	8	161	E7	8	88
E2	11	161	E7	10	88
L1	10	221	E1	10	222
E6	11	67	E2	8	313
E2	8	296	E2	10	313
E2	10	35	E1	11	81
E2	11	35	E2	8	25
L1	11	374	E2	10	25
L1	8	99	E7	11	14
E1	9	14	E1	9	203
L1	8	171	E1	10	203
E6	9	131	E1	11	203
E6	11	31	L1	9	195
E1	8	640	E1	9	42
E2	11	9	E1	11	134
E1	10	111	L2	10	266
E1	11	111	L2	11	266
E1	10	516	E1	11	53
E1	9	524	E7	8	44
E2	8	230	E7	9	44
E2	9	230	L1	11	84
E2	10	230	E2	9	141
E2	11	230	L2	10	344
L1	10	24	L1	9	198
L1	11	24	L1	10	198
E1	8	405	E1	11	166
E1	9	405	E1	11	73
E1	10	405	L1	11	269
E1	11	405	L1	10	411
E1	10	523	L2	8	30
L2	8	343	E6	10	99
L2	11	343	E6	11	99
E1	8	385	L2	8	258
E1	9	385	E1	10	178
E1	10	49	E2	9	174
E2	10	122	L2	8	274
L1	9	193	L2	10	274
L1	11	193	L2	11	274
E1	9	542	E1	10	143
E1	10	542	E1	11	143
E1	11	542	E2	9	2
E7	9	41	L2	10	173
E7	11	41	E1	8	336
E1	9	161	E1	8	180
E1	8	631	E1	10	180
E1	9	631	E1	11	180
E1	9	369	E1	8	62
E1	10	369	E1	11	62
L1	8	219	L1	9	299
L1	9	219	E1	10	100
E1	10	170	E2	9	229
L2	9	278	E2	10	229
L2	11	278	E2	11	229
E6	8	96	E1	11	627
E6	10	96	E1	10	36
L2	8	322	E1	8	630
L2	9	322	E1	9	630
E1	8	570	E1	10	630
E1	9	570	E1	10	41
E1	10	570	L1	11	410

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L2	9	257	L1	8	252
E6	9	69	L1	9	252
E6	10	69	L2	8	442
E6	11	69	E6	9	33
E1	8	453	E1	8	487
E1	9	453	E2	11	121
E1	10	453	L2	8	346
L2	9	255	E2	9	312
L2	11	255	E2	11	312
E1	8	172	L1	11	88
E1	10	172	E1	9	595
E1	9	10	E1	8	386
E4	10	89	L1	10	243
E1	9	375	L1	11	243
L2	9	332	E5	10	67
L2	10	332	L1	9	244
E1	8	105	L1	10	244
E1	10	105	L1	11	244
L2	10	120	E1	10	242
E6	8	42	E1	11	242
E6	11	42	E1	10	216
L1	9	453	E1	9	50
L1	10	453	E1	8	220
L1	11	453	E1	9	220
E1	9	197	E6	9	126
E1	10	197	E6	11	126
E1	11	197	E1	8	454
E1	8	604	E1	9	454
E1	10	604	L2	8	428
E1	11	604	L2	10	428
E1	9	131	E1	9	494
L2	8	334	L1	8	463
E2	11	74	L1	10	463
E1	8	417	E5	9	68
E2	8	100	E4	10	21
E2	9	100	E4	11	21
E2	11	100	E1	8	393
L2	9	110	E1	9	393
E6	9	2	E1	10	393
E1	8	373	L2	10	398
E1	9	373	E1	9	446
E1	11	373	L1	8	245
E1	10	103	L1	9	245
E2	8	80	L1	10	245
E2	8	293	L1	11	245
E2	9	293	E1	10	457
E2	10	293	L2	11	239
E2	11	293	L2	8	276
E2	8	210	L2	9	276
E2	8	39	L2	11	276
E2	9	39	E1	9	18
E7	11	39	L2	9	263
E6	11	113	L1	8	49
E2	8	118	L1	8	450
L1	8	443	E1	9	587
E2	10	205	E1	11	587
E5	8	2	E2	8	171
E5	9	2	L1	9	326
L1	8	206	L2	9	117
L1	9	80	L2	10	117

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L2	8	314	L2	9	413
E2	9	123	E1	9	467
L1	9	156	L1	9	222
E1	10	13	E4	9	90
E1	8	384	E1	8	316
E1	9	384	E1	9	316
E1	10	384	L1	9	111
E1	10	160	L1	9	478
L1	8	194	L1	10	478
L1	10	194	E2	9	242
L1	9	239	L1	10	113
L1	10	239	L1	11	113
L1	8	200	E1	10	415
E1	11	241	E2	8	330
L2	9	433	E2	9	330
L2	10	433	L1	9	35
L2	11	433	L2	11	265
E1	11	159	E6	8	79
L1	9	132	E1	10	508
E6	9	57	E1	11	508
L1	9	318	E6	8	71
L2	11	58	E6	9	71
E1	9	243	E6	10	71
E1	10	243	E1	8	349
E1	9	194	E1	9	349
E2	9	156	E7	8	2
E2	10	156	E1	10	466
E1	8	350	L2	8	312
E1	9	217	L2	9	312
E1	11	217	L2	10	312
L2	11	292	E2	11	53
L2	8	223	E2	10	255
E2	9	55	E6	8	119
E1	9	273	E6	10	119
E1	10	273	E1	8	264
E1	11	273	E2	10	78
E1	8	11	E2	11	310
L2	9	431	E4	8	10
L2	11	431	E4	9	10
L1	11	130	E4	10	10
L2	10	62	E2	9	338
E1	11	431	E1	9	246
L1	8	293	E2	10	149
L1	11	293	E2	11	149
L2	9	303	L2	8	3
L2	10	303	L2	9	3
E1	8	632	L2	10	3
E2	10	179	E6	9	25
E2	9	189	E6	11	25
E1	10	191	L2	10	306
L2	11	215	L2	11	306
L2	10	25	E1	9	581
L2	8	64	L2	8	149
E1	11	436	L1	9	361
L2	9	60	L1	11	361
E1	8	145	E2	9	29
E1	9	145	E2	10	29
E7	11	85	E1	8	502
L1	8	407	E1	8	376
L1	9	407	E1	11	376

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

E1	11	474	E1	9	571
L2	11	326	E1	11	571
L2	9	287	L1	9	376
L2	10	287	L1	10	376
E1	8	370	E2	8	267
E1	9	370	E2	10	267
E1	11	370	E2	11	267
L1	8	220	E1	9	341
L1	11	220	L2	8	82
L1	8	319	L2	10	131
E1	8	51	L2	8	247
L1	9	218	E7	9	89
L1	10	218	E1	9	476
E1	8	569	E1	11	476
E1	9	569	L2	9	121
E1	10	569	L2	9	104
E1	11	569	E5	10	34
E1	8	221	E2	9	45
E1	11	221	L1	8	486
E6	8	13	L1	9	486
L1	11	370	L1	10	486
L1	9	32	L1	11	486
L2	8	313	E2	10	298
L2	9	313	E2	11	298
E1	10	334	E1	8	200
E2	10	54	E2	11	34
E2	9	256	E1	8	404
L2	8	299	E1	9	404
L2	10	299	E1	10	404
L2	10	59	E1	11	404
E5	8	21	E1	10	202
L1	8	272	E1	11	202
E5	10	31	L1	10	79
L2	8	279	E1	10	211
L2	10	279	E1	11	460
E6	9	97	L1	8	462
L2	9	141	L1	9	462
E1	8	195	L1	11	462
E1	11	195	L1	9	449
L2	11	178	E2	11	68
E5	9	32	E2	10	155
L2	10	44	E2	11	155
L2	11	44	E1	9	433
E5	8	17	E6	8	73
E6	9	120	E6	10	73
L2	9	180	E6	11	73
E1	11	492	E2	8	351
E1	9	500	E2	9	351
E1	10	500	E1	8	312
E1	11	327	E1	10	312
L2	8	323	E2	8	359
E1	9	106	E1	9	254
E2	8	315	E1	10	254
E2	11	315	E1	11	254
L1	10	421	E6	9	128
L2	9	429	E1	9	357
L2	11	429	E1	10	357
E1	8	56	E1	8	114
E1	10	56	E1	10	114
E1	8	571	E1	11	114

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

E1	9	462	E6	11	98
E1	10	462	L2	8	142
E1	9	420	E2	10	311
E1	10	420	L1	8	87
E1	11	420	L1	11	242
E1	8	228	L2	8	452
E1	8	286	L2	11	397
E1	11	286	L1	10	302
E1	11	484	L1	11	302
E6	8	18	E1	10	66
E1	10	231	E1	11	66
E2	11	115	E6	8	54
L1	10	56	E6	9	54
E2	9	165	E6	10	54
E2	11	165	L1	10	325
E1	8	518	L1	9	161
L2	8	34	E1	8	495
E2	8	147	E1	8	209
E2	9	147	L1	11	459
E6	8	116	L1	8	110
E6	9	116	L1	10	110
E6	10	116	L2	10	107
E6	11	116	E1	8	255
E1	10	121	E1	9	255
E6	8	52	E1	10	255
E6	10	52	L1	9	271
E6	11	52	E5	8	16
E1	10	283	E5	9	16
E1	11	283	E6	8	101
E2	8	63	E6	9	101
E2	10	63	E1	9	223
L1	8	61	L2	10	179
L1	10	61	E2	9	314
L1	11	61	E2	9	266
L1	8	19	E2	11	266
L1	11	19	L2	9	246
L1	9	71	E5	8	33
L1	10	71	E5	11	33
L1	11	71	L1	8	41
E4	9	13	L1	9	41
L1	8	42	E1	11	540
L1	11	42	E1	9	208
L1	11	340	E4	9	8
E6	8	111	E4	10	8
E6	9	111	E4	11	8
E6	11	106	E4	8	24
E6	10	16	E1	8	198
E4	8	35	E1	9	198
L1	8	373	E1	10	198
E1	8	110	E5	9	59
E1	11	110	E5	10	59
E1	11	522	L1	9	464
E1	10	541	E5	8	69
E1	11	541	E5	11	69
E7	9	87	E5	8	60
E7	11	87	E5	9	60
L1	8	454	E5	8	72
L1	9	454	E5	10	72
L1	10	454	E1	8	276
E6	8	98	E1	11	276

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

E1	11	563	L1	8	196
L1	8	378	L1	11	196
L1	10	378	E1	8	19
E1	8	218	L1	11	154
E1	10	218	E1	8	274
E1	11	218	E1	9	274
L1	9	439	E1	10	274
L1	11	439	L2	11	115
E1	9	458	E2	8	71
E1	9	605	E6	9	36
E1	10	605	E6	11	36
L2	9	390	E1	8	607
L2	10	240	E1	10	607
E1	8	132	E1	9	329
E1	8	358	E1	9	600
E1	9	358	E2	8	295
E4	8	81	E2	9	295
E6	8	121	E6	10	130
E5	10	70	E6	8	30
E1	9	115	E1	10	368
E1	10	115	E1	11	368
E1	11	115	E2	8	305
E6	9	38	L1	9	205
E6	10	38	E2	8	170
E6	11	38	E2	9	170
E5	8	61	E1	8	158
L2	9	338	L2	8	175
E5	9	73	L1	10	317
E5	11	73	E1	11	598
E5	8	47	L1	8	406
E1	10	277	L1	9	406
E1	8	279	L1	10	406
E1	10	279	E1	9	568
L2	10	293	E1	10	568
L1	9	295	E1	11	568
L1	11	295	E1	10	451
E1	10	564	E1	11	451
E7	11	67	L1	10	31
L1	9	233	E1	9	55
L1	11	233	E1	11	55
E4	10	1	E2	10	265
L2	8	1	E4	8	23
L2	9	1	E4	9	23
L2	10	1	L1	10	438
L2	11	1	E1	8	397
E1	8	409	E1	11	397
E1	11	409	L1	9	352
L2	8	277	L1	10	352
L2	10	277	E1	9	59
E2	10	129	E1	11	59
L1	9	251	E1	8	395
L1	10	251	E1	10	395
L2	10	412	E2	10	281
E1	8	546	E2	8	22
E1	9	546	E2	11	22
E1	8	421	E1	10	184
E1	9	421	L2	9	38
E1	10	421	E2	10	348
E2	8	151	E2	11	348
E2	9	151	L2	9	237

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L2	11	285	L2	9	408
L2	11	139	E2	9	354
E5	8	78	E1	8	182
L1	8	482	E1	9	182
L1	9	482	L1	11	426
L1	11	482	L2	11	207
L2	8	438	L1	9	90
L2	9	438	L2	9	426
L2	10	438	L2	10	426
L2	11	438	E5	10	19
E2	8	247	L1	9	266
E2	9	247	L2	8	212
E1	9	528	L2	10	212
E1	11	528	L1	10	16
L2	10	272	L1	11	16
L2	8	355	E2	10	222
L2	8	403	L2	11	418
E1	11	302	L2	9	363
E7	9	18	L2	8	91
L1	9	433	L2	9	328
E1	8	480	E1	9	399
L2	9	29	E1	9	64
L1	8	228	E4	9	38
L1	11	228	E4	10	38
E1	8	594	E4	11	38
E1	10	594	E4	10	44
E1	10	226	E7	8	70
E4	11	20	L1	9	170
E1	11	456	L2	8	342
E1	10	592	L2	9	342
L2	8	214	L1	10	192
L1	10	217	E6	9	95
L1	11	217	E6	11	95
L2	10	189	L1	11	137
E1	8	94	E7	9	43
E1	8	442	E7	10	43
E6	9	110	E2	8	140
E6	10	110	E2	10	140
E4	8	34	E5	11	66
E4	9	34	E1	11	355
L2	8	451	E2	9	163
L2	9	451	E2	11	163
L1	8	160	E1	10	445
L1	10	160	E2	10	289
L1	9	109	L2	8	262
L1	11	109	L2	10	262
E2	8	61	E2	8	291
E2	10	61	E2	10	291
L2	10	389	E2	11	291
L2	10	337	L2	11	43
E1	8	513	E6	8	28
L2	11	411	E6	10	28
E1	8	545	E6	11	15
E1	9	545	L1	8	151
E1	10	545	L1	9	372
L1	10	291	L1	11	301
L2	9	80	L1	11	324
L2	10	80	E6	10	50
L2	11	102	E4	9	4
L1	9	391	E4	11	4

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L1	10	232	L2	8	281
L1	8	250	L2	10	281
L1	10	250	L2	11	281
L1	11	250	L2	10	245
E2	9	76	L1	9	40
E1	8	305	L1	10	40
L2	8	400	E2	8	303
L2	11	400	E2	10	303
E1	8	314	L2	8	308
E1	10	314	L2	9	308
E1	11	314	L2	11	308
L1	11	466	L1	9	472
E2	10	245	L1	10	472
E2	11	245	L1	9	334
L1	9	417	E1	9	288
E2	8	103	L1	8	476
E2	9	103	L1	11	476
E2	10	103	L2	11	68
E2	11	103	L1	8	29
E2	8	233	L1	9	279
E2	9	233	L2	8	221
L1	10	149	L2	10	221
E1	10	128	L1	8	140
E1	9	344	L1	9	140
L2	8	231	E1	11	583
L2	9	231	L1	8	488
E2	11	57	L1	9	488
E1	8	205	L1	10	488
E1	9	205	L1	9	379
E1	10	391	L2	8	111
E1	11	391	E6	8	3
L1	9	53	L2	8	181
L2	8	5	E2	8	283
L2	10	5	L2	10	13
L2	8	11	E6	10	9
E2	8	108	L1	8	353
E1	9	639	L1	9	353
E1	8	169	L2	11	352
E1	11	169	E1	9	219
E6	10	125	E1	10	219
E1	8	281	E1	10	493
E1	8	383	L1	8	440
E1	9	383	L1	10	440
E1	10	383	L1	11	440
E1	11	383	E1	11	12
E6	8	56	L2	8	432
E6	10	56	L2	10	432
E2	8	113	L2	11	432
E2	9	113	L1	10	131
L2	8	291	L1	8	115
L1	11	470	L1	9	115
L2	10	302	L2	8	309
L2	11	302	L2	10	309
E2	10	241	L2	11	309
L2	9	298	E2	11	261
L2	11	298	L2	10	401
L2	10	449	L1	9	292
L2	11	449	L2	9	63
E1	9	109	E1	9	315
L1	8	241	E1	10	315

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

E1	8	43	L2	8	210
E1	10	135	L2	10	210
L1	8	63	E1	8	289
L1	9	63	E2	8	190
L1	10	467	E2	9	317
E1	8	547	E2	10	317
L2	8	153	L1	8	348
L2	9	267	L1	9	348
L2	10	267	L1	11	348
E5	11	30	L1	8	392
E1	8	422	E2	8	40
E1	9	422	E5	10	45
E2	8	207	L2	10	260
E2	11	207	E1	9	185
L1	8	474	L2	11	164
L1	10	474	L2	11	145
E1	8	247	L1	8	343
L1	10	375	E6	8	40
L1	11	375	E6	9	40
L2	8	81	E6	10	40
L2	9	81	E1	9	192
L2	10	103	E1	11	192
E1	8	60	L2	9	420
E1	10	60	L2	8	409
L1	9	86	L2	10	216
L2	11	106	E1	8	233
E4	9	80	E1	10	233
L1	10	294	E7	11	56
E6	11	23	E2	8	160
L2	8	304	E2	9	160
L2	9	304	L1	11	224
E2	9	150	L2	9	26
E2	10	150	L1	9	422
E2	9	282	L1	11	422
L1	9	297	L1	11	23
L1	11	297	E2	9	24
L1	11	451	E2	11	24
L2	8	133	L2	11	235
L2	8	391	E2	8	142
L1	8	473	L2	9	345
L1	9	473	E1	8	588
L1	11	473	E1	10	588
L1	10	85	L2	11	406
E4	10	79	E1	8	586
L1	9	38	E1	10	586
L1	11	38	L1	8	199
L1	10	37	L1	9	199
E2	8	224	E1	10	437
L2	9	209	L2	11	424
L2	11	209	E1	10	167
E2	10	316	L2	8	430
E2	11	316	L2	10	430
L1	9	347	L2	8	61
L1	10	347	L2	11	61
E2	10	23	L2	11	24
E2	9	180	E1	8	146
E5	10	14	L1	10	477
E5	11	14	L1	11	477
L1	8	335	E1	8	15
L2	9	241	L2	10	69

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L2	11	69	L1	11	57
L2	8	39	E1	8	317
E6	9	12	L2	8	339
E2	8	355	L2	11	339
L2	11	130	E1	8	239
E7	10	86	L1	9	21
L1	8	408	E7	8	90
L1	10	270	E5	8	74
E5	9	15	E5	10	74
E5	10	15	E5	11	74
E5	9	71	E2	8	152
E5	11	71	E1	11	515
E6	8	26	E1	11	48
E6	10	26	E7	10	40
L1	8	377	L1	10	197
L1	9	377	L1	11	197
L1	11	377	E6	10	32
E1	8	408	L2	8	427
E1	9	408	L2	9	427
E2	11	128	L2	11	427
E6	11	8	L1	11	69
L2	9	147	L1	10	155
L2	10	147	L1	9	44
L2	9	152	L1	10	44
E1	8	566	L1	11	44
E1	11	566	L2	9	222
L2	9	132	E1	8	477
E4	11	78	E1	10	477
L2	10	208	E1	11	477
L1	10	346	L1	8	112
L1	11	346	L1	11	112
E5	11	13	E1	11	346
L1	8	280	E1	11	333
E5	11	44	E5	9	20
E2	11	97	L2	11	31
E6	8	39	E1	10	499
E6	9	39	E1	11	499
E6	10	39	E6	9	53
E6	11	39	E6	10	53
E1	9	232	E6	11	53
E1	11	232	E2	8	30
L1	8	223	E2	9	30
E1	9	585	E6	9	100
E1	11	585	E6	10	100
E6	8	11	E4	8	7
E6	10	11	E4	10	7
L1	8	91	E4	11	7
L1	11	332	E1	8	275
L2	10	151	E1	9	275
L1	11	345	L1	8	73
L2	11	150	L1	9	73
E6	8	87	E5	9	46
E4	8	91	E1	9	278
E2	10	116	E1	11	278
E1	8	345	E2	9	64
E1	11	498	L1	9	114
E1	8	78	L1	10	114
E1	9	78	L1	9	62
E2	10	334	L1	10	62
L1	9	57	E2	9	206

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L1	9	484	E1	9	510
L1	10	484	E1	11	510
L1	11	484	E2	8	92
L1	9	17	E2	10	145
L1	10	17	E2	11	145
L2	8	105	E1	9	237
E1	8	92	E1	10	237
E1	10	92	E6	10	61
L1	8	296	E6	11	61
L1	10	296	E1	10	262
E2	9	223	E1	11	380
L2	11	259	E6	10	85
L2	10	419	E1	8	76
L2	8	364	E1	9	76
L2	10	165	E1	10	76
L1	8	27	E1	11	76
L1	9	27	E6	10	46
L1	10	27	E6	11	46
L2	10	146	E5	8	76
L2	11	146	E5	9	76
E1	9	565	E5	10	76
E1	10	584	L2	9	321
E2	11	333	L2	10	321
L1	8	327	L2	8	441
E2	9	335	L2	9	441
E1	8	238	E1	9	486
E1	9	238	L1	9	48
L1	10	20	L2	9	319
E2	9	349	L2	11	319
E2	10	349	L1	8	238
E2	11	349	L1	10	238
L1	8	72	L1	11	238
L1	9	72	E2	11	178
L1	10	72	E2	10	188
L1	8	58	E1	8	137
L1	10	58	E4	8	12
L1	11	58	E4	10	12
E2	10	58	L2	8	435
E2	11	58	L2	9	435
E5	8	3	L2	10	435
E7	10	68	L2	11	435
L1	10	97	E1	9	579
E2	8	321	E1	11	579
E2	9	321	L1	9	230
E2	10	321	L1	8	358
E2	11	321	L2	11	296
E1	10	17	E6	9	44
E1	9	322	E2	9	159
E1	10	272	E2	10	159
E1	11	272	L1	9	350
L2	8	47	L1	11	350
E1	8	426	E1	10	402
E5	8	36	E1	11	402
E1	10	340	E4	9	6
E1	9	530	E4	11	6
E1	8	464	E2	8	168
E5	10	58	E2	10	168
E5	11	58	E2	11	168
L1	8	308	L2	8	71
E1	8	510	L2	9	71

Table XVI A. HPV6A  
HLA-A3 Motif Peptides

L1	10	10
E2	10	138
L1	11	415
E1	9	91
E1	11	91
L1	8	26
L1	9	26
L1	10	26
L1	11	26
E2	8	131

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

2	3	4			
E6	9	62	L1	8	487
E6	10	62	L1	9	487
L1	8	234	L1	10	487
L1	10	234	L1	11	487
L1	11	234	L2	11	12
L2	8	329	L2	8	288
E5A	8	9	L2	9	288
E1	8	206	L2	11	288
E1	11	206	E2	8	322
L1	8	489	E2	9	322
L1	9	489	E2	10	322
L1	11	489	L1	8	36
L2	10	340	L1	11	36
L2	11	340	E1	8	330
E4	9	12	L1	9	342
E4	11	12	L1	8	22
E6	8	63	E1	8	407
E6	9	63	E1	9	407
E6	11	63	E1	10	407
E6	9	65	L2	9	14
E2	10	10	E1	8	525
L1	9	98	E6	9	10
L1	9	235	E6	11	10
L1	10	235	E6	9	86
L1	11	235	E1	8	77
E1	10	377	E1	9	77
E1	9	392	E1	10	77
E1	10	392	E1	9	101
E1	11	392	L1	10	43
L2	8	238	L1	11	43
L2	9	275	E5B	9	36
L2	10	275	E5B	11	36
E1	11	637	E2	8	231
L2	10	116	E2	9	231
L2	11	116	E2	10	231
E1	8	193	E2	11	231
E1	10	193	L1	8	483
E1	11	190	L1	10	483
E1	9	144	L1	11	483
E1	10	144	E1	11	601
E2	8	3	E6	8	64
L2	10	286	E6	10	64
L2	11	286	E2	8	124
E1	9	112	L1	8	157
E1	10	112	L1	11	157
L2	10	140	L1	10	341
L1	11	420	E1	8	406
E1	10	475	E1	9	406
E1	8	65	E1	10	406
E1	11	65	E1	11	406
E4	8	24	E7	10	57
L2	11	228	E7	9	58
E1	10	207	E6	8	66
L1	8	81	E1	11	215
L2	8	421	E2	9	299
E6	8	37	E2	10	299
E6	10	37	E2	11	299
E6	11	37	E7	8	59
L1	11	203	E2	8	161
			E2	11	161

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

L1	10	221	E1	10	570
E1	9	234	E2	8	25
E6	11	67	E2	10	25
E2	8	296	E1	10	222
E2	10	35	E2	8	313
E2	11	35	E2	10	313
L1	11	374	E1	11	81
L1	8	99	E7	11	14
E1	9	14	E1	9	203
L1	8	171	E1	10	203
E6	9	131	E1	11	203
E6	11	31	L1	9	195
E1	8	640	E2	9	338
E2	11	9	E1	9	42
E1	10	111	E1	11	134
E1	11	111	L2	10	266
E1	10	516	L2	11	266
E1	9	524	E1	11	53
E2	8	230	E7	8	44
E2	9	230	E7	9	44
E2	10	230	L1	11	84
E2	11	230	L2	10	344
L1	10	24	L1	9	198
L1	11	24	L1	10	198
E1	8	405	E1	11	166
E1	9	405	E1	11	73
E1	10	405	L1	11	269
E1	11	405	ESB	11	11
E1	10	523	L1	10	411
L2	8	343	L2	8	30
L2	11	343	E6	10	99
ESB	8	55	E6	11	99
E1	8	385	L2	8	258
E1	9	385	E2	11	348
E1	10	49	E1	10	178
E2	10	122	E2	9	174
L1	9	193	E2	10	174
L1	11	193	L2	8	274
E1	9	542	L2	10	274
E1	10	542	L2	11	274
E1	11	542	E1	10	143
E7	9	41	E1	11	143
E7	11	41	E2	9	2
E1	9	161	L2	10	173
E1	8	631	E1	8	336
E1	9	631	E1	8	180
E4	10	99	E1	10	180
E1	9	369	E1	11	180
E1	10	369	E1	8	62
L1	8	219	E1	11	62
L1	9	219	L1	9	299
E1	10	170	E1	10	100
L2	9	278	E2	9	229
L2	11	278	E2	10	229
E6	8	96	E2	11	229
E6	10	96	E1	11	627
L2	8	322	E1	10	36
L2	9	322	E1	8	630
E1	8	570	E1	9	630
E1	9	570	E1	10	630

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E1	8	574	E2	10	205
E1	10	574	E5A	8	2
E1	10	41	E5A	9	2
L1	11	410	L1	8	206
L2	9	257	L1	9	80
E6	9	69	L1	8	252
E6	10	69	L1	9	252
E6	11	69	L2	8	442
E1	8	453	E6	9	33
E1	9	453	E1	8	487
E1	10	453	E2	11	121
L2	9	255	L2	8	346
L2	11	255	E2	9	312
E1	8	172	E2	11	312
E1	10	172	L1	11	88
E1	9	10	E1	9	595
E1	9	375	E1	8	386
L2	9	332	L1	10	243
L2	10	332	L1	11	243
E1	8	105	E5A	10	67
E1	10	105	L1	9	244
L2	10	120	L1	10	244
E6	8	42	L1	11	244
E6	9	42	E1	10	242
E6	11	42	E1	11	242
L1	9	453	E1	10	216
L1	10	453	E1	9	50
L1	11	453	E1	8	220
E1	9	197	E1	9	220
E1	10	197	E6	9	126
E1	11	197	E6	11	126
E1	8	604	E5A	8	16
E1	10	604	E5A	9	16
E1	11	604	E1	8	454
E1	9	131	E1	9	454
E2	11	17	L2	8	428
L2	8	334	L2	10	428
E2	11	74	E1	9	494
E1	8	417	L1	8	463
E2	8	100	L1	10	463
E2	9	100	E5A	9	68
E2	11	100	E4	10	31
L2	9	110	E4	11	31
E6	9	2	E1	8	393
E1	8	373	E1	9	393
E1	9	373	E1	10	393
E1	11	373	L2	10	397
E1	10	103	E1	9	446
E2	8	80	L1	8	245
E2	8	293	L1	9	245
E2	9	293	L1	10	245
E2	10	293	L1	11	245
E2	11	293	L2	11	239
E2	8	210	E1	10	457
E2	8	39	L2	8	276
E2	9	39	L2	9	276
E7	11	39	L2	11	276
E6	11	113	E1	9	18
E2	8	118	L2	9	263
L1	8	443	L1	8	49

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

L1	8	450	L1	11	293
E1	9	587	L2	9	303
E1	11	587	L2	10	303
E2	8	171	E1	8	632
L1	9	326	E2	10	179
L2	9	117	E2	9	189
L2	10	117	E1	10	191
E4	8	2	L2	11	215
E4	11	2	L2	10	25
L2	8	314	L2	8	64
E2	9	123	E1	11	436
L1	9	156	L2	9	60
E1	10	13	E1	8	145
E1	8	384	E1	9	145
E1	9	384	L1	8	407
E1	10	384	L1	9	407
E1	10	160	E7	11	85
ESB	8	39	L2	10	412
ESB	9	39	E1	9	467
L1	8	194	L1	9	222
L1	10	194	E4	9	100
L1	9	239	E1	8	316
L1	10	239	E1	9	316
L1	8	200	L1	9	111
E1	11	241	L1	9	478
L2	9	433	L1	10	478
L2	10	433	E2	9	242
L2	11	433	L1	10	113
E1	11	159	L1	11	113
L1	9	132	E1	10	415
E6	9	57	E2	8	330
L1	9	318	L1	9	35
L2	11	58	L2	11	265
E1	9	243	E6	8	79
E1	10	243	E1	10	508
E1	9	194	E1	11	508
E2	9	156	E6	8	71
E2	10	156	E6	9	71
E1	8	350	E6	10	71
E5B	8	28	E1	8	349
E5B	9	28	E1	9	349
E1	9	217	E7	8	2
E1	11	217	E1	10	466
L2	11	292	L2	8	312
ESB	8	15	L2	9	312
L2	8	223	L2	10	312
E5B	9	25	E2	11	53
E5B	10	25	E2	10	255
E5B	11	25	E6	8	119
E2	9	55	E6	10	119
E1	9	273	E1	8	264
E1	10	273	E2	10	78
E1	11	273	E2	11	310
E1	8	11	E6	10	50
L2	9	431	E4	8	20
L2	11	431	E4	9	20
L1	11	130	E4	10	20
L2	10	62	E1	9	246
E1	11	431	E2	10	149
L1	8	293	E2	11	149

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

L2	8	3	L2	11	178
L2	9	3	E5A	9	32
L2	10	3	L2	10	44
E5B	9	42	L2	11	44
E5B	10	42	E5A	8	17
E6	9	25	E6	9	120
E6	11	25	L2	9	180
L2	10	306	E1	11	492
L2	11	306	E2	11	356
E1	9	581	E1	9	500
L2	8	149	E1	10	500
L1	9	361	E1	11	327
L1	11	361	L2	8	323
E2	9	29	E1	9	106
E2	10	29	E2	8	315
E1	8	502	E2	11	315
E5A	9	8	L1	10	421
E1	8	376	L2	9	429
E1	11	376	L2	11	429
E1	11	474	E1	8	56
L2	11	326	E1	10	56
L2	9	287	E1	8	571
L2	10	287	E1	9	571
E1	8	370	E1	11	571
E1	9	370	L1	9	376
E1	11	370	L1	10	376
L1	8	220	E2	8	267
L1	11	220	E2	10	267
L1	8	319	E2	11	267
E1	8	51	E1	9	341
L1	9	218	L2	8	82
L1	10	218	L2	10	131
E1	8	569	L2	8	247
E1	9	569	E7	9	89
E1	10	569	E5B	11	23
E1	11	569	E1	9	476
E1	8	221	E1	11	476
E1	11	221	L2	9	121
E6	8	13	L2	9	104
L1	11	370	E5A	10	34
L1	9	32	E2	9	45
L2	8	313	L1	8	486
L2	9	313	L1	9	486
E1	10	334	L1	10	486
E4	8	6	L1	11	486
E4	11	6	E2	10	298
E2	10	54	E2	11	298
E2	9	256	E1	8	200
L2	8	299	E5B	8	44
L2	10	299	E2	11	34
L2	10	59	E5B	11	47
E5A	8	21	E1	8	404
L1	8	272	E1	9	404
E5A	10	31	E1	10	404
L2	8	279	E1	11	404
L2	10	279	E4	11	98
E6	9	97	E1	10	202
L2	9	141	E1	11	202
E1	8	195	L1	10	79
E1	11	195	E1	10	211

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E1	11	460	L1	11	19
L1	8	462	L1	9	71
L1	9	462	L1	10	71
L1	11	462	L1	11	71
L1	9	449	E4	9	23
E2	11	68	L1	8	42
E2	10	155	L1	11	42
E2	11	155	L1	11	340
E1	9	433	E6	8	111
E6	8	73	E6	9	111
E6	10	73	E6	11	106
E6	11	73	E6	10	16
E2	8	351	E4	8	45
E2	9	351	L1	8	373
E1	8	312	E1	8	110
E1	10	312	E1	11	110
E2	8	359	E1	11	522
E1	9	254	E1	10	541
E1	10	254	E1	11	541
E1	11	254	L1	8	454
E6	9	128	L1	9	454
E1	9	357	L1	10	454
E1	10	357	E6	8	98
E1	8	114	E6	11	98
E1	10	114	L2	8	142
E1	11	114	E1	8	235
E1	9	462	E1	11	235
E1	10	462	E2	10	311
E1	9	420	L1	8	87
E1	10	420	L1	11	242
E1	11	420	L2	8	452
E1	8	286	L2	11	396
E1	11	286	L1	10	302
E1	11	484	L1	11	302
E6	8	18	E1	10	66
E1	10	231	E1	11	66
E2	11	115	E6	8	54
L1	10	56	E6	9	54
E2	9	165	E6	10	54
E2	11	165	L1	10	325
E1	8	518	L1	9	161
L2	8	34	E1	8	495
E2	8	147	E1	8	209
E2	9	147	E5B	8	27
E6	8	116	E5B	9	27
E6	9	116	E5B	10	27
E6	10	116	E5B	8	14
E6	11	116	E5B	9	14
E1	10	121	L1	11	459
E6	8	52	L1	8	110
E6	10	52	L1	10	110
E6	11	52	L2	10	107
E1	10	283	E1	8	255
E1	11	283	E1	9	255
E2	8	63	E1	10	255
E2	10	63	L1	9	271
L1	8	61	E6	8	101
L1	10	61	E6	9	101
L1	11	61	E1	9	223
L1	8	19	L2	10	179

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E2	9	314	E5A	11	73
E2	9	266	E1	10	277
E2	11	266	E5A	8	47
L2	9	246	L2	10	293
E5A	8	33	L1	9	295
E5A	11	33	L1	11	295
L1	8	41	E2	10	222
L1	9	41	E1	10	564
E1	11	540	E7	11	67
E1	9	208	L1	9	233
E4	9	18	L1	11	233
E4	10	18	E4	10	11
E4	11	18	L2	8	1
E4	8	34	L2	9	1
E1	8	198	L2	10	1
E1	9	198	L2	11	1
E1	10	198	E1	8	409
E5B	8	29	E1	11	409
E5A	9	59	L2	8	277
E5A	10	59	L2	10	277
L1	9	464	E2	10	129
E1	8	279	L1	9	251
E1	10	279	L1	10	251
E5A	8	69	E4	8	1
E5A	11	69	E4	9	1
E5A	8	60	L2	11	411
E5A	9	60	E5B	8	26
E5A	8	72	E5B	9	26
E5A	10	72	E5B	10	26
E1	8	276	E5B	11	26
E1	11	276	E1	8	546
E1	11	563	E1	9	546
E5B	11	31	E1	8	421
L1	8	378	E1	9	421
L1	10	378	E1	10	421
E1	8	218	E2	8	151
E1	10	218	E2	9	151
E1	11	218	L1	8	196
L1	9	439	L1	11	196
L1	11	439	E1	8	19
L2	8	390	L1	11	154
E1	9	605	E1	8	274
E1	10	605	E1	9	274
L2	10	240	E1	10	274
E1	8	132	L2	11	115
E1	8	358	E2	8	71
E1	9	358	E6	9	36
E4	8	91	E6	11	36
E6	8	121	E1	9	329
E1	9	458	E2	8	295
E5A	10	70	E2	9	295
E1	9	115	E5B	10	52
E1	10	115	E5B	11	52
E1	11	115	E6	10	130
E6	9	38	E6	8	30
E6	10	38	E5B	8	54
E6	11	38	E5B	9	54
E5A	8	61	E1	10	368
L2	9	338	E1	11	368
E5A	9	73	E2	8	305

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E2	8	142	L1	9	433
L1	9	205	E1	8	480
E2	8	170	L2	9	29
E2	9	170	L1	8	228
E1	8	158	L1	11	228
L2	8	175	E1	8	594
L1	10	317	E1	10	594
L1	8	406	E4	11	30
L1	9	406	E1	11	456
L1	10	406	E1	10	592
E1	9	568	L2	8	414
E1	10	568	L2	8	355
E1	11	568	L2	8	214
E1	10	451	L1	10	217
E1	11	451	L1	11	217
L1	10	31	L2	10	189
E4	8	5	E1	8	94
E4	9	5	E1	8	442
E1	9	55	E6	9	110
E1	11	55	E6	10	110
E7	8	88	E4	8	44
E7	10	88	E4	9	44
E2	10	265	L2	8	451
E4	8	33	L2	9	451
E4	9	33	L1	8	160
L1	10	438	L1	10	160
E1	8	397	L1	9	109
E1	11	397	L1	11	109
L1	9	352	E2	8	61
L1	10	352	E2	10	61
E1	9	59	L2	9	389
E1	11	59	L2	10	337
E1	8	395	E1	8	513
E1	10	395	E1	8	545
E2	10	281	E1	9	545
E2	8	22	E1	10	545
E2	11	22	L1	10	291
E1	10	184	L2	9	80
L2	9	38	L2	10	80
E1	8	607	L2	11	102
E1	10	607	L1	9	391
L2	9	237	L2	9	407
L2	11	285	E2	9	354
L2	11	139	E1	8	182
L2	9	420	E1	9	182
E5A	8	78	L1	11	426
L1	8	482	L2	11	207
L1	9	482	L1	9	90
L1	11	482	L2	9	426
L2	8	438	L2	10	426
L2	9	438	E5A	10	19
L2	10	438	L1	9	266
L2	11	438	L2	8	212
E2	8	247	L2	10	212
E2	9	247	L1	10	16
E1	9	528	L1	11	16
E1	11	528	L2	9	363
L2	10	272	L2	8	91
L2	8	402	L2	9	328
E7	9	18	E1	9	399

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E1	9	64	E2	8	233
E4	9	48	E2	9	233
E4	10	48	L1	10	149
E4	11	48	E1	10	128
E4	10	54	E2	11	218
E7	8	70	E1	9	344
L1	9	170	L2	8	231
L2	8	342	L2	9	231
L2	9	342	E2	11	57
L1	10	192	E1	8	205
E6	9	95	E1	9	205
E6	11	95	E1	10	391
E2	8	140	E1	11	391
E2	10	140	L1	9	53
L1	11	137	L2	8	5
E7	9	43	L2	10	5
E7	10	43	L2	8	11
E5A	11	66	E5B	8	35
E1	11	355	E5B	10	35
E2	9	163	E2	8	108
E2	11	163	E1	9	639
E1	10	445	E1	8	169
E2	10	289	E1	11	169
L2	8	262	E6	10	125
L2	10	262	E1	8	281
E5B	9	38	E1	8	383
E5B	10	38	E1	9	383
E2	8	291	E1	10	383
E2	10	291	E1	11	383
E2	11	291	E6	8	56
E5A	10	7	E6	10	56
L2	11	43	E2	8	113
E6	8	28	E2	9	113
E6	10	28	L2	8	291
E6	11	15	L1	11	470
L1	8	151	L2	10	302
L1	9	372	L2	11	302
L1	11	301	E2	10	241
L1	11	324	L2	9	298
E4	9	14	L2	11	298
E4	11	14	L2	10	449
L1	10	232	L2	11	449
L1	8	250	E1	9	109
L1	10	250	L1	8	241
L1	11	250	L2	8	281
E2	9	76	L2	10	281
E1	8	305	L2	11	281
L2	8	399	L2	10	245
L2	11	399	L1	9	40
E1	8	314	L1	10	40
E1	10	314	E2	8	303
E1	11	314	E2	10	303
L1	11	466	L2	8	308
E2	10	245	L2	9	308
E2	11	245	L2	11	308
L1	9	417	L1	9	472
E2	8	103	L1	10	472
E2	9	103	L1	9	334
E2	10	103	E1	9	288
E2	11	103	L1	8	476

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

L1	11	476	E1	8	247
L2	11	68	L1	10	375
L1	8	29	L1	11	375
L1	9	279	L2	8	81
L2	8	221	L2	9	81
L2	10	221	L2	10	103
L1	8	140	E1	8	60
L1	9	140	E1	10	60
E1	11	583	L1	9	86
L1	8	488	L2	11	106
L1	9	488	E4	9	90
L1	10	488	L1	10	294
L1	9	379	E6	11	23
L2	8	111	L2	8	304
E6	8	3	L2	9	304
L2	8	181	E2	9	150
E2	8	283	E2	10	150
L2	10	13	E2	9	282
E6	10	9	L1	9	297
L1	8	353	L1	11	297
L1	9	353	L1	11	451
L2	11	352	L2	8	133
E1	9	219	L1	8	473
E1	10	219	L1	9	473
E1	10	493	L1	11	473
L1	8	440	E2	8	323
L1	10	440	E2	9	323
L1	11	440	L1	10	85
E1	11	12	E4	10	89
L2	8	432	L1	9	38
L2	10	432	L1	11	38
L2	11	432	L1	10	37
L1	10	131	E2	8	224
L1	8	115	L2	9	209
L1	9	115	L2	11	209
L2	8	309	E2	10	316
L2	10	309	E2	11	316
L2	11	309	L1	9	347
E2	11	261	L1	10	347
L2	10	400	E2	10	23
L1	9	292	E5A	10	14
L2	9	63	E5A	11	14
E1	9	315	E2	9	180
E1	10	315	E2	9	220
E1	8	43	L1	8	335
E1	10	135	L2	9	241
L1	8	63	L2	8	210
L1	9	63	L2	10	210
L1	10	467	E1	8	289
E1	8	547	E2	8	190
L2	8	153	E2	9	317
L2	9	267	E2	10	317
L2	10	267	L1	8	348
E5A	11	30	L1	9	348
E1	8	422	L1	11	348
E1	9	422	L1	8	392
E2	8	207	E2	8	40
E2	11	207	E5A	10	45
L1	8	474	L2	10	260
L1	10	474	E1	9	185

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

L2	11	164	L1	9	377
L2	11	145	L1	11	377
L1	8	343	E2	8	221
E6	8	40	E2	11	221
E6	9	40	E1	8	408
E6	10	40	E1	9	408
E6	11	40	E2	11	128
E1	9	192	E5B	10	59
E1	11	192	E6	11	8
L2	8	408	L2	9	147
L2	10	216	L2	10	147
E7	11	56	L2	9	152
E2	8	160	E1	8	566
E2	9	160	E1	11	566
L1	11	224	L2	9	132
E1	8	233	E4	11	88
E1	10	233	L2	10	208
L2	9	26	L1	10	346
L1	9	422	L1	11	346
L1	11	422	ESA	11	13
L1	11	23	E2	10	219
E2	9	24	L1	8	280
E2	11	24	ESA	11	44
L2	11	235	E2	11	97
L2	9	345	E6	8	39
ESA	9	15	E6	9	39
ESA	10	15	E6	10	39
E1	8	588	E6	11	39
E1	10	588	L1	8	223
L2	11	405	E1	9	232
E1	8	586	E1	11	232
E1	10	586	E5B	8	63
L1	8	199	E1	9	585
L1	9	199	E1	11	585
E1	10	437	E6	8	11
L2	11	424	E6	10	11
E1	10	167	L1	8	91
L2	8	430	L1	11	332
L2	10	430	L2	10	151
L2	8	61	L1	11	345
L2	11	61	L2	11	150
L2	11	24	E6	8	87
E1	8	146	E4	8	101
L1	10	477	E2	10	116
L1	11	477	E1	8	345
E1	8	15	E1	11	498
L2	10	69	L2	11	387
L2	11	69	E1	8	78
L2	8	39	E1	9	78
E6	9	12	E2	10	334
E2	8	355	L1	9	57
L2	11	130	L1	11	57
L1	8	408	E1	8	317
L1	10	270	L2	8	339
ESA	9	71	L2	11	339
ESA	11	71	E1	8	239
E7	10	86	L1	9	21
E6	8	26	E7	8	90
E6	10	26	ESA	8	74
L1	8	377	ESA	10	74

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

ESA	11	74	E1	8	92
E2	8	152	E1	10	92
E1	11	515	L1	8	296
E1	11	48	L1	10	296
E7	10	40	E2	9	223
L1	10	197	L2	11	259
L1	11	197	E5B	11	58
E6	10	32	L2	8	364
L2	8	427	L2	11	418
L2	9	427	L2	10	165
L2	11	427	L1	8	27
L1	11	69	L1	9	27
L1	10	155	L1	10	27
L1	9	44	L2	10	146
L1	10	44	L2	11	146
L1	11	44	E1	9	565
L2	9	222	E1	10	584
E5B	10	24	E2	11	333
E5B	11	24	L1	8	327
E1	8	477	E2	9	335
E1	10	477	E1	8	238
E1	11	477	E1	9	238
L1	8	112	L1	10	20
L1	11	112	E2	10	349
E1	11	346	E2	11	349
E1	11	333	L1	8	72
ESA	9	20	L1	9	72
L2	11	31	L1	10	72
E1	10	499	L1	8	58
E1	11	499	L1	10	58
E6	9	53	L1	11	58
E6	10	53	E2	10	58
E6	11	53	E2	11	58
E2	8	30	E5A	8	3
E2	9	30	E7	10	68
E6	9	100	L1	10	97
E6	10	100	E2	8	321
E4	8	17	E2	9	321
E4	10	17	E2	10	321
E4	11	17	E2	11	321
E1	9	278	E1	10	17
E1	11	278	E1	9	322
E1	8	275	E1	10	272
E1	9	275	E1	11	272
L1	8	73	L2	8	47
L1	9	73	E1	8	426
E5A	9	46	E5A	8	36
E4	11	10	E1	10	340
E2	9	64	E1	9	530
L1	9	114	E5B	9	13
L1	10	114	E5B	10	13
L1	9	62	E1	8	464
L1	10	62	E5A	10	58
E2	9	206	E5A	11	58
L1	9	484	L1	8	308
L1	10	484	E1	8	510
L1	11	484	E1	9	510
L1	9	17	E1	11	510
L1	10	17	E2	8	92
L2	8	105	E2	10	145

Table XVI B. HPV6B  
HLA-A3 Motif Peptides

E2	11	145	E2	10	138
E1	9	237	L1	11	415
E1	10	237	E1	9	91
E6	10	61	E1	11	91
E6	11	61	L1	8	26
E1	10	262	L1	9	26
E1	11	380	L1	10	26
E6	10	85	L1	11	26
E1	8	76	E2	8	131
E1	9	76			
E1	10	76			
E1	11	76			
E6	10	46			
E6	11	46			
E5A	8	76			
E5A	9	76			
E5A	10	76			
L2	9	321			
L2	10	321			
E2	10	337			
L2	8	441			
L2	9	441			
E1	9	486			
L1	9	48			
L2	9	319			
L2	11	319			
L1	8	238			
L1	10	238			
L1	11	238			
E2	11	178			
E2	10	188			
E1	8	137			
E4	8	22			
E4	10	22			
L2	8	435			
L2	9	435			
L2	10	435			
L2	11	435			
E1	9	579			
E1	11	579			
L1	9	230			
L1	8	358			
L2	11	296			
E6	9	44			
E2	9	159			
E2	10	159			
L1	9	350			
L1	11	350			
ESB	9	62			
E1	10	402			
E1	11	402			
E4	9	16			
E4	11	16			
E4	8	9			
E2	8	168			
E2	10	168			
E2	11	168			
L2	8	71			
L2	9	71			
L1	10	10			

Table XVI C. HPV11  
HLA-A3 Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L1	8	235	E2	8	321
L1	10	235	E2	10	321
L1	11	235	L1	8	36
L2	8	328	L1	11	36
L2	10	339	E2	8	314
L2	11	339	E1	8	330
E4	9	12	L1	9	343
E4	11	12	E2	8	197
E1	8	144	L1	8	22
E6	11	63	L2	9	13
E6	9	65	L2	10	13
E2	10	10	E1	8	525
E4	10	55	E6	9	10
L1	9	98	E6	11	10
E2	10	226	E1	8	77
L1	9	236	E1	9	77
L1	10	236	E1	10	77
L1	11	236	L1	8	349
E1	11	190	L1	9	349
E1	8	235	L1	11	349
E1	11	235	E1	9	181
E1	10	377	E1	10	181
E1	9	392	E1	9	101
E1	10	392	L1	10	43
E1	11	392	L1	11	43
L2	8	237	E5	9	37
L2	9	274	E5	11	37
L2	10	274	E5	9	26
L2	10	215	E5	10	26
E1	11	637	E5	11	26
E1	10	240	L1	8	484
L2	9	62	L1	10	484
L2	11	68	L1	11	484
E2	8	3	E1	8	601
E1	9	112	E1	11	601
E1	10	112	E6	10	64
L2	10	139	E1	9	234
E1	8	407	E1	8	406
E1	9	407	E1	9	406
E1	10	407	E1	10	406
L1	11	421	E1	11	406
L2	8	80	E5	8	46
L2	9	80	L1	8	158
L2	10	285	L1	11	158
L2	11	285	L1	8	342
E1	10	475	L1	10	342
E1	8	65	E7	10	57
E1	10	65	E7	9	58
E1	11	65	E6	8	66
L1	8	81	E1	8	486
L2	8	417	E1	9	486
L2	11	227	E1	11	215
E6	8	37	E2	9	298
E6	9	37	E2	10	298
E6	10	37	E2	11	298
E6	11	37	E7	8	59
L1	11	204	E2	8	161
L2	11	11	E2	11	161
L2	9	173	L1	10	222
			E2	10	35

Table XVI C. HPV11  
HLA-A3 Motif Peptides

E2	11	35	L2	9	277
E6	11	67	E6	8	96
E2	8	295	E6	10	96
L1	11	375	E1	9	203
E2	11	194	E1	10	203
L1	8	99	E1	11	203
E1	9	14	E1	8	570
E2	9	227	E1	9	570
E5	8	73	E1	10	570
E5	9	73	L2	8	321
E5	11	73	L2	9	321
E6	11	31	E1	10	222
E1	8	640	E1	11	81
E2	11	9	L1	10	271
E1	11	73	E7	11	14
E1	10	111	L1	10	439
E1	11	111	E1	9	46
E1	10	516	E1	10	46
E1	8	607	L1	9	196
E1	10	607	E1	9	42
E7	8	44	E1	11	134
E7	9	44	E2	8	292
E1	9	524	E2	9	292
L1	10	24	E2	10	292
L1	11	24	E2	11	292
E1	8	405	E7	9	31
E1	9	405	L1	11	84
E1	10	405	L2	10	343
E1	11	405	L1	9	199
E1	10	523	L1	10	199
L1	11	270	E1	10	191
E1	8	183	E5	9	12
L1	9	124	E5	11	12
E1	8	385	L1	10	412
E1	9	385	L1	8	125
L2	9	429	L2	8	29
L2	10	429	L2	8	257
L2	11	429	E1	8	143
E2	10	122	E1	9	143
L1	9	194	E1	10	178
L1	11	194	L2	8	273
E5	11	10	L2	10	273
E1	9	542	L2	11	273
E1	10	542	E2	9	2
E1	11	542	E1	8	336
E1	9	159	E1	8	62
E1	8	631	E1	11	62
E1	9	631	E2	10	174
E2	8	231	L1	9	300
E2	9	231	L2	10	172
E2	10	231	E1	8	180
E2	11	231	E1	10	180
E1	9	369	E1	11	180
E1	10	369	E7	8	70
L1	8	220	E1	11	627
L1	9	220	E7	9	34
E1	9	168	E1	8	630
E1	10	168	E1	9	630
E2	8	25	E1	10	630
E2	10	25	E2	9	230

Table XVI C. HPV11  
HLA-A3 Motif Peptides

E2	10	230	E6	8	92
E2	11	230	E1	10	128
E6	9	95	E7	10	36
E6	11	95	E1	10	141
L2	8	190	E1	11	141
E1	10	41	L1	8	444
E7	10	30	E2	10	205
L1	11	411	L2	10	119
L2	9	256	E5	8	2
L1	8	365	E5	9	2
E1	8	453	E5	10	2
E1	10	453	L1	8	207
L2	9	254	L1	9	80
L2	11	254	L1	8	253
E1	8	170	L1	9	253
E1	10	170	L2	8	438
E1	9	10	E1	8	487
E4	10	98	E6	9	33
E1	8	172	E2	11	121
E1	10	172	L2	8	345
E1	9	375	L2	10	352
E6	11	113	L1	11	88
L2	9	331	E1	9	595
L2	10	331	E1	8	386
E1	8	105	L2	11	52
E1	10	105	E5	10	67
E6	8	42	E5	11	67
E6	11	42	L1	10	244
E2	8	312	L1	11	244
E2	10	312	L2	10	53
L1	9	454	E1	8	242
L1	10	454	E1	10	242
L1	11	454	E1	11	242
L2	8	333	E1	10	216
E1	9	197	E6	9	126
E6	9	69	E6	11	126
E6	10	69	E1	9	454
E6	11	69	L2	8	424
E1	8	604	L2	10	424
E1	10	604	E1	9	494
E1	11	604	L1	8	464
E1	9	131	L1	10	464
E2	11	17	E5	9	68
E1	8	417	E5	10	68
E2	10	74	E1	8	393
E2	11	74	E1	9	393
E2	8	100	E1	10	393
E2	9	100	E1	9	446
E2	11	100	E1	10	457
L2	9	109	L2	11	238
E1	8	373	E5	8	16
E1	9	373	E5	11	16
E1	11	373	L2	8	275
E1	10	103	L2	9	275
L2	10	265	L2	11	275
L2	11	265	E1	9	18
E6	9	2	L2	11	295
E2	8	80	L1	8	451
E2	8	39	E1	9	587
E2	9	39	E1	11	587

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L2	9	262	E5	11	40
E1	8	220	L2	9	59
E1	9	220	L2	10	59
L2	10	393	E1	11	431
L1	9	327	L1	8	408
L2	8	61	L1	9	408
L2	10	61	E1	10	296
L1	9	157	E7	11	85
E2	9	123	L2	10	408
E1	10	13	E1	9	467
E1	8	384	E4	9	99
E1	9	384	L1	9	223
E1	10	384	E1	9	173
E1	10	158	E1	8	316
L1	8	195	E1	9	316
L1	10	195	E2	8	232
E5	8	65	E2	9	232
L1	9	240	E2	10	232
L1	10	240	E2	11	232
E2	9	291	L1	10	113
E2	10	291	L1	11	113
E2	11	291	E1	10	415
E5	10	11	L1	9	35
L1	8	201	E6	8	79
E1	9	241	E1	10	508
E1	11	241	E1	11	508
E1	11	157	E5	9	64
L2	9	54	E1	8	209
L1	9	276	E7	8	2
L1	9	133	E5	9	39
L1	9	319	E5	10	39
L2	11	57	E1	10	466
E1	9	243	L2	8	311
E1	10	243	L2	9	311
L1	9	479	E6	8	119
E1	9	194	E6	10	119
E2	9	156	E2	9	29
E2	10	156	E1	8	264
L2	8	55	E1	9	55
E5	8	29	E1	11	55
E5	9	29	E2	10	78
E5	11	29	E2	11	309
E1	9	217	L1	11	325
E1	11	217	E5	10	7
L2	11	291	E4	9	20
E1	9	273	E4	10	20
E1	10	273	E1	8	305
E1	11	273	E1	9	246
L2	11	427	E1	8	349
E1	8	11	E1	9	349
L2	8	63	E1	9	581
L1	8	294	E6	9	25
L1	11	294	E6	11	25
L2	10	302	L2	10	36
E1	8	632	L2	10	188
E2	10	179	L1	9	362
E2	9	189	L1	11	362
L2	10	24	E2	10	208
E5	8	40	E1	8	376
E5	9	40	E1	11	376

Table XVI C. HPV11  
HLA-A3 Motif Peptides

E1	11	474	L2	10	130
E1	8	370	E7	9	89
E1	9	370	E1	9	476
E1	11	370	E5	10	31
L1	8	221	L2	9	103
L1	11	221	E2	8	265
L1	8	320	E2	9	265
E2	9	24	E2	11	265
E2	11	24	E2	9	45
E1	8	569	E5	9	45
E1	9	569	E2	10	297
E1	10	569	E2	11	297
E1	11	569	E2	11	34
E6	8	13	E1	10	200
L1	11	371	E1	8	404
L1	9	32	E1	9	404
L2	8	312	E1	10	404
E1	10	334	E1	11	404
E4	8	6	E1	8	213
E4	11	6	E1	8	202
L2	8	298	E1	10	202
L2	10	298	E1	11	202
L2	10	58	L1	11	438
L2	11	58	L1	10	79
E4	8	5	E1	10	211
E4	9	5	E1	10	493
E5	10	34	L1	8	463
L2	8	278	L1	9	463
L2	9	140	L1	11	463
E1	8	195	L1	9	450
E1	11	195	L1	10	275
E6	9	120	E2	11	68
E5	9	35	E2	10	155
E6	9	97	E2	11	155
L2	10	43	E6	8	73
L2	11	43	E6	10	73
E5	8	17	E6	11	73
E5	9	17	E2	8	350
E1	8	408	E2	9	350
E1	9	408	E1	8	312
E2	8	30	E1	10	312
L2	10	179	E1	9	254
E1	8	571	E1	10	254
E1	9	571	E1	11	254
E1	11	571	E6	8	116
E1	11	327	E6	9	116
E1	9	106	E6	10	116
L2	8	322	E6	11	116
E1	9	500	E1	11	460
E1	10	500	E6	9	128
L1	10	422	E1	9	357
L2	8	81	E1	10	357
L2	9	425	E1	8	114
L1	9	377	E1	10	114
L1	10	377	E1	11	114
E1	8	56	E1	9	462
E1	10	56	E1	10	462
E1	9	341	E1	9	420
L2	9	286	E1	10	420
L2	10	286	E1	11	420

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L1	10	347	L1	8	87
L1	11	347	E2	10	310
E1	10	484	L2	8	448
E1	11	484	L1	11	243
E1	8	228	E5	8	15
E5	10	50	E5	9	15
E1	8	286	L1	10	303
E6	8	18	L1	11	303
E5	8	43	E1	9	66
E5	11	43	E1	10	66
L1	10	56	E1	11	66
E2	9	165	E5	8	19
E2	11	165	L1	10	326
E1	8	518	E1	8	495
E1	9	433	E6	8	121
L2	8	33	E5	8	28
E2	8	358	E5	9	28
E1	10	121	E5	10	28
E6	10	99	L1	11	460
E6	11	99	E4	8	60
E1	10	283	L2	8	73
E1	11	283	E1	11	295
L1	9	53	L1	8	110
L1	8	61	L2	10	106
L1	10	61	E1	8	255
L1	11	61	E1	9	255
E2	8	147	E1	10	255
E2	9	147	E5	8	33
L1	8	19	E5	11	33
L1	10	19	E5	8	16
L1	11	19	E5	9	16
L1	9	71	E5	10	16
L1	10	71	E6	8	101
L1	11	71	E6	9	101
E6	8	52	E1	8	279
E6	10	52	E1	10	279
E6	11	52	E1	9	223
E2	9	313	L2	11	178
L1	8	42	E5	8	36
L1	11	42	L1	8	41
L1	9	341	L1	9	41
L1	11	341	E1	11	540
E6	8	111	E4	9	18
E6	9	111	E4	11	18
E6	11	106	E4	8	34
E6	10	16	E5	8	32
L1	8	374	E1	8	198
E5	8	72	E5	9	31
E5	9	72	E5	8	30
E5	10	72	E5	10	30
E1	11	110	E5	9	59
E1	11	522	E5	10	59
E1	10	541	E1	8	298
E1	11	541	E4	10	31
L1	9	219	E4	11	31
L1	10	219	L1	9	465
L1	8	455	E5	8	69
L1	9	455	E5	9	69
L1	10	455	E5	11	69
L2	8	141	E5	8	60

Table XVI C. HPV11  
HLA-A3 Motif Peptides

E5	9	60	E1	8	546
L1	9	272	E1	9	546
E1	8	276	E1	8	421
E1	11	276	E1	9	421
E1	11	563	E1	10	421
L1	8	379	L1	9	339
L1	10	379	L1	11	339
E1	9	605	E1	8	47
E1	10	605	E1	9	47
E1	8	218	L1	8	197
E1	10	218	L1	11	197
E1	11	218	E1	8	19
L2	8	386	L1	11	155
E1	9	458	E1	8	274
L2	10	239	E1	9	274
E1	8	132	E1	10	274
E1	8	358	E4	8	1
E1	9	358	E4	9	1
E4	8	90	E2	8	71
E5	8	70	E2	8	329
E5	10	70	E6	9	36
E5	11	70	E6	10	36
E2	8	103	E6	11	36
E2	9	103	E1	9	329
E2	10	103	E1	10	100
E6	8	38	E1	9	600
E6	9	38	E2	8	294
E6	10	38	E2	9	294
E6	11	38	E5	8	9
E5	8	61	E1	10	368
E1	9	115	E1	11	368
E1	10	115	E2	8	304
E1	11	115	E2	11	304
E2	9	62	L2	8	342
E2	11	62	L2	11	342
E2	9	334	L1	9	206
L2	9	337	E2	8	170
L1	8	273	E2	9	170
E1	10	277	E6	8	58
E5	8	47	E1	8	156
L2	10	292	L1	8	318
L1	9	296	L1	10	318
L1	11	296	E1	11	598
E1	10	564	L1	8	407
L2	9	245	L1	9	407
E7	11	67	L1	10	407
L1	9	234	E1	9	568
L1	11	234	E1	10	568
E4	10	11	E1	11	568
E1	8	409	E1	10	451
E1	11	409	L1	10	31
L2	8	276	E7	8	88
L2	10	276	E7	10	88
L1	9	252	E2	9	264
L1	10	252	E2	10	264
L2	11	407	E6	10	50
L1	9	440	E4	8	33
L1	11	440	E4	9	33
E5	9	62	E1	8	397
E5	11	62	E1	11	397

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L1	10	338	E4	11	30
L1	9	353	L2	8	211
L1	10	353	L2	10	211
E2	8	22	E4	9	44
E2	11	22	E4	10	44
E1	8	395	L2	9	385
E1	10	395	E1	8	513
E1	9	59	E2	8	61
E1	11	59	E2	10	61
E2	10	347	L2	10	336
E2	11	347	E1	8	545
E2	9	248	E1	9	545
E5	8	54	E1	10	545
E5	11	54	L1	10	292
E2	10	127	L2	11	101
L2	9	236	L1	8	488
E5	8	78	L1	9	488
L2	11	138	L1	11	488
L2	8	79	E2	10	244
L2	9	79	L1	9	392
L2	10	79	L2	9	403
L2	11	284	E2	9	353
L2	9	416	L1	11	427
E4	9	49	L2	9	206
E4	10	49	L2	10	206
E4	11	49	L2	11	206
E2	11	216	L1	9	90
E2	9	196	E2	11	211
L1	9	483	L2	8	434
L1	11	483	L2	9	434
E1	9	528	L2	10	434
E1	11	528	L2	11	434
L2	10	271	L2	9	422
L2	8	398	L2	10	422
E7	9	18	L2	8	90
E1	8	480	L1	9	267
L2	9	28	L2	10	358
L1	8	229	L1	10	16
L1	11	229	L1	11	16
L2	11	351	L2	9	327
E1	8	594	E1	9	399
E1	10	594	E1	9	64
E1	10	226	E1	11	64
E1	11	456	E4	8	46
E1	10	592	E4	10	46
L2	8	410	E6	8	30
E4	9	4	E7	9	43
E4	10	4	E7	10	43
L2	8	354	L1	10	193
E1	8	94	L2	9	320
E1	8	442	L2	10	320
E6	9	110	E2	8	140
E6	10	110	L1	11	138
L1	10	218	L1	9	434
L1	11	218	E2	8	12
L2	8	447	E5	11	66
L2	9	447	E1	11	355
L1	8	161	E2	9	163
L2	9	72	E2	11	163
L1	9	109	E1	10	445

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L1	8	457	E1	11	383
L2	8	261	L2	8	290
L2	10	261	L1	11	471
E2	8	290	L2	11	301
E2	10	290	L2	9	297
E2	11	290	L2	11	297
E6	8	71	L2	10	445
E6	9	71	L2	11	445
E6	10	71	E2	8	37
E2	8	113	E2	9	37
E2	9	113	E2	10	37
L2	11	42	E2	11	37
E6	8	28	L1	8	242
E6	10	28	E4	9	59
E6	11	15	L2	10	280
L1	8	152	L2	11	280
L1	9	373	L1	9	40
L1	11	302	L1	10	40
E2	10	288	E2	8	302
L2	8	15	E2	10	302
E4	9	14	L2	10	244
E4	11	14	L2	8	307
L1	10	233	L2	9	307
L1	8	251	L2	11	307
L1	10	251	L1	9	280
L1	11	251	L1	11	280
E2	8	76	E1	8	205
E2	9	76	E1	9	205
L2	8	395	L1	9	335
L2	11	395	L1	8	477
E1	8	314	L1	11	477
E1	10	314	L1	8	29
E1	11	314	L1	9	473
L1	10	467	L1	10	473
L1	11	467	E1	10	231
L1	9	418	L2	8	220
L1	10	150	L1	8	141
E2	9	218	L1	9	141
E1	9	344	E1	11	583
L2	8	230	E2	11	225
L2	9	230	L1	9	380
E1	10	391	L2	8	110
E1	11	391	E2	8	234
L2	11	214	E2	9	234
L2	8	4	L2	9	180
L2	10	4	L1	8	475
L2	8	10	L1	10	475
E5	8	36	L2	10	12
E5	10	36	L2	11	12
E1	9	639	E6	10	9
E1	10	167	L1	9	348
E1	11	167	L1	10	348
E6	8	56	E1	9	485
E6	10	56	E1	10	485
E6	10	125	E1	8	606
E1	8	281	E1	9	606
L2	8	294	E1	11	606
E1	8	383	L2	10	428
E1	9	383	L2	11	428
E1	10	383	L1	8	354

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L1	9	354	L1	10	37
E1	9	219	L2	8	208
E1	10	219	L2	9	208
L1	8	441	L2	11	208
L1	10	441	E2	10	200
L1	11	441	E2	11	315
E1	11	12	L1	8	281
L2	8	174	L1	10	281
L1	8	115	E2	9	150
L1	9	115	E2	10	150
E1	8	193	L1	8	489
E1	10	193	L1	10	489
L2	10	396	E2	11	260
L2	11	204	E1	8	206
L2	8	308	E1	11	206
L2	10	308	E2	9	180
L2	11	308	L1	8	336
L1	9	293	E2	9	245
E1	9	315	L2	8	209
E1	10	315	L2	10	209
E1	8	43	L2	9	240
E1	10	135	E2	8	190
E1	11	135	E2	9	201
L1	8	63	E2	10	316
L1	9	63	L1	9	282
L1	9	468	E2	8	151
L1	10	468	E2	9	151
E1	8	247	E1	8	60
E2	8	207	E1	10	60
E2	11	207	L2	8	152
E2	10	23	E1	11	436
E6	9	12	L2	11	163
E1	8	547	E2	9	348
L2	9	266	E2	10	348
L2	10	266	E2	11	348
E1	8	422	L1	8	393
E1	9	422	E2	8	40
L1	10	376	E5	10	45
L1	11	376	L1	8	344
E5	11	30	L2	11	144
L2	10	102	E4	11	54
E1	8	350	E6	8	40
L1	9	86	E6	9	40
E6	11	23	E6	10	40
L2	11	105	L1	9	490
L2	10	259	L1	11	490
E4	9	89	L2	8	404
L1	10	295	E1	8	233
L2	9	303	E1	10	233
L1	9	298	E7	11	56
L1	11	298	E2	8	160
E7	8	32	E2	9	160
E7	11	32	L2	9	25
E2	9	337	L1	9	423
L1	11	452	L1	11	423
L2	8	132	E1	11	515
L1	10	85	L1	11	23
E4	10	88	E2	9	267
L1	9	38	E2	10	267
L1	11	38	L2	11	234

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L2	9	344	E5	11	44
E1	8	588	E2	11	97
E1	10	588	E6	8	39
L2	11	401	E6	9	39
E1	8	586	E6	10	39
E1	10	586	E6	11	39
L2	8	60	E2	8	219
L2	9	60	E1	9	232
L2	11	60	E1	11	232
L1	8	200	E2	8	228
L1	9	200	E2	11	228
L1	10	478	E1	9	585
L2	11	420	E1	11	585
L2	8	426	L2	9	37
L2	11	23	E5	10	14
E1	8	15	E5	11	14
L2	8	38	E1	8	116
E2	10	261	E1	9	116
E2	8	354	E1	10	116
L2	11	129	L1	8	91
L1	8	340	L1	11	333
L1	10	340	L2	10	150
E2	8	249	E5	11	13
E5	9	71	L2	11	149
E5	10	71	E5	10	55
E5	11	71	E4	8	100
L1	8	409	E2	10	212
E1	10	207	L1	8	224
E5	9	15	E5	9	56
E5	10	15	E1	8	345
E5	11	15	E1	11	498
E1	9	297	L2	11	383
E7	10	86	E1	8	78
E6	8	26	E1	9	78
E6	10	26	E2	8	202
L1	8	378	E2	8	63
L1	9	378	E2	10	63
L1	11	378	L1	9	57
E2	10	333	L1	11	57
L1	8	474	L2	8	338
L1	9	474	L2	11	338
L1	11	474	E1	8	239
E6	11	8	E1	11	239
E1	9	192	L1	8	283
E1	11	192	L1	8	21
E6	8	11	L1	9	21
E6	10	11	E5	10	25
E1	8	566	E5	11	25
E1	11	566	L1	11	225
L2	8	287	E7	8	90
L2	9	287	E5	8	74
L2	11	287	E5	10	74
L2	9	131	E2	8	152
E4	11	87	E1	8	182
L2	8	207	E1	9	182
L2	9	207	E1	8	48
L2	10	207	E7	9	37
E2	10	149	E1	8	221
E2	11	149	E1	11	221
L2	9	151	E1	8	434

Table XVI C. HPV11  
HLA-A3 Motif Peptides

L1	10	198	E2	11	199
L1	11	198	E2	8	266
E5	8	57	E2	10	266
E6	10	32	E2	11	266
L2	8	423	E2	11	332
L2	9	423	L2	10	145
L2	11	423	L2	11	414
L1	11	69	L2	11	325
L1	10	156	E1	9	565
L1	9	44	E2	8	148
L1	10	44	E2	11	148
E1	10	437	E1	10	584
E1	8	477	L1	8	328
E1	11	477	L2	8	246
L1	11	112	E1	8	238
E1	11	346	E1	9	238
E1	11	333	L1	9	20
L2	11	30	L1	10	20
L2	10	164	E5	11	24
E1	10	499	E7	10	68
E1	11	499	L1	8	72
E5	8	27	L1	9	72
E5	9	27	L1	10	72
E5	10	27	E4	8	2
E5	11	27	E4	11	2
E5	9	32	L1	8	58
E6	9	100	L1	10	58
E6	10	100	L1	11	58
E1	9	278	E2	11	58
E1	11	278	L2	9	120
E4	8	17	E5	8	3
E4	10	17	E5	9	3
E1	8	275	E6	9	53
E1	9	275	E6	10	53
L1	8	73	E6	11	53
L1	9	73	L1	10	97
E5	9	46	E2	8	320
E4	11	10	E2	9	320
E2	9	128	E2	11	320
E2	11	128	E1	10	17
E2	8	233	E1	9	322
E2	9	233	L2	11	392
E2	10	233	E1	10	272
E2	9	64	E1	11	272
L1	9	114	L2	8	46
L1	10	114	E1	8	426
L1	9	62	E1	10	340
L1	10	62	E5	9	14
E2	9	206	E5	10	14
L1	9	485	E5	9	18
L1	10	485	E1	8	464
L1	11	485	E5	10	58
L1	9	17	E5	11	58
L1	10	17	L1	8	309
L2	8	104	E1	8	510
L2	11	258	E1	9	510
E1	8	92	E1	11	510
E1	10	92	E2	9	102
L1	8	297	E2	10	102
L1	10	297	E2	11	102

Table XVI C. HPV11  
HLA-A3 Motif Peptides

E2	8	92	L1	10	26
E1	9	530	L1	11	26
E2	10	145	E4	9	16
E2	11	145	E4	11	16
E1	9	237	E4	8	9
E1	10	237	E2	8	168
E1	10	262	E2	10	168
E1	11	380	E2	11	168
E1	8	76	E1	8	502
E1	9	76	L1	10	10
E1	10	76	L1	11	416
E1	11	76	E1	9	91
E6	9	44	E1	11	91
E6	11	46	E2	8	131
L1	10	123			
E1	10	45			
E1	11	45			
L2	8	437			
L2	9	437			
E5	8	76			
E5	10	76			
L2	11	318			
L1	8	239			
L1	10	239			
L1	11	239			
L1	10	132			
E2	11	178			
E2	10	188			
E1	8	137			
E1	9	137			
L2	9	70			
L2	11	70			
E4	8	22			
L2	8	431			
L2	9	431			
L2	10	431			
L2	11	431			
E1	9	579			
E1	11	579			
E2	10	138			
L1	9	231			
L1	8	246			
L1	9	246			
L1	10	246			
L1	11	246			
L1	8	359			
E5	10	61			
L1	8	49			
E2	10	336			
E2	9	159			
E2	10	159			
L1	9	351			
L1	11	351			
E2	8	214			
L2	10	305			
L2	11	305			
E1	10	402			
E1	11	402			
L1	8	26			
L1	9	26			

SF 1168134 v1

Table XVII.  
HLA-A11 Motif Peptides

1	2	3	4			
HPV16 E1		8	316	HPV16 E1	10	221
HPV16 E1		8	205	HPV16 E1	11	629
HPV16 E1		11	205	HPV16 E1	9	152
HPV16 E1		11	248	HPV16 E1	9	288
HPV16 E1		10	391	HPV16 E1	11	140
HPV16 E1		9	570	HPV16 E1	9	594
HPV16 E1		11	570	HPV16 E1	8	612
HPV16 E1		9	112	HPV16 E1	8	51
HPV16 E1		9	69	HPV16 E1	9	392
HPV16 E1		11	69	HPV16 E1	8	463
HPV16 E1		11	459	HPV16 E1	9	453
HPV16 E1		10	206	HPV16 E1	10	453
HPV16 E1		8	406	HPV16 E1	9	219
HPV16 E1		9	406	HPV16 E1	11	613
HPV16 E1		8	524	HPV16 E1	9	71
HPV16 E1		8	82	HPV16 E1	10	71
HPV16 E1		9	82	HPV16 E1	10	100
HPV16 E1		8	405	HPV16 E1	8	632
HPV16 E1		9	405	HPV16 E1	9	334
HPV16 E1		10	405	HPV16 E1	11	437
HPV16 E1		11	430	HPV16 E1	8	176
HPV16 E1		8	500	HPV16 E1	9	176
HPV16 E1		10	283	HPV16 E1	10	162
HPV16 E1		10	114	HPV16 E1	11	466
HPV16 E1		11	114	HPV16 E1	9	325
HPV16 E1		8	304	HPV16 E1	11	242
HPV16 E1		10	304	HPV16 E1	9	272
HPV16 E1		9	101	HPV16 E1	10	272
HPV16 E1		11	101	HPV16 E1	11	272
HPV16 E1		9	523	HPV16 E1	9	542
HPV16 E1		8	81	HPV16 E1	10	542
HPV16 E1		9	81	HPV16 E1	11	542
HPV16 E1		10	81	HPV16 E1	10	598
HPV16 E1		8	404	HPV16 E1	10	174
HPV16 E1		9	404	HPV16 E1	11	174
HPV16 E1		10	404	HPV16 E1	9	163
HPV16 E1		11	404	HPV16 E1	10	496
HPV16 E1		10	522	HPV16 E1	8	571
HPV16 E1		8	371	HPV16 E1	10	571
HPV16 E1		9	371	HPV16 E1	9	12
HPV16 E1		9	50	HPV16 E1	9	216
HPV16 E1		9	631	HPV16 E1	10	68
HPV16 E1		10	541	HPV16 E1	11	507
HPV16 E1		11	541	HPV16 E1	9	499
HPV16 E1		10	368	HPV16 E1	8	113
HPV16 E1		11	368	HPV16 E1	11	113
HPV16 E1		9	103	HPV16 E1	11	473
HPV16 E1		8	372	HPV16 E1	11	194
HPV16 E1		10	249	HPV16 E1	8	568
HPV16 E1		8	573	HPV16 E1	11	568
HPV16 E1		10	573	HPV16 E1	8	326
HPV16 E1		11	384	HPV16 E1	9	369
HPV16 E1		8	335	HPV16 E1	10	369
HPV16 E1		11	548	HPV16 E1	11	369
HPV16 E1		10	452	HPV16 E1	10	401
HPV16 E1		11	452	HPV16 E1	11	401
HPV16 E1		10	11	HPV16 E1	9	204
HPV16 E1		8	603	HPV16 E1	10	111
HPV16 E1		10	356	HPV16 E1	11	282
				HPV16 E1	8	403

Table XVII  
HLA-A11 Motif Peptides

HPV16 E1	9	403	HPV16 E1	11	367
HPV16 E1	10	403	HPV16 E1	11	605
HPV16 E1	11	403	HPV16 E1	11	597
HPV16 E1	11	400	HPV16 E1	9	567
HPV16 E1	10	311	HPV16 E1	8	543
HPV16 E1	8	285	HPV16 E1	9	543
HPV16 E1	9	607	HPV16 E1	10	543
HPV16 E1	10	610	HPV16 E1	8	104
HPV16 E1	10	483	HPV16 E1	9	386
HPV16 E1	10	394	HPV16 E1	8	396
HPV16 E1	11	323	HPV16 E1	9	196
HPV16 E1	10	252	HPV16 E1	11	527
HPV16 E1	8	208	HPV16 E1	10	593
HPV16 E1	11	521	HPV16 E1	10	190
HPV16 E1	11	540	HPV16 E1	10	302
HPV16 E1	9	126	HPV16 E1	8	245
HPV16 E1	8	485	HPV16 E1	8	600
HPV16 E1	8	70	HPV16 E1	11	600
HPV16 E1	10	70	HPV16 E1	8	61
HPV16 E1	11	70	HPV16 E1	11	495
HPV16 E1	10	276	HPV16 E1	8	441
HPV16 E1	8	254	HPV16 E1	8	143
HPV16 E1	10	254	HPV16 E1	9	143
HPV16 E1	9	277	HPV16 E1	9	419
HPV16 E1	11	277	HPV16 E1	10	419
HPV16 E1	10	474	HPV16 E1	11	419
HPV16 E1	10	195	HPV16 E1	8	118
HPV16 E1	9	620	HPV16 E1	8	80
HPV16 E1	9	357	HPV16 E1	9	80
HPV16 E1	9	191	HPV16 E1	10	80
HPV16 E1	10	243	HPV16 E1	11	80
HPV16 E1	10	59	HPV16 E1	8	462
HPV16 E1	11	48	HPV16 E1	9	462
HPV16 E1	9	222	HPV16 E1	10	125
HPV16 E1	8	278	HPV16 E1	9	109
HPV16 E1	10	278	HPV16 E1	10	619
HPV16 E1	8	544	HPV16 E1	8	313
HPV16 E1	9	544	HPV16 E1	10	313
HPV16 E1	9	303	HPV16 E1	11	313
HPV16 E1	11	303	HPV16 E1	9	615
HPV16 E1	10	408	HPV16 E1	9	432
HPV16 E1	11	408	HPV16 E1	11	390
HPV16 E1	8	306	HPV16 E1	9	611
HPV16 E1	9	207	HPV16 E1	8	455
HPV16 E1	8	144	HPV16 E1	10	218
HPV16 E1	9	305	HPV16 E1	11	99
HPV16 E1	8	454	HPV16 E1	9	175
HPV16 E1	9	454	HPV16 E1	10	175
HPV16 E1	8	420	HPV16 E1	8	164
HPV16 E1	9	420	HPV16 E1	11	161
HPV16 E1	10	420	HPV16 E1	11	173
HPV16 E1	8	422	HPV16 E1	9	250
HPV16 E1	11	422	HPV16 E1	9	484
HPV16 E1	8	273	HPV16 E1	8	621
HPV16 E1	9	273	HPV16 E1	8	421
HPV16 E1	10	273	HPV16 E1	9	421
HPV16 E1	10	569	HPV16 E1	10	201
HPV16 E1	9	202	HPV16 E1	8	387
HPV16 E1	11	202	HPV16 E1	10	566
HPV16 E1	10	630	HPV16 E1	9	395

Table XVII  
HLA-A11 Motif Peptides

HPV16 E1	9	314	HPV16 E2	8	300
HPV16 E1	10	314	HPV16 E2	9	300
HPV16 E1	9	497	HPV16 E2	10	281
HPV16 E1	11	497	HPV16 E2	11	126
HPV16 E1	8	315	HPV16 E2	9	174
HPV16 E1	9	315	HPV16 E2	9	294
HPV16 E1	8	72	HPV16 E2	10	294
HPV16 E1	9	72	HPV16 E2	11	294
HPV16 E1	9	572	HPV16 E2	8	173
HPV16 E1	11	572	HPV16 E2	10	173
HPV16 E1	8	13	HPV16 E2	9	122
HPV16 E1	10	324	HPV16 E2	10	122
HPV16 E1	8	289	HPV16 E2	8	124
HPV16 E1	9	253	HPV16 E2	8	25
HPV16 E1	11	253	HPV16 E2	10	25
HPV16 E1	8	407	HPV16 E2	11	25
HPV16 E1	11	407	HPV16 E2	8	22
HPV16 E1	8	192	HPV16 E2	11	22
HPV16 E1	10	385	HPV16 E2	10	246
HPV16 E1	11	200	HPV16 E2	9	39
HPV16 E1	11	565	HPV16 E2	11	162
HPV16 E1	8	433	HPV16 E2	10	149
HPV16 E1	8	370	HPV16 E2	11	149
HPV16 E1	9	370	HPV16 E2	10	209
HPV16 E1	10	370	HPV16 E2	10	74
HPV16 E1	10	49	HPV16 E2	9	48
HPV16 E1	8	102	HPV16 E2	8	20
HPV16 E1	10	102	HPV16 E2	10	20
HPV16 E1	8	498	HPV16 E2	8	80
HPV16 E1	10	498	HPV16 E2	8	233
HPV16 E1	8	197	HPV16 E2	10	233
HPV16 E1	8	275	HPV16 E2	9	204
HPV16 E1	11	275	HPV16 E2	11	204
HPV16 E1	8	217	HPV16 E2	10	121
HPV16 E1	11	217	HPV16 E2	11	121
HPV16 E1	8	545	HPV16 E2	9	346
HPV16 E1	8	274	HPV16 E2	8	271
HPV16 E1	9	274	HPV16 E2	10	168
HPV16 E1	10	18	HPV16 E2	11	168
HPV16 E1	11	18	HPV16 E2	8	108
HPV16 E1	10	271	HPV16 E2	10	293
HPV16 E1	11	271	HPV16 E2	11	293
HPV16 E1	8	425	HPV16 E2	8	123
HPV16 E1	10	339	HPV16 E2	9	123
HPV16 E1	9	509	HPV16 E2	10	163
HPV16 E1	9	529	HPV16 E2	10	156
HPV16 E1	8	476	HPV16 E2	8	248
HPV16 E1	10	333	HPV16 E2	11	248
HPV16 E1	10	215	HPV16 E2	11	230
HPV16 E1	11	58	HPV16 E2	9	29
HPV16 E1	8	20	HPV16 E2	10	214
HPV16 E1	9	20	HPV16 E2	10	290
HPV16 E2	9	270	HPV16 E2	9	35
HPV16 E2	8	216	HPV16 E2	10	35
HPV16 E2	10	216	HPV16 E2	11	35
HPV16 E2	8	295	HPV16 E2	8	252
HPV16 E2	9	295	HPV16 E2	8	30
HPV16 E2	10	295	HPV16 E2	9	210
HPV16 E2	11	314	HPV16 E2	9	267
HPV16 E2	8	40	HPV16 E2	10	267

Table XVII  
HLA-A11 Motif Peptides

HPV16 E2	8	45	HPV16 E2	9	27
HPV16 E2	9	45	HPV16 E2	11	27
HPV16 E2	8	299	HPV16 E2	9	343
HPV16 E2	9	299	HPV16 E2	9	304
HPV16 E2	10	299	HPV16 E2	8	37
HPV16 E2	9	172	HPV16 E2	9	37
HPV16 E2	11	172	HPV16 E2	11	37
HPV16 E2	8	292	HPV16 E2	8	7
HPV16 E2	11	292	HPV16 E2	11	242
HPV16 E2	8	180	HPV16 E2	8	165
HPV16 E2	9	329	HPV16 E2	8	330
HPV16 E2	9	215	HPV16 E2	11	202
HPV16 E2	11	215	HPV16 E2	8	283
HPV16 E2	11	4	HPV16 E2	10	283
HPV16 E2	11	8	HPV16 E2	9	206
HPV16 E2	8	347	HPV16 E2	9	316
HPV16 E2	8	268	HPV16 E2	10	23
HPV16 E2	9	268	HPV16 E2	8	317
HPV16 E2	11	268	HPV16 E2	11	317
HPV16 E2	9	103	HPV16 E2	11	144
HPV16 E2	10	103	HPV16 E2	8	269
HPV16 E2	11	103	HPV16 E2	10	269
HPV16 E2	11	77	HPV16 E2	8	104
HPV16 E2	9	335	HPV16 E2	9	104
HPV16 E2	8	49	HPV16 E2	10	104
HPV16 E2	11	280	HPV16 E2	8	313
HPV16 E2	9	21	HPV16 E2	9	24
HPV16 E2	9	282	HPV16 E2	11	24
HPV16 E2	11	282	HPV16 E2	9	107
HPV16 E2	8	84	HPV16 E2	8	322
HPV16 E2	8	296	HPV16 E2	9	247
HPV16 E2	9	296	HPV16 E2	11	81
HPV16 E2	11	296	HPV16 E2	8	61
HPV16 E2	10	127	HPV16 E2	10	78
HPV16 E2	9	284	HPV16 E2	8	297
HPV16 E2	10	9	HPV16 E2	10	297
HPV16 E2	11	9	HPV16 E2	11	297
HPV16 E2	9	250	HPV16 E2	10	93
HPV16 E2	10	250	HPV16 E2	10	334
HPV16 E2	8	245	HPV16 E2	11	310
HPV16 E2	11	245	HPV16 E2	9	128
HPV16 E2	10	266	HPV16 E2	11	128
HPV16 E2	11	266	HPV16 E2	8	285
HPV16 E2	8	106	HPV16 E2	9	146
HPV16 E2	10	106	HPV16 E2	10	146
HPV16 E2	9	60	HPV16 E2	9	10
HPV16 E2	8	12	HPV16 E2	10	10
HPV16 E2	8	95	HPV16 E2	8	152
HPV16 E2	11	120	HPV16 E2	10	152
HPV16 E2	8	170	HPV16 E2	8	205
HPV16 E2	9	170	HPV16 E2	10	205
HPV16 E2	11	170	HPV16 E2	10	315
HPV16 E2	10	345	HPV16 E2	11	333
HPV16 E2	8	76	HPV16 E2	10	145
HPV16 E2	8	235	HPV16 E2	11	145
HPV16 E2	8	151	HPV16 E2	8	147
HPV16 E2	9	151	HPV16 E2	9	147
HPV16 E2	11	151	HPV16 E2	9	58
HPV16 E2	10	57	HPV16 E2	11	58
HPV16 E2	8	27	HPV16 E2	8	321

Table XVII  
HLA-A11 Motif Peptides

HPV16 E2	9	321	HPV16 E6	10	52
HPV16 E2	11	92	HPV16 E6	11	52
HPV16 E2	11	167	HPV16 E6	9	64
HPV16 E2	11	155	HPV16 E6	8	92
HPV16 E2	10	102	HPV16 E6	10	92
HPV16 E2	11	102	HPV16 E6	9	31
HPV16 E2	9	83	HPV16 E6	11	31
HPV16 E2	10	178	HPV16 E6	9	125
HPV16 E2	9	312	HPV16 E6	10	133
HPV16 E2	8	131	HPV16 E6	9	33
HPV16 E2	9	159	HPV16 E6	8	34
HPV16 E5	11	53	HPV16 E6	9	80
HPV16 E5	8	56	HPV16 E6	9	59
HPV16 E5	10	54	HPV16 E6	8	72
HPV16 E5	10	59	HPV16 E6	9	75
HPV16 E5	11	20	HPV16 E6	10	75
HPV16 E5	9	60	HPV16 E6	11	75
HPV16 E5	8	72	HPV16 E6	8	79
HPV16 E5	10	66	HPV16 E6	10	79
HPV16 E5	11	65	HPV16 E6	11	57
HPV16 E5	8	51	HPV16 E6	8	117
HPV16 E5	8	61	HPV16 E6	9	117
HPV16 E5	8	23	HPV16 E6	10	22
HPV16 E5	9	71	HPV16 E6	8	126
HPV16 E5	9	22	HPV16 E6	11	126
HPV16 E5	8	32	HPV16 E6	9	107
HPV16 E5	11	48	HPV16 E6	10	106
HPV16 E5	8	70	HPV16 E6	8	8
HPV16 E5	10	70	HPV16 E6	10	8
HPV16 E5	9	31	HPV16 E6	11	8
HPV16 E5	11	58	HPV16 E6	8	144
HPV16 E5	9	55	HPV16 E6	10	144
HPV16 E5	10	21	HPV16 E6	11	144
HPV16 E5	9	50	HPV16 E6	11	112
HPV16 E5	8	68	HPV16 E6	9	134
HPV16 E5	10	68	HPV16 E6	8	102
HPV16 E6	9	53	HPV16 E6	9	116
HPV16 E6	10	53	HPV16 E6	10	116
HPV16 E6	9	7	HPV16 E6	8	10
HPV16 E6	11	7	HPV16 E6	9	10
HPV16 E6	8	68	HPV16 E6	11	21
HPV16 E6	10	68	HPV16 E6	8	43
HPV16 E6	8	146	HPV16 E6	10	142
HPV16 E6	9	146	HPV16 E6	11	62
HPV16 E6	8	70	HPV16 E6	8	55
HPV16 E6	10	70	HPV16 E6	8	131
HPV16 E6	10	58	HPV16 E6	11	5
HPV16 E6	11	73	HPV16 E6	9	145
HPV16 E6	9	143	HPV16 E6	10	145
HPV16 E6	11	143	HPV16 E6	11	89
HPV16 E6	9	23	HPV16 E6	10	6
HPV16 E6	10	37	HPV16 E6	9	140
HPV16 E6	11	37	HPV16 E6	11	29
HPV16 E6	11	51	HPV16 E6	8	94
HPV16 E6	10	63	HPV16 E6	9	93
HPV16 E6	8	32	HPV16 E6	9	69
HPV16 E6	10	32	HPV16 E6	11	69
HPV16 E6	11	105	HPV16 E6	10	139
HPV16 E6	11	36	HPV16 E6	9	67
HPV16 E6	8	48	HPV16 E6	11	67

Table XVII  
HLA-A11 Motif Peptides

HPV16 E6	8	39	HPV16 L1	9	153
HPV16 E6	9	39	HPV16 L1	9	235
HPV16 E6	9	91	HPV16 L1	8	249
HPV16 E6	11	91	HPV16 L1	9	249
HPV16 E6	11	99	HPV16 L1	9	484
HPV16 E6	8	77	HPV16 L1	10	484
HPV16 E6	9	77	HPV16 L1	10	397
HPV16 E6	10	77	HPV16 L1	10	168
HPV16 E7	8	42	HPV16 L1	11	168
HPV16 E7	10	42	HPV16 L1	8	270
HPV16 E7	11	42	HPV16 L1	9	270
HPV16 E7	9	58	HPV16 L1	8	154
HPV16 E7	10	68	HPV16 L1	11	113
HPV16 E7	11	39	HPV16 L1	8	171
HPV16 E7	10	14	HPV16 L1	8	15
HPV16 E7	8	4	HPV16 L1	8	295
HPV16 E7	8	18	HPV16 L1	10	295
HPV16 E7	10	57	HPV16 L1	10	378
HPV16 E7	9	3	HPV16 L1	9	109
HPV16 E7	10	88	HPV16 L1	10	5
HPV16 E7	8	2	HPV16 L1	8	494
HPV16 E7	10	2	HPV16 L1	10	494
HPV16 E7	9	89	HPV16 L1	9	333
HPV16 E7	11	67	HPV16 L1	8	236
HPV16 E7	11	13	HPV16 L1	8	282
HPV16 E7	11	87	HPV16 L1	11	446
HPV16 E7	8	53	HPV16 L1	9	356
HPV16 E7	9	41	HPV16 L1	9	186
HPV16 E7	11	41	HPV16 L1	9	269
HPV16 E7	8	44	HPV16 L1	10	269
HPV16 E7	9	44	HPV16 L1	8	110
HPV16 E7	8	70	HPV16 L1	8	437
HPV16 E7	8	66	HPV16 L1	9	437
HPV16 E7	11	63	HPV16 L1	10	142
HPV16 E7	11	56	HPV16 L1	8	93
HPV16 E7	10	64	HPV16 L1	10	93
HPV16 E7	8	90	HPV16 L1	11	307
HPV16 E7	9	52	HPV16 L1	8	438
HPV16 L1	10	372	HPV16 L1	10	64
HPV16 L1	11	372	HPV16 L1	9	254
HPV16 L1	9	162	HPV16 L1	8	250
HPV16 L1	11	453	HPV16 L1	11	250
HPV16 L1	9	127	HPV16 L1	10	332
HPV16 L1	10	483	HPV16 L1	10	185
HPV16 L1	11	483	HPV16 L1	11	86
HPV16 L1	8	411	HPV16 L1	9	143
HPV16 L1	8	498	HPV16 L1	8	374
HPV16 L1	11	63	HPV16 L1	9	374
HPV16 L1	9	373	HPV16 L1	11	11
HPV16 L1	10	373	HPV16 L1	10	407
HPV16 L1	11	233	HPV16 L1	10	501
HPV16 L1	8	163	HPV16 L1	11	501
HPV16 L1	8	310	HPV16 L1	10	108
HPV16 L1	11	292	HPV16 L1	9	493
HPV16 L1	10	70	HPV16 L1	11	493
HPV16 L1	11	70	HPV16 L1	8	505
HPV16 L1	11	371	HPV16 L1	11	406
HPV16 L1	10	251	HPV16 L1	11	151
HPV16 L1	8	128	HPV16 L1	8	382
HPV16 L1	9	329	HPV16 L1	10	382

Table XVII  
HLA-A11 Motif Peptides

HPV16 L1	11	382	HPV16 L1	9	92
HPV16 L1	8	90	HPV16 L1	11	92
HPV16 L1	11	90	HPV16 L1	8	253
HPV16 L1	8	46	HPV16 L1	10	253
HPV16 L1	11	46	HPV16 L1	8	271
HPV16 L1	11	69	HPV16 L1	11	28
HPV16 L1	10	152	HPV16 L1	8	518
HPV16 L1	9	248	HPV16 L1	9	518
HPV16 L1	10	248	HPV16 L1	10	518
HPV16 L1	8	485	HPV16 L1	11	518
HPV16 L1	9	485	HPV16 L1	10	308
HPV16 L1	10	355	HPV16 L1	8	49
HPV16 L1	8	139	HPV16 L1	8	375
HPV16 L1	11	184	HPV16 L1	8	519
HPV16 L1	8	68	HPV16 L1	9	519
HPV16 L1	9	495	HPV16 L1	10	519
HPV16 L1	11	495	HPV16 L1	11	519
HPV16 L1	8	409	HPV16 L1	8	521
HPV16 L1	10	409	HPV16 L1	9	521
HPV16 L1	10	87	HPV16 L1	10	521
HPV16 L1	11	87	HPV16 L1	9	410
HPV16 L1	10	234	HPV16 L1	8	523
HPV16 L1	9	281	HPV16 L1	9	309
HPV16 L1	11	325	HPV16 L1	10	12
HPV16 L1	8	385	HPV16 L1	11	12
HPV16 L1	10	58	HPV16 L1	11	50
HPV16 L1	8	83	HPV16 L1	11	4
HPV16 L1	9	82	HPV16 L1	8	471
HPV16 L1	9	383	HPV16 L1	10	471
HPV16 L1	10	383	HPV16 L1	9	408
HPV16 L1	9	296	HPV16 L1	11	408
HPV16 L1	9	460	HPV16 L1	8	384
HPV16 L1	10	460	HPV16 L1	9	384
HPV16 L1	11	460	HPV16 L1	11	57
HPV16 L1	11	258	HPV16 L1	9	327
HPV16 L1	9	436	HPV16 L1	11	327
HPV16 L1	10	436	HPV16 L1	10	114
HPV16 L1	8	190	HPV16 L1	9	252
HPV16 L1	9	77	HPV16 L1	11	252
HPV16 L1	10	247	HPV16 L1	9	448
HPV16 L1	11	247	HPV16 L1	10	448
HPV16 L1	9	138	HPV16 L1	9	65
HPV16 L1	10	81	HPV16 L1	11	65
HPV16 L1	11	515	HPV16 L1	9	517
HPV16 L1	11	43	HPV16 L1	10	517
HPV16 L1	9	497	HPV16 L1	11	517
HPV16 L1	8	450	HPV16 L1	8	520
HPV16 L1	8	399	HPV16 L1	9	520
HPV16 L1	11	331	HPV16 L1	10	520
HPV16 L1	8	181	HPV16 L1	11	520
HPV16 L1	11	354	HPV16 L1	8	522
HPV16 L1	10	280	HPV16 L1	9	522
HPV16 L1	10	179	HPV16 L1	10	516
HPV16 L1	9	100	HPV16 L1	11	516
HPV16 L1	9	67	HPV16 L1	9	379
HPV16 L1	11	482	HPV16 L1	11	379
HPV16 L1	8	328	HPV16 L1	11	36
HPV16 L1	10	328	HPV16 L1	8	54
HPV16 L1	9	115	HPV16 L1	9	54
HPV16 L1	8	144	HPV16 L1	11	167

Table XVII  
HLA-A11 Motif Peptides

HPV16 L1	11	98	HPV16 L2	11	181
HPV16 L1	10	293	HPV16 L2	8	321
HPV16 L1	9	71	HPV16 L2	9	444
HPV16 L1	10	71	HPV16 L2	10	444
HPV16 L1	11	141	HPV16 L2	9	259
HPV16 L1	10	91	HPV16 L2	11	59
HPV16 L1	10	44	HPV16 L2	10	300
HPV16 L1	9	48	HPV16 L2	11	226
HPV16 L1	10	326	HPV16 L2	9	307
HPV16 L1	10	447	HPV16 L2	10	63
HPV16 L1	11	447	HPV16 L2	11	218
HPV16 L1	8	357	HPV16 L2	10	26
HPV16 L1	10	47	HPV16 L2	8	65
HPV16 L1	10	126	HPV16 L2	9	61
HPV16 L1	9	30	HPV16 L2	8	440
HPV16 L1	8	338	HPV16 L2	10	440
HPV16 L1	10	161	HPV16 L2	8	41
HPV16 L1	11	396	HPV16 L2	8	260
HPV16 L1	11	75	HPV16 L2	8	320
HPV16 L1	8	268	HPV16 L2	9	320
HPV16 L1	10	268	HPV16 L2	8	306
HPV16 L1	11	268	HPV16 L2	10	306
HPV16 L1	9	260	HPV16 L2	10	60
HPV16 L1	8	7	HPV16 L2	9	439
HPV16 L1	9	38	HPV16 L2	11	439
HPV16 L1	8	389	HPV16 L2	8	32
HPV16 L1	10	275	HPV16 L2	9	361
HPV16 L1	11	275	HPV16 L2	11	148
HPV16 L1	9	470	HPV16 L2	11	344
HPV16 L1	11	470	HPV16 L2	10	243
HPV16 L1	8	53	HPV16 L2	8	250
HPV16 L1	9	53	HPV16 L2	8	430
HPV16 L1	10	53	HPV16 L2	10	248
HPV16 L2	9	441	HPV16 L2	8	318
HPV16 L2	8	241	HPV16 L2	9	318
HPV16 L2	10	443	HPV16 L2	10	318
HPV16 L2	11	443	HPV16 L2	11	318
HPV16 L2	11	25	HPV16 L2	10	39
HPV16 L2	10	288	HPV16 L2	8	284
HPV16 L2	11	288	HPV16 L2	11	427
HPV16 L2	11	356	HPV16 L2	9	249
HPV16 L2	10	293	HPV16 L2	9	183
HPV16 L2	11	293	HPV16 L2	11	183
HPV16 L2	11	396	HPV16 L2	9	294
HPV16 L2	8	13	HPV16 L2	10	294
HPV16 L2	11	13	HPV16 L2	8	454
HPV16 L2	9	82	HPV16 L2	11	454
HPV16 L2	9	15	HPV16 L2	8	362
HPV16 L2	8	442	HPV16 L2	10	149
HPV16 L2	11	442	HPV16 L2	10	397
HPV16 L2	9	282	HPV16 L2	9	150
HPV16 L2	10	282	HPV16 L2	9	240
HPV16 L2	8	445	HPV16 L2	11	292
HPV16 L2	9	445	HPV16 L2	10	281
HPV16 L2	9	31	HPV16 L2	11	281
HPV16 L2	10	258	HPV16 L2	10	30
HPV16 L2	10	340	HPV16 L2	8	217
HPV16 L2	11	242	HPV16 L2	10	215
HPV16 L2	8	283	HPV16 L2	9	429
HPV16 L2	9	283	HPV16 L2	8	386

Table XVII  
HLA-A11 Motif Peptides

HPV16 L2	9	346	HPV16 L2	9	244
HPV16 L2	11	383	HPV16 L2	8	151
HPV16 L2	8	450	HPV16 L2	11	287
HPV16 L2	9	450	HPV16 L2	9	222
HPV16 L2	10	450	HPV16 L2	11	238
HPV16 L2	11	450	HPV16 L2	11	210
HPV16 L2	11	80	HPV16 L2	10	447
HPV16 L2	9	172	HPV16 L2	11	447
HPV16 L2	9	358	HPV16 L2	8	453
HPV16 L2	8	221	HPV16 L2	9	453
HPV16 L2	10	221	HPV16 L2	11	303
HPV16 L2	8	342	HPV16 L2	9	228
HPV16 L2	9	310	HPV16 L2	11	437
HPV16 L2	8	12	HPV18 E1	11	397
HPV16 L2	9	12	HPV18 E1	10	398
HPV16 L2	9	305	HPV18 E1	11	398
HPV16 L2	11	305	HPV18 E1	11	546
HPV16 L2	8	5	HPV18 E1	9	68
HPV16 L2	9	315	HPV18 E1	11	466
HPV16 L2	11	315	HPV18 E1	9	284
HPV16 L2	8	298	HPV18 E1	11	284
HPV16 L2	10	69	HPV18 E1	10	213
HPV16 L2	11	9	HPV18 E1	8	413
HPV16 L2	11	313	HPV18 E1	9	413
HPV16 L2	10	14	HPV18 E1	8	531
HPV16 L2	8	316	HPV18 E1	11	504
HPV16 L2	10	316	HPV18 E1	8	412
HPV16 L2	11	316	HPV18 E1	9	412
HPV16 L2	9	64	HPV18 E1	10	412
HPV16 L2	8	319	HPV18 E1	9	618
HPV16 L2	9	319	HPV18 E1	10	290
HPV16 L2	10	319	HPV18 E1	8	483
HPV16 L2	10	360	HPV18 E1	10	483
HPV16 L2	8	184	HPV18 E1	8	311
HPV16 L2	10	184	HPV18 E1	10	311
HPV16 L2	9	185	HPV18 E1	11	437
HPV16 L2	9	212	HPV18 E1	11	196
HPV16 L2	8	186	HPV18 E1	9	78
HPV16 L2	8	213	HPV18 E1	10	78
HPV16 L2	8	347	HPV18 E1	11	78
HPV16 L2	10	384	HPV18 E1	9	530
HPV16 L2	10	81	HPV18 E1	8	411
HPV16 L2	9	27	HPV18 E1	9	411
HPV16 L2	8	83	HPV18 E1	10	411
HPV16 L2	11	299	HPV18 E1	11	411
HPV16 L2	8	62	HPV18 E1	10	529
HPV16 L2	11	62	HPV18 E1	9	548
HPV16 L2	9	70	HPV18 E1	10	548
HPV16 L2	9	40	HPV18 E1	11	548
HPV16 L2	10	438	HPV18 E1	8	203
HPV16 L2	8	399	HPV18 E1	10	228
HPV16 L2	8	311	HPV18 E1	10	580
HPV16 L2	10	182	HPV18 E1	11	391
HPV16 L2	8	359	HPV18 E1	11	637
HPV16 L2	11	359	HPV18 E1	8	342
HPV16 L2	8	295	HPV18 E1	10	459
HPV16 L2	9	295	HPV18 E1	10	594
HPV16 L2	11	295	HPV18 E1	9	639
HPV16 L2	10	211	HPV18 E1	11	639
HPV16 L2	9	398	HPV18 E1	10	10

Table XVII  
HLA-A11 Motif Peptides

HPV18 E1	8	610	HPV18 E1	9	410
HPV18 E1	9	115	HPV18 E1	10	410
HPV18 E1	10	115	HPV18 E1	11	410
HPV18 E1	10	62	HPV18 E1	9	202
HPV18 E1	8	95	HPV18 E1	11	579
HPV18 E1	8	379	HPV18 E1	8	299
HPV18 E1	8	64	HPV18 E1	9	439
HPV18 E1	10	309	HPV18 E1	8	647
HPV18 E1	9	104	HPV18 E1	9	647
HPV18 E1	10	74	HPV18 E1	10	318
HPV18 E1	9	482	HPV18 E1	9	614
HPV18 E1	11	482	HPV18 E1	9	468
HPV18 E1	9	601	HPV18 E1	10	468
HPV18 E1	8	619	HPV18 E1	8	401
HPV18 E1	9	460	HPV18 E1	10	401
HPV18 E1	10	463	HPV18 E1	8	292
HPV18 E1	8	470	HPV18 E1	10	490
HPV18 E1	9	399	HPV18 E1	10	259
HPV18 E1	10	399	HPV18 E1	10	283
HPV18 E1	9	226	HPV18 E1	8	215
HPV18 E1	8	130	HPV18 E1	11	528
HPV18 E1	8	465	HPV18 E1	10	547
HPV18 E1	8	212	HPV18 E1	11	547
HPV18 E1	11	212	HPV18 E1	8	69
HPV18 E1	9	341	HPV18 E1	9	129
HPV18 E1	11	444	HPV18 E1	9	464
HPV18 E1	9	223	HPV18 E1	8	281
HPV18 E1	8	640	HPV18 E1	9	281
HPV18 E1	10	640	HPV18 E1	8	261
HPV18 E1	8	549	HPV18 E1	10	261
HPV18 E1	9	549	HPV18 E1	8	313
HPV18 E1	10	549	HPV18 E1	8	285
HPV18 E1	11	549	HPV18 E1	10	285
HPV18 E1	10	605	HPV18 E1	10	570
HPV18 E1	11	92	HPV18 E1	9	118
HPV18 E1	11	644	HPV18 E1	10	118
HPV18 E1	9	11	HPV18 E1	11	118
HPV18 E1	9	279	HPV18 E1	8	224
HPV18 E1	10	279	HPV18 E1	11	224
HPV18 E1	11	279	HPV18 E1	11	376
HPV18 E1	11	249	HPV18 E1	9	571
HPV18 E1	11	514	HPV18 E1	11	480
HPV18 E1	8	270	HPV18 E1	9	229
HPV18 E1	8	76	HPV18 E1	10	415
HPV18 E1	11	76	HPV18 E1	11	415
HPV18 E1	9	198	HPV18 E1	10	340
HPV18 E1	8	440	HPV18 E1	9	214
HPV18 E1	8	282	HPV18 E1	9	312
HPV18 E1	11	282	HPV18 E1	8	427
HPV18 E1	8	569	HPV18 E1	10	427
HPV18 E1	11	569	HPV18 E1	8	429
HPV18 E1	9	506	HPV18 E1	11	429
HPV18 E1	8	552	HPV18 E1	8	403
HPV18 E1	8	116	HPV18 E1	10	77
HPV18 E1	9	116	HPV18 E1	11	77
HPV18 E1	11	116	HPV18 E1	11	612
HPV18 E1	8	461	HPV18 E1	11	604
HPV18 E1	10	617	HPV18 E1	9	574
HPV18 E1	11	289	HPV18 E1	9	428
HPV18 E1	8	410	HPV18 E1	8	119

Table XVII  
HLA-A11 Motif Peptides

HPV18 E1	9	119	HPV18 E1	9	260
HPV18 E1	10	119	HPV18 E1	11	260
HPV18 E1	9	393	HPV18 E1	8	414
HPV18 E1	9	577	HPV18 E1	11	414
HPV18 E1	8	485	HPV18 E1	10	573
HPV18 E1	10	600	HPV18 E1	10	533
HPV18 E1	8	642	HPV18 E1	8	572
HPV18 E1	9	568	HPV18 E1	11	572
HPV18 E1	8	551	HPV18 E1	11	532
HPV18 E1	9	551	HPV18 E1	11	296
HPV18 E1	8	448	HPV18 E1	8	323
HPV18 E1	8	596	HPV18 E1	10	297
HPV18 E1	8	252	HPV18 E1	8	105
HPV18 E1	8	607	HPV18 E1	10	481
HPV18 E1	11	607	HPV18 E1	10	505
HPV18 E1	10	67	HPV18 E1	8	81
HPV18 E1	8	195	HPV18 E1	8	280
HPV18 E1	9	211	HPV18 E1	9	280
HPV18 E1	10	146	HPV18 E1	10	280
HPV18 E1	11	200	HPV18 E1	11	339
HPV18 E1	9	426	HPV18 E1	11	192
HPV18 E1	11	426	HPV18 E1	10	250
HPV18 E1	8	80	HPV18 E1	10	17
HPV18 E1	9	80	HPV18 E1	11	17
HPV18 E1	8	148	HPV18 E1	10	278
HPV18 E1	11	102	HPV18 E1	11	278
HPV18 E1	10	128	HPV18 E1	10	346
HPV18 E1	8	320	HPV18 E1	8	432
HPV18 E1	10	320	HPV18 E1	9	516
HPV18 E1	11	320	HPV18 E1	9	536
HPV18 E1	9	622	HPV18 E1	10	268
HPV18 E1	8	469	HPV18 E1	8	492
HPV18 E1	9	469	HPV18 E1	10	222
HPV18 E1	10	225	HPV18 E1	10	408
HPV18 E1	8	507	HPV18 E1	11	408
HPV18 E1	8	120	HPV18 E1	8	19
HPV18 E1	9	120	HPV18 E1	9	19
HPV18 E1	8	117	HPV18 E2	9	269
HPV18 E1	10	117	HPV18 E2	10	269
HPV18 E1	11	117	HPV18 E2	11	269
HPV18 E1	8	394	HPV18 E2	9	45
HPV18 E1	9	402	HPV18 E2	9	82
HPV18 E1	10	392	HPV18 E2	10	82
HPV18 E1	9	321	HPV18 E2	11	82
HPV18 E1	10	321	HPV18 E2	10	154
HPV18 E1	10	93	HPV18 E2	11	154
HPV18 E1	8	322	HPV18 E2	8	270
HPV18 E1	9	322	HPV18 E2	9	270
HPV18 E1	9	310	HPV18 E2	10	270
HPV18 E1	11	310	HPV18 E2	11	270
HPV18 E1	9	534	HPV18 E2	10	214
HPV18 E1	11	534	HPV18 E2	8	252
HPV18 E1	10	377	HPV18 E2	8	301
HPV18 E1	8	227	HPV18 E2	9	301
HPV18 E1	11	227	HPV18 E2	11	132
HPV18 E1	10	645	HPV18 E2	10	282
HPV18 E1	11	645	HPV18 E2	9	14
HPV18 E1	11	462	HPV18 E2	10	14
HPV18 E1	8	12	HPV18 E2	8	156
HPV18 E1	10	197	HPV18 E2	9	156

Table XVII  
HLA-A11 Motif Peptides

HPV18 E2	11	156	HPV18 E2	8	44
HPV18 E2	11	209	HPV18 E2	10	44
HPV18 E2	10	126	HPV18 E2	8	67
HPV18 E2	8	29	HPV18 E2	9	67
HPV18 E2	11	26	HPV18 E2	8	297
HPV18 E2	11	31	HPV18 E2	9	297
HPV18 E2	9	354	HPV18 E2	11	297
HPV18 E2	10	210	HPV18 E2	9	107
HPV18 E2	8	175	HPV18 E2	10	107
HPV18 E2	9	175	HPV18 E2	8	170
HPV18 E2	11	167	HPV18 E2	8	185
HPV18 E2	9	104	HPV18 E2	9	285
HPV18 E2	9	43	HPV18 E2	9	64
HPV18 E2	11	43	HPV18 E2	11	64
HPV18 E2	11	125	HPV18 E2	10	353
HPV18 E2	10	268	HPV18 E2	9	249
HPV18 E2	11	268	HPV18 E2	11	249
HPV18 E2	10	294	HPV18 E2	9	288
HPV18 E2	11	294	HPV18 E2	8	272
HPV18 E2	8	117	HPV18 E2	9	272
HPV18 E2	8	331	HPV18 E2	8	16
HPV18 E2	8	85	HPV18 E2	8	84
HPV18 E2	9	161	HPV18 E2	9	84
HPV18 E2	9	127	HPV18 E2	9	33
HPV18 E2	9	184	HPV18 E2	9	220
HPV18 E2	8	284	HPV18 E2	8	216
HPV18 E2	10	284	HPV18 E2	11	80
HPV18 E2	9	251	HPV18 E2	11	56
HPV18 E2	8	53	HPV18 E2	10	2
HPV18 E2	10	291	HPV18 E2	10	242
HPV18 E2	8	338	HPV18 E2	11	119
HPV18 E2	9	20	HPV18 E2	10	61
HPV18 E2	8	46	HPV18 E2	8	122
HPV18 E2	10	19	HPV18 E2	8	314
HPV18 E2	8	289	HPV18 E2	10	160
HPV18 E2	8	68	HPV18 E2	8	305
HPV18 E2	8	300	HPV18 E2	9	305
HPV18 E2	9	300	HPV18 E2	10	305
HPV18 E2	10	300	HPV18 E2	8	11
HPV18 E2	9	28	HPV18 E2	8	296
HPV18 E2	8	293	HPV18 E2	9	296
HPV18 E2	11	293	HPV18 E2	10	296
HPV18 E2	9	116	HPV18 E2	8	244
HPV18 E2	11	18	HPV18 E2	11	213
HPV18 E2	8	152	HPV18 E2	10	13
HPV18 E2	9	152	HPV18 E2	11	13
HPV18 E2	9	329	HPV18 E2	9	283
HPV18 E2	10	329	HPV18 E2	11	283
HPV18 E2	11	238	HPV18 E2	8	298
HPV18 E2	11	281	HPV18 E2	10	298
HPV18 E2	11	267	HPV18 E2	11	298
HPV18 E2	9	58	HPV18 E2	10	229
HPV18 E2	11	12	HPV18 E2	9	230
HPV18 E2	11	8	HPV18 E2	11	230
HPV18 E2	11	333	HPV18 E2	8	233
HPV18 E2	10	81	HPV18 E2	8	355
HPV18 E2	11	81	HPV18 E2	8	153
HPV18 E2	9	144	HPV18 E2	11	153
HPV18 E2	10	133	HPV18 E2	9	155
HPV18 E2	11	133	HPV18 E2	10	155

Table XVII  
HLA-A11 Motif Peptides

HPV18 E2	8	145	HPV18 E5	8	12
HPV18 E2	8	330	HPV18 E5	9	31
HPV18 E2	9	330	HPV18 E6	10	63
HPV18 E2	8	273	HPV18 E6	9	64
HPV18 E2	10	57	HPV18 E6	11	64
HPV18 E2	9	243	HPV18 E6	9	48
HPV18 E2	8	286	HPV18 E6	10	48
HPV18 E2	11	286	HPV18 E6	9	131
HPV18 E2	10	120	HPV18 E6	9	141
HPV18 E2	9	211	HPV18 E6	9	68
HPV18 E2	8	231	HPV18 E6	8	142
HPV18 E2	10	231	HPV18 E6	11	142
HPV18 E2	10	334	HPV18 E6	10	70
HPV18 E2	8	136	HPV18 E6	11	70
HPV18 E2	8	212	HPV18 E6	8	27
HPV18 E2	8	157	HPV18 E6	10	27
HPV18 E2	10	157	HPV18 E6	9	58
HPV18 E2	9	232	HPV18 E6	10	58
HPV18 E2	9	335	HPV18 E6	10	83
HPV18 E2	11	335	HPV18 E6	8	5
HPV18 E2	9	62	HPV18 E6	9	5
HPV18 E2	11	62	HPV18 E6	11	46
HPV18 E2	10	150	HPV18 E6	8	29
HPV18 E2	11	150	HPV18 E6	10	77
HPV18 E2	10	106	HPV18 E6	11	40
HPV18 E2	11	106	HPV18 E6	8	43
HPV18 E2	8	322	HPV18 E6	10	47
HPV18 E2	10	183	HPV18 E6	11	47
HPV18 E2	9	240	HPV18 E6	10	53
HPV18 E2	10	173	HPV18 E6	8	97
HPV18 E2	11	173	HPV18 E6	11	97
HPV18 E2	10	143	HPV18 E6	11	62
HPV18 E2	9	66	HPV18 E6	9	120
HPV18 E2	10	66	HPV18 E6	8	128
HPV18 E2	9	169	HPV18 E6	8	139
HPV18 E2	11	228	HPV18 E6	11	139
HPV18 E2	8	135	HPV18 E6	10	130
HPV18 E2	9	135	HPV18 E6	8	69
HPV18 E2	10	164	HPV18 E6	11	69
HPV18 E5	11	29	HPV18 E6	8	67
HPV18 E5	11	9	HPV18 E6	10	67
HPV18 E5	10	56	HPV18 E6	8	50
HPV18 E5	9	11	HPV18 E6	8	117
HPV18 E5	8	8	HPV18 E6	9	117
HPV18 E5	11	55	HPV18 E6	10	117
HPV18 E5	10	10	HPV18 E6	8	92
HPV18 E5	10	6	HPV18 E6	11	52
HPV18 E5	9	57	HPV18 E6	9	102
HPV18 E5	11	57	HPV18 E6	10	101
HPV18 E5	11	5	HPV18 E6	8	121
HPV18 E5	11	43	HPV18 E6	8	112
HPV18 E5	9	7	HPV18 E6	9	112
HPV18 E5	8	58	HPV18 E6	10	41
HPV18 E5	10	58	HPV18 E6	9	1
HPV18 E5	10	22	HPV18 E6	10	1
HPV18 E5	8	46	HPV18 E6	11	129
HPV18 E5	11	21	HPV18 E6	8	100
HPV18 E5	8	60	HPV18 E6	11	100
HPV18 E5	8	24	HPV18 E6	10	95
HPV18 E5	10	44	HPV18 E6	11	114

Table XVII  
HLA-A11 Motif Peptides

HPV18 E6	9	111	HPV18 E7	8	60
HPV18 E6	10	111	HPV18 E7	9	44
HPV18 E6	8	137	HPV18 E7	10	44
HPV18 E6	10	137	HPV18 E7	10	75
HPV18 E6	9	26	HPV18 L1	10	494
HPV18 E6	11	26	HPV18 L1	11	195
HPV18 E6	9	144	HPV18 L1	9	162
HPV18 E6	10	144	HPV18 L1	8	447
HPV18 E6	11	144	HPV18 L1	11	115
HPV18 E6	11	107	HPV18 L1	8	225
HPV18 E6	10	57	HPV18 L1	11	63
HPV18 E6	11	57	HPV18 L1	11	268
HPV18 E6	8	3	HPV18 L1	8	345
HPV18 E6	10	3	HPV18 L1	11	407
HPV18 E6	11	3	HPV18 L1	9	419
HPV18 E6	8	126	HPV18 L1	10	419
HPV18 E6	9	126	HPV18 L1	10	196
HPV18 E6	10	126	HPV18 L1	9	552
HPV18 E6	10	135	HPV18 L1	10	552
HPV18 E6	8	74	HPV18 L1	8	163
HPV18 E6	10	140	HPV18 L1	8	222
HPV18 E6	11	82	HPV18 L1	11	222
HPV18 E6	8	59	HPV18 L1	10	42
HPV18 E6	9	59	HPV18 L1	10	310
HPV18 E6	11	24	HPV18 L1	11	310
HPV18 E6	9	84	HPV18 L1	10	2
HPV18 E6	9	96	HPV18 L1	11	2
HPV18 E6	11	89	HPV18 L1	8	493
HPV18 E6	11	94	HPV18 L1	11	493
HPV18 E6	9	54	HPV18 L1	8	418
HPV18 E6	9	99	HPV18 L1	10	418
HPV18 E6	8	72	HPV18 L1	11	418
HPV18 E6	9	72	HPV18 L1	8	245
HPV18 E6	10	72	HPV18 L1	11	86
HPV18 E7	9	6	HPV18 L1	9	270
HPV18 E7	9	65	HPV18 L1	9	258
HPV18 E7	9	63	HPV18 L1	8	284
HPV18 E7	11	63	HPV18 L1	9	284
HPV18 E7	11	42	HPV18 L1	8	122
HPV18 E7	9	40	HPV18 L1	10	122
HPV18 E7	9	20	HPV18 L1	11	122
HPV18 E7	10	37	HPV18 L1	9	520
HPV18 E7	8	77	HPV18 L1	10	520
HPV18 E7	10	43	HPV18 L1	8	206
HPV18 E7	11	43	HPV18 L1	8	305
HPV18 E7	11	48	HPV18 L1	9	305
HPV18 E7	9	59	HPV18 L1	9	364
HPV18 E7	8	41	HPV18 L1	11	148
HPV18 E7	10	5	HPV18 L1	8	330
HPV18 E7	10	62	HPV18 L1	10	330
HPV18 E7	11	74	HPV18 L1	10	203
HPV18 E7	8	64	HPV18 L1	11	203
HPV18 E7	10	64	HPV18 L1	10	257
HPV18 E7	11	61	HPV18 L1	11	202
HPV18 E7	9	38	HPV18 L1	8	498
HPV18 E7	11	38	HPV18 L1	10	498
HPV18 E7	9	50	HPV18 L1	8	317
HPV18 E7	10	50	HPV18 L1	11	309
HPV18 E7	11	18	HPV18 L1	9	144
HPV18 E7	8	7	HPV18 L1	8	59

Table XVII  
HLA-A11 Motif Peptides

HPV18 L1	8	530	HPV18 L1	9	316
HPV18 L1	9	530	HPV18 L1	9	367
HPV18 L1	10	530	HPV18 L1	10	367
HPV18 L1	8	368	HPV18 L1	10	220
HPV18 L1	9	368	HPV18 L1	8	174
HPV18 L1	8	517	HPV18 L1	11	174
HPV18 L1	8	271	HPV18 L1	11	8
HPV18 L1	11	482	HPV18 L1	9	14
HPV18 L1	9	221	HPV18 L1	10	14
HPV18 L1	9	244	HPV18 L1	8	103
HPV18 L1	8	259	HPV18 L1	10	103
HPV18 L1	9	304	HPV18 L1	9	178
HPV18 L1	10	304	HPV18 L1	8	445
HPV18 L1	9	329	HPV18 L1	10	445
HPV18 L1	11	329	HPV18 L1	9	104
HPV18 L1	10	116	HPV18 L1	8	531
HPV18 L1	9	117	HPV18 L1	9	531
HPV18 L1	8	145	HPV18 L1	11	1
HPV18 L1	11	535	HPV18 L1	10	269
HPV18 L1	8	177	HPV18 L1	10	328
HPV18 L1	10	177	HPV18 L1	9	36
HPV18 L1	11	342	HPV18 L1	10	36
HPV18 L1	8	118	HPV18 L1	8	496
HPV18 L1	10	175	HPV18 L1	10	496
HPV18 L1	8	38	HPV18 L1	9	224
HPV18 L1	10	13	HPV18 L1	8	558
HPV18 L1	11	13	HPV18 L1	10	558
HPV18 L1	8	380	HPV18 L1	11	558
HPV18 L1	9	30	HPV18 L1	9	344
HPV18 L1	11	41	HPV18 L1	11	293
HPV18 L1	8	285	HPV18 L1	8	414
HPV18 L1	11	285	HPV18 L1	10	414
HPV18 L1	9	58	HPV18 L1	10	57
HPV18 L1	9	94	HPV18 L1	10	282
HPV18 L1	11	219	HPV18 L1	11	282
HPV18 L1	10	9	HPV18 L1	9	173
HPV18 L1	10	443	HPV18 L1	8	28
HPV18 L1	11	360	HPV18 L1	11	28
HPV18 L1	9	492	HPV18 L1	10	26
HPV18 L1	8	500	HPV18 L1	8	16
HPV18 L1	10	143	HPV18 L1	10	16
HPV18 L1	8	421	HPV18 L1	11	20
HPV18 L1	9	529	HPV18 L1	8	550
HPV18 L1	10	529	HPV18 L1	11	550
HPV18 L1	11	529	HPV18 L1	8	540
HPV18 L1	9	516	HPV18 L1	9	472
HPV18 L1	8	507	HPV18 L1	10	472
HPV18 L1	10	507	HPV18 L1	10	412
HPV18 L1	8	232	HPV18 L1	9	121
HPV18 L1	9	186	HPV18 L1	11	121
HPV18 L1	10	505	HPV18 L1	10	243
HPV18 L1	8	125	HPV18 L1	10	378
HPV18 L1	11	125	HPV18 L1	10	315
HPV18 L1	8	187	HPV18 L1	10	366
HPV18 L1	9	283	HPV18 L1	11	366
HPV18 L1	10	283	HPV18 L1	9	287
HPV18 L1	10	519	HPV18 L1	8	410
HPV18 L1	11	519	HPV18 L1	9	484
HPV18 L1	8	521	HPV18 L1	8	205
HPV18 L1	9	521	HPV18 L1	9	205

Table XVII  
HLA-A11 Motif Peptides

HPV18 L1	9	102	HPV18 L1	8	373
HPV18 L1	11	102	HPV18 L1	8	509
HPV18 L1	11	547	HPV18 L1	9	417
HPV18 L1	8	6	HPV18 L1	11	417
HPV18 L1	9	112	HPV18 L1	11	110
HPV18 L1	9	135	HPV18 L1	10	303
HPV18 L1	8	561	HPV18 L1	11	303
HPV18 L1	8	81	HPV18 L1	8	18
HPV18 L1	10	548	HPV18 L1	9	73
HPV18 L1	10	551	HPV18 L1	9	295
HPV18 L1	11	551	HPV18 L1	10	35
HPV18 L1	9	127	HPV18 L1	11	35
HPV18 L1	8	363	HPV18 L1	11	184
HPV18 L1	10	363	HPV18 L1	8	425
HPV18 L1	8	179	HPV18 L1	8	4
HPV18 L1	8	288	HPV18 L1	9	4
HPV18 L1	10	93	HPV18 L1	10	4
HPV18 L1	8	31	HPV18 L1	9	88
HPV18 L1	9	150	HPV18 L1	10	88
HPV18 L1	11	518	HPV18 L2	8	222
HPV18 L1	8	306	HPV18 L2	10	222
HPV18 L1	8	198	HPV18 L2	10	286
HPV18 L1	9	555	HPV18 L2	8	237
HPV18 L1	11	555	HPV18 L2	9	423
HPV18 L1	11	100	HPV18 L2	8	12
HPV18 L1	10	408	HPV18 L2	11	12
HPV18 L1	8	485	HPV18 L2	11	341
HPV18 L1	11	78	HPV18 L2	9	275
HPV18 L1	9	446	HPV18 L2	10	275
HPV18 L1	11	442	HPV18 L2	11	322
HPV18 L1	9	444	HPV18 L2	11	354
HPV18 L1	11	444	HPV18 L2	8	344
HPV18 L1	11	327	HPV18 L2	9	273
HPV18 L1	9	362	HPV18 L2	11	273
HPV18 L1	11	362	HPV18 L2	11	109
HPV18 L1	11	92	HPV18 L2	9	260
HPV18 L1	10	149	HPV18 L2	9	343
HPV18 L1	8	474	HPV18 L2	8	36
HPV18 L1	9	197	HPV18 L2	8	443
HPV18 L1	8	554	HPV18 L2	11	443
HPV18 L1	10	554	HPV18 L2	11	241
HPV18 L1	8	473	HPV18 L2	8	276
HPV18 L1	9	473	HPV18 L2	9	276
HPV18 L1	8	553	HPV18 L2	11	306
HPV18 L1	9	553	HPV18 L2	10	181
HPV18 L1	11	553	HPV18 L2	8	314
HPV18 L1	8	105	HPV18 L2	11	58
HPV18 L1	9	331	HPV18 L2	8	429
HPV18 L1	11	71	HPV18 L2	10	62
HPV18 L1	10	79	HPV18 L2	10	25
HPV18 L1	11	133	HPV18 L2	8	64
HPV18 L1	9	176	HPV18 L2	9	60
HPV18 L1	11	176	HPV18 L2	10	432
HPV18 L1	10	126	HPV18 L2	11	432
HPV18 L1	8	89	HPV18 L2	8	183
HPV18 L1	9	89	HPV18 L2	10	183
HPV18 L1	10	361	HPV18 L2	9	310
HPV18 L1	10	161	HPV18 L2	11	310
HPV18 L1	8	230	HPV18 L2	11	292
HPV18 L1	10	230	HPV18 L2	11	431

Table XVII  
HLA-A11 Motif Peptides

HPV18 L2	8	313	HPV18 L2	9	211
HPV18 L2	9	313	HPV18 L2	10	211
HPV18 L2	8	428	HPV18 L2	10	110
HPV18 L2	9	428	HPV18 L2	8	393
HPV18 L2	10	59	HPV18 L2	8	212
HPV18 L2	10	323	HPV18 L2	9	212
HPV18 L2	10	210	HPV18 L2	8	424
HPV18 L2	11	210	HPV18 L2	11	424
HPV18 L2	10	34	HPV18 L2	9	365
HPV18 L2	10	299	HPV18 L2	10	365
HPV18 L2	10	242	HPV18 L2	10	235
HPV18 L2	9	287	HPV18 L2	10	13
HPV18 L2	10	391	HPV18 L2	9	111
HPV18 L2	8	277	HPV18 L2	8	420
HPV18 L2	10	355	HPV18 L2	9	26
HPV18 L2	8	1	HPV18 L2	8	15
HPV18 L2	9	1	HPV18 L2	8	61
HPV18 L2	10	1	HPV18 L2	11	61
HPV18 L2	11	1	HPV18 L2	9	69
HPV18 L2	10	79	HPV18 L2	8	377
HPV18 L2	11	285	HPV18 L2	8	367
HPV18 L2	10	422	HPV18 L2	8	288
HPV18 L2	8	357	HPV18 L2	11	288
HPV18 L2	10	272	HPV18 L2	9	392
HPV18 L2	8	325	HPV18 L2	8	261
HPV18 L2	11	209	HPV18 L2	8	366
HPV18 L2	11	390	HPV18 L2	9	366
HPV18 L2	8	439	HPV18 L2	10	293
HPV18 L2	9	439	HPV18 L2	9	217
HPV18 L2	10	439	HPV18 L2	11	217
HPV18 L2	11	439	HPV18 L2	9	80
HPV18 L2	9	419	HPV18 L2	9	221
HPV18 L2	9	376	HPV18 L2	11	221
HPV18 L2	8	185	HPV18 L2	9	236
HPV18 L2	10	216	HPV18 L2	10	259
HPV18 L2	11	258	HPV18 L2	11	180
HPV18 L2	9	312	HPV18 L2	9	182
HPV18 L2	10	312	HPV18 L2	11	182
HPV18 L2	8	11	HPV18 L2	8	2
HPV18 L2	9	11	HPV18 L2	9	2
HPV18 L2	8	295	HPV18 L2	10	2
HPV18 L2	8	291	HPV18 L2	11	417
HPV18 L2	11	298	HPV18 L2	11	234
HPV18 L2	10	281	HPV18 L2	9	14
HPV18 L2	11	281	HPV18 L2	8	81
HPV18 L2	9	308	HPV18 L2	8	112
HPV18 L2	11	308	HPV18 L2	8	442
HPV18 L2	10	364	HPV18 L2	9	442
HPV18 L2	11	364	HPV18 L2	8	427
HPV18 L2	10	68	HPV18 L2	9	427
HPV18 L2	8	220	HPV18 L2	10	427
HPV18 L2	10	220	HPV18 L2	11	436
HPV18 L2	8	274	HPV18 L2	11	374
HPV18 L2	10	274	HPV31 E1	8	296
HPV18 L2	11	274	HPV31 E1	8	185
HPV18 L2	11	24	HPV31 E1	11	185
HPV18 L2	9	63	HPV31 E1	10	371
HPV18 L2	8	309	HPV31 E1	9	550
HPV18 L2	10	309	HPV31 E1	11	550
HPV18 L2	11	78	HPV31 E1	9	111

Table XVII  
HLA-A11 Motif Peptides

HPV31 E1	11	68	HPV31 E1	9	115
HPV31 E1	11	439	HPV31 E1	10	115
HPV31 E1	10	186	HPV31 E1	8	64
HPV31 E1	8	504	HPV31 E1	8	315
HPV31 E1	8	81	HPV31 E1	9	574
HPV31 E1	9	81	HPV31 E1	11	335
HPV31 E1	11	370	HPV31 E1	8	592
HPV31 E1	10	263	HPV31 E1	8	50
HPV31 E1	11	410	HPV31 E1	8	443
HPV31 E1	8	385	HPV31 E1	9	372
HPV31 E1	9	385	HPV31 E1	9	473
HPV31 E1	10	385	HPV31 E1	10	436
HPV31 E1	10	113	HPV31 E1	11	593
HPV31 E1	11	113	HPV31 E1	11	566
HPV31 E1	9	477	HPV31 E1	9	433
HPV31 E1	11	477	HPV31 E1	9	457
HPV31 E1	8	284	HPV31 E1	10	476
HPV31 E1	10	284	HPV31 E1	8	612
HPV31 E1	8	155	HPV31 E1	8	417
HPV31 E1	11	155	HPV31 E1	11	417
HPV31 E1	9	100	HPV31 E1	9	230
HPV31 E1	11	100	HPV31 E1	9	305
HPV31 E1	8	620	HPV31 E1	9	252
HPV31 E1	8	503	HPV31 E1	11	252
HPV31 E1	9	503	HPV31 E1	9	522
HPV31 E1	8	384	HPV31 E1	10	522
HPV31 E1	9	384	HPV31 E1	11	522
HPV31 E1	10	384	HPV31 E1	10	578
HPV31 E1	11	384	HPV31 E1	9	157
HPV31 E1	9	502	HPV31 E1	9	11
HPV31 E1	10	502	HPV31 E1	8	386
HPV31 E1	8	553	HPV31 E1	9	386
HPV31 E1	10	553	HPV31 E1	8	225
HPV31 E1	8	351	HPV31 E1	11	446
HPV31 E1	9	351	HPV31 E1	9	196
HPV31 E1	9	49	HPV31 E1	11	222
HPV31 E1	9	611	HPV31 E1	9	78
HPV31 E1	10	521	HPV31 E1	10	78
HPV31 E1	11	521	HPV31 E1	11	78
HPV31 E1	8	96	HPV31 E1	8	71
HPV31 E1	8	421	HPV31 E1	11	487
HPV31 E1	10	336	HPV31 E1	8	456
HPV31 E1	11	364	HPV31 E1	10	456
HPV31 E1	8	352	HPV31 E1	11	162
HPV31 E1	9	366	HPV31 E1	8	112
HPV31 E1	11	528	HPV31 E1	11	112
HPV31 E1	10	348	HPV31 E1	8	478
HPV31 E1	11	348	HPV31 E1	10	478
HPV31 E1	10	62	HPV31 E1	11	453
HPV31 E1	8	80	HPV31 E1	11	174
HPV31 E1	9	80	HPV31 E1	8	548
HPV31 E1	10	80	HPV31 E1	11	548
HPV31 E1	10	432	HPV31 E1	11	471
HPV31 E1	9	416	HPV31 E1	9	479
HPV31 E1	10	229	HPV31 E1	9	268
HPV31 E1	10	10	HPV31 E1	9	544
HPV31 E1	10	201	HPV31 E1	10	381
HPV31 E1	8	583	HPV31 E1	11	381
HPV31 E1	11	609	HPV31 E1	9	184
HPV31 E1	8	115	HPV31 E1	10	110

Table XVII  
HLA-A11 Motif Peptides

HPV31 E1	11	262	HPV31 E1	10	253
HPV31 E1	9	619	HPV31 E1	10	549
HPV31 E1	8	383	HPV31 E1	9	283
HPV31 E1	9	383	HPV31 E1	11	283
HPV31 E1	10	383	HPV31 E1	10	610
HPV31 E1	11	383	HPV31 E1	11	347
HPV31 E1	9	552	HPV31 E1	9	182
HPV31 E1	11	552	HPV31 E1	11	182
HPV31 E1	11	380	HPV31 E1	11	577
HPV31 E1	9	441	HPV31 E1	10	156
HPV31 E1	10	441	HPV31 E1	9	547
HPV31 E1	10	291	HPV31 E1	8	601
HPV31 E1	8	265	HPV31 E1	8	116
HPV31 E1	9	587	HPV31 E1	9	116
HPV31 E1	10	590	HPV31 E1	8	117
HPV31 E1	10	374	HPV31 E1	8	376
HPV31 E1	10	232	HPV31 E1	9	507
HPV31 E1	9	412	HPV31 E1	11	507
HPV31 E1	10	501	HPV31 E1	10	573
HPV31 E1	11	501	HPV31 E1	11	93
HPV31 E1	11	520	HPV31 E1	8	569
HPV31 E1	9	125	HPV31 E1	10	170
HPV31 E1	10	69	HPV31 E1	8	524
HPV31 E1	8	442	HPV31 E1	9	524
HPV31 E1	9	442	HPV31 E1	8	580
HPV31 E1	8	188	HPV31 E1	11	580
HPV31 E1	10	454	HPV31 E1	11	475
HPV31 E1	8	286	HPV31 E1	9	399
HPV31 E1	9	202	HPV31 E1	11	399
HPV31 E1	10	543	HPV31 E1	9	176
HPV31 E1	11	542	HPV31 E1	8	420
HPV31 E1	8	234	HPV31 E1	9	420
HPV31 E1	10	234	HPV31 E1	8	260
HPV31 E1	10	256	HPV31 E1	10	267
HPV31 E1	9	600	HPV31 E1	10	124
HPV31 E1	9	437	HPV31 E1	10	599
HPV31 E1	10	153	HPV31 E1	8	172
HPV31 E1	10	94	HPV31 E1	8	293
HPV31 E1	9	337	HPV31 E1	10	293
HPV31 E1	8	258	HPV31 E1	11	293
HPV31 E1	10	258	HPV31 E1	11	303
HPV31 E1	10	388	HPV31 E1	9	595
HPV31 E1	11	388	HPV31 E1	8	438
HPV31 E1	8	350	HPV31 E1	9	154
HPV31 E1	9	350	HPV31 E1	10	99
HPV31 E1	10	350	HPV31 E1	11	414
HPV31 E1	8	402	HPV31 E1	8	158
HPV31 E1	11	402	HPV31 E1	9	95
HPV31 E1	11	500	HPV31 E1	11	585
HPV31 E1	9	187	HPV31 E1	10	365
HPV31 E1	9	285	HPV31 E1	9	591
HPV31 E1	8	255	HPV31 E1	10	472
HPV31 E1	11	255	HPV31 E1	11	435
HPV31 E1	9	257	HPV31 E1	9	401
HPV31 E1	11	257	HPV31 E1	8	367
HPV31 E1	8	400	HPV31 E1	10	181
HPV31 E1	10	400	HPV31 E1	10	546
HPV31 E1	8	306	HPV31 E1	9	375
HPV31 E1	11	47	HPV31 E1	11	98
HPV31 E1	8	253	HPV31 E1	9	294

Table XVII  
HLA-A11 Motif Peptides

HPV31 E1	10	294	HPV31 E2	10	307
HPV31 E1	11	281	HPV31 E2	11	145
HPV31 E1	8	295	HPV31 E2	8	40
HPV31 E1	9	295	HPV31 E2	9	301
HPV31 E1	11	617	HPV31 E2	10	301
HPV31 E1	10	567	HPV31 E2	11	301
HPV31 E1	8	12	HPV31 E2	8	351
HPV31 E1	10	304	HPV31 E2	9	122
HPV31 E1	9	224	HPV31 E2	10	122
HPV31 E1	8	269	HPV31 E2	8	22
HPV31 E1	9	233	HPV31 E2	11	22
HPV31 E1	11	233	HPV31 E2	8	124
HPV31 E1	11	152	HPV31 E2	9	174
HPV31 E1	8	387	HPV31 E2	10	174
HPV31 E1	11	387	HPV31 E2	9	39
HPV31 E1	10	282	HPV31 E2	10	149
HPV31 E1	11	180	HPV31 E2	11	149
HPV31 E1	8	545	HPV31 E2	11	234
HPV31 E1	11	545	HPV31 E2	10	204
HPV31 E1	11	505	HPV31 E2	9	48
HPV31 E1	10	48	HPV31 E2	10	20
HPV31 E1	8	101	HPV31 E2	8	80
HPV31 E1	10	101	HPV31 E2	9	80
HPV31 E1	8	177	HPV31 E2	9	118
HPV31 E1	9	349	HPV31 E2	10	121
HPV31 E1	10	349	HPV31 E2	11	121
HPV31 E1	11	349	HPV31 E2	8	171
HPV31 E1	9	254	HPV31 E2	9	168
HPV31 E1	8	413	HPV31 E2	10	168
HPV31 E1	8	434	HPV31 E2	11	168
HPV31 E1	8	197	HPV31 E2	8	108
HPV31 E1	8	525	HPV31 E2	10	300
HPV31 E1	10	223	HPV31 E2	11	300
HPV31 E1	10	17	HPV31 E2	8	123
HPV31 E1	10	251	HPV31 E2	9	123
HPV31 E1	10	319	HPV31 E2	9	156
HPV31 E1	8	405	HPV31 E2	9	179
HPV31 E1	9	489	HPV31 E2	8	231
HPV31 E1	10	313	HPV31 E2	10	235
HPV31 E1	10	195	HPV31 E2	11	235
HPV31 E1	8	103	HPV31 E2	9	29
HPV31 E1	8	19	HPV31 E2	10	35
HPV31 E2	9	277	HPV31 E2	11	35
HPV31 E2	8	278	HPV31 E2	10	297
HPV31 E2	9	229	HPV31 E2	10	126
HPV31 E2	10	229	HPV31 E2	8	30
HPV31 E2	8	61	HPV31 E2	10	15
HPV31 E2	8	302	HPV31 E2	11	15
HPV31 E2	9	302	HPV31 E2	8	304
HPV31 E2	10	302	HPV31 E2	11	304
HPV31 E2	10	217	HPV31 E2	11	275
HPV31 E2	9	291	HPV31 E2	9	205
HPV31 E2	9	239	HPV31 E2	8	45
HPV31 E2	10	228	HPV31 E2	9	306
HPV31 E2	11	228	HPV31 E2	10	306
HPV31 E2	8	27	HPV31 E2	11	306
HPV31 E2	9	27	HPV31 E2	8	299
HPV31 E2	11	27	HPV31 E2	11	299
HPV31 E2	8	307	HPV31 E2	10	155
HPV31 E2	9	307	HPV31 E2	11	14

Table XVII  
HLA-A11 Motif Peptides

HPV31 E2	9	336	HPV31 E2	10	288
HPV31 E2	9	26	HPV31 E2	8	206
HPV31 E2	10	26	HPV31 E2	11	242
HPV31 E2	8	230	HPV31 E2	11	324
HPV31 E2	9	230	HPV31 E2	11	216
HPV31 E2	11	42	HPV31 E2	8	104
HPV31 E2	11	8	HPV31 E2	9	104
HPV31 E2	8	312	HPV31 E2	10	104
HPV31 E2	11	4	HPV31 E2	11	227
HPV31 E2	9	103	HPV31 E2	8	329
HPV31 E2	10	103	HPV31 E2	9	107
HPV31 E2	11	103	HPV31 E2	8	180
HPV31 E2	9	342	HPV31 E2	8	81
HPV31 E2	8	49	HPV31 E2	10	341
HPV31 E2	10	78	HPV31 E2	8	128
HPV31 E2	11	78	HPV31 E2	11	128
HPV31 E2	11	77	HPV31 E2	10	93
HPV31 E2	8	337	HPV31 E2	8	292
HPV31 E2	9	153	HPV31 E2	8	240
HPV31 E2	9	21	HPV31 E2	11	116
HPV31 E2	8	170	HPV31 E2	8	362
HPV31 E2	9	170	HPV31 E2	10	146
HPV31 E2	8	303	HPV31 E2	9	10
HPV31 E2	9	303	HPV31 E2	10	10
HPV31 E2	9	218	HPV31 E2	8	152
HPV31 E2	10	254	HPV31 E2	10	152
HPV31 E2	9	127	HPV31 E2	8	169
HPV31 E2	8	219	HPV31 E2	9	169
HPV31 E2	9	361	HPV31 E2	10	169
HPV31 E2	10	9	HPV31 E2	11	287
HPV31 E2	11	9	HPV31 E2	11	340
HPV31 E2	9	60	HPV31 E2	9	147
HPV31 E2	8	290	HPV31 E2	9	58
HPV31 E2	10	290	HPV31 E2	11	58
HPV31 E2	10	360	HPV31 E2	8	328
HPV31 E2	8	106	HPV31 E2	9	328
HPV31 E2	10	106	HPV31 E2	11	92
HPV31 E2	8	12	HPV31 E2	10	167
HPV31 E2	11	120	HPV31 E2	11	167
HPV31 E2	11	317	HPV31 E2	10	178
HPV31 E2	8	151	HPV31 E2	10	102
HPV31 E2	9	151	HPV31 E2	11	102
HPV31 E2	11	151	HPV31 E2	8	131
HPV31 E2	10	57	HPV31 E2	9	159
HPV31 E2	8	238	HPV31 E5	11	53
HPV31 E2	10	238	HPV31 E5	10	59
HPV31 E2	9	350	HPV31 E5	8	61
HPV31 E2	8	25	HPV31 E5	11	20
HPV31 E2	10	25	HPV31 E5	9	60
HPV31 E2	11	25	HPV31 E5	10	66
HPV31 E2	8	37	HPV31 E5	11	48
HPV31 E2	9	37	HPV31 E5	8	23
HPV31 E2	11	37	HPV31 E5	9	22
HPV31 E2	8	7	HPV31 E5	8	32
HPV31 E2	9	311	HPV31 E5	8	70
HPV31 E2	8	253	HPV31 E5	8	56
HPV31 E2	11	253	HPV31 E5	9	31
HPV31 E2	10	247	HPV31 E5	11	58
HPV31 E2	11	247	HPV31 E5	10	54
HPV31 E2	10	276	HPV31 E5	11	65

Table XVII  
HLA-A11 Motif Peptides

HPV31 E5	8	51	HPV31 E6	8	124
HPV31 E5	10	21	HPV31 E6	10	68
HPV31 E5	9	50	HPV31 E6	8	27
HPV31 E5	8	68	HPV31 E6	11	17
HPV31 E5	10	68	HPV31 E6	8	16
HPV31 E6	9	46	HPV31 E6	9	82
HPV31 E6	10	46	HPV31 E6	11	105
HPV31 E6	10	18	HPV31 E6	8	48
HPV31 E6	9	136	HPV31 E6	9	133
HPV31 E6	8	63	HPV31 E6	10	133
HPV31 E6	10	63	HPV31 E6	10	51
HPV31 E6	10	56	HPV31 E6	8	87
HPV31 E6	11	44	HPV31 E6	11	92
HPV31 E6	11	98	HPV31 E6	9	86
HPV31 E6	9	57	HPV31 E6	9	62
HPV31 E6	10	75	HPV31 E6	11	62
HPV31 E6	8	20	HPV31 E6	8	73
HPV31 E6	8	25	HPV31 E6	9	73
HPV31 E6	10	25	HPV31 E6	10	132
HPV31 E6	10	14	HPV31 E6	11	132
HPV31 E6	10	45	HPV31 E6	10	23
HPV31 E6	11	45	HPV31 E6	11	84
HPV31 E6	8	47	HPV31 E6	8	70
HPV31 E6	9	47	HPV31 E6	10	70
HPV31 E6	8	95	HPV31 E6	11	70
HPV31 E6	10	85	HPV31 E6	10	81
HPV31 E6	8	61	HPV31 E7	11	42
HPV31 E6	10	61	HPV31 E7	9	58
HPV31 E6	9	60	HPV31 E7	10	68
HPV31 E6	11	60	HPV31 E7	10	14
HPV31 E6	9	118	HPV31 E7	8	18
HPV31 E6	10	126	HPV31 E7	8	4
HPV31 E6	8	137	HPV31 E7	10	57
HPV31 E6	8	128	HPV31 E7	11	87
HPV31 E6	9	52	HPV31 E7	10	88
HPV31 E6	8	65	HPV31 E7	9	89
HPV31 E6	9	94	HPV31 E7	9	54
HPV31 E6	8	3	HPV31 E7	11	67
HPV31 E6	9	3	HPV31 E7	11	13
HPV31 E6	11	3	HPV31 E7	10	53
HPV31 E6	8	72	HPV31 E7	9	44
HPV31 E6	9	72	HPV31 E7	8	70
HPV31 E6	10	72	HPV31 E7	10	2
HPV31 E6	8	110	HPV31 E7	11	56
HPV31 E6	9	110	HPV31 E7	8	90
HPV31 E6	8	119	HPV31 E7	8	55
HPV31 E6	9	100	HPV31 E7	11	52
HPV31 E6	10	99	HPV31 L1	11	347
HPV31 E6	9	15	HPV31 L1	9	102
HPV31 E6	11	50	HPV31 L1	8	386
HPV31 E6	8	1	HPV31 L1	10	458
HPV31 E6	10	1	HPV31 L1	11	458
HPV31 E6	11	1	HPV31 L1	9	137
HPV31 E6	9	127	HPV31 L1	11	37
HPV31 E6	9	5	HPV31 L1	8	473
HPV31 E6	9	109	HPV31 L1	10	473
HPV31 E6	10	109	HPV31 L1	10	348
HPV31 E6	8	135	HPV31 L1	11	426
HPV31 E6	10	135	HPV31 L1	11	208
HPV31 E6	11	55	HPV31 L1	8	350

Table XVII  
HLA-A11 Motif Peptides

HPV31 L1	8	491	HPV31 L1	11	443
HPV31 L1	9	491	HPV31 L1	10	126
HPV31 L1	10	491	HPV31 L1	11	126
HPV31 L1	11	491	HPV31 L1	10	83
HPV31 L1	8	285	HPV31 L1	8	468
HPV31 L1	10	226	HPV31 L1	9	468
HPV31 L1	8	103	HPV31 L1	11	468
HPV31 L1	9	304	HPV31 L1	11	381
HPV31 L1	8	185	HPV31 L1	8	357
HPV31 L1	8	128	HPV31 L1	10	357
HPV31 L1	9	128	HPV31 L1	11	357
HPV31 L1	9	210	HPV31 L1	8	431
HPV31 L1	8	224	HPV31 L1	8	65
HPV31 L1	9	224	HPV31 L1	11	65
HPV31 L1	9	459	HPV31 L1	8	20
HPV31 L1	10	459	HPV31 L1	11	20
HPV31 L1	10	372	HPV31 L1	9	223
HPV31 L1	10	56	HPV31 L1	10	223
HPV31 L1	10	143	HPV31 L1	8	460
HPV31 L1	11	143	HPV31 L1	9	460
HPV31 L1	8	129	HPV31 L1	10	330
HPV31 L1	8	245	HPV31 L1	10	160
HPV31 L1	9	245	HPV31 L1	11	465
HPV31 L1	11	88	HPV31 L1	8	114
HPV31 L1	10	353	HPV31 L1	11	159
HPV31 L1	8	146	HPV31 L1	9	470
HPV31 L1	8	270	HPV31 L1	11	470
HPV31 L1	10	270	HPV31 L1	8	42
HPV31 L1	9	127	HPV31 L1	9	42
HPV31 L1	10	127	HPV31 L1	8	384
HPV31 L1	11	371	HPV31 L1	10	384
HPV31 L1	9	84	HPV31 L1	8	43
HPV31 L1	8	469	HPV31 L1	10	209
HPV31 L1	10	469	HPV31 L1	9	256
HPV31 L1	9	308	HPV31 L1	11	300
HPV31 L1	8	211	HPV31 L1	8	360
HPV31 L1	8	257	HPV31 L1	10	32
HPV31 L1	11	421	HPV31 L1	9	227
HPV31 L1	9	331	HPV31 L1	11	227
HPV31 L1	9	161	HPV31 L1	8	496
HPV31 L1	9	184	HPV31 L1	9	496
HPV31 L1	9	244	HPV31 L1	11	233
HPV31 L1	10	244	HPV31 L1	10	183
HPV31 L1	8	85	HPV31 L1	8	165
HPV31 L1	8	138	HPV31 L1	10	222
HPV31 L1	10	117	HPV31 L1	11	222
HPV31 L1	8	68	HPV31 L1	9	113
HPV31 L1	10	68	HPV31 L1	10	489
HPV31 L1	10	38	HPV31 L1	11	489
HPV31 L1	8	413	HPV31 L1	9	411
HPV31 L1	11	282	HPV31 L1	10	411
HPV31 L1	9	349	HPV31 L1	11	17
HPV31 L1	9	229	HPV31 L1	9	472
HPV31 L1	8	225	HPV31 L1	11	472
HPV31 L1	11	225	HPV31 L1	8	374
HPV31 L1	10	307	HPV31 L1	11	306
HPV31 L1	9	118	HPV31 L1	8	156
HPV31 L1	10	427	HPV31 L1	11	329
HPV31 L1	10	382	HPV31 L1	10	255
HPV31 L1	11	61	HPV31 L1	10	154

Table XVII  
HLA-A11 Motif Peptides

HPV31 L1	10	476	HPV31 L1	11	267
HPV31 L1	11	476	HPV31 L1	11	44
HPV31 L1	9	41	HPV31 L1	11	10
HPV31 L1	10	41	HPV31 L1	11	73
HPV31 L1	9	75	HPV31 L1	8	446
HPV31 L1	9	385	HPV31 L1	10	446
HPV31 L1	11	457	HPV31 L1	10	268
HPV31 L1	9	39	HPV31 L1	10	45
HPV31 L1	11	39	HPV31 L1	11	116
HPV31 L1	9	490	HPV31 L1	10	66
HPV31 L1	10	490	HPV31 L1	10	18
HPV31 L1	11	490	HPV31 L1	9	22
HPV31 L1	8	303	HPV31 L1	8	28
HPV31 L1	10	303	HPV31 L1	9	28
HPV31 L1	11	55	HPV31 L1	10	301
HPV31 L1	11	352	HPV31 L1	10	422
HPV31 L1	9	90	HPV31 L1	8	332
HPV31 L1	8	119	HPV31 L1	10	62
HPV31 L1	9	67	HPV31 L1	11	62
HPV31 L1	11	67	HPV31 L1	10	21
HPV31 L1	8	412	HPV31 L1	10	101
HPV31 L1	9	412	HPV31 L1	8	313
HPV31 L1	8	228	HPV31 L1	10	136
HPV31 L1	10	228	HPV31 L1	8	243
HPV31 L1	9	51	HPV31 L1	10	243
HPV31 L1	10	51	HPV31 L1	11	243
HPV31 L1	11	2	HPV31 L1	9	235
HPV31 L1	8	359	HPV31 L1	9	12
HPV31 L1	9	359	HPV31 L1	10	250
HPV31 L1	9	358	HPV31 L1	11	250
HPV31 L1	10	358	HPV31 L1	10	50
HPV31 L1	10	283	HPV31 L1	11	50
HPV31 L1	8	23	HPV31 L1	9	445
HPV31 L1	8	492	HPV31 L1	11	445
HPV31 L1	9	492	HPV31 L1	8	27
HPV31 L1	10	492	HPV31 L1	9	27
HPV31 L1	9	271	HPV31 L1	10	27
HPV31 L1	9	284	HPV31 L2	11	25
HPV31 L1	9	428	HPV31 L2	11	143
HPV31 L1	11	428	HPV31 L2	10	281
HPV31 L1	11	24	HPV31 L2	11	281
HPV31 L1	11	142	HPV31 L2	10	286
HPV31 L1	8	355	HPV31 L2	11	286
HPV31 L1	10	355	HPV31 L2	11	13
HPV31 L1	8	246	HPV31 L2	8	311
HPV31 L1	9	383	HPV31 L2	9	311
HPV31 L1	11	383	HPV31 L2	10	311
HPV31 L1	11	31	HPV31 L2	11	311
HPV31 L1	9	302	HPV31 L2	9	15
HPV31 L1	11	302	HPV31 L2	11	376
HPV31 L1	10	89	HPV31 L2	9	275
HPV31 L1	9	423	HPV31 L2	10	275
HPV31 L1	9	354	HPV31 L2	10	360
HPV31 L1	11	354	HPV31 L2	8	438
HPV31 L1	8	494	HPV31 L2	9	438
HPV31 L1	10	494	HPV31 L2	8	435
HPV31 L1	11	494	HPV31 L2	11	435
HPV31 L1	8	493	HPV31 L2	10	116
HPV31 L1	9	493	HPV31 L2	8	31
HPV31 L1	11	493	HPV31 L2	8	146

Table XVII  
HLA-A11 Motif Peptides

HPV31 L2	10	259	HPV31 L2	11	274
HPV31 L2	10	253	HPV31 L2	8	212
HPV31 L2	8	276	HPV31 L2	10	210
HPV31 L2	9	276	HPV31 L2	10	29
HPV31 L2	11	237	HPV31 L2	8	443
HPV31 L2	10	404	HPV31 L2	9	443
HPV31 L2	9	361	HPV31 L2	10	443
HPV31 L2	8	433	HPV31 L2	11	443
HPV31 L2	10	433	HPV31 L2	8	235
HPV31 L2	8	118	HPV31 L2	9	167
HPV31 L2	8	314	HPV31 L2	10	243
HPV31 L2	9	310	HPV31 L2	9	378
HPV31 L2	10	310	HPV31 L2	8	12
HPV31 L2	11	310	HPV31 L2	9	298
HPV31 L2	9	437	HPV31 L2	11	298
HPV31 L2	10	437	HPV31 L2	8	291
HPV31 L2	10	436	HPV31 L2	9	308
HPV31 L2	11	436	HPV31 L2	11	308
HPV31 L2	11	59	HPV31 L2	8	2
HPV31 L2	11	221	HPV31 L2	10	2
HPV31 L2	9	300	HPV31 L2	11	2
HPV31 L2	9	61	HPV31 L2	8	5
HPV31 L2	10	63	HPV31 L2	10	69
HPV31 L2	10	26	HPV31 L2	11	9
HPV31 L2	8	65	HPV31 L2	11	306
HPV31 L2	11	213	HPV31 L2	9	239
HPV31 L2	10	38	HPV31 L2	10	14
HPV31 L2	11	38	HPV31 L2	9	30
HPV31 L2	8	41	HPV31 L2	8	309
HPV31 L2	11	280	HPV31 L2	10	309
HPV31 L2	10	233	HPV31 L2	11	309
HPV31 L2	11	403	HPV31 L2	9	405
HPV31 L2	9	432	HPV31 L2	8	62
HPV31 L2	11	432	HPV31 L2	11	62
HPV31 L2	8	313	HPV31 L2	9	64
HPV31 L2	9	313	HPV31 L2	10	431
HPV31 L2	10	60	HPV31 L2	9	260
HPV31 L2	10	144	HPV31 L2	8	181
HPV31 L2	11	205	HPV31 L2	9	180
HPV31 L2	8	245	HPV31 L2	8	179
HPV31 L2	8	277	HPV31 L2	10	179
HPV31 L2	9	145	HPV31 L2	9	207
HPV31 L2	8	299	HPV31 L2	10	207
HPV31 L2	10	299	HPV31 L2	8	346
HPV31 L2	9	244	HPV31 L2	11	346
HPV31 L2	11	176	HPV31 L2	8	208
HPV31 L2	10	177	HPV31 L2	9	208
HPV31 L2	9	348	HPV31 L2	8	379
HPV31 L2	10	238	HPV31 L2	11	80
HPV31 L2	9	178	HPV31 L2	9	27
HPV31 L2	11	178	HPV31 L2	11	359
HPV31 L2	9	287	HPV31 L2	9	70
HPV31 L2	10	287	HPV31 L2	8	40
HPV31 L2	8	447	HPV31 L2	9	40
HPV31 L2	11	447	HPV31 L2	8	312
HPV31 L2	8	349	HPV31 L2	9	312
HPV31 L2	11	292	HPV31 L2	10	312
HPV31 L2	11	285	HPV31 L2	10	347
HPV31 L2	9	217	HPV31 L2	8	288
HPV31 L2	10	274	HPV31 L2	9	288

Table XVII  
HLA-A11 Motif Peptides

HPV31 L2	11	288	HPV33 E1	9	364
HPV31 L2	10	206	HPV33 E1	10	515
HPV31 L2	11	206	HPV33 E1	10	534
HPV31 L2	9	345	HPV33 E1	11	534
HPV31 L2	9	39	HPV33 E1	8	614
HPV31 L2	10	39	HPV33 E1	11	614
HPV31 L2	10	344	HPV33 E1	9	78
HPV31 L2	11	343	HPV33 E1	10	78
HPV31 L2	8	362	HPV33 E1	11	78
HPV31 L2	9	254	HPV33 E1	10	349
HPV31 L2	10	293	HPV33 E1	8	365
HPV31 L2	10	81	HPV33 E1	11	377
HPV31 L2	9	434	HPV33 E1	8	566
HPV31 L2	11	115	HPV33 E1	10	566
HPV31 L2	9	117	HPV33 E1	11	541
HPV31 L2	11	232	HPV33 E1	9	516
HPV31 L2	8	255	HPV33 E1	11	99
HPV31 L2	9	82	HPV33 E1	8	117
HPV31 L2	11	430	HPV33 E1	11	76
HPV31 L2	10	440	HPV33 E1	10	445
HPV31 L2	11	440	HPV33 E1	11	445
HPV31 L2	8	446	HPV33 E1	8	537
HPV31 L2	9	446	HPV33 E1	9	537
HPV31 L2	9	223	HPV33 E1	10	361
HPV31 L2	11	296	HPV33 E1	11	361
HPV33 E1	8	96	HPV33 E1	10	214
HPV33 E1	11	383	HPV33 E1	11	622
HPV33 E1	11	104	HPV33 E1	9	600
HPV33 E1	11	452	HPV33 E1	8	242
HPV33 E1	8	448	HPV33 E1	10	242
HPV33 E1	11	448	HPV33 E1	10	295
HPV33 E1	10	384	HPV33 E1	8	19
HPV33 E1	9	635	HPV33 E1	9	19
HPV33 E1	9	563	HPV33 E1	9	587
HPV33 E1	11	563	HPV33 E1	11	348
HPV33 E1	8	596	HPV33 E1	8	605
HPV33 E1	8	198	HPV33 E1	10	479
HPV33 E1	11	198	HPV33 E1	10	449
HPV33 E1	10	105	HPV33 E1	8	456
HPV33 E1	8	81	HPV33 E1	9	385
HPV33 E1	8	398	HPV33 E1	9	212
HPV33 E1	9	398	HPV33 E1	9	446
HPV33 E1	10	398	HPV33 E1	10	446
HPV33 E1	8	469	HPV33 E1	8	451
HPV33 E1	10	469	HPV33 E1	10	489
HPV33 E1	8	297	HPV33 E1	8	625
HPV33 E1	10	297	HPV33 E1	9	265
HPV33 E1	8	633	HPV33 E1	11	265
HPV33 E1	11	633	HPV33 E1	8	399
HPV33 E1	10	276	HPV33 E1	9	399
HPV33 E1	9	226	HPV33 E1	9	209
HPV33 E1	9	490	HPV33 E1	11	235
HPV33 E1	11	490	HPV33 E1	9	480
HPV33 E1	8	397	HPV33 E1	9	535
HPV33 E1	9	397	HPV33 E1	10	535
HPV33 E1	10	397	HPV33 E1	11	535
HPV33 E1	11	397	HPV33 E1	11	430
HPV33 E1	10	77	HPV33 E1	8	564
HPV33 E1	11	77	HPV33 E1	10	564
HPV33 E1	8	364	HPV33 E1	9	327

Table XVII  
HLA-A11 Motif Peptides

HPV33 E1	11	500	HPV33 E1	10	615
HPV33 E1	9	624	HPV33 E1	8	247
HPV33 E1	9	256	HPV33 E1	10	247
HPV33 E1	10	573	HPV33 E1	8	271
HPV33 E1	11	192	HPV33 E1	10	271
HPV33 E1	9	468	HPV33 E1	9	270
HPV33 E1	11	468	HPV33 E1	11	270
HPV33 E1	11	514	HPV33 E1	10	269
HPV33 E1	9	125	HPV33 E1	8	79
HPV33 E1	9	333	HPV33 E1	9	79
HPV33 E1	8	415	HPV33 E1	10	79
HPV33 E1	11	415	HPV33 E1	9	350
HPV33 E1	8	266	HPV33 E1	9	362
HPV33 E1	10	266	HPV33 E1	10	362
HPV33 E1	9	267	HPV33 E1	11	362
HPV33 E1	8	268	HPV33 E1	9	215
HPV33 E1	11	268	HPV33 E1	10	401
HPV33 E1	9	200	HPV33 E1	11	401
HPV33 E1	8	400	HPV33 E1	11	466
HPV33 E1	11	400	HPV33 E1	10	413
HPV33 E1	9	112	HPV33 E1	8	481
HPV33 E1	10	112	HPV33 E1	9	298
HPV33 E1	11	112	HPV33 E1	10	562
HPV33 E1	9	492	HPV33 E1	8	80
HPV33 E1	8	210	HPV33 E1	9	80
HPV33 E1	11	210	HPV33 E1	11	598
HPV33 E1	8	538	HPV33 E1	10	199
HPV33 E1	11	187	HPV33 E1	11	57
HPV33 E1	10	236	HPV33 E1	9	379
HPV33 E1	9	520	HPV33 E1	8	389
HPV33 E1	11	520	HPV33 E1	8	195
HPV33 E1	10	394	HPV33 E1	9	195
HPV33 E1	11	394	HPV33 E1	11	195
HPV33 E1	9	197	HPV33 E1	9	560
HPV33 E1	9	632	HPV33 E1	9	189
HPV33 E1	8	396	HPV33 E1	8	471
HPV33 E1	9	396	HPV33 E1	8	107
HPV33 E1	10	396	HPV33 E1	10	107
HPV33 E1	11	396	HPV33 E1	10	586
HPV33 E1	8	455	HPV33 E1	10	519
HPV33 E1	9	455	HPV33 E1	8	434
HPV33 E1	11	488	HPV33 E1	8	238
HPV33 E1	10	124	HPV33 E1	11	593
HPV33 E1	11	393	HPV33 E1	8	60
HPV33 E1	10	612	HPV33 E1	10	326
HPV33 E1	10	304	HPV33 E1	10	94
HPV33 E1	11	412	HPV33 E1	9	308
HPV33 E1	8	114	HPV33 E1	11	275
HPV33 E1	9	114	HPV33 E1	8	273
HPV33 E1	10	114	HPV33 E1	10	264
HPV33 E1	11	114	HPV33 E1	8	575
HPV33 E1	8	278	HPV33 E1	8	306
HPV33 E1	10	603	HPV33 E1	11	306
HPV33 E1	10	387	HPV33 E1	8	109
HPV33 E1	9	425	HPV33 E1	9	95
HPV33 E1	10	245	HPV33 E1	10	634
HPV33 E1	11	533	HPV33 E1	10	225
HPV33 E1	9	613	HPV33 E1	8	493
HPV33 E1	9	450	HPV33 E1	9	604
HPV33 E1	10	467	HPV33 E1	10	211

Table XVII  
HLA-A11 Motif Peptides

HPV33 E1	9	414	HPV33 E2	10	78
HPV33 E1	10	111	HPV33 E2	9	258
HPV33 E1	11	111	HPV33 E2	10	10
HPV33 E1	10	58	HPV33 E2	9	245
HPV33 E1	9	243	HPV33 E2	8	40
HPV33 E1	8	380	HPV33 E2	9	288
HPV33 E1	10	378	HPV33 E2	10	288
HPV33 E1	9	388	HPV33 E2	10	269
HPV33 E1	9	194	HPV33 E2	10	145
HPV33 E1	10	194	HPV33 E2	9	211
HPV33 E1	10	559	HPV33 E2	8	25
HPV33 E1	10	188	HPV33 E2	10	25
HPV33 E1	10	193	HPV33 E2	10	122
HPV33 E1	11	193	HPV33 E2	10	217
HPV33 E1	11	239	HPV33 E2	11	217
HPV33 E1	8	447	HPV33 E2	8	235
HPV33 E1	9	447	HPV33 E2	9	143
HPV33 E1	8	309	HPV33 E2	11	232
HPV33 E1	9	296	HPV33 E2	9	39
HPV33 E1	11	296	HPV33 E2	8	173
HPV33 E1	8	363	HPV33 E2	10	142
HPV33 E1	9	363	HPV33 E2	11	74
HPV33 E1	10	363	HPV33 E2	11	298
HPV33 E1	9	565	HPV33 E2	9	282
HPV33 E1	11	565	HPV33 E2	10	282
HPV33 E1	8	227	HPV33 E2	11	282
HPV33 E1	11	630	HPV33 E2	8	80
HPV33 E1	10	183	HPV33 E2	11	115
HPV33 E1	8	561	HPV33 E2	9	100
HPV33 E1	11	561	HPV33 E2	10	244
HPV33 E1	8	426	HPV33 E2	10	156
HPV33 E1	11	224	HPV33 E2	10	278
HPV33 E1	11	110	HPV33 E2	9	161
HPV33 E1	11	558	HPV33 E2	10	161
HPV33 E1	8	328	HPV33 E2	11	155
HPV33 E1	10	240	HPV33 E2	9	15
HPV33 E1	9	101	HPV33 E2	11	4
HPV33 E1	8	299	HPV33 E2	8	287
HPV33 E1	8	491	HPV33 E2	10	287
HPV33 E1	10	491	HPV33 E2	11	287
HPV33 E1	8	190	HPV33 E2	8	280
HPV33 E1	9	246	HPV33 E2	11	280
HPV33 E1	11	246	HPV33 E2	10	14
HPV33 E1	11	182	HPV33 E2	11	34
HPV33 E1	8	517	HPV33 E2	10	23
HPV33 E1	10	100	HPV33 E2	8	180
HPV33 E1	10	17	HPV33 E2	8	151
HPV33 E1	11	17	HPV33 E2	9	151
HPV33 E1	10	332	HPV33 E2	11	151
HPV33 E1	8	418	HPV33 E2	8	165
HPV33 E1	9	502	HPV33 E2	9	103
HPV33 E1	9	522	HPV33 E2	10	103
HPV33 E1	9	595	HPV33 E2	8	16
HPV33 E1	11	478	HPV33 E2	11	243
HPV33 E1	10	208	HPV33 E2	10	35
HPV33 E1	11	254	HPV33 E2	8	77
HPV33 E2	10	210	HPV33 E2	11	77
HPV33 E2	8	246	HPV33 E2	10	129
HPV33 E2	11	246	HPV33 E2	8	49
HPV33 E2	8	249	HPV33 E2	8	147

Table XVII  
HLA-A11 Motif Peptides

HPV33 E2	11	9	HPV33 E2	9	118
HPV33 E2	8	162	HPV33 E2	10	116
HPV33 E2	9	162	HPV33 E2	11	116
HPV33 E2	11	162	HPV33 E2	8	273
HPV33 E2	9	123	HPV33 E2	11	268
HPV33 E2	11	216	HPV33 E2	8	152
HPV33 E2	8	284	HPV33 E2	10	152
HPV33 E2	9	284	HPV33 E2	11	148
HPV33 E2	11	284	HPV33 E2	9	117
HPV33 E2	9	272	HPV33 E2	10	117
HPV33 E2	9	248	HPV33 E2	9	58
HPV33 E2	9	60	HPV33 E2	11	58
HPV33 E2	8	27	HPV33 E2	10	102
HPV33 E2	11	27	HPV33 E2	11	102
HPV33 E2	8	222	HPV33 E2	9	309
HPV33 E2	9	113	HPV33 E2	11	121
HPV33 E2	9	29	HPV33 E2	8	170
HPV33 E2	9	76	HPV33 E2	9	170
HPV33 E2	8	332	HPV33 E2	11	170
HPV33 E2	9	48	HPV33 E2	11	167
HPV33 E2	10	57	HPV33 E2	8	154
HPV33 E2	9	292	HPV33 E2	9	159
HPV33 E2	8	7	HPV33 E2	11	159
HPV33 E2	8	37	HPV33 E2	10	178
HPV33 E2	11	37	HPV33 E2	9	300
HPV33 E2	9	256	HPV33 E2	10	44
HPV33 E2	11	256	HPV33 E2	8	131
HPV33 E2	10	5	HPV33 E5	8	63
HPV33 E2	11	98	HPV33 E5	8	51
HPV33 E2	8	285	HPV33 E5	9	50
HPV33 E2	10	285	HPV33 E5	9	12
HPV33 E2	8	61	HPV33 E5	10	44
HPV33 E2	8	283	HPV33 E5	10	49
HPV33 E2	9	283	HPV33 E5	11	10
HPV33 E2	10	283	HPV33 E5	11	48
HPV33 E2	8	271	HPV33 E5	8	13
HPV33 E2	10	271	HPV33 E5	10	11
HPV33 E2	8	301	HPV33 E5	8	22
HPV33 E2	9	270	HPV33 E5	11	38
HPV33 E2	11	270	HPV33 E5	9	62
HPV33 E2	11	304	HPV33 E5	10	61
HPV33 E2	10	305	HPV33 E5	9	21
HPV33 E2	11	209	HPV33 E5	8	46
HPV33 E2	9	45	HPV33 E5	8	60
HPV33 E2	11	254	HPV33 E5	11	60
HPV33 E2	8	257	HPV33 E5	8	41
HPV33 E2	10	257	HPV33 E5	11	43
HPV33 E2	8	144	HPV33 E5	9	40
HPV33 E2	11	144	HPV33 E5	10	58
HPV33 E2	9	24	HPV33 E6	8	137
HPV33 E2	11	24	HPV33 E6	9	137
HPV33 E2	9	234	HPV33 E6	8	138
HPV33 E2	10	149	HPV33 E6	8	48
HPV33 E2	11	149	HPV33 E6	9	46
HPV33 E2	11	128	HPV33 E6	10	46
HPV33 E2	9	146	HPV33 E6	9	133
HPV33 E2	8	259	HPV33 E6	11	133
HPV33 E2	8	310	HPV33 E6	8	136
HPV33 E2	10	233	HPV33 E6	9	136
HPV33 E2	8	118	HPV33 E6	10	136

Table XVII  
HLA-A11 Motif Peptides

HPV33 E6	11	66	HPV33 E6	9	135
HPV33 E6	10	30	HPV33 E6	10	135
HPV33 E6	11	44	HPV33 E6	11	135
HPV33 E6	11	14	HPV33 E6	8	124
HPV33 E6	10	4	HPV33 E6	9	68
HPV33 E6	8	32	HPV33 E6	10	68
HPV33 E6	9	56	HPV33 E6	11	68
HPV33 E6	11	98	HPV33 E6	8	87
HPV33 E6	8	27	HPV33 E6	8	119
HPV33 E6	9	27	HPV33 E6	10	132
HPV33 E6	8	47	HPV33 E6	10	84
HPV33 E6	9	47	HPV33 E6	11	84
HPV33 E6	10	45	HPV33 E7	10	50
HPV33 E6	11	45	HPV33 E7	10	57
HPV33 E6	9	60	HPV33 E7	10	68
HPV33 E6	8	69	HPV33 E7	11	42
HPV33 E6	9	69	HPV33 E7	10	14
HPV33 E6	10	69	HPV33 E7	11	30
HPV33 E6	11	69	HPV33 E7	8	59
HPV33 E6	8	61	HPV33 E7	11	67
HPV33 E6	8	57	HPV33 E7	11	13
HPV33 E6	9	85	HPV33 E7	8	70
HPV33 E6	10	85	HPV33 E7	11	6
HPV33 E6	11	24	HPV33 E7	9	44
HPV33 E6	10	126	HPV33 E7	10	44
HPV33 E6	9	118	HPV33 E7	8	2
HPV33 E6	11	62	HPV33 E7	10	2
HPV33 E6	11	105	HPV33 E7	9	32
HPV33 E6	10	99	HPV33 E7	10	31
HPV33 E6	9	73	HPV33 E7	11	49
HPV33 E6	8	128	HPV33 E7	11	56
HPV33 E6	8	72	HPV33 E7	10	7
HPV33 E6	10	72	HPV33 E7	9	69
HPV33 E6	9	64	HPV33 L1	9	102
HPV33 E6	8	65	HPV33 L1	10	456
HPV33 E6	8	110	HPV33 L1	11	456
HPV33 E6	9	110	HPV33 L1	11	142
HPV33 E6	10	15	HPV33 L1	8	471
HPV33 E6	9	100	HPV33 L1	10	471
HPV33 E6	11	121	HPV33 L1	11	471
HPV33 E6	8	70	HPV33 L1	11	37
HPV33 E6	9	70	HPV33 L1	11	424
HPV33 E6	10	70	HPV33 L1	8	411
HPV33 E6	8	1	HPV33 L1	10	44
HPV33 E6	10	1	HPV33 L1	9	270
HPV33 E6	10	25	HPV33 L1	10	225
HPV33 E6	11	25	HPV33 L1	11	207
HPV33 E6	9	127	HPV33 L1	10	345
HPV33 E6	8	86	HPV33 L1	11	345
HPV33 E6	9	86	HPV33 L1	8	103
HPV33 E6	10	59	HPV33 L1	8	128
HPV33 E6	8	109	HPV33 L1	9	128
HPV33 E6	9	109	HPV33 L1	9	209
HPV33 E6	10	109	HPV33 L1	8	223
HPV33 E6	8	95	HPV33 L1	9	223
HPV33 E6	8	36	HPV33 L1	9	457
HPV33 E6	8	17	HPV33 L1	10	457
HPV33 E6	11	29	HPV33 L1	10	370
HPV33 E6	8	3	HPV33 L1	10	143
HPV33 E6	11	3	HPV33 L1	11	143

Table XVII  
HLA-A11 Motif Peptides

HPV33 L1	8	244	HPV33 L1	8	20
HPV33 L1	9	244	HPV33 L1	11	20
HPV33 L1	10	351	HPV33 L1	11	43
HPV33 L1	8	129	HPV33 L1	11	344
HPV33 L1	10	202	HPV33 L1	8	458
HPV33 L1	11	88	HPV33 L1	9	458
HPV33 L1	8	269	HPV33 L1	10	306
HPV33 L1	10	269	HPV33 L1	10	160
HPV33 L1	8	146	HPV33 L1	10	267
HPV33 L1	8	357	HPV33 L1	8	114
HPV33 L1	9	357	HPV33 L1	8	42
HPV33 L1	9	303	HPV33 L1	11	159
HPV33 L1	9	127	HPV33 L1	9	468
HPV33 L1	10	127	HPV33 L1	11	468
HPV33 L1	11	248	HPV33 L1	11	61
HPV33 L1	9	84	HPV33 L1	8	382
HPV33 L1	8	467	HPV33 L1	10	382
HPV33 L1	10	467	HPV33 L1	10	62
HPV33 L1	10	249	HPV33 L1	11	62
HPV33 L1	11	249	HPV33 L1	10	208
HPV33 L1	9	307	HPV33 L1	9	255
HPV33 L1	10	50	HPV33 L1	11	299
HPV33 L1	11	50	HPV33 L1	9	57
HPV33 L1	8	256	HPV33 L1	8	358
HPV33 L1	11	419	HPV33 L1	11	232
HPV33 L1	9	330	HPV33 L1	9	137
HPV33 L1	9	161	HPV33 L1	10	221
HPV33 L1	9	243	HPV33 L1	11	221
HPV33 L1	10	243	HPV33 L1	9	113
HPV33 L1	8	204	HPV33 L1	9	409
HPV33 L1	8	85	HPV33 L1	10	409
HPV33 L1	10	117	HPV33 L1	8	165
HPV33 L1	9	472	HPV33 L1	11	55
HPV33 L1	10	472	HPV33 L1	10	484
HPV33 L1	8	68	HPV33 L1	11	484
HPV33 L1	10	68	HPV33 L1	11	17
HPV33 L1	10	38	HPV33 L1	9	470
HPV33 L1	9	226	HPV33 L1	11	470
HPV33 L1	11	226	HPV33 L1	8	372
HPV33 L1	8	224	HPV33 L1	8	156
HPV33 L1	11	224	HPV33 L1	11	305
HPV33 L1	9	222	HPV33 L1	10	254
HPV33 L1	10	222	HPV33 L1	10	154
HPV33 L1	9	118	HPV33 L1	11	328
HPV33 L1	10	425	HPV33 L1	8	347
HPV33 L1	8	474	HPV33 L1	9	347
HPV33 L1	10	126	HPV33 L1	8	481
HPV33 L1	11	126	HPV33 L1	9	41
HPV33 L1	10	83	HPV33 L1	8	488
HPV33 L1	9	466	HPV33 L1	9	488
HPV33 L1	11	466	HPV33 L1	11	488
HPV33 L1	11	478	HPV33 L1	9	75
HPV33 L1	8	355	HPV33 L1	11	455
HPV33 L1	10	355	HPV33 L1	8	491
HPV33 L1	11	355	HPV33 L1	9	491
HPV33 L1	8	53	HPV33 L1	8	410
HPV33 L1	8	429	HPV33 L1	9	410
HPV33 L1	8	65	HPV33 L1	11	350
HPV33 L1	11	65	HPV33 L1	9	90
HPV33 L1	11	379	HPV33 L1	8	119

Table XVII  
HLA-A11 Motif Peptides

HPV33 L1	9	67	HPV33 L1	10	101
HPV33 L1	11	67	HPV33 L1	8	312
HPV33 L1	9	51	HPV33 L1	11	369
HPV33 L1	10	51	HPV33 L1	11	49
HPV33 L1	10	32	HPV33 L1	10	242
HPV33 L1	8	245	HPV33 L1	11	242
HPV33 L1	9	490	HPV33 L1	8	362
HPV33 L1	10	490	HPV33 L1	9	234
HPV33 L1	9	39	HPV33 L1	9	12
HPV33 L1	11	39	HPV33 L1	9	443
HPV33 L1	8	227	HPV33 L1	11	443
HPV33 L1	10	227	HPV33 L1	8	27
HPV33 L1	8	23	HPV33 L1	9	27
HPV33 L1	8	486	HPV33 L1	10	27
HPV33 L1	9	486	HPV33 L2	9	81
HPV33 L1	10	486	HPV33 L2	8	367
HPV33 L1	11	486	HPV33 L2	9	438
HPV33 L1	9	352	HPV33 L2	8	241
HPV33 L1	11	352	HPV33 L2	8	82
HPV33 L1	11	2	HPV33 L2	10	291
HPV33 L1	9	383	HPV33 L2	10	286
HPV33 L1	9	228	HPV33 L2	11	286
HPV33 L1	9	426	HPV33 L2	11	12
HPV33 L1	11	426	HPV33 L2	9	308
HPV33 L1	11	24	HPV33 L2	9	14
HPV33 L1	8	444	HPV33 L2	9	280
HPV33 L1	10	444	HPV33 L2	10	280
HPV33 L1	9	203	HPV33 L2	8	439
HPV33 L1	11	266	HPV33 L2	8	436
HPV33 L1	9	381	HPV33 L2	11	436
HPV33 L1	11	381	HPV33 L2	10	327
HPV33 L1	10	56	HPV33 L2	9	371
HPV33 L1	9	301	HPV33 L2	11	371
HPV33 L1	11	301	HPV33 L2	11	369
HPV33 L1	10	89	HPV33 L2	11	364
HPV33 L1	11	31	HPV33 L2	8	263
HPV33 L1	9	421	HPV33 L2	11	36
HPV33 L1	8	489	HPV33 L2	10	149
HPV33 L1	10	489	HPV33 L2	11	260
HPV33 L1	11	489	HPV33 L2	8	447
HPV33 L1	9	485	HPV33 L2	9	447
HPV33 L1	10	485	HPV33 L2	8	281
HPV33 L1	11	485	HPV33 L2	9	281
HPV33 L1	11	10	HPV33 L2	11	242
HPV33 L1	11	201	HPV33 L2	11	301
HPV33 L1	11	73	HPV33 L2	11	183
HPV33 L1	10	329	HPV33 L2	8	163
HPV33 L1	9	45	HPV33 L2	11	440
HPV33 L1	11	116	HPV33 L2	10	437
HPV33 L1	10	66	HPV33 L2	11	58
HPV33 L1	10	18	HPV33 L2	11	226
HPV33 L1	8	28	HPV33 L2	8	64
HPV33 L1	9	28	HPV33 L2	10	62
HPV33 L1	9	22	HPV33 L2	11	218
HPV33 L1	10	380	HPV33 L2	10	37
HPV33 L1	8	348	HPV33 L2	11	37
HPV33 L1	10	300	HPV33 L2	10	25
HPV33 L1	10	420	HPV33 L2	9	60
HPV33 L1	8	331	HPV33 L2	8	349
HPV33 L1	10	21	HPV33 L2	10	379

Table XVII  
HLA-A11 Motif Peptides

HPV33 L2	8	374	HPV33 L2	10	184
HPV33 L2	8	336	HPV33 L2	9	212
HPV33 L2	11	297	HPV33 L2	10	354
HPV33 L2	8	40	HPV33 L2	9	38
HPV33 L2	11	285	HPV33 L2	10	38
HPV33 L2	8	318	HPV33 L2	8	213
HPV33 L2	10	59	HPV33 L2	10	80
HPV33 L2	8	448	HPV33 L2	9	26
HPV33 L2	11	448	HPV33 L2	9	162
HPV33 L2	9	358	HPV33 L2	8	61
HPV33 L2	9	292	HPV33 L2	11	61
HPV33 L2	11	433	HPV33 L2	11	24
HPV33 L2	10	307	HPV33 L2	8	39
HPV33 L2	11	311	HPV33 L2	9	39
HPV33 L2	10	334	HPV33 L2	8	309
HPV33 L2	8	282	HPV33 L2	9	244
HPV33 L2	9	328	HPV33 L2	8	293
HPV33 L2	10	243	HPV33 L2	11	293
HPV33 L2	8	359	HPV33 L2	10	211
HPV33 L2	8	372	HPV33 L2	11	353
HPV33 L2	10	372	HPV33 L2	10	298
HPV33 L2	8	240	HPV33 L2	9	222
HPV33 L2	9	240	HPV33 L2	9	435
HPV33 L2	8	290	HPV33 L2	10	370
HPV33 L2	11	290	HPV33 L2	10	238
HPV33 L2	9	172	HPV33 L2	11	238
HPV33 L2	10	279	HPV33 L2	8	304
HPV33 L2	11	279	HPV33 L2	10	304
HPV33 L2	8	217	HPV33 L2	10	441
HPV33 L2	10	215	HPV33 L2	11	441
HPV33 L2	11	333	HPV33 L2	11	210
HPV33 L2	10	347	HPV33 L2	10	434
HPV33 L2	11	339	HPV33 L2	11	237
HPV33 L2	8	444	HPV33 L2	9	366
HPV33 L2	9	444	HPV33 L2	8	446
HPV33 L2	10	444	HPV33 L2	9	446
HPV33 L2	11	444	HPV33 L2	10	446
HPV33 L2	11	79	HPV33 L2	8	356
HPV33 L2	10	161	HPV33 L2	11	356
HPV33 L2	8	186	HPV33 L2	9	228
HPV33 L2	8	221	HPV33 L2	8	381
HPV33 L2	10	221	HPV45 E1	11	383
HPV33 L2	11	326	HPV45 E1	8	198
HPV33 L2	8	317	HPV45 E1	11	198
HPV33 L2	9	317	HPV45 E1	10	384
HPV33 L2	8	11	HPV45 E1	11	384
HPV33 L2	10	455	HPV45 E1	11	490
HPV33 L2	8	300	HPV45 E1	11	532
HPV33 L2	9	313	HPV45 E1	11	452
HPV33 L2	11	313	HPV45 E1	9	270
HPV33 L2	9	303	HPV45 E1	11	270
HPV33 L2	11	303	HPV45 E1	10	199
HPV33 L2	10	13	HPV45 E1	8	512
HPV33 L2	8	314	HPV45 E1	8	517
HPV33 L2	10	314	HPV45 E1	8	399
HPV33 L2	11	314	HPV45 E1	9	399
HPV33 L2	9	63	HPV45 E1	8	398
HPV33 L2	10	357	HPV45 E1	9	398
HPV33 L2	8	151	HPV45 E1	10	398
HPV33 L2	9	150	HPV45 E1	9	604

Table XVII  
HLA-A11 Motif Peptides

HPV45 E1	10	276	HPV45 E1	9	535
HPV45 E1	8	297	HPV45 E1	10	535
HPV45 E1	10	297	HPV45 E1	11	535
HPV45 E1	10	378	HPV45 E1	10	591
HPV45 E1	11	423	HPV45 E1	11	459
HPV45 E1	8	634	HPV45 E1	9	443
HPV45 E1	9	78	HPV45 E1	9	265
HPV45 E1	10	78	HPV45 E1	10	265
HPV45 E1	11	78	HPV45 E1	11	265
HPV45 E1	9	516	HPV45 E1	11	235
HPV45 E1	8	397	HPV45 E1	8	181
HPV45 E1	9	397	HPV45 E1	11	500
HPV45 E1	10	397	HPV45 E1	8	256
HPV45 E1	11	397	HPV45 E1	10	519
HPV45 E1	11	377	HPV45 E1	8	426
HPV45 E1	10	515	HPV45 E1	8	561
HPV45 E1	9	534	HPV45 E1	11	561
HPV45 E1	10	534	HPV45 E1	10	491
HPV45 E1	11	534	HPV45 E1	8	268
HPV45 E1	10	214	HPV45 E1	11	268
HPV45 E1	9	173	HPV45 E1	11	555
HPV45 E1	10	566	HPV45 E1	11	466
HPV45 E1	11	623	HPV45 E1	8	447
HPV45 E1	8	328	HPV45 E1	9	492
HPV45 E1	10	445	HPV45 E1	8	538
HPV45 E1	8	455	HPV45 E1	8	116
HPV45 E1	9	455	HPV45 E1	9	116
HPV45 E1	8	242	HPV45 E1	11	116
HPV45 E1	9	625	HPV45 E1	9	197
HPV45 E1	8	596	HPV45 E1	10	603
HPV45 E1	8	115	HPV45 E1	11	275
HPV45 E1	9	115	HPV45 E1	9	633
HPV45 E1	10	115	HPV45 E1	8	396
HPV45 E1	11	186	HPV45 E1	9	396
HPV45 E1	8	189	HPV45 E1	10	396
HPV45 E1	9	189	HPV45 E1	11	396
HPV45 E1	8	365	HPV45 E1	11	565
HPV45 E1	11	573	HPV45 E1	8	285
HPV45 E1	8	64	HPV45 E1	9	425
HPV45 E1	10	295	HPV45 E1	10	304
HPV45 E1	10	74	HPV45 E1	8	278
HPV45 E1	9	587	HPV45 E1	9	600
HPV45 E1	8	605	HPV45 E1	8	387
HPV45 E1	9	18	HPV45 E1	10	387
HPV45 E1	10	18	HPV45 E1	10	476
HPV45 E1	9	446	HPV45 E1	10	245
HPV45 E1	8	456	HPV45 E1	10	510
HPV45 E1	9	385	HPV45 E1	10	269
HPV45 E1	10	385	HPV45 E1	8	201
HPV45 E1	10	449	HPV45 E1	11	514
HPV45 E1	9	212	HPV45 E1	10	533
HPV45 E1	11	579	HPV45 E1	11	533
HPV45 E1	8	130	HPV45 E1	9	129
HPV45 E1	8	19	HPV45 E1	8	299
HPV45 E1	9	19	HPV45 E1	8	247
HPV45 E1	9	327	HPV45 E1	10	247
HPV45 E1	11	430	HPV45 E1	8	267
HPV45 E1	8	626	HPV45 E1	9	267
HPV45 E1	9	209	HPV45 E1	11	84
HPV45 E1	8	535	HPV45 E1	8	190

Table XVII  
HLA-A11 Motif Peptides

HPV45 E1	8	271	HPV45 E1	11	306
HPV45 E1	10	271	HPV45 E1	9	608
HPV45 E1	10	556	HPV45 E1	9	575
HPV45 E1	10	467	HPV45 E1	10	172
HPV45 E1	9	118	HPV45 E1	11	448
HPV45 E1	10	118	HPV45 E1	10	211
HPV45 E1	11	118	HPV45 E1	8	493
HPV45 E1	8	210	HPV45 E1	10	326
HPV45 E1	11	210	HPV45 E1	8	120
HPV45 E1	10	103	HPV45 E1	9	120
HPV45 E1	11	362	HPV45 E1	8	117
HPV45 E1	9	557	HPV45 E1	10	117
HPV45 E1	9	215	HPV45 E1	11	117
HPV45 E1	10	401	HPV45 E1	8	380
HPV45 E1	11	401	HPV45 E1	9	388
HPV45 E1	9	200	HPV45 E1	10	559
HPV45 E1	9	298	HPV45 E1	11	171
HPV45 E1	8	413	HPV45 E1	9	307
HPV45 E1	9	413	HPV45 E1	10	307
HPV45 E1	10	413	HPV45 E1	8	308
HPV45 E1	8	415	HPV45 E1	9	308
HPV45 E1	11	415	HPV45 E1	9	104
HPV45 E1	9	154	HPV45 E1	9	296
HPV45 E1	8	174	HPV45 E1	11	296
HPV45 E1	8	389	HPV45 E1	9	520
HPV45 E1	10	77	HPV45 E1	11	520
HPV45 E1	11	77	HPV45 E1	10	363
HPV45 E1	11	598	HPV45 E1	8	213
HPV45 E1	11	590	HPV45 E1	11	213
HPV45 E1	9	560	HPV45 E1	11	631
HPV45 E1	8	414	HPV45 E1	10	580
HPV45 E1	9	414	HPV45 E1	9	246
HPV45 E1	8	119	HPV45 E1	11	246
HPV45 E1	9	119	HPV45 E1	10	153
HPV45 E1	10	119	HPV45 E1	8	558
HPV45 E1	9	379	HPV45 E1	11	558
HPV45 E1	11	152	HPV45 E1	11	239
HPV45 E1	9	563	HPV45 E1	11	282
HPV45 E1	8	471	HPV45 E1	8	309
HPV45 E1	10	586	HPV45 E1	10	240
HPV45 E1	8	537	HPV45 E1	10	283
HPV45 E1	9	537	HPV45 E1	9	511
HPV45 E1	8	434	HPV45 E1	11	178
HPV45 E1	8	238	HPV45 E1	8	105
HPV45 E1	8	593	HPV45 E1	8	81
HPV45 E1	11	593	HPV45 E1	8	266
HPV45 E1	10	442	HPV45 E1	9	266
HPV45 E1	11	102	HPV45 E1	10	266
HPV45 E1	9	412	HPV45 E1	8	400
HPV45 E1	10	412	HPV45 E1	11	400
HPV45 E1	11	412	HPV45 E1	10	236
HPV45 E1	8	76	HPV45 E1	11	325
HPV45 E1	11	76	HPV45 E1	8	576
HPV45 E1	8	80	HPV45 E1	10	17
HPV45 E1	9	80	HPV45 E1	11	17
HPV45 E1	8	451	HPV45 E1	10	264
HPV45 E1	10	128	HPV45 E1	11	264
HPV45 E1	11	112	HPV45 E1	8	418
HPV45 E1	8	306	HPV45 E1	10	332
HPV45 E1	10	306	HPV45 E1	9	502

Table XVII  
HLA-A11 Motif Peptides

HPV45 E1	9	522	HPV45 E2	10	295
HPV45 E1	10	254	HPV45 E2	8	124
HPV45 E1	8	478	HPV45 E2	8	293
HPV45 E1	10	208	HPV45 E2	10	21
HPV45 E1	8	469	HPV45 E2	8	48
HPV45 E1	10	469	HPV45 E2	9	68
HPV45 E1	10	394	HPV45 E2	10	68
HPV45 E1	11	394	HPV45 E2	8	70
HPV45 E2	10	156	HPV45 E2	8	36
HPV45 E2	11	156	HPV45 E2	9	146
HPV45 E2	9	157	HPV45 E2	10	77
HPV45 E2	10	157	HPV45 E2	8	304
HPV45 E2	9	78	HPV45 E2	9	304
HPV45 E2	9	47	HPV45 E2	10	304
HPV45 E2	9	84	HPV45 E2	8	168
HPV45 E2	10	84	HPV45 E2	9	30
HPV45 E2	9	16	HPV45 E2	8	297
HPV45 E2	10	16	HPV45 E2	11	297
HPV45 E2	9	234	HPV45 E2	9	118
HPV45 E2	10	216	HPV45 E2	8	86
HPV45 E2	10	115	HPV45 E2	11	20
HPV45 E2	8	254	HPV45 E2	8	300
HPV45 E2	10	254	HPV45 E2	9	300
HPV45 E2	8	305	HPV45 E2	10	300
HPV45 E2	9	305	HPV45 E2	10	331
HPV45 E2	11	134	HPV45 E2	8	154
HPV45 E2	10	286	HPV45 E2	9	232
HPV45 E2	8	274	HPV45 E2	11	232
HPV45 E2	9	274	HPV45 E2	11	121
HPV45 E2	10	274	HPV45 E2	9	273
HPV45 E2	11	274	HPV45 E2	10	273
HPV45 E2	8	158	HPV45 E2	11	273
HPV45 E2	9	158	HPV45 E2	9	22
HPV45 E2	11	158	HPV45 E2	11	49
HPV45 E2	11	211	HPV45 E2	10	272
HPV45 E2	11	169	HPV45 E2	11	272
HPV45 E2	10	128	HPV45 E2	11	14
HPV45 E2	8	31	HPV45 E2	11	10
HPV45 E2	11	28	HPV45 E2	8	256
HPV45 E2	9	171	HPV45 E2	11	336
HPV45 E2	10	212	HPV45 E2	10	83
HPV45 E2	9	45	HPV45 E2	11	83
HPV45 E2	11	45	HPV45 E2	10	135
HPV45 E2	11	127	HPV45 E2	11	135
HPV45 E2	10	50	HPV45 E2	8	46
HPV45 E2	10	298	HPV45 E2	10	46
HPV45 E2	11	298	HPV45 E2	8	69
HPV45 E2	10	170	HPV45 E2	9	69
HPV45 E2	8	119	HPV45 E2	8	301
HPV45 E2	9	255	HPV45 E2	9	301
HPV45 E2	9	129	HPV45 E2	11	301
HPV45 E2	10	186	HPV45 E2	9	187
HPV45 E2	8	288	HPV45 E2	11	33
HPV45 E2	10	288	HPV45 E2	9	357
HPV45 E2	8	225	HPV45 E2	9	109
HPV45 E2	8	55	HPV45 E2	10	109
HPV45 E2	9	261	HPV45 E2	9	332
HPV45 E2	8	242	HPV45 E2	9	289
HPV45 E2	9	242	HPV45 E2	9	292
HPV45 E2	11	242	HPV45 E2	8	67

Table XVII  
HLA-A11 Motif Peptides

HPV45 E2	10	67	HPV45 E2	11	64
HPV45 E2	11	67	HPV45 E2	8	138
HPV45 E2	11	271	HPV45 E2	10	152
HPV45 E2	10	356	HPV45 E2	10	108
HPV45 E2	10	112	HPV45 E2	11	108
HPV45 E2	8	114	HPV45 E2	11	185
HPV45 E2	11	114	HPV45 E2	9	166
HPV45 E2	8	253	HPV45 E2	10	166
HPV45 E2	9	253	HPV45 E2	10	145
HPV45 E2	11	253	HPV45 E2	9	317
HPV45 E2	8	18	HPV45 E2	10	175
HPV45 E2	8	177	HPV45 E2	11	175
HPV45 E2	9	177	HPV45 E2	8	137
HPV45 E2	9	35	HPV45 E2	9	137
HPV45 E2	8	218	HPV45 E6	10	63
HPV45 E2	11	222	HPV45 E6	9	64
HPV45 E2	11	82	HPV45 E6	11	64
HPV45 E2	9	244	HPV45 E6	11	31
HPV45 E2	10	4	HPV45 E6	9	48
HPV45 E2	10	63	HPV45 E6	10	48
HPV45 E2	11	43	HPV45 E6	9	37
HPV45 E2	8	309	HPV45 E6	9	141
HPV45 E2	9	309	HPV45 E6	11	141
HPV45 E2	8	13	HPV45 E6	8	142
HPV45 E2	10	15	HPV45 E6	10	142
HPV45 E2	11	15	HPV45 E6	11	142
HPV45 E2	11	215	HPV45 E6	8	59
HPV45 E2	9	287	HPV45 E6	9	59
HPV45 E2	11	287	HPV45 E6	9	68
HPV45 E2	8	302	HPV45 E6	9	138
HPV45 E2	10	302	HPV45 E6	10	32
HPV45 E2	11	302	HPV45 E6	9	58
HPV45 E2	8	188	HPV45 E6	10	58
HPV45 E2	8	275	HPV45 E6	8	5
HPV45 E2	9	275	HPV45 E6	9	5
HPV45 E2	10	275	HPV45 E6	10	70
HPV45 E2	11	321	HPV45 E6	11	70
HPV45 E2	8	276	HPV45 E6	8	27
HPV45 E2	9	276	HPV45 E6	10	27
HPV45 E2	10	322	HPV45 E6	10	77
HPV45 E2	8	235	HPV45 E6	8	97
HPV45 E2	8	358	HPV45 E6	11	97
HPV45 E2	11	155	HPV45 E6	8	43
HPV45 E2	9	51	HPV45 E6	10	47
HPV45 E2	8	233	HPV45 E6	11	47
HPV45 E2	10	233	HPV45 E6	9	4
HPV45 E2	8	333	HPV45 E6	10	4
HPV45 E2	8	277	HPV45 E6	10	53
HPV45 E2	8	290	HPV45 E6	9	120
HPV45 E2	11	290	HPV45 E6	8	128
HPV45 E2	8	172	HPV45 E6	8	60
HPV45 E2	10	122	HPV45 E6	8	69
HPV45 E2	9	213	HPV45 E6	11	69
HPV45 E2	10	337	HPV45 E6	9	54
HPV45 E2	11	285	HPV45 E6	10	36
HPV45 E2	8	214	HPV45 E6	8	67
HPV45 E2	8	159	HPV45 E6	10	67
HPV45 E2	10	159	HPV45 E6	8	50
HPV45 E2	9	338	HPV45 E6	8	92
HPV45 E2	9	64	HPV45 E6	11	52

Table XVII  
HLA-A11 Motif Peptides

HPV45 E6	9	102	HPV45 E7	8	61
HPV45 E6	10	101	HPV45 E7	10	63
HPV45 E6	8	112	HPV45 E7	9	21
HPV45 E6	9	112	HPV45 E7	11	75
HPV45 E6	11	112	HPV45 E7	9	39
HPV45 E6	10	1	HPV45 E7	9	51
HPV45 E6	8	100	HPV45 E7	10	51
HPV45 E6	11	100	HPV45 E7	11	51
HPV45 E6	10	83	HPV45 E7	11	49
HPV45 E6	8	139	HPV45 E7	8	54
HPV45 E6	11	139	HPV45 E7	10	5
HPV45 E6	10	95	HPV45 E7	8	7
HPV45 E6	9	114	HPV45 E7	10	76
HPV45 E6	11	114	HPV45 E7	8	65
HPV45 E6	8	111	HPV45 E7	9	45
HPV45 E6	9	111	HPV45 E7	10	45
HPV45 E6	10	111	HPV45 L1	9	517
HPV45 E6	8	144	HPV45 L1	11	161
HPV45 E6	9	144	HPV45 L1	9	128
HPV45 E6	10	144	HPV45 L1	9	83
HPV45 E6	11	144	HPV45 L1	8	191
HPV45 E6	10	137	HPV45 L1	11	28
HPV45 E6	9	26	HPV45 L1	11	234
HPV45 E6	11	26	HPV45 L1	9	523
HPV45 E6	11	46	HPV45 L1	11	523
HPV45 E6	11	107	HPV45 L1	11	375
HPV45 E6	10	57	HPV45 L1	8	518
HPV45 E6	11	57	HPV45 L1	11	518
HPV45 E6	8	3	HPV45 L1	10	162
HPV45 E6	10	3	HPV45 L1	8	164
HPV45 E6	11	3	HPV45 L1	8	88
HPV45 E6	9	126	HPV45 L1	10	88
HPV45 E6	10	126	HPV45 L1	11	88
HPV45 E6	8	74	HPV45 L1	10	276
HPV45 E6	10	41	HPV45 L1	11	276
HPV45 E6	8	29	HPV45 L1	8	129
HPV45 E6	11	24	HPV45 L1	8	188
HPV45 E6	11	82	HPV45 L1	11	188
HPV45 E6	9	84	HPV45 L1	8	211
HPV45 E6	10	140	HPV45 L1	11	51
HPV45 E6	11	89	HPV45 L1	9	236
HPV45 E6	8	38	HPV45 L1	9	224
HPV45 E6	11	94	HPV45 L1	8	250
HPV45 E6	9	28	HPV45 L1	9	250
HPV45 E6	11	62	HPV45 L1	9	488
HPV45 E6	8	34	HPV45 L1	10	488
HPV45 E6	9	99	HPV45 L1	8	172
HPV45 E6	8	72	HPV45 L1	8	271
HPV45 E6	9	72	HPV45 L1	9	271
HPV45 E6	10	72	HPV45 L1	9	332
HPV45 E7	9	6	HPV45 L1	11	114
HPV45 E7	9	64	HPV45 L1	11	461
HPV45 E7	11	43	HPV45 L1	8	296
HPV45 E7	10	20	HPV45 L1	10	296
HPV45 E7	10	38	HPV45 L1	10	169
HPV45 E7	8	78	HPV45 L1	11	169
HPV45 E7	10	44	HPV45 L1	10	223
HPV45 E7	11	44	HPV45 L1	8	313
HPV45 E7	8	47	HPV45 L1	8	283
HPV45 E7	11	62	HPV45 L1	11	275

Table XVII  
HLA-A11 Motif Peptides

HPV45 L1	9	110	HPV45 L1	8	140
HPV45 L1	8	24	HPV45 L1	11	140
HPV45 L1	8	498	HPV45 L1	8	68
HPV45 L1	9	498	HPV45 L1	10	68
HPV45 L1	10	498	HPV45 L1	9	144
HPV45 L1	8	336	HPV45 L1	8	413
HPV45 L1	9	336	HPV45 L1	10	413
HPV45 L1	8	485	HPV45 L1	9	69
HPV45 L1	8	237	HPV45 L1	8	499
HPV45 L1	11	450	HPV45 L1	9	499
HPV45 L1	9	359	HPV45 L1	9	1
HPV45 L1	10	82	HPV45 L1	10	235
HPV45 L1	9	187	HPV45 L1	10	294
HPV45 L1	9	210	HPV45 L1	11	310
HPV45 L1	8	225	HPV45 L1	8	49
HPV45 L1	9	270	HPV45 L1	9	383
HPV45 L1	10	270	HPV45 L1	10	383
HPV45 L1	9	295	HPV45 L1	11	383
HPV45 L1	11	295	HPV45 L1	10	516
HPV45 L1	10	141	HPV45 L1	9	190
HPV45 L1	8	111	HPV45 L1	8	526
HPV45 L1	11	503	HPV45 L1	10	526
HPV45 L1	8	143	HPV45 L1	11	526
HPV45 L1	10	143	HPV45 L1	11	259
HPV45 L1	8	84	HPV45 L1	10	209
HPV45 L1	8	9	HPV45 L1	10	22
HPV45 L1	8	348	HPV45 L1	10	248
HPV45 L1	8	251	HPV45 L1	11	248
HPV45 L1	11	251	HPV45 L1	9	139
HPV45 L1	9	23	HPV45 L1	8	382
HPV45 L1	9	59	HPV45 L1	10	382
HPV45 L1	9	142	HPV45 L1	11	382
HPV45 L1	11	142	HPV45 L1	8	508
HPV45 L1	11	185	HPV45 L1	9	387
HPV45 L1	10	411	HPV45 L1	10	387
HPV45 L1	11	328	HPV45 L1	9	440
HPV45 L1	8	460	HPV45 L1	10	440
HPV45 L1	10	109	HPV45 L1	10	380
HPV45 L1	8	389	HPV45 L1	9	87
HPV45 L1	9	497	HPV45 L1	11	87
HPV45 L1	10	497	HPV45 L1	8	468
HPV45 L1	11	497	HPV45 L1	11	168
HPV45 L1	9	484	HPV45 L1	10	346
HPV45 L1	8	475	HPV45 L1	10	281
HPV45 L1	10	475	HPV45 L1	10	334
HPV45 L1	8	305	HPV45 L1	11	334
HPV45 L1	9	152	HPV45 L1	11	357
HPV45 L1	10	473	HPV45 L1	8	378
HPV45 L1	8	91	HPV45 L1	9	253
HPV45 L1	11	91	HPV45 L1	9	452
HPV45 L1	8	153	HPV45 L1	8	171
HPV45 L1	9	249	HPV45 L1	9	171
HPV45 L1	10	249	HPV45 L1	9	67
HPV45 L1	8	489	HPV45 L1	11	67
HPV45 L1	9	489	HPV45 L1	9	101
HPV45 L1	9	282	HPV45 L1	8	529
HPV45 L1	9	335	HPV45 L1	8	46
HPV45 L1	10	335	HPV45 L1	11	46
HPV45 L1	10	358	HPV45 L1	10	77
HPV45 L1	10	186	HPV45 L1	9	93

Table XVII  
HLA-A11 Motif Peptides

HPV45 L1	10	487	HPV45 L1	10	269
HPV45 L1	11	487	HPV45 L1	11	269
HPV45 L1	8	331	HPV45 L1	10	7
HPV45 L1	10	331	HPV45 L1	10	303
HPV45 L1	11	81	HPV45 L1	9	38
HPV45 L1	8	145	HPV45 L1	9	261
HPV45 L1	8	254	HPV45 L1	11	150
HPV45 L1	10	58	HPV45 L1	8	393
HPV45 L1	8	272	HPV45 L1	9	53
HPV45 L1	11	486	HPV45 L1	10	53
HPV45 L1	11	65	HPV45 L2	10	286
HPV45 L1	8	521	HPV45 L2	8	12
HPV45 L1	9	521	HPV45 L2	11	12
HPV45 L1	11	521	HPV45 L2	9	357
HPV45 L1	10	115	HPV45 L2	10	357
HPV45 L1	10	376	HPV45 L2	10	423
HPV45 L1	10	519	HPV45 L2	9	14
HPV45 L1	11	519	HPV45 L2	9	303
HPV45 L1	11	43	HPV45 L2	11	340
HPV45 L1	8	453	HPV45 L2	9	275
HPV45 L1	9	414	HPV45 L2	10	275
HPV45 L1	8	522	HPV45 L2	9	273
HPV45 L1	10	522	HPV45 L2	11	273
HPV45 L1	9	163	HPV45 L2	8	343
HPV45 L1	11	457	HPV45 L2	8	36
HPV45 L1	11	410	HPV45 L2	8	276
HPV45 L1	9	116	HPV45 L2	9	276
HPV45 L1	9	412	HPV45 L2	11	306
HPV45 L1	11	412	HPV45 L2	10	181
HPV45 L1	9	330	HPV45 L2	8	314
HPV45 L1	11	330	HPV45 L2	11	58
HPV45 L1	11	57	HPV45 L2	8	430
HPV45 L1	8	442	HPV45 L2	8	64
HPV45 L1	9	520	HPV45 L2	10	62
HPV45 L1	10	520	HPV45 L2	10	25
HPV45 L1	10	462	HPV45 L2	9	60
HPV45 L1	10	329	HPV45 L2	8	183
HPV45 L1	8	441	HPV45 L2	10	183
HPV45 L1	9	441	HPV45 L2	10	433
HPV45 L1	8	70	HPV45 L2	11	433
HPV45 L1	9	297	HPV45 L2	11	292
HPV45 L1	11	36	HPV45 L2	11	432
HPV45 L1	8	102	HPV45 L2	11	180
HPV45 L1	10	44	HPV45 L2	8	313
HPV45 L1	11	99	HPV45 L2	9	313
HPV45 L1	11	293	HPV45 L2	8	429
HPV45 L1	9	48	HPV45 L2	9	429
HPV45 L1	10	92	HPV45 L2	10	59
HPV45 L1	8	54	HPV45 L2	10	210
HPV45 L1	9	54	HPV45 L2	11	210
HPV45 L1	8	360	HPV45 L2	8	366
HPV45 L1	10	47	HPV45 L2	10	34
HPV45 L1	9	78	HPV45 L2	10	299
HPV45 L1	10	127	HPV45 L2	9	287
HPV45 L1	8	196	HPV45 L2	11	375
HPV45 L1	8	341	HPV45 L2	10	392
HPV45 L1	8	477	HPV45 L2	9	248
HPV45 L1	8	385	HPV45 L2	8	277
HPV45 L1	9	385	HPV45 L2	8	1
HPV45 L1	11	385	HPV45 L2	9	1

Table XVII  
HLA-A11 Motif Peptides

HPV45 L2	10	1	HPV45 L2	9	424
HPV45 L2	11	1	HPV45 L2	9	26
HPV45 L2	11	422	HPV45 L2	8	15
HPV45 L2	9	342	HPV45 L2	10	402
HPV45 L2	10	79	HPV45 L2	8	61
HPV45 L2	11	285	HPV45 L2	11	61
HPV45 L2	10	356	HPV45 L2	9	69
HPV45 L2	11	356	HPV45 L2	8	363
HPV45 L2	8	404	HPV45 L2	10	363
HPV45 L2	10	272	HPV45 L2	11	363
HPV45 L2	11	209	HPV45 L2	8	304
HPV45 L2	9	214	HPV45 L2	10	376
HPV45 L2	11	391	HPV45 L2	8	421
HPV45 L2	8	378	HPV45 L2	10	341
HPV45 L2	10	361	HPV45 L2	9	393
HPV45 L2	9	420	HPV45 L2	11	418
HPV45 L2	8	185	HPV45 L2	8	359
HPV45 L2	10	216	HPV45 L2	8	425
HPV45 L2	9	312	HPV45 L2	11	426
HPV45 L2	10	312	HPV45 L2	10	293
HPV45 L2	8	11	HPV45 L2	9	217
HPV45 L2	9	11	HPV45 L2	11	217
HPV45 L2	10	302	HPV45 L2	9	80
HPV45 L2	8	295	HPV45 L2	9	182
HPV45 L2	8	222	HPV45 L2	11	182
HPV45 L2	8	291	HPV45 L2	8	2
HPV45 L2	11	298	HPV45 L2	9	2
HPV45 L2	10	281	HPV45 L2	10	2
HPV45 L2	11	281	HPV45 L2	9	236
HPV45 L2	11	225	HPV45 L2	8	249
HPV45 L2	9	308	HPV45 L2	8	81
HPV45 L2	11	308	HPV45 L2	8	444
HPV45 L2	10	68	HPV45 L2	11	444
HPV45 L2	8	220	HPV45 L2	9	428
HPV45 L2	10	220	HPV45 L2	10	428
HPV45 L2	10	235	HPV45 L2	8	437
HPV45 L2	10	13	HPV45 L2	11	437
HPV45 L2	8	394	HPV45 L2	9	227
HPV45 L2	8	274	HPV45 L2	11	401
HPV45 L2	10	274	HPV56 E2	9	177
HPV45 L2	11	274	HPV56 E2	10	177
HPV45 L2	8	309	HPV56 E2	10	21
HPV45 L2	10	309	HPV56 E2	8	178
HPV45 L2	9	63	HPV56 E2	9	178
HPV45 L2	11	24	HPV56 E2	11	178
HPV45 L2	10	247	HPV56 E2	8	249
HPV45 L2	11	78	HPV56 E2	9	249
HPV45 L2	11	246	HPV56 E2	10	249
HPV45 L2	8	288	HPV56 E2	8	52
HPV45 L2	11	288	HPV56 E2	8	4
HPV45 L2	9	211	HPV56 E2	8	71
HPV45 L2	10	211	HPV56 E2	9	71
HPV45 L2	9	362	HPV56 E2	11	71
HPV45 L2	11	362	HPV56 E2	10	92
HPV45 L2	8	212	HPV56 E2	11	92
HPV45 L2	9	212	HPV56 E2	10	176
HPV45 L2	11	212	HPV56 E2	11	176
HPV45 L2	8	237	HPV56 E2	8	113
HPV45 L2	8	358	HPV56 E2	10	65
HPV45 L2	9	358	HPV56 E2	8	215

Table XVII  
HLA-A11 Motif Peptides

HPV56 E2	9	195	HPV56 E2	11	68
HPV56 E2	8	140	HPV56 E2	10	276
HPV56 E2	9	140	HPV56 E2	11	276
HPV56 E2	8	213	HPV56 E2	11	258
HPV56 E2	10	213	HPV56 E2	9	233
HPV56 E2	8	117	HPV56 E2	8	90
HPV56 E2	9	193	HPV56 E2	9	90
HPV56 E2	11	193	HPV56 E2	9	260
HPV56 E2	8	43	HPV56 E2	10	260
HPV56 E2	9	43	HPV56 E2	10	295
HPV56 E2	8	191	HPV56 E2	11	295
HPV56 E2	11	191	HPV56 E2	9	46
HPV56 E2	10	199	HPV56 E2	10	46
HPV56 E2	8	23	HPV56 E2	9	1
HPV56 E2	10	288	HPV56 E2	11	1
HPV56 E2	9	154	HPV56 E2	9	70
HPV56 E2	10	154	HPV56 E2	10	70
HPV56 E2	10	128	HPV56 E2	8	83
HPV56 E2	8	61	HPV56 E2	10	69
HPV56 E2	11	64	HPV56 E2	11	69
HPV56 E2	8	194	HPV56 E2	8	31
HPV56 E2	10	194	HPV56 E2	8	226
HPV56 E2	10	121	HPV56 E2	9	225
HPV56 E2	11	294	HPV56 E2	8	292
HPV56 E2	8	261	HPV56 E2	11	149
HPV56 E2	9	261	HPV56 E2	9	3
HPV56 E2	9	122	HPV56 E2	9	139
HPV56 E2	9	231	HPV56 E2	10	139
HPV56 E2	11	231	HPV56 E2	10	230
HPV56 E2	9	99	HPV56 E2	8	183
HPV56 E2	10	99	HPV56 E2	8	244
HPV56 E2	9	173	HPV56 E2	9	244
HPV56 E2	10	173	HPV56 E2	10	244
HPV56 E2	9	66	HPV56 E2	8	152
HPV56 E2	8	94	HPV56 E2	11	152
HPV56 E2	9	94	HPV56 E2	11	236
HPV56 E2	11	94	HPV56 E2	10	301
HPV56 E2	8	201	HPV56 E2	8	175
HPV56 E2	10	201	HPV56 E2	11	175
HPV56 E2	8	104	HPV56 E2	10	98
HPV56 E2	10	59	HPV56 E2	11	98
HPV56 E2	11	210	HPV56 E2	8	246
HPV56 E2	8	239	HPV56 E2	11	246
HPV56 E2	10	239	HPV56 E2	11	188
HPV56 E2	8	130	HPV56 E2	9	291
HPV56 E2	8	297	HPV56 E2	8	222
HPV56 E2	9	297	HPV56 E2	10	220
HPV56 E2	11	20	HPV56 E2	9	212
HPV56 E2	9	283	HPV56 E2	11	212
HPV56 E2	10	224	HPV56 E2	9	93
HPV56 E2	10	211	HPV56 E2	10	93
HPV56 E2	11	281	HPV56 E2	8	279
HPV56 E2	9	248	HPV56 E2	11	223
HPV56 E2	10	248	HPV56 E2	8	196
HPV56 E2	11	248	HPV56 E2	11	266
HPV56 E2	9	51	HPV56 E2	11	171
HPV56 E2	8	203	HPV56 E2	8	141
HPV56 E2	11	120	HPV56 E2	11	40
HPV56 E2	8	241	HPV56 E2	8	112
HPV56 E2	11	241	HPV56 E2	9	112

Table XVII  
HLA-A11 Motif Peptides

HPV56 E2	9	214	HPV56 E6	11	20
HPV56 E2	10	282	HPV56 E6	11	44
HPV56 E2	11	28	HPV56 E6	10	48
HPV56 E2	10	259	HPV56 E6	11	48
HPV56 E2	11	259	HPV56 E6	9	5
HPV56 E2	8	271	HPV56 E6	9	88
HPV56 E2	8	234	HPV56 E6	10	88
HPV56 E2	8	155	HPV56 E6	8	141
HPV56 E2	9	155	HPV56 E6	11	141
HPV56 E2	8	75	HPV56 E6	8	137
HPV56 E2	8	91	HPV56 E6	9	121
HPV56 E2	11	91	HPV56 E6	9	27
HPV56 E2	8	262	HPV56 E6	11	27
HPV56 E2	8	95	HPV56 E6	10	54
HPV56 E2	10	95	HPV56 E6	8	75
HPV56 E2	10	172	HPV56 E6	10	75
HPV56 E2	11	172	HPV56 E6	9	99
HPV56 E2	8	156	HPV56 E6	10	99
HPV56 E2	8	179	HPV56 E6	8	71
HPV56 E2	10	179	HPV56 E6	9	71
HPV56 E2	10	150	HPV56 E6	10	71
HPV56 E2	10	237	HPV56 E6	11	71
HPV56 E2	9	302	HPV56 E6	9	140
HPV56 E2	10	45	HPV56 E6	10	26
HPV56 E2	11	45	HPV56 E6	8	70
HPV56 E2	9	270	HPV56 E6	9	70
HPV56 E2	11	137	HPV56 E6	10	70
HPV56 E2	9	82	HPV56 E6	11	70
HPV56 E2	9	30	HPV56 E6	8	31
HPV56 E2	8	278	HPV56 E6	9	113
HPV56 E2	9	278	HPV56 E6	9	55
HPV56 E2	9	111	HPV56 E6	8	47
HPV56 E2	10	111	HPV56 E6	11	47
HPV56 E2	8	74	HPV56 E6	8	6
HPV56 E2	9	74	HPV56 E6	11	6
HPV56 E2	9	102	HPV56 E6	11	25
HPV56 E2	10	102	HPV56 E6	10	112
HPV56 E6	9	49	HPV56 E6	8	4
HPV56 E6	10	49	HPV56 E6	10	4
HPV56 E6	8	89	HPV56 E6	8	98
HPV56 E6	9	89	HPV56 E6	10	98
HPV56 E6	10	64	HPV56 E6	11	98
HPV56 E6	8	100	HPV56 E6	8	119
HPV56 E6	9	100	HPV56 E6	9	119
HPV56 E6	8	122	HPV56 E6	11	119
HPV56 E6	10	139	HPV56 E6	9	110
HPV56 E6	9	69	HPV56 E6	11	108
HPV56 E6	10	69	HPV56 E6	10	58
HPV56 E6	11	69	HPV56 E6	8	30
HPV56 E6	8	50	HPV56 E6	9	30
HPV56 E6	9	50	HPV56 E6	9	67
HPV56 E6	10	33	HPV56 E6	11	67
HPV56 E6	9	59	HPV56 E6	11	138
HPV56 E6	8	60	HPV56 E6	11	32
HPV56 E6	8	101	HPV56 E6	9	136
HPV56 E6	8	28	HPV56 E6	8	90
HPV56 E6	10	28	HPV56 E6	8	68
HPV56 E6	11	28	HPV56 E6	10	68
HPV56 E6	8	23	HPV56 E6	11	68
HPV56 E6	8	39	HPV56 E6	9	65

Table XVII  
HLA-A11 Motif Peptides

HPV56 E6	11	65	HPV56 L1	8	278
HPV56 E6	10	21	HPV56 L1	9	278
HPV56 E6	10	135	HPV56 L1	11	176
HPV56 E6	11	63	HPV56 L1	11	60
HPV56 E6	8	35	HPV56 L1	10	236
HPV56 E6	10	87	HPV56 L1	11	121
HPV56 E6	11	87	HPV56 L1	9	337
HPV56 E6	9	46	HPV56 L1	8	448
HPV56 E6	8	73	HPV56 L1	10	404
HPV56 E6	9	73	HPV56 L1	10	308
HPV56 E6	10	73	HPV56 L1	8	303
HPV56 E7	10	75	HPV56 L1	10	303
HPV56 E7	10	33	HPV56 L1	8	290
HPV56 E7	8	35	HPV56 L1	11	290
HPV56 E7	10	37	HPV56 L1	9	117
HPV56 E7	8	39	HPV56 L1	8	501
HPV56 E7	11	70	HPV56 L1	10	501
HPV56 E7	10	42	HPV56 L1	8	33
HPV56 E7	8	62	HPV56 L1	9	341
HPV56 E7	11	74	HPV56 L1	9	364
HPV56 E7	10	60	HPV56 L1	9	194
HPV56 E7	8	52	HPV56 L1	9	277
HPV56 E7	11	52	HPV56 L1	10	277
HPV56 E7	8	49	HPV56 L1	8	238
HPV56 E7	11	49	HPV56 L1	8	118
HPV56 E7	8	73	HPV56 L1	10	150
HPV56 E7	8	77	HPV56 L1	10	73
HPV56 E7	10	71	HPV56 L1	11	235
HPV56 E7	11	59	HPV56 L1	9	32
HPV56 L1	9	135	HPV56 L1	9	68
HPV56 L1	11	273	HPV56 L1	11	393
HPV56 L1	11	149	HPV56 L1	10	378
HPV56 L1	11	72	HPV56 L1	11	378
HPV56 L1	11	241	HPV56 L1	10	414
HPV56 L1	8	198	HPV56 L1	10	334
HPV56 L1	10	169	HPV56 L1	11	192
HPV56 L1	8	58	HPV56 L1	8	258
HPV56 L1	8	381	HPV56 L1	11	258
HPV56 L1	11	381	HPV56 L1	10	89
HPV56 L1	8	444	HPV56 L1	10	116
HPV56 L1	9	444	HPV56 L1	9	500
HPV56 L1	10	444	HPV56 L1	11	500
HPV56 L1	9	37	HPV56 L1	8	392
HPV56 L1	11	37	HPV56 L1	11	413
HPV56 L1	8	512	HPV56 L1	10	93
HPV56 L1	11	79	HPV56 L1	11	300
HPV56 L1	8	195	HPV56 L1	8	98
HPV56 L1	11	195	HPV56 L1	11	98
HPV56 L1	8	136	HPV56 L1	8	55
HPV56 L1	8	389	HPV56 L1	10	55
HPV56 L1	10	389	HPV56 L1	11	55
HPV56 L1	11	389	HPV56 L1	11	45
HPV56 L1	10	274	HPV56 L1	11	168
HPV56 L1	9	243	HPV56 L1	8	78
HPV56 L1	8	257	HPV56 L1	9	256
HPV56 L1	9	257	HPV56 L1	10	256
HPV56 L1	9	491	HPV56 L1	8	492
HPV56 L1	10	491	HPV56 L1	9	492
HPV56 L1	8	179	HPV56 L1	9	289
HPV56 L1	9	90	HPV56 L1	10	340

Table XVII  
HLA-A11 Motif Peptides

HPV56 L1	10	363	HPV56 L1	11	520
HPV56 L1	8	147	HPV56 L1	9	100
HPV56 L1	8	77	HPV56 L1	11	100
HPV56 L1	9	77	HPV56 L1	8	152
HPV56 L1	9	502	HPV56 L1	10	67
HPV56 L1	8	416	HPV56 L1	8	446
HPV56 L1	10	416	HPV56 L1	10	446
HPV56 L1	9	151	HPV56 L1	8	279
HPV56 L1	8	385	HPV56 L1	9	74
HPV56 L1	10	36	HPV56 L1	11	74
HPV56 L1	10	242	HPV56 L1	8	456
HPV56 L1	11	333	HPV56 L1	9	379
HPV56 L1	8	2	HPV56 L1	10	379
HPV56 L1	9	2	HPV56 L1	8	261
HPV56 L1	9	1	HPV56 L1	10	261
HPV56 L1	10	1	HPV56 L1	11	489
HPV56 L1	11	5	HPV56 L1	8	526
HPV56 L1	11	315	HPV56 L1	9	526
HPV56 L1	8	95	HPV56 L1	8	524
HPV56 L1	10	95	HPV56 L1	9	524
HPV56 L1	11	95	HPV56 L1	10	524
HPV56 L1	9	123	HPV56 L1	11	524
HPV56 L1	9	170	HPV56 L1	8	86
HPV56 L1	8	171	HPV56 L1	8	380
HPV56 L1	8	91	HPV56 L1	9	380
HPV56 L1	9	197	HPV56 L1	9	262
HPV56 L1	8	511	HPV56 L1	11	460
HPV56 L1	9	511	HPV56 L1	10	490
HPV56 L1	11	266	HPV56 L1	11	490
HPV56 L1	10	31	HPV56 L1	9	237
HPV56 L1	10	255	HPV56 L1	9	304
HPV56 L1	11	255	HPV56 L1	11	377
HPV56 L1	9	146	HPV56 L1	9	415
HPV56 L1	10	467	HPV56 L1	11	415
HPV56 L1	11	467	HPV56 L1	9	94
HPV56 L1	9	522	HPV56 L1	11	94
HPV56 L1	10	522	HPV56 L1	10	122
HPV56 L1	11	522	HPV56 L1	9	335
HPV56 L1	9	442	HPV56 L1	11	335
HPV56 L1	10	442	HPV56 L1	11	66
HPV56 L1	11	442	HPV56 L1	8	445
HPV56 L1	11	52	HPV56 L1	9	445
HPV56 L1	8	471	HPV56 L1	11	445
HPV56 L1	8	406	HPV56 L1	8	525
HPV56 L1	10	288	HPV56 L1	9	525
HPV56 L1	11	339	HPV56 L1	10	525
HPV56 L1	11	362	HPV56 L1	8	523
HPV56 L1	8	384	HPV56 L1	9	523
HPV56 L1	9	384	HPV56 L1	10	523
HPV56 L1	11	35	HPV56 L1	11	523
HPV56 L1	9	260	HPV56 L1	8	57
HPV56 L1	11	260	HPV56 L1	9	57
HPV56 L1	9	178	HPV56 L1	8	443
HPV56 L1	9	76	HPV56 L1	9	443
HPV56 L1	10	76	HPV56 L1	10	443
HPV56 L1	10	508	HPV56 L1	11	443
HPV56 L1	11	508	HPV56 L1	11	106
HPV56 L1	9	455	HPV56 L1	10	193
HPV56 L1	9	108	HPV56 L1	10	301
HPV56 L1	9	417	HPV56 L1	10	80

Table XVII  
HLA-A11 Motif Peptides

HPV56 L1	10	99	HPV56 L2	8	64
HPV56 L1	10	53	HPV56 L2	10	434
HPV56 L1	8	365	HPV56 L2	10	25
HPV56 L1	9	56	HPV56 L2	10	62
HPV56 L1	10	56	HPV56 L2	9	60
HPV56 L1	10	134	HPV56 L2	9	310
HPV56 L1	8	346	HPV56 L2	10	310
HPV56 L1	8	203	HPV56 L2	11	310
HPV56 L1	9	388	HPV56 L2	9	293
HPV56 L1	11	388	HPV56 L2	10	293
HPV56 L1	8	276	HPV56 L2	8	221
HPV56 L1	10	276	HPV56 L2	9	221
HPV56 L1	11	276	HPV56 L2	8	313
HPV56 L1	9	7	HPV56 L2	9	313
HPV56 L1	10	7	HPV56 L2	10	59
HPV56 L1	8	310	HPV56 L2	11	180
HPV56 L1	9	268	HPV56 L2	10	44
HPV56 L1	9	47	HPV56 L2	10	210
HPV56 L1	8	396	HPV56 L2	11	210
HPV56 L1	10	283	HPV56 L2	9	182
HPV56 L1	11	283	HPV56 L2	11	182
HPV56 L1	9	85	HPV56 L2	9	143
HPV56 L1	9	62	HPV56 L2	8	81
HPV56 L1	10	62	HPV56 L2	8	302
HPV56 L1	11	453	HPV56 L2	10	34
HPV56 L2	8	222	HPV56 L2	11	43
HPV56 L2	10	286	HPV56 L2	10	235
HPV56 L2	9	69	HPV56 L2	11	141
HPV56 L2	10	281	HPV56 L2	10	393
HPV56 L2	11	281	HPV56 L2	10	299
HPV56 L2	9	438	HPV56 L2	11	299
HPV56 L2	10	438	HPV56 L2	10	181
HPV56 L2	11	438	HPV56 L2	11	338
HPV56 L2	9	340	HPV56 L2	8	277
HPV56 L2	8	12	HPV56 L2	8	1
HPV56 L2	11	12	HPV56 L2	9	1
HPV56 L2	10	367	HPV56 L2	10	1
HPV56 L2	9	14	HPV56 L2	11	1
HPV56 L2	9	275	HPV56 L2	8	341
HPV56 L2	10	275	HPV56 L2	11	341
HPV56 L2	10	142	HPV56 L2	10	342
HPV56 L2	9	30	HPV56 L2	8	395
HPV56 L2	10	29	HPV56 L2	11	285
HPV56 L2	10	194	HPV56 L2	10	274
HPV56 L2	10	437	HPV56 L2	11	274
HPV56 L2	11	437	HPV56 L2	8	417
HPV56 L2	8	344	HPV56 L2	10	216
HPV56 L2	8	444	HPV56 L2	11	209
HPV56 L2	9	444	HPV56 L2	11	392
HPV56 L2	8	276	HPV56 L2	8	196
HPV56 L2	9	276	HPV56 L2	8	369
HPV56 L2	9	287	HPV56 L2	11	78
HPV56 L2	11	418	HPV56 L2	8	185
HPV56 L2	8	314	HPV56 L2	8	441
HPV56 L2	9	217	HPV56 L2	9	441
HPV56 L2	11	217	HPV56 L2	10	441
HPV56 L2	10	292	HPV56 L2	11	441
HPV56 L2	11	292	HPV56 L2	11	433
HPV56 L2	11	58	HPV56 L2	8	312
HPV56 L2	9	394	HPV56 L2	9	312

Table XVII  
HLA-A11 Motif Peptides

HPV56 L2	10	312	
HPV56 L2	8	421	SF 1168136 v1
HPV56 L2	11	421	
HPV56 L2	9	364	
HPV56 L2	11	306	
HPV56 L2	10	68	
HPV56 L2	8	11	
HPV56 L2	9	11	
HPV56 L2	8	295	
HPV56 L2	8	291	
HPV56 L2	11	291	
HPV56 L2	8	309	
HPV56 L2	10	309	
HPV56 L2	11	309	
HPV56 L2	8	220	
HPV56 L2	9	220	
HPV56 L2	10	220	
HPV56 L2	11	298	
HPV56 L2	11	225	
HPV56 L2	10	339	
HPV56 L2	10	13	
HPV56 L2	8	436	
HPV56 L2	11	436	
HPV56 L2	9	343	
HPV56 L2	11	24	
HPV56 L2	9	435	
HPV56 L2	11	362	
HPV56 L2	9	211	
HPV56 L2	10	211	
HPV56 L2	10	147	
HPV56 L2	10	79	
HPV56 L2	8	212	
HPV56 L2	9	212	
HPV56 L2	8	183	
HPV56 L2	10	183	
HPV56 L2	9	148	
HPV56 L2	11	414	
HPV56 L2	8	365	
HPV56 L2	9	26	
HPV56 L2	8	237	
HPV56 L2	9	63	
HPV56 L2	8	61	
HPV56 L2	11	61	
HPV56 L2	9	80	
HPV56 L2	11	146	
HPV56 L2	8	288	
HPV56 L2	11	288	
HPV56 L2	8	149	
HPV56 L2	8	2	
HPV56 L2	9	2	
HPV56 L2	10	2	
HPV56 L2	11	280	
HPV56 L2	11	366	
HPV56 L2	9	236	
HPV56 L2	8	31	
HPV56 L2	8	424	
HPV56 L2	8	443	
HPV56 L2	9	443	
HPV56 L2	10	443	

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

2	3	4			
E6	10	62	E1	8	77
L1	8	234	E1	9	77
L2	8	329	E1	10	77
E1	8	206	E1	9	101
L1	9	489	L1	10	43
L1	11	489	L1	11	43
L2	10	340	E2	8	231
E4	9	2	E2	9	231
E4	11	2	E2	11	231
E6	9	63	L1	10	483
E6	11	63	L1	11	483
E6	9	65	E1	11	601
E2	10	10	E6	8	64
L1	9	98	E6	10	64
E1	11	235	E2	8	124
E1	10	392	L1	8	157
E1	11	392	L1	11	157
L2	8	238	L1	10	341
L2	9	275	E1	8	406
L2	10	275	E1	9	406
E1	11	637	E1	10	406
L2	11	116	E7	10	57
E1	8	193	E7	9	58
E1	10	193	E6	8	66
E1	11	190	E1	11	215
E1	9	144	E2	9	299
E1	10	144	E2	10	299
L2	10	286	E2	11	299
L2	11	286	E7	8	59
E1	9	112	E2	8	161
E1	10	112	L1	10	221
L2	10	140	E6	11	67
L1	11	420	E2	8	296
E1	10	475	E2	10	35
E2	8	331	E2	11	35
E1	11	65	E2	8	248
E6	8	37	L1	8	99
E6	10	37	E6	9	131
L1	11	203	E1	8	640
L1	8	54	E2	11	9
E1	9	608	E1	10	111
L1	8	487	E1	11	111
L1	9	487	E1	9	524
L1	11	487	E2	8	230
L2	11	12	E2	9	230
E2	8	322	E2	10	230
E2	9	322	L1	11	24
L2	8	288	E1	8	405
L2	9	288	E1	9	405
L2	11	288	E1	10	405
L1	11	36	E1	11	405
L1	9	342	E1	10	523
L1	8	22	E1	10	49
E1	8	407	E2	10	122
E1	9	407	E1	9	542
L2	9	14	E1	10	542
E1	8	525	E1	11	542
E6	9	10	E7	9	41
E6	9	86	E7	11	41
			E1	9	161

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

E1	9	631	L1	9	453
L1	8	219	L1	10	453
L1	9	219	E1	9	197
E6	8	96	E1	8	604
E6	10	96	E1	9	131
E1	8	570	E2	11	74
E1	9	570	E1	8	417
E1	10	570	E2	8	100
E7	10	88	E2	9	100
E1	10	222	E4	10	50
E2	8	313	E1	9	157
E1	11	81	E2	8	21
E2	8	25	E2	9	21
E2	10	25	E1	8	373
E7	11	14	E1	11	373
E1	9	203	E2	8	80
E1	11	203	E2	9	293
E1	10	303	E2	10	293
L1	10	138	E2	11	293
L1	11	138	E2	9	39
E7	8	44	E7	11	39
L1	11	84	E6	11	113
E2	9	141	E2	10	205
E1	11	166	L1	8	206
E1	11	73	L1	8	252
L1	11	269	L2	8	442
L2	8	30	E2	11	121
E6	10	99	E2	9	312
E6	11	99	E1	9	595
L2	8	258	E5	10	67
E1	10	178	L1	11	244
E2	9	174	E1	10	216
L2	8	274	E1	9	50
L2	10	274	E1	9	220
L2	11	274	E6	9	126
E1	10	143	E6	11	126
E1	11	143	E1	9	454
E1	8	336	L2	8	428
E1	8	180	L2	10	428
E1	10	180	E1	9	494
E1	8	62	L1	8	463
L1	9	299	L1	10	463
E1	10	100	E5	9	68
E2	9	229	E4	10	21
E2	10	229	E4	11	21
E2	11	229	E1	9	393
E1	10	36	E1	10	393
E1	10	630	L1	10	245
L2	9	257	L1	11	245
E6	9	69	E1	10	457
E6	10	69	L2	11	239
E6	11	69	L2	8	276
E1	8	453	L2	9	276
E1	10	453	E1	9	18
L2	11	255	L1	9	303
E4	10	89	E1	9	67
E1	9	375	E1	10	67
E1	10	105	L1	8	49
E6	8	42	L1	8	450
E6	11	42	E1	11	587

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

E2	8	171	E1	9	349
L1	9	326	E7	8	2
L2	10	117	L2	8	312
L2	8	314	L2	10	312
E2	9	123	E2	11	53
L1	9	156	E2	10	255
E1	8	384	E6	10	119
E1	10	160	E2	10	78
L1	9	239	E2	11	310
L1	10	239	E4	8	10
L2	9	433	E4	9	10
E1	11	159	E4	10	10
L1	9	132	E2	9	70
L2	11	58	E2	8	264
E1	9	194	E2	11	264
E2	10	156	L2	10	37
E1	8	350	E1	9	246
E1	9	217	E2	10	149
L2	11	292	E2	11	149
L2	8	223	L2	8	3
E2	9	55	L2	9	3
E1	9	273	E6	11	25
E1	11	273	L2	11	306
E2	10	262	L2	8	149
L1	8	133	E2	9	29
E1	8	543	E2	10	29
E1	9	543	E1	8	376
E1	10	543	E1	11	474
E1	11	543	L2	11	326
L1	11	277	L2	9	287
E1	11	438	L2	10	287
L2	11	431	E1	11	370
L1	11	130	L1	8	220
L2	10	62	L1	11	220
E1	11	431	E1	8	51
L2	9	303	L1	9	218
L2	10	303	L1	10	218
E1	8	632	E1	8	569
E2	10	179	E1	9	569
E1	10	191	E1	10	569
L2	11	215	E1	11	569
L2	10	25	E1	8	221
L2	8	64	E1	11	221
L2	9	60	L1	9	32
E1	8	145	L2	9	313
E1	9	145	E1	10	334
L1	8	407	E2	10	54
L1	9	407	E2	9	256
L1	9	222	L2	8	299
E4	9	90	L2	10	299
E1	9	316	L2	10	59
L1	9	478	L1	8	272
L1	10	113	E6	9	97
L1	11	113	L2	9	141
E1	10	415	E1	8	195
E2	8	330	E1	11	195
E2	9	330	L2	11	178
E1	11	508	E6	9	120
E6	8	71	E6	9	74
E6	9	71	L2	9	180

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

E1	11	492	E6	8	18
E1	9	500	L1	10	56
E1	9	106	E2	9	165
E2	11	315	E2	9	147
L1	10	421	E6	8	116
L2	9	429	E6	10	116
E1	8	571	E1	10	121
E1	9	571	E6	8	52
E1	11	571	E6	10	52
L1	10	376	E1	11	283
E2	8	267	E2	8	63
E2	10	267	L1	8	61
E2	11	267	L1	11	61
E1	9	341	L1	8	19
L2	8	82	L1	11	19
L2	8	247	L1	9	71
E7	9	89	L1	11	42
E1	9	476	L1	11	340
E1	11	476	E6	8	111
E5	10	34	E6	9	111
E2	9	45	E6	11	106
L1	8	486	E6	10	16
L1	9	486	E4	8	35
L1	10	486	E1	8	110
E2	10	298	E1	11	110
E2	11	298	E1	11	522
E2	11	34	E1	10	541
E1	8	404	E1	11	541
E1	9	404	E7	11	87
E1	10	404	L1	8	454
E1	11	404	L1	9	454
E1	10	202	E6	8	98
E1	11	460	E6	11	98
L1	8	462	L2	8	142
L1	9	462	E2	10	311
L1	11	462	L1	8	87
L1	9	449	L1	10	302
E2	11	68	E1	10	66
E2	11	155	E1	11	66
E1	9	433	E6	8	54
E6	10	73	L1	10	325
E2	8	351	L1	9	161
E2	9	351	E1	8	495
E1	10	312	L1	11	459
E2	8	359	L1	8	110
E1	9	254	E1	8	255
E1	11	254	E1	10	255
E6	9	128	L1	9	271
E1	10	357	E6	8	101
E1	8	114	E6	9	101
E1	10	114	E1	9	223
E1	11	114	L2	10	179
E1	9	462	E2	9	266
E1	10	462	E2	11	266
E1	9	420	L2	9	246
E1	10	420	E5	11	33
E1	11	420	L1	8	41
E6	10	35	E1	11	540
L1	11	437	E4	9	8
E1	8	286	E4	10	8

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

E4	11	8	E2	8	151
E4	8	24	E2	9	151
E1	8	198	E1	8	19
L1	9	464	L1	11	154
E5	8	69	E1	8	274
E5	10	72	E1	10	274
E1	8	276	E2	8	71
E1	11	276	E6	9	36
E1	11	563	E6	11	36
E6	8	129	E1	10	607
E6	11	129	E2	8	295
E2	9	26	E2	9	295
E4	9	22	E6	10	130
E4	10	22	L1	9	205
E1	8	394	E2	8	170
E1	9	394	E2	9	170
E1	11	394	E1	8	158
E2	11	347	L1	8	406
L1	8	378	L1	9	406
L1	10	378	L1	10	406
E1	8	218	E1	9	568
E1	11	218	E1	10	568
L1	9	439	E1	11	568
L1	11	439	E1	10	451
E1	9	458	L1	10	31
L2	10	240	E2	10	265
E1	8	132	E4	8	23
E1	9	358	E4	9	23
E4	8	81	L1	10	438
E6	8	121	E1	8	397
E1	9	115	E2	8	269
E1	10	115	E2	9	269
E1	11	115	L1	9	352
E6	9	38	L1	10	352
E6	11	38	E1	11	59
E5	9	73	E1	8	395
E5	11	73	E1	10	395
E5	8	47	E2	8	22
E1	10	277	E2	11	22
E1	8	279	L2	9	38
E1	10	279	E2	10	348
L2	10	293	E2	11	348
L1	11	295	L2	9	237
E1	10	564	L2	11	285
E7	11	67	L2	11	139
L1	9	233	E5	8	78
E4	10	1	L1	11	482
L2	8	1	L2	8	438
L2	9	1	L2	9	438
L2	10	1	L2	10	438
L2	11	1	L2	11	438
E1	11	409	E2	9	247
L2	8	277	E1	9	528
E2	10	129	E1	11	528
L1	9	251	L2	10	272
L1	10	204	L2	8	355
E1	8	546	E1	11	302
E1	8	421	E7	9	18
E1	9	421	L2	9	29
E1	10	421	L1	11	228

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

E1	10	594	E1	11	450
E4	11	20	E1	8	314
E1	11	456	E1	11	314
L2	8	214	L1	11	466
L1	10	217	E2	11	245
L1	11	217	L1	9	417
E1	8	442	E2	9	103
E6	9	110	E2	10	103
E6	10	110	E2	11	103
E4	8	34	E2	9	233
E4	9	34	E1	10	128
L1	8	160	E1	9	205
L1	10	160	E1	11	391
L1	9	109	L1	9	53
E2	8	61	L2	8	11
E2	10	61	E2	8	108
E1	8	545	E1	9	639
E1	9	545	E1	8	169
L1	9	405	E6	10	125
L1	10	405	E1	8	281
L1	11	405	E1	9	383
E1	8	590	E2	8	113
L2	10	80	L2	8	291
E1	8	182	L1	11	470
L1	11	426	L2	10	302
L2	10	426	L2	11	302
L1	9	266	L2	9	298
L2	8	212	L2	11	298
L2	10	212	E1	9	109
L1	11	16	L1	8	241
L2	9	363	L2	10	281
L2	9	328	L2	11	281
E4	9	38	L2	10	245
E4	10	38	L1	9	40
E4	11	38	E2	8	303
E4	10	44	L2	9	308
E7	8	70	L2	11	308
L2	8	342	L1	9	472
E6	9	95	L1	10	472
E6	11	95	L1	11	476
L1	11	137	L1	9	279
E7	9	43	L2	10	221
E2	8	140	L1	8	140
E2	10	140	L1	9	140
E5	11	66	L1	8	488
E2	11	163	L1	10	488
E2	10	289	L1	9	379
L2	8	262	L2	8	181
E2	8	291	L2	10	13
E2	11	291	E6	10	9
E6	8	28	L1	8	353
E6	11	15	L1	9	353
L1	11	301	L2	11	352
L1	11	324	E1	10	219
E6	10	50	E1	10	493
E4	9	4	L1	8	440
L1	10	232	L1	10	440
L1	10	250	L2	10	432
E2	9	76	L1	10	131
E1	8	305	L1	8	115

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

L1	9	115	L2	10	216
L2	8	309	E7	11	56
L2	10	309	E2	8	160
L2	11	309	E2	9	160
E2	11	261	L2	9	26
L2	9	63	L1	9	422
E1	10	315	L1	11	422
L1	9	63	E2	9	24
L1	10	467	E2	11	24
E1	8	422	L2	11	235
E1	9	422	E2	8	142
E2	8	207	E1	10	588
L1	8	474	E1	10	167
E1	8	247	L2	8	430
L1	11	375	L2	8	61
L2	9	81	L2	11	61
E1	10	60	L2	11	24
L1	9	86	E1	8	146
E4	9	80	L1	10	477
L2	8	304	L2	11	69
L2	9	304	L2	8	39
E2	9	150	L1	8	408
E2	10	150	L1	10	270
E1	11	606	E5	11	71
E2	8	294	E6	10	26
E2	9	294	L1	9	377
E2	10	294	L1	11	377
E1	10	567	E1	8	408
E1	11	567	E2	11	128
E1	9	396	L1	11	30
L1	9	297	E2	9	268
L1	11	297	E2	10	268
L1	11	451	L1	8	351
L1	8	473	L1	10	351
L1	9	473	L1	11	351
L1	10	85	E6	11	8
E4	10	79	L2	10	147
L1	9	38	E1	8	566
L1	11	38	E1	11	566
L1	10	37	E4	11	78
L2	11	209	L1	10	346
E2	10	316	L1	11	346
L1	9	347	L1	8	280
L1	10	347	E5	11	44
E2	10	23	E2	11	97
E2	9	180	E6	8	39
L2	9	241	E6	10	39
L2	10	210	E6	11	39
E2	9	317	L1	8	223
L1	8	348	E6	8	11
L1	9	348	L1	11	345
L1	11	348	E6	8	87
E2	8	40	E4	8	91
E5	10	45	E1	11	498
L2	10	260	E1	8	78
L1	8	343	E1	9	78
E6	9	40	E2	10	334
E6	10	40	L1	9	57
E1	9	192	L1	11	57
E1	11	192	E1	8	317

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

L2	11	339	E2	11	349
E1	8	239	L1	8	72
L1	9	21	L1	8	58
E7	8	90	L1	10	58
E5	8	74	L1	11	58
E5	10	74	E2	11	58
E5	11	74	E7	10	68
E2	8	152	L1	10	97
E1	11	48	E2	8	321
E7	10	40	E2	9	321
L2	9	427	E2	10	321
L2	11	427	E1	10	17
L1	11	69	E1	10	272
L1	10	155	E1	8	426
L1	9	44	E5	8	36
L1	10	44	E1	10	340
L2	9	222	E1	9	530
E1	8	477	E1	8	464
E1	10	477	L1	8	308
L1	11	112	E1	9	510
E1	11	333	E2	8	92
E1	10	499	E2	11	145
E6	9	53	E1	9	237
E2	8	30	E1	10	237
E2	9	30	E6	11	61
E6	9	100	E6	10	85
E6	10	100	E1	8	76
E4	10	7	E1	9	76
E4	11	7	E1	10	76
E1	9	275	E1	11	76
E5	9	46	E6	11	46
E1	9	278	E5	8	76
E1	11	278	E5	9	76
E2	9	169	E5	10	76
E2	10	169	L2	8	441
E1	10	284	L2	9	441
L1	8	141	L1	9	48
L1	9	114	L1	10	238
L1	10	114	L1	11	238
L1	10	62	E2	11	178
E2	9	206	E4	8	12
L1	9	484	L2	10	435
L1	10	484	L2	11	435
L1	11	484	L1	9	230
L1	10	17	L1	8	358
L1	10	296	L2	11	296
L2	11	259	E6	9	44
L2	8	364	E2	9	159
L1	8	27	E2	10	159
L1	9	27	L1	9	350
L2	11	146	L1	11	350
E1	9	565	E1	10	402
E2	11	333	E1	11	402
L1	8	327	E4	11	6
E2	9	335	E2	10	168
E1	8	238	E2	11	168
E1	9	238	L2	9	71
L1	10	20	L1	10	10
E2	9	349	E2	10	138
E2	10	349	L1	11	415

Table XVII A. HPV6A  
HLA-A11 Motif Peptides

L1	9	26
L1	10	26
E2	8	131

SF 1168137 v1

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
E6	10	62	E1	9	101
L1	8	234	L1	10	43
L2	8	329	L1	11	43
E1	8	206	E5B	9	36
L1	9	489	E5B	11	36
L1	11	489	E2	8	231
L2	10	340	E2	9	231
E4	9	12	E2	11	231
E4	11	12	L1	10	483
E6	9	63	L1	11	483
E6	11	63	E1	11	601
E6	9	65	E6	8	64
E2	10	10	E6	10	64
L1	9	98	E2	8	124
E1	10	392	L1	8	157
E1	11	392	L1	11	157
L2	8	238	L1	10	341
L2	9	275	E1	8	406
L2	10	275	E1	9	406
E1	11	637	E1	10	406
L2	11	116	E7	10	57
E1	8	193	E7	9	58
E1	10	193	E6	8	66
E1	11	190	E1	11	215
E1	9	144	E2	9	299
E1	10	144	E2	10	299
L2	10	286	E2	11	299
L2	11	286	E7	8	59
E1	9	112	E2	8	161
E1	10	112	L1	10	221
L2	10	140	E6	11	67
L1	11	420	E2	8	296
E1	10	475	E2	10	35
E1	11	65	E2	11	35
E6	8	37	E2	8	248
E6	10	37	E5B	9	53
L1	11	203	E5B	10	53
L1	8	54	E5B	10	48
L1	8	487	L1	8	99
L1	9	487	E6	9	131
L1	11	487	E1	8	640
L2	11	12	E2	11	9
L2	8	288	E1	10	111
L2	9	288	E1	11	111
L2	11	288	E1	9	524
E2	8	322	E2	8	230
E2	9	322	E2	9	230
L1	11	36	E2	10	230
L1	9	342	L1	11	24
L1	8	22	E1	8	405
E1	8	407	E1	9	405
E1	9	407	E1	10	405
L2	9	14	E1	11	405
E1	8	525	E1	10	523
E6	9	10	E5B	8	55
E6	9	86	E1	10	49
E1	8	77	E2	10	122
E1	9	77	E1	9	542
E1	10	77	E1	10	542
			E1	11	542

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

E7	9	41	L2	11	255
E7	11	41	E1	9	375
E1	9	161	E1	10	105
E1	9	631	E6	8	42
E4	10	99	E6	9	42
L1	8	219	E6	11	42
L1	9	219	L1	9	453
E6	8	96	L1	10	453
E6	10	96	E1	9	197
E1	8	570	E1	8	604
E1	9	570	E1	9	131
E1	10	570	E2	11	17
E2	8	25	E2	11	74
E2	10	25	E1	8	417
E1	10	222	E2	8	100
E2	8	313	E2	9	100
E1	11	81	E1	9	157
E7	11	14	E1	10	303
E1	9	203	E2	8	21
E1	11	203	E2	9	21
E2	9	141	E1	8	373
L1	10	138	E1	11	373
L1	11	138	E2	8	80
E7	8	44	E2	9	293
L1	11	84	E2	10	293
E1	11	166	E2	11	293
E1	11	73	E2	9	39
L1	11	269	E7	11	39
L2	8	30	E6	11	113
E6	10	99	E2	10	205
E6	11	99	L1	8	206
L2	8	258	L1	8	252
E2	11	348	L2	8	442
E1	10	178	E2	11	121
E2	9	174	E2	9	312
E2	10	174	E1	9	595
L2	8	274	E5A	10	67
L2	10	274	L1	11	244
L2	11	274	E1	10	216
E1	10	143	E1	9	50
E1	11	143	E1	9	220
E1	8	336	E6	9	126
E1	8	180	E6	11	126
E1	10	180	E1	9	454
E1	8	62	L2	8	428
L1	9	299	L2	10	428
E1	10	100	E1	9	494
E2	9	229	L1	8	463
E2	10	229	L1	10	463
E2	11	229	E5A	9	68
E1	10	36	E4	10	31
E1	10	630	E4	11	31
E1	8	574	E1	9	393
E1	10	574	E1	10	393
L2	9	257	L1	10	245
E6	9	69	L1	11	245
E6	10	69	L2	11	239
E6	11	69	E1	10	457
E1	8	453	L2	8	276
E1	10	453	L2	9	276

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

E1	9	18	L1	8	407
L1	9	303	L1	9	407
E1	9	67	L1	9	222
E1	10	67	E4	9	100
L1	8	49	E1	9	316
L1	8	450	L1	9	478
E1	11	587	L1	10	113
E2	8	171	L1	11	113
L1	9	326	E1	10	415
L2	10	117	E2	8	330
E4	8	2	E1	11	508
L2	8	314	E6	8	71
E2	9	123	E6	9	71
L1	9	156	E1	9	349
E1	8	384	E7	8	2
E1	10	160	L2	8	312
ESB	8	39	L2	10	312
ESB	9	39	E2	11	53
L1	9	239	E2	10	255
L1	10	239	E6	10	119
L2	9	433	E2	10	78
E1	11	159	E2	11	310
L1	9	132	E6	10	50
L2	11	58	E4	8	20
E1	9	194	E4	9	20
E2	10	156	E4	10	20
E1	8	350	E2	9	70
ESB	8	28	ESB	11	51
E1	9	217	E2	8	264
L2	11	292	E2	11	264
L2	8	223	L2	10	37
ESB	9	25	E1	9	246
ESB	10	25	E2	10	149
ESB	11	25	E2	11	149
E2	9	55	L2	8	3
E1	9	273	L2	9	3
E1	11	273	ESB	9	42
E2	10	262	ESB	10	42
L1	8	133	E6	11	25
E1	8	543	L2	11	306
E1	9	543	L2	8	149
E1	10	543	E2	9	29
E1	11	543	E2	10	29
L1	11	277	E1	8	376
E1	11	438	E1	11	474
L2	11	431	L2	11	326
L1	11	130	L2	9	287
L2	10	62	L2	10	287
E1	11	431	E1	11	370
L2	9	303	L1	8	220
L2	10	303	L1	11	220
E1	8	632	E1	8	51
E2	10	179	L1	9	218
E1	10	191	L1	10	218
L2	11	215	E1	8	569
L2	10	25	E1	9	569
L2	8	64	E1	10	569
L2	9	60	E1	11	569
E1	8	145	E1	8	221
E1	9	145	E1	11	221

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

L1	9	32	E2	11	68
L2	9	313	E2	11	155
E1	10	334	E1	9	433
E4	11	6	E6	10	73
E2	10	54	E2	8	351
E2	9	256	E2	9	351
L2	8	299	E1	10	312
L2	10	299	E2	8	359
L2	10	59	E1	9	254
L1	8	272	E1	11	254
E6	9	97	E6	9	128
L2	9	141	E1	10	357
E1	8	195	E1	8	114
E1	11	195	E1	10	114
L2	11	178	E1	11	114
E6	9	120	E1	9	462
E6	9	74	E1	10	462
L2	9	180	E1	9	420
E1	11	492	E1	10	420
E2	11	356	E1	11	420
E1	9	500	E6	10	35
E1	9	106	L1	11	437
E2	11	315	E1	8	286
L1	10	421	E6	8	18
L2	9	429	L1	10	56
E1	8	571	E2	9	165
E1	9	571	E2	9	147
E1	11	571	E6	8	116
L1	10	376	E6	10	116
E2	8	267	E1	10	121
E2	10	267	E6	8	52
E2	11	267	E6	10	52
E1	9	341	E1	11	283
L2	8	82	E2	8	63
L2	8	247	L1	8	61
E7	9	89	L1	11	61
E5B	11	23	L1	8	19
E1	9	476	L1	11	19
E1	11	476	L1	9	71
ESA	10	34	L1	11	42
E2	9	45	L1	11	340
L1	8	486	E6	8	111
L1	9	486	E6	9	111
L1	10	486	E6	11	106
E2	10	298	E6	10	16
E2	11	298	E4	8	45
E5B	8	44	E1	8	110
E2	11	34	E1	11	110
E5B	11	47	E1	11	522
E1	8	404	E1	10	541
E1	9	404	E1	11	541
E1	10	404	L1	8	454
E1	11	404	L1	9	454
E4	11	98	E6	8	98
E1	10	202	E6	11	98
E1	11	460	L2	8	142
L1	8	462	E1	11	235
L1	9	462	E2	10	311
L1	11	462	L1	8	87
L1	9	449	L1	10	302

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

E1	10	66	E6	9	38
E1	11	66	E6	11	38
E6	8	54	E5A	9	73
L1	10	325	E5A	11	73
L1	9	161	E1	10	277
E1	8	495	E5A	8	47
ESB	8	27	L2	10	293
E5B	9	27	L1	11	295
L1	11	459	E1	10	564
L1	8	110	E7	11	67
E1	8	255	L1	9	233
E1	10	255	E4	10	11
L1	9	271	L2	8	1
E6	8	101	L2	9	1
E6	9	101	L2	10	1
E1	9	223	L2	11	1
L2	10	179	E1	11	409
E2	9	266	L2	8	277
E2	11	266	E2	10	129
L2	9	246	L1	9	251
E5A	11	33	E4	8	1
L1	8	41	E4	9	1
E1	11	540	E5B	8	26
E4	9	18	E5B	9	26
E4	10	18	E5B	10	26
E4	11	18	L1	10	204
E4	8	34	E1	8	546
E1	8	198	E1	8	421
L1	9	464	E1	9	421
E1	8	279	E1	10	421
E1	10	279	E2	8	151
E5A	8	69	E2	9	151
E5A	10	72	E1	8	19
E1	8	276	L1	11	154
E1	11	276	E1	8	274
E1	11	563	E1	10	274
E5B	11	31	E2	8	71
E6	8	129	E6	9	36
E6	11	129	E6	11	36
E7	11	87	E2	8	295
E4	9	32	E2	9	295
E4	10	32	E5B	10	52
E1	8	394	E5B	11	52
E1	9	394	E6	10	130
E1	11	394	E5B	8	54
L1	8	378	E5B	9	54
L1	10	378	E2	8	142
E1	8	218	L1	9	205
E1	11	218	E2	8	170
L1	9	439	E2	9	170
L1	11	439	E1	8	158
L2	10	240	L1	8	406
E1	8	132	L1	9	406
E1	9	358	L1	10	406
E4	8	91	E1	9	568
E6	8	121	E1	10	568
E1	9	458	E1	11	568
E1	9	115	E1	10	451
E1	10	115	L1	10	31
E1	11	115	E7	10	88

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

E2	10	265	L2	8	212
E4	8	33	L2	10	212
E4	9	33	L1	11	16
L1	10	438	L2	9	363
E1	8	397	L2	9	328
E2	8	269	E4	9	48
E2	9	269	E4	10	48
L1	9	352	E4	11	48
L1	10	352	E4	10	54
E1	11	59	E7	8	70
E1	8	395	L2	8	342
E1	10	395	E6	9	95
E2	8	22	E6	11	95
E2	11	22	E2	8	140
L2	9	38	E2	10	140
E1	10	607	L1	11	137
L2	9	237	E7	9	43
L2	11	285	E5A	11	66
L2	11	139	E2	11	163
E5A	8	78	E2	10	289
L1	11	482	L2	8	262
L2	8	438	E5B	9	38
L2	9	438	E5B	10	38
L2	10	438	E2	8	291
L2	11	438	E2	11	291
E2	9	247	E6	8	28
E1	9	528	E6	11	15
E1	11	528	L1	11	301
L2	10	272	L1	11	324
E7	9	18	E4	9	14
L2	9	29	L1	10	232
L1	11	228	L1	10	250
E1	10	594	E2	9	76
E4	11	30	E1	8	305
E1	11	456	E1	11	450
L2	8	355	E1	8	314
L2	8	214	E1	11	314
L1	10	217	L1	11	466
L1	11	217	E2	11	245
E1	8	442	L1	9	417
E6	9	110	E2	9	103
E6	10	110	E2	10	103
E4	8	44	E2	11	103
E4	9	44	E2	9	233
L1	8	160	E1	10	128
L1	10	160	E2	11	218
L1	9	109	E1	9	205
E2	8	61	E1	11	391
E2	10	61	L1	9	53
E1	8	545	L2	8	11
E1	9	545	E5B	8	35
L1	9	405	E5B	10	35
L1	10	405	E2	8	108
L1	11	405	E1	9	639
E1	8	590	E1	8	169
L2	10	80	E6	10	125
E1	8	182	E1	8	281
L1	11	426	E1	9	383
L2	10	426	E2	8	113
L1	9	266	L2	8	291

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

L1	11	470	E2	8	294
L2	10	302	E2	9	294
L2	11	302	E2	10	294
L2	9	298	E1	10	567
L2	11	298	E1	11	567
E1	9	109	E1	9	396
L1	8	241	E1	11	606
L2	10	281	L1	9	297
L2	11	281	L1	11	297
L2	10	245	L1	11	451
L1	9	40	L1	8	473
E2	8	303	L1	9	473
L2	9	308	E2	8	323
L2	11	308	L1	10	85
L1	9	472	E4	10	89
L1	10	472	L1	9	38
L1	11	476	L1	11	38
L1	9	279	L1	10	37
L2	10	221	L2	11	209
L1	8	140	E2	10	316
L1	9	140	L1	9	347
L1	8	488	L1	10	347
L1	10	488	E2	10	23
L1	9	379	E2	9	180
L2	8	181	E2	9	220
L2	10	13	L2	9	241
E6	10	9	L2	10	210
L1	8	353	E2	9	317
L1	9	353	L1	8	348
L2	11	352	L1	9	348
E1	10	219	L1	11	348
E1	10	493	E2	8	40
L1	8	440	E5A	10	45
L1	10	440	L2	10	260
L2	10	432	L1	8	343
L1	10	131	E6	9	40
L1	8	115	E6	10	40
L1	9	115	E6	11	40
L2	8	309	E1	9	192
L2	10	309	E1	11	192
L2	11	309	L2	10	216
E2	11	261	E7	11	56
L2	9	63	E2	8	160
E1	10	315	E2	9	160
L1	9	63	L2	9	26
L1	10	467	L1	9	422
E1	8	422	L1	11	422
E1	9	422	E2	9	24
E2	8	207	E2	11	24
L1	8	474	L2	11	235
E1	8	247	E1	10	588
L1	11	375	E1	10	167
L2	9	81	L2	8	430
E1	10	60	L2	8	61
L1	9	86	L2	11	61
E4	9	90	L2	11	24
L2	8	304	E1	8	146
L2	9	304	L1	10	477
E2	9	150	L2	11	69
E2	10	150	L2	8	39

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

L1	8	408	L2	9	222
L1	10	270	E5B	10	24
E5A	11	71	E5B	11	24
E6	10	26	E1	8	477
L1	9	377	E1	10	477
L1	11	377	L1	11	112
E2	8	221	E1	11	333
E1	8	408	E1	10	499
E2	11	128	E6	9	53
E5B	10	59	E2	8	30
L1	11	30	E2	9	30
E2	9	268	E6	9	100
E2	10	268	E6	10	100
L1	8	351	E4	10	17
L1	10	351	E4	11	17
L1	11	351	E1	9	278
E1	9	608	E1	11	278
E6	11	8	E1	9	275
L2	10	147	E5A	9	46
E1	8	566	E4	11	10
E1	11	566	E2	9	169
E4	11	88	E2	10	169
L1	10	346	E1	10	284
L1	11	346	L1	8	141
E2	10	219	L1	9	114
L1	8	280	L1	10	114
E5A	11	44	L1	10	62
E2	11	97	E2	9	206
E6	8	39	L1	9	484
E6	10	39	L1	10	484
E6	11	39	L1	11	484
L1	8	223	L1	10	17
E5B	8	63	L1	10	296
E6	8	11	L2	11	259
L1	11	345	E5B	11	58
E6	8	87	L2	8	364
E4	8	101	L1	8	27
E1	11	498	L1	9	27
E1	8	78	L2	11	146
E1	9	78	E1	9	565
E2	10	334	E2	11	333
L1	9	57	L1	8	327
L1	11	57	E2	9	335
E1	8	317	E1	8	238
L2	11	339	E1	9	238
E1	8	239	L1	10	20
L1	9	21	E2	10	349
E7	8	90	E2	11	349
E5A	8	74	L1	8	72
E5A	10	74	L1	8	58
E5A	11	74	L1	10	58
E2	8	152	L1	11	58
E1	11	48	E2	11	58
E7	10	40	E7	10	68
L2	9	427	L1	10	97
L2	11	427	E2	8	321
L1	11	69	E2	9	321
L1	10	155	E2	10	321
L1	9	44	E1	10	17
L1	10	44	E1	10	272

Table XVII B. HPV6B  
HLA-A11 Motif Peptides

E1	8	426
E5A	8	36
E1	10	340
E1	9	530
E1	8	464
L1	8	308
E1	9	510
E2	8	92
E2	11	145
E1	9	237
E1	10	237
E6	11	61
E6	10	85
E1	8	76
E1	9	76
E1	10	76
E1	11	76
E6	11	46
E5A	8	76
E5A	9	76
E5A	10	76
L2	8	441
L2	9	441
L1	9	48
L1	10	238
L1	11	238
E2	11	178
E4	8	22
L2	10	435
L2	11	435
L1	9	230
L1	8	358
L2	11	296
E6	9	44
E2	9	159
E2	10	159
L1	9	350
L1	11	350
E5B	9	62
E1	10	402
E1	11	402
E4	11	16
E4	8	9
E2	10	168
E2	11	168
L2	9	71
L1	10	10
E2	10	138
L1	11	415
L1	9	26
L1	10	26
E2	8	131

SF 1168138 v1

Table XVII C. HPV11  
HLA-A11 Motif Peptides

2	3	4			
L1	8	235	E5	10	26
L2	8	328	E5	11	26
L2	10	339	L1	10	484
E4	9	12	L1	11	484
E4	11	12	E1	11	601
E1	8	144	E6	10	64
E6	11	63	E1	8	406
E6	9	65	E1	9	406
E2	10	10	E1	10	406
E4	10	55	E5	8	46
L1	9	98	L1	8	158
L1	11	236	L1	11	158
E1	11	190	L1	10	342
E1	11	235	E7	10	57
E1	10	392	E7	9	58
E1	11	392	E6	8	66
L2	8	237	E1	8	486
L2	9	274	E1	11	215
L2	10	274	E2	9	298
L2	10	215	E2	10	298
E1	11	637	E2	11	298
L2	9	62	E7	8	59
L2	11	68	E2	8	161
E1	9	112	L1	10	222
E1	10	112	E2	10	35
L2	10	139	E2	11	35
E1	8	407	E6	11	67
E1	9	407	E2	8	295
L1	11	421	E2	11	194
L2	9	80	L1	8	99
L2	10	285	E5	9	73
E1	10	475	E5	11	73
E1	11	65	E1	8	640
E6	8	37	E2	11	9
E6	10	37	E1	11	73
L1	11	204	E1	10	111
E1	11	99	E1	11	111
E1	9	608	E1	10	607
L2	11	11	E7	8	44
E2	8	321	E7	9	44
L1	11	36	E1	9	524
L1	9	343	L1	11	24
E2	8	197	E1	8	405
L1	8	22	E1	9	405
L2	9	13	E1	10	405
E1	8	525	E1	11	405
E6	9	10	E1	10	523
E1	8	77	L1	11	270
E1	9	77	L1	9	124
E1	10	77	L2	9	429
L1	8	349	E2	10	122
L1	9	349	E1	9	542
L1	11	349	E1	10	542
E1	9	181	E1	11	542
E1	9	101	E1	9	159
L1	10	43	E1	9	631
L1	11	43	E2	8	231
E5	9	37	E2	9	231
E5	9	26	E2	10	231
			L1	8	220

Table XVII C. HPV11  
HLA-A11 Motif Peptides

L1	9	220	E1	9	375
E1	9	168	E6	11	113
E1	10	168	E1	10	105
E2	8	25	E6	8	42
E2	10	25	E6	11	42
E6	8	96	E2	8	312
E6	10	96	L1	9	454
E1	9	203	L1	10	454
E1	11	203	E1	9	197
E1	8	570	E6	9	69
E1	9	570	E6	10	69
E1	10	570	E6	11	69
E1	10	222	E1	8	604
E1	11	81	E1	9	131
L1	10	271	E2	11	17
E7	11	14	E1	8	417
L1	10	439	E2	11	74
E1	9	46	E2	8	100
E1	10	46	E2	9	100
L1	10	139	L2	8	341
L1	11	139	E1	9	155
E2	11	126	E1	10	303
E2	8	268	E2	8	21
E2	9	268	E2	9	21
E2	9	292	E1	8	373
E2	10	292	E1	11	373
E2	11	292	E2	8	80
E7	9	31	E2	9	39
L1	11	84	E6	8	92
E1	10	191	E1	10	128
L1	8	125	E1	10	141
L2	8	29	E1	11	141
L2	8	257	E2	10	205
E1	8	143	L1	8	207
E1	9	143	L1	8	253
E1	10	178	L2	8	438
L2	8	273	E2	11	121
L2	10	273	L2	10	352
L2	11	273	E1	9	595
E1	8	336	E5	10	67
E1	8	62	E1	10	216
E2	10	174	E6	9	126
L1	9	300	E6	11	126
E1	8	180	E1	9	454
E1	10	180	L2	8	424
E7	8	70	L2	10	424
E7	9	34	E1	9	494
E1	10	630	L1	8	464
E2	9	230	L1	10	464
E2	10	230	E5	9	68
E2	11	230	E1	9	393
E6	9	95	E1	10	393
E6	11	95	E1	10	457
E7	10	30	L2	11	238
L2	9	256	L2	8	275
E1	8	453	L2	9	275
E1	10	453	E1	9	18
L2	11	254	E2	8	171
E1	8	170	L1	9	304
E4	10	98	E1	9	67

Table XVII C. HPV11  
HLA-A11 Motif Peptides

E1	10	67	E6	10	119
L2	11	295	E2	9	29
E1	11	587	E2	10	78
E1	9	220	E2	11	309
L1	9	327	L1	11	325
L2	10	61	E4	9	20
L1	9	157	E4	10	20
E2	9	123	E1	8	305
E1	8	384	E2	9	70
E1	10	158	L1	10	316
E5	8	65	E1	9	246
L1	9	240	E1	9	349
L1	10	240	E6	11	25
E2	10	291	L2	10	36
E2	11	291	E1	8	376
E1	11	157	E1	11	474
L1	9	133	E1	11	370
L2	11	57	L1	8	221
L1	9	479	L1	11	221
E1	9	194	E2	9	24
E2	10	156	E2	11	24
E5	8	29	E1	8	569
E5	11	29	E1	9	569
E1	9	217	E1	10	569
L2	11	291	E1	11	569
E1	9	273	L1	9	32
E1	11	273	E1	10	334
L1	8	134	E4	11	6
E1	8	543	L2	8	298
E1	9	543	L2	10	298
E1	10	543	L2	10	58
E1	11	543	E5	10	34
E1	11	438	L2	9	140
L2	11	427	E1	8	195
L2	8	63	E1	11	195
L2	10	302	E6	9	120
E1	8	632	E5	9	35
E2	10	179	E6	9	97
L2	10	24	E1	8	408
E5	9	40	E2	8	30
E5	11	40	E2	9	262
L2	9	59	E2	11	262
E1	11	431	E6	9	74
L1	8	408	L2	10	179
L1	9	408	E1	8	571
E1	10	296	E1	9	571
E4	9	99	E1	11	571
L1	9	223	E1	9	106
E1	9	316	E1	9	500
E2	8	232	L1	10	422
E2	9	232	L2	8	81
E2	11	232	L2	9	425
L1	10	113	L1	10	377
L1	11	113	E1	9	341
E1	10	415	L2	9	286
E1	11	508	E7	9	89
E5	9	64	E1	9	476
E7	8	2	E2	8	265
E5	10	39	E2	9	265
L2	8	311	E2	11	265

Table XVII C. HPV11  
HLA-A11 Motif Peptides

E2	9	45	L1	8	19
E5	9	45	L1	10	19
E2	10	297	L1	11	19
E2	11	297	L1	9	71
E2	11	34	L1	8	42
E1	10	200	L1	11	42
E1	8	404	L1	11	341
E1	9	404	E6	8	111
E1	10	404	E6	9	111
E1	11	404	E6	11	106
E1	8	202	E6	10	16
E1	10	202	E5	10	72
L1	11	438	E1	11	110
E1	10	493	E1	11	522
L1	8	463	E1	10	541
L1	9	463	E1	11	541
L1	11	463	L1	9	219
E2	11	68	L1	10	219
E2	11	155	L1	8	455
E6	10	73	L1	9	455
E2	8	350	L2	8	141
E2	9	350	L1	8	87
E1	10	312	E2	10	310
E1	9	254	L1	10	303
E1	11	254	E1	10	66
E6	8	116	E1	11	66
E6	10	116	L1	10	326
E1	11	460	E1	8	495
E6	9	128	E6	8	121
E1	10	357	E5	8	28
E1	8	114	E5	9	28
E1	10	114	L1	11	460
E1	11	114	E4	8	60
E1	9	462	E1	11	295
E1	10	462	L1	8	110
E1	9	420	E1	8	255
E1	10	420	E1	10	255
E1	11	420	E5	11	33
E2	9	328	E6	8	101
E6	8	49	E6	9	101
L1	10	347	E1	8	279
L1	11	347	E1	10	279
E1	10	484	E1	9	223
E5	10	50	L2	11	178
E1	8	286	E5	8	36
E6	8	18	L1	8	41
E5	8	43	L1	9	41
E5	11	43	E1	11	540
L1	10	56	E4	9	18
E2	9	165	E4	11	18
E1	9	433	E4	8	34
E2	8	358	E5	8	32
E1	10	121	E1	8	198
E6	10	99	E5	9	31
E6	11	99	E5	10	30
E1	11	283	E1	8	298
L1	9	53	E4	10	31
L1	8	61	E4	11	31
L1	11	61	L1	9	465
E2	9	147	E5	8	69

Table XVII C. HPV11  
HLA-A11 Motif Peptides

L1	9	272	E4	8	1
E1	8	276	E4	9	1
E1	11	276	E2	8	71
E1	11	563	E2	8	329
E7	11	87	E6	9	36
E4	9	32	E6	11	36
E4	10	32	E1	10	100
E6	8	129	E2	8	294
E6	11	129	E2	9	294
E1	8	394	L1	9	206
E1	9	394	E2	8	170
E1	11	394	E2	9	170
E2	11	346	E1	8	156
L1	8	379	L1	8	318
L1	10	379	L1	8	407
E1	8	218	L1	9	407
E1	11	218	L1	10	407
E1	9	458	E1	9	568
L2	10	239	E1	10	568
E1	8	132	E1	11	568
E1	9	358	E1	10	451
E4	8	90	L1	10	31
E2	9	103	E7	10	88
E2	10	103	E2	9	264
E6	9	38	E2	10	264
E6	11	38	E4	8	33
E1	9	115	E4	9	33
E1	10	115	E1	8	397
E1	11	115	L1	10	338
E2	9	62	L1	9	317
E2	9	334	E2	8	263
L1	8	273	E2	10	263
E1	10	277	E2	11	263
E5	8	47	E6	10	130
L2	10	292	L1	11	278
L1	11	296	E2	10	247
E1	10	564	L1	9	353
L2	9	245	L1	10	353
E7	11	67	E2	8	22
L1	9	234	E2	11	22
E4	10	11	E1	8	395
E1	11	409	E1	10	395
L2	8	276	E1	11	59
L1	9	252	E2	10	347
L1	10	205	E2	11	347
L1	9	440	E2	9	248
L1	11	440	E5	8	54
E5	9	62	E5	11	54
E5	11	62	E2	10	127
E1	8	546	L2	9	236
E1	8	421	E5	8	78
E1	9	421	L2	11	138
E1	10	421	L2	10	79
L1	9	339	L2	11	284
E1	8	47	E4	9	49
E1	9	47	E4	10	49
E1	8	19	E4	11	49
L1	11	155	E2	9	196
E1	8	274	L1	11	483
E1	10	274	E1	9	528

Table XVII C. HPV11  
HLA-A11 Motif Peptides

E1	11	528	E2	10	288
L2	10	271	E4	9	14
E7	9	18	L1	10	233
L2	9	28	L1	10	251
L1	11	229	E2	9	76
L2	11	351	E1	11	450
E1	10	594	E1	8	314
E1	11	456	E1	11	314
L2	8	354	L1	11	467
E1	8	442	L1	9	418
E6	9	110	E1	11	391
E6	10	110	L2	11	214
L1	10	218	L2	8	10
L1	11	218	E5	8	36
L1	8	161	E5	10	36
L1	9	109	E1	9	639
E4	11	30	E1	10	167
L2	8	211	E1	11	167
L2	10	211	E6	10	125
E4	9	44	E1	8	281
E4	10	44	L2	8	294
E2	8	61	E1	9	383
E2	10	61	L2	8	290
E1	8	545	L1	11	471
E1	9	545	L2	11	301
L1	9	406	L2	9	297
L1	10	406	L2	11	297
L1	11	406	E2	8	37
E1	8	590	E2	9	37
L1	8	488	E2	11	37
L1	9	488	L1	8	242
L1	11	488	E4	9	59
L1	11	427	L2	10	280
L2	9	206	L2	11	280
L2	8	434	L1	9	40
L2	9	434	L1	10	40
L2	10	434	E2	8	302
L2	11	434	L2	10	244
L2	10	422	E6	10	35
L1	9	267	E5	9	53
L2	10	358	L2	9	307
L1	11	16	L2	11	307
L2	9	327	L1	9	280
E4	8	46	L1	11	280
E7	9	43	E1	9	205
E7	10	43	L1	11	477
E2	8	140	L1	9	473
L1	11	138	L1	10	473
E2	8	12	L1	8	141
E5	11	66	L1	9	141
E2	11	163	L1	9	380
L2	8	261	E2	9	234
E2	8	290	L2	9	180
E2	11	290	L1	8	475
E6	8	71	L2	10	12
E6	9	71	E6	10	9
E2	8	113	L1	9	348
E6	8	28	L1	10	348
E6	11	15	E1	9	485
L1	11	302	E1	11	606

Table XVII C. HPV11  
HLA-A11 Motif Peptides

L2	10	428	E2	9	151
L1	8	354	E1	10	60
L1	9	354	E2	9	348
E1	10	219	E2	10	348
L1	8	441	E2	11	348
L1	10	441	E2	8	40
L1	8	115	E5	10	45
L1	9	115	L1	8	344
E1	8	193	E4	11	54
E1	10	193	E6	9	40
L2	11	204	E6	10	40
L2	8	308	L1	9	490
L2	10	308	L1	11	490
L2	11	308	E7	11	56
E1	10	315	E2	8	160
L1	9	63	E2	9	160
L1	10	468	L2	9	25
E1	8	247	L1	9	423
E2	8	207	L1	11	423
E2	10	23	E2	9	267
E1	8	422	E2	10	267
E1	9	422	L2	11	234
L1	11	376	E1	10	588
E1	8	350	L2	8	60
L1	9	86	L2	11	60
L2	10	259	L1	10	478
E4	9	89	L2	8	426
L2	9	303	L2	11	23
E2	8	293	L2	8	38
E2	9	293	E2	10	261
E2	10	293	L1	8	340
E1	10	567	E2	8	249
E1	11	567	E5	11	71
E1	9	396	L1	8	409
E5	9	51	E1	9	297
E5	11	51	E6	10	26
L1	9	298	L1	9	378
L1	11	298	L1	11	378
E7	8	32	E2	10	333
E7	11	32	E6	11	93
L1	11	452	E2	8	181
L1	10	85	L1	11	30
E4	10	88	L1	11	337
L1	9	38	E2	11	246
L1	11	38	L1	8	352
L1	10	37	L1	10	352
L2	11	208	L1	11	352
L1	8	281	L1	8	474
L1	10	281	L1	9	474
E2	9	150	E6	11	8
E2	10	150	E1	9	192
L1	8	489	E1	11	192
L1	10	489	E6	8	11
E2	11	260	E1	8	566
E1	8	206	E1	11	566
E2	9	180	L2	8	287
L2	10	209	L2	11	287
L2	9	240	E4	11	87
L1	9	282	L2	8	207
E2	8	151	E2	10	149

Table XVII C. HPV11  
HLA-A11 Motif Peptides

E2	11	149	E2	11	128
E5	11	44	E2	9	169
E2	11	97	E2	10	169
E6	8	39	E1	10	284
E6	10	39	L1	8	54
E6	11	39	L1	8	142
E2	11	228	E2	8	233
L2	9	37	E2	10	233
E1	8	116	L1	9	114
E1	9	116	L1	10	114
E1	10	116	L1	10	62
E5	10	55	E2	9	206
E4	8	100	L1	9	485
L1	8	224	L1	10	485
E5	9	56	L1	11	485
E1	11	498	L1	10	17
E1	8	78	L2	11	258
E1	9	78	L1	10	297
E2	8	63	E2	8	266
L1	9	57	E2	10	266
L1	11	57	E2	11	266
L2	11	338	E2	11	332
E1	8	239	L2	11	325
L1	8	283	E1	9	565
L1	8	21	E2	8	148
L1	9	21	E2	11	148
E5	10	25	L1	8	328
E5	11	25	L2	8	246
E7	8	90	E1	8	238
E5	8	74	E1	9	238
E5	10	74	L1	9	20
E2	8	152	L1	10	20
E1	8	182	E5	11	24
E1	8	48	E7	10	68
E1	8	221	L1	8	72
E1	11	221	E4	8	2
E1	8	434	L1	8	58
E5	8	57	L1	10	58
L2	9	423	L1	11	58
L2	11	423	E2	11	58
L1	11	69	L1	10	97
L1	10	156	E2	8	320
L1	9	44	E2	9	320
L1	10	44	E1	10	17
E1	8	477	E1	10	272
L1	11	112	E1	8	426
E1	11	333	E1	10	340
E1	10	499	E1	8	464
E5	8	27	L1	8	309
E5	9	27	E1	9	510
E5	10	27	E2	10	102
E6	9	100	E2	11	102
E6	10	100	E2	8	92
E1	9	278	E1	9	530
E1	11	278	E2	11	145
E4	10	17	E1	9	237
E1	9	275	E1	10	237
E5	9	46	E1	8	76
E4	11	10	E1	9	76
E2	9	128	E1	10	76

Table XVII C. HPV11  
HLA-A11 Motif Peptides

E1	11	76
E6	9	44
E6	11	46
L1	10	123
E1	10	45
E1	11	45
L2	8	437
L2	9	437
E5	8	76
E5	10	76
L1	8	239
L1	10	239
L1	11	239
L1	10	132
E2	11	178
L2	9	70
E4	8	22
L2	10	431
L2	11	431
E2	10	138
L1	9	231
L1	10	246
L1	11	246
E5	10	61
E2	11	270
L1	8	49
E2	9	159
E2	10	159
L1	9	351
L1	11	351
L2	11	305
E1	10	402
E1	11	402
L1	9	26
L1	10	26
E4	11	16
E4	8	9
E2	10	168
E2	11	168
L1	10	10
L1	11	416
E2	8	131

Table XVIII  
HLA-A24 Motif Peptides

1	2	3	4				
HPV16 E1	8	240		HPV16 E1	10	585	
HPV16 E1	11	391		HPV16 E1	11	443	
HPV16 E1	9	206		HPV16 E1	9	601	
HPV16 E1	9	500		HPV16 E1	8	332	
HPV16 E1	10	500		HPV16 E1	9	332	
HPV16 E1	11	500		HPV16 E1	9	321	
HPV16 E1	9	304		HPV16 E1	10	320	
HPV16 E1	9	528		HPV16 E2	10	270	
HPV16 E1	10	50		HPV16 E2	8	31	
HPV16 E1	9	235		HPV16 E2	8	340	
HPV16 E1	8	438		HPV16 E2	8	114	
HPV16 E1	9	438		HPV16 E2	8	35	
HPV16 E1	9	452		HPV16 E2	9	18	
HPV16 E1	9	338		HPV16 E2	8	130	
HPV16 E1	9	612		HPV16 E2	10	130	
HPV16 E1	11	612		HPV16 E2	11	82	
HPV16 E1	8	453		HPV16 E2	10	42	
HPV16 E1	11	453		HPV16 E2	9	91	
HPV16 E1	11	508		HPV16 E2	8	177	
HPV16 E1	11	519		HPV16 E2	9	311	
HPV16 E1	8	487		HPV16 E2	11	311	
HPV16 E1	10	210		HPV16 E2	8	157	
HPV16 E1	8	492		HPV16 E2	8	345	
HPV16 E1	10	492		HPV16 E2	9	86	
HPV16 E1	10	89		HPV16 E2	8	304	
HPV16 E1	9	485		HPV16 E2	10	302	
HPV16 E1	10	485		HPV16 E2	10	128	
HPV16 E1	10	490		HPV16 E2	11	336	
HPV16 E1	11	475		HPV16 E2	11	183	
HPV16 E1	9	214		HPV16 E2	10	101	
HPV16 E1	8	260		HPV16 E2	11	32	
HPV16 E1	8	319		HPV16 E2	11	154	
HPV16 E1	11	319		HPV16 E2	9	43	
HPV16 E1	10	444		HPV16 E2	11	158	
HPV16 E1	8	305		HPV16 E5	9	56	
HPV16 E1	10	608		HPV16 E5	10	56	
HPV16 E1	11	530		HPV16 E5	11	56	
HPV16 E1	11	302		HPV16 E5	10	18	
HPV16 E1	10	577		HPV16 E5	11	18	
HPV16 E1	8	419		HPV16 E5	8	59	
HPV16 E1	11	359		HPV16 E5	11	59	
HPV16 E1	8	362		HPV16 E5	9	14	
HPV16 E1	8	257		HPV16 E5	10	14	
HPV16 E1	11	257		HPV16 E5	8	65	
HPV16 E1	9	575		HPV16 E5	9	65	
HPV16 E1	11	280		HPV16 E5	10	65	
HPV16 E1	10	447		HPV16 E5	10	71	
HPV16 E1	11	447		HPV16 E5	11	71	
HPV16 E1	10	611		HPV16 E5	9	49	
HPV16 E1	9	455		HPV16 E5	8	38	
HPV16 E1	10	455		HPV16 E5	10	38	
HPV16 E1	9	349		HPV16 E5	11	38	
HPV16 E1	9	218		HPV16 E5	8	62	
HPV16 E1	9	546		HPV16 E5	10	62	
HPV16 E1	8	270		HPV16 E5	11	62	
HPV16 E1	9	270		HPV16 E5	8	67	
HPV16 E1	10	354		HPV16 E6	9	87	
HPV16 E1	8	587		HPV16 E6	9	51	
HPV16 E1	8	585		HPV16 E6	9	82	
				HPV16 E6	11	85	

Table XVIII  
HLA-A24 Motif Peptides

HPV16 E6	9	66	HPV16 L1	11	380
HPV16 E6	11	66	HPV16 L1	10	443
HPV16 E6	9	98	HPV16 L1	10	20
HPV16 E6	10	98	HPV16 L1	11	20
HPV16 E6	11	98	HPV16 L1	9	60
HPV16 E6	9	131	HPV16 L1	10	60
HPV16 E6	8	38	HPV16 L2	9	241
HPV16 E6	9	49	HPV16 L2	10	241
HPV16 E6	11	49	HPV16 L2	11	256
HPV16 E7	11	83	HPV16 L2	8	282
HPV16 E7	10	56	HPV16 L2	11	329
HPV16 L1	11	13	HPV16 L2	11	445
HPV16 L1	9	176	HPV16 L2	10	446
HPV16 L1	10	176	HPV16 L2	9	392
HPV16 L1	8	395	HPV16 L2	11	392
HPV16 L1	10	395	HPV16 L2	9	180
HPV16 L1	11	388	HPV16 L2	9	325
HPV16 L1	8	52	HPV16 L2	9	365
HPV16 L1	8	24	HPV16 L2	10	365
HPV16 L1	10	273	HPV16 L2	10	266
HPV16 L1	10	472	HPV16 L2	10	192
HPV16 L1	9	274	HPV16 L2	11	192
HPV16 L1	9	116	HPV16 L2	8	401
HPV16 L1	11	116	HPV16 L2	10	401
HPV16 L1	10	230	HPV16 L2	9	463
HPV16 L1	8	23	HPV16 L2	8	47
HPV16 L1	9	23	HPV16 L2	9	47
HPV16 L1	8	332	HPV16 L2	11	436
HPV16 L1	9	401	HPV16 L2	11	302
HPV16 L1	10	59	HPV16 L2	9	50
HPV16 L1	11	59	HPV16 L2	11	50
HPV16 L1	9	108	HPV16 L2	8	162
HPV16 L1	8	493	HPV16 L2	10	251
HPV16 L1	9	480	HPV16 L2	10	348
HPV16 L1	11	480	HPV16 L2	8	53
HPV16 L1	11	262	HPV16 L2	8	464
HPV16 L1	9	469	HPV16 L2	9	267
HPV16 L1	11	272	HPV16 L2	11	267
HPV16 L1	11	29	HPV16 L2	10	453
HPV16 L1	8	367	HPV16 L2	11	452
HPV16 L1	8	267	HPV16 L2	8	326
HPV16 L1	10	267	HPV18 E1	11	526
HPV16 L1	9	399	HPV18 E1	10	618
HPV16 L1	11	399	HPV18 E1	9	311
HPV16 L1	8	487	HPV18 E1	9	49
HPV16 L1	9	487	HPV18 E1	8	381
HPV16 L1	10	487	HPV18 E1	9	381
HPV16 L1	8	280	HPV18 E1	8	445
HPV16 L1	9	95	HPV18 E1	9	445
HPV16 L1	8	445	HPV18 E1	9	459
HPV16 L1	10	115	HPV18 E1	8	594
HPV16 L1	9	174	HPV18 E1	11	366
HPV16 L1	11	174	HPV18 E1	8	345
HPV16 L1	10	419	HPV18 E1	9	345
HPV16 L1	9	324	HPV18 E1	9	619
HPV16 L1	10	324	HPV18 E1	11	619
HPV16 L1	8	4	HPV18 E1	9	257
HPV16 L1	11	471	HPV18 E1	10	257
HPV16 L1	10	415	HPV18 E1	11	257
HPV16 L1	11	415	HPV18 E1	8	494

Table XVIII  
HLA-A24 Motif Peptides

HPV18 E1	8	16	HPV18 E2	8	345
HPV18 E1	8	499	HPV18 E2	8	182
HPV18 E1	10	499	HPV18 E2	10	105
HPV18 E1	8	247	HPV18 E2	11	162
HPV18 E1	9	277	HPV18 E2	8	35
HPV18 E1	10	277	HPV18 E2	8	41
HPV18 E1	8	267	HPV18 E2	9	90
HPV18 E1	8	326	HPV18 E2	11	188
HPV18 E1	11	326	HPV18 E2	11	336
HPV18 E1	10	361	HPV18 E2	10	141
HPV18 E1	8	428	HPV18 E2	8	143
HPV18 E1	10	615	HPV18 E2	11	36
HPV18 E1	8	264	HPV18 E2	9	142
HPV18 E1	11	264	HPV18 E2	10	163
HPV18 E1	10	584	HPV18 E5	9	49
HPV18 E1	8	451	HPV18 E5	10	49
HPV18 E1	10	451	HPV18 E5	11	49
HPV18 E1	11	451	HPV18 E5	9	32
HPV18 E1	8	426	HPV18 E5	8	30
HPV18 E1	10	426	HPV18 E5	11	30
HPV18 E1	8	369	HPV18 E5	8	56
HPV18 E1	10	431	HPV18 E5	9	56
HPV18 E1	9	582	HPV18 E5	11	56
HPV18 E1	9	287	HPV18 E5	9	27
HPV18 E1	8	454	HPV18 E5	11	27
HPV18 E1	10	454	HPV18 E5	10	13
HPV18 E1	11	454	HPV18 E5	11	13
HPV18 E1	11	496	HPV18 E5	9	14
HPV18 E1	9	225	HPV18 E5	10	14
HPV18 E1	9	507	HPV18 E5	10	60
HPV18 E1	10	507	HPV18 E5	11	60
HPV18 E1	11	507	HPV18 E5	9	54
HPV18 E1	8	491	HPV18 E5	10	54
HPV18 E1	10	491	HPV18 E5	11	54
HPV18 E1	11	491	HPV18 E5	8	36
HPV18 E1	8	56	HPV18 E5	8	52
HPV18 E1	9	462	HPV18 E5	11	52
HPV18 E1	10	462	HPV18 E6	9	70
HPV18 E1	11	537	HPV18 E6	8	46
HPV18 E1	9	221	HPV18 E6	8	71
HPV18 E1	8	592	HPV18 E6	11	80
HPV18 E1	10	592	HPV18 E6	9	52
HPV18 E1	8	217	HPV18 E6	9	98
HPV18 E1	10	217	HPV18 E6	11	11
HPV18 E1	8	339	HPV18 E6	9	44
HPV18 E1	9	339	HPV18 E6	10	44
HPV18 E1	9	608	HPV18 E6	9	33
HPV18 E1	9	328	HPV18 E6	9	85
HPV18 E1	10	538	HPV18 E7	10	85
HPV18 E1	9	492	HPV18 E7	10	63
HPV18 E1	10	492	HPV18 E7	8	89
HPV18 E1	11	542	HPV18 L1	11	128
HPV18 E1	10	327	HPV18 L1	9	211
HPV18 E2	11	95	HPV18 L1	10	211
HPV18 E2	9	47	HPV18 L1	8	87
HPV18 E2	9	168	HPV18 L1	9	87
HPV18 E2	9	22	HPV18 L1	8	431
HPV18 E2	9	312	HPV18 L1	10	431
HPV18 E2	11	312	HPV18 L1	9	308
HPV18 E2	10	46	HPV18 L1	10	308

Table XVIII  
HLA-A24 Motif Peptides

HPV18 L1	10	508	HPV18 L2	8	437
HPV18 L1	9	95	HPV18 L2	9	305
HPV18 L1	10	95	HPV18 L2	8	452
HPV18 L1	10	265	HPV18 L2	8	46
HPV18 L1	11	11	HPV18 L2	9	46
HPV18 L1	8	58	HPV18 L2	11	368
HPV18 L1	9	437	HPV18 L2	9	383
HPV18 L1	10	94	HPV18 L2	8	121
HPV18 L1	11	94	HPV18 L2	10	121
HPV18 L1	9	151	HPV18 L2	10	304
HPV18 L1	11	151	HPV18 L2	9	399
HPV18 L1	9	143	HPV18 L2	9	435
HPV18 L1	8	529	HPV18 L2	10	435
HPV18 L1	11	516	HPV31 E1	11	371
HPV18 L1	11	507	HPV31 E1	9	186
HPV18 L1	9	48	HPV31 E1	9	284
HPV18 L1	11	48	HPV31 E1	9	508
HPV18 L1	8	367	HPV31 E1	8	418
HPV18 L1	11	64	HPV31 E1	9	418
HPV18 L1	11	17	HPV31 E1	8	102
HPV18 L1	9	21	HPV31 E1	11	102
HPV18 L1	8	3	HPV31 E1	9	432
HPV18 L1	10	307	HPV31 E1	11	432
HPV18 L1	11	307	HPV31 E1	9	318
HPV18 L1	8	502	HPV31 E1	9	592
HPV18 L1	8	302	HPV31 E1	11	592
HPV18 L1	10	302	HPV31 E1	8	199
HPV18 L1	9	435	HPV31 E1	11	488
HPV18 L1	11	435	HPV31 E1	11	230
HPV18 L1	8	523	HPV31 E1	11	499
HPV18 L1	9	523	HPV31 E1	8	467
HPV18 L1	9	130	HPV31 E1	10	252
HPV18 L1	11	424	HPV31 E1	9	16
HPV18 L1	8	481	HPV31 E1	11	510
HPV18 L1	11	306	HPV31 E1	10	190
HPV18 L1	10	455	HPV31 E1	8	424
HPV18 L1	10	451	HPV31 E1	10	424
HPV18 L1	11	451	HPV31 E1	10	88
HPV18 L1	10	327	HPV31 E1	9	534
HPV18 L1	10	479	HPV31 E1	10	534
HPV18 L1	10	55	HPV31 E1	11	534
HPV18 L1	11	55	HPV31 E1	8	240
HPV18 L1	9	160	HPV31 E1	9	194
HPV18 L1	8	34	HPV31 E1	10	194
HPV18 L1	10	351	HPV31 E1	11	299
HPV18 L2	9	255	HPV31 E1	10	588
HPV18 L2	11	255	HPV31 E1	8	237
HPV18 L2	9	370	HPV31 E1	11	237
HPV18 L2	8	161	HPV31 E1	10	557
HPV18 L2	8	275	HPV31 E1	8	399
HPV18 L2	9	240	HPV31 E1	9	260
HPV18 L2	10	240	HPV31 E1	11	260
HPV18 L2	8	331	HPV31 E1	9	555
HPV18 L2	8	371	HPV31 E1	10	427
HPV18 L2	8	319	HPV31 E1	11	427
HPV18 L2	10	191	HPV31 E1	10	591
HPV18 L2	9	318	HPV31 E1	8	472
HPV18 L2	10	434	HPV31 E1	8	435
HPV18 L2	11	434	HPV31 E1	9	435
HPV18 L2	8	52	HPV31 E1	10	435

Table XVIII  
HLA-A24 Motif Peptides

HPV31 E1	9	198	HPV31 E5	10	62
HPV31 E1	9	329	HPV31 E5	11	62
HPV31 E1	9	250	HPV31 E5	10	23
HPV31 E1	9	480	HPV31 E5	10	71
HPV31 E1	10	480	HPV31 E5	11	71
HPV31 E1	11	480	HPV31 E5	9	49
HPV31 E1	8	464	HPV31 E5	8	65
HPV31 E1	10	464	HPV31 E5	10	65
HPV31 E1	11	464	HPV31 E5	8	38
HPV31 E1	10	334	HPV31 E5	9	38
HPV31 E1	10	617	HPV31 E5	11	38
HPV31 E1	8	567	HPV31 E6	9	44
HPV31 E1	8	565	HPV31 E6	8	69
HPV31 E1	10	565	HPV31 E6	10	69
HPV31 E1	8	254	HPV31 E6	9	124
HPV31 E1	9	581	HPV31 E6	9	68
HPV31 E1	8	312	HPV31 E6	11	68
HPV31 E1	9	312	HPV31 E6	10	131
HPV31 E1	8	17	HPV31 E6	9	80
HPV31 E1	9	301	HPV31 E6	9	83
HPV31 E1	9	465	HPV31 E6	11	78
HPV31 E1	10	465	HPV31 E7	10	56
HPV31 E1	10	300	HPV31 L1	9	151
HPV31 E2	8	352	HPV31 L1	10	151
HPV31 E2	9	91	HPV31 L1	9	444
HPV31 E2	11	91	HPV31 L1	8	370
HPV31 E2	8	31	HPV31 L1	10	370
HPV31 E2	8	114	HPV31 L1	9	363
HPV31 E2	9	18	HPV31 L1	11	363
HPV31 E2	8	130	HPV31 L1	8	26
HPV31 E2	10	130	HPV31 L1	10	248
HPV31 E2	9	157	HPV31 L1	10	447
HPV31 E2	11	183	HPV31 L1	9	249
HPV31 E2	8	177	HPV31 L1	9	91
HPV31 E2	10	42	HPV31 L1	11	91
HPV31 E2	9	318	HPV31 L1	10	205
HPV31 E2	11	318	HPV31 L1	8	474
HPV31 E2	10	101	HPV31 L1	9	376
HPV31 E2	9	43	HPV31 L1	10	33
HPV31 E2	9	133	HPV31 L1	11	33
HPV31 E2	10	309	HPV31 L1	9	83
HPV31 E2	9	206	HPV31 L1	9	455
HPV31 E2	9	128	HPV31 L1	11	455
HPV31 E2	10	128	HPV31 L1	11	237
HPV31 E2	9	93	HPV31 L1	11	247
HPV31 E2	11	93	HPV31 L1	11	3
HPV31 E2	11	343	HPV31 L1	8	342
HPV31 E2	9	199	HPV31 L1	8	441
HPV31 E2	11	32	HPV31 L1	8	242
HPV31 E2	8	158	HPV31 L1	10	242
HPV31 E2	11	158	HPV31 L1	9	374
HPV31 E5	8	59	HPV31 L1	11	374
HPV31 E5	9	59	HPV31 L1	8	462
HPV31 E5	11	59	HPV31 L1	9	462
HPV31 E5	10	18	HPV31 L1	10	462
HPV31 E5	9	14	HPV31 L1	8	255
HPV31 E5	10	14	HPV31 L1	9	70
HPV31 E5	11	14	HPV31 L1	8	420
HPV31 E5	8	67	HPV31 L1	10	90
HPV31 E5	8	62	HPV31 L1	9	149

Table XVIII  
HLA-A24 Motif Peptides

HPV31 L1	11	149	HPV33 E1	8	412
HPV31 L1	10	394	HPV33 E1	11	69
HPV31 L1	9	299	HPV33 E1	8	286
HPV31 L1	10	299	HPV33 E1	10	201
HPV31 L1	11	355	HPV33 E1	8	253
HPV31 L1	10	390	HPV33 E1	11	312
HPV31 L1	11	390	HPV33 E1	10	601
HPV31 L1	10	418	HPV33 E1	8	431
HPV31 L1	11	446	HPV33 E1	9	431
HPV31 L1	9	34	HPV33 E1	10	570
HPV31 L1	10	34	HPV33 E1	8	485
HPV31 L2	11	251	HPV33 E1	8	355
HPV31 L2	11	385	HPV33 E1	9	273
HPV31 L2	8	275	HPV33 E1	9	568
HPV31 L2	11	438	HPV33 E1	10	440
HPV31 L2	10	439	HPV33 E1	11	440
HPV31 L2	9	318	HPV33 E1	10	604
HPV31 L2	9	403	HPV33 E1	9	211
HPV31 L2	8	432	HPV33 E1	9	342
HPV31 L2	10	432	HPV33 E1	8	477
HPV31 L2	10	352	HPV33 E1	10	477
HPV31 L2	10	261	HPV33 E1	11	477
HPV31 L2	10	187	HPV33 E1	8	609
HPV31 L2	11	187	HPV33 E1	11	523
HPV31 L2	8	47	HPV33 E1	10	119
HPV31 L2	9	47	HPV33 E1	8	578
HPV31 L2	11	295	HPV33 E1	10	578
HPV31 L2	9	50	HPV33 E1	9	594
HPV31 L2	11	50	HPV33 E1	8	17
HPV31 L2	11	195	HPV33 E1	9	314
HPV31 L2	9	236	HPV33 E1	9	478
HPV31 L2	10	236	HPV33 E1	10	478
HPV31 L2	8	157	HPV33 E1	11	528
HPV31 L2	8	53	HPV33 E1	10	313
HPV31 L2	9	262	HPV33 E2	11	69
HPV31 L2	8	319	HPV33 E2	8	153
HPV33 E1	9	452	HPV33 E2	8	130
HPV33 E1	9	448	HPV33 E2	10	130
HPV33 E1	10	448	HPV33 E2	11	130
HPV33 E1	11	384	HPV33 E2	11	32
HPV33 E1	9	207	HPV33 E2	8	177
HPV33 E1	9	297	HPV33 E2	8	243
HPV33 E1	9	228	HPV33 E2	9	18
HPV33 E1	11	49	HPV33 E2	9	299
HPV33 E1	8	580	HPV33 E2	11	299
HPV33 E1	9	445	HPV33 E2	9	43
HPV33 E1	11	352	HPV33 E2	8	333
HPV33 E1	9	331	HPV33 E2	11	183
HPV33 E1	9	605	HPV33 E2	8	133
HPV33 E1	11	605	HPV33 E2	9	332
HPV33 E1	8	212	HPV33 E2	9	91
HPV33 E1	11	501	HPV33 E2	9	86
HPV33 E1	8	11	HPV33 E2	10	290
HPV33 E1	9	512	HPV33 E2	8	302
HPV33 E1	11	512	HPV33 E2	11	324
HPV33 E1	8	480	HPV33 E2	10	128
HPV33 E1	9	16	HPV33 E2	10	146
HPV33 E1	10	347	HPV33 E2	10	101
HPV33 E1	8	203	HPV33 E2	11	158
HPV33 E1	10	203	HPV33 E5	8	30

Table XVIII  
HLA-A24 Motif Peptides

HPV33 E5	9	30	HPV33 L1	9	83
HPV33 E5	10	30	HPV33 L1	8	466
HPV33 E5	11	30	HPV33 L1	9	453
HPV33 E5	8	8	HPV33 L1	11	453
HPV33 E5	10	8	HPV33 L1	11	236
HPV33 E5	11	8	HPV33 L1	9	442
HPV33 E5	8	52	HPV33 L1	11	246
HPV33 E5	8	50	HPV33 L1	8	306
HPV33 E5	10	50	HPV33 L1	8	241
HPV33 E5	8	49	HPV33 L1	9	241
HPV33 E5	9	49	HPV33 L1	10	241
HPV33 E5	11	49	HPV33 L1	8	460
HPV33 E5	8	2	HPV33 L1	9	460
HPV33 E5	9	2	HPV33 L1	10	460
HPV33 E5	10	2	HPV33 L1	11	372
HPV33 E5	11	2	HPV33 L1	8	254
HPV33 E5	8	11	HPV33 L1	9	70
HPV33 E5	9	11	HPV33 L1	8	418
HPV33 E5	10	55	HPV33 L1	10	90
HPV33 E5	9	39	HPV33 L1	9	149
HPV33 E5	11	39	HPV33 L1	11	149
HPV33 E5	8	57	HPV33 L1	9	298
HPV33 E5	10	57	HPV33 L1	10	298
HPV33 E5	8	28	HPV33 L1	11	444
HPV33 E5	10	28	HPV33 L1	10	388
HPV33 E5	11	28	HPV33 L1	11	388
HPV33 E5	9	41	HPV33 L1	11	353
HPV33 E5	10	41	HPV33 L1	10	416
HPV33 E5	11	41	HPV33 L1	9	374
HPV33 E5	8	4	HPV33 L1	9	100
HPV33 E5	9	4	HPV33 L1	11	3
HPV33 E5	10	4	HPV33 L1	8	35
HPV33 E6	11	139	HPV33 L1	9	35
HPV33 E6	11	78	HPV33 L1	9	34
HPV33 E6	9	80	HPV33 L1	10	34
HPV33 E6	9	59	HPV33 L2	11	256
HPV33 E6	11	59	HPV33 L2	9	241
HPV33 E6	9	124	HPV33 L2	10	241
HPV33 E6	10	131	HPV33 L2	8	280
HPV33 E6	9	42	HPV33 L2	9	439
HPV33 E6	8	53	HPV33 L2	10	439
HPV33 E6	10	53	HPV33 L2	11	439
HPV33 E7	8	15	HPV33 L2	9	323
HPV33 L1	10	392	HPV33 L2	8	46
HPV33 L1	9	151	HPV33 L2	9	46
HPV33 L1	10	151	HPV33 L2	8	414
HPV33 L1	8	368	HPV33 L2	11	414
HPV33 L1	10	368	HPV33 L2	8	426
HPV33 L1	11	361	HPV33 L2	8	420
HPV33 L1	8	26	HPV33 L2	9	420
HPV33 L1	10	247	HPV33 L2	11	420
HPV33 L1	9	248	HPV33 L2	9	376
HPV33 L1	8	260	HPV33 L2	11	300
HPV33 L1	10	445	HPV33 L2	8	259
HPV33 L1	9	91	HPV33 L2	10	259
HPV33 L1	11	91	HPV33 L2	10	192
HPV33 L1	10	204	HPV33 L2	8	355
HPV33 L1	9	259	HPV33 L2	8	162
HPV33 L1	10	33	HPV33 L2	10	251
HPV33 L1	11	33	HPV33 L2	8	52

Table XVIII  
HLA-A24 Motif Peptides

HPV33 L2	11	404	HPV45 E1	9	314
HPV33 L2	11	446	HPV45 E1	10	524
HPV33 L2	8	324	HPV45 E1	9	478
HPV33 L2	11	324	HPV45 E1	10	478
HPV45 E1	9	199	HPV45 E1	11	528
HPV45 E1	11	512	HPV45 E1	10	313
HPV45 E1	10	604	HPV45 E2	10	134
HPV45 E1	9	297	HPV45 E2	11	97
HPV45 E1	9	49	HPV45 E2	11	325
HPV45 E1	9	367	HPV45 E2	9	24
HPV45 E1	10	46	HPV45 E2	9	316
HPV45 E1	11	352	HPV45 E2	11	316
HPV45 E1	8	431	HPV45 E2	9	143
HPV45 E1	9	431	HPV45 E2	10	143
HPV45 E1	9	445	HPV45 E2	9	2
HPV45 E1	8	331	HPV45 E2	9	312
HPV45 E1	9	331	HPV45 E2	8	184
HPV45 E1	9	605	HPV45 E2	9	92
HPV45 E1	11	605	HPV45 E2	9	49
HPV45 E1	11	243	HPV45 E2	10	107
HPV45 E1	8	480	HPV45 E2	8	136
HPV45 E1	8	16	HPV45 E2	11	136
HPV45 E1	8	485	HPV45 E2	8	160
HPV45 E1	10	485	HPV45 E2	8	37
HPV45 E1	9	207	HPV45 E2	8	348
HPV45 E1	9	263	HPV45 E2	11	190
HPV45 E1	10	263	HPV45 E2	11	339
HPV45 E1	8	253	HPV45 E2	8	139
HPV45 E1	8	312	HPV45 E2	11	38
HPV45 E1	11	312	HPV45 E2	8	144
HPV45 E1	10	347	HPV45 E2	9	144
HPV45 E1	10	601	HPV45 E6	9	61
HPV45 E1	10	570	HPV45 E6	11	61
HPV45 E1	10	437	HPV45 E6	9	70
HPV45 E1	11	437	HPV45 E6	8	71
HPV45 E1	8	412	HPV45 E6	9	52
HPV45 E1	8	355	HPV45 E6	9	98
HPV45 E1	10	417	HPV45 E6	11	11
HPV45 E1	9	273	HPV45 E6	8	46
HPV45 E1	8	440	HPV45 E6	9	46
HPV45 E1	10	440	HPV45 E6	9	85
HPV45 E1	11	440	HPV45 E6	9	44
HPV45 E1	10	482	HPV45 E6	10	44
HPV45 E1	11	482	HPV45 E6	11	44
HPV45 E1	9	448	HPV45 E6	11	80
HPV45 E1	10	448	HPV45 E7	8	90
HPV45 E1	9	211	HPV45 L1	11	94
HPV45 E1	9	493	HPV45 L1	9	177
HPV45 E1	10	493	HPV45 L1	10	177
HPV45 E1	11	493	HPV45 L1	8	52
HPV45 E1	8	477	HPV45 L1	9	52
HPV45 E1	10	477	HPV45 L1	8	399
HPV45 E1	11	477	HPV45 L1	10	399
HPV45 E1	8	580	HPV45 L1	9	274
HPV45 E1	11	523	HPV45 L1	10	274
HPV45 E1	8	203	HPV45 L1	10	476
HPV45 E1	10	203	HPV45 L1	9	60
HPV45 E1	8	578	HPV45 L1	10	60
HPV45 E1	10	578	HPV45 L1	10	131
HPV45 E1	9	594	HPV45 L1	10	231

Table XVIII  
HLA-A24 Motif Peptides

HPV45 L1	11	392	HPV45 L2	10	304
HPV45 L1	9	13	HPV45 L2	9	444
HPV45 L1	11	13	HPV45 L2	10	443
HPV45 L1	8	23	HPV45 L2	10	436
HPV45 L1	9	405	HPV45 L2	11	442
HPV45 L1	10	59	HPV56 E2	9	52
HPV45 L1	11	59	HPV56 E2	10	71
HPV45 L1	8	6	HPV56 E2	9	113
HPV45 L1	9	6	HPV56 E2	11	34
HPV45 L1	10	6	HPV56 E2	11	126
HPV45 L1	9	117	HPV56 E2	11	284
HPV45 L1	11	117	HPV56 E2	9	29
HPV45 L1	9	109	HPV56 E2	9	80
HPV45 L1	8	497	HPV56 E2	8	120
HPV45 L1	11	484	HPV56 E2	11	78
HPV45 L1	11	475	HPV56 E2	11	260
HPV45 L1	8	335	HPV56 E2	10	44
HPV45 L1	11	29	HPV56 E2	8	277
HPV45 L1	10	273	HPV56 E2	8	73
HPV45 L1	11	273	HPV56 E2	8	253
HPV45 L1	8	470	HPV56 E2	9	253
HPV45 L1	8	268	HPV56 E2	10	251
HPV45 L1	10	268	HPV56 E2	11	251
HPV45 L1	9	403	HPV56 E2	8	293
HPV45 L1	11	403	HPV56 E2	8	81
HPV45 L1	8	491	HPV56 E6	8	106
HPV45 L1	9	491	HPV56 E6	11	60
HPV45 L1	9	96	HPV56 E6	9	83
HPV45 L1	11	272	HPV56 E6	10	134
HPV45 L1	10	423	HPV56 E6	9	47
HPV45 L1	10	419	HPV56 E6	9	62
HPV45 L1	11	419	HPV56 E6	10	62
HPV45 L1	10	20	HPV56 E6	11	62
HPV45 L1	11	20	HPV56 E6	9	127
HPV45 L1	10	293	HPV56 E6	9	86
HPV45 L1	9	126	HPV56 E6	9	45
HPV45 L1	10	319	HPV56 E6	11	45
HPV45 L2	8	161	HPV56 E6	11	81
HPV45 L2	9	255	HPV56 E7	8	69
HPV45 L2	11	255	HPV56 E7	11	90
HPV45 L2	8	275	HPV56 L1	8	275
HPV45 L2	8	319	HPV56 L1	10	275
HPV45 L2	10	191	HPV56 L1	10	422
HPV45 L2	9	318	HPV56 L1	11	422
HPV45 L2	8	52	HPV56 L1	11	101
HPV45 L2	8	400	HPV56 L1	8	402
HPV45 L2	9	400	HPV56 L1	10	402
HPV45 L2	8	346	HPV56 L1	10	479
HPV45 L2	8	438	HPV56 L1	9	69
HPV45 L2	9	305	HPV56 L1	10	69
HPV45 L2	8	453	HPV56 L1	8	282
HPV45 L2	9	240	HPV56 L1	9	282
HPV45 L2	8	46	HPV56 L1	10	238
HPV45 L2	9	46	HPV56 L1	8	15
HPV45 L2	11	435	HPV56 L1	11	20
HPV45 L2	9	367	HPV56 L1	8	32
HPV45 L2	9	384	HPV56 L1	10	68
HPV45 L2	10	250	HPV56 L1	11	68
HPV45 L2	8	121	HPV56 L1	9	124
HPV45 L2	10	121	HPV56 L1	11	124

Table XVIII  
HLA-A24 Motif Peptides

HPV56 L1	11	8	HPV56 L2	8	52
HPV56 L1	9	116	HPV56 L2	8	430
HPV56 L1	11	478	HPV56 L2	10	430
HPV56 L1	11	387	HPV56 L2	11	430
HPV56 L1	9	476	HPV56 L2	11	443
HPV56 L1	10	450	HPV56 L2	8	319
HPV56 L1	8	340			
HPV56 L1	8	1			
HPV56 L1	10	5			
HPV56 L1	10	280			
HPV56 L1	11	280			
HPV56 L1	9	6			
HPV56 L1	10	426			
HPV56 L1	11	375			
HPV56 L1	11	4			
HPV56 L1	8	494			
HPV56 L1	9	494			
HPV56 L1	9	406			
HPV56 L1	11	406			
HPV56 L1	11	395			
HPV56 L1	9	103			
HPV56 L1	8	452			
HPV56 L1	9	487			
HPV56 L1	11	487			
HPV56 L1	9	332			
HPV56 L1	10	332			
HPV56 L1	11	279			
HPV56 L1	8	61			
HPV56 L1	9	61			
HPV56 L1	11	38			
HPV56 L1	11	29			
HPV56 L1	9	408			
HPV56 L1	11	324			
HPV56 L1	9	281			
HPV56 L1	10	281			
HPV56 L2	9	240			
HPV56 L2	11	286			
HPV56 L2	8	275			
HPV56 L2	10	444			
HPV56 L2	9	401			
HPV56 L2	10	217			
HPV56 L2	9	318			
HPV56 L2	9	255			
HPV56 L2	11	255			
HPV56 L2	8	161			
HPV56 L2	8	50			
HPV56 L2	10	50			
HPV56 L2	8	347			
HPV56 L2	8	121			
HPV56 L2	10	121			
HPV56 L2	8	400			
HPV56 L2	10	400			
HPV56 L2	10	423			
HPV56 L2	9	46			
HPV56 L2	11	295			
HPV56 L2	9	436			
HPV56 L2	10	436			
HPV56 L2	8	343			
HPV56 L2	10	191			
HPV56 L2	9	39			

Table XVIII A. HPV6A  
HLA-A24 Motif Peptides

2	3	4			
E1	10	377	E2	8	361
L2	9	238	L2	8	433
L2	10	238	L2	10	433
L2	8	275	L1	9	144
E1	9	251	E2	8	55
E1	11	251	E1	10	273
E5	9	23	E1	8	16
E5	10	23	E1	8	44
E5	11	23	E6	11	58
E1	9	271	L1	11	64
L1	11	384	L1	8	468
E6	8	47	E2	11	32
E6	9	47	E1	8	75
L1	8	25	L2	9	318
L1	9	25	L1	9	370
E1	10	612	L1	10	32
E1	9	215	L1	11	32
E1	10	215	L2	10	348
E5	8	27	E1	10	531
E5	10	27	E1	11	531
E5	11	27	E6	9	43
E2	8	35	L1	10	286
E2	9	35	E2	8	157
E1	8	488	L1	9	79
L1	9	153	L1	10	79
E6	10	140	E1	8	211
E5	8	75	E1	10	211
E6	8	104	E1	11	211
E1	9	385	L1	11	449
E1	10	385	E1	8	420
E1	8	49	L2	8	46
E5	9	39	L2	9	46
E5	11	39	E2	8	177
E1	11	46	E1	11	85
E1	9	236	E1	10	578
E1	9	453	E4	8	18
E1	11	453	E2	9	311
E2	9	74	E2	11	311
E2	10	74	L1	9	87
E1	10	417	L1	11	87
E1	11	417	L1	11	242
E1	11	360	L2	9	397
E2	11	100	L2	11	397
E1	9	339	L1	8	302
E1	8	379	E5	9	57
L1	8	364	E5	11	57
L1	10	364	E1	8	261
L1	11	357	E2	9	18
E2	9	86	E2	9	43
E1	9	613	E4	11	11
E1	11	613	E5	8	53
L1	10	243	E5	9	53
L1	9	244	E4	9	5
L1	10	441	E4	11	5
L1	9	33	E1	8	320
L1	10	33	E2	10	101
L2	9	434	E1	9	609
L1	10	200	E1	8	439
E1	8	241	E1	9	439
			E1	8	456

Table XVIII A. HPV6A  
HLA-A24 Motif Peptides

E1	9	456	L2	8	52
E1	10	456	L2	8	427
L2	8	415	L2	10	427
E1	11	545	E4	8	65
L2	9	382	L2	11	253
E4	11	71	E1	9	602
E6	9	60	E5	8	42
E6	11	60	E5	10	42
L1	8	237	E5	11	42
L1	9	237	E2	9	137
L1	10	237	L2	11	440
L1	8	435	L2	10	441
E1	9	90	E1	9	486
E5	8	66	E1	10	486
L1	9	368	L2	8	319
L1	11	368	E1	9	532
E1	10	355	E1	10	532
E2	9	163	L1	10	358
E2	8	345			
E1	8	445			
E1	10	445			
E1	11	445			
E2	9	289			
L1	11	232			
L1	8	250			
E2	8	76			
E1	9	305			
E1	8	363			
E2	11	183			
E1	10	425			
E1	11	266			
L1	8	456			
L1	9	456			
L1	10	456			
L1	9	66			
E6	9	125			
E2	11	301			
L1	8	414			
E1	9	219			
E1	8	493			
L1	11	440			
E6	11	23			
L2	10	304			
E2	8	150			
E6	10	45			
E6	11	45			
E1	8	485			
E1	10	485			
E1	11	485			
L2	9	345			
E6	9	19			
E6	11	19			
E1	8	588			
L2	11	406			
E1	8	586			
E1	10	586			
L1	10	388			
E6	10	132			
E2	11	336			
L1	10	412			

Table XVIII B. HPV6B  
HLA-A24 Motif Peptides

2	3	4			
E1	10	377	L1	10	33
E5B	9	21	L2	9	434
E5B	10	21	L1	10	200
E5B	11	21	E1	8	241
L2	9	238	E2	8	361
L2	10	238	L2	8	433
L2	8	275	L2	10	433
E1	9	251	L1	9	144
E1	11	251	E2	8	55
E5A	9	23	E1	8	273
E5A	10	23	E1	10	273
E5A	11	23	E1	8	16
E1	9	271	E1	8	44
E1	10	271	E6	11	58
L1	11	384	L1	11	64
E6	8	47	L1	8	468
E6	9	47	E2	11	183
L1	8	25	E2	11	32
L1	9	25	E1	8	75
E1	10	612	L2	9	318
E1	9	215	E5B	9	61
E1	10	215	L1	9	370
E5A	8	27	L1	10	32
E5A	10	27	L1	11	32
E5A	11	27	L2	10	348
E2	8	35	E1	10	531
E2	9	35	E1	11	531
E1	8	488	E6	9	43
L1	9	153	L1	10	286
E6	10	140	E2	8	157
E5A	8	75	L1	9	79
E6	8	104	L1	10	79
E1	9	385	E1	8	211
E1	10	385	E1	10	211
E1	8	49	E1	11	211
E1	11	46	L1	11	449
E1	9	236	E1	8	420
E1	9	453	L2	8	46
E1	11	453	L2	9	46
E5A	9	39	E2	8	177
E5A	11	39	E1	11	85
E2	9	74	E1	10	578
E2	10	74	E4	8	28
E1	10	417	E4	8	8
E1	11	417	E4	11	8
E1	11	360	E2	9	311
E2	11	100	E2	11	311
E1	9	339	L1	9	87
E1	8	379	L1	11	87
L1	8	364	L1	11	242
L1	10	364	L2	9	396
L1	11	357	L2	11	396
E2	9	86	L1	8	302
E1	9	613	E5B	8	16
E1	11	613	E5A	9	57
L1	10	243	E5A	11	57
L1	9	244	E1	8	261
L1	10	441	E2	9	18
L1	9	33	E2	9	43
			E4	11	21

Table XVIII B. HPV6B  
HLA-A24 Motif Peptides

ESA	8	53	E1	8	485
ESA	9	53	E1	10	485
E4	9	15	E1	11	485
E4	11	15	L2	9	345
E1	8	320	ESA	8	15
E2	10	101	ESA	10	15
E1	9	609	E6	9	19
E1	8	439	E6	11	19
E1	9	439	E1	8	588
E1	10	226	L2	11	405
E1	8	456	E1	8	586
E1	9	456	E1	10	586
E1	10	456	E5B	11	59
L2	9	414	L1	10	388
E1	11	545	E6	10	132
L2	9	382	E5B	8	12
L2	11	382	E5B	11	12
E4	11	81	E2	11	336
E6	9	60	L1	10	412
E6	11	60	E2	10	213
L1	8	237	L2	8	52
L1	9	237	L2	8	427
L1	10	237	L2	10	427
L1	8	435	E4	9	10
E1	9	90	E4	10	10
ESA	8	66	E4	8	75
L1	9	368	L2	11	253
L1	11	368	E1	9	602
E1	10	355	ESA	8	42
E2	9	163	ESA	10	42
E2	8	345	ESA	11	42
E1	8	445	E2	9	137
E1	10	445	L2	11	440
E1	11	445	L2	10	441
E5B	8	6	E1	9	486
E5B	9	6	E1	10	486
E5B	11	6	L2	8	319
E2	9	289	E1	9	532
L1	11	232	E1	10	532
L1	8	250	L1	10	358
E2	8	76			
E1	9	305			
E1	8	363			
E1	10	425			
E1	11	266			
L1	8	456			
L1	9	456			
L1	10	456			
L1	9	66			
E6	9	125			
E2	11	301			
L1	8	414			
E1	9	219			
E1	8	493			
L1	11	440			
E6	11	23			
L2	10	304			
E2	8	150			
E6	10	45			
E6	11	45			

Table XVIII C. HPV11  
HLA-A24 Motif Peptides

2	3	4			
E5	9	23	E1	11	613
E5	11	23	E5	11	67
E1	10	377	L1	10	244
L2	9	237	L1	10	442
L2	8	274	L1	9	33
L2	9	215	L1	10	33
E1	9	251	L2	9	430
E1	11	251	L1	9	245
E5	9	22	L1	10	201
E5	10	22	E1	8	241
E5	11	22	E2	8	360
E5	8	79	L1	9	145
E1	9	271	E1	8	273
E1	10	271	E1	10	273
E6	11	45	E1	8	16
L1	11	385	E1	8	44
E6	9	47	L1	11	64
L1	8	25	E1	9	305
L1	9	25	E2	11	183
E1	9	486	E2	11	32
E1	10	486	E1	8	75
E1	10	612	L1	9	371
E1	9	215	L1	10	32
E1	10	215	L1	11	32
E1	8	488	E2	9	30
L1	9	154	L2	9	347
E6	9	140	E6	9	43
E6	10	140	E2	9	137
E5	8	75	L1	10	287
E5	10	75	E2	8	157
E6	8	104	L1	9	79
E6	11	104	L1	10	79
E1	9	385	E1	8	211
E1	10	385	E1	10	211
E1	8	49	E1	8	493
E5	9	39	L1	9	450
E5	11	39	L1	11	450
L2	8	429	E1	8	420
L2	10	429	L2	8	45
L1	9	439	L2	9	45
E1	11	46	E2	8	177
L2	10	391	E2	8	306
E1	9	236	E1	11	85
L1	8	365	E1	10	578
L1	10	365	E4	8	28
E1	9	453	E1	8	401
E1	11	453	E4	8	8
E1	10	417	E4	11	8
E1	11	417	L1	9	87
E2	9	74	L1	11	87
E1	11	360	E2	9	310
E2	11	100	E2	11	310
E1	9	339	L1	11	243
E1	8	379	E5	9	15
L1	9	358	L1	8	303
L1	11	358	E5	10	19
E2	8	130	L2	8	158
E2	10	130	E5	9	57
E1	9	613	E5	11	57
			E1	8	261

Table XVIII C. HPV11  
HLA-A24 Motif Peptides

E2	9	18	E6	11	19
E4	8	25	E1	8	588
E4	10	25	L2	11	401
E4	11	25	E1	8	586
E4	11	21	E1	10	586
E5	8	53	L1	10	389
E5	9	53	E5	8	13
E4	9	15	E5	11	13
E4	11	15	E1	10	531
E1	8	320	E1	11	531
E2	10	101	L1	10	413
L2	9	304	E2	11	335
E6	11	58	L2	8	51
E1	9	609	L2	8	423
E1	8	439	L2	10	423
E1	9	439	E4	9	10
E6	9	60	E4	10	10
E6	11	60	E2	10	128
E1	8	456	E4	8	74
E1	9	456	E6	8	54
E1	10	456	L2	9	252
L2	9	410	L2	11	252
E1	11	545	E1	9	602
E4	11	80	E5	8	42
L1	8	238	E5	10	42
L1	10	238	E5	11	42
L1	8	436	L2	9	392
L1	9	369	L2	11	392
L1	11	369	L2	11	436
E1	10	355	L2	10	437
E2	9	163	E5	9	76
E2	8	344	E5	11	76
E1	8	445	E1	9	532
E1	10	445	E1	10	532
E1	11	445	L1	8	359
L1	8	457	L1	10	359
L1	9	457			
L1	10	457			
L1	11	233			
L1	8	251			
E2	9	48			
E1	8	363			
E6	10	132			
E1	11	266			
E2	9	86			
L1	9	66			
E6	9	125			
E2	11	300			
L1	8	415			
E1	9	219			
L1	11	441			
L2	10	303			
L2	9	378			
L2	11	378			
L2	10	366			
E1	9	501			
E1	10	501			
E1	11	501			
L2	9	344			
E6	9	19			

Table XIX  
DR Supermotif Peptides

1	2	3	4				
HPV16 E1	9	319	HPV16 E1	9	584		
HPV16 E1	9	271	HPV16 E1	9	139		
HPV16 E1	9	243	HPV16 E1	9	340		
HPV16 E1	9	402	HPV16 E1	9	305		
HPV16 E1	9	321	HPV16 E1	9	312		
HPV16 E1	9	392	HPV16 E1	9	563		
HPV16 E1	9	262	HPV16 E1	9	401		
HPV16 E1	9	307	HPV16 E1	9	365		
HPV16 E1	9	18	HPV16 E1	9	290		
HPV16 E1	9	531	HPV16 E1	9	186		
HPV16 E1	9	355	HPV16 E1	9	91		
HPV16 E1	9	544	HPV16 E1	9	540		
HPV16 E1	9	609	HPV16 E1	9	555		
HPV16 E1	9	375	HPV16 E1	9	127		
HPV16 E1	9	134	HPV16 E1	9	578		
HPV16 E1	9	238	HPV16 E1	9	223		
HPV16 E1	9	377	HPV16 E1	9	102		
HPV16 E1	9	294	HPV16 E1	9	509		
HPV16 E1	9	641	HPV16 E1	9	298		
HPV16 E1	9	635	HPV16 E1	9	549		
HPV16 E1	9	48	HPV16 E1	9	110		
HPV16 E1	9	180	HPV16 E1	9	617		
HPV16 E1	9	439	HPV16 E1	9	273		
HPV16 E1	9	485	HPV16 E1	9	195		
HPV16 E1	9	499	HPV16 E1	9	339		
HPV16 E1	9	453	HPV16 E1	9	24		
HPV16 E1	9	20	HPV16 E1	9	454		
HPV16 E1	9	71	HPV16 E1	9	588		
HPV16 E1	9	554	HPV16 E1	9	501		
HPV16 E1	9	241	HPV16 E1	9	278		
HPV16 E1	9	293	HPV16 E1	9	446		
HPV16 E1	9	521	HPV16 E1	9	86		
HPV16 E1	9	254	HPV16 E1	9	226		
HPV16 E1	9	476	HPV16 E1	9	274		
HPV16 E1	9	332	HPV16 E1	9	428		
HPV16 E1	9	215	HPV16 E1	9	579		
HPV16 E1	9	520	HPV16 E1	9	382		
HPV16 E1	9	473	HPV16 E1	9	261		
HPV16 E1	9	90	HPV16 E1	9	264		
HPV16 E1	9	613	HPV16 E2	9	178		
HPV16 E1	9	508	HPV16 E2	9	44		
HPV16 E1	9	486	HPV16 E2	9	268		
HPV16 E1	9	255	HPV16 E2	9	49		
HPV16 E1	9	463	HPV16 E2	9	229		
HPV16 E1	9	300	HPV16 E2	9	312		
HPV16 E1	9	493	HPV16 E2	9	347		
HPV16 E1	9	198	HPV16 E2	9	99		
HPV16 E1	9	467	HPV16 E2	9	152		
HPV16 E1	9	513	HPV16 E2	9	77		
HPV16 E1	9	297	HPV16 E2	9	83		
HPV16 E1	9	557	HPV16 E2	9	121		
HPV16 E1	9	217	HPV16 E2	9	54		
HPV16 E1	9	322	HPV16 E2	9	192		
HPV16 E1	9	494	HPV16 E2	9	326		
HPV16 E1	9	425	HPV16 E2	9	159		
HPV16 E1	9	474	HPV16 E2	9	193		
HPV16 E1	9	370	HPV16 E2	9	311		
HPV16 E1	9	59	HPV16 E2	9	164		
HPV16 E1	9	19	HPV16 E2	9	139		
					59		

Table XIX  
DR Supermotif Peptides

HPV16 E2	9	33	HPV16 E5	9	12
HPV16 E2	9	183	HPV16 E5	9	28
HPV16 E2	9	94	HPV16 E5	9	49
HPV16 E2	9	102	HPV16 E5	9	39
HPV16 E2	9	73	HPV16 E5	9	65
HPV16 E2	9	350	HPV16 E5	9	66
HPV16 E2	9	19	HPV16 E5	9	71
HPV16 E2	9	92	HPV16 E5	9	42
HPV16 E2	9	58	HPV16 E6	9	1
HPV16 E2	9	70	HPV16 E6	9	61
HPV16 E2	9	211	HPV16 E6	9	76
HPV16 E2	9	238	HPV16 E6	9	90
HPV16 E2	9	194	HPV16 E6	9	54
HPV16 E2	9	352	HPV16 E6	9	35
HPV16 E2	9	262	HPV16 E6	9	108
HPV16 E2	9	10	HPV16 E6	9	39
HPV16 E2	9	215	HPV16 E6	9	99
HPV16 E2	9	305	HPV16 E6	9	135
HPV16 E2	9	101	HPV16 E6	9	144
HPV16 E2	9	205	HPV16 E6	9	88
HPV16 E2	9	210	HPV16 E6	9	33
HPV16 E2	9	147	HPV16 E6	9	111
HPV16 E2	9	138	HPV16 E6	9	44
HPV16 E2	9	257	HPV16 E6	9	106
HPV16 E2	9	64	HPV16 E6	9	103
HPV16 E2	9	200	HPV16 E6	9	19
HPV16 E2	9	256	HPV16 E6	9	69
HPV16 E2	9	321	HPV16 E6	9	30
HPV16 E2	9	155	HPV16 E6	9	139
HPV16 E2	9	36	HPV16 E6	9	52
HPV16 E2	9	134	HPV16 E7	9	1
HPV16 E5	9	1	HPV16 E7	9	84
HPV16 E5	9	16	HPV16 E7	9	12
HPV16 E5	9	57	HPV16 E7	9	54
HPV16 E5	9	21	HPV16 E7	9	79
HPV16 E5	9	62	HPV16 E7	9	82
HPV16 E5	9	17	HPV16 E7	9	90
HPV16 E5	9	29	HPV16 E7	9	87
HPV16 E5	9	27	HPV16 E7	9	15
HPV16 E5	9	23	HPV16 E7	9	69
HPV16 E5	9	22	HPV16 E7	9	74
HPV16 E5	9	60	HPV16 E7	9	23
HPV16 E5	9	69	HPV16 E7	9	89
HPV16 E5	9	68	HPV16 E7	9	67
HPV16 E5	9	46	HPV16 E7	9	8
HPV16 E5	9	47	HPV16 L1	9	1
HPV16 E5	9	32	HPV16 L1	9	3
HPV16 E5	9	64	HPV16 L1	9	414
HPV16 E5	9	15	HPV16 L1	9	293
HPV16 E5	9	19	HPV16 L1	9	236
HPV16 E5	9	50	HPV16 L1	9	38
HPV16 E5	9	36	HPV16 L1	9	374
HPV16 E5	9	51	HPV16 L1	9	175
HPV16 E5	9	48	HPV16 L1	9	214
HPV16 E5	9	4	HPV16 L1	9	54
HPV16 E5	9	73	HPV16 L1	9	400
HPV16 E5	9	33	HPV16 L1	9	303
HPV16 E5	9	44	HPV16 L1	9	116
HPV16 E5	9	11	HPV16 L1	9	430
HPV16 E5	9	43	HPV16 L1	9	37

Table XIX  
DR Supermotif Peptides

HPV16 L1	9	444	HPV16 L1	9	60
HPV16 L1	9	18	HPV16 L1	9	124
HPV16 L1	9	477	HPV16 L1	9	39
HPV16 L1	9	248	HPV16 L1	9	446
HPV16 L1	9	27	HPV16 L1	9	101
HPV16 L1	9	276	HPV16 L1	9	6
HPV16 L1	9	234	HPV16 L1	9	360
HPV16 L1	9	8	HPV16 L1	9	23
HPV16 L1	9	239	HPV16 L1	9	24
HPV16 L1	9	396	HPV16 L1	9	260
HPV16 L1	9	195	HPV16 L1	9	447
HPV16 L1	9	96	HPV16 L1	9	99
HPV16 L1	9	355	HPV16 L2	9	1
HPV16 L1	9	139	HPV16 L2	9	373
HPV16 L1	9	133	HPV16 L2	9	45
HPV16 L1	9	143	HPV16 L2	9	339
HPV16 L1	9	76	HPV16 L2	9	446
HPV16 L1	9	404	HPV16 L2	9	427
HPV16 L1	9	420	HPV16 L2	9	374
HPV16 L1	9	508	HPV16 L2	9	242
HPV16 L1	9	409	HPV16 L2	9	283
HPV16 L1	9	246	HPV16 L2	9	168
HPV16 L1	9	472	HPV16 L2	9	46
HPV16 L1	9	185	HPV16 L2	9	202
HPV16 L1	9	470	HPV16 L2	9	341
HPV16 L1	9	42	HPV16 L2	9	198
HPV16 L1	9	30	HPV16 L2	9	114
HPV16 L1	9	417	HPV16 L2	9	406
HPV16 L1	9	167	HPV16 L2	9	181
HPV16 L1	9	61	HPV16 L2	9	41
HPV16 L1	9	87	HPV16 L2	9	416
HPV16 L1	9	337	HPV16 L2	9	55
HPV16 L1	9	370	HPV16 L2	9	183
HPV16 L1	9	86	HPV16 L2	9	328
HPV16 L1	9	221	HPV16 L2	9	148
HPV16 L1	9	206	HPV16 L2	9	48
HPV16 L1	9	301	HPV16 L2	9	36
HPV16 L1	9	250	HPV16 L2	9	411
HPV16 L1	9	216	HPV16 L2	9	289
HPV16 L1	9	109	HPV16 L2	9	108
HPV16 L1	9	44	HPV16 L2	9	326
HPV16 L1	9	402	HPV16 L2	9	89
HPV16 L1	9	490	HPV16 L2	9	287
HPV16 L1	9	184	HPV16 L2	9	430
HPV16 L1	9	357	HPV16 L2	9	465
HPV16 L1	9	182	HPV16 L2	9	393
HPV16 L1	9	5	HPV16 L2	9	365
HPV16 L1	9	98	HPV16 L2	9	152
HPV16 L1	9	281	HPV16 L2	9	257
HPV16 L1	9	287	HPV16 L2	9	163
HPV16 L1	9	495	HPV16 L2	9	400
HPV16 L1	9	126	HPV16 L2	9	146
HPV16 L1	9	485	HPV16 L2	9	284
HPV16 L1	9	325	HPV16 L2	9	420
HPV16 L1	9	31	HPV16 L2	9	95
HPV16 L1	9	177	HPV16 L2	9	210
HPV16 L1	9	69	HPV16 L2	9	130
HPV16 L1	9	317	HPV16 L2	9	169
HPV16 L1	9	368	HPV16 L2	9	123
HPV16 L1	9	7	HPV16 L2	9	462

Table XIX  
DR Supermotif Peptides

HPV16 L2	9	227	HPV18 E1	9	620
HPV16 L2	9	464	HPV18 E1	9	222
HPV16 L2	9	294	HPV18 E1	9	480
HPV16 L2	9	93	HPV18 E1	9	562
HPV16 L2	9	301	HPV18 E1	9	89
HPV16 L2	9	72	HPV18 E1	9	493
HPV16 L2	9	394	HPV18 E1	9	262
HPV16 L2	9	53	HPV18 E1	9	527
HPV16 L2	9	222	HPV18 E1	9	280
HPV16 L2	9	216	HPV18 E1	9	520
HPV16 L2	9	390	HPV18 E1	9	85
HPV16 L2	9	86	HPV18 E1	9	564
HPV16 L2	9	193	HPV18 E1	9	470
HPV16 L2	9	250	HPV18 E1	9	307
HPV16 L2	9	235	HPV18 E1	9	288
HPV16 L2	9	115	HPV18 E1	9	329
HPV16 L2	9	382	HPV18 E1	9	432
HPV16 L2	9	98	HPV18 E1	9	481
HPV16 L2	9	327	HPV18 E1	9	18
HPV16 L2	9	238	HPV18 E1	9	189
HPV16 L2	9	126	HPV18 E1	9	347
HPV16 L2	9	385	HPV18 E1	9	570
HPV16 L2	9	133	HPV18 E1	9	319
HPV16 L2	9	369	HPV18 E1	9	63
HPV16 L2	9	260	HPV18 E1	9	408
HPV16 L2	9	75	HPV18 E1	9	70
HPV16 L2	9	306	HPV18 E1	9	266
HPV16 L2	9	330	HPV18 E1	9	372
HPV18 E1	9	399	HPV18 E1	9	105
HPV18 E1	9	409	HPV18 E1	9	352
HPV18 E1	9	328	HPV18 E1	9	297
HPV18 E1	9	314	HPV18 E1	9	547
HPV18 E1	9	17	HPV18 E1	9	130
HPV18 E1	9	142	HPV18 E1	9	585
HPV18 E1	9	538	HPV18 E1	9	48
HPV18 E1	9	278	HPV18 E1	9	516
HPV18 E1	9	384	HPV18 E1	9	113
HPV18 E1	9	583	HPV18 E1	9	433
HPV18 E1	9	137	HPV18 E1	9	305
HPV18 E1	9	362	HPV18 E1	9	248
HPV18 E1	9	624	HPV18 E1	9	230
HPV18 E1	9	382	HPV18 E1	9	168
HPV18 E1	9	312	HPV18 E1	9	346
HPV18 E1	9	542	HPV18 E1	9	515
HPV18 E1	9	500	HPV18 E1	9	536
HPV18 E1	9	268	HPV18 E1	9	224
HPV18 E1	9	261	HPV18 E1	9	326
HPV18 E1	9	506	HPV18 E1	9	528
HPV18 E1	9	159	HPV18 E1	9	51
HPV18 E1	9	643	HPV18 E1	9	595
HPV18 E1	9	19	HPV18 E1	9	508
HPV18 E1	9	561	HPV18 E1	9	23
HPV18 E1	9	461	HPV18 E1	9	453
HPV18 E1	9	192	HPV18 E1	9	233
HPV18 E1	9	250	HPV18 E1	9	247
HPV18 E1	9	501	HPV18 E1	9	281
HPV18 E1	9	285	HPV18 E1	9	435
HPV18 E1	9	339	HPV18 E1	9	586
HPV18 E1	9	464	HPV18 E1	9	271
HPV18 E1	9	593	HPV18 E1	9	389

Table XIX  
DR Supermotif Peptides

HPV18 E2	9	150	HPV18 E5	9	15
HPV18 E2	9	240	HPV18 E5	9	57
HPV18 E2	9	157	HPV18 E5	9	39
HPV18 E2	9	68	HPV18 E5	9	37
HPV18 E2	9	105	HPV18 E5	9	23
HPV18 E2	9	183	HPV18 E5	9	41
HPV18 E2	9	135	HPV18 E5	9	55
HPV18 E2	9	212	HPV18 E5	9	36
HPV18 E2	9	34	HPV18 E5	9	42
HPV18 E2	9	142	HPV18 E6	9	30
HPV18 E2	9	106	HPV18 E6	9	54
HPV18 E2	9	81	HPV18 E6	9	49
HPV18 E2	9	193	HPV18 E6	9	56
HPV18 E2	9	77	HPV18 E6	9	106
HPV18 E2	9	63	HPV18 E6	9	33
HPV18 E2	9	58	HPV18 E6	9	39
HPV18 E2	9	169	HPV18 E6	9	93
HPV18 E2	9	8	HPV18 E6	9	55
HPV18 E2	9	350	HPV18 E6	9	28
HPV18 E2	9	15	HPV18 E6	9	101
HPV18 E2	9	136	HPV18 E6	9	103
HPV18 E2	9	198	HPV18 E6	9	98
HPV18 E2	9	267	HPV18 E6	9	25
HPV18 E2	9	173	HPV18 E6	9	14
HPV18 E2	9	228	HPV18 E6	9	60
HPV18 E2	9	281	HPV18 E6	9	12
HPV18 E2	9	346	HPV18 E6	9	85
HPV18 E2	9	313	HPV18 E6	9	34
HPV18 E2	9	232	HPV18 E6	9	47
HPV18 E2	9	320	HPV18 E7	9	1
HPV18 E2	9	96	HPV18 E7	9	89
HPV18 E2	9	347	HPV18 E7	9	49
HPV18 E2	9	234	HPV18 E7	9	44
HPV18 E2	9	221	HPV18 E7	9	75
HPV18 E2	9	266	HPV18 E7	9	8
HPV18 E2	9	66	HPV18 E7	9	94
HPV18 E2	9	144	HPV18 E7	9	86
HPV18 E2	9	40	HPV18 E7	9	97
HPV18 E5	9	2	HPV18 E7	9	12
HPV18 E5	9	35	HPV18 E7	9	21
HPV18 E5	9	33	HPV18 E7	9	90
HPV18 E5	9	20	HPV18 E7	9	61
HPV18 E5	9	12	HPV18 E7	9	74
HPV18 E5	9	59	HPV18 E7	9	96
HPV18 E5	9	16	HPV18 E7	9	26
HPV18 E5	9	58	HPV18 L1	9	3
HPV18 E5	9	53	HPV18 L1	9	450
HPV18 E5	9	40	HPV18 L1	9	328
HPV18 E5	9	22	HPV18 L1	9	226
HPV18 E5	9	8	HPV18 L1	9	131
HPV18 E5	9	43	HPV18 L1	9	45
HPV18 E5	9	7	HPV18 L1	9	249
HPV18 E5	9	61	HPV18 L1	9	89
HPV18 E5	9	38	HPV18 L1	9	436
HPV18 E5	9	31	HPV18 L1	9	72
HPV18 E5	9	64	HPV18 L1	9	151
HPV18 E5	9	4	HPV18 L1	9	466
HPV18 E5	9	63	HPV18 L1	9	283
HPV18 E5	9	6	HPV18 L1	9	311
HPV18 E5	9	54	HPV18 L1	9	62

Table XIX  
DR Supermotif Peptides

HPV18 L1	9	59	HPV18 L1	9	104
HPV18 L1	9	274	HPV18 L1	9	241
HPV18 L1	9	394	HPV18 L1	9	403
HPV18 L1	9	230	HPV18 L1	9	212
HPV18 L1	9	110	HPV18 L1	9	88
HPV18 L1	9	22	HPV18 L1	9	445
HPV18 L1	9	174	HPV18 L1	9	159
HPV18 L1	9	351	HPV18 L1	9	95
HPV18 L1	9	168	HPV18 L1	9	74
HPV18 L1	9	41	HPV18 L1	9	482
HPV18 L1	9	390	HPV18 L1	9	480
HPV18 L1	9	440	HPV18 L1	9	432
HPV18 L1	9	456	HPV18 L1	9	58
HPV18 L1	9	50	HPV18 L1	9	136
HPV18 L1	9	12	HPV18 L1	9	10
HPV18 L1	9	35	HPV18 L1	9	395
HPV18 L1	9	281	HPV18 L1	9	37
HPV18 L1	9	146	HPV18 L1	9	506
HPV18 L1	9	508	HPV18 L1	9	269
HPV18 L1	9	123	HPV18 L1	9	21
HPV18 L1	9	220	HPV18 L1	9	15
HPV18 L1	9	464	HPV18 L1	9	48
HPV18 L1	9	32	HPV18 L1	9	187
HPV18 L1	9	437	HPV18 L1	9	295
HPV18 L1	9	53	HPV18 L1	9	483
HPV18 L1	9	36	HPV18 L1	9	134
HPV18 L1	9	4	HPV18 L2	9	1
HPV18 L1	9	453	HPV18 L2	9	2
HPV18 L1	9	468	HPV18 L2	9	355
HPV18 L1	9	372	HPV18 L2	9	44
HPV18 L1	9	256	HPV18 L2	9	180
HPV18 L1	9	73	HPV18 L2	9	384
HPV18 L1	9	513	HPV18 L2	9	306
HPV18 L1	9	55	HPV18 L2	9	361
HPV18 L1	9	210	HPV18 L2	9	407
HPV18 L1	9	285	HPV18 L2	9	45
HPV18 L1	9	251	HPV18 L2	9	347
HPV18 L1	9	29	HPV18 L2	9	112
HPV18 L1	9	144	HPV18 L2	9	210
HPV18 L1	9	336	HPV18 L2	9	197
HPV18 L1	9	27	HPV18 L2	9	372
HPV18 L1	9	536	HPV18 L2	9	259
HPV18 L1	9	438	HPV18 L2	9	374
HPV18 L1	9	219	HPV18 L2	9	299
HPV18 L1	9	392	HPV18 L2	9	130
HPV18 L1	9	217	HPV18 L2	9	54
HPV18 L1	9	526	HPV18 L2	9	181
HPV18 L1	9	133	HPV18 L2	9	405
HPV18 L1	9	322	HPV18 L2	9	435
HPV18 L1	9	531	HPV18 L2	9	40
HPV18 L1	9	161	HPV18 L2	9	96
HPV18 L1	9	9	HPV18 L2	9	282
HPV18 L1	9	352	HPV18 L2	9	47
HPV18 L1	9	204	HPV18 L2	9	106
HPV18 L1	9	360	HPV18 L2	9	350
HPV18 L1	9	96	HPV18 L2	9	200
HPV18 L1	9	34	HPV18 L2	9	440
HPV18 L1	9	521	HPV18 L2	9	280
HPV18 L1	9	338	HPV18 L2	9	256
HPV18 L1	9	429	HPV18 L2	9	162

Table XIX  
DR Supermotif Peptides

HPV18 L2	9	241	HPV31 E1	9	621
HPV18 L2	9	82	HPV31 E1	9	234
HPV18 L2	9	182	HPV31 E1	9	479
HPV18 L2	9	389	HPV31 E1	9	615
HPV18 L2	9	141	HPV31 E1	9	465
HPV18 L2	9	242	HPV31 E1	9	94
HPV18 L2	9	333	HPV31 E1	9	19
HPV18 L2	9	168	HPV31 E1	9	534
HPV18 L2	9	93	HPV31 E1	9	515
HPV18 L2	9	294	HPV31 E1	9	434
HPV18 L2	9	451	HPV31 E1	9	273
HPV18 L2	9	91	HPV31 E1	9	501
HPV18 L2	9	319	HPV31 E1	9	481
HPV18 L2	9	277	HPV31 E1	9	206
HPV18 L2	9	371	HPV31 E1	9	312
HPV18 L2	9	52	HPV31 E1	9	474
HPV18 L2	9	81	HPV31 E1	9	535
HPV18 L2	9	332	HPV31 E1	9	195
HPV18 L2	9	378	HPV31 E1	9	500
HPV18 L2	9	231	HPV31 E1	9	453
HPV18 L2	9	249	HPV31 E1	9	268
HPV18 L2	9	113	HPV31 E1	9	89
HPV18 L2	9	150	HPV31 E1	9	593
HPV18 L2	9	192	HPV31 E1	9	488
HPV18 L2	9	140	HPV31 E1	9	466
HPV18 L2	9	428	HPV31 E1	9	235
HPV18 L2	9	128	HPV31 E1	9	277
HPV18 L2	9	414	HPV31 E1	9	473
HPV18 L2	9	413	HPV31 E1	9	447
HPV18 L2	9	320	HPV31 E1	9	443
HPV18 L2	9	143	HPV31 E1	9	280
HPV18 L2	9	35	HPV31 E1	9	259
HPV18 L2	9	400	HPV31 E1	9	537
HPV18 L2	9	221	HPV31 E1	9	493
HPV18 L2	9	107	HPV31 E1	9	566
HPV18 L2	9	84	HPV31 E1	9	197
HPV18 L2	9	416	HPV31 E1	9	302
HPV18 L2	9	417	HPV31 E1	9	203
HPV18 L2	9	323	HPV31 E1	9	405
HPV18 L2	9	335	HPV31 E1	9	258
HPV18 L2	9	234	HPV31 E1	9	146
HPV18 L2	9	387	HPV31 E1	9	454
HPV31 E1	9	299	HPV31 E1	9	56
HPV31 E1	9	372	HPV31 E1	9	350
HPV31 E1	9	251	HPV31 E1	9	18
HPV31 E1	9	223	HPV31 E1	9	138
HPV31 E1	9	382	HPV31 E1	9	320
HPV31 E1	9	442	HPV31 E1	9	292
HPV31 E1	9	301	HPV31 E1	9	543
HPV31 E1	9	287	HPV31 E1	9	70
HPV31 E1	9	17	HPV31 E1	9	433
HPV31 E1	9	511	HPV31 E1	9	153
HPV31 E1	9	556	HPV31 E1	9	345
HPV31 E1	9	589	HPV31 E1	9	90
HPV31 E1	9	355	HPV31 E1	9	520
HPV31 E1	9	133	HPV31 E1	9	175
HPV31 E1	9	335	HPV31 E1	9	126
HPV31 E1	9	218	HPV31 E1	9	558
HPV31 E1	9	357	HPV31 E1	9	489
HPV31 E1	9	274	HPV31 E1	9	529

Table XIX  
DR Supermotif Peptides

HPV31 E1	9	109	HPV31 E2	9	101
HPV31 E1	9	564	HPV31 E2	9	326
HPV31 E1	9	597	HPV31 E2	9	287
HPV31 E1	9	101	HPV31 E2	9	359
HPV31 E1	9	253	HPV31 E2	9	270
HPV31 E1	9	285	HPV31 E2	9	44
HPV31 E1	9	319	HPV31 E2	9	62
HPV31 E1	9	221	HPV31 E2	9	36
HPV31 E1	9	51	HPV31 E2	9	318
HPV31 E1	9	23	HPV31 E2	9	141
HPV31 E1	9	568	HPV31 E2	9	134
HPV31 E1	9	426	HPV31 E5	9	1
HPV31 E1	9	85	HPV31 E5	9	2
HPV31 E1	9	437	HPV31 E5	9	43
HPV31 E1	9	200	HPV31 E5	9	62
HPV31 E1	9	254	HPV31 E5	9	21
HPV31 E1	9	559	HPV31 E5	9	17
HPV31 E1	9	362	HPV31 E5	9	64
HPV31 E1	9	244	HPV31 E5	9	29
HPV31 E1	9	241	HPV31 E5	9	23
HPV31 E2	9	211	HPV31 E5	9	6
HPV31 E2	9	70	HPV31 E5	9	22
HPV31 E2	9	64	HPV31 E5	9	69
HPV31 E2	9	49	HPV31 E5	9	27
HPV31 E2	9	275	HPV31 E5	9	51
HPV31 E2	9	354	HPV31 E5	9	32
HPV31 E2	9	94	HPV31 E5	9	9
HPV31 E2	9	152	HPV31 E5	9	49
HPV31 E2	9	207	HPV31 E5	9	65
HPV31 E2	9	77	HPV31 E5	9	16
HPV31 E2	9	200	HPV31 E5	9	74
HPV31 E2	9	210	HPV31 E5	9	48
HPV31 E2	9	267	HPV31 E5	9	47
HPV31 E2	9	193	HPV31 E5	9	46
HPV31 E2	9	38	HPV31 E5	9	60
HPV31 E2	9	167	HPV31 E5	9	52
HPV31 E2	9	59	HPV31 E5	9	4
HPV31 E2	9	33	HPV31 E5	9	73
HPV31 E2	9	54	HPV31 E5	9	33
HPV31 E2	9	342	HPV31 E5	9	13
HPV31 E2	9	160	HPV31 E5	9	38
HPV31 E2	9	319	HPV31 E5	9	44
HPV31 E2	9	41	HPV31 E5	9	57
HPV31 E2	9	102	HPV31 E5	9	11
HPV31 E2	9	308	HPV31 E5	9	28
HPV31 E2	9	357	HPV31 E5	9	68
HPV31 E2	9	73	HPV31 E5	9	50
HPV31 E2	9	340	HPV31 E5	9	15
HPV31 E2	9	274	HPV31 E5	9	24
HPV31 E2	9	92	HPV31 E5	9	36
HPV31 E2	9	58	HPV31 E5	9	12
HPV31 E2	9	262	HPV31 E5	9	39
HPV31 E2	9	136	HPV31 E5	9	42
HPV31 E2	9	261	HPV31 E5	9	71
HPV31 E2	9	147	HPV31 E5	9	66
HPV31 E2	9	99	HPV31 E6	9	1
HPV31 E2	9	194	HPV31 E6	9	21
HPV31 E2	9	10	HPV31 E6	9	100
HPV31 E2	9	205	HPV31 E6	9	69
HPV31 E2	9	236	HPV31 E6	9	47

Table XIX  
DR Supermotif Peptides

HPV31 E6	9	101	HPV31 L1	9	71
HPV31 E6	9	78	HPV31 L1	9	330
HPV31 E6	9	23	HPV31 L1	9	114
HPV31 E6	9	28	HPV31 L1	9	118
HPV31 E6	9	128	HPV31 L1	9	50
HPV31 E6	9	132	HPV31 L1	9	379
HPV31 E6	9	140	HPV31 L1	9	395
HPV31 E6	9	99	HPV31 L1	9	384
HPV31 E6	9	104	HPV31 L1	9	62
HPV31 E6	9	37	HPV31 L1	9	221
HPV31 E6	9	91	HPV31 L1	9	160
HPV31 E6	9	53	HPV31 L1	9	403
HPV31 E6	9	32	HPV31 L1	9	16
HPV31 E6	9	96	HPV31 L1	9	4
HPV31 E6	9	62	HPV31 L1	9	392
HPV31 E6	9	12	HPV31 L1	9	407
HPV31 E6	9	83	HPV31 L1	9	35
HPV31 E6	9	43	HPV31 L1	9	312
HPV31 E6	9	54	HPV31 L1	9	345
HPV31 E6	9	45	HPV31 L1	9	181
HPV31 E6	9	81	HPV31 L1	9	292
HPV31 E6	9	26	HPV31 L1	9	196
HPV31 E7	9	1	HPV31 L1	9	223
HPV31 E7	9	78	HPV31 L1	9	61
HPV31 E7	9	37	HPV31 L1	9	225
HPV31 E7	9	84	HPV31 L1	9	191
HPV31 E7	9	90	HPV31 L1	9	84
HPV31 E7	9	79	HPV31 L1	9	276
HPV31 E7	9	87	HPV31 L1	9	18
HPV31 E7	9	54	HPV31 L1	9	377
HPV31 E7	9	12	HPV31 L1	9	465
HPV31 E7	9	69	HPV31 L1	9	159
HPV31 E7	9	89	HPV31 L1	9	332
HPV31 E7	9	74	HPV31 L1	9	157
HPV31 E7	9	67	HPV31 L1	9	73
HPV31 E7	9	8	HPV31 L1	9	262
HPV31 E7	9	15	HPV31 L1	9	101
HPV31 L1	9	1	HPV31 L1	9	460
HPV31 L1	9	389	HPV31 L1	9	300
HPV31 L1	9	43	HPV31 L1	9	268
HPV31 L1	9	12	HPV31 L1	9	152
HPV31 L1	9	349	HPV31 L1	9	427
HPV31 L1	9	150	HPV31 L1	9	343
HPV31 L1	9	189	HPV31 L1	9	34
HPV31 L1	9	28	HPV31 L1	9	99
HPV31 L1	9	375	HPV31 L1	9	13
HPV31 L1	9	278	HPV31 L1	9	421
HPV31 L1	9	91	HPV31 L1	9	76
HPV31 L1	9	405	HPV31 L1	9	335
HPV31 L1	9	447	HPV31 L1	9	235
HPV31 L1	9	11	HPV31 L1	9	422
HPV31 L1	9	419	HPV31 L1	9	74
HPV31 L1	9	452	HPV31 L2	9	1
HPV31 L1	9	251	HPV31 L2	9	45
HPV31 L1	9	209	HPV31 L2	9	363
HPV31 L1	9	445	HPV31 L2	9	276
HPV31 L1	9	214	HPV31 L2	9	163
HPV31 L1	9	371	HPV31 L2	9	46
HPV31 L1	9	170	HPV31 L2	9	361
HPV31 L1	9	108	HPV31 L2	9	411

Table XIX  
DR Supermotif Peptides

HPV31 L2	9	87	HPV31 L2	9	233
HPV31 L2	9	261	HPV31 L2	9	386
HPV31 L2	9	193	HPV31 L2	9	109
HPV31 L2	9	114	HPV31 L2	9	458
HPV31 L2	9	262	HPV31 L2	9	255
HPV31 L2	9	333	HPV31 L2	9	299
HPV31 L2	9	439	HPV31 L2	9	75
HPV31 L2	9	177	HPV31 L2	9	323
HPV31 L2	9	409	HPV33 E1	9	385
HPV31 L2	9	55	HPV33 E1	9	100
HPV31 L2	9	178	HPV33 E1	9	395
HPV31 L2	9	41	HPV33 E1	9	287
HPV31 L2	9	321	HPV33 E1	9	314
HPV31 L2	9	98	HPV33 E1	9	210
HPV31 L2	9	282	HPV33 E1	9	313
HPV31 L2	9	147	HPV33 E1	9	182
HPV31 L2	9	48	HPV33 E1	9	300
HPV31 L2	9	404	HPV33 E1	9	17
HPV31 L2	9	36	HPV33 E1	9	602
HPV31 L2	9	117	HPV33 E1	9	370
HPV31 L2	9	245	HPV33 E1	9	348
HPV31 L2	9	280	HPV33 E1	9	266
HPV31 L2	9	338	HPV33 E1	9	368
HPV31 L2	9	352	HPV33 E1	9	133
HPV31 L2	9	205	HPV33 E1	9	569
HPV31 L2	9	252	HPV33 E1	9	156
HPV31 L2	9	158	HPV33 E1	9	231
HPV31 L2	9	145	HPV33 E1	9	120
HPV31 L2	9	123	HPV33 E1	9	79
HPV31 L2	9	277	HPV33 E1	9	298
HPV31 L2	9	423	HPV33 E1	9	456
HPV31 L2	9	82	HPV33 E1	9	492
HPV31 L2	9	164	HPV33 E1	9	628
HPV31 L2	9	418	HPV33 E1	9	478
HPV31 L2	9	95	HPV33 E1	9	236
HPV31 L2	9	455	HPV33 E1	9	547
HPV31 L2	9	222	HPV33 E1	9	254
HPV31 L2	9	294	HPV33 E1	9	371
HPV31 L2	9	93	HPV33 E1	9	528
HPV31 L2	9	72	HPV33 E1	9	514
HPV31 L2	9	319	HPV33 E1	9	418
HPV31 L2	9	457	HPV33 E1	9	271
HPV31 L2	9	387	HPV33 E1	9	487
HPV31 L2	9	176	HPV33 E1	9	325
HPV31 L2	9	115	HPV33 E1	9	213
HPV31 L2	9	335	HPV33 E1	9	234
HPV31 L2	9	89	HPV33 E1	9	208
HPV31 L2	9	53	HPV33 E1	9	513
HPV31 L2	9	377	HPV33 E1	9	281
HPV31 L2	9	371	HPV33 E1	9	466
HPV31 L2	9	188	HPV33 E1	9	606
HPV31 L2	9	144	HPV33 E1	9	501
HPV31 L2	9	19	HPV33 E1	9	479
HPV31 L2	9	230	HPV33 E1	9	248
HPV31 L2	9	419	HPV33 E1	9	486
HPV31 L2	9	383	HPV33 E1	9	460
HPV31 L2	9	132	HPV33 E1	9	247
HPV31 L2	9	421	HPV33 E1	9	50
HPV31 L2	9	101	HPV33 E1	9	272
HPV31 L2	9	320	HPV33 E1	9	293

Table XIX  
DR Supermotif Peptides

HPV33 E1	9	159	HPV33 E2	9	300
HPV33 E1	9	506	HPV33 E2	9	183
HPV33 E1	9	579	HPV33 E2	9	19
HPV33 E1	9	550	HPV33 E2	9	102
HPV33 E1	9	315	HPV33 E2	9	338
HPV33 E1	9	216	HPV33 E2	9	38
HPV33 E1	9	202	HPV33 E2	9	296
HPV33 E1	9	138	HPV33 E2	9	11
HPV33 E1	9	333	HPV33 E2	9	243
HPV33 E1	9	305	HPV33 E2	9	321
HPV33 E1	9	556	HPV33 E2	9	30
HPV33 E1	9	144	HPV33 E2	9	199
HPV33 E1	9	358	HPV33 E2	9	335
HPV33 E1	9	548	HPV33 E2	9	333
HPV33 E1	9	267	HPV33 E2	9	268
HPV33 E1	9	283	HPV33 E2	9	99
HPV33 E1	9	533	HPV33 E2	9	194
HPV33 E1	9	571	HPV33 E2	9	94
HPV33 E1	9	467	HPV33 E2	9	101
HPV33 E1	9	502	HPV33 E2	9	204
HPV33 E1	9	542	HPV33 E2	9	147
HPV33 E1	9	291	HPV33 E2	9	152
HPV33 E1	9	191	HPV33 E2	9	70
HPV33 E1	9	610	HPV33 E2	9	244
HPV33 E1	9	524	HPV33 E2	9	92
HPV33 E1	9	312	HPV33 E2	9	155
HPV33 E1	9	18	HPV33 E2	9	62
HPV33 E1	9	332	HPV33 E2	9	36
HPV33 E1	9	286	HPV33 E2	9	170
HPV33 E1	9	85	HPV33 E2	9	299
HPV33 E1	9	23	HPV33 E2	9	134
HPV33 E1	9	581	HPV33 E5	9	1
HPV33 E1	9	439	HPV33 E5	9	2
HPV33 E1	9	219	HPV33 E5	9	3
HPV33 E1	9	520	HPV33 E5	9	33
HPV33 E1	9	572	HPV33 E5	9	11
HPV33 E1	9	375	HPV33 E5	9	66
HPV33 E1	9	257	HPV33 E5	9	17
HPV33 E2	9	1	HPV33 E5	9	55
HPV33 E2	9	178	HPV33 E5	9	54
HPV33 E2	9	72	HPV33 E5	9	12
HPV33 E2	9	49	HPV33 E5	9	59
HPV33 E2	9	44	HPV33 E5	9	6
HPV33 E2	9	240	HPV33 E5	9	47
HPV33 E2	9	58	HPV33 E5	9	5
HPV33 E2	9	250	HPV33 E5	9	13
HPV33 E2	9	139	HPV33 E5	9	29
HPV33 E2	9	16	HPV33 E5	9	10
HPV33 E2	9	77	HPV33 E5	9	58
HPV33 E2	9	188	HPV33 E5	9	50
HPV33 E2	9	171	HPV33 E5	9	57
HPV33 E2	9	73	HPV33 E5	9	40
HPV33 E2	9	54	HPV33 E5	9	41
HPV33 E2	9	192	HPV33 E5	9	22
HPV33 E2	9	193	HPV33 E5	9	18
HPV33 E2	9	59	HPV33 E5	9	38
HPV33 E2	9	35	HPV33 E5	9	36
HPV33 E2	9	33	HPV33 E5	9	42
HPV33 E2	9	158	HPV33 E5	9	49
HPV33 E2	9	140	HPV33 E5	9	23

Table XIX  
DR Supermotif Peptides

HPV33 E5	9	19	HPV33 L1	9	250
HPV33 E5	9	31	HPV33 L1	9	208
HPV33 E5	9	9	HPV33 L1	9	213
HPV33 E5	9	34	HPV33 L1	9	170
HPV33 E5	9	32	HPV33 L1	9	174
HPV33 E5	9	56	HPV33 L1	9	108
HPV33 E6	9	69	HPV33 L1	9	71
HPV33 E6	9	47	HPV33 L1	9	329
HPV33 E6	9	101	HPV33 L1	9	114
HPV33 E6	9	23	HPV33 L1	9	118
HPV33 E6	9	128	HPV33 L1	9	50
HPV33 E6	9	60	HPV33 L1	9	393
HPV33 E6	9	65	HPV33 L1	9	366
HPV33 E6	9	26	HPV33 L1	9	62
HPV33 E6	9	104	HPV33 L1	9	479
HPV33 E6	9	96	HPV33 L1	9	220
HPV33 E6	9	37	HPV33 L1	9	382
HPV33 E6	9	99	HPV33 L1	9	445
HPV33 E6	9	31	HPV33 L1	9	160
HPV33 E6	9	100	HPV33 L1	9	401
HPV33 E6	9	28	HPV33 L1	9	443
HPV33 E6	9	83	HPV33 L1	9	127
HPV33 E6	9	62	HPV33 L1	9	16
HPV33 E6	9	105	HPV33 L1	9	4
HPV33 E6	9	43	HPV33 L1	9	390
HPV33 E6	9	132	HPV33 L1	9	311
HPV33 E6	9	54	HPV33 L1	9	344
HPV33 E6	9	45	HPV33 L1	9	195
HPV33 E7	9	1	HPV33 L1	9	275
HPV33 E7	9	53	HPV33 L1	9	224
HPV33 E7	9	82	HPV33 L1	9	190
HPV33 E7	9	12	HPV33 L1	9	84
HPV33 E7	9	8	HPV33 L1	9	18
HPV33 E7	9	79	HPV33 L1	9	417
HPV33 E7	9	87	HPV33 L1	9	405
HPV33 E7	9	84	HPV33 L1	9	463
HPV33 E7	9	69	HPV33 L1	9	375
HPV33 E7	9	52	HPV33 L1	9	159
HPV33 E7	9	23	HPV33 L1	9	157
HPV33 E7	9	89	HPV33 L1	9	331
HPV33 E7	9	67	HPV33 L1	9	73
HPV33 E7	9	15	HPV33 L1	9	261
HPV33 E7	9	55	HPV33 L1	9	468
HPV33 L1	9	1	HPV33 L1	9	101
HPV33 L1	9	387	HPV33 L1	9	458
HPV33 L1	9	267	HPV33 L1	9	299
HPV33 L1	9	61	HPV33 L1	9	35
HPV33 L1	9	12	HPV33 L1	9	152
HPV33 L1	9	150	HPV33 L1	9	425
HPV33 L1	9	210	HPV33 L1	9	43
HPV33 L1	9	188	HPV33 L1	9	291
HPV33 L1	9	348	HPV33 L1	9	27
HPV33 L1	9	28	HPV33 L1	9	99
HPV33 L1	9	373	HPV33 L1	9	34
HPV33 L1	9	277	HPV33 L1	9	13
HPV33 L1	9	91	HPV33 L1	9	419
HPV33 L1	9	222	HPV33 L1	9	369
HPV33 L1	9	403	HPV33 L1	9	377
HPV33 L1	9	11	HPV33 L1	9	76
HPV33 L1	9	450	HPV33 L1	9	334

Table XIX  
DR Supermotif Peptides

HPV33 L1	9	234	HPV33 L2	9	332
HPV33 L1	9	420	HPV33 L2	9	415
HPV33 L1	9	74	HPV33 L2	9	222
HPV33 L2	9	1	HPV33 L2	9	210
HPV33 L2	9	370	HPV33 L2	9	421
HPV33 L2	9	44	HPV33 L2	9	159
HPV33 L2	9	85	HPV33 L2	9	216
HPV33 L2	9	281	HPV33 L2	9	83
HPV33 L2	9	45	HPV33 L2	9	203
HPV33 L2	9	202	HPV33 L2	9	268
HPV33 L2	9	266	HPV33 L2	9	141
HPV33 L2	9	168	HPV33 L2	9	405
HPV33 L2	9	152	HPV33 L2	9	18
HPV33 L2	9	113	HPV33 L2	9	235
HPV33 L2	9	433	HPV33 L2	9	193
HPV33 L2	9	260	HPV33 L2	9	114
HPV33 L2	9	430	HPV33 L2	9	97
HPV33 L2	9	304	HPV33 L2	9	100
HPV33 L2	9	424	HPV33 L2	9	238
HPV33 L2	9	440	HPV33 L2	9	147
HPV33 L2	9	182	HPV33 L2	9	328
HPV33 L2	9	40	HPV33 L2	9	384
HPV33 L2	9	54	HPV33 L2	9	74
HPV33 L2	9	183	HPV45 E1	9	385
HPV33 L2	9	250	HPV45 E1	9	178
HPV33 L2	9	377	HPV45 E1	9	395
HPV33 L2	9	325	HPV45 E1	9	314
HPV33 L2	9	287	HPV45 E1	9	254
HPV33 L2	9	47	HPV45 E1	9	300
HPV33 L2	9	35	HPV45 E1	9	17
HPV33 L2	9	427	HPV45 E1	9	142
HPV33 L2	9	334	HPV45 E1	9	524
HPV33 L2	9	107	HPV45 E1	9	264
HPV33 L2	9	285	HPV45 E1	9	370
HPV33 L2	9	88	HPV45 E1	9	569
HPV33 L2	9	348	HPV45 E1	9	137
HPV33 L2	9	365	HPV45 E1	9	348
HPV33 L2	9	362	HPV45 E1	9	231
HPV33 L2	9	343	HPV45 E1	9	610
HPV33 L2	9	198	HPV45 E1	9	368
HPV33 L2	9	257	HPV45 E1	9	298
HPV33 L2	9	163	HPV45 E1	9	528
HPV33 L2	9	400	HPV45 E1	9	486
HPV33 L2	9	142	HPV45 E1	9	635
HPV33 L2	9	282	HPV45 E1	9	247
HPV33 L2	9	129	HPV45 E1	9	492
HPV33 L2	9	414	HPV45 E1	9	161
HPV33 L2	9	169	HPV45 E1	9	629
HPV33 L2	9	94	HPV45 E1	9	19
HPV33 L2	9	381	HPV45 E1	9	547
HPV33 L2	9	458	HPV45 E1	9	236
HPV33 L2	9	299	HPV45 E1	9	487
HPV33 L2	9	324	HPV45 E1	9	494
HPV33 L2	9	456	HPV45 E1	9	271
HPV33 L2	9	227	HPV45 E1	9	469
HPV33 L2	9	92	HPV45 E1	9	325
HPV33 L2	9	71	HPV45 E1	9	210
HPV33 L2	9	181	HPV45 E1	9	606
HPV33 L2	9	52	HPV45 E1	9	208
HPV33 L2	9	428	HPV45 E1	9	466

Table XIX  
DR Supermotif Peptides

HPV45 E1	9	548	HPV45 E2	9	83
HPV45 E1	9	479	HPV45 E2	9	151
HPV45 E1	9	248	HPV45 E2	9	195
HPV45 E1	9	513	HPV45 E2	9	200
HPV45 E1	9	266	HPV45 E2	9	79
HPV45 E1	9	571	HPV45 E2	9	272
HPV45 E1	9	506	HPV45 E2	9	65
HPV45 E1	9	85	HPV45 E2	9	39
HPV45 E1	9	456	HPV45 E2	9	60
HPV45 E1	9	293	HPV45 E2	9	146
HPV45 E1	9	550	HPV45 E2	9	10
HPV45 E1	9	315	HPV45 E2	9	243
HPV45 E1	9	234	HPV45 E2	9	353
HPV45 E1	9	418	HPV45 E2	9	44
HPV45 E1	9	50	HPV45 E2	9	313
HPV45 E1	9	467	HPV45 E2	9	17
HPV45 E1	9	18	HPV45 E2	9	138
HPV45 E1	9	501	HPV45 E2	9	98
HPV45 E1	9	99	HPV45 E2	9	273
HPV45 E1	9	333	HPV45 E2	9	36
HPV45 E1	9	556	HPV45 E2	9	350
HPV45 E1	9	305	HPV45 E2	9	268
HPV45 E1	9	394	HPV45 E2	9	70
HPV45 E1	9	70	HPV45 E2	9	349
HPV45 E1	9	105	HPV45 E2	9	285
HPV45 E1	9	358	HPV45 E2	9	32
HPV45 E1	9	338	HPV45 E2	9	324
HPV45 E1	9	283	HPV45 E2	9	236
HPV45 E1	9	533	HPV45 E2	9	152
HPV45 E1	9	130	HPV45 E2	9	175
HPV45 E1	9	48	HPV45 E2	9	68
HPV45 E1	9	502	HPV45 E2	9	223
HPV45 E1	9	113	HPV45 E2	9	162
HPV45 E1	9	419	HPV45 E2	9	167
HPV45 E1	9	291	HPV45 E2	9	42
HPV45 E1	9	216	HPV45 E6	9	34
HPV45 E1	9	332	HPV45 E6	9	54
HPV45 E1	9	312	HPV45 E6	9	30
HPV45 E1	9	51	HPV45 E6	9	80
HPV45 E1	9	447	HPV45 E6	9	56
HPV45 E1	9	23	HPV45 E6	9	33
HPV45 E1	9	581	HPV45 E6	9	106
HPV45 E1	9	233	HPV45 E6	9	39
HPV45 E1	9	439	HPV45 E6	9	93
HPV45 E1	9	219	HPV45 E6	9	55
HPV45 E1	9	579	HPV45 E6	9	28
HPV45 E1	9	267	HPV45 E6	9	101
HPV45 E1	9	421	HPV45 E6	9	103
HPV45 E1	9	572	HPV45 E6	9	98
HPV45 E1	9	257	HPV45 E6	9	25
HPV45 E1	9	375	HPV45 E6	9	14
HPV45 E2	9	1	HPV45 E6	9	49
HPV45 E2	9	159	HPV45 E6	9	12
HPV45 E2	9	317	HPV45 E6	9	60
HPV45 E2	9	107	HPV45 E6	9	85
HPV45 E2	9	185	HPV45 E6	9	47
HPV45 E2	9	137	HPV45 E7	9	1
HPV45 E2	9	214	HPV45 E7	9	45
HPV45 E2	9	144	HPV45 E7	9	50
HPV45 E2	9	108	HPV45 E7	9	90

Table XIX  
DR Supermotif Peptides

HPV45 E7	9	87	HPV45 L1	9	302
HPV45 E7	9	98	HPV45 L1	9	504
HPV45 E7	9	95	HPV45 L1	9	406
HPV45 E7	9	12	HPV45 L1	9	185
HPV45 E7	9	21	HPV45 L1	9	360
HPV45 E7	9	91	HPV45 L1	9	183
HPV45 E7	9	8	HPV45 L1	9	494
HPV45 E7	9	62	HPV45 L1	9	99
HPV45 E7	9	75	HPV45 L1	9	293
HPV45 E7	9	97	HPV45 L1	9	288
HPV45 E7	9	27	HPV45 L1	9	499
HPV45 L1	9	1	HPV45 L1	9	127
HPV45 L1	9	418	HPV45 L1	9	320
HPV45 L1	9	294	HPV45 L1	9	328
HPV45 L1	9	165	HPV45 L1	9	61
HPV45 L1	9	97	HPV45 L1	9	397
HPV45 L1	9	215	HPV45 L1	9	69
HPV45 L1	9	54	HPV45 L1	9	489
HPV45 L1	9	404	HPV45 L1	9	371
HPV45 L1	9	304	HPV45 L1	9	38
HPV45 L1	9	117	HPV45 L1	9	178
HPV45 L1	9	37	HPV45 L1	9	53
HPV45 L1	9	249	HPV45 L1	9	303
HPV45 L1	9	277	HPV45 L1	9	413
HPV45 L1	9	27	HPV45 L1	9	170
HPV45 L1	9	24	HPV45 L1	9	125
HPV45 L1	9	240	HPV45 L1	9	60
HPV45 L1	9	196	HPV45 L1	9	481
HPV45 L1	9	13	HPV45 L1	9	39
HPV45 L1	9	134	HPV45 L1	9	450
HPV45 L1	9	75	HPV45 L1	9	448
HPV45 L1	9	140	HPV45 L1	9	400
HPV45 L1	9	319	HPV45 L1	9	23
HPV45 L1	9	6	HPV45 L1	9	102
HPV45 L1	9	358	HPV45 L1	9	192
HPV45 L1	9	408	HPV45 L1	9	363
HPV45 L1	9	424	HPV45 L1	9	474
HPV45 L1	9	15	HPV45 L1	9	78
HPV45 L1	9	247	HPV45 L1	9	235
HPV45 L1	9	112	HPV45 L1	9	153
HPV45 L1	9	476	HPV45 L1	9	261
HPV45 L1	9	89	HPV45 L1	9	451
HPV45 L1	9	186	HPV45 L1	9	100
HPV45 L1	9	432	HPV45 L2	9	1
HPV45 L1	9	18	HPV45 L2	9	2
HPV45 L1	9	405	HPV45 L2	9	44
HPV45 L1	9	30	HPV45 L2	9	385
HPV45 L1	9	421	HPV45 L2	9	408
HPV45 L1	9	436	HPV45 L2	9	45
HPV45 L1	9	7	HPV45 L2	9	346
HPV45 L1	9	340	HPV45 L2	9	112
HPV45 L1	9	76	HPV45 L2	9	263
HPV45 L1	9	222	HPV45 L2	9	334
HPV45 L1	9	20	HPV45 L2	9	197
HPV45 L1	9	176	HPV45 L2	9	350
HPV45 L1	9	434	HPV45 L2	9	299
HPV45 L1	9	207	HPV45 L2	9	130
HPV45 L1	9	251	HPV45 L2	9	54
HPV45 L1	9	217	HPV45 L2	9	181
HPV45 L1	9	110	HPV45 L2	9	40

Table XIX  
DR Supermotif Peptides

HPV45 L2	9	414	HPV56 E2	9	16
HPV45 L2	9	96	HPV56 E2	9	95
HPV45 L2	9	282	HPV56 E2	9	88
HPV45 L2	9	47	HPV56 E2	9	137
HPV45 L2	9	35	HPV56 E2	9	131
HPV45 L2	9	106	HPV56 E2	9	20
HPV45 L2	9	375	HPV56 E2	9	257
HPV45 L2	9	349	HPV56 E2	9	62
HPV45 L2	9	200	HPV56 E2	9	284
HPV45 L2	9	441	HPV56 E2	9	302
HPV45 L2	9	290	HPV56 E2	9	261
HPV45 L2	9	182	HPV56 E2	9	81
HPV45 L2	9	162	HPV56 E2	9	298
HPV45 L2	9	256	HPV56 E2	9	75
HPV45 L2	9	234	HPV56 E2	9	35
HPV45 L2	9	82	HPV56 E2	9	136
HPV45 L2	9	390	HPV56 E2	9	278
HPV45 L2	9	141	HPV56 E2	9	295
HPV45 L2	9	407	HPV56 E2	9	22
HPV45 L2	9	168	HPV56 E2	9	150
HPV45 L2	9	364	HPV56 E2	9	254
HPV45 L2	9	93	HPV56 E2	9	172
HPV45 L2	9	294	HPV56 E2	9	148
HPV45 L2	9	452	HPV56 E2	9	262
HPV45 L2	9	91	HPV56 E2	9	268
HPV45 L2	9	319	HPV56 E2	9	156
HPV45 L2	9	277	HPV56 E2	9	159
HPV45 L2	9	370	HPV56 E2	9	5
HPV45 L2	9	180	HPV56 E2	9	260
HPV45 L2	9	192	HPV56 E6	9	46
HPV45 L2	9	52	HPV56 E6	9	135
HPV45 L2	9	377	HPV56 E6	9	63
HPV45 L2	9	81	HPV56 E6	9	104
HPV45 L2	9	242	HPV56 E6	9	31
HPV45 L2	9	249	HPV56 E6	9	86
HPV45 L2	9	113	HPV56 E6	9	26
HPV45 L2	9	332	HPV56 E6	9	131
HPV45 L2	9	210	HPV56 E6	9	27
HPV45 L2	9	140	HPV56 E6	9	107
HPV45 L2	9	415	HPV56 E6	9	40
HPV45 L2	9	147	HPV56 E6	9	99
HPV45 L2	9	128	HPV56 E6	9	57
HPV45 L2	9	241	HPV56 E6	9	81
HPV45 L2	9	429	HPV56 E6	9	94
HPV45 L2	9	150	HPV56 E6	9	29
HPV45 L2	9	320	HPV56 E6	9	21
HPV45 L2	9	401	HPV56 E6	9	65
HPV45 L2	9	221	HPV56 E6	9	45
HPV45 L2	9	107	HPV56 E6	9	61
HPV45 L2	9	84	HPV56 E6	9	35
HPV45 L2	9	353	HPV56 E6	9	22
HPV45 L2	9	259	HPV56 E6	9	71
HPV45 L2	9	323	HPV56 E6	9	24
HPV45 L2	9	373	HPV56 E6	9	48
HPV45 L2	9	388	HPV56 E6	9	84
HPV56 E2	9	2	HPV56 E7	9	1
HPV56 E2	9	121	HPV56 E7	9	96
HPV56 E2	9	44	HPV56 E7	9	71
HPV56 E2	9	126	HPV56 E7	9	61
HPV56 E2	9	7	HPV56 E7	9	85

Table XIX  
DR Supermotif Peptides

HPV56 E7	9	59	HPV56 L1	9	47
HPV56 E7	9	63	HPV56 L1	9	229
HPV56 E7	9	11	HPV56 L1	9	309
HPV56 E7	9	86	HPV56 L1	9	224
HPV56 E7	9	94	HPV56 L1	9	258
HPV56 E7	9	12	HPV56 L1	9	7
HPV56 E7	9	91	HPV56 L1	9	117
HPV56 E7	9	90	HPV56 L1	9	324
HPV56 E7	9	60	HPV56 L1	9	53
HPV56 E7	9	8	HPV56 L1	9	132
HPV56 E7	9	89	HPV56 L1	9	497
HPV56 E7	9	74	HPV56 L1	9	409
HPV56 L1	9	1	HPV56 L1	9	192
HPV56 L1	9	3	HPV56 L1	9	365
HPV56 L1	9	301	HPV56 L1	9	190
HPV56 L1	9	432	HPV56 L1	9	106
HPV56 L1	9	29	HPV56 L1	9	502
HPV56 L1	9	104	HPV56 L1	9	134
HPV56 L1	9	22	HPV56 L1	9	333
HPV56 L1	9	222	HPV56 L1	9	70
HPV56 L1	9	14	HPV56 L1	9	78
HPV56 L1	9	63	HPV56 L1	9	168
HPV56 L1	9	484	HPV56 L1	9	325
HPV56 L1	9	437	HPV56 L1	9	492
HPV56 L1	9	451	HPV56 L1	9	376
HPV56 L1	9	407	HPV56 L1	9	214
HPV56 L1	9	46	HPV56 L1	9	62
HPV56 L1	9	256	HPV56 L1	9	385
HPV56 L1	9	242	HPV56 L1	9	199
HPV56 L1	9	247	HPV56 L1	9	69
HPV56 L1	9	24	HPV56 L1	9	403
HPV56 L1	9	36	HPV56 L1	9	32
HPV56 L1	9	160	HPV56 L1	9	411
HPV56 L1	9	33	HPV56 L1	9	109
HPV56 L1	9	482	HPV56 L1	9	27
HPV56 L1	9	151	HPV56 L1	9	56
HPV56 L1	9	203	HPV56 L1	9	368
HPV56 L1	9	141	HPV56 L1	9	284
HPV56 L1	9	363	HPV56 L1	9	268
HPV56 L1	9	147	HPV56 L1	9	107
HPV56 L1	9	254	HPV56 L1	9	454
HPV56 L1	9	119	HPV56 L1	9	87
HPV56 L1	9	416	HPV56 L2	9	1
HPV56 L1	9	96	HPV56 L2	9	2
HPV56 L1	9	48	HPV56 L2	9	44
HPV56 L1	9	479	HPV56 L2	9	332
HPV56 L1	9	453	HPV56 L2	9	361
HPV56 L1	9	477	HPV56 L2	9	249
HPV56 L1	9	21	HPV56 L2	9	409
HPV56 L1	9	193	HPV56 L2	9	45
HPV56 L1	9	435	HPV56 L2	9	241
HPV56 L1	9	427	HPV56 L2	9	276
HPV56 L1	9	400	HPV56 L2	9	263
HPV56 L1	9	388	HPV56 L2	9	334
HPV56 L1	9	424	HPV56 L2	9	197
HPV56 L1	9	8	HPV56 L2	9	112
HPV56 L1	9	9	HPV56 L2	9	347
HPV56 L1	9	439	HPV56 L2	9	234
HPV56 L1	9	183	HPV56 L2	9	221
HPV56 L1	9	345	HPV56 L2	9	299

Table XIX  
DR Supermotif Peptides

HPV56 L2	9	54
HPV56 L2	9	130
HPV56 L2	9	181
HPV56 L2	9	437
HPV56 L2	9	431
HPV56 L2	9	375
HPV56 L2	9	321
HPV56 L2	9	192
HPV56 L2	9	47
HPV56 L2	9	218
HPV56 L2	9	84
HPV56 L2	9	106
HPV56 L2	9	280
HPV56 L2	9	200
HPV56 L2	9	182
HPV56 L2	9	256
HPV56 L2	9	162
HPV56 L2	9	242
HPV56 L2	9	141
HPV56 L2	9	277
HPV56 L2	9	408
HPV56 L2	9	93
HPV56 L2	9	163
HPV56 L2	9	168
HPV56 L2	9	81
HPV56 L2	9	40
HPV56 L2	9	338
HPV56 L2	9	71
HPV56 L2	9	294
HPV56 L2	9	231
HPV56 L2	9	453
HPV56 L2	9	91
HPV56 L2	9	319
HPV56 L2	9	373
HPV56 L2	9	128
HPV56 L2	9	180
HPV56 L2	9	265
HPV56 L2	9	366
HPV56 L2	9	150
HPV56 L2	9	82
HPV56 L2	9	23
HPV56 L2	9	210
HPV56 L2	9	202
HPV56 L2	9	176
HPV56 L2	9	430
HPV56 L2	9	382
HPV56 L2	9	161
HPV56 L2	9	140
HPV56 L2	9	402
HPV56 L2	9	18
HPV56 L2	9	152
HPV56 L2	9	418
HPV56 L2	9	96
HPV56 L2	9	320
HPV56 L2	9	143
HPV56 L2	9	107
HPV56 L2	9	354
HPV56 L2	9	74

Table XIX A. HPV6A  
DR Supermotif Peptides

2	3	4			
L2	9	44	E2	9	83
E1	9	102	E2	9	99
L2	9	333	E2	9	188
L1	9	383	L1	9	446
E5	9	26	E2	9	208
L1	9	263	E2	9	89
E1	9	196	L1	9	209
E2	9	49	L1	9	246
E1	9	403	E5	9	70
E2	9	253	L1	9	204
E1	9	557	E5	9	43
E5	9	82	E1	9	464
E1	9	322	E2	9	167
L1	9	206	E4	9	24
E1	9	340	E2	9	349
L2	9	185	E1	9	255
E4	9	6	E1	9	641
E1	9	393	L2	9	419
E6	9	127	L2	9	259
E2	9	243	L1	9	267
E1	9	333	E1	9	244
E1	9	274	L2	9	131
L1	9	344	L2	9	179
E1	9	218	E1	9	486
E2	9	164	L1	9	104
E1	9	204	L1	9	147
E2	9	251	L1	9	325
L1	9	184	L2	9	405
E1	9	413	L1	9	110
E1	9	17	E6	9	138
E1	9	532	E7	9	6
L1	9	27	L2	9	434
E5	9	42	L1	9	286
L2	9	407	E2	9	192
E7	9	13	L2	9	416
L1	9	369	E1	9	150
E1	9	306	E1	9	500
L2	9	45	L2	9	54
E1	9	137	E1	9	19
E1	9	56	E1	9	139
E1	9	356	E6	9	61
L1	9	87	L1	9	67
L1	9	9	E1	9	418
E2	9	146	E2	9	41
E6	9	102	E6	9	82
L1	9	218	E7	9	54
L2	9	146	L2	9	129
E2	9	139	E2	9	56
L1	9	399	L2	9	180
E1	9	239	E1	9	555
L2	9	277	E4	9	19
L1	9	413	E1	9	61
E1	9	577	L2	9	40
L2	9	335	L1	9	49
L2	9	195	E2	9	311
E2	9	77	E2	9	152
L2	9	165	E7	9	8
L2	9	113	L2	9	321
E1	9	376	E5	9	25
			E1	9	477

Table XIX A. HPV6A  
DR Supermotif Peptides

E1	9	224	L1	9	370
L1	9	373	E1	9	514
L1	9	389	E1	9	221
L2	9	320	E2	9	54
E5	9	24	E1	9	558
L2	9	282	E5	9	52
L2	9	47	E5	9	73
E5	9	20	E1	9	282
E6	9	32	E5	9	60
E1	9	458	E5	9	56
L2	9	35	E4	9	8
E6	9	105	E1	9	323
E7	9	79	L2	9	1
E1	9	227	L1	9	386
E5	9	40	L2	9	280
E1	9	495	E1	9	536
L2	9	107	E2	9	132
E5	9	37	E2	9	92
E6	9	46	E6	9	1
E6	9	126	E5	9	1
E1	9	614	E5	9	3
E7	9	12	E5	9	4
E1	9	216	E7	9	1
L1	9	82	E6	9	27
E1	9	463	E2	9	59
E2	9	31	L1	9	362
E6	9	38	E1	9	540
E1	9	474	L1	9	2
L2	9	82	E1	9	603
E6	9	97	E6	9	133
E7	9	52	E6	9	33
E1	9	427	L2	9	398
L1	9	216	L2	9	178
E1	9	487	E1	9	454
E1	9	521	L1	9	34
E6	9	55	E2	9	30
E1	9	579	L1	9	307
L1	9	155	L1	9	58
E7	9	90	L1	9	441
E4	9	72	E6	9	24
L2	9	198	L1	9	340
E6	9	101	L2	9	160
L1	9	397	L2	9	254
E1	9	199	E4	9	60
E2	9	19	E1	9	398
E7	9	87	L1	9	176
L2	9	232	L2	9	388
E1	9	494	L1	9	145
E5	9	36	E7	9	67
E2	9	18	L2	9	142
E5	9	58	E5	9	81
E5	9	54	E4	9	66
E1	9	301	L1	9	271
E5	9	72	E1	9	341
E1	9	279	L1	9	220
E5	9	59	L1	9	186
E5	9	55	E5	9	67
E2	9	350	L1	9	80
E5	9	21	L1	9	17
E5	9	68	E1	9	313

Table XIX A. HPV6A  
DR Supermotif Peptides

E1	9	564	L2	9	52
E4	9	35	E1	9	110
L2	9	93	E1	9	92
E5	9	22	L1	9	421
E5	9	8	L2	9	229
L2	9	94	L1	9	42
E4	9	74	L1	9	454
E1	9	402	E1	9	509
E1	9	67	L1	9	287
E5	9	69	E1	9	621
L1	9	371	E2	9	319
E1	9	256	E2	9	26
L1	9	154	E5	9	17
L1	9	327	L1	9	338
E7	9	84	L2	9	213
E2	9	51	E2	9	214
E1	9	308	E2	9	193
E1	9	530	E5	9	48
E1	9	515	L2	9	263
E2	9	347	E6	9	48
L2	9	247	E2	9	101
L1	9	469	L2	9	412
L1	9	152	L2	9	23
E1	9	347	E2	9	145
E1	9	366	E6	9	22
E2	9	186	E1	9	589
L1	9	459	L2	9	200
L1	9	69	L2	9	427
E6	9	106	E1	9	18
E1	9	284	L2	9	72
E6	9	59	E7	9	89
L2	9	294	E5	9	18
E2	9	360	E5	9	74
E2	9	312	E6	9	29
L2	9	319	E1	9	272
L2	9	450	L1	9	33
E1	9	87	L2	9	141
E7	9	69	E2	9	206
L1	9	97	L2	9	18
E1	9	541	L2	9	383
L2	9	159	L1	9	95
L1	9	484	E4	9	81
L2	9	92	E5	9	16
E1	9	346	L1	9	191
E1	9	127	E5	9	47
E1	9	291	E5	9	65
E1	9	327	L2	9	154
L1	9	479	E2	9	119
L2	9	71	L1	9	11
L1	9	32	E2	9	321
L2	9	224	L1	9	415
L2	9	114	E1	9	320
E5	9	41	E1	9	242
L2	9	371	E2	9	256
L2	9	87	E5	9	29
L1	9	295	E7	9	40
E1	9	510	E1	9	51
L2	9	190	E1	9	23
E5	9	33	L1	9	365
L1	9	378	E6	9	117

Table XIX A. HPV6A  
DR Supermotif Peptides

L2	9	97
L1	9	72
E7	9	15
E2	9	44
E5	9	51
E2	9	62
E1	9	82
E1	9	447
E7	9	82
E5	9	32
L1	9	20
L2	9	108
L2	9	422
L2	9	367
E1	9	587
L1	9	330
E5	9	28
E1	9	275
E1	9	613
E2	9	36
E4	9	69
E2	9	137
L1	9	126
L1	9	439
E1	9	580
E4	9	15
E5	9	57
L1	9	230
E4	9	22
L1	9	70
L1	9	416
L2	9	299
E5	9	46
E4	9	9
E2	9	134

Table XIX B. HPV6B  
DR Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	44	E1	9	306
E1	9	102	L2	9	165
L2	9	333	L2	9	113
L1	9	383	E1	9	376
E5B	9	24	E2	9	83
E5A	9	26	E2	9	99
L1	9	263	E2	9	188
E1	9	196	L1	9	446
E2	9	49	E2	9	208
E1	9	403	E2	9	89
E2	9	253	L1	9	209
E1	9	557	L1	9	246
E5A	9	82	E5A	9	70
E1	9	322	L1	9	204
L1	9	206	E5A	9	43
E1	9	340	E1	9	464
E4	9	6	E2	9	167
L2	9	185	E2	9	349
E4	9	16	E4	9	34
E1	9	393	E1	9	255
E6	9	127	E1	9	641
E2	9	243	L2	9	418
E1	9	333	E5B	9	13
E1	9	274	L2	9	259
L1	9	344	L1	9	267
E1	9	218	E1	9	244
E2	9	164	L2	9	131
E1	9	204	L2	9	179
E2	9	251	E1	9	486
L1	9	184	E4	9	10
E1	9	413	L1	9	104
E1	9	17	E5B	9	31
E1	9	532	E5B	9	18
L1	9	27	L1	9	147
E5B	9	58	L1	9	325
L2	9	406	L2	9	404
E7	9	13	L1	9	110
L1	9	369	E6	9	138
L2	9	45	E7	9	6
E1	9	137	L2	9	434
E1	9	56	L1	9	286
E1	9	356	E2	9	192
L1	9	87	L2	9	415
L1	9	9	E1	9	150
E5B	9	14	E1	9	500
E2	9	146	L2	9	54
E6	9	102	E1	9	19
L1	9	218	E1	9	139
L2	9	146	E6	9	61
E2	9	139	L1	9	67
L1	9	399	E1	9	418
E1	9	239	E2	9	41
L2	9	277	E6	9	82
E1	9	577	E7	9	54
L1	9	413	L2	9	129
E5A	9	42	E2	9	56
L2	9	335	L2	9	180
L2	9	195	E1	9	555
E2	9	77	E2	9	30
			E4	9	29

Table XIX B. HPV6B  
DR Supermotif Peptides

E1	9	61	E5A	9	36
L2	9	40	E2	9	18
L1	9	49	E5B	9	32
E2	9	311	E5A	9	58
E2	9	152	E5A	9	54
E7	9	8	E1	9	301
E2	9	186	E1	9	282
L2	9	321	E5A	9	72
E5A	9	25	E1	9	279
E1	9	477	E5A	9	59
E1	9	224	E5A	9	55
L1	9	373	E7	9	90
L1	9	389	E5A	9	21
L2	9	320	E5A	9	68
E5A	9	24	L1	9	370
L2	9	282	E1	9	514
L2	9	47	E1	9	221
E5A	9	20	E2	9	54
E6	9	32	E1	9	558
E1	9	458	E5A	9	52
L2	9	35	E5A	9	73
E6	9	105	E5B	9	19
E7	9	79	E5A	9	60
E1	9	227	E5A	9	56
E5A	9	40	E4	9	18
E1	9	495	E1	9	323
E5B	9	26	L2	9	1
L2	9	107	L1	9	386
E5A	9	37	L2	9	280
E6	9	46	E1	9	536
E6	9	126	E2	9	132
E1	9	614	E2	9	92
E7	9	12	E6	9	1
E1	9	216	E5A	9	1
L1	9	82	E5A	9	3
E1	9	463	E5A	9	4
E2	9	31	E4	9	1
E6	9	38	E7	9	1
E1	9	474	E6	9	27
L2	9	82	E2	9	59
E6	9	97	L1	9	362
E7	9	52	E1	9	540
E1	9	427	L1	9	2
L1	9	216	E1	9	603
E1	9	487	E6	9	133
E1	9	521	E6	9	33
E6	9	55	L2	9	397
E1	9	579	E2	9	145
E5B	9	22	L2	9	178
L1	9	155	E1	9	454
E4	9	82	L1	9	34
L2	9	198	L1	9	307
E6	9	101	L1	9	58
E2	9	350	L1	9	441
L1	9	397	E6	9	24
E1	9	199	L1	9	340
E2	9	19	L2	9	160
E7	9	87	L2	9	254
L2	9	232	E1	9	398
E1	9	494	E4	9	70

Table XIX B. HPV6B  
DR Supermotif Peptides

L1	9	176	L1	9	479
L2	9	388	L2	9	71
L1	9	145	L1	9	32
E7	9	67	L2	9	224
L2	9	142	L2	9	114
ESA	9	81	L2	9	371
E4	9	76	ESA	9	41
L1	9	271	L2	9	87
E1	9	341	L1	9	295
L1	9	220	E1	9	510
L1	9	186	E2	9	360
ESA	9	67	L2	9	190
L1	9	80	ESA	9	33
L1	9	17	L1	9	378
E1	9	313	L2	9	52
E1	9	564	E1	9	110
E4	9	45	E1	9	92
L2	9	93	L1	9	421
ESA	9	22	L2	9	229
ESA	9	8	L1	9	42
L2	9	94	L1	9	454
E4	9	84	E1	9	509
E1	9	402	L1	9	287
E1	9	67	E1	9	621
ESA	9	69	E2	9	319
L1	9	371	E2	9	26
E1	9	256	ESA	9	17
L1	9	154	L1	9	338
L1	9	327	L2	9	213
E7	9	84	E2	9	214
E2	9	51	E2	9	193
E1	9	308	ESA	9	48
E1	9	530	L2	9	263
E1	9	515	E6	9	48
E2	9	347	E2	9	101
L2	9	247	L2	9	411
L1	9	469	L2	9	23
L1	9	152	ESB	9	7
E1	9	347	ESA	9	18
E1	9	366	E6	9	22
L1	9	459	E1	9	589
L1	9	69	L2	9	200
E6	9	106	L2	9	427
E1	9	284	E1	9	18
E6	9	59	L2	9	72
L2	9	294	ESA	9	74
E2	9	312	E7	9	89
L2	9	319	E6	9	29
L2	9	450	E1	9	272
E1	9	87	L1	9	33
E7	9	69	L2	9	141
L1	9	97	L2	9	422
E1	9	541	E2	9	206
L2	9	159	L2	9	18
L1	9	484	L2	9	383
L2	9	92	L1	9	95
E1	9	346	E4	9	91
E1	9	127	ESA	9	16
E1	9	291	E2	9	222
E1	9	327	L1	9	191

Table XIX B. HPV6B  
DR Supermotif Peptides

ESA	9	47
E1	9	235
ESA	9	65
L2	9	154
E2	9	119
L1	9	11
E2	9	321
L1	9	415
E1	9	320
E1	9	242
E2	9	256
ESA	9	29
E7	9	40
E1	9	51
E1	9	23
L1	9	365
E6	9	117
L2	9	97
L1	9	72
ESB	9	27
E7	9	15
E2	9	44
ESA	9	51
E2	9	62
E1	9	82
E1	9	447
E7	9	82
ESA	9	32
L1	9	20
L2	9	108
L2	9	367
E1	9	587
L1	9	330
ESA	9	28
E2	9	352
E1	9	275
E1	9	613
E2	9	36
ESB	9	16
E4	9	79
L1	9	126
L1	9	439
E1	9	580
E4	9	25
ESA	9	57
L1	9	230
E4	9	32
L1	9	70
L1	9	416
L2	9	299
ESA	9	46
E4	9	19
E2	9	134

Table XIX C. HPV11  
DR Supermotif Peptides

<u>2</u>	<u>3</u>	<u>4</u>			
L2	9	43	L2	9	334
L2	9	332	E2	9	77
L1	9	384	E1	9	306
E5A	9	26	L2	9	164
E5B	9	25	L2	9	112
E5A	9	82	E1	9	376
L1	9	264	E2	9	188
L2	9	71	L1	9	447
E2	9	49	E2	9	208
E1	9	403	L1	9	210
E1	9	557	E5A	9	70
E1	9	322	L1	9	247
L1	9	207	L1	9	205
E1	9	102	E5B	9	19
E1	9	340	E1	9	255
L2	9	184	E1	9	641
E2	9	224	L2	9	414
E4	9	16	L2	9	298
E1	9	393	E5B	9	23
L1	9	287	E5A	9	43
E1	9	333	E5B	9	14
E5A	9	28	L2	9	258
E1	9	274	E1	9	174
E6	9	48	L1	9	268
L1	9	345	E1	9	244
E1	9	218	L2	9	130
E2	9	164	L2	9	178
E2	9	38	E4	9	10
L1	9	185	L1	9	104
E1	9	413	E5B	9	32
E1	9	509	E2	9	58
E1	9	17	L1	9	148
E1	9	532	L1	9	326
L1	9	27	L2	9	400
E5A	9	42	L1	9	110
L2	9	194	E6	9	138
L2	9	402	E1	9	169
E7	9	13	E7	9	6
E7	9	84	L2	9	430
L1	9	370	E1	9	91
L1	9	442	E2	9	192
L2	9	44	L2	9	411
E1	9	56	E1	9	500
E4	9	69	L2	9	53
E1	9	137	L1	9	114
E1	9	356	E1	9	19
L1	9	87	E1	9	139
E2	9	262	L1	9	67
L1	9	9	E1	9	418
E2	9	146	E6	9	82
E2	9	99	E2	9	56
L1	9	219	L2	9	179
L2	9	145	E2	9	139
L1	9	400	E2	9	30
E1	9	239	L1	9	328
L2	9	276	E1	9	308
E2	9	128	L1	9	49
L1	9	414	E1	9	555
E1	9	577	L2	9	39
			E2	9	186

Table XIX C. HPV11  
DR Supermotif Peptides

E7	9	54	E5A	9	55
E1	9	477	E7	9	90
L1	9	374	E2	9	349
L1	9	390	E5A	9	21
L2	9	319	E7	9	82
E5A	9	37	E5A	9	68
L2	9	281	L1	9	371
E1	9	495	E1	9	514
L1	9	54	L2	9	231
L2	9	46	E2	9	59
E5A	9	20	E1	9	221
E5A	9	31	E2	9	54
E2	9	33	E5A	9	32
E1	9	458	E1	9	558
L2	9	34	E5A	9	52
E6	9	32	E7	9	8
E6	9	105	E5B	9	20
E1	9	227	E5A	9	60
E7	9	79	E5A	9	56
E5A	9	40	E4	9	18
L2	9	106	E1	9	323
E6	9	46	L1	9	387
E1	9	614	L2	9	279
E1	9	216	E1	9	536
E7	9	12	E6	9	1
L1	9	82	E5A	9	1
E2	9	31	E5A	9	3
E2	9	311	E5A	9	4
E1	9	463	E2	9	132
E1	9	474	E7	9	1
L2	9	81	L1	9	363
E1	9	427	E1	9	540
E1	9	487	E5B	9	1
L1	9	217	E5B	9	3
E1	9	521	E4	9	1
E6	9	102	L1	9	2
E6	9	55	E2	9	332
E1	9	579	E1	9	603
E4	9	26	E2	9	145
L1	9	156	E6	9	97
L2	9	197	E6	9	61
L1	9	398	E1	9	454
E1	9	199	L1	9	34
E2	9	19	L1	9	308
E2	9	41	L1	9	58
E7	9	87	E6	9	24
E6	9	27	L1	9	341
E5A	9	36	E6	9	133
E1	9	494	E2	9	250
E1	9	282	L2	9	159
E1	9	464	L2	9	253
E6	9	101	E1	9	398
E2	9	18	L1	9	177
E5B	9	33	E5B	9	57
E5A	9	58	L2	9	384
E5A	9	54	L1	9	146
E1	9	301	E7	9	67
E4	9	34	E5A	9	81
E1	9	279	L2	9	141
E5A	9	59	E4	9	75

Table XIX C. HPV11  
DR Supermotif Peptides

L2	9	359	L2	9	223
E1	9	341	L2	9	113
L1	9	221	E5A	9	41
L1	9	187	E4	9	81
E5A	9	67	L2	9	393
L1	9	80	E4	9	65
L1	9	17	L2	9	177
E1	9	564	E1	9	196
E4	9	45	L1	9	296
L2	9	92	E1	9	510
L2	9	216	E2	9	26
L2	9	165	L1	9	379
E2	9	214	E5A	9	33
L2	9	93	L2	9	51
E5A	9	8	L2	9	262
E5A	9	22	E1	9	110
E4	9	83	L1	9	422
E1	9	402	L2	9	189
E1	9	67	L2	9	379
E6	9	33	L2	9	228
E5A	9	69	L1	9	42
L1	9	372	L1	9	455
L1	9	460	L1	9	288
L2	9	128	E1	9	621
L2	9	363	E2	9	203
E1	9	256	E2	9	318
L1	9	155	L1	9	339
E2	9	51	L2	9	212
L2	9	158	E2	9	193
E1	9	61	E5A	9	48
E1	9	530	E2	9	101
E2	9	346	L2	9	407
L2	9	246	E5B	9	8
L1	9	470	E6	9	22
L1	9	153	E1	9	589
E1	9	347	L2	9	199
E1	9	366	L2	9	423
E2	9	89	E1	9	18
L1	9	69	E2	9	252
L2	9	70	E5A	9	74
E6	9	106	E5A	9	18
E6	9	59	E7	9	89
E1	9	284	E6	9	29
L2	9	293	E1	9	272
L1	9	258	L1	9	33
E2	9	359	L2	9	140
L2	9	318	L2	9	418
L2	9	446	E7	9	52
E1	9	87	L2	9	17
L1	9	97	L1	9	95
E6	9	38	L2	9	367
E1	9	541	E4	9	90
L1	9	485	E2	9	152
L2	9	91	L1	9	192
E1	9	346	E5A	9	47
E1	9	127	E5A	9	17
E4	9	60	E5A	9	65
L1	9	480	L2	9	153
E1	9	327	E5A	9	16
L1	9	32	E2	9	119

Table XIX C. HPV11  
DR Supermotif Peptides

L1	9	11
E2	9	320
E5B	9	16
L1	9	416
E1	9	242
E2	9	255
E5B	9	28
E5A	9	29
E5A	9	77
E1	9	51
E7	9	40
E1	9	224
E1	9	437
E1	9	23
L1	9	366
L2	9	96
E2	9	92
L1	9	72
E5A	9	24
E1	9	502
E7	9	15
E5A	9	51
E4	9	6
E2	9	62
E1	9	82
E1	9	447
E1	9	320
E2	9	206
L1	9	20
L2	9	107
E1	9	587
L1	9	331
E5B	9	27
E4	9	5
E5A	9	6
E1	9	275
E1	9	429
E1	9	613
E2	9	36
E5B	9	17
E4	9	29
L1	9	440
E2	9	310
E1	9	580
E4	9	25
E5A	9	57
L1	9	231
E4	9	32
L1	9	70
L1	9	417
E5A	9	46
E4	9	19
E2	9	134

Table XXa  
DR3a Motif Peptides

1	2	3	4				
HPV16	E1	9	531	HPV16	L2	9	326
HPV16	E1	9	369	HPV16	L2	9	465
HPV16	E1	9	33	HPV16	L2	9	368
HPV16	E1	9	332	HPV16	L2	9	439
HPV16	E1	9	520	HPV16	L2	9	93
HPV16	E1	9	113	HPV16	L2	9	277
HPV16	E1	9	19	HPV16	L2	9	250
HPV16	E1	9	305	HPV16	L2	9	126
HPV16	E1	9	592	HPV16	L2	9	369
HPV16	E1	9	401	HPV16	L2	9	196
HPV16	E1	9	365	HPV18	E1	9	260
HPV16	E1	9	622	HPV18	E1	9	75
HPV16	E1	9	127	HPV18	E1	9	376
HPV16	E1	9	52	HPV18	E1	9	382
HPV16	E1	9	588	HPV18	E1	9	388
HPV16	E1	9	428	HPV18	E1	9	32
HPV16	E2	9	229	HPV18	E1	9	103
HPV16	E2	9	77	HPV18	E1	9	339
HPV16	E2	9	121	HPV18	E1	9	527
HPV16	E2	9	171	HPV18	E1	9	217
HPV16	E2	9	159	HPV18	E1	9	599
HPV16	E2	9	139	HPV18	E1	9	408
HPV16	E2	9	291	HPV18	E1	9	372
HPV16	E2	9	335	HPV18	E1	9	629
HPV16	E2	9	115	HPV18	E1	9	105
HPV16	E2	9	97	HPV18	E1	9	31
HPV16	E2	9	19	HPV18	E1	9	515
HPV16	E2	9	87	HPV18	E1	9	233
HPV16	E2	9	10	HPV18	E2	9	164
HPV16	E2	9	138	HPV18	E2	9	292
HPV16	E2	9	257	HPV18	E2	9	136
HPV16	E2	9	337	HPV18	E2	9	91
HPV16	E2	9	119	HPV18	E2	9	143
HPV16	E2	9	36	HPV18	E2	9	123
HPV16	E6	9	33	HPV18	E2	9	337
HPV16	E6	9	60	HPV18	E2	9	40
HPV16	E6	9	22	HPV18	E2	9	176
HPV16	E6	9	45	HPV18	E6	9	55
HPV16	E6	9	8	HPV18	E6	9	17
HPV16	E7	9	1	HPV18	E6	9	85
HPV16	E7	9	11	HPV18	E7	9	13
HPV16	E7	9	15	HPV18	E7	9	21
HPV16	E7	9	23	HPV18	E7	9	74
HPV16	L1	9	276	HPV18	E7	9	26
HPV16	L1	9	297	HPV18	L1	9	83
HPV16	L1	9	326	HPV18	L1	9	311
HPV16	L1	9	220	HPV18	L1	9	361
HPV16	L1	9	14	HPV18	L1	9	281
HPV16	L1	9	481	HPV18	L1	9	517
HPV16	L1	9	409	HPV18	L1	9	519
HPV16	L1	9	246	HPV18	L1	9	255
HPV16	L1	9	424	HPV18	L1	9	460
HPV16	L1	9	48	HPV18	L1	9	445
HPV16	L1	9	31	HPV18	L1	9	152
HPV16	L1	9	117	HPV18	L1	9	298
HPV16	L1	9	129	HPV18	L2	9	351
HPV16	L1	9	263	HPV18	L2	9	106
HPV16	L2	9	373	HPV18	L2	9	350
HPV16	L2	9	108	HPV18	L2	9	91
				HPV18	L2	9	319

Table XXa  
DR3a Motif Peptides

HPV18 L2	9	249	HPV33 E1	9	59
HPV18 L2	9	454	HPV33 E1	9	298
HPV31 E1	9	413	HPV33 E1	9	32
HPV31 E1	9	349	HPV33 E1	9	513
HPV31 E1	9	32	HPV33 E1	9	615
HPV31 E1	9	312	HPV33 E1	9	585
HPV31 E1	9	500	HPV33 E1	9	50
HPV31 E1	9	268	HPV33 E1	9	260
HPV31 E1	9	112	HPV33 E1	9	394
HPV31 E1	9	18	HPV33 E1	9	358
HPV31 E1	9	572	HPV33 E1	9	164
HPV31 E1	9	381	HPV33 E1	9	524
HPV31 E1	9	144	HPV33 E1	9	18
HPV31 E1	9	345	HPV33 E1	9	219
HPV31 E1	9	602	HPV33 E1	9	597
HPV31 E2	9	77	HPV33 E2	9	139
HPV31 E2	9	200	HPV33 E2	9	77
HPV31 E2	9	139	HPV33 E2	9	171
HPV31 E2	9	298	HPV33 E2	9	138
HPV31 E2	9	115	HPV33 E2	9	279
HPV31 E2	9	262	HPV33 E2	9	140
HPV31 E2	9	87	HPV33 E2	9	19
HPV31 E2	9	194	HPV33 E2	9	212
HPV31 E2	9	10	HPV33 E2	9	244
HPV31 E2	9	119	HPV33 E2	9	325
HPV31 E2	9	36	HPV33 E2	9	119
HPV31 E6	9	21	HPV33 E2	9	36
HPV31 E6	9	53	HPV33 E2	9	170
HPV31 E6	9	54	HPV33 E6	9	1
HPV31 E7	9	1	HPV33 E6	9	53
HPV31 E7	9	78	HPV33 E7	9	11
HPV31 E7	9	11	HPV33 E7	9	23
HPV31 E7	9	15	HPV33 E7	9	15
HPV31 L1	9	251	HPV33 L1	9	348
HPV31 L1	9	272	HPV33 L1	9	354
HPV31 L1	9	301	HPV33 L1	9	250
HPV31 L1	9	446	HPV33 L1	9	271
HPV31 L1	9	456	HPV33 L1	9	300
HPV31 L1	9	384	HPV33 L1	9	393
HPV31 L1	9	195	HPV33 L1	9	194
HPV31 L1	9	221	HPV33 L1	9	454
HPV31 L1	9	399	HPV33 L1	9	220
HPV31 L1	9	22	HPV33 L1	9	382
HPV31 L1	9	92	HPV33 L1	9	397
HPV31 L1	9	104	HPV33 L1	9	22
HPV31 L1	9	238	HPV33 L1	9	92
HPV31 L2	9	361	HPV33 L1	9	104
HPV31 L2	9	409	HPV33 L1	9	237
HPV31 L2	9	108	HPV33 L2	9	338
HPV31 L2	9	245	HPV33 L2	9	433
HPV31 L2	9	355	HPV33 L2	9	260
HPV31 L2	9	432	HPV33 L2	9	250
HPV31 L2	9	93	HPV33 L2	9	107
HPV31 L2	9	319	HPV33 L2	9	365
HPV31 L2	9	270	HPV33 L2	9	324
HPV31 L2	9	458	HPV33 L2	9	92
HPV31 L2	9	191	HPV33 L2	9	428
HPV31 L2	9	255	HPV33 L2	9	332
HPV33 E1	9	362	HPV33 L2	9	203
HPV33 E1	9	170	HPV33 L2	9	366

Table XXa  
DR3a Motif Peptides

HPV33 L2	9	196	HPV56 E2	9	285
HPV33 L2	9	74	HPV56 E2	9	30
HPV45 E1	9	75	HPV56 E2	9	240
HPV45 E1	9	362	HPV56 E2	9	82
HPV45 E1	9	298	HPV56 E2	9	260
HPV45 E1	9	32	HPV56 E6	9	57
HPV45 E1	9	103	HPV56 E6	9	56
HPV45 E1	9	325	HPV56 E7	9	72
HPV45 E1	9	513	HPV56 E7	9	11
HPV45 E1	9	203	HPV56 L1	9	305
HPV45 E1	9	18	HPV56 L1	9	20
HPV45 E1	9	501	HPV56 L1	9	334
HPV45 E1	9	585	HPV56 L1	9	254
HPV45 E1	9	394	HPV56 L1	9	416
HPV45 E1	9	105	HPV56 L1	9	8
HPV45 E1	9	358	HPV56 L1	9	431
HPV45 E1	9	615	HPV56 L1	9	488
HPV45 E1	9	31	HPV56 L1	9	57
HPV45 E1	9	219	HPV56 L1	9	125
HPV45 E2	9	166	HPV56 L1	9	137
HPV45 E2	9	296	HPV56 L1	9	284
HPV45 E2	9	138	HPV56 L1	9	271
HPV45 E2	9	93	HPV56 L1	9	87
HPV45 E2	9	145	HPV56 L2	9	249
HPV45 E2	9	125	HPV56 L2	9	456
HPV45 E2	9	340	HPV56 L2	9	106
HPV45 E2	9	42	HPV56 L2	9	270
HPV45 E2	9	178	HPV56 L2	9	426
HPV45 E6	9	55	HPV56 L2	9	91
HPV45 E6	9	17	HPV56 L2	9	319
HPV45 E6	9	85	HPV56 L2	9	161
HPV45 E7	9	13	HPV56 L2	9	354
HPV45 E7	9	75			
HPV45 E7	9	27			
HPV45 L1	9	48			
HPV45 L1	9	277			
HPV45 L1	9	298			
HPV45 L1	9	247			
HPV45 L1	9	485			
HPV45 L1	9	221			
HPV45 L1	9	293			
HPV45 L1	9	118			
HPV45 L1	9	413			
HPV45 L1	9	130			
HPV45 L1	9	264			
HPV45 L2	9	263			
HPV45 L2	9	455			
HPV45 L2	9	106			
HPV45 L2	9	349			
HPV45 L2	9	91			
HPV45 L2	9	319			
HPV45 L2	9	249			
HPV56 E2	9	137			
HPV56 E2	9	131			
HPV56 E2	9	20			
HPV56 E2	9	62			
HPV56 E2	9	110			
HPV56 E2	9	284			
HPV56 E2	9	129			
HPV56 E2	9	53			

Table XXa. HPV6A  
DR3a Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>
E1	9	102
L2	9	353
E1	9	333
E1	9	370
E1	9	306
E2	9	133
E2	9	77
E1	9	376
E2	9	83
L1	9	246
L1	9	73
L1	9	296
E1	9	32
L2	9	193
E1	9	227
L1	9	190
E2	9	290
L2	9	107
L1	9	450
E4	9	49
L1	9	216
E2	9	87
E1	9	521
E7	9	11
E2	9	18
L2	9	393
E1	9	1
E1	9	50
L1	9	393
L2	9	254
E1	9	531
E1	9	593
E1	9	402
L2	9	247
E1	9	366
L2	9	319
L2	9	159
L2	9	92
L1	9	378
L1	9	21
L2	9	263
E2	9	138
L2	9	348
E1	9	18
E2	9	119
E2	9	337
E2	9	36
L1	9	233
E2	9	171

SF 1168148 v1

Table XXa. HPV6B  
DR3a Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>
E1	9	102
E1	9	333
E1	9	370
E2	9	133
E2	9	77
E1	9	306
E1	9	376
E2	9	83
L1	9	246
L1	9	73
L1	9	296
E1	9	32
L2	9	193
E1	9	227
L1	9	190
E2	9	290
L2	9	107
E2	9	335
L1	9	450
E4	9	59
L1	9	216
E1	9	521
E7	9	11
E2	9	18
E1	9	1
E1	9	50
L1	9	393
L2	9	254
E1	9	531
L2	9	392
E1	9	593
E1	9	402
L2	9	247
E1	9	366
L2	9	319
L2	9	159
L2	9	92
E2	9	87
L1	9	378
L1	9	21
L2	9	263
E2	9	138
L2	9	348
E1	9	18
E5B	9	62
E2	9	119
E2	9	337
E2	9	36
L1	9	233
E2	9	171

Table XXa. HPV11  
DR3a Motif Peptides

2	3	4
E1	9	102
E6	9	89
E1	9	333
E1	9	370
E2	9	77
E1	9	306
E1	9	376
L1	9	247
L1	9	73
L1	9	268
E1	9	169
L1	9	297
E1	9	32
L2	9	338
E2	9	265
E1	9	227
L1	9	191
E2	9	289
L2	9	106
L1	9	451
L1	9	217
E2	9	87
E1	9	521
ESA	9	36
E7	9	11
E6	9	54
E2	9	18
E1	9	1
L1	9	394
L2	9	253
E7	9	67
L2	9	388
E1	9	593
E1	9	402
L2	9	158
L2	9	246
E1	9	366
L2	9	318
L2	9	91
E4	9	60
L1	9	379
L1	9	21
L2	9	262
E1	9	621
L2	9	347
E1	9	18
E2	9	138
E2	9	336
E2	9	119
L2	9	192
E2	9	36
L1	9	234
E2	9	171

Table XXb  
DR3b Motif Peptides

1	2	3	4				
HPV16	E1	9	115	HPV31	E2	9	171
HPV16	E1	9	545	HPV31	E2	9	159
HPV16	E1	9	478	HPV31	E2	9	19
HPV16	E1	9	570	HPV31	E2	9	345
HPV16	E1	9	602	HPV31	E2	9	353
HPV16	E1	9	145	HPV31	E2	9	239
HPV16	E1	9	247	HPV31	E2	9	322
HPV16	E1	9	532	HPV31	E6	9	110
HPV16	E1	9	23	HPV31	E7	9	57
HPV16	E2	9	125	HPV31	L1	9	213
HPV16	E2	9	270	HPV31	L1	9	334
HPV16	E2	9	167	HPV31	L1	9	116
HPV16	E2	9	271	HPV31	L1	9	148
HPV16	E2	9	346	HPV31	L1	9	415
HPV16	E2	9	315	HPV31	L2	9	18
HPV16	E6	9	26	HPV31	L2	9	286
HPV16	E6	9	117	HPV31	L2	9	170
HPV16	L1	9	165	HPV31	L2	9	263
HPV16	L1	9	359	HPV31	L2	9	73
HPV16	L1	9	440	HPV31	L2	9	226
HPV16	L1	9	141	HPV33	E1	9	22
HPV16	L1	9	173	HPV33	E1	9	538
HPV16	L1	9	452	HPV33	E1	9	635
HPV16	L2	9	18	HPV33	E1	9	546
HPV16	L2	9	293	HPV33	E1	9	616
HPV16	L2	9	7	HPV33	E1	9	563
HPV16	L2	9	349	HPV33	E1	9	240
HPV18	E1	9	229	HPV33	E2	9	42
HPV18	E1	9	552	HPV33	E2	9	334
HPV18	E1	9	509	HPV33	E2	9	121
HPV18	E1	9	205	HPV33	E2	9	303
HPV18	E1	9	471	HPV33	E5	9	62
HPV18	E1	9	609	HPV33	E6	9	19
HPV18	E1	9	571	HPV33	E6	9	88
HPV18	E1	9	22	HPV33	E6	9	119
HPV18	E2	9	23	HPV33	E6	9	110
HPV18	E2	9	333	HPV33	L1	9	333
HPV18	E2	9	172	HPV33	L1	9	36
HPV18	E2	9	316	HPV33	L1	9	483
HPV18	E6	9	134	HPV33	L1	9	116
HPV18	E7	9	54	HPV33	L1	9	148
HPV18	L1	9	552	HPV33	L1	9	413
HPV18	L1	9	495	HPV33	L2	9	17
HPV18	L1	9	176	HPV33	L2	9	242
HPV18	L1	9	208	HPV33	L2	9	459
HPV18	L1	9	200	HPV33	L2	9	291
HPV18	L1	9	476	HPV33	L2	9	175
HPV18	L2	9	263	HPV45	E1	9	215
HPV18	L2	9	286	HPV45	E1	9	538
HPV18	L2	9	17	HPV45	E1	9	495
HPV31	E1	9	114	HPV45	E1	9	457
HPV31	E1	9	103	HPV45	E1	9	191
HPV31	E1	9	525	HPV45	E1	9	595
HPV31	E1	9	458	HPV45	E2	9	174
HPV31	E1	9	533	HPV45	E2	9	48
HPV31	E1	9	550	HPV45	E2	9	25
HPV31	E1	9	582	HPV45	E2	9	256
HPV31	E2	9	125	HPV45	E2	9	320
HPV31	E2	9	121	HPV45	E6	9	130
				HPV45	E7	9	55

Table XXb  
DR3b Motif Peptides

HPV45 L1	9	362
HPV45 L1	9	142
HPV45 L1	9	174
HPV45 L1	9	166
HPV45 L1	9	444
HPV45 L2	9	17
HPV45 L2	9	306
HPV45 L2	9	286
HPV45 L2	9	230
HPV56 E2	9	264
HPV56 E2	9	102
HPV56 E2	9	177
HPV56 E2	9	142
HPV56 E2	9	224
HPV56 E2	9	114
HPV56 E6	9	120
HPV56 E6	9	113
HPV56 E6	9	49
HPV56 L1	9	246
HPV56 L1	9	367
HPV56 L1	9	513
HPV56 L1	9	259
HPV56 L1	9	173
HPV56 L1	9	149
HPV56 L1	9	181
HPV56 L1	9	512
HPV56 L2	9	17
HPV56 L2	9	303
HPV56 L2	9	286
HPV56 L2	9	367
HPV56 L2	9	230

Table XXb. HPV6A  
DR3b Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>
E1	9	171
E1	9	546
E1	9	571
E1	9	115
E1	9	352
E1	9	386
E1	9	465
E1	9	503
E2	9	73
E2	9	266
E2	9	302
E2	9	315
E2	9	333
E2	9	352
E4	9	83
E6	9	89
E6	9	47
E6	9	20
E6	9	129
L1	9	143
L1	9	112
L1	9	329
L1	9	409
L2	9	172
L2	9	17
L2	9	74
L2	9	144
L2	9	286
L2	9	357

Table XXb. HPV6B  
DR3b Motif Peptides

<u>2</u>	<u>3</u>	<u>4n</u>
E2	9	178
E1	9	115
L2	9	17
E6	9	89
E2	9	302
E6	9	20
L2	9	357
E2	9	315
E6	9	129
L1	9	329
E1	9	546
E1	9	171
E1	9	352
E2	9	73
L2	9	286
L2	9	144
E1	9	503
E1	9	465
L1	9	409
E2	9	266
E1	9	571
L1	9	112
L2	9	172
E1	9	386
L1	9	143
E4	9	93
E2	9	223
E5B	9	37
L2	9	74

Table XXb. HPV11  
DR3b Motif Peptides

<u>2</u>	<u>3</u>	<u>4</u>
E6	9	68
E1	9	182
E1	9	115
E2	9	178
L2	9	16
E2	9	301
E1	9	204
E6	9	20
E2	9	314
E6	9	129
L1	9	330
E1	9	546
E2	9	73
L2	9	285
E1	9	352
L2	9	143
E1	9	465
E1	9	50
E5B	9	2
L1	9	410
E1	9	571
E2	9	199
L1	9	112
L2	9	171
E1	9	386
E2	9	345
L1	9	144
E4	9	92
E2	9	351
E6	9	47
L2	9	73
E5B	9	38

WHAT IS CLAIMED IS

1. An isolated prepared human papilloma virus (HPV) epitope consisting of a sequence selected from the group consisting of the sequences set out in Tables VII-XX.
2. A composition of claim 1, wherein the epitope is admixed or joined to a CTL epitope.
3. A composition of claim 2, wherein the CTL epitope is selected from the group set out in claim 1.
4. A composition of claim 1, wherein the epitope is admixed or joined to an HTL epitope.
5. A composition of claim 4, wherein the HTL epitope is selected from the group set out in claim 1.
6. A composition of claim 4, wherein the HTL epitope is a pan-DR binding molecule.
7. A composition of claim 1, comprising at least three epitopes selected from the group set out in claim 1.
8. A composition of claim 1, further comprising a liposome, wherein the epitope is on or within the liposome.
9. A composition of claim 1, wherein the epitope is joined to a lipid.
10. A composition of claim 1, wherein the epitope is joined to a linker.
11. A composition of claim 1, wherein the epitope is bound to an HLA heavy chain,  $\beta$ 2-microglobulin, and streptavidin complex, whereby a tetramer is formed.
12. A composition of claim 1, further comprising an antigen presenting cell, wherein the epitope is on or within the antigen presenting cell.
13. A composition of claim 12, wherein the epitope is bound to an HLA molecule on the antigen presenting cell, whereby when a cytotoxic lymphocyte (CTL) is present that is restricted to the HLA molecule, a receptor of the CTL binds to a complex of the HLA molecule and the epitope.

14. A clonal cytotoxic T lymphocyte (CTL), wherein the CTL is cultured *in vitro* and binds to a complex of an epitope selected from the group set out in Tables VII-XVIII, bound to an HLA molecule.

15. A peptide comprising at least a first and a second epitope, wherein the first epitope is selected from the group consisting of the sequences set out in Tables VII-XX;  
wherein the peptide comprise less than 50 contiguous amino acids that have 100% identity with a native peptide sequence.

16. A composition of claim 15, wherein the first and the second epitope are selected from the group of claim 14.

17. A composition of claim 16, further comprising a third epitope selected from the group of claim 15.

18. A composition of claim 15, wherein the peptide is a heteropolymer.

19. A composition of claim 15, wherein the peptide is a homopolymer.

20. A composition of claim 15, wherein the second epitope is a CTL epitope.

21. A composition of claim 15, wherein the second epitope is a PanDR binding molecule.

22. A composition of claim 1, wherein the first epitope is linked to an a linker sequence.

23. A vaccine composition comprising:  
a unit dose of a peptide that comprises less than 50 contiguous amino acids that have 100% identity with a native peptide sequence of HPV, the peptide comprising at least a first epitope selected from the group consisting of the sequences set out in Tables VII-XX; and;  
a pharmaceutical excipient.

24. A vaccine composition in accordance with claim 23, further comprising a second epitope.

25. A vaccine composition of claim 23, wherein the second epitope is a PanDR binding molecule.

26. A vaccine composition of claim 23, wherein the pharmaceutical excipient comprises an adjuvant.
27. An isolated nucleic acid encoding a peptide comprising an epitope consisting of a sequence selected from the group consisting of the sequences set out in Tables VII-XX.
28. An isolated nucleic acid encoding a peptide comprising at least a first and a second epitope, wherein the first epitope is selected from the group consisting of the sequences set out in Tables VII-XX; and wherein the peptide comprises less than 50 contiguous amino acids that have 100% identity with a native peptide sequence.
29. An isolated nucleic acid of claim 28, wherein the peptide comprises at least two epitopes selected from the sequences set out in Tables VII-XX.
30. An isolated nucleic acid of claim 29, wherein the peptide comprises at least three epitopes selected from the sequences set out in Tables VII-XX.
31. An isolated nucleic acid of claim 28, wherein the second peptide is a CTL epitope.
32. An isolated nucleic acid of claim 20, wherein the second peptide is an HTL epitope.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/33549

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : A61K 39/00, 39/12

US CL : 424/192.1; 204.1

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/192.1; 204.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MEDLINE, WEST, BIOSIS, CAPLUS

search terms: papillomavirus, epitop? peptid?, L1, E1, HPV?, vaccine, HTL, CTL

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,855,891 A (LOWY et al) 05 January 1999, see the abstract.	1-32
Y	US 5,753,233 A (BLEUL et al) 19 May 1998, see the claims.	1-32
Y	US 5,716,620 A (LOWY et al) 10 February 1998, see the claims.	1-32
Y	US 5,871,998 A (LOWY et al) 16 February 1999, see claim 1.	1-32
Y	US 5,985,610 A (LOWY et al) 16 November 1999, see the claims.	1-32
Y	US 5,618,536 A (LOWY et al) 08 April 1997, see the claims.	1-32



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*&* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

22 MARCH 2001

Date of mailing of the international search report

26 APR 2001

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

ALI R. SALIMI

Telephone No. (703) 308-0196

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US00/33549

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 95/31476 A1 (THE UNIVERSITY OF QUEENSLAND) 23 November 1995, see the claims.	1-32
A	US 5,180,806 A (DILLNER et al) 19 January 1993, see the abstract.	1-32